Improved Style Advance Programs This Issue; Internal Spider Web Mount; Electromagnetic Coupling Phenomena Explained; Taking Care of Batteries

Radio Disest EVERY INFROGRAMS TENS

REG. U. S. PAT. OFF. & DOM. OF CANAD

Vol. XI

Copyright 1924 By Radio Digest Publishing Co. SATURDAY, NOVEMBER 8, 1924

No. 5

OPERA TO BE BROADCAST

WWJ PAYS SPECIAL SELECTED ARTISTS

DETROIT PLANT CONFORMS PAY PLAN TO SINGERS

Have Won Fame on Two Continents— Detroit News Orchestra Helps Keep Fans Enthralled

DETROIT, Mich.—Station WWJ, the first station to broadcast musical programs in the United States in conjunction with its paid orchestra of celebrated artists, has recently added a number of artist-vocalists.

The artists who have won favor on two continents are: Templeton Moore, tenor; T. Stanley Perry, tenor; Jane Robinson, contralto; Claudine Secor, soprano; Graeme Gillies, bass and Thaddeus Wronski, baritone, all of whom are paid for their singing at this station.

Ever since the opening of WWJ, three years or more ago, it has added something new each year until now it is operating one of the finest broadcasting stations in the country, notwithstanding hundreds of others who have also entered the field.

Along with these celebrated artists, is the famous Detroit News orchestra. They have been furnishing the finest and highest type of musical programs obtainable.

Hears Station KFNF While in Middle of Pacific Ocean

SHENANDOAH, Iowa.—Station KFNF located in this city thought that they had about reached the limit of reception when they heard from Alaska, Porto Rico and Mexico, but Mr. Field, owner of the station recently received a letter which was mailed at Balboa, Canal Zone.

The operator on board the S. S. Heffron, when 1,000 miles out from Honolulu, heard the program distinctly. "The music came in loud and clear," he said, "but the weather was cloudy with occasional showers." A commercial receiver was used with detector and one step of audio frequency

amplification.



CHICAGO CIVIC OPERA STARS TO GO ON AIR

Sing at Three Stations

WGN, WMAQ and WEBH Announce Treat for Listeners in as Season Opens

CHICAGO.—Especially selected operatic arias, picked from the repertoire of the Chicago Civic Opera for the ensuing week, will be broadcast weekly Sundays by WGN, beginning with the reopening this week of the opera season here.

The best numbers for broadcasting will be sung by the popular stars.

Coupled with the WGN announcement comes the news that WMAQ and WEBH, Daily News and Edgewater Beach Hotel stations here, are also planning to feature operatic numbers sung by principles of the Civic Opera company.

Plans for broadcasting the opera direct from the Auditorium theater, where it is being held, are under consideration. One proposal, made (Continued on page 2)



Left, Miss Gertrude Smallwood, organist and planist of local reputation. Miss Smallwood's recitals from WRC, particularly her interpretations of Liszt and Chopin, have gained her a high rank among planists. Above, Ruth A. Malcomson, better known as Miss America, who was adjudged as the most beautiful girl in America and recently heard from WIP. Right, Ruth Williams, charming soprano, who has recently been added to Roxy's gang. She sings in the Capitol theater program, broadcast every Sunday evening from Station WEAF.

BEGIN PROGRAMS AT TWIN CITY STATION

SPECIAL FOOTBALL BOOTH INSTALLED IN STADIUM

Start Reguar Concert Programs at New St. Paul-Minneapolis Radiocast -Legion Program on Air

MINNEAPOLIS .- From a glass broadcasting booth built especially for the Gold Medal Station WCCO in the University of Minnesota's new million dollar stadium, reports of the home games of the Minnesota football team are being broadcast.

It is believed that the Minnesota stadium is the first to include among its other facilities a booth from which Radio reports of the contests there may be sent out. All home games of the Minnesota team which will be broadcast from the Gold Medal Station. In addition to these reports, the Gold Medal Station will send out reports by quarters and halves of all the important football games in the United States every Saturday.

Musical Entertainment Starts

Regular musical entertainments are now being broadcast from the station. A concert by the famous Shrine Band or Osman Temple, St. Paul, will be given on November 7. This hand has won numerous prizes in competition at various Shrine conventions. This will be the first time one of their concerts has been broadcast for a

Another attraction is the Warmelin Ensemble of Minneapolis, composed of ten prominent Twin City musicians interested in chamber music, who have been working together now for about eight months. They will give a concert on the evening of November 19 at 11 o'clock. Corinne Faulk Bowen, soprano, will be the soloist. Broadcast Legion Program

The broadcasting of a complete American Legion program on Armistice Day. November 11, with talent provided by entertainers from the Legion and Legion Auxiliary of the Twin Cities, is planned. Among the features will be a concert by the Hennepin County Auxiliary Glee Club, which won fame by its singing during the recent national American Legion convention at St. Paul.

Experiment with Telepathy-on Air

Speaker Acts as Agent and Listener In as Percipients Results Are Questionable

COLUMBUS, Ohio. - An experiment to determine the possibility or impossibility of telepathy, or thought transference, was conducted at Station WEAO, Ohio State university here, as a part of the evening program, October 30.

In this experiment the speaker served as the agent and the listeners in as percipients. The former concentrated on certain numbers, cards, etc., and the latter attempted to determine of which he is thinking.

The results are being collected by postcard and tabulated to determine whether there is a higher percentage of correct judgments on the part of the percipients than could be accounted for by mere chance. The results, together with those of various laboratory studies of telepathy will be discussed in a subsequent lecture from the station, November 30.

CELEBRATED STATION ANNEXES NEW STUDIO

Opens in Conn National School of Music

CHICAGO.-Station WTAS, owned by Charles Erbstein, famous attorney, recently opened a new studio at the Conn National Studio of Music in this city. The studio is connected by wire to the WTAS transmitter at Elgin, Ill.

Conn artists broadcast two or three times weekly and arc a feature on the Sunday afternoon Villa Olivia star concerts. Exponents of various brass musical instruments who are affiliated with the C. G. Conn company are featured nightly.

America's leading bandmaster will go on the air through WTAS early this month when he appears at the Auditorium.

TO BROADCAST OPERA

(Continued from page 1) by Miss Judith Waller, program director of Station WMAQ, the Daily News, is to have various local stations in turn broadcast the performances every Monday night at the opera when all seats are always sold out.

In case the suggested plan is accepted, Chicago's silent night will be changed from Monday night to some other night of the week during the opera season

JACK NELSON HEADS CALL OF THE MOOSE



Jack Nelson, former announcer at WDAP and WGN, is now directing the destiny of WJJD, the new station of the Loyal Order of Moose at Mooseheart, Illinois.

Each mast of the new 100-kilowatt station at Rugby, England, will stand on a 51/2 foot block of granite.

MOOSE OPEN NEW RADIOCAST—WJJD

Jack Nelson, Director-Announcer, Makes Hit with Radiophans-Home Non-Sectarian

MOOSEHEART, Ill. — "Howdy, Pap!" This was the greeting that Radiophans heard when listening in at 7 p. m. October 27, on 278 meters wave length. The owner of the voice was none other than Jack Nelson, former announcer at Stations WDAP and WGN.

Prominent among the notables present was James J. Davis, secretary of labor and founder of the home for children located here. He talked at length, telling the public just what they were trying to accomplish at this celebrated home. Mooseheart is the miracle city of all history. It has received the unstinted praise of people of all religious beliefs as it is non-sectarian.

Congratulations Pour in

Following Secretary Davis' talk, Jack Nelson then introduced the far-famed Terrace Gardens orchestra, playing at the Hotel Morrison in Chicago. This was followed by Little and Shea, well-known Radio entertainers of national repute.

Jack Nelson, director-announcer of this new station, has with him behind the scenes Ralph Shugart, formerly chief operator at WDAP and WGN, but now chief engineer of WJJD.

Thousands of letters of congratulation were received at the station on their opening night, also many telegrams and phone calls from people in all walks of life.

Classical Music from KGO

OAKLAND, Calif.-On Sunday, November 9, Wagnerian music will be contrasted with the orchestral works of Italian composers at Station KGO. Rossini's over-ture, "William Tell," will be described by Arthur S. Garbett. Short passages from the overture, played by the orchestra, will illustrate his remarks.

CONTENTS

Radio Digest, Illustrated, Volume XI, Number 5, published Chicago, Illinois, November 8, 1924. Published weekly by Radio Digest Publishing Company, 510 N. Dearborn Street, Chicago, Illinois. Subscription rates, yearly, Five Dollars; Foreign Postage One Dollar additional; single copies Ten Cents. Entered as second-class matter at the postoffice at Chicago, Illinois, under the Act of March 3, 1879.

Questions and Answers 22 Radiophone Broadcasting Stations—Part IV 23

Looking Ahead

The Largest Issue of Radio Digest Ever Published, Packed Full of Valuable Information, Will Appear Next Week. Forty pages of technical and semitechnical articles, broadcasting station news and features, advance program and station information, will satisfy every taste. The supply of copies will not be unlimited.

Beginning: "How to Build the Simplest Possible Super-Het," by John G. Ryan, Next Week. A full page could be devoted to telling of the superlative merits of this easy-to-make, inexpensive, simply operated "Rolls Royce" set. The model which the series describes, has been built from standard parts and tested for ninety days by Radio Digest technicians, but every test has proved it to be a blue ribbon receiver.

Low Los Tuners, Condensers and What Not are very much in the public eye. What of them? Read the articles soon to appear which will tell what low loss means and what can be gained by the use of low loss parts when used

Jacks and Jack Switches, What They Are and How to Use Them, is the topic' of Thomas Benson's next "Helpful Hints" contribution. Learn how to connect

How to Make a Storage B Battery and Its Charger, sounds interesting. This will be William Fenwick's next article on batteries. He also discusses C batteries. KYW, Midwest Pioneer, Will Be Described in Word and Picture next issue. This popular Westinghouse station, home of the "World Crier" and many other original features, will be shown behind the scenes.

Newsstands Don't Always Have One Left

WHEN YOU WANT

YOU WANT, IT!

BE SURE OF YOUR WEEKLY COPY BY SUBSCRIBING NOW

SEND IN THE BLANK TODAY

Publisher Radio Digest, 510 N. Dearborn St., Chicago, illnois. Please find enclosed check M. O. fer Five Dollars (Six, Foreign) for One Year's Subscription to Radio Digest, Illustrated.

ourse Its Radio

For ease of tuning, selectivity and long distant reception, you can't beat a Crosley, Actual performances prove this day in and day out.
Here are what a few of the happy Crosley

users say:

users say:
Apponnag, Rhodo Island.
"I purchased my Crosley one tube No. 50 around the first of August and I think it is my duty to express my satisfaction of its performance during the warm spell. Have heard New York, Boston, Pittsburgh, Cincinnati, Chicago, Detroit, Ottawa, Canada, and many other stations."

Have heard New York, Boston, Pittsburgh, Cincinnati, Chicago, Detroit, Ottawa, Canada, and many other stations."

Dallas, Texas.

"The set, Model 51, has already surpassed my greatest expectations. On the night of September 13th, Oakland, California, was received with sufficient volume to be clearly heard throughout seven rooms, Kansas City, Chicago and many other stations were received with respectively greater volume."

Chicago, Illinois.

"My Trirdyn has done all that you claimed for it. The first silent night, Monday, September 22nd, using only two tubes, I pulled in twenty-eight stations. On the following night with most of the Chicago stations going full blast, using two tubes, I pulled in Memphis, Cincinnati, Dallas and Omaha."

(Names upon request)

These are only a few of the thousands of unsolicited letters that come to us. You, too, can enjoy similar results with a Crosley. And the cost of any Crosley is remarkably low.

BEFORE YOU BUY—COMPARE YOUR CHOICE WILL BE A **CROSLEY**

Crosley Regenerative Receivers are licensed under Armstrong U. S. Patent 1,113,149. Prices West of the Rockies add 10 per cent

For Sale By Good Dealers Everywhere



Crosley Trirdyn Regular \$65.00

With tubes and Crosley Phones, \$80.75


Write For Complete Catalog

The Crosley Radio Corporation

Powel Crosley, Jr., President 11492 Alfred Street

Cincinnati, O.

Crosley Owns and Operates Broadcasting Station WLW



Has Your Radio "Heart Disease"

Here is good news to all who have receiving sets with "heart disease." Replace the weak tubes—the heart of your radio—with MECO TUBES and bring distant stations as clear and strong as "locals." The radical improvement in the construction of MECO TUBES gives longer life, and greater volume without hindering clear receptive tones. Made in 5-volt and 3-volt sizes with small or large base.

Sold by dealers everywhere at the standard price of \$4 and distributed by recognized radio jobbers and set manufacturers.

Metropolitan Electric Co. Des Moines, Iowa



POWER INCREASE IS SANCTIONED BY U.S.

STATIONS TO ADD WATTS IN SMALL STEPS

Government Radio Supervisors Must Approve Each Increase—Radiophans
Will Be Judges of Feasibility

WASHINGTON .- Experimental increases in the power of broadcasting stations, beginning at 1,500 watts and increasing gradually in steps of 500 watts until a maximum power of 5,000 watts is reached, has been sanctioned by the department of commerce.

Radiophans need have no fear of "super

power.

The increases in power will be allowed step by step under the direct supervision of the Radio supervisors of the commerce department only after the previous step increase has been shown to have been accomplished satisfactory to the public interest.

Blanketing of neighboring low power stations will not be allowed. The Radio supervisors will be responsible for the checking of the step-by-step increases in

No Super Power Requests Yet

No applications for stations of 25,000 to 50,000 watts power have been received at the department of commerce. The Radio Corporation of America is planning an experimental 50-kilowatt installation, but all experimentation will be under the direct supervision of the Radio section of the commerce department.

At any time should an increased power or super power station prove objectionable to the public, the offending station will be decreased in power allowance.

The increased power sanctioning comes as a conclusion to the third Radio confer-

Radiophans are asked to comment critically on the experimental increases in power, so that the Radio section may know its effect.

UNION MUSICIANS RESCIND; TO PLAY

Omaha Music Makers Withdraw Free Radio Service Bar Set May 15

OMAHA, Nebr.-After forbidding its members from playing over Radio without the full union pay, since May 15 last, Omaha Musicians' association, Local No. 70, reconsidered its action at the last meeting and voted unanimously to withdraw the Radio "ban."


There was considerable discussion on the subject, with an Omaha bass violinist leading the attack on the broadcasters. When the matter was put to a vote, however, those who favored playing for Radio for advertising, in return, overwhelmed the nays" with their votes.

Station WLW Treats Fans to Novel Election Returns

CINCINNATI, Ohio.-Radiophans who tuned in on Station WLW election night found the air affre with the latest returns from all states and territories. Instead of the regular reading of the numerical tally, the audience imagined themselves to be in Squire Terwilliger's grocery emporium at Punkin Center listening to the returns.

To this gathering came Senator Shultz, who was visiting his mother-in-law's old home. Wholesome fun interspersed with the actual returns kept the invisible audience highly amused for the evening. by Westinghouse Station KYW here, and KYW 536), WMAQ (448). But one can always expect to be highly entertained when listening to WLW.

NIGHTHAWKS' MERRY OLD CHIEF



Leo Fitzpatrick, director-announcer at Station WDAF, is winner of fourth place in the first annual Gold Cup Award, recently made by the Radio Digest for the world's most popular announcer. He is known to thousands as the "Merry Old Chief" of the Kansas City Nighthawks.

STATION WEW OPENS WITH NEW SCHEDULE

Sunday, Tuesday and Thursday Evenings Selected

ST. LOUIS, Mo.-Station WEW, the new St. Louis university Radio station is now broadcasting three evenings each week on a wave length of 280 meters. Sunday, Tuesday and Thursday evenings have been selected.

On Sunday evenings, beginning November 21, lectures on religious topics will be given, and on Tuesdays during Advent, Rev. James J. O'Regan, S. J., professor of philosophy at St. Louis university, will broadcast his Advent sermons.

The Thursday evening programs (only) will be of a light nature. This station was the first to broadcast in the Mississippi valley.

Lutheran Churches Broadcast

CHICAGO.—The evening celebration of the Lutheran churches of America on Luther Day, October 30, was broadcast picked up by Lutheran congregations throughout the country.

Football Radiocasts

November 8 Butler-Iowa at Iowa City, WHAA (484). Harvard-Princeton at Cambridge, WBZ

(337), WCAP (469), WEAF (492). Illinois-Chicago at Chicago, KYW (536), WMAQ (448).

Indiana-Ohio at Columbus, WEAO (294). Minnesota-Ames at Minnesota, WCCO

WWJ (517). Pennsylvania-Georgetown at Philadel-

phia, WIP (509). Pitt-Geneva at Pittsburgh, WCAE (462). Washington-California at Seattle, KFOA

Yale-Maryland at New Haven, WGY (380), WJZ, (455). November 15

Harvard-Brown, WBZ (337). Michigan-Ohio at Columbus, WEAO Minnesota-Illinois at St. Paul, WCCO

Nebraska-Notre Dame, WGN (370). New Mexico-State College, KOB (360). Northwestern - Chicago at Chicago,

Princeton-Yale at Princeton, (492), WGY (380), WJZ (455).

CONGRESSIONAL EYE ON RADIO SITUATION

WILL RECEIVE ATTENTION AT NEXT SESSION

Representative White of Maine Was Constant Attendant at Recent Conference-Hoover Changes Mind

WASHINGTON, D. C.—That the Radio situation is going to receive attention at the forthcoming session of Congress seems an assured fact in view of statements made here of late by various government officials.

Representative White of Maine, sponsor of the Radio bill in the House of Representatives, was a constant attendant at the third Radio conference and it it believed that he got considerable ammunition to unload at the coming session. He came away from the conference feeling more strongly than ever that some Radio legislation is needed.
On the other hand, while absolutely no

statement has been made at the department of commerce it is thought that Secretary Hoover is not nearly so anxious to push the Radio bill for action as he was during the last session of Congress. The reason for his apparent change of mind on this question is not known and he is not disposed to discuss the situation at this time.

CAPE COD BOASTS **UNUSUAL STATION**

Rustic Old New England Farm House Serves as Shelter for WBBG

MATTAPOISETT, Mass. -- WBBG is probably the most unusual station in the world; located in the country the poet Whittier wrote about.

Located in Mattapoisett, a small village about seven miles from New Bedford, the towers of WBBG afford a striking contrast to the rustic scene as they point skyward from the grove of trees which shelter the old fashioned, rambling New England farm house in which the station is located.

One of the front rooms has been turned into the broadcasting studio. On a mantelpiece near the great open fireplace stands the "mike." From this room wires lead to the upstairs, where a 500-watt transmitter, built entirely by Mr. Irving Vermilya, the station's owner, is located. Power is furnished by storage battery.

A wave length of 248 meters is used. The antenna ammeter registers five amperes when the station is in operation and the "Voice of Cape Cod" can be heard from Florida to Wyoming.

With the experimental call letters, 1ZE and 1XAL, Mr. Vermilya, who is New England division manager of the American Radio Relay League, has been heard in England and France. Although regular programs are sent out only once a week, on Wednesday evenings, WBBG will soon be on the air three or more nights.

"When you hear us," says Mr. Vermilya, "remember, we are not on the top of some jazzy hotel roof, but tucked away, far from the maddening crowd, in an old fashioned farmhouse on old Cape Cod."

Cotterill Sisters on WOAW

OMAHA, Nebr.-The three Cotterill sisters-Bess, Florence and Alice-who are best known to Radiophans on the west coast, stopped in Omaha last Saturday night for a program from WOAW. They entertained with vocal selections, pianologues, etc. They played last winter at The Mary Louise, one of Los Angeles' exclusive cafes, and also from KHJ, the Times station.



Celebrated orchestra, the feature of the Little Jessie | tion WIP. This orchestra has created quite a sensation | requests to have them on their program. Ole Olesen, James show company, which plays regularly from Sta- in Radio circles, and WIP has received numerous pianist, is the leader of this remarkable orchestra.

INSTALL RECEIVERS AT ARMY HOSPITAL

HOPE TO OBTAIN SETS FOR MORE HOSPITALS SOON

Employ Receiver with Powerful Amplifier to Operate 3,000 Head-Sets and Six Loud Speakers

WASHINGTON .- Radio is gradually taking its place in the modern hospital as one of the most valuable adjuncts of curative medicine.

At the Walter Reed Army hospital herc, a receiver with 1,500 headsets has been provided for the wounded and sick veterans. Six loud speakers have been placed in the assembly halls. This outlay is directly due to the effort of S. L. Rothafel, managing director of the Capitol theater in New York and his staff of artists. They have been engaged for some time in an effort to provide all military service hospitals with apparatus.

The general system employed in the use of the hospital receivers is this: One receiving set is used for the reception of broadcasts. A powerful amplifier, capable of supplying 3,000 headsets in parallel and a number of loud speakers, is employed. Each of the headsets can be turned off and on at the will of the listener.

Use Local Stations

One man is required to be in charge of the set at all times. Although the outfit is capable of tuning in stations at great distances, because of interference local stations are used except on special occasions. In the four months the set has been used at the Reed hospital, the results have been highly satisfactory.

With the aid of a staff of government experts assisting technically, numerous campaigns are now being made to equip every government hospital with similar apparatus for the entertainment of the shut-in men.

La Follette Objects to Treatment at WHO

Claims Stations Are Trying to Keep Him Quiet

WASHINGTON .- Because Station WHO at Des Moines, Iowa, refused to allow him to broadcast his speech, Senator La Follette recently appealed to Secretary of Commerce Hoover, claiming that a monopoly had been formed to prevent him from going on the air.

Mr. Hoover has declared that Senator La Follette obtained more favors from the Radio section of the department of commerce than any other candidate running for office.

"Station WHO is a privately owned station," Secretary Hoover said, "and it is up to the individuals who own it whether or not a person may broadcast his views on the political situation."

STEAMER HEARS KFGZ NEAR HOLLAND COAST

Michigan Station Is Frequently Heard, Dutch Operator Says

BERRIEN SPRINGS, Mich.—New laurels have been won by KFGZ, "The jazzless broadcasting station." Word brought from Europe last week by Director Paul N. Pearce states that the "Radio Lighthouse" was picked up by the Marconi operator on the S. S. "Batavia" while it was plowing the chilly waters of the North Sea.

Mr. Pearce was traveling from England to Holland, on the "Batavia," when the Dutch operator mentioned incidentally that he had frequently heard the station which Mr. Pearce represented.

Lectures on Personality

CHICAGO.—Appearing on the Saturday program of Station KYW, Miss Pauline Dunstan Belden has just recently resumed her lectures on "Personality" from the Congress hotel studio.


She is giving a series of six weekly talks, which will continue until November 29. Mlss Belden has been giving lectures on the subject at twenty-eight of the largest local institutions and has aroused considerable comment.

British Boost Radio Week

LONDON.—In British Radio circles great interest is being evlnced in the proposal for an international Radio week, which it is hoped to arrange from November 23 to 30.

The Radio stations in Germany are encountering the inevitable problem of how to pay for broadcasting. Berlin proposes to resort to paid advertising to help.

Baby One Tube Set



This miniature one-tube regenerative receiver built by Fred C. Mathews of North Bergen, N. J., is of splendid workmanship and design. An unusual low loss coil permits it to cover great distances.

When Station 2LO London, recently broadcast card games, the people voiced their disapproval and it was immediately

NATIONWIDE INTEREST | KFDM Plans Increase RESULT OF NAVY DAY

WASHINGTON.—Twenty-seven broad-casting stations, well distributed throughout the country, treated the Radiophans to a real salty concert, Navy day, October 27. Sea-going songs and love of the sea predominated.

Navy day, unlike defense day which the Army held recently, was to show and tell what the Navy can and does do, at the same time providing an evening of entertainment.

Noted Debate Broadcast

CEDAR RAPIDS, Iowa.—A debate between Oxford university's team and Coe college of Cedar Rapids was broadcast recently through WJAM, Evening Gazette-Iowa Railway and Light company station here, by remote control from Coe chapel. Malcom MacDonald, son of Prime Minister Rainsey MacDonald of England, is a member of the Oxford team.

WES Heard in Hawaii

CHICAGO,-Another long distance reception record was announced today by Station WLS, located here. Director Edgar L. Bill received a letter from W. I. Harrington of Wailuka, territory of Hawaii, which stated that at approximately stopped. No one has ever kicked about 8:05 p. m. Honolulu time, September 30, the checker games which are broadcast.

in Program Schedule

Twenty-Seven Stations Broadcast Songs and Sea Lore Magnolia Petroleum Station at Beaumont Plans Expansion

BEAUMONT, Texas .- Far down in the

southern oil country KFDM is located. This station, owned and operated by the Magnolia Petroleum company, is a

500 watt transmitter and operates on 306 meters and 980 kllocycles. It is located on the top of the admin-

istration building of the refining company and uses the slogan, "Kall For Dependable Magnolene." Magnolene Mike is the chief announcer. H. H. Ziller is the director and Dr. Harry Cloud is leader of the company band and musical director. C. B. Trevey is the operator.


A varied musical is given every Tuesday evening and on Friday a band concert. It is expected that the station will soon increase its broadcasting schedule.

Station WEAO Gives Prize for Most Popular Slogan COLUMBUS, Ohio.—"Willing, Energetic,

Athletic Ohio.

This is the winning slogan in the football motto contest conducted by WEAO, Ohio State university. H. M. Young, of Urichville, Ohio, was winner. The prize was two tickets for the Chicago-Ohio football game.

The slogan is being used by WEAO in broadcasting of games from Ohio stadium.



TTTHEN you own a Radiodyne you can tune in on broadcast W programs without wasting time tinkering. The Radiodyne shuts out interference from nearby stations. By simply adjusting the dials as indicated on the Radiodyne chart you can select the stations you wish to hear. All batteries are enclosed in the beautiful 'two-tone mahogany cabinet that will harmonize with your other furniture.

Uses a 25 Foot Lamp Coil for Summer Reception



Wife Gets Good Results After Two Minutes Instruction

"We are getting constant reception this summer from stations 500 to 1000 miles away on loud speaker with a 25 foot length of lamp coil. I got Los Angeles, San Francisco and Cuba."

Bernard S. Slay, Minneapolis, Minn.


"I gave my wife two minutes instruction and left her alone with the set. When I came back she said that signals had been roaring in all evening and had a log to · prove it."

Robert Seldon Rose, Marquette, Mich.

Write for illustrated folder which describes the Radiodyne in detail. If you buy a radio before you have a demonstration of the Radiodyne you will surely regret it.

Western Coil & Electrical Co., 312 Fifth St., Racine, Wis.

It's Just An Old Fashioned Station—KFNF



PACIFIC NORTHWEST HAS LARGE STATION

LOCATED IN MOUNT BAKER DISTRICT OF SEATTLE

Studio and Offices Located in Downtown District-Connected to Operating by Private Wires

SEATTLE, Wash.-Station KFQX, the first 1,000-watt station on the Pacific Northwest coast, enters the broadcasting field and bids fair to be the largest of them all.

Located in the Mount Baker district of this city on a high bluff overlooking Lake Washington, this station, operating on 233 meter wave length, has been heard throughout the country with wonderful success.

The studlo and offices are located in the downtown district and are connected to the operating room by private telephone lines. Considerable time has been spent on the accoustic treatment of the studio to make it perfect in every detail.

A remote control line has been completed to the Bagdad cafe, where a celebrated orchestra plays for the Radiophans every evening. Other remote control lines to various points throughout the city are under construction. The station intends to introduce to the public something heretofore unattempted, according to a statement made by its general manager.

French Want Own Terms

PARIS. - Commandant Rene Mesny, famous short wave expert of the military service here, complained that French amateur Radiophans should not use such as "Roxy's gang," made a hit recently words as "fading," "speaker" and numer- when they produced upon the legitimate ous others of American origin. French should originate a Radio vocabulary of their own, instead of lazily sit- for their Radio friends backstage every ting back and using other's words.

CROSS WORD PUZZLE CHAMPION



Roxy's Gang on Stage

NEW YORK.—Capitol theater Radio artists, better known to the Radiophans stage an ensemble number called "In a Song Shop." The artists held a reception afternoon throughout the week.

Broadcast Coolidge Address

WASHINGTON, D. C .- President Coolidge's address on October 23 to the eastern division of the Chamber of Commerce of the United States was nationally broad-track coaches," and is famed as being the cast. Arrangements for the broadcasting man who developed J. Alfred Leconey, of the talk were made by Station WCAP. world 100-yard dash record holder.

In Which Auto Racer Quails Before "Mike"

Famous Driver Loses His Head for First Time

SALT LAKE CITY.—Many a brave man who faces death in his work quails when he faces the microphone.

Witness Babe Stapp, famous automobile racer. Stapp, one of the best known drivers on the Pacific coast, visited Station KDYL during a recent race here. With him were Tony Morosco and Eddie Hearn, more race celebrities.

When Stapp asked to announce the results of the race and order some parts for his machine from Los Angeles, his request was gladly granted. Stapp started to talk as though he was speaking to someone in the room, and with the usual gestures. Suddenly he backed away from the "mike" as though it would bite him and he muttered and stuttered. Finally his courage came back and he finished. Even the station attendants were convulsed with mirth


Fifteen minutes later a telegram arrived saying that every word Stapp said had been clearly heard. The automobile parts would be sent immediately.

"That sure is fine," said the racer," but I think I'll stick to the tracks in the

Celebrated Athletic Coach Gives Weekly Sport Review

SCHENECTADY, N. Y.-Harold Anson Bruce, director of physical training and athletics at Union college, this city, will give a weekly sport review every Monday evening at 6:30 o'clock from WGY.

Mr. Bruce is known throughout the athletic word as "king of minor college



Insist on the Gold Seal HOMCHARGER \$18.50 at your dealer (in Canada \$26)



You needn't have "battery trouble"

14 Gold Seal HOMCHARGER **Features**

- 1—Simple; needs no care.
- 2-Efficient; costs about 5c to charge the averge battery, much less than bulb or liquid types of charger.
- -Quick; brings battery up to full charge over-
- 4—Tapers charge; cannot injure the battery.
- -Clean; no bulbs to break, no liquids to spill or produce fumes.
- Dependable; adjusted and sealed at factory.
- 7-Lasts forever; only one moving part, the Tungsten contact, which can be replaced at \$1 after many thousands of hours of use.
- 8-Fool proof; charges automatically, no matter which clip is attached to which battery terminal.
- -Safe; approved by Fire Insurance Underwriters. No danger of shock or fire.
- 10—Beautiful; sturdy metal case finished in mahogany-red a n d
- 11—Universal; made in types for all voltages of alternating and di-rect current. Charges all radlo "A" and "B" batteries, and automobile batteries.
- -Quiet; its faint hum cannot be heard in next room.
- 13-Unqualifiedly guaranteed.
- 14—Popular price sold everywhere for \$18.50; in Canada \$26 Complete, no extras to buy.

TWO things will make your enjoyment of radio free from battery trouble. First, any good storage Battery. Second, that excellent, simple, automatic charger — the new, silent Gold Seal Homcharger.



Such a combination means minimum care and maximum results, with no trouble at all. Then you can use your set all you want. If the battery becomes weak right in the middle of a program, screw the Homcharger plug in any lamp-socket, snap two spring clips over the battery terminals, and go right on listening at full power. Leave the Homcharger connected overnight, and in the morning the battery is charged again.

Everybody says this is the handsomest charger ever seen. The Gold Seal Homcharger is finished in mahogany-red and gold. It has rubber feet and so cannot mar polished floors, tables or cabinets. Safe-approved by the Fire Insurance Underwriters. Can't injure anything.

When buying a set, get storage battery tubes. They give most volume, and in many cases better results in distance, too. Make sure the battery you buy is charged, then you can listen in for a week to a month before you buy your Gold Seal Homcharger. Price only \$18.50 complete; \$26 in Canada. Absolutely guaranteed.

FREE! Ask your dealer or send direct for our interesting free booklet, "The Secret of Distance and Volume in Radio," containing valuable information on this subject and fully describing the GOLD SEAL HOMCHARGER.

Insist on the Gold Seal Homcharger-ask your

The AUTOMATIC ELECTRICAL DEVICES CO. Under the same management as the Kodel Mfg. Co.


215 W. Third Street, Cincinnati, Ohio

Largest Manufacturers of Vibrating Rectifiers in the World

dealer.

It's Easy to Build

a five tube radio frequency receiver when you use the Freshman Masterpiece Kit



No Neutralizing or **Balancing Condensers Required**

when you build with this kit to produce a radio frequency receiver that will bring in even the most distant stations with the volume and clarity of locals. So selective that stations can be brought in day after day at the same dial settings. A set that will be the equal, if not the superior, to any 5 tube receiver on the market, and what's more, it's the easiest set in the world to operate.

Kit consists of 3 Masterpiece Tuned Radio Frequency Units carefully matched and balanced. Complete with wiring diagram and instructions for building any 5 tube tuned radio frequency receiver and also drilling template for proper mounting....

Each and every Freshman Masterpiece Coll bears a serial number and Trademark—our guarantee of electrical and mechanical perfection. Every genuine Freshman Coil is made of specially insulated wire to prevent short-circuiting, so often caused by inferior coils. For your protection demand only the gonuine.

At your dealers, otherwise send purchase price and you will be supplied without further charge.

CHAS. FRESHMAN CO., INC., 106 Seventh Ave., New York.

Canadian Government Ship "Arctic" Hears Broadcasts Sent from KDKA

Over Three Degrees Above Arctic Circle, Making Reception of Messages Through Static and Storms Remarkable-Now Entering the Zone of Perpetual Daylight

MONTREAL, Quebec. — Complete and perfect reception of over 200 messages sent from Pittsburgh's powerful new short wave station, KDKA, by the Canadian government ship "Arctic" has been reported to amateur Station 4FV of Regina,

The "Arctic" established communication with 4FV after no word had been had for several weeks. Several other stations, namely 3CO, 3VH and 9AL also communicated with the "Arctic."

The boat is at present over three degrees above the arctic circle making the reception of the messages through terrific mid-summer static and storms remarkable. At this point near MacMillan's winter headquarters, the "Arctic" is in the zone of perpetual summer daylight. This added greatly to the difficulty of good

In 1923 as an experiment the Hudson's Bay company installed eight Canadian Westinghouse company receiving sets at various outposts from St. James Bay, in camps on the Labrador coast and to points far above the Arctic circle. Remarkable results were achieved and sets were installed at various other posts and on both of the Hudson's Bay company's boats, the "Nascopie" and the "Bayeskimo."

Plan Great Season at CYK, Winnipeg Plant

Artists Now Booked for Mid-Summer Programs

WINNIPEG.-With artists booked for entertainment far into mid-summer, Station CKY of the Manitoba Telephone system, promises its most brilliant and successful season.

There will be programs Radiocast by the leading music houses and choir concerts from several churches co-operating in local broadcasting. Rebroadcasting of programs from long distance stations will tion, which holds an exclusive broadcastbe an added feature due to perfection of remote control apparatus recently in- accepted a tender of the Marconi company stalled.

BOLL WEEVIL FINDS NEW DIFFICULTIES

TASHINGTON.—Consider the lot of the much abused boll weevil. When he goes into the country he is sprayed with poison. In the city he is driven by hunger and lack of proper food to eating electric wire insulation. Now Radiophans have complained against him and the bureau of standards is concocting a spray to cover insulation with metal on which the weevil will break off his beak. And all because when he eats he makes short circuits.

Chesapeake Telephone Co. Threaten to Quit WCAP

WASHINGTON, D. C .- The Chesapeake and Potomac Telephone company is threatening to abandon its station, WCAP, unless the Public Utilities commission of the District of Columbia permits it to include the upkeep of the station as an operating expense in considering telephone rates. While the difference has not reached a critical point, the matter is left to the decision of the company itself, inasmuch as the commission has stated that this upkeep cost absolutely will not be allowed.


U. S. Cruiser Hears Shenandoah

WASHINGTON.—Signals sent out by the naval dirigible Shenandoah, while moored to her mast at San Diego, using her low power short wave set, were picked up by the U. S. S. Canabus cruising in the Pacific 4,400 miles away.

New Station in South Africa

CAPETOWN, S. A.—The Broadcasting committee of the Cape Peninsula associaing privilege of the Cape province, has

FAMOUS INVENTOR WINS PATENT SUIT



ASHINGTON, D. C .- A three years dispute has just been settled by the District of Columbia Court of Appeals between Dr. James H. Rogers an inventor of this city and the government regarding a submarine Radio patent. The opinion reverses three decisions made by the patent office which have been unfavorable to Dr. Rogers. In the court's decision he was declared to be the original inventor of the submarine Radio which was perfected prior to the entrance of the United States in the World War and which was used during the war.

John A. Willoughby and Percival D. Lowell, former employees of the Bureau of Standards filed a claim in the patent office on behalf of the government, and stated that the submarine Radio was the result of their joint efforts. Their claim, for the installation of a six-kilowatt plant. however, was overruled by the court.

A SPLIT INFINITIVE? ASK THE SPECIALIST

TO REPAIR VOCABULARIES; BROKEN DOWN SPEECH

Mrs. Wilda Wilson Church to Give Course in Language Instruction from Station KGO

OAKLAND.—Now comes that Radio hospital for broken down vocabularies and defective parts of speech has opened it's doors Any listener may write to KGO and describe his struggles with grammar and words.

From the General Electric Pacific Coast station, it is announced today that Wilda Wilson Church, director of audio players in drama, the language doctor in charge. It is intended that the school be kept free from as much of the purely academic as possible.

"Listeners are invited to write me giving their troubles," said Wilda Wilson Church, "and I will develop my course of instruction from the requests that come in the mail."

What's Your Trouble? So there you are. If you are having any trouble with idioms, synonyms, antonyms, nouns, pronouns, or derivations, or should your case have been diagnosed as split infinitive, just write W. W. Church a letter. She will prescribe.

That the course will also aid parents who are unconsciously, in many instances, teaching their children the English language is apparent. "When a child learns to say 'ain't' at home," continued Mrs. Church, "it is very difficult to get him to change even after several years in school."

WEAF Adds Capitol Theater Organ Recitals to Program

NEW YORK .-- Arrangements made whereby the Capitol theater broadcasts weekly organ recitals as part of its Radio activities. The recitals are scheduled for Tuesday and Friday mornings at 11:30 Eastern time, with Dr. Melchiorre Mauro-Cottone at the console of the Capitol Grand orggan.

The music is sent out direct from the theater through Station WEAF.

A little sealing wax dropped on the edges of the windings of a coil will usually prevent the wires from slipping.

Why it is Better

"MASTER of Every Note in the Orchestral Range" is the proven claim of the Federal No. 65 Audio Frequency Transformer! - Volume without distortion is the basis for the beauty of Federal Tone.


From its oversize locking nuts to its heavy brass mounting feet the Federal No. 65 Transformer incorporates the same engineering skill that has made Federal the recognized leader in electrical communication apparatus since 1890.

Insist upon Federal parts for your "pet" hook-up. There are over 130 standard parts bearing the Federal iron-clad performance guarantee.

FEDERAL TELEPHONE & TELEGRAPH COMPANY BUFFALO, N. Y.

Boston New York Philadelphia Pittsburgh Chicago San Francisco Bridgeburg, Canada






THE ANTENNA BROTHERS

Spir L. and Lew P.

BED Signing Off—Good Night











OLD FASHIONED — KFNF

(Continued from page 5)

"Juanita," and the like. And still they ignored him. They would play his records once and then throw them away. It was while he was in this frame of mind that Mr. Field conceived the station featuring old-time music for old-fashioned folks, and last year KFNF was the result.

The first piece of furniture put in the studio was one of those old-fashioned organs, like the one you used to see at grandma's house in the country Then came the fiddlers, the country girls singing hymns and other melodies popular twenty years ago until today KFNF has the most complete list of old-fashioned entertainers of any station in the world. It leads in this respect.

KFNF has some unique studio rules, written by Mr. Field, after his early experiences in listening to other stations. to-wit:

No child prodigies permitted before the microphone.

No speeches over five minutes in length. We reserve the right to pull the plug on any speaker who gets mean or tiresome. (We to be the judge.)

Dedication of numbers prohibited. The sight of a dress suit or other formal wear about KFNF probably would cause such a commotion that the roof of the studio would tumble in.

"Radio listeners can't see us, so why cial purposes. They are using shouldn't we dress comfortably," argued and 1,500 meters wave length.

Mr Field. And as a result, entertainers New Radiocast Opens songstresses wearing aprons, or sunbonnets, are quite the thing.

Mr. Field fairly radiates personality when he announces from KFNF. Everything that goes on within the studio is permitted to go to the ear of the Radiophan listening somewhere. When Mr. Field turns from the "mike" to inquire of "Uncle" Frank Comstock what is next number is to be-all the conversation goes onto the air. If Henry "Himself" gets a whiff of something which makes his nose itch and he has to sneeze-why, that goes out, too!

Mr. Field's Radio mail, if it can be taken as a criterion, indicates that there are old-fashioned folks all over the Union. They are to be found in the big cities— New York and Chicago—just as they are in the "Main Street" towns and on the farms.

The composite report from a KFNF listener would read something like this: Your programs are wonderful. "Annie Laurie" brought back pleasant memories last night when one of your girl singers sang it so sweetly.".

"So if we can make folks happy and feel like that, we are accomplishing something," is the psychology of Mr. Field.

Finland has had for some time several Radio stations in operation for commercial purposes. They are using 5,700, 2,000

in Hollywood; KNX

on Air First Time

HOLLYWOOD, Calif.—At last! The capital of the silver-sheet industry now has an avenue of expression through which it may reach the world, "The Voice of Hollywood," or, as it is better known, Station KNX.

Amid a colorful setting and with a galaxy of prominent moving picture stars, this station started its career with a wonderful program, as a myriad of kleig lights played on the outside of the building, with ever changing colors.

Milton Sills, one of screenland's leading representatives officially opened the new station. Mr. Sills' greeting to the invisible audience was a word masterpiece and brought favorable comment from into effect for the next few months. thousands of Radiophans.

has lost the address of a relative living to a private concern in India for the esin a western state recently asked Station tablishment and operation of Radio serv-WGY, Schenectady, to broadcast a request ice as a part of the Indian link to the to the sister to write soon.

New Wave Allocation Soon to Take Effect

Wonderful Display as Station Goes | Lengths Cannot Be Changed Until Licenses Expire

WASHINGTON, D. C. - Suggestions made at the recent Radio conference including the new zoning of the United States and assignment of wave lengths will be put into operation as soon as practicable.


One of the matters which will take considerable adjustment is that of the assignment of new wave lengths because the present wave lengths cannot be changed until the license period is up, unless done voluntarily In addition it will be necessary, in order to keep from conflict, to make all wave length changes simultaneously. It is not probable that the new wave length assignments can go

The Indian government is prepared to A Hudson Falls, N. Y. resident who enter into an agreement and grant licenses British Radio imperial scheme.

It's Easy to Understand Why

these condensers overcome losses and give power to your set. Air, Isolantite, Pyrex, Corantum and Quartz are the only recognized zero or minimum loss insulations in existence. General Instrument Corporation insulates with AIR, ISOLANTITE, PYREX, CORANTUM and QUARTZ. Thus you are certain of greater distance, increased selectivity and clearer reception.

Insulated with Pyrex



		•	
Type	Maximum Capacity	Minimum Capacity	Price
51X	.00025 mfd.	9 mmfd.	\$6.00
51A	.0003 mfd.	$11 \mathrm{mmfd}$.	6.00
•51D	.0005 mfd.	13 mmfd.	6.50
51F	.001 mfd.	20 mmfd.	7.00
52D	.0005 mfd.	13 mmfd.	9.00
52F	.001 mfd.	20 mmfd.	9.50


At your dealers or direct from

GENERAL INSTRUMENT CORP.



423 Broome Street **NEW YORK CITY**





Connewey Electric Laboratories 309 Fifth Ave., New York City

OPERATING AND TROUBLE SHOOTING


For the Owner of a Michigan MRC-4 Receiver

"OPERATING and Trouble Shooting" is a Radio Digest feature whose purpose is to study the late models of various standard receiving sets and to show the newly initiated Radiocast listener, who has purchased such a set, how he can operate it to get the best there is in it, and how he can overcome minor difficulties which may be causing some trouble. This week Michigan Four Tube MRC-4 Receiver is described. Radiophans with other sets will also find these worth while reading, particularly the notes on trouble finding.

HE MRC-4 is made to operate equally well on UV-199, C-299, UV-201A or C-301A tubes. The sockets, it will be noted, are of special design, mounted in gangs on a rubber supported Bakelite shelf. This construction will be especially appreciated when using 199 or 299 tubes. Although the sockets are for standard base tubes, they will accept practically any adapter which may be used for a dry cell tube.

Connecting Set

Before hooking up this set it is wise making connections, and to put the tubes be used.



in their sockets only after all connections are made and checked, not before. Reading consecutively from left to right, when facing the receiver, it will be noted that the connections are to be made to the binding posts respectively, as follows: Antenna, Ground, C minus, C plus, A minus, A plus, B minus, 22½-volt B plus, 60 (to 90) volt B plus, and the last two posts for loud speaker.

The antenna should be a single wire from 50 to 100 feet in length, supported at each end by insulators and, preferably, soldered to a lead-in wire. Excellent results may be obtained on a comparatively short antenna. It should, however, be well insulated and precautions as to insulations should be observed on the leadto have the filament switch, Number 5, in. Where this goes through the wall or on "Off" position, to leave it there while window frame, a porcelain tube should

Batteries

It is not absolutely necessary to use a C battery with this set, but it is strongly recommended, since louder signals can be secured thereby. In addition to this fact, the B battery consumption is considerably lessened by the use of the C battery. If no C battery is used, a wire connection should be made between the C minus battery post and the C plus battery post. When using the C battery, remove this wire and connect the negative C battery terminal to post marked C minus and the positive C battery terminal to post marked A, C plus. The C battery should be 3 or 41/2 volts.

When using UV-199 or C-299 tubes, three dry cells connected in series, or six dry cells connected in series parallel may be used. Never connect more than three burning out of tubes.

When A tubes are used, it is preferable to use a 6-volt storage battery since the current consumption on the A tube is 1/4 ampere instead of .06 ampere as on 199 or 299 tubes. If it is desirable to use a storage battery with the 199 or 299 tubes, only 4 volts or two cells of the 6-volt battery should be used.

The MRC-4 may be operated successfully with a total of 671/2 volts of B battery, although 90 volts is recom-mended. All of the B batteries are connected in series and the wire from the negative end of the series goes to the B minus battery post, a wire running from the first 22½ volt battery tap to the post marked 22½ B battery, and a wire running from the positive end of the series to post marked B plus 671/2 volts. Some experimenting should be done to discover the best voltage to use on the detector tube. This is the voltage secured between the B minus and 221/2 B plus battery posts. It may be advisable to use as much as 45 volts on this tube. The MRC-4 cabinet is designed for using size B batteries.

If standard base tubes are used, put tube in the socket so that the pin in the base will slip into the slot in the rim of the socket, using caution that the tube contacts fit properly in the hole in the Bakelite panel, press down on the tubc and turn to the right. The tube is now in the socket in the operating position. If 199 or 299 tubes are used, place the tubes first in adapters and then put into the sockets in exactly the same way as described above.

Loud Speaker Attached in, and made a part of the MRC-4, is an in-built loud speaker having an adjustable unit. This unit is set at the factory in the best operating position but because of an unusual jar or some other strain the loud speaker unit may be out of adjustment. Through the left hand grill it is possible to easily make any adjustments necessary. Great care should be exercised to adjust the speaker to that position which will produce the greatest volume of sound and best quality of tone. When once adjusted, there should be little cause for further dry cells in series, as the result will be adjustment unless some unusual happen-(Continued on page 20)

Elgin Super Reinartz 2LO Model Tuner

The Set That Heard London

This astonishing reception was accomplished twice, in two separate cities of the United States during the trans-Atlantic tests

The Elgin Super-Reinartz, 2LO Model Tuner spans the continent nightly at the hands of thousands of Radiophans. Through this highly efficient circuit amazing reception has been obtained. New York is entertained by KGO and Houston, Texas, listens in on WLAG with surprising regularity.

Super-Reinartz


will give you the DX records it has brought to others.

You must learn more about this wonder circuit at once! Mail the coupon TODAY with your name and address and we will send—FREE of charge—the complete working diagram of the Elgin Super-Reinartz, 2LO Model. There are no obligations, of course.

Dealers: Write for Proposition

=Free Coupon= Elgin Radio Supply Co. Dept. A, 207 E. Chicago St., ELGIN, ILL. Send at once the working drawings of the ELGIN SUPER-REINARTZ, 2LO MODEL TUNER—The Set That Heard London. I am enclosing stamp to cover postage. (PLEASE PRINT IN PENCIL)

jvery word as clear as crystal



and distinct, as if the speaker were standing at your elbow. Just one unit is responsible for the Reflex's well-known tone clarity. That is the crystal detector.

You will find it in the Shamrock-Harkness Two-Tube Reflex, the set which combines the outstanding features of the leading circuits. Distance and selectivity from the Neutrodyne, clarity

SHAMROCK MANUFACTURING CO. Dept. 25-C, Market St., Newark N. J.



The set for the masses as well as the classes

from the Reflex and volume from the Regenerative.

The Shamrock Kit contains all parts necessary to make the marvelous Shamrock-Harkness Two-Tube Reflex. Enjoy the pleasure of building your own set.

Mail coupon to-day for "Shamrock Radio Builder's Guide Book."

SH	AMRO Dept.	25C, 1	ANUF/ Market	ACTUR	ING C	0 1. 1.	
cor cor bu	enclose	10 ce	nts (T	2	stampe	or coin) Guide Bo structions m \$15 to	fo ok, fo \$50
Ňa	me			**********	,		

AN EVENING AT HOME WITH THE LISTENER IN

(SEE INSTRUCTIONS FOR USE BELOW)

	<u> </u>	INSTR		IS POR	036 01			
Station and City	Mct.	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
AT9, Fort Bragg, N.C	435 430	Silent 9:00-11:00	7:00- 8:55 Silent		7:00- 8:55 10:00-11:00		7:00- 8:55 Silent	7:00- 8:00 Silent
CFAC, Calgary, Alta CFCA, Toconto, Ont	400	7:00- 8:00	7:00: 8:00	7:00- 8:00	7:00- 8:00	7:00- 8:00	Silent	6:00- 7:00
CFCN, Calgary, Alta CHYC, Montreal, Que	440 341	Silent Silent	12:30- 1:30 Silent	7:30- 8:30		Silent Silent	11:00- 1:00 Silent	Silent 8:00- 9:00
CKAC, Montreal, Que CKCD, Vancouver, B. C	425 410	Silent	6:30-9:30	Silent 10:30-11:30	6:30- 9:30 10:30-11:30	Silent 10:30-11:30	6:30- 9:30 10:30-11:30	3:30- 4:30 Silent
CKY, Winnepeg, Man	450	Silent	8:15-10:00	Silent	8:15-10:00	8:15-10:00	Silent	7.00- 8:00 Silent
CYB, Mexico City, Mex	435 370	Silent Silent	Silent 8:30- 9:00	6:30-11:30 Silent	Silent 9:00-11:00	Silent Silent	6:30-11:30 8:30- 9:00	Silent
CYL, Mexico City, Mex CYX, Mexico City, Mex	510 330	Silent 9:00-12:00	10:00-11:30 Silent	Silent Silent	Silent Silent	10:00-11:30 8:00-10:00	Silent Silent	Silent Silent
KDKA, E. Pittsburgh, Pa	326	5:30- 8:00	5:30-10:00	5:30- 8:00	5:30-10:00	5:30- 8:00	5:30- 8:00 Silent	6:30- 7:30 Silent
KFAE, Pullman, Wash KFAF, Denver, Colo	330 278	9:30-10:30 9:00-10:00		9:30-10:30 Silent	9:00-10:00		9:00-10:00	Silent
KFDM, Beaumont, Texas KFGZ, Berrien Springs, Meh	306 286	Sileut 7:00- 9:00	8:00-11:00 Silent	Silent 7:00- 9:00	Silent Silent	8:00-11:00 7:00- 9:00	Silent Silent	Silent 7:00-9:00
KFI, Los Angeles, Calif	469	8:45- 1:00		8.45- 2:00	8:45- 1:00		8:45- 2:00 7:20- 2:00	8:45- 1:00 Silent
KFKB, Milford, Kan KFKX, Hastings, Nebr	286 291	7:20- 2:00 9:30-11:00	Silent	7:20- 2:00 Silent	9:30-11:00	Silent	Silent	Silent
KFMX, Northfield, Minn KFNF, Shenandoah, Ia	283 266	Silent Silent	Silent 7:30- 9:00	9·00-10:00 7:30- 9:00	Silent 7:30- 9:00	Silent 7:30- 9:00	Silent 7:30- 9:00	7:00- 8:00 6:30- 7:30
KFOA, Scattle, Wash	455	10:30 12:00	10:30-12:00 Silent	10:30-12:00 10:00-11:00	10:30-12:00 Silent	10:30-12:00 10:00-11:00	Silent Silent	Silent Silent
KFPT, Salt Lake City, Utah KGO, Oakland, Calif	268 312	10:30-11:00 10:00-11:00	10:00- 3:00	Silent	10:00-11:00	10:00-11:00	10:00- 3:00	Silent
KGU, Honolulu, Hawaii KGW, Portland, Ore	360 492	10:00-11:00	10:00-11:00	10:00- 1:00	Silent	10:15- 1:30	12:00- 1:30 12:00- 2:00	8:00- 9:00
KHJ, Los Angeles, Calif	395 509	2:30- 3:30 10:00-12:00	10:00-12:00 Silent	10:00-12:00 10:00-12:00	10:00-12:00 Silent	10:00-12:00 10:00-12:00	10:00-12:00 Silent	10:00-12:00 Silent
KLX, Oakland, Calif KOB, State College, N. Mex.	360	8:30- 9:30	Silent	8:30- 9:30	Silent	8:30- 9:30	Silent	Silent
KPO, San Francisco, Calif KSD, St. Louis, Mo	423 546	7:00- 1:00 7:00- 11:55	7:00- 1:00	10:00-12:00 8:30- 9:30	Silent	Silent 8:00- 9:00	10:00- 2:00 8:00- 9:00	9:00-10:00
KYW, Chicago, Ill NAA, Radio, Va	536 435	Silent 5:45- 7:20	8:00-11:30 6:05- 7:20	8:00-12:30 6:25- 7-40	8:00-11:30 5:45- 7:40	8:00-12:30 7:05- 7:40	8:00-10:30 Silent	7:00- 8:00 Silent
PWX, Havana, Cuba	400	Silent .	Silent	7:30-10:00	Silent	Silent	7:30-10:00	Silent
WAAW, Omaha, Nebr WBAP, Fort Worth, Tex	286 476	7:30- 9:00 7:30-10:45	Silent 7:30-10:45	Silent 7:30-10:45	7:30- 9:00 7:30-10:45	Silent 7:30-10:45	Silent 7:00- 8:00	Silent Silent
WBAV, Columbus, O WBBG, Mattapoisett, Mass.	423 248	Silent 8:00-10:00	7:00- 9:00 Silent	Silent 8:00-10:00	Silent Silent	7:00- 8:00 8:00-10:00	Silent Silent	Silent Silent
WBBR, Staten Island, N. Y.	273	7:00- 8:00	Silent	7:00- 8:00	8:10- 9:30 7:30- 8:30	Silent Silent	7:00- 8:00 Silent	8:10- 9:30 5:30- 6:30
WBT, Charlotte, N. C WBZ, Springfield, Mass	360 337	Silent 6:40-11:30	7:30- 8:30 6:40- 8:55	Silent 6:40-11:30	6:40- 8:55	6:40-11:00	6:40- 8:55	6:00- 9:00
WCAE, Pittsburgh, Pa WCAJ, Univ, Place, Neb	462 280	8:30-11:00 Silent	8:30- 9:30 7:00- 8:00	8:30- 9:30 Silent	8:30-11:00 Silent	8:30- 9:30 9:00-10:00	8:30- 9:30 Silent	6:00- 7:00 Silent
WCAL, Northfield, Minn	360 469	Silent 6:30- 9:00	Silent Silent		10:00-11:00 Silent	9:30-10:30 6:30-11:00	1:00- 2:00 Silent	Silent 6:20- 9:00
WCAP, Washington, D. C. WCBD, Zion, Ill	345	8:00-10:15	Silent	Silent	8:00-10:15	Silent	Silent	2:30-6:00
WCCO, Min'pls-St. Paul, Minn. WCX, Detroit, Mich	417 517	7:30- 9:00	6:00- 7:30 10:00-11:00	6:00- 9:00	6:00- 9:00	6:00- 9:00 6:00- 9:00	6:00- 9:00 Silent	8:00- 9:00 6:15- 7:15
WDAF, Kansas City, Mo WDAR, Philadelphia, Pa	411 395	8:00- 1:00 6:30- 9:00	11:45- 1:00 6:30- 7:30	8:00- 1:00 6:30- 9:00	11:45- 1:00 6:30- 7:30	8:00- 1:00 6:30-12:00	11:45- 1:00 6:30- 7:30	4:00- 5:00 Silent
WEAF, New York, N. Y	492	7:00- 9:00	7:00- 9:00	7:00- 9:00	7:00-11:00	7:00- 9:00	7:00-11:00	Silent
WEAO, Columbus, Ohio WEAY, Houston, Texas	294 360	Silent 7:00- 8:30	Silent 7:30- 8:30	Silent 7:30- 8:30		Silent 7:30-10:00	Silent 7:30-8:30	Silent 8:00- 9:00
WEBH, Chicago, Ill WEBJ, New York, N. Y	370 273	Silent Silent	7:30-12:30 6:00- 8:00	7:30-12:30 Silent	7:30-12:30 Silent	7:30-12:30 6:00- 8:00	7:30-12:30 Silent	7:00- 9:00 Silent
WEEI, Boston, Mass	303	7:00- 8:00	7:00- 8:00	7:00- 8:00	7:00- 8:00	6:00 ² 8:00 8:30- 9:30	Silent 8:30-12:00	6:20- 8:00 6:00-11:00
WFAA, Dallas, Tex WFI, Philadelphia, Pa	476 395	8:30- 9:30 Silent	8:30-12:00 7:00- 8:00	Silent Silent	8:30-12:00 7:00- 8:30	Silent	Silent	6:30- 7:30
WGAQ, Shreveport, La WGI, Medford, Mass	263 360	9:00-12:00 Silent	Silent 6:30: 9:00	8:00- 9:00 6:30- 9:00		Silent 6:30- 9:00	9:00-12:00 6:30- 9:00	Silent 7:30- 9:00
WGN, Chicago, Ill	370 319	Silent 5:30-11:00	8:30-11:30 5:30- 6:30	8:30-11:30 5:30-11:00	8:30-11:30	8:30-11:30 5:30-11:00	8:30-11:30 5:30- 6:30	9:15-10:00 3:00- 4:00
WGR, Buffalo, N. Y WGY, Schenectady, N. Y	380	6:45- 9:00	6:45- 9:00	Silent	6:45- 9:00	6:45-10:30	8:30- 9:30	6:30-7:30
WHA, Madison, Wis WHAA, Iowa City	360 484	7:30- 8:30 Silent	Silent 8:00- 9:00	7:30- 8:30 Silent	Silent	7:30-8:30 Silent	Silent Silent	Silent 9:00- 9:30
WHAS Louisville, Ky WHAZ, Troy, N. Y	400 380	Silent 8:00-10:00	7:30- 9:00 Silent	7:30- 9:00 Silent	7:30- 9:00 Silent	7:30- 9:00 Silent	7:30- 9:00 Silent	4:00- 5:00 Silent
WHB. Kansas City, Mo	411	7:00- 8:00	8:00-11:30	7:00- 8:00	8:00-11:30	7:00- 8:00	Silent 5:00-11:00	8:00-10:00 7:00-10:00
WHK, Cleveland, Ohio WHN, New York, N. Y	283 360	5:00- 6:30 6:30-11:00	5:00- 6:30 8:30-11:00	6:30-11:00	8:30-11:00	5:00-11:00 8:30-11:00	6:30-11:00	8:30-11:00
WHO, Des Moines, la WIP, Philadelphia, Pa	526 509	7:30:12:00 Silent	Silent 7:00-11:00	7:30- 9:00 Silent	Silent 7:00-11:00	7:30- 9:00 Silent	Silent 7:00-11:00	7:30- 9:00 9:30-12:00
WJAR, Providence, R. I	360 286	7:00- 8:00 7:30-10:00	7:00- 8:00 7:30-10:00	7:00-12:00 7:30-10:00	Silent	6:30-10:00 6:30- 9:00	6:10- 7:10 Silent	Silent. Silent
WJAS, Pittsburgh, Pa WJAX, Cleveland, O	390	Silent	6:30- 9:00	Silent	8:00-10:30	Silent	Silent	Silent
WJJD, Mooscheart, Ill WJY, New York, N. Y	278 405	7:00- 9:30 Silent	7:00- 9:30 6:45- 8:00	7:00- 9:30 Silent	6:30- 9:30	7:00- 9:30 6:30-10:30	7:00- 9:30 Silent	Silent 7:15- 7:45
WJZ, New York, N. Y WKAQ, San Juan, P. R	455 360	6:00-10:30 Silent	6:00-10:00 7:00- 8:30		6:00-10:30	6:00-10:30 Silent		6:00-10:30 Silent
WKBF, Providence, R. 1	286	Silent	8:00- 9:30	Silent	Silent	Silent	Silent	Silent
WLBL, Stevens Point, Wis WLS, Chicago, Ill	278 345	Silent Silent	Silent 6:30- 1:00		6:30- 1:00			Silent 6:30- 8:00
WLW, Cincinnati, O WMAQ, Chicago, Ill	423 448		10:00- 1:00 6:00-10:00	7:00-10:00 6:00-10:00	10:00-12:00 6:00-10:00	Silent 6:00-10:00	Silent *6:00-10:00	7:30- 9:15 Silent
WMC, Memphis, Tenn	500	8:30- 9:30	8:30-12:00	Silent 8:00-11:00	8:30- 9:30	8:30-12:00 Silent	8:30- 9:30	Silent Silent
WMH, Cincinnati, O WNAC, Boston, Mass	309 278	8:00-10:00 6:00-10:00	Silent 8:00-10:00	6:00-10:00	8:00-10:00	6:00-10:00	9:00-12:00 9:00-10:00	7:30- 9:30
WNYC, New York, N. Y WOAI, San Antonio, Texas.	526 385	7:30-10:30 Silent	7:30-10:30 9:30-10:30	7:30-10:30 Silent	7:30-10:30 7:30-8:30	7:30-10:30 Silent	7:30-10:30 Silent	Silent 9:30-10:30
WOAW, Omaha, Neb	526	6:00-11:00 8:00-11:00	6:00-11:00 Silent	Silent 8:00- 9:00	6:00-11:00	6:00-11:00	6:00-11:00	9:00-11:00 7:00-11:00
WOC, Davenport, Ia WOI, Ames, Ia	484 360	9:30-10:30	9:30-10:30	9:30-10-30	9.30-10:30	9:30-10:30	9:30-10:30	Silent
WOO, Philadelphia, Pa WOR, Newark, N. J	509 405	6:30-10:00 5:15-10:00	Silent 5:15-10:00	6:30-10:00 5:15-10:00	5:15- 6:30		Silent 6:15-10:00	Silent Silent
WQJ, Chicago, Ill	448 278	Silent 7:30- 8:30	7:00- 2:00 Silent	7:00- 2:00 Silent	7:00- 2:00 Silent	7:00- 2:00 Silent	7:00- 2:00 Silent	8:00-10:00 7:30- 8:30
WRBC, Valparaiso, 1nd WRC, Washington, D. C	469	Silent	4:15-10:00	Silent	4:15-10:00	Silent	4:15-10:00	Silent
WRL, Schenectady, N. Y. WRW, Tarrytown, N. Y.	360 273	Silent 6:00-10:30	Silent 8:00-10:30	Silent 8:00-10:30	7:00- 8:30 7:00-10:00			Silent 7:00-8:00
WSAI, Cincinnati, O WSB, Atlanta, Ga	309 429	10:00-12:00 8:00-12:00	7:00-10:00 8:00-12:00	Silent 10:45-12:00	10:00-12:00 8:00-12:00	Silent 8:00-12:00	8:00-10:00 8:00-12:00	3:00- 4:00 7:30- 2:00
WTAM, Cleveland, O	390	5:00- 9:00 7:30-11:00	5:00- 6:30 7:30-12:30	5:00-10:00	5:00-6:30	5:00- 6:30	5:00-11:00	Silent 7:30-12:30
WTAY, Oak Park, 111	286 283	Silent	6:45-11:15	6:45-11:15	6:45-11:15	6:45-11:15	6:00-11:15	Silent
WWJ, Detroit, Mich	517	7:30- 8:30	7:30 -8:30	7:30- 8:30	7:30-11:00	7:30- 8:30	6:00- 7:30	6:30- 7:30
I				: A11	C1 2 2 /	Time Tte		on Fastana

Instructions for Use.—All the hours above are given in Central Standard Time. If your city uses Eastern Time, add one hour to each of the periods stated; if your city uses Mountain Time, subtract one hour; if your city uses Pacific Time, subtract two hours. This table includes only the evening Radiocasts, and, on Sunday the late afternoon regard. Sunday, the late afternoon program.


STATIONS IN ORDER OF WAVE LENGTHS USED

D 1 1											
Meter	s Call	Meter	rs Call	Meters	Call	Meter	s Call	Meters	Call	Mete	rs Call
240	WBBG	286	KFGZ	345 T	WCBD	380	WHAZ		CKAC	476	WFAA
263	WGAQ	286	WAAW	345	WLS	385	WOAI	429	\mathbf{wsb}	484	WHAA
266	KFNF	286	WJAS	360	KGU	390	WJAX		CFAC	484	WOO
268	\mathbf{KFPT}	286	WKBF	360	KOB	390	WTAM	435	ATN	492	KGW
270	\mathbf{KQV}	286	WTAS	360	WBT	395	KHJ		NRO	492	WEAF
273	WBBR	291	KFKX		WCAJ	395	WDAR	435	NAA	500	WMC
273	WEBJ	294	WEAO		WCAL	395	WFI		CFCN	509	KLX
273	WRW	303	WEEL		VEAY	400	CFCA PWX	441	wos		
278	KFAF	306	KEDM	360	WGI	400		448	WQJ	509	WIP
278	w_{11D}	309	WMH	360	WHA	400	WHAS WJY		MAQ	509	woo
278	WLBL	309	WSAI	360	WHN	405		450	CKY	510	CYL
278	WNAC	312	KGO WGR		WJAR	405 410	WOR	455 I	KFOA	517	$\mathbf{w}_{\mathbf{C}X}$
278	WRBC	319	KDKA	360 V	VKAQ WOI	411	WDAF	455	WJZ	517	wwj
280	WCAJ	326	CYX	360	WRL	411	WHB	462 V	VCAE	526	WHO
283	KFMX	330	KFAE	370	CYB		WCCO	469	KFI	526	WNYC
283	WCAJ	337	WBZ		VEBH	423	KPO	469 V	VCAP	526	WOAW
283	WHK	341	CHYC	370	WGN	423	WBAV	469	WRC	536	KYW
283	WTAY				WGY	423	WLW		VBAP	546	KSD
286	KFKB	341	$\mathbf{K}\mathbf{F}\mathbf{K}\mathbf{X}$	1.000	WGI	720	44 77 44	****	• 2221	0 40	TOL

Radio Wins Him Job

director of the Hotel Alamac was listening in on his set, and was attracted by of his playing over the Radio.

the unusual sweetness of one of the artists broadcasting from a large station. NEW YORK.—Recently the managing Today this same artist, Huston Ray, is playing for the Hotel Alamac as a result



Adopted by Leading Manufacturers

THE unqualified endorsement of these leading radio manufacturers is in itself the greatest recommendation of Spaulding Bakelite-Duresto quality.

These men know bakelite. They know quality depends solely upon manufacture. They know by actual experience that Spaulding Bakelite-Duresto panels possess high dielectric properties and great strength; that it drills, saws, engraves without chipping; that it will not warp; that it retains an experience that spaulding bakelite-Duresto panels possess high dielectric properties and great strength; that it drills, saws, engraves without chipping; that it will not warp; that it retains an experience that spaulding bakelite-Duresto panels possess high dielectric properties and great strength; that it will not warp; that it retains an experience that spaulding bakelite-Duresto panels possess high dielectric properties and great strength; that it will not warp; that it retains an experience that spaulding bakelite-Duresto panels possess high dielectric properties and great strength; that it will not warp; that it retains an experience that spaulding bakelite-Duresto panels possess high dielectric properties and great strength; that it will not warp; that it retains an experience that spaulding bakelite-Duresto panels possess high dielectric properties and great strength; that it will not warp; that it retains an experience that spaulding bakelite-Duresto panels possess high dielectric properties and great strength; that it will not warp; that it retains an experience that the properties are the properties and the properties are t everlasting lustre.

For efficiency and lasting beauty, you should use Bakelite-Duresto. Your dealer can furnish standard sizes, individually packed, special sizes to order. Look for Bakelite-Duresto panels on the sets you buy.

Write nearest office for descriptive circular.

SPAULDING FIBRE COMPANY, Inc., TONAWANDA, N. Y.

Factory: Tonawanda, N. Y. Sales Offices-Warehouses

484 Broome St., N. Y. C. 659 W. Lake St., Chicago

310 E. 4th St., Los Angeles 141 N. 4th St., Philadelphia

15 Elkins St., Boston 171 2nd St., San Francisco

509 First National Bank Bldg., Milwaukee



NEW MODELS

Bristol Radio Receivers

Incorporating the Patented Grimes Inverse Duplex System

Watch for further announcements in all leading radio publications.

Improved Bristol Audiophone Loud Speakers—gives greater volume, is more sensitive and still maintains its round, full tone and its distinctive freedom from distortion.


Ask for Bulletin No. AY-3017

Manufactured by

THE BRISTOL COMPANY

Waterbury, Connecticut

GRIMES SYSTEM INSURES NATURAL TONE QUALITY




Senior Audiophone 15-inch Bell

Price.....\$30.00



11-inch Bell



Baby Audiophone With Fibre Horn

Price.....\$22.50 Price.....\$12.50

"ETERNAL YOUTH" AT WBZ TUESDAY

Saturday, November 8

Silent night for: KFAE, WEEI, WGR, WHB, WJAX, WJY, WOO.
CKAC, Montreal, Can. (Eastern, 425), 7 p. m., kiddles' stories in French and English; 7:30, concert orchestra, Mount Royal hotel; 8:30, speelal entertainment. La Presse studio; 10:30, Joseph C. Smith and his Mount Royal hotel dance orchestra.
KFI, Los Angeles, Calif. (Pacific, 469), 6:45 p. m., dance orchestra; 8-9, vocal concert, featuring Virginia Flohri, coloratura soprano; 9-10, instrumental and vocal recital; 10-11, Radio club concert; 11-12, Ambassador hotel Cocoanut Grove dance orchestra.
KFKB, Milford, Kansas (Central, 286), 8-9 p. m. band concert; 9-10, KFKB orchestra; 10-11, Jubilee boys' orchestra; lecture, Dr. J. R. Brinkley.
KFNF, Shenandoah, la. (Central, 266), 10:30 p. m., midnight frolic, Seedhouse bunch.
KFOA, Seattle, Wash. (Pacific, 455), 2 p. m., Washington-California football game.
KFGG, Los Angeles, Calif. (Pacific, 278), 3:30-4:30 p. m., Gray studio program featuring talented tots from children's church; 7:30-9:30, auditorium service, "divine healing," Aimee Semple McPherson; altar call: music by temple choir; Marion McGlashen Muller, Salvation Army soprano.
KGO, Oakland, Calif. (Pacific, 423), 4-5:30 p. m., concert orchestra; Charles P. McCan, tenor; Marie Partridge Price, soprano; Hawaiian Club of San Francisco; Studebaker Hawalian orchestra; M. Keau, tenor; "The Music of Hawaii," H. H. Yost; Maude V. Allen, mezzo-soprano; Charles P. McCan, tenor; Dorothy H. Edwards, planist; Obapesla quartet; Marie Partridge Price, soprano; Hawaiian Club of San Francisco; Studebaker Hawalian orchestra; M. Keau, tenor; "The Music of Hawaii," H. H. Yost; Maude V. Allen, mezzo-soprano; Charles P. McCan, tenor; Dorothy H. Edwards, planist; Obapesla quartet; Marie Partridge Price, soprano; Hawaiian Club; 10-1 a. m., Henry Halstead's orchestra.
KHJ, Los Angeles, Calif. (Pacific, 395), 12:30-1:30 p. m., concert; 2:30-3:30, concert presenting Charlie Wellman, tenor and Helen Smith, planist; 6-6:30, Art Hickman's concert orchestra; Edward Fitzpatrick, dire

University of Minnesota football game; 8, sectional American humor, John Seamon Garns; 8:15, canned food week, Carey Emerson; 8:30, musical program; 9, weather; 10:30, Dick Long's Nankin cafe orchestra. WCX, Detroit, Mich. (Eastern, 517), 4:15 p. m., musical program, Nicholas King Wah Lo cafe orchestra; 6, dinner concert broadcast from Hotel Tuller. WDAF, Kansas City, Mo. (Central, 411), 3:30-4:30 p. m., the Star's string trio; 6-7, school of the air piano tuning-in number on the Duo-Art; address, member of the editorial staff of the Star; the Tell-Me-a-Story Lady; music, Hotel Muehlebach Trianon ensemble; 11:45-1 a. m., Nighthawk frolic, the "Merry Old Chief" and the Plantation players.
WDAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m., daily almanac; 12:02 p. m., Stanley theater organ

soprano and planist; 8-9, Radio show direct from Grand Central palace; 9-9:30, John Ryan and Arthur Hall singers; 9:30-9:45, Rudolph Joskowwitz, violinist; 11-12, Vincent Lopez and his Hotel Pennsylvania orehectre.

Hall singers; 9:30-9:40, Rudolph Joskowwitz, violinist; 11-12, Vincent Lopez and his Hotel Pennsylvania orchestra.

WEAO, Columbus, Ohio (Eastern, 294), 11 a. m., Marguerite Manley Seldel School of Music artists; 1:15 p. m., Gladys Poston Pickett, pianist; Decane Spaulding, tenor; Seidel school; 2:30, play by play report, Ohio State-Indiana football game direct from Ohio stadium.

WEBH Chicago, III. (Central, 370), 7-8 p. m. Edge-

Ohio stadium.

WEBH, Chicago, III. (Central, 370), 7-8 p. m., Edgewater Beach Oriole orchestra; Radio Sunday school lesson, Dr. Herbert W. Virgin; musical bits, Riviera theater; 9-10, yellow, red and orange tales, William H. Hunt; Edgewater Beach Oriole orchestra; Marie

Davis Bellevue Stratford concert orchestra; 3, Loretta Kerk, pianist; 3:45, dance music; 6:30, Meyer Davis Bellevue Stratford concert orchestra; 7, Sunny Jim, the kiddies pal; 8, University of Pennsylvania band concert; 10, playlet, "Starlight Players," direction Walter Gray.

WGBS, New York, N. Y. (Eastern, 3:6), 10 a. m., timely talks with Torese; 10:10, Josephine Pauline, soprano; 10:20, "Rugs and Their Making," Susan Salt; 10:30, Josephine Pauline, soprano; 10:40, "Current Events," Elsie Irvine; 10:50-11, Josephine Pauline, soprano; 1:30 p. m., Christine Thompson, pianist; 1:45-2:15, Melo dance orchestra; 2:15-2:30, Christine Thompson, pianist; 3, talk, Mrs. Thomas J. Vivian; 3:10-4, music and talks, Gretchen Dick; 6:50-7:30, May Arno recital, William Stone, bass; Milton S. Schradmik, pianist; 9:30-10:15, Wagner operatic program, English Grand Opera company; 10:15, Lawwrence K. Downey, barltone; 10:30, Anne B. Tyndall, soprano; 10:45, Lawrence K. Downey; 11, Annc B. Tyndall; 11:15-12, Bud Fisher's Happy players.

WGN, Chicago, III. (Central, 370), 1:40 p. m., luncheon concert; 2:30 Rocking chair time; 5:30, Skeezix time; 6-6:30, organ reital, Lyon & Healy; 6:30-7, 8-8:30, dill decree project; 8:30-9, classial concert; 10-11 special decree projects.

The special dance music.

WGR, Buffalo, N. Y. (Eastern, 319), 12:30-1 p. m.,
George Albert Bouchard, organist; 2:30, Buffalo Courier
and Enquirer musical program; 6, dinner music, Hallpryd string quartette. pryd string quartette.

and Enquirer musical program; 6, dinner music, Hall-pryd string quartette.

WGY, Schenectady, N. Y. (Eastern, 380), 1:45 p. m., Yale-Maryland football game; 9:30, dance music, Phil Romano's orchestra.

WHAA, lowa City, la. (Central, 484), 2 p. m., Iowa-Butler football game.

WHAS, Louisville, Ky. (Central, 400), 4-5 p. m., Alamo theater orchestra; 7:30-9, Sylvian trio, Fannie Elizabeth Stoll, director; Myrl Chrisman, flutist; Evelyn Kaiser, pianist.

WHK, Cleveland, Ohio (Eastern, 283), 6 p. m., Marjorie Moore's Melodious Maids, Grebe's Rathskeller; 8, Bellhops orchhestra, Dean Smith, director; carnival night, with Alice Crandall, Jessie Semple, Bobbie and Dede Fitzpatrick, Ethel Rhode, Billie Bugbee, Lucille Phillips, Violet Owens, Scotty Middleton, Art Cooke, John Paul, Dean Smith, John Peattie, soloists; 10 p. m., Ray Stilwell's orchestra.

WHN, New York, N. Y. (Eastern, 360), 2:15-2:30 p. m., Cooper and Bourne, songs; 2:30-2:45, Victor Wilbur baritone; 2:45-3, Nassau Ramblers; 3:45-4, Ellen Montague Cross Concert company; 4:10-4:20, Burton Levy, 12-year-old pianist; 4:20-4:30, boys' period, Kiwanis club, Wm. J. Stuart; 4:30-5, recital, Genevieve Williams, coloratura soprano; Alice Rlnck,





Scott Blakel, who sings the ballads of his native Scotland, will be a regular feature of the Capitol theater programs from WEAF Sunday nights. He sings dressed in full Scotch regalia, kilts, bagpipes and all. Virginia Flohr will sing again from KFI, Los Angeles, Saturday, November 8. Harry Miller (right) is the new literary editor of WLS. Every Wednesday evening he will broadcast the latest news of books and authors.

Photo, Virginia Flohr, Witzel studios.

recital; Arcadía cafe concert orchestra; 2, Aradia cafe concert orchestra; 4:30, Cotton Pickers dance orchestra, direction Wilbur DeParis; 7:30, Dream Daddy's bedtime stories.

WEAF, New York, N. Y. (Eastern, 492), 2-4 p. m., Harvard-Princeton football game direct from Cambridge, Mass., Graham McNamee announcing; 4-5, dance program, Clifford Lodge orchestra; 6-7, dinner music, Waldorf-Astoria hotel; 7-7:30, boys' stories, Fred J. Turner; 7:30-8, Marie and Adolph Ofpinger,

Kelly, reader; Langdon brothers, Hawalian guitarists; 11-12, Oriole orchestra; Marie Kelly, reader; Langdon brothers, Hawalian guitarists.

brothers, Hawalian guitarists.

WFAA. Dallas, Tex. (Central, 476), 12:30-1 p. m.,

"The Influence of Language," Prof. Harvey Branscomb; 8:30-9:30, Mrs. H. A. Cunningham, composer; Mary Allen Pritchett, soprano; Mrs. George McClellan, whistler; 11-12, Adolphus hotel orchestra; Trent's Hanny syncopators. WFI, Philadelphia, Pa. (Eastern, 395), 1 p. m., Meyer



A Program Improvement

BEGINNING with this issue, Radio Digest, at the request of thousands of its readers introduces an improvement in the method of giving broadcast programs. Heretofore the programs have been published for the week beginning on Wednesday. Many of our readers were unable to buy Radio Digest on the newsstands until Thursday, Friday or Saturday.

To accommodate these subscribers, the programs, starting with this week, are to begin with Saturday, the date of issue, and continue until the following Friday. By this improvement, Radio Digest will really give advance programs to all of its readers.

This change in furnishing program information to all readers has been contemplated for some time and required the overcoming of considerable difficulties in publishing.

As heretofore, Radio Digest again anticipates the desires of its readers and betters the service it gives to all Radiophans. The three-day earlier publication of programs should increase greatly the value of this information.

violinist and Lillian Spitzer. pianist; 5-6, Bert Reith's Southern Harmonists; 6:30-7, Huston Ray's string quartette; 7-7:20, Huston Ray's Alamac orchestra; 7:30-8, Hotel Carlton Terrace orchestra; 8-8:05, "Goodnight Children," Elizabeth Morrison-Jones; 8:05-8:15, Jimmmy Flynn, tenor; 8:15-8:30, Baroare Weil. soprano; 8:30-9, "The Gothamites," Charles Shreiber, director; 9-9:10, Alfred Dulin, pianist; 9:10-9:20, Mctropolis trio; 9:20-9:30, Carrie S. Hirsch, soprano; 9:30-10:15, Elrige Ladles' trlo; 10:15-10:30, Harry Harris, tenor; 10:30-11, Clarence Williams and his Radio trio assisted by the Blue Five orchestra; 11-11:30, Jimmy Clarke and his entertainers.

WIP, Philadelphia, Pa. (Eastern, 509), 1 p. m., organ recital, Karl Bonawitz; 3, play by play description of Pennsylvania-Georgetown university football game, direct from Franklin Field; 6:05, Hotel St. James dinner orchestra; 7, Uncle Wip's bedtime stories; 8, talk, Sydney K. Allman; 8:05, talk, "Home Lighting Education;" 8:15, Philadelphia Police band, direction Lleutenant Jos. Kiefer; 9, Mme. Dormont, soprano, Russian Grand Opera company; Fabian Levitsky, bass violin; 10:05, Harvey Marburger and his Vaudeville dance orchestra from Cafe L'Aiglon; 11:05, Karl Bonawitz, organist.

WIZ, New York, N. Y. (Eastern, 455), 1:15 p. m., Orlando's Hotel Roosevelt orchestra; 1:45, Yalc-Maryland football game; 7, Waldorf Astoria dance orchestra; 8, Hunter Sawyer, tener; Henry Ackley, accompanist; 8:30, Estrella Mandolin quartet; 10:30, Hotel Astor dance orchestra.

WMAQ, Chicago, Ill. (Central, 447.5), 2 p. m., football game; 6:30, Hotel La Salle orchestra; 8, program; 8:40, "Angor Wat," Mrs. Carter H. Harrison, travel lecture; 9, weekly theater revue.

WMC, Memphis, Tenn. (Central, 500), 8:30 p. m., concert, Memphis Plectrum orchestra; banjo solos; mandolin solos; Russell Robinson and Al Bernard, Dixie stars.

WMH, Cincinnati, Ohio (Central, 309), 10 p. m., popular songs. Malvin Bettinger. Rob Surran; solos. Angela

mandolin solos; Russell Robinson and Al Bernard, Dixie stars.

WMH, Cincinnati, Othio (Central, 309), 10 p. m., popular songs, Melvin Bettinger, Bob Surran; solos, Angela Devoto, Eugene Parazzo, accompanist; piano solos, Edward H. Schoelwer; 11, Hotel Alms orchestra.

WOAW, Omaha, Nebr. (Central, 526), 6 p. m. Francis Potter's mandolin quartet; Mrs. Francis Potter, soloist; 6:45, Baxter's orchestra; 9, G. R. Radio orchestra, A. Lupo, director; 11:15, Wowl frolic, Frank Hodek, Jr., and his Omaha nightingales.

WOC, Davenport, Ia. (Central, 484), 12 m., chimc; 7 p. m., sandmon's visit, Val McLaughlin; 7:30, International Sunday school lesson, Rev. M. A. Getzendaner; 9, the Palmer School Radio orchestra; Ralph W. Fuller, barltone.

WOI, Ames, Iowa (Central, 360), 12:30 p. m., college

W. Fuller, barltone.

WOI, Ames, lowa (Central, 360), 12:30 p. m., college ehlmes; "The School Lunch Is Here to Stay," Prof. Florence E. Busse,

WOO, Philadelphia, Pa. (Eastern, 509), 11 a. m., organ recital, Mary E. Vogt; 12:02 p. m., Wanamaker crystal tea rooin orchestra, Robert E. Golden, director; 5:10, sports results and police reports; 5:15, organ recital, Mary E. Vogt; J. W. C. I. band concert.

WOR, Newark, N. J. (Eastorn, 405), 7-7:30 a m., WOR gymnasium class, Arthur E. Bagley; 2:30-(Continued on page 12)

KYW, Chicago, III. (Central, 536), 6:30 a. m., morning exercises, Y. M. C. A.; 11:35, table talk, Mrs. Anna J. Peterson; 6:35-7, children's bedtime story, Uncle Bob; 7-7:30, dinner concert, Congress hotel; 8-8:58, Edward Zaccala, tenor; Sallie Menkes, accompanist; James Rotae, violinist; 9:05, talk, H. Archibald Harris; 11:30, late show; 12-2 a. m., late show, Coon-Sanders Original nighthawks.

PWX, Havana, Cuba (Eastern, 400), 8:30-11:30 p. m., Carlos Fernandez, pianist; Armando Moraes; Anselmo de Castillo; Ncna Guerra, soloist; Aurella Iturmendi, Nestor del Prado; Gloria Espin, violinist; Fausto Alvarez; Emma Otera, Maria Gonzales; Graciella de los Santos.

Alvarez; Emma Otera, Maria Gonzales; Graciella de los Santos.

WBAP, Fort Worth, Tex. (Central, 476), 7 p. m., revlew of the interdenominational Sunday school lesson, Mrs. W. F. Barnum.

WBAV, Columbus, Ohio (Eastern, 423), 12 m., Ila Lorbach Owens, planist; 9 p. m., dance program, remote control from Spring Lakes pavillion.

WBBR, New York, N. Y. Eastern, 273), 8 p. m., instrumental selections; 8:10, vocal selections; 8:20, answers to Blble selections; 8:40, vocal selections; 8:50, Instrumental selections.

WBZ, Springfield, Mass. (Eastern, 337), 2:15 p. m.,

swers to Bible selections; 8:40, vocal selections; 8:50, Instrumental selections.

WBZ, Springfield, Mass. (Eastern, 337), 2:15 p. m., Havard-Princeton game; 6, Leo Relsman and his Hotel Lenox ensemble; 6:30, Copley Plaza orchestra, W. Edward Boyle, director; 7:05, bedtime story for the kiddles; 7:30, Hotel Kimball trio; 8, Lillian Smith, contraito; Paul Bernard, pianist; 8:30, John Doherty, entertainer; 9, concert, Hume Music studio; 10, Ella F. Blanshan, violinist; Mabel M. Hopkins, cellist; Irene Atkins, pianist; 10:30, "World Aggie Night," auspices Aluinni of Massachusetts; 11:30, Leo Relsman and his Hotel Brunswiek orchestra.

WCAE, Pittsburgh, Pa. (Eastern, 462), 3 p. m., Pitt-Geneva college foothall game; 6:30, dinner concert, William Penn hotel; 7:30, Uncle Kaybee; 7:45, Lew Kennedy, popular singer; Irene Setzler, accompanist; 8:30, musicale.

WCAL, Northfield, Minn. (Centra, 360), 9:45 a. m., St. Olaf College chapel services; 12, midnight musicale, WCAP, Washington, D. C. (Eastern, 469), 2 p. m., Harvard-Princeton football game.

WCCO, Minneapolls-St. Paul, Minn. (Central, 417), 10:45 a. m., talk to girls, Betty Crocker; "Good Thinga for Breakfast;" 2 p. m., Ames, Iowa and

ARMISTICE DAY TUESDAY; MAJOR (

Where to Hear Concerts

Central Standard Time

THESE are the stations for music lovers to dial, and you can hear, providing you dial correctly and read the programs carefully, everything from jazz to opera.

from jazz to opera.

Saturday, November 8: 6, WDAF; 6:15, WOR; 6:30, WEZ, WEAF, WGN, WMAQ; 6:45, WCAE, WTAY; 7, WBZ, WEAF, WEBH, WFI, WHK, WHN, WJZ, WCAF, WEBH, WFI, WHK, WHN, WJZ, WOR, WQJ, WRC; 7:15, WIP; 7:30, CHNC, CKAC, PWX, WBZ, WCAE, WHAS, WJZ; 8, KFKB, KHJ, KSD, KYW, WBZ, WEAF, WGN, WHN, WIP, WMAQ, WSAI; 8:30, WCCO, WEAF, WFAA, WGN, WMC, WOR; 8:15, WRC; 8:45, KFI, WOR; 9, WBZ, WEBH, WFI, WMAQ, WOR; 9:15, WSAI; 9:30, WBZ; 9:45, WOR; 10.65, WIP; 10:30, KFNF; 10:45, WSB; 11, KFI, WEBH; 11:30, KYW; 11:45, WDAF; 12, KFI, WSAI.

Sunday, November 9: 6:20, WEAF, WEEI; 6:30, KFNF; 7, CKY, WHK, WJZ; 7:30, WGY, WHO, WJZ; 8, WCAL, WLW; 9, KGW, KHJ, KSD, WGN; 9:15, WCCO; 9:30, KFSG: 10, KFI, KHJ, KPO; 11, KFI, WBAP; 11:15, WLW; 12, KFI, KFSG.

Monday, November 10: 6, WDAF; 6:30, WEEI, WHB, WQJ; 7:30, WBAP, WCAE, WCX; 8, WCAY, WCBD, WDAF, WGR, WHAZ, WHO, WLW, WMH; 8:15, WEEI; 8:30, KOB, WDAR, WEEI, WFAA; 8:45, WEEI; 8:50, WLW; 9, KSD, WOAW; 9:30, KFAE, WBAP, WEEI, WFAA; 8:45, WEEI; 10, KGO, KGW, KPO, WCAE, WCAL, WQJ, WSAI; 11, KFI, KPO, WHAZ; 11:15, WHO; 11:45, WDAF; 6:15, WEBJ; 6:30, KFNF, WGN, WEEI, WJAX, WMAQ; 6:45, WTAY; 7, KSD, WBAP, WEEI, WHAP, WCAE, WEBJ, 7:30, CKAC, WBAP, WEEI, WHAS, WIP, WSAI; 8, KFKB, KHJ, WCAE, WEBJ, WKAQ, WQJ; 7:15, WEBJ; 7:30, CKAC, WBAP, WEEI, WHAS, WIP, WSAI; 8, KFKB, KHJ, WCAE, WEEI, WGN, WGY, WHB,

WMAQ; 8:15, CKY; 8:30, WFAA, WMC; 9, KFKB, KSD, WCX, WEBH, WEEI, WOAW; 9:15, WCAY, WMAQ; 9:30, WBAP; 10, KGO, KGW, KHJ, KPO, WEEI, WLW, WQJ; 10:45, WSB; 11, WEBH, WFAA, WMC; 11:45, WDAF.

Wednesday, November 12: 6, WDAF, WMAQ; 6:30, KFNF, WCAY, WEEI, WGN; 6:45, KSD, WTAY; 7, WEBH, WEEI, WHB, WHK, WQJ, WTAM; 7:30, WBAP, WCAE, WEEI, WHAS; 8, WDAF, WGR, WLW, WMH; 8:30, KFKB, KOB, WGN, WMAQ, WMH; 8:55, WLW; 9, KFKB, KSD, WEBH, WEEI, WGR, WOO, WTAY; 9:30, KFAE, WBAP; 10, KGW, WHJ, WEEI, WQJ; 10:45, WSB; 11, WEBH; 11:45, WDAF.

WSB; 11, WEBH; 11:45, WDAF.

Thursday, November 13: 6, WDAF, WMAQ; 6:30, WKAQ, WMAQ, WMAQ, WOAW; 6:40, WEEI; 7, WEAO, WEBH, WHK, WJAX, WQJ; 7:15, WIP, WRC; 7:30, CNRM, WBAP, WEEI, WHAS; 7:45, WRC; 8, CNRM, KFKB, WCBD, WEEI, WGY, WHB, WMH; 8:15, WRC; 8:30, WFAA, WMAQ; 9, KFKB, WCAL, WEBH, WMAQ, WOAW; 9:30, WBAP; 10, KGO, KHI, KPO, WQJ; 10:15, WSAI; 10:30, WCAY, WGY; 10:45, WSB; 11, KPO, WEBH, WLW; 11:45, WDAF; 12, KFSG.

12, KFSG.

Friday, November 14: 6, WDAF, WMAQ; 6:30, WEEI, WMAQ, WOAW; 7, WEBH, WEEI, WHB, WHK, WQJ; 7:20, WOO; 7:30, KNKF, WBAP, WCAE, WHAS; 8, KFKB, KSD, WCAY, WGR, WHO, WSB; 8:15, CKY; 8:30, KOB, KFAA; 9, KFKB, WEBH, WOAW, WOO; 9:15, WMAQ; 9:30, KFAE, WFSG, WBAP; 10, KHJ, WQJ; 10:45, WSB; 11, WEBH; 11:15, KFSG; 11:45, WDAF; 12, KFSG, KGW.



Saturday, November 8

(Continued from page 11)

(Continued from page 11)

2:45 p. m., recital, Edna Dahl, contralto, accompanied by Ida Febleissen; 3-3:15, Jack Mason; 3:30-4 All-American dance orchestra; 6:15-7:15, Cinderella orcheetra; 7:15-7:30, Jolly Bill Steinke; 8-8:15, Naborhood trio; 8:15-8:30, Margaret Brady, pianist; 8:30-8:45, Leon Cerson, tenor; 9:30-9:45, Naborhood trio; 9:35-10, Margaret Brsdy, pianist; 10-10:15, Leon Carson; 10:45-11, Perry and Russell.

WQI, Chicago, III. (Central, 448), 11-12 m., "Pressure Cookers," Mrs. H. F. West; "Art." Mrs. Albion soprano; Myron Muench, reader; 10-2 Ralph Williems Ilesdburg; 3-4 p. m., koffce klatsch; 7-8, dinner concert, Ralph Williams and his Rainho Garden orchestra; Kathryn Orr, accompanist; Grece Hegseth, and his Rainbo Skylarks; Jerry Sullivan; Sandy Meek, Scotch tenor; The Melodians, Lauric, Eddie and Bennie; Harmony singers, George A. Little, Larry Shay, Lew Butler.

WRC, Washington, D. C. (Eastern, 469), 6 p. m., children's hour, Peggy Alhion; 7:45, Bible talk; 8, Mary Callahan, soprano; 8:15, Robert Ruckmann, pienist; 8:30, Ruth Kobbe, mezzo-soprano; 8:45, muslc; 9:15, Lee Houso trio; Samuel Udring, director; 10:30, Hotel Astor orcheetra.

Hotel Astor orcheetra.

Hotel Astor orcheetra.

WSAI, Cincinnati, Ohio (Central 309), 8 p. m., chimce concert; 8:15, talk, "Canned Goods," H. J. Esterman; piano solo, Genevieve Goodman; violin solo, Waldine Johnston; 9, weekly news review, Allison F. Stanley; 9:15, tenor colo, Sam Bova; special cong program. Fred Hughes, Billy Axtman; 12, popular songs, Hughes & Axtmen; 12:30, Freda Sanker'e Toed

Stool orchestra.

WSB, Atlanta, Ga. (Central, 429), 5-6 p. m., Bonnie Barnhardt; 8-9, Hills Crossing singing choir; 10:45, dark spirituals, Big Bethel church choir.

WTAM, Cleveland, Ohio (Eastern, 390), 6 p. m., Guy Lombardo's Itoyal Canadlans, Claremont restaurant; 9, WTAM dance orheestra, Ev Jones, director; eoloists. WTAY, Oak Park, III. (Central, 283), 6:45-7:45 p. m., Rosemary Hughes, eoprano; planologues, Pearl Jarrett; Bloesom Klein, violinist; 9-9:45, 10:15-11:15, Guyon's Paradise Ballroom orchestra.

WWJ, Detroit, Mich. (Eastern, 517), 8 a. m., ectlingup exercises, R. J. Horton; 9:30, talk, women'e cditor, Detroit News; 12 m., musical program; 8, Detroit News orchestra.

Sunday, November 9

Silent night for: CKAC, KFAE, KFNF, WDAF, WHAS, WMAQ, WMC, WOR, WRC, WSAI, WTAY. CKAC, Montreal, Can. (Eastern, 425), 4:30 p. m., sacred concert.

sacred concert.

CKY, Winnipeg, Can. (Central, 450), 7 p. m., service and secred cantata. Crescont Community church.

and sacred cantata, Crescont Community church.

KFI, Los Angeles, Calif. (Pacific, 469), 6:45 p. m., musical appreciation talk., Paul Recse; 7-8, Metropolitan theater concert; 8-9, Ambassador Hotel concert orchestra; 9-10, instrumental and vocal recital; 10-11, Six

KFKB, Milford, Kansas (Central, 286), 8-10 p. m., International Bible students' association class of

KFNF, Shenandoah, Ia. (Central, 266), 3 p. m., scrv-lres, Presbyterian church; 6:30, regular sacred cong

KFSG, Los Angeles, Calif. (Pacific, 278), 10:30-12:30 noon, morning worship; temple revival chorus; triplo mato quartet; vocal soloists; Esther Fricke Green, organist; Almee Semple McPherson; 2:30-4:30 p. m., dispensational meseage; deeper hible teachings. Almee Semple McPherson; temple silver band; combined choirs; Roy Reid Brignell, organist; Ruth Thomas, planiste; 7-9:30, musical hour, rendering praise by the silver band; choir and malo quartet; Esther Fricko Green, organist; evangelistic eermon, Aimee Semplo McPherson; altar eall and after service; 10-11, organ hour with Roy Reid Brignall, rendering, "Eventide," with vocal artists.

with vocal artists,

KGO, Oakland, Calif. (Pacific, 423), 11 a. m., church
service; 3:30 p. m., KGO Little Symphony orchestra,
farl Rhodehamel, conductor; Irwin Johnson, baritone;
Ford E. Samuel, travel speaker; 7:30, church service,
KGW, Portland, Ore, (Pacific, 492), 6 p. m., church
services, Portland Council of churchee; 7, dinner concert, Colburn concert orchestra.

KHJ, Los Angeles, Calif. (Pacific, 395), 10 a. m., sermon from KHJ studio; 10:30-12:30 noon, organ recital and service from First Methodist Episcopal church; Arthur Blakeley, organist, and Rev. Elimer E. Helms, pastor; 6:30-7 p. m., Art Hickmsn'e concert orchestra, direction of Edward Fitzpatrick; 7-7:30, organ recital from First Methodist Episcopal church; Arthur Blskeley, organist; 8-10, de luxe program.

KPO, San Francisco, Calif. (Pacific, 423), 11-12 m., undenominational and non-sectarian church services, Rev. H. L. Rowley; Mrs. C. G. Fries, soprano; Theodore J. Irwin, organist; 8:30-10, Rudy Seiger's Fairmont Hotel orchestra.

KSD, St. Louis, Mo. (Central, 456), 9 p. m., music specialtiee from Grand Central theater.

KYW, Chicago, III., (Central, 536), 7 p. m., colo, Rose L. Gannon; "Pligram's Progress," Glifford W. Barnes; 7:40, organ, Stanley Martin; 8, anthem. Mr. Miller and choir; ecripture, prayer; announcement, Clifford W. Barnes; colo, John B. Miller; hymn; address, Dr. Henry Howard; organ, grand chorus.

WBAP, Fort Worth, Tex. (Central, 476), 11 a. m., services, First Methodist church, Rev. J. W. Bergin, pastor; Will Foster, organist; 4 p. m., concert, Rialto theeter; 1i-12, midnight frolic and dance orchestra.

WBAV, Columbus, Ohio (Eastern, 423), 2:30 p. m., religious service, Columbue Council of churches; cholr musie.

musie.
WBBR, New York, N. Y. (Eastern, 273), 9:10 p. m.,
Sally Newman, pianist; 9:25, Isahells Sternthal, soprano; 9:30, Blble lecture; 10, Isabella Sternthal, so-

prano; 9:30, Blble lecture; 10, Isabella Sternthal, soprano; 10:05, Sally Newman, plantst.

WCAE, Pittsburgh, Pa. (Eastern, 462), 3 p. m., pcople'e Radio church service; 4. Prof. Otto Kaltels, planist; 6:30, dinner concert. William Penn hotel.

WCAL, Northfield, Minn. (Central, 360), 8:30 p. m., Rev. Nils Kleven, speaker; Esther Erlekson, soprano; Orla Rice, violiniet; Judith Haldorsen, planist.

WCBD, Zion, III. (Central, 345), 8 p. m., trlo for harp, vlola, flute, Miss Hollingshead, Mre. L. J. Hire, Mrs. Carl Huth; Herman Becker, cellist; Ralph Bull, tenor; Dorothy Bull, soprano; Mrs. G. R. Sparrow, contraito; Dorothy Bull, soprano; R. F. Reld, baritone.

WCCO, Minneapolis-St. Paul, Minn. (Central, 417),

Reld, baritone.

WCCO, Minneapolis-St. Paul, Minn. (Central, 417), 10:20 a. m., service, Plymouth Congregational church, Rev. H. P. Dewey, pastor; 4:10 p. m., vesper service, House of Hone Presbyterian church, Rev. H. C. Swearingen, pastor; 7:45, eervice, First Baptist church, Dr. Frederick Torrey, pastor; 9:15, classical program.

WCX. Detrolt, Mich. (Eastern, 517), 3 p. m., organ recital, Prof. Guy C. Filkins, Central M. E. church; 4, Chapel services, Detrolt Free Press radio studio; 7:30, services, Central M. E. church, Dr. Lynn liarold Hough, Hudson quartets.

WDAF, Kansas City, Mo. (Central, 411), 4-5 p. m., program hroadcast from the Newman theater.
WDAR, Philadelphia, Pa. (Eastern, 395), 2:30 p. m., concert, Arcadia cafe concert orchestra, Ferl Sarkozl, director; 8:30, Round Table Forum, with prominent

concert, Areadia cate concert orchestra, Feri Sarkozi, director; 8:30, Round Table Forum, with prominent speakers participating.

WEAF, New York, N. Y. (Eastern, 492), 3-5 p. m., hymn singing and services; 7:20-9:15, Roxy and his Gang, Capitol theater; 9:15-10:15, Skinner organ recital.

WEBH, Chicago, III. (Central, 370), 5-6 p. m., twilight musicale; 7-9, artists program.

WEEI, Boston, Mass. (Eastern. 303), 3:45-5:30 p. m., Sunday Mcn's conference, Bedford Branch Y. M. C. A.; 7:20-10, musical program, Mark Strand theater.

WEW, St. Louis, Mo. (Central, 280), 7 p. m., "Can There Be More Than One True Religion?" Rev. W.

Kearney.

Kearney.

WFAA, Dallas, Tex. (Central, 476), 6-7 p. m., Radlo Bible class, Dr. William M. Anderson; 7:30-9, service, First Methodist Eplacopal church, Dr. Carl C. Gregory, pastor; Mrs. Robert H. Morton, eoloist; 9:30-11, Jimmy Allen and his Collegian's orchestra.

WFI, Philadelphia, Pa. (Eastern, 395), 4:30 p. m., services from studio, auspices of the Church federation; 7:30, services, Arch Street Presbyterian church, WGN, Chicago, III. (Central, 370), 11 a. m., Uncle Walt reads comics to the children; 11:45, Chicago theater symphony concert; 2:30 p. m., Tribuno master artists' concert; 3:30, classical concert, Central theater; opera stars; Drake concert ensemble.

WGR, Buffalo, N. Y. (Eastern, 319), 3 p. m., vesper

opera stars; Drake concert ensemble.

WGR, Buffalo, N. Y. (Eastern, 319), 3 p. m., vesper service; 4. Leonard Adams, organist; 7:15, organ recital, featuring William Wall Whiddlt, and service, Dr. Robert J. MacAlpine, speaker, at the Central Preebyterian church, broadcast direct from the pulpit, WGY, Schenectady, N. Y. (Eastern, 380), 10:30 a. m., First English Lutheran church, Rev. Herbert D. Shimer; 3:45 p. m., WGY eymphony, Leo Kilwen, organist; Louise B. Haefner, mezzo coprano; 7:30, First English Lutheran church.

WHAS Louisville Ky. (Central, 400), 0:57 a. m.

WHAS, Louisville, Ky. (Central, 400), 9:57 a. m., organ music; 10, church ecrvices, Broadway Baptist church, Rev. Dr. Russell Johnson Pirkey, pastor;

land, bass.

WIP, Philadelphia, Pa. (Eastern, 509), 1:30 p. m., servicee, Holy Trinity chapel; 9:30, Special Sunday evening concert, Ben Stad WIP symphony orchestra; Karl Bonawitz, organist.

WIAX, Cleveland, Ohio (Eastern, 390), 9 p. m., concert arranged by Radio Apparatus company, Warren R. Cox, vice president and general manager; R. A. C. concert, Max Schmitt, director; Ben Burt, planist; Ben Silverberg, violin; Joseph Parlitzki, violin; Max Schmitt, cellist.

WIY, New York, N. Y. (Eastern, 405), 8:15-10 p. m., Bernard Levitow's Commodore hotel orchestra; 10-10:30, 'Reminiscences of a Reporter,' William H. Crawford.

10:30, "Reminiscences of a Reporter," William H. Crawford.

WJZ, New York, N. Y. (Eastern, 455), 9 a. m., children's hour; 11, St. Thomas Episcopal church service, Dr. E. M. Stires; 2:30 p. m., Radio Bible class, Federation of churches; Church community chorus, Clarence W. Allen; Heien Manning, accompanist; Maria Nicholson, soprano; Raymond Freemantle, baritone; 3:30, "Practicel Religion," Rev. Harry Emerson Fosdick; 4, vesper services, St. George's church; 5:45, "The Fight for Peace," Edgar White Burrill; 7, Nathan Abas Hotel Pennsylvania orchestra; 8, Dextra Male chorus; 8:30, Emile Herbert's Sunday Evening concert.

'LW, Cincinnati, Ohio (Central, 423), 9:30 a.m., Sunday School; 11, sermon, Rev. Frank Stevenson, Church of the Covenant; 7:45 p.m., sermon, Rev. P. L. Dannenfeldt, Evangelical Lutheran church; 8:45, P. L. Dannenfeldt, Evangelical Lutheran cnurch; 8:49, Western and Southern orchestra, William Kopp, director; 11:15, Helen Lindsey, violinist; Marie Lindsey, accompanist; 11:30, Crosley Arebian nights; Leng-McKay Castle Farm orchestra.

WMC, Memphis, Tenn. (Central, 500), 11 a. m., servlecs, St. Mary's Episcopel cathedral, Rev. I. H. Noe, dean

lecs, St. Mary's Episcoper Casalana, dean.

WMH, Cincinnati, Ohio (Central, 309), 7 p. m., etudio church services; sermon, Dr. J. J. Castleberry.

WOAW, Omaha, Nebr. (Central, 526), 9 a. m., Radio chapel service, Rev. R. R. Brown; 2:30 p. m., matinee program; 6, Bible study hour, Mrs. Carl R. Gray; 9, musical chapel service, Benson Methodist church, Rev. Arthur Adams, pastor; Harold Thom, choir director.

WOC, Davenport, Ia. (Central, 484), 9 a. m., sacred chimes; 1 p. m., the Palmer School Radio orchestra; 8, church service; 9:30, the Palmer School Radio orchestra.

chestra.

WOO, Philadelphia, Pa. (Eastern, 509), 10:30 a. m.

WOO, Philadelphia, Pa. (Eastern, 509), 10:30 a. m., services, Bethany Temple; 2:30 p. m., Sunday school services, Bothany Temple; 6:05, organ recital, Clarence K. Bawden; 7:30, services, Bethany Temple.

WQJ, Chicago, III. (Central, 448), 10:30 a. m., People's church, Dr. Preston Bradley; choir of 100 volcos; Clarence Eddy, organist; 8-10, Ralph Williams and his Rainbo Garden orchestra; Otis Pike Jester, soprano; Mary Thraeh House, accompanist; Lancaster Smith, hass; Mrs. Lancaster Smith, accompanist; trio, Alma Wilson McMahill, soprano; Ruth Wilson, planist; Elesnor Wilson, collist; Maxinc Mordy, violinist.

WSAI, Cincinnati, Ohio (Central, 309), 3 p. m., sermonette; 3:10, chimee concert, Rohert Badgley, "Old Hundred," "He Lcadeth Me," "I Need Theo Every Hour," "Jeeus, Savlor, Pilot Mc," "Lead Kindly Light."

WSB, Atlanta, Ga. Central, 429), 9-11 a. m., First Presbyterian church: Tayapayne Memorial sacred concert; 7:30 p. m., Wesley Memorial church service.

WWJ, Detroit, Mich. (Eastern, 517), 11:00 a. m., services St. Paul's Episcopal cathedral,

Monday, November 10

Silent night for: CKAC, KFNF, KYW, WEBH, WGN, WHAS, WHK, WJAX, WJY, WLS, WMAQ, WQJ, WRC, WTAY.

CHNC, Toronto, Can. (Eastern, 350), 8:30 p. m., quartet, Frank Blachford, 1st violinist; Clarenco Causton, 2nd violiniet; Earl Melsner, violaist; Lionel Bilton, cell-let; Wendell Hall, Red Headed Music maker; Charlce

lst; Wendell Hall, Red Headed Music maker; Charlee H. Leslic, harltone; Alfred Heather, tenor. CKAC, Montreal, Can. (Eastern, 425), 1:45 p. m., Mount Royal hotel concert orchestra; 4:30, 1lo lessons. KFAE, Pullman, Wash. (Pacific, 330), 7:30 p. m., Norma Sparlin, pianist; "Points in Poultry Ralslang," J. S. Carver; "Highway Progress in the United States," H. E. Phelps; "Rubles or Hydrophobia," U. S. Public Health service; readings; "Where Some of Our Textiles Come From," E. Belle Alger. KFI, Los Angelee, Calif. (Paoific, 469), 8-9 p. m., vocal program; 0-10, instrumental selections with vocal

numbers; 10-11, Ambassador hotel Cocoanut Grove

numbers; 10-11, Ambassador hotel Cocoanut Grove orchestra.

KFKB, Milford, Kansas (Central, 286), 7:20-8 p. m., college of the air; 8-10, ladies orchestra, Gertrude Doud Tetrick, leader: 10-11, Jubilee Boys orchestra; lecture, Dr. J. R. Brinkley.

KFOA, Seattle, Wash. (Pacific, 455), 8:30 p. m., program, Scattle Post Intelligencer.

KGO, Oakland, Calif. (Pacific, 423), 1:30 p. m., stock reports and weather; 3, studio musical program; Parent-Tcacher association speaker; 4-5:30, Henry Halstead's dance orchestra; 5:30-6, Aunt Betty storles; KGO kiddies' klub; 3, cducational progrem: "Insects and Human Welfare," Prof. W. B. Herns; English lessons, Wilde Wilson church; "American Citizenship," General Federation of Women's Cluhs' speaker; review of children's books, Joseph Henry Jackson; Josephine Halber violinist: Arion trio; Henry Halstead's or-Holub, viollnist; Arion trio; Henry Halstead's or-

KGW, Portland, Ore. (Pacific, 492), 5 p. m., children's program; travel story, Aunt Nell; 8, Oregonian concert orchestra.

program; travel story, Aunt Nell; 8, Oregonian concert orchestra.

KHJ, Los Angeles, Calif. (Pacific, 395), 12:30-1:30 p. m., concert of instrumental and vocal selections.

KOB, State College, N. M. (Mountain, 360), 7:30-8:30 p. m., musicale college.

KPO, San Francisco, Calif. (Pacific, 423), 1-2 p. m., Rudy Selger's Fairmont Hotel orchestra; 4:30-5:30, Rudy Selger's Fairmont Hotel orchestra; 5:30-0:30, children's story hour, Big Brother of KPO; Geoffrey Christensen, planist; 7-7:30, Rudy Selger's Fairmont Hotel orchestra; 5:30-0:30, children's story hour, Big Brother of KPO; Geoffrey Christensen, planist; 7-7:30, Rudy Selger's Fairmont Hotel orchestra; 8-9, Theodoro J. Irwin, organist; 9-10, Elste Inghem, contralto; Marion Ktelingbury, plenist; Bohemian trio; 10-11, E. Max Bradfield's Versatilo band.

KSD, St. Louis, Mo. (Central, 546), 7 p. m., muelc and specialties, Missouri theater; 9, symphony concert, Littau's concert orchestra; 11, dance program.

KYW, Chicago, III., (Central, 536), 6:30 a. m., excretses, physical director of Y. M. C. A.; 9:30, late news, financial and commercial market comments; 11:35, table talk, Anna J. Peterson; 6:02 p. m., news, financial

talk, Anna J. Peterson; 6:02 p. m., news, financial and final market reports; 6:35-7, bedtime atory, "Uncle Bob."

"Uncle Bob."

WBAP, Fort Worth, Tex. (Central, 476), 7:30-8:30 p. m., "Moments from the Majestic," Majestic theater; 9:30-10:45, Fort Worth conservatory of music.

WBAV, Columbus, Ohio (Eastern, 423), 12 m., Ital.orhach Owens, pianist.

WBBR, New York, N. Y. (Eastern, 273), 8 p. m., 1. B. S. A. Malo quartet; 8:10, tenor; 8:20, Lithuanian Bible lecture; 8:45, tenor soloist; 8:50, I. B. S. A. Male quartet.

WCAE, Pittsburgh, Pa. (Eastern, 462), 4:30 p. m., The Sunshine girl; 6:30, dinner concert, William Pennholel; 7:45, special feature; 8:15, dancing lesson, Arthur Murray; 8:30, musical program, Paul Kramer's orchestra; 11, Flight of the Mythical Dirigible, The Press-Kaybee and the concert by the Pennsylvania serenaders.

Press-Raybee and the concert by the Pennsylvania serenaders.

WCAY, Milwaukee, Wis. (Contral, 266), 8 p. m., Holeproof Hoslery night; tune tinkers; Margie Mackin, soprano; Franz Lindl. zitherist.

WCBD, Zion, III. (Central, 345), 8 p. m., string quartet; vocal trio, Misses Sweeney, Marziger, Mrs. Crowe; contralto and barltone duet, Mrs. LaRose, Thomas; Erma Reynolds, soprano; Mrs. P. M. La Rose, contralto; J. D. Thomas, baritone; cornet and trombone duet, Gerald Danlel Mason; Gerald Mason, cornelist.

WCX. Detroit. Mich. (Fastern, 517), 4:15 p. m., musical WCX, Detroit, Mich. (Eastern, 517), 4:15 p. m., musical program, Nicholas King Wah Lo cafe orchestra; 6, dinner concert broadcast from Hotel Tuller; 8:30,

dinner concert broadcast from Hotel Tuller; 8:30, musical program, Mrs. Leslie Lamhorn.

WDAF, Kansas City, Mo. (Central, 411), 3:30-4:30 p. m., the Star's string trio; 5-5:30, weekly program, Kansas City Council of Boy Scouts; 6-7, school of the air, piano tuning-in number on the Duo-Art; personal message from Roger W. Bahson; weekly "request story night," the Tell-Me-a-Story Lady; music, Hotel Muchicbach Trianon ensemble; 8-9:30, popular program, the Star's Radio orchestra; 11:45-1 a. m., Nighthawk frolic, the "Merry Old Chief" and the Plantation players.

WDAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m., dally almanac; 12:02 p. m., Stanley theater organ recital, Arcadia case concert orchestra; 2, Arca

WD.

6. WD.

N. H. T. ALLEN AT WMC THURSDAY



CING

1 Time Time

SiNovember 8:

WJZ; 6:45;

WJZ; 6:45;

WJZ; 6:45;

WJZ; 6:45;

WOO;

WOO;

WOO;

WOO;

WHN, WJZ;

WHN, WJZ;

WHN, WHN,

WCCO;

WHA;

WHN,

WHAA;

WCCO;

WOAW;

WOAW

TNovember 9: W W J; 7. (TAM; 7:15, WOR, WQJ; 9:8:50, WLW; DAR, WMH; 0:9:45, WJZ; 10:30, WGR; 11:11, KSD; 2'W; 11:45,

| November 10: | WOR: 6:15, | 0, CKAC, | 17, WEBH. | 25, WJY: 8, | 7AI; 9, KPO. | 3HB. WTAY: | 0, WJZ, WNJ; | WGN; 10:05, | WEBH; 11:30, | 145, WDAF; | KHJ, KPO.

Wy, Novembar WOO; 7, Jil5, WDAR; D; 8, KHJ, CPO, WDAR, D; 8, KHJ, CPO, WDAR, WHB; 9:30, O; 10, KFKB, UG N: 10:30, N: 10:30, ONEEH; 11:30, 1:45, WDAF;

November 12: 7.30, KFNF, KHJ: 8:30, KPO, WEBH, AX, WMH: KB, WOAW; H, W FA A; LW: 11:45, , KGO, KHJ,

November 13: 1; 7, WEBH: :30, WMC; 9, 1:05, WDAR; f, WOO: 10, 10:30, WGR, 11; WEBH, :45, WBAP;

4:30, "Magazine Corner," Arnoid Abbott; 7:30, Dream Daddy's bedtime storics; 8, Arcadia cafe concert or chestra; 9:20, overture, Stanley theater symphony orchestra, Sidney Lowenstein, directing; 10, Arcadia cafe danca orchestra; vaudeville features from Fay's Knickerbocker theater.

WEAO, Columbus, Ohio (Eastern, 294), 11 a. m., Marguerite Gailant, plano; Seidel School of music; 1:15 p. m., Florenca Sheridan, plano; Myrtle Keith, soprano; Emma Mulzer, soprano; Seidel school

WEEI, Boston, Mass. (Eastern, 303), 6:30 p. m., Jack Renard and his Mansion Inn orchestra; 7, Boston Edison Big Brother club; 7:30, musicale; 7:45, talk, Henry C. Grcen; 8, John Doherty, entertainer; 8:15, Marjorie Messer, violinist; 8:30, John Merker, planist; 8:45, Fenway theater Radio de luxe program; 9:30, John Doherty; 9:45, H. Covitz, violinist.

WFAA, Oallas, Tex. (Central, 476), 12:30-1 p. m., address, George F. Thomas; 8:30-9:30, musical recital, Mozart Choral club.

Mozart Choral club.

address, George F. Thomas; 8:30-9:30, musical recttal, Mozart Choral club.

WFI, Philadelphia, Pa. (Eastarn, 395), 1 p. m., Meyer Davis Bellevue Stratford concert orchestra; 3, report closing prices Chicago grain markét; 3:05, recital, Madeline Reifsnyder Budd, soprano; 6:30, Meyer Davis Bellevue Stratford concert orchestra; 7, Sunny Jim, the kiddles' pal.

WGN, Chicago, Ill. (Central, 370), 1:40 p. m., luncheon concert; 2:30, Lyon & Healy artist seriee; 3, rocking chair time; 5:30, Skeezix time for the children; 6-6:30, organ recital, Lyon & Healy.

WGR, Buffalo, N. Y. (Eastern, 319), 12:30-1 p. m., George Bouchard, organist; 2:30, Buffalo Courier and Enquirler musical program; 6:30, dinner music, Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing; 9-11, Mercer club musical program, Jack Brindley, directing; 11:30, suppar-dance music, the Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing.

the Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing.

WGY, Schenectady, N. Y. (Eastern, 380), 2 p. m., "How Much Should a Woman Spand for Clothes?" Florence D. Trear; 7:15, "Home Economics in Print," Alica Blinn; 7:25, "Suggestions for tha Thanksgiving Dinner," Mrs. Jessie Boys; 7:45, "Eighth Annual Roll Call of the American Red Cross," A. W. Clark; 7:50, Russian program: mixed quartet, Marion Brewer, soprano; Rose Mountain, contralto; William A. Fay, tenor; "Kolin Hager, baritone; A. O. Coggeshall; "Russia," Elia A. Shinkevich.

WHAS, Louisville, Ky. (Central, 400), 4-5 p. m., Alamo theater orchestra.

WHAS, Louisville, Ky. (Central, 400), 4-5 p. m., Alamo theater orchestra.

WHAZ, Troy, N. Y. (Eastern, 380), 9 p. m., father and son night program; 12 m., midnight transcontinental and international program, Rensselaer Polytechnic Institute Students' Symphony orchastra.

WHK, Cleveland, Ohio (Eastern, 283), 6 p. m., Ponce de Leon orchestra, Herbert Hayward, director, Grebc's Hanna restaurant; sports, news.

WHO, Oas Moines, Ia. (Central, 526), 7:30-9 p. m., "Care of Taeth," Emma Weisgerber; Scioto MacAdow Herndon, soprano; Holmes Cowper; Grace Jones Robinson, eoprano; 11:15-12, L. Carlos Meier, organist.

WIP, Philadalphia, Pa. (Eastern, 509), 1 p. m., Gimbel tea room orchestra; 3, Bible talk; 3:15, Food Week talk; 3:30, recital, students of Clarence Fuhrman studio; 0:05, Hotel St. James dinner orchestra; 7, Uncle Wir'e bedtima stories.

WJZ, Naw York, N. Y. (Eastern, 455), 10 a. m., housewivas laague menu, Mrs. Julian Heath; 10:20, "Shoppers' Guide," Mrs. Pauline Peck; 10:30, "Home Beautiful." Dorothy Ethel Waish; 10:40, talk, John C. ("utting; 10:50, fashion talk, Eleanor Gunn; 1 p. m., Henry Vander Zanden, Hotel Ambassador trio; 4, Mario Caiati, cellist; Keith McLeod, accompanis; 4:30, Fred Hall's Royal Terrace orchestra; 7, Bernhard Levitow's Hotel Commodoro orchestra; 8, Wali Street Journal review: 8:10, N. Y. U. Air colioge; "Geology," Prof. J. Edmund Woodman; 8:30, celebration of Marina Corp birthday; 10:45, Jaeques Grean and his Club Deauvilla orchestra; Clark's Hawalians.

WLW, Cinoinnati, Ohio (Central, 423), 8 p. m., Alvin Roehr's orchestra; weekly theatrical review: 8:40, Orchie Snyder Beall, eoprano; Mre. George W. Collins, accompanist; 8:50, Cooper orchestra; Cooper male quartet; 11:30, Langa-McKay orchestra.

WMAQ, Chicago, III. (Central, 447.5), 4 p. m., methers in council, Mrs. Frances M. Faid; 4:30,

Murray, dancing master, assisted by the Carolinian orchestra.

WQJ, Chicago, III. (Cantral, 448), 11-12 m., "Woolens and Their Manufacture," Marcia Meadows; "Scientific Preservation of Food by Use of Ice," Mrs. George M. Shirk; 3-4, "Oyster Dishes," Halen Harrington Downing; "The Care of Your Hair," Madame Huntingford.

WRC, Washington, O. C. (Eastern, 469), 3 p. m., Iashion development of the moment, women's wear; 3:10, songs; 3:25, current topics, editor of The Outlook; 3:35, plano recital; 4, songs; 4:10, book review, auspices of the League of American Penwomen; 6, stories for children, Peggy Ablom.

WSAI, Cincinnati, Ohio (Central, 309), 10 p. m., Hughes & Axtman, singing "Smile Away Your Tears," "Where Skies Are Blue," "Sometimes," "One Little Kiss," "You'll Naver Know," "Lonesome Moon," "Life's One Dream"; 10:45, Cliff Burns' Country club orchestra, playing "The Only Girl," "June Night," "Tessie," "Baby, What Is Your Name," "Charleston Cabin," "Chansonette," "Moora," "The Heart of a Girl." WSB, Atlanta, Ga. (Central, 429), 12 m., Bernard and Robinson; 5-6 p. m., Bonnie Barnhardt; 8-9, Bemard and Robinson; 5-6 p. m., Bonnie Barnhardt; 8-9, Bemard and Robinson; 5-7, and Mrs. A. T. Conway, Jr.; 10:45, Win One quartet.

WTAM, Cleveland, Ohio (Eastern, 390), 6 p. m., Philip Spitalny's Music Box orchestra; 8, Seven Musical magpias; Eva Robinson, soprano; Harry P. Ford, cornet and bugle imitator; Maxweil quartat; Raymond F. Smith, pianist.

cornet and bugle imitator; Maxwell quartat; Raymond F. Smith, pizaist, WWJ, Oetroit, Wich. (Eastern, 517), 8 a. m., setting-up exercises, R. J. Horton; 9:30. talk, women's editor, Detroit News; 3 p. m., Detroit Symphony orchestra; junior concert, broadcast from Orchestra Hall; 7, Detroit News orchestra; T. Stanley Perry, tcnor; Ina Lockhart, contralto.

Tuesday, November 11

Silent night for: KFAE, WGR, WHK, WHO, WMH, WOC, WOO.

WOC, WOO.

CKAC, Montreal, Can. (Eastarn, 425), 7 p. m., kiddies' stories in French and English; 7:30, Rex Battle and his Mount Royal hotel concert; 8:30, Frontenac Brewaries famous symphony; 10:30, Joseph C. Smith and his Mount Royal hotel dance orchestra.

CKY, Winnipeg, Can. (Central, 450), 7:30 p. m., university lecture; 8:15, special Armistice night concert.

KFI, Los Angeles, Calif (Pacific 469), 6:45 p. m., Acolian organ recital; 8-9, Hotel Ambassador Coccanut Grove orchestra; 9-10, vocal and instrumental program; 10-11 "Pop" program.

KFKB, Milford, Kansas (Central, 286), 8 p. m., coliega of the air; 8-9, band concert, special Armistice day program; 9-10, "Blacksmith Pour," male quartet; 10-11, lecture, Dr. J. R. Brinkley.

KFNF, Shenandoah, Ia. (Cantral, 266), 7:30 p. m., Armistice Day program.

KFSG, Los Angalas Calif. (Pacific, 278), 3:30-4:30

KFSG, Los Angalas Calif. (Pacific, 278), 3:30-4:30 p. m., Esther Fricke Green, in organ gems, assisted by vocal artists; 6:30-7:30, "Cousin Jim," children's friend in song, music and story (Harry James Beardsley); assistad by Eugene Lamb, planist and

accompansit.

KGO, Oakland, Calif. (Pacific, 312), 4-5:30 p. m., concert orchestra, Hotel St. Froncis; 8, College of tha Pacific Chamber of commerce: J. Russell Bodiay, pianist; Mima B. Montgomery, soprano; Glan Halik, violinist; Mirlam Burton, pianist; Charles M. Dannis, baritone; "Tha New Renaissance." Tully Cleon Knoles; Bozena Kaias, pianist; Ncila Rogers, contralto; travel talk, Ford E. Samuei; Allan Bocon, pianist; 10-1 a. m.,

talk, Ford E, Samuei; Allan Bocon, pianist; 10-1 a. m.,
Henry Halstead's orchestra.
KGW, Portland, Ore. (Pacific 492), 12:30 p. m.,
concert: 5, children's program; story, Jean Adkins;
8, agricultural fecture, Oragon Agricultural college extonsion service; 8:30, Portland Civic Music club.
KHJ. Los Angeles, Calif. (Pacific 395) 12:30-1:30 p. m.,
Randazvous ballroom orchestra from Crystal Baach;
2;20-3:20, matinea musical; 6-6:30, Art Hickman's

Where to Hear Talks

Central Standard Time

TALKS, instructive, serious, humorous and even frivolous, are Radiocast daily and below are listed the stations.

Saturday, November 8: 7, WIP; 7:30, WOC; 8, WCCO; 8:15, WCCO, WSAI; 8:40, WMAQ; 9, KYW, WFI, WJY; 9:30, KFSG; 10, KHJ; 10:30, KFKB.

Sunday, November 9: 6, WEW; 6:30, WCX; 7:30, WDAR; 8:30, WCAL; 8:45, KFL

WCAL; 8:45, KFI.

Monday, November 10: 6, WEEI;
6:15, WGY; 6:45, WEEI; 7:10, WJZ;
7, WHB; 7:20, KFKB; 7:30, WHO;
9:30, KFAE; 10, KGO; 10:30, KFOA.

Tuesday, November 11: 6, WEBJ,
WEEI, WJZ, WOAW; 6:45, WGY; 7,
WJZ, WRC; 7:15, WJY; 7:20, KFKB;
7:30, 'CKY; 8, WMAQ, WRC; 8:30,
WMAQ; 8:30, KFSG, WJY; 8:40,

WMAQ; 9, WSAI; 10, KFKB, KGW.

Wednesday, November 12: 6,
WEEI; 7, WDAR, WGR, WHB; 7:20,
KFKB; 8, WMAQ; 8:30, KFSG, KHJ,
KOB; 9, WMH; 9:30, KFAE; 9:45,
WMAQ; 10:30, KFKB.

Thursday, November 13: 6, WEEI; 6:30, WEEI; 7, WDAR, WEAO, WHN, WRC; 7:20, KFKB; 7:30, CKY, WRC; 7:45, WGY; 8, WIP, WMAQ; 8:05, WFI; 8:15, WMAQ; 8:30, KFSG, WHJ; 10, WSAI; 10:30, KFKB; 10:45, WSAI WSAI.

Friday, November 14: 6, WEEI; 7, WHB; 7:20, KFKB; 7:30, CKY, WHO; 8:30, KHJ, KOB; 9:30, KFAE; 10, KGW.

concert orchestra; 6:30-7:30, chiidren's hour, "American History," Prof. W. S. Hertzog; the Sandman and Queen Titania; bedtime story; 8-10, da luxe concert; 10-11, Art Hickman's dance orchestra.

KPO, San Francisco, Calif. (Pacific, 423), 1-2 p m., Rudy Seiger's Fairmont hotel orchestra; 4:30-5:30, Rudy Seiger's Fairmont hotel orchestra; 5:30-6:30, children's hour stories; Big Brother of KPO; 7-7:30, Rudy Seiger's Fairmont hotei orchestra; 8-10, U. S. Army band; 10-11, E. Max Bradfield's Versntile band.

Rudy Seiger's Fairmont hotel orchestra; 8-10, U. S. Army band; 10-11, E. Max Bradfield's Versatile band.

KSD, St. Louis, Mo. (Central 546), 7 p. m., Rader's orchestra; 9, music and specialties, Grand Central theater.

KYW, Chicago, III., (Central, 536), 6:30 a. m., exercises, physical director of Y. M. C. A.; 9:30, lata news, financial and commercial market comment; 10:30, Farm and Home service; 11:35, toble talk, Anna J. Peterson; 2:35 p. m., Afternoon Frolic; 4, "Bringing the World to America," editors of Our World; 6:02, news, financial and final market reports; 6:35, bedtime story, "Uncle Bob;" 7, dinner concert, Congress hotel; 7:30, stage revue: 8, musical program, Chicago Musical collega; 8:20, speeches, under auspices of American Farm Bureau Federation; 8:45, Chicago Musical college program; 10, "At home" program; 10:45-11:05, Coon Sanders original Nighthawks.

WBAP, Fort Worth, Tex. (Central, 476), 7:30-8:30 p. m., concert, Senior Epworth leagua; 9:30-10:45, E. Clyde Whitiock's violin ensemble.

WBAV, Columbus, Ohio (Eastern, 423), 12 m., Ila Lorbach Owens, pianist; 8 p. m., WBAV orchestra, Frances Handibeau, director.

WCAE, Pittsburgh, Pa. (Eastern, 462), 6:30 p. m., dinner concert, William Penn hotel; 7:30, Uncle Kaybee; 7:45, special feature; 8, patriotic program, Armistica day; 9, Everready entertainers.

WCAY, Milwaukee, Wis. (Central, 266), 9:15 p. m., Sun dodgers: Arthur Busse, tenor; Mrs. F. Bremer, mezzo-soprano.

WCX, Oetroit, Mich. (Eastern, 517), 4:15 p. m., musi-

Sun dodgers: Arthur Busse, tenor; Mrs. F. Bremer, mezzo-soprano.

WCX, Oetroit, Mich. (Eastern, 517), 4:15 p. m., musical program, Nicholas King Wah Lo cafa orchestra; 6, dinner concert broadcast from Hotel Tuller; 10, Red Apple club.

WDAF, Kansas City, Mo. (Central, 411), 3:30-4:30 p. m., the Siar's string trio; 5-5:30, weekly child talent, second district of the Missouri Federated Music clubs; 6-7, school of the air, piano tuning-in number on the Duo-Art; fifth of a series of Radio piano lessons, Maudellen Littlefield; the Teil-Me-a-Story lady; music, Hotel Muehlebach Trianon ensembla; 11:45-1 a. m., Nighthawk froiic, the "Merry Old Chief" and the Plantation players,

WOAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m.,

WOAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m., daily almanac; 12:02 p. m., Stanfey theater organ recital; Arcadia cafe concert orchestra; 2, Arcadia cafe concert orchestra; Edna Finestone, pianist; "Housahold Helps and Hints"; 7:30, Dream Daddy's bedtime stories.

Stories, WEAO, Columbus, Ohio (Eastern, 294), 11 a. m., Louise Rennick, piano; Mrs. E. K. Osborne, soprano; Seidel School of music; Francis Boeche, reader; 1:15 p. m., music, Marguerite Manley Seidel School of music artists.

WEBH, Chicago, III. (Central, 370), 7-8 p. m., Wesley Westbrook; Oriola orchestra; Dean Remick, pianist; 9-10, Edgawater Baach Hotel Oriole orchestra; Nick Lucas, soloist; musical bits from Riviera; 11-12, opera stars broadcast.

Lucas, soloist; musical bits from Riviera; 11-12, opera stars broadcast.

WEBJ, New York, N. Y. (Eastern, 273), 7-7:15 p. m., Blybrun's review of the new photo plays on Broadway; 7:15-7:30. Masonic quartet; 7:30-8, Nat Pemns or chestra, by permission of tha College of the City of New York; 8-8:15. May Singhi Breen and Peter De Rose, banjo and piano duets; 8:15-9, Rivoli ensamble, under personal direction of Hugo Riesenfeld.

WEEI, Boston, Mass. (Eastern, 303), 6:30 p. m., dance selections, Dok-Eisenbourg and his Sinforians; 7. Boston Edison Big Brother club; 7:30, musicale; 3, Armistice day program, Y. D. band; 8:30, musicale; 9, program from WEAF, N. Y.; 10, musicale; 11, Fenway theater organ recital, Lloyd G. Del Castillo.

WFAA, Dallas, Tex. (Cantral, 476), 12:30-1 p. m., musical program, Dallas theater; 8:30-9:30, Elizabeth Gay Jones, planist; 11-12, Dwight Brown, organist.

WFI, Philadelphia, Pa. (Eastern, 395), 1 p. m., Meyer Davis Bellevue Stratford concert orchestra; 3, elosing prices, Chicago grain market; 3:05, "Short Chats on Recent Novels," Ethel Kooker; plano recital, Caroline Hoffman; 6:30, Meyer Davis Bellevue Stratford concert orchestra; 7, Sunny Jim, tha kiddles' pai; 8, special Armistice day program; 9, Everready hour, as broadcast by WEAF.

WGN, Chicago, III. (Central, 370), 1:40 p. m., luncheon

by WEAF.

WGN, Chicago, III. (Central, 370), 1:40 p. m., luncheon concert; 2:30, Lyon & Healy artist series; 3, rocking chair time; 5:30, Skeezlx tima for the children; 6-6:30, organ recital, Lyon & Healy; 6:30-7, 8-8:30. dinner concert, Drake concert ensemble, Biackstone string quartet; 8:30-9, ciassical concert, Maldwyn Brazcilo, harmonica soloist; Margaret Lane, soprano; Lewis Mcehan, tenor; Kathryn Snyder, reader; 10-11 Jack Chapman orchestra, Blackstone orchestra.

WGR. Buffalo, N. V. (Fastern, 319), 12:30-1 p. m.

Lewis Meehan, tenor; Kathryn Snyder, reader; 10-11 Jack Chapman orchestra, Blackstone orchestra.

WGR, Buffalo, N. Y. (Eastern, 319), 12:30-1 p. m., George Albert Bouchard, organist; 2:30, Buffalo Courier and Enquirer musical program; 6, dinner music, Hailpryd string quartet.

WGY, Schenetady, N. Y. (Eastern, 380), 2 p. m., "Preparing the School Lunch," Mrs. W. A. Teson; 6:30, dinner music, trio from Hotel Ten Eyck; 7:45, "What Makes an Athlete," Fielding H. Yost; WGY orchestra; 8, "Friendly Enemies," WGY ployers; 11:20, Stephen E. Bolsclair.

WHAS, Louisville, Ky. (Central, 400), 4-5 p. m., Alamo theater orchestra; 7:30-9, Rosson's entertainers.

WHK, Clevaland, Ohio (Eastern, 283), 6 p. m., Ponca de Leon orchestra, Herbert Hayward, director, Greba's Hanna restaurant; sports, news.

WiP, Philadelphia, Pa. (Eastern, 509), 1 p. m., Karl Bonawitz, organist; 3, Walton concert orchestra; 4:15, song racital, Jane Maule Mclver; Elia Doy Blalno, planist; 6:05, Ehranzeller's concert orchestra; 7, Unclo Wip's bedtime storias; 8, "Philadelphia's New Y. M. H. A.," talk by Sydney K. Aliman; 8:30, Armistica day program, addressed by commanding officers of 79th Division; concert, members of Stern-Prica Post, American Legion; 11:05, Harvey Marburger and his Vandevillo dance orchestra from Cafa D'Aiglon, WJAX, Cleveland, Ohio (Eastern, 390), 7:30 p. m., program arranged by Cloveland Naws-Leader; E. G. Johnson, bedtime story; Don Palmer, Radio cartoon; Mrs. Sidnay Carter Johnson; soprano; Joseph P. Maci, tenor; orchestra.

WJY, New York, N. Y. (Eastern, 405), 7:30-8:15 p. m., Orlando's Roosavelt hotel orchestra; 8:15-8:35, "Cur-

Wednesday, November 12

Silent night for: CKAC, KGO, WFAA, WGY, WJAX, WMC, WRC, WSAI.

CKAC, Montreal, Can. (Eastern, 425), 1:45 p. m., Mount Royal hotel classical program.

KFAE, Pullman, Wash. (Pacific, 330), 7:30 p. m., folk music program, Mu Phi Epsilon; "Points on Dairy Farming," E. V. Ellington; "Tha Business of Dairying," R. M. Turner.

Farming, E. V. Ellington; "The Business of Dairying," R. M. Turner.

KFI, Los Angeles, Calif. (Pacific, 469), 6:45-8 p. m., detective talk; orchastra; 7:30-8, vocal recital; 8-9, instrumental program; 9-10, vocal and instrumental selections; 10-11, de luxe concert; 11-12, Ambassador hotel Cocoanut Grova orchestra.

KFKB, Milford, Kans. (Central, 286), 7:20-8 p. m., college of the air; 8-9, band concert; 9-10, "Blacksmith Four," male quartet; 10-11, Jubilca Boys' orchestra; lecture, Dr Brinkley.

KFNF, Shanandoah, Ia. (Central, 266), 7:30 p. m., concert, Bedford Municipal band.

KFSG, Los Angeles, Calif. (Pacific, 278), 2:30-4:30 p. m., auditorium divina healing servica; testimonics; sermon, Almeo Semple McPherson; fadles' revival chorus; Floranca Glauser, soprano; Ruth Frances, Thomas, pianiste; Esther Fricko Green, organist; 6:30-7:30, Gray studio childron's program; Mrs. Edward Hughes and daughtars, Mary Elizabeth and Helen, in naturo study continuity features.

KGO. Oakland, Calif. (Pacific, 312), 3 p. m., music program, Cora L. Williams Institute speaker; 4-5:30, concert orchestra, Hotel St. Francis.

(Continued on page 14)

(Continued on page 14)

E. Max Bradssid, director of the dance urchestra at the Rose Bowl Palace hotel may be heard almost any aight by tuning in for EPO. Hale Brothers, San Ernelsco. He is on the air at 10 p. may Paolito time.

ARMISTICE DAY TUESDAY; MAJOR GEN. H. T. ALLEN AT WMC THURSDAY

Where to Hear Concerts

Central Standard Time

THESE are the stations for music lovers to dial, and you can hear, providing you dial correctly and read the programs carefully, everything from jazz to opera.

Saturday, November 8

(Continued from jmgo II) (Continued from jungo II)

5. pt. (continued from jungo II)

5. pt. (continued from jungo III)

6. pt. (continued from jungo III)

7. pt. (continued from jungo III)

7. pt. (continued from jungo III)

6. pt. (continued from ju

Sunday, November 9



Vincent Lopez saying his familiar phrase over the interophone of WEAF, "Maw York," Lopez speaking, this concert is broadcast by Vincent Lopez and his Pennsylvania Hotel orchestra."

DANCING Central Time

Esther Sopkin is a planist of note and will also he well known to Radto-phans. She sings at KYW, Chicego, Saturday, November 8.

Tuesday, November 11

Where to Hear Talks

Central Standard Time

TALKS, instructive, serious, humorous and even frivolous, are Radiocast daily and below are listed the stations.

Wednesday, November 12

Jew York
9:30, talk,
9:30, talk,
My Eskimo
Stream.
55), 10 a. m., houseHeath; 10:20, Vogues
for a Dime," Grace
te, Bertha Baldwin;
alk; 1 p. m., Nathan
stra; 4:30, Bernhard
orchestra; 7, "Dogs,"
of's Hotel Vanderbilt
I review; 8:10, N. Y.
J. Edmund Woodman;
auspices American auspices American

estra. estra,
olonial, 360), 9-10:30
ic, WKAQ orchestra;
i, Carmelo Diaz,
423), 4 p. m., Ilo;
10, Rubber-Textile
Meyer, tenors; Edwin,
bass; 11:30, Lange-

47.5), 12 m., weekly turers association; 4 30, musical program;
), Hotel LaSalle or;
review; 8:20, travel
ssociation of commerce
Parr, planist; Douglas

500), 8:30 p. m., con-of. Frank Pappalardo, Scottlsh Rite cathedral, 13), 10:30 p. m.-12:30 adow Brook orchestra,

526), 6 p. m., "Advice 5:25, dinner program, Baker, vocalist; vocal ardt, Mrs. Blakesley; athleen Hurst Thomas; Tarkio band; euphonen Hurst Thomas, so-olinist; Sam Emmert,

509), 11 a. m., organ m., Wanamaker crystai Golden, director; 5:10, s; 5:15, organ recital,

5), 7-7:30 a. m., WOR
2:30-2:45 p. m., Iris
e of Children's Feet,"
5-3:30; Iris Brussels;
1:30-6:45, man in the
collegians; 7:15-7:30,
ly Bill Steinke.
), 11-12 m., "Meats,"
r the Medium Figure,"
Place of Angel Cake,"
Job in the World,"
olf," Mrs. Lee Mida;
illams and his Rainbo
Peek, reader; Central
quartet, Y. M. C. A.;
a. m., Ralph Williams
Lougher, tenor; Nubs Lougher, tenor: Nub soprano; Gail Bandeli,

ttern, 469), 6 p. m., n; 8, "Armistice Day Wile. , 309), 7 p. m., Hotel 'isconti, director; 7:30, stories, Ethel Knapp ; 9, special Armistice to of Peace on Armistice to baritone solo. George ; baritone solo, George

; barttone solo, George vard Elds.
1, 12 m., entertainment;
2's bedtimo story; 8-9,
3, Bernard and Roblson.
1, 390), 6 p. m., Guy chestra.
283), 6:45-7:45 p. m.,
Sandy Meek, baritone;
170, 8 a. m., setting-up, talk, women's editor, v., pianlst and songster;
2a; 7, Detroit News orto.

vember 12

WFAA, WGY, WJAX,

rn, 425), 1:45 p. m.,

rn, 425), 1:45 p. m., cogram. c, 330), 7:30 p. m., folk spstion; "Points on Dairy-uer."

detective talk; orchestra; 7:30-8, vocal recttal; 8-9, Instrumental program; 9-10, vocal and Instrumental selections; 10-11, de luxe concert; 11-12, Ambassador hotel Cocoanut Grove orchestra.

KFKB, Milford, Kans. (Central, 286), 7:20-8 p. m., college of the alr; 8-9, band concert; 9-10, "Blacksmith Four," male quartet; 10-11, Jubitee Boys' orchestra; lecture, Dr Brinkley.

KFNF, Shenandoah, 1a. (Central, 266), 7:30 p. m., concert, Bedford Municipal band.

KFSG, Los Angeles, Calif. (Pacific, 278), 2:30-4:30 p. m., auditorium divine healing service; testimonics; sermon, Aimee Semple McPherson; ladics' revival chorus; Florence Glauser, soprano; Ruth Frances Thomas, planiste; Esther Fricko Green, organist; 6:30-7:30, Gray studio children's program; Mrs. Edward Hughes and daughters, Mary Elizabeth and Heion, in nature study continuity features.

KGO, Oakland, Calif. (Pacific, 312), 3 p. m., music program, Cora L. Williams Institute speaker; 4-5:30, concert orchestra, Hotel St, Francis.

(Continued on page 14)

(Continued on page 14)

WIP, Philadelphia, Pa. (Eastern, 509), 1 p. m., Gimbel tea room orchestra; 3, Blble talk; 3:15, Food Week talk; 3:30, recltai, students of Clarence Fuhrman studio; 6:05, Hotel St. James dinner orchestra; 7, Uncle Wip's bedtime stories.

WJZ, New York, N. Y. (Eastern, 455), 10 a. m., housewives league menu, Mrs. Julian Heath; 10:20, "Shopwives league menu, Mrs. Julian Heath; 10:20, "Shopwives league menu, Mrs. Julian Heath; 10:20, "Shopwires league menu, Mrs. Pauline Peck; 10:30, "Home Beautiful," Dorothy Ethci Walsh; 10:40, talk, John C. Cutting; 10:50, fashion talk, Eleanor Gunn; 1 p. m., Kenny Vander Zanden, Hotel Ambassador trio; 4, Mario Caiati, cellist; Keith McLeod, accompanist; 4:30, Fred Hall'a Royai Terrace orchestra; 7. Bernhard Levitow's Hotel Commodore orchestra; 8, Wail Street Journal review; 8:10, N. Y. U. Air college; "Goology," Prof. J. Edmund Woodman; 8:30, celebration of Marine Corp birthday; 10:45, Jacques Green and his Club Deauville orchestra; Clark's Hawaiians. WLW, Cincinnati, Ohio (Central, 423), 8 p. m., Alvin Rochr's orchestra; weekly theatrical review; 8:40, Orchie Snyder Beall, soprano; Mrs. George W. Collins, accompanist; 8:50, Cooper orchestra; Cooper malo quartet; 11:30, Lango-McKay orchestra, 447.5), 4 p. m., mothers in sequentia Mrs. Frances M. Ford; 4:30, mothers in sequentia Mrs. Frances M. Ford; 4:30,

KFNF, Shenandoah, la. (Central, 266), 7:30 p. m., Armistice Day program.

KFSG, Los Angeles Calif. (Pacific, 278), 3:30-4:30 p. m., Esther Fricke Green, in organ gems, assisted by vocal artists; 6:30-7:30, "Cousin Jim." children's friend in song, music and story (Harry James Beardsley); assisted by Eugene Lamb, planist and

accompansit.

KGO. Oakland, Calif. (Pacific, 312), 4-5:30 p. m., concert orchestra, Hotel St. Francis; 8, College of the Pacific Chamber of commerce: J. Russell Bodley, planist; Mima B. Montgomery, soprano; Glen Hallk, violinist; Miriam Burton, pianist; Charles M. Dennis, baritone; "The New Renalssance." Tully Cleon Knoles: Bozena Kalas, pianist; Nella Rogers, contraito; travel talk, l'ord E. Samuel; Allan Bacon, pianist; 10-1 a. m., Henry Halstcad's orchestra.

talk, Ford E. Samuel; Allan Bacon, planist; 10-1 a. hr., Henry Halstead's orchestra.

KGW, Portland, Ore. (Pacific 492). 12:30 p. m., concert; 5, children's program; story, Jean Adkins; 8, agricultural lecture, Oregon Agricultural collego extonsion sorvice; 8:30, Portland Civic Music club.

KHJ, Los Angeles, Calif. (Pacific 395) 12:30-1:30 p. m., Rendezvous baliroom orchestra from Crystal Beach; 2:20-2:30, matinee musical; 6-6:30, Art Hickman's

orcnestra; 3, Friently Entended, 100, 4-5 p. m., Alamo theater orchestra; 7:30-9, Rosson's entertainers.

WHAS, Louisville, Ky. (Central, 400), 4-5 p. m., Alamo theater orchestra; 7:30-9, Rosson's entertainers.

WHK, Cleveland, Ohio (Eastern, 283), 6 p. m., Ponce de Leon orchestra, Herbert Hayward, director, Grebe's Hanna restaurant; sports, news.

WIP, Philadelphia, Pa. (Eastern, 509), 1 p. m., Karl Bonawitz, organist; 3, Walton concert orchestra; 4:15, song recital, Jane Maule McIver; Ella Day Bleine, pianist; 6:05, Ehrenzeller's concert orchestra; 7, Uncle Wip's bedtime stories; 8, "Philadelphia's New Y. M. H. A.," talk by Sydney K. Allman; 8:30, Armistice day program, addressed by commanding officers of 79th Division; concert, members of Stern-Price Post, American Legion; 11:05, Harvey Marburger and his Vaudeville dance orchestra from Cafe D'Aiglon.

WJAX, Cleveland, Ohio (Eastern, 390), 7:30 p. m., program arranged by Cleveland News-Leader; E. G. Johnson, bedtime story; Don Paimer, Radio cartoon; Mrs. Sidney Carter Johnson, soprano; Joseph P. Mach, tenor; orchestra.

WJY, New York, N. Y. (Eastern, 405), 7:30-8:15 p. m., Orlando's Rossewith botal orchestra; 8:15-8:35. "Cur-

WIY, New York, N. Y. (Eastern, 405), 7:30-8:15 p. in., Orlando's Roosevelt hotel orchestra; 8:15-8:95, "Cur-

KHJ. WDAF;

November 12:
7:30, KFNF,
KHJ: 8:30,
KPO, WEBH,
KAX, WMH:
KB, WOAW:
H, W F A A;
LW: 11:45,

November 13:); 7, WEBH; ;30, WMC; 9,):05, WDAR; F, WOO; 10, 10:30, WGR, 11, WEBH, / 45, WBAP;

I Co E Cot Illustrated Nanomher 8 1924

Wednesday, November 12

(Continued from page 13)

KGW, Portland, Ore. (Paoific, 492), 12:30 p. m., Bill Darby's orchestra; 5, children's program; fairy story, Aunt Nell; 8, concert; 10, danco music, George Olsen's

Aunt Nell; 8, concert; 10, danco music, George Olsen's Metropolitan orchestra.

KHJ, Los Angeles, Calif. (Pacific, 395), 12:30-1:30 p. m., concert, presenting Abe Pertuss and Rose room orchestra, courtesy, Rose room; garden talk, Fred C. McNabb of Aggler and Musser Seed company; 2:30-3:30, matinee musical, courtesy, Southern California Music company; 6-6:30, Art Ilickman's concert orchestra, Edward Fitzpatrick, director; 6:30-7:30, chiidren's hour, "American History," Prof. Walter Sylvester Hortzog; Dick Winsiow, silver-sheet juvenile; bedtime story, Unclo Join; 8-10, special program of vocal and instrumental numbers; 10-11, Art Hickman's dance orchestra, Eari Burtnett, conductor.

KOB, State Colloge, N. M. (Mountain, 360), 7:30-8:30 p. m., "Selection of Sheep for Range Wool Production," M. G. Snell; "The Oid Southwest," Mrs. Henry Stoes; music.

Stoes; music.

KPO, San Francisco, Calif. (Pacific, 423), 1-2 p. m.,
Rudy Seiger's Fairmont hotel orchestra; 4:30-5:30,
Rudy Seiger's Fairmont hotel orchestra; 5:30-6:30,
ehildren's hour stories; 7-7:30, Rudy Seiger's Fairmont hotel orchestra; 8-11, E. Max Bradfield's Versatile
band; lesson in conversational French, Marie Boutin.

KSO. St. Louis, Mo. (Centrai, 546), 6:45 p. m., Abergh's
concert cusemble; Arne Arnescn, violinist; 9, Hoosier
male quartet.

male quartet.

KYW, Chicago, lii., (Central, 536), 6:30 a. m., exercisos, physical director of Y. M. C. A.; 9:30, late news: 1i:35, table talk, Anna J. Peterson; 6:02 p. m., news, financiai and final market reports; 6:35, bedtime story, "Uncle Bob;" 7, dinner concert from Congress hotel; 7:30, Duncan sisters music studio; 8, musical program, Lyon & Healy; 8:30, stage revue; 8:45, Lyon & Healy program; 9:15-2:30 midnight revue; Coon Sanders Original Nighthawks; organ, W. Remington Weich, McVleker's theater.

WBAP, Fort Worth, Tex. Central, 476), 7:30-8:30 p. m., Vahn Municipal band, Charles Funstall, director; 9:30-10:45, dance program, Jim Riley's Texas hotel orchestra. male quartet.

WCAE, Pittsburgh, Pa. (Eastern, 462), 3 p. m., Fred Rosenfeld, planist; 6:30, dinner concert, William Penn hotel; 7:30, Sunshine giri; 8, special feature; 8:15, special feature; 8:30, Da Vanville quartet; Grossman's

WCAY, Milwaukee, Wis. (Central, 266), 6:30 p. m., Boston Store night: Jerome Treis, cornetist; Anthony Wuchteri, reader; Ruth Elsner Lowe, mezzo-soprano;

tea room orchestra; 3, feetan, students, state orchestra; 6:05, Walter Schwartz and his Venetian cafe orchestra; 7, Uncle Wip's bedtime stories.

WKAQ, San Juan, P. R. (intecolonial, 360), 8-9:30 p. m., Municipai band.

WLW, Cincinnati, Ohio (Central, 423), 4 p. m., Ilo lesson; concert for shut-ins; 8, Bennett recording orchestra; 8:55, Formica band and orchestra; special program, Eta Chapter Sinfonian fraternity, Cincinnati College of music; 11:30, Lange-McKay orchestra.

WMAQ, Chicago, ill. (Centrai, 447.5), 1 p. m., speeches, weekly luncheon of the Association of commerce; 4, storics from Child Life; 4:30, pupils, Maclean College of Dramatic art; 6, Chicago theater organ; 6:30, stories for children, Georgene Faulkner, the story lady; 8, weekly lecture, Northwestern university; 8:30, Marie Ludwig, harpist; 9, WMAQ "play-night"; 9:45, talk, Chicago charities.

WMC, Memphis, Tenn. (Central, 500), 12:30 p. m., Wuchteri, reader; Ruth Elsner Lowe, mezzo-soprano; piano duct, Constance and Sidney Swindells.

WDAF, Kansas City, Mo. (Central, 411), 3:30-4:30 p. m., the Star's string trio; 6-7, school of the air, piano tuning-in number on the Duo-Art; address, auspices Health Conservation association; address, representative of the Meat Council of Greater Kansas city; the Tell-Me-a-Story lady; music, Hotel Muehlebach Trianon ensemble; 8-9:30, program presented by the Jenkins Music company; 11:45-1 a. m., Nighthawk froite, the "Merry Oid Chief" and the Piantation players.

WDAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m..

Farm hotei; 10, Arcadia cafe dance orchestra.

WEBH, Chicago, 111. (Centrai, 370), 7-8 p. m., Jean
Davenport, contralto; Oriole orchestra; musical bits,
Riviera theater; 9-10. Langdon brothers; Marie Kelly,
reader; 11-12, Frederick Agard, tenor; Rosemary
Hughes, soprano; Edna Solomon, contralto; Oriole orehestra; Langdon brothers; Marie Keily, Paul Lochner.

WEEI, Boston, Mass. (Eastern, 303), 6 p. m., DokEisenbourg and his Sinfonlans; 7, Boston Edison Big
Brother club; 7:30, musicale; 8, musicale; 8:30,
Lorlston Stockwell, basso-cantanti; Mildred Vinton,
planist; 10, musicale; 11, Dok-Eisenbourg and his planist; 10, musicale; 11, Dok-Eisenbourg and his Sinfonians.

planist; 10, musicale; 11, Dok-Eisenbourg and his Sinfonians.

WFAA, Oallas, Tex. (Centrai, 476), 12:30-1 p. m., address, DeWitt McMurray.

WFI, Philadelphia, Pa. (Eastern, 395), 1 p. m., Meyer Davis Bellevue Stratford concert orchestra; 3, closing prices, Chicago grain market; 3:05, Loretta Kerk, pianist; 6:30, Mcyer Davis Believue Stratford concert orchestra; 7, Sunny Jin, the kiddles' pai.

WGN, Chicago, iii. (Central, 370), 1:40 p. m., luncheon concert; 2:30, Lyon & Heaiy artist series; 3, rocking chair time; 5:30, Skcezix time for the children; 6-6:30. organ recital; Lyon & Healy; 6:30-7, 8-8:30, dinner concert, Drake concert ensemble, Blackstone string quartet; 8:30-9, Lyon & Healy artist concert; 16-11, Jack Chapman orchestra, Blackstone orchestra, WGR, Buffalo, N. Y. (Eastern, 319), 12:30-1 p. m., George Albert Bouchard, organist; 2:30, Buffalo Courier and Enquirer musical program; 6:30, dinner music, the Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing; 8-8:15, lecture by Dr. C. E. Cummings, Buffalo Society of Natural sciences, on "Mushrooms"; 9-10, concert, American Artists elub, A. A. Van der Mark, directing; 10-11, musical program, Wili Coliins and Sam Steepe, songsters; 11:30, supper-dance music, the Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing; 10-11, musical program, Wili Coliins and Sam Steepe, songsters; 11:30, supper-dance music, the Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing; 0-10, musical program, Wili Coliins and Sam Steepe, songsters; 11:30, supper-dance music, the Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing; 0-30, m., V. (Eastern, 380), 6:30 p. m.,

supper-dance music, the vincent Lopez Hotel Statier dance orchestra, Harold Gieser, directing.

WGY, Schenectady, N. Y. (Eastern, 380), 6:30 p. m., adventure story, Youth's Companion.

WHAS, Louisville, Ky. (Centrai, 400), 4-5 p. m., Alamo theater orchestra; 7:30-9, K. & 1. Terminal Railroad orchestra, J. Clark Martin, director.

Headliners of the Week

OVERS of Wagner's operas will cnjoy the program given by the English Opera company at WGBS, New York, Saturday. The Russian Opera company will also be represented at WFI, Philadelphia this same evening. Madame Dormant, soprano will be accompanied by Favian Levitsky, violinist.

Sunday night the Chicago Civic Opera stars will sing from WGN, Chicago, some of their favorite selections. Charles D. Isaacson will open the program with an opera chat.

Eternal youth may be yours. Alice Jewel, the modern "Ponce de Leon," is giving a series of lectures Mondays from WBZ. Miss Jewel practices the principles she teaches and is very young indeed. Christmas will soon be here KGO reminds us. Joseph Henry Jackson will review and recommend children's books as gifts. This same night is father and son night at WHAZ. Mothers and daughters may not tune in.

Tuesday is Armistice day and no

WHK, Cleveland, Ohio (Eastern, 283), 6 p. m., Ponce de Leon orchestra, Herbert Hayward, director; sports. news; 8 p. m., annual dinner of County Savings and Loan association from Lakewood Masonic temple.

WHO, Des Moines, Ia. (Central, 526), 7:30-9 p. m., isankers Life Radlo orchestra, W. L. Marsh, director; Pigeon Boyer, soprano; ballroom dancing instructions, Arthur Murray.

WIP, Philadelphia, Pa. (Eastern, 509), 1 p. m., Gimbel tea room orchestra; 3, recital, students, Kurtz studios; 6:05, Walter Schwartz and his Venetian cafe orchestra; 7. Uncle Wip's bedtime stories.

WMC, Memphis, Tenn. (Central, 500), 12:30 p. m., noonday program, Skyline serenaders.

WMH, Cincinnati, Ohio (Central, 309), 8 p. m., piano-accordian solos, Charles H. Partington; stories and songs, Clem J. Boex; 8:30, soprano solo, Marie Houston; flute solos, Ronald McFarlan; 9, talk, "Bits of Cincinnati History," George W. Platt; 9:30, Auburn's orchestra, Lawrence Archolz, director.

woo, Philadeiphia, Pa. (Eastern, 509), 11 a. m., organ recital, Mary E. Vogt; 12:02 p. m., Wanamaker crystal tea room orchestra, Robert E. Golden, director; 5:10, sports results and police reports; 5:15, organ recital, Mary E. Vogt; 7:30, A. Candelori and his French room cnsemble from Hotel Adelphia; 8:15, Harriette G. Ridley, planist; 9, WOO orchestra, Robert E. Golden, director; 10:03, organ recital, Mary E. Vogt; 10:30, Vincent Rizzo and his Hotel Sylvania dance orchestra.

Vincent Rizzo and his Hotel Sylvania dance orchestra.

WQJ, Chicago, ili. (Centrai, 448), 11-12 m., "The New Education," Edith Houston; "Those Good Old Days," Mary Haie Martin; 3-4 p. m., "Are You Trying to Reduce?", Helen Harrington Downing; "What Do You Know That Aln't So?", Martha Logan; 7-8, Ralph Williams and his Rainbo Garden orchestra; Litah Older Bell, reader; Dorothy Davie Dillow, soprano; 10-2 a. m., Ralph Williams and his Rainbo Skylarks; Sandy Meek, Scotch tenor; the Melodians, Laurie, Eddie, Bennie; Clarence Theders, tenor; Rita McFawn, soprano.

WRC. Washington O. C. (Factor, 460), 2 m.

WRC, Washington, O. C. (Eastern, 469), 3 p. m., fashion developments of the moment, women's wear; 3:10, songs; 3:25, report, National Conference board; 3:30, songs; 3:45, piano; 3:50, sports for women; 4, songs; 6, stories for children, Peggy Albion.

WSB, Atlanta, Ga. (Central, 429), 12 m., entertalnment; 5-6 p. m., Bonnie Barnhardt; 10:45, Ritz Harmony

Radiophan may forget that six years ago firing ceased and quiet fell along the western front, because every station will for an hour at least commemorate the ending of the world

If you have never heard the famous Municipal band of San Juan, Porto Rico, tune in Wednesday night for WKAQ and hear the national airs of this little island.

Thursday WSAI, Cincinnati, will keep you amused with a Radio drama, "Canned Goods." This is a particularly funny comedy and ought to carry mirth as it traverses the ether. Major General Henry T. Allen will entertain the more serious minded with the European situation at WMC.

WHO will help you to see only the best motion picture plays. You may know hereafter by listening in to Dorothy Day's "Movie Chats" on Friday which plays are proper for grandmother and which plays no aunt should see.

Thursday, November 13

Silent night for: KFAE, KGW, KSD, WGR, WHO, WOO.

CNRW, Winnipeg, Can. (450), 7:30 p. m., Esperanto lesson; 8, Canadian Natlonai Railway's program.
KFi, Los Angeles, Calif.. (Pacific, 469), 6:45-7:30 p. m., Bon Ton orchestra; Y. M. C. A., lecture; 7:30.8, allvocal program; 8-9, Hotcl Ambassador concert orchestra; 9-10, instrumental and vocal program; 10-11, Instrumental quartet recital.
KFKB, Milford, Kans. (Central, 286), 7:20-8 p. m., college of the air; 8-9, bund concert; 9-10, "Blacksmith Four," male quartet; 10-11, Jubllee Boys' orchestra; lecture, Dr. Brinkley.
KFNF, Shenandoah, la. (Central, 266), 7:30 p. m., concert, Caskey Concert company.
KFSG, Los Angeles, Calif. (Pacific, 278), 3:30-4:30

concert, Caskey Concert company.

KFSG, Los Angeles, Calif. (Pacific, 278), 3:30-4:30

p. m., organ recitai, courtesy, B. Ernest Ballard, assisted by Margaret Kennedy, soprano, and Harold Lloyd, tenor; 7:30-9:15, auditorium service, evangelistic sernon and water baptism; choir, band and organ in musical offerings; 9:15-10, Gray studio program, instrumental and vocal selections assisted by soiolsts; 10-11, organ hour with Esther Fricke Green, assisted by Alfred C. Green, tenor; Dr. Joseph Marple, tenor; S. R. Donaldson, trombone, and Tilda Rohr, Swiss contralto.

S. R. Donaldson, trombone, and Tilda Rohr, Swiss contralto.

KGO, Oakland, Calif. (Pacific, 312), 4-5:30 p. m., concert orchestra, Hotel St. Francis; 8, KGO trio; Richard. A. Brown, tenor; Julia Hannas Cochrane, violinist; "Darjeeling and the Himalayas," Ford E. Samuel; Fawn Post Trowbridge, soprano; "Children's Books," Joseph Henry Jackson; violin ensemble, Lillian B. Peters, conductor; male octette; piano duet, Alma Morris, Lillian B. Peters; Joziena von der Ende, cellist; Lillian B. Peters, planist; 10-1 a. m., dance muslc, Henry Halstead's orchestra.

KGW, Portland, Ore. (Pacific, 492), 12:30 p. m., concert, Civic Music club; 5, children's program of stories and music.

KHJ, Los Angeles, Calif. (Pacific, 395). 12:30-1:30

KHJ, Los Angeles, Calif. (Pacifio, 395), 12:30-1:30 p. m., instrumental program, presenting Coy Barkley and Palace ballroom orchestra, Ocean Park, Calif.; 2:30-3:30, matinee musicale, courtesy, Southern Cali-

68-page book of approved

parts and sets—it's free!

Hallpryd string quartet.

WGY, Schenectady, N. Y. (Eastern, 380), 6:30 p. m.,
dinner music, Hotel Ten Eyck orchestra; 7:45, "A
Few Moments with New Books," William F. Jacob;
8, Sullivan's Country club orchestra; Joe Sullivan,
cornetist; "Aurora Borealis or Northern Lights, and
Their Relation to Electrical Circults," John B. Taylor;
9, minstrel show: Georgia Minstrel boys; WGY orehestra; Radio four; 11:30, Stephen E. Bolsciair,
organist.

WHAS, Louisville, Ky. (Central, 400), 4-5 p. m., Alamo theater orehestra; 7:30-9, concert, auspices Mrs. J. E. Harmon, Jr.

WHK, Cieveland, Ohio Eastern, 283), 6 p. m., Ponce de Leon orchestra, Herbert Hayward, director; Grebe's Hanna restaurant; sports, news; 8, program arranged by the Cleveland Press, vocal and instrumental music. (Continued on page 18)

TI LOUCATION DE TANK WTAM, Cleveland, Ohio (Eastern, 390), 6 p. m., Guy Lombardo's Royai Canadian's, orchestra; 8 p. m., proardo's Royai Canadian's, orchestra; 8 p. m., pro-of German national music, arranged by Cieve-Ward's WTAY, Oak Park, iii. (Centrai, 283), 6:45-7:45 p. m., George H. Clark, organist; 9-9:45, 10:15-11:15, Axel Christensen, planoiogues; Polly Willis, soprano; tenmlnute technical talk, member of Radio Age; Guyon's Paradiso ballroom orchestra. New Radio Catalogue

> ONE copy of Ward's New Complete Radio Catalogue is yours Free — you need merely to write for your copy.

It shows you everything new in Radio, everything that has been tested and approved by the Radio laboratories. Simple instructions are furnished with every Ward receiving set enabling you to put up and operate it without outside help.

And the prices on everything in this book are surprisingly low!

A Price and Quality Guide

Study this Catalogue every time you need anything in Radio, whether parts or a complete set. See what is the lowest price for standard quality goods.

Everything shown in this Catalogue has been selected by an expert. Everything is standard. Remember at Ward's we never sacrifice quality to make a low price. Yet our prices are always low because we sell direct to you by mail—and without the usual "Radio Profits."



Bring the Joy of Radio Into Your Home

You can get the most enjoyment out of Radio only by using standard, high grade equipment. You know what you are getting when you buy at Ward's. You are sure of high quality as well as a big saving when you order from this book, for our Radio equipment is sold under the same liberal guarantee we have made for 52 years on every article sold by Ward's—"Satisfaction Guaranteed or Your Money Back."

Write for your free copy of the new Radio Catalogue—Write to our house nearest you and address Dept. 41-R

ESTABLISHED 1872 -

Everyone interested in radio should have this

The Oldest Mail Order House is Today the Most Progressive

Chicago Kansas City St. Paul Portland, Ore. Oakland, Calif. Ft. Worth

Exhibit space

Exhibit space

Jor the

Jor the Nov.18-23rd 1924

boys.

land Plain Dealer.

JAMES P. KERR, General Manager 127 North Dearborn Street, Chicago, Illinois


Batteries, Their Use, Abuse, Care and Upkeep

Part II—Construction of the Electrolytic Rectifier

By William Fenwick

one pint size; 2 wooden discs, same might be suggested for the beginner. diameter as glass covers, and 1/16 to 1/8 The complete hook-up of the electron inch thick; 2 strips of pure aluminum, 6 inches by 1 inch by 1/32 to 1/8 inch; 2 strips of lead, 6 inches by 1 inch by 1/8 screws; a few ounces of berax and 2 pints pure distilled water.

The beginner will find little trouble in its construction as it is all very simple. The electrolyte consists of three or more heaping teaspoonfuls of borax dissolved in two pints of distilled water. The solution should be let stand for a while till that part of the borax which did not



dissolve has settled on the bottom; this should be removed. Fill each jar to about one inch from the top and pour a small quantity of oil on to keep the water from evaporating too quickly.

To make the plates, bend all metal strips at right angles ½ inch from one end, then drill a hole in each to pass the binding post, next, drill two small holes in the wooden disc, or better still if it is fibre, or hard rubber. These holes should be spaced % inch apart. Insert the binding posts through one aluminum and one lead plate, thence through the holes on the disc, and tighten them securely. Each plate is now separated by approximately % inch. So as to minimize the chances of a short circuit, both plates should be shellacked for about 1½ inches from the top. All that remains to be done, is to immerse the electrodes into the solution, and screw the cap on the jar; this holds everything ruggedly in place and prevents the fluid from spilling if accidently overturned. A cross sectional view of a rectifier jar is shown in Figure 2. By repeating the above process. any number of jars may be made.

Some sort of resistance is necessary for the rectifier is apt to blow a fuse. It cell tube made its appearance, for a set may either be a 100-watt bulb or a con- could not be called a "portable" very well


plates, and L the lead plates of the recti- single dry cell battery. fier; R is the 100-watt lamp resistance; inch; 4 small binding posts, or machine and B are the terminals where the battery connects to the positive of the charger and that the negative of the battery connects to the negative of the charger.

Before the completed rectifier is used, the plates must be "formed;" i. e., the aluminum electrodes should have a thin crust or deposit on them. To do this, the jars should be connected as in Figure 4 to the A. C. line for 10 to 12 hours. This is necessary because the rectifier acts only as a resistance when alternating current first flows through it, and if the battery were connected to it before the plates are formed it would be fed A. C. instead of D. C.

The temperature of the solution should never exceed 35 degrees centigrade; the hotter the solution the higher the internal resistance and a reduction in rectification

A diffused, phosphorescent glow on the aluminum plates indicates that the cells are working at their best, while no glow at all on them indicates that the electrolyte has become weak and that the cells are not functioning. To remedy this the solution should be renewed.

The only thing that needs to be replaced in the cells, with the exception of the




electrolyte, is the aluminum electrodes as they eat away from usage.

Never put a battery on charge without first having disconnected it from the set, for it seldom fails to blcw out the lighting line fuses or the vacuum tube on account of one side of the line and most filament circuits both being grounded.

The Dry Cell A Battery A really portable Radio receiver, one contained in just a single cabinet with outside connections to rerial, ground, and phones only, was never known till the dry tainer filled with salt water, and having when a 40 or 50 pound storage battery

a two-jar rectifier are: 2 fruit jars, is the neatest and least troublesome, it and furthermore, which had to be re- with, for he has to be careful how he concharged every two weeks. This explains nects his batteries and they offer no more The complete hook-up of the electrolytic how the dry cell tube has attained such trouble till they need replacing. rectifier is in Figure 3. A is the aluminum a high degree of popularity, and also the

> cuit do exactly the same work as the D. Mullard, Meyers Universal, Meyers dry tery is connected. The same caution storage A battery does; viz., lights the battery, Philips, Marconi, and McCullough. should be observed when connecting the filament of the vacuum tube. Dry cells A Radio frequency amplifier must necbattery for charging as mentioned before; should never be substituted for the acmake certain that the positive of the bat- cumulator type of battery though, as the across the A battery to make it work effitubes using these have a large current ciently. This will also allow the current consumption, and it ends in very poor to leak through it, especially if it is of economy. Tubes such as UV-200, C-300, low resistance, and will cause a drain on UV-201, C-301, 208A, 216A, 203B, 205B, the A battery while the set is not in VT-1, VT-2, or 0/20 (mullard), can not operate successfully on dry cells as the nected. The best thing to do is to mount current consumed is from 1.0 to 1.75 amperes; manufacturers say that the drain



should not exceed .123 amperes on a dry battery if satisfactory service is wanted. Hence, each 1½-volt, ¼ ampere vacuum this procedure the two cells will last ap-

most convenient method of obtaining small disadvantage is that it can not be recharged; i. e., it has to be discarded and tubes. replaced by another after it is run down.

It has been made clear that dry cells are unprofitable in permanent installations supply for the filament; one can not work because they are good only for a few months, then have to be thrown out, whereas the storage battery no matter and receivers. In some transmitting outhow much use it is put to, is very long fits the vacuum tubes have such a high lived, providing of course it is not abused. amperage on the plates that they get red Obviously then they are best suited to hot. But in sets designed for reception, the amateur who does a good deal of ex- the heating is not so evident; the plate perimenting. But the novice is wise if he

THE materials you will need to make lead and carbon electrodes. As the former had to be carried around wherever it went, will choose a dry battery tube set to begin

Any of the following tubes operate on single dry cell battery. dry batteries: UV-199, C-299, UV-201A, Dry cells when connected in the A cir-C-301A, WD-11, WD-12, Ora (mullard),

> essarily have a potentiometer shunted low resistance, and will cause a drain on operation if the battery is not discona switch on the panel so that the A battery circuit can be quickly and easily

The writer has found dry cells to be ideal, economical, and the most convenient when put to use in the filament and plate circuits of a portable outfit, either transmitting or receiving, and in a beginner's

The Dry Cell B Battery

As is well known, the B battery is employed to furnish the plate of the vacuum tube with current so that it may attract the electrons from the filament, thereby creating a closed electrical circuit. But tube should have two cells; by following when the layman gazes into a valve after making connections to the batteries, all proximately as long as if three had been that he sees going on is the filament used singly.

that he sees going on is the filament glowing brilliantly. It stands to reason The dry cell is in every respect the he gets the impression that the B battery does no actual work at all, or, as a amounts of electrical energy, but its one BCL once told the writer, they were included in a circuit merely for blowing out

As a matter of fact, the current supply for the plate is as essential as the current without the other. It is the plate current that furnishes the power for transmitters

(Continued on page 18)

Do You Want Noise or Entertainment?

NORMOUS volume full of static and distortion or the clear pure music your set was intended to give you? Effarsee minimizes static and squawks. It improves selectivity on the good nights when stations come in wide on your dials.



Used under the rugs in apartment houses it is giving coast to coast reception with sets designed for loops. It costs less than a loop and can be more conveniently used because it has no directional effect. It is giving loud speaker volume for 2,000 miles on four tube sets designed for outside aerials.

Everyone should have one for use when the outside aerial gets too noisy. Used in series with the outside wire, it stabalizes and improves the tone.

Three Sizes: \$1.00, \$1.50 and \$2.50

Jobbers and Dealers: Effarsee is going big with the best houses. Write for the facts.



The Fishwick Radio Co. Edwards Bldg., Cincinnati, Ohio






ICHROPHASE

BROADCAST Receiver that marks another long step forward in radio design and establishes a new set of standards in craftsmanship.

"Of what use is cleverness of speech?" -Confucius

Words even though selected and phrased with the greatest deliberation, cannot do full justice to the Grebe Synchrophase—and its performance.



Ask your quality dealer for a demonstration of the Grebe Synchrophase or write us for literature.

A. H. GREBE & CO., Inc.

Van Wyck Blvd.

Richmond Hill, N. Y.

Western Branch: 443 South San Pedro St., Los Angeles, Calif.

Radio Digesi

Published by the Radio Digest Publishing Company, Inc. 510 North Dearborn Street Telephone: State 4372, 4373, 4374, 4375 Chicago, Illinois

E. C. RAYNER, Publisher

Eastern Office, 611-12 Times Bldg., Times Sq., New York; Telephone Bryant 4909, 10462

Member of the Audit Bureau of Circulations

PUBLISHED WEEKLY

SUBSCRIPTION RATES Yearly in U. S. and Possessions and Canada, \$5.00 Single copies, 10 cents. Foreign postage, \$1.00 additional.

Vol. XI Chicago, Saturday, November 8, 1924 No. 5

Ticker Used for Tuning In

Make It Unnecessary to Pick Up Signals on Program IT IS annoying to have the local set operator to tune in and kill the music or talks, by tuning a station in with the voice of the announcer, or the broadcast

program. A suggestion is made that the broadcasting stations install a small ticking device or attachment to the microphone so that the one tuning in can pick up the station between numbers, as well, or better than waiting for the music to start, causing countless listeners in no end of annoyance by local interference. Of course the ticking sound could be turned on and heard only between music or talks. This practice is now in use by the Havana, Cuba, broadcasting station

and is found to be quite a convenience. Another suggestion would be to have, instead of the ticker, a cylinder or record, that would announce the name of the station, over and over. This would be a

great help to the many who try to see how many stations they can get in an evening.

Electro-Acoustic Art of Sound

Developments Tend to Better Reproduction

EVIDENCE to the extent to which the Radio has gripped the fancy of the American people is reflected in the attendance at the Radio World's Fair in New York. It is stated officially that the exposition was attended by 175,000 people during the week it was opened and thousands were turned away daily. On a dozen or more occasions fire departments officially temporarily closed the doors because of the fact that both huge auditoriums were packed.

Countrywide the Radio vogue has gained strength in a little time. This thing of listening through the air is still so new that almost over night notable improvements are wrought. The last minute apparatus of a year ago is antiquated already, relatively speaking. However, today the better class of apparatus gives reproduction which will satisfy even discriminating musicians and it may be stated that the electroacoustic art of sound reproduction by electrical means is advancing rapidly.

Tone Perfection

Short Distance with Good Reception Sought

I S THE fad of distance reception coming to a halt? Many listeners are finding more satisfaction in getting clear reception of good programs from stations nearby than in freak reception from very remote stations whose signals are sought merely because the stations are at a distance.

There has never been a really good business proposition, sports or in some science but what if the millions take hold of it that there is a tendency to "beat the other fellow." The owner of an automobile can always drive faster and better in his own car and can beat any other fellow on the road, in his own estimation. The sport element of the thing that eggs one on in a race or business also enters the game of Radio. In the early stages of the science everybody was trying to beat his neighbor to long distance reception. Most of this race has abated and a large majority of set owners are beginning to realize the best entertainment is derived from clear reception of a good program sent out from a station at a reasonable distance.

From all sections of the country come reports of the growing insistence of quality reception, even over range. Every part of the United States is today within reasonable range of some good broadcasting station. There is now a tendency for the leading broadcasters to link up stations by land wires when programs of nation-wide interest are to be sent out. This assures good reception everywhere.

We will always find the DX fans just the same as the few automobile owners that get their greatest thrill for breaking the speed limit and taking all hills on high. But the great majority of people prefer reasonable speed and reliability in motoring, and clear, dependable reception in Radio.

RADIO INDI-GEST

Out of the Night

Comes out of the night a song to me, From a far away city beside the sea. The sky and the air and the earth below Are full of a smother of driven snow, The cruel fangs of a northwest blast Are snarling and bare as it gallops past. Over the chimney moans the storm; The goblins dance and the harpies.swarm; But still pours out of the night to me This crowning marvel of minstrelsy.

The flick of an eye, a heart's quick beat, The tap of a step in the midnight street. The unmarked time of a spark's brief light, A handbreadth span from the comet's flight-Even such a mote of eternity Are time and to spare for a melody To bridge all the ocean and leap all the land, To the lonliest hill and the farthest strand Of the last wee isle in the last wide sea, And wrap a whole world in harmony.

The ends of the earth are hand in hand, A heart beat quivers from land to land; A word with justice and friendship fraught Sweeps over the world with the speed of thought, And carries truth to the miriad mind Of the far spread millions of human kind.

Though demagogues in their blindness prate, The truth shall sweeten their founts of hate; O'er the whole wide world its tide shall roll From mountain to sea and from pole to pole; And the alchemic touch of its cooling flood Shall cleanse from the earth the stain of blood.

Awake to the morn of a glorious day When none shall be marshaled in battle array! When swords in anger no longer flash And out of the smoke no cannon crash! Not alone from the night comes the voice of song But the truth that shall right earth's greatest wrong. H. D. THOMPSON.

Mrs. Partington Speaks Out

Dear Indi: Mrs. Partington says she listened in onto the relaycasting of Secretary Hoover's Radio Conference speech which come in to the full capacity of her



dials and panel, from coast to Hastings. She says she enjoyed this lecture as well as the illustration of how the whole country can listen to the same speech at the same time, but she says the most wonderful broadcasting and relay work she ever heard was on Tuesday night when some station broadcasted and relayed the piece called "Jealous," so that you could hear it at all the stations, nearly, and some of the stations transformed it into a soprano solo, others into contralto or baritone, and at some stations where the orchestras and bands were playing, why they just kept on playing and relayed

it into "Jealous." She says she heard and put "Jealous" on her Log from 19 stations that same night, which was more stations than Sec'y Hoover had need of to cover the whole country with his speech. She says she don't just understand how this latest kind of relaywas done, but maybe Mr. Digest will print a of it or else Mr. Brown can have Spir L. and Lew P. work out the problem how it was done. SIGNING OFF.

We Know Him, He's Our Mechanic

He tried out his receiver Till the hour was sadly late. He didn't get a single squawk He hadn't tuned the plate.

He connected up his ant To capture concerts that abound. His speaker never loosed a pant, He hadn't any ground.

He bought a brand new neutrodyne, A beauty of a set. Complained he couldn't hear a thing, Though no tubes as yet.

L'envoi*

He'd built a husky super-het With more knobs than seem just fit. He couldn't get a thing from it, His detector simply wasn't lit.

* Noise like a burnt out vt makes burning out.

"That' a Cinch!"

5XV.

Dear Indi: While nearly everyone else has been talking about "superdynes" and "neutrodynes," I have been experimenting with crystal sets and I have discovered a process which makes galena detectors super-sensitive.

The process is to cover the catwhisker point and the surface of the galena crystal with a good thick layer of shellac. Then if you receive any stations, they will be twenty-five times louder.

Anybody with a GOOD IMAGINATION and a \$10 crystal set (treated as above) can receive stations 2,000 miles away. I. NOA LOTT.

"How Did You Guess It?"

Dear Indi: Relative to that mysterious whisk broom. Our family discussed it pro and con (mostly con). it is the guess of our wee daughter that it's the gift of a contrib who's met you—and sent it to brush your "fiskers"!

MAMA HAYMES. The Spirit of '24



Condensed

By DIELECTRIC

About as beautiful a lyric tenor as one could hear sang at the Germantown theater and WIP Radiocast the group of songs Frank Oglesby offered. When any station puts out programs with talent of such character the studio should be flooded with letters of appreciation. I certainly commend to your dials the wave that carries Mr. Oglesby's tenor voice.

Wendell Hall started a new line in Radio entertainment with his intimate manner of providing fun and song. His particular style of composition and rendition has been copied in several instances though I think Nate Colwell, who formerly entertained from WGN and must be familiar to most of you, has developed the best off-shoot. His original songs as he sang them at WEEI were really a feature worth waiting for.

Whether you are groaning or exulting in the outcome of the Big Day so recently past, all who tuned in WGY with its Darktown political convention at Bull Run, Dixie, were given a good laugh. The travesty on the Democratic convention, which that gave, showed careful rehearsing. Delaware's six votes for "Pillsbury" and the announcer's interruptions to describe the scenes in the hall (with a straight face) were comical.

Fraternal organizations are reaching their members by Radiocast with addresses by officials of the orders and music to suit varying tastes. WJJD is not very old but members of the Loyal Order of Moose know they can tune to Mooseheart, Ill., and hear from headquarters.

It wasn't the least bit surprising to find the announcer at WOR a little rattled when he gave us word of the arrival of the ZR-3. No one in the path of the dirigible's flight to Lakehurst holds anything against him, for otherwise we might have missed seeing the ship on its arrival over American soil. News service is one of the most attractive features.

In a perfect collegian manner a lady tells us we just heard the chimes at Ohio State university. If you haven't heard them tune to WEAO-Radio Digest gives their wave length—and enjoy yourself.

WJAX is responsible for letting us hear the Northeastern Ohio Elks conference during which Judge Sullivan enlivened the meeting with anecdotes reminiscent of by-gone days. The Elks gave listeners in an idea of the things for which the order stands. It was all right Union Trust.

At this point WJZ comes in for our blessing. Some thrilling experience Lieutenant Smythe of Toronto had to recite before Mike at the R. C. A. station. Traveling from his home to Rome, Italy, in a canoe, with a boost across the Atlantic, is a feature bearing no stale marks whatever. His happy style of description made it the more entertaining.

Nearly every fan in the country had a box seat at the opening of the third of the Radio conferences held in Washington with such a string of stations linked together to Radiocast the speech of Secretary Hoover. This was one of the BIG features, and Mr. Hoover made plain his advocacy of giving the widest possible publicity via Radio to ALL features of national importance. We know where he stands on the future of Radiophony by hearing it first hand.

Secrets of Selectivity and Regeneration

Part IV-Stray Electromagnetic Coupling Phenomena

By William W. Harper

frequency amplifiers it is very essen- consequently have regeneration. tial to consider the effect of extrane-

The effect of electrostatic coupling is

The experimenter encounters the greatest difficulties in connection with electromagnetic coupling, and it is the purpose of this article to describe phenomena of




Figure 9.—Positive Feedback.

As in the preceding explanation for the sake of clearness and brevity, only one stage of tuned Radio frequency will be considered.

Tuned Regeneration Amplifier

In the electrical diagram of Figure 9, a tuned regenerative (Radio frequency) amplifier, as previously described, is reproduced. Only that portion of the circuit which has influence upon the coupling is shown. In this diagram a condition of positive electromagnetic feed-back is illustrated. This is identical to the regenerative action described in the first article, Figure 3.

It has been shown that the field of L1C1 is quite extensive due to extremely low circuit resistance. Furthermore, since it is almost essential to use air core coils several inches in diameter for the secondaries L and L1, the electromagnetic fields of these coils will be entirely unconfined and in the average receiver, even where a separation of 6 or 8 inches is used, it is imperative to consider the phase relationship of the currents and the resulting fields of these coils. In the diagram of Figure 9 a state of addative feedback is clearly rep-

resented. The electromagnetic field of L1 penetrates the coil L, and, as shown by the arrows, their fields are in the same direction. As a result, the current reinduced into L by the field of L1 is in phase with

The extent of this phenomenon depends ous coupling phenomena, especially where upon the distance between L and L1, as regeneration is involved to give amplification and increased selectivity.

well as the angular relation of their respective axii. In this case, the total regeneration is made up of two component usually made negligible by careful design and logical distribution of the wiring system. The electron is made up of two component parts, that due to the passage of reaction current through Cn, and the energy feedback caused by the field of L1 being in phase with L.

It should be borne in mind that under any conditions only a given amount of regeneration can be used, so we may not expect to get double regeneration from the two components of regeneration mentioned above. This will be clear from the following: Regeneration serves to reduce the resistance of the tuning circuit LC. When this resistance is reduced to zero the whole system sustains an oscillation. We can use only that amount of regeneration which almost reduces the circuit resistance to zero. This point has been termed "maximum regeneration" or 'critical regeneration."

This follows from the necessity of a state of non-oscillation for telephonic reception. Therefore, assuming that one unit of regeneration will reduce one ohm of circuit resistance, it will be obvious that if the total circuit resistance is ten ohms it will require almost ten units of regeneration to have a very small positive resistance, slightly greater than zero. For this reason, the sum of the regeneration through Cn and that which exists by virtue of the mutual fields must not exceed 10 units. We may have 5 units in the electrostatic coupling Cn and 5 units in the electromagnetic coupling or any other combination.

Assuming that the majority of the regeneration present is due to the electromagnetic fields between L and L1, it is very important to note that the regeneration through Cn must be reduced to a low




Figure 10.-Negative Feedback.

value, otherwise, an oscillatory condition will be set up. Reducing the regeneration through Cn

ficiency, because, in so reducing the numless than the critical value and the efto L1 is low.

Furthermore, this phase relationship obviously increases the forward interstage or intercoil coupling and tends to impair the selectivity.

The direction of the plate current through the coil La1 determines the phase of the currents in L1 and L.

Electromagnetic Feedback If the current is reversed in La1 we will throw the field of L1 out of phase with L. This condition is pictured in Figure 10. We now have something new to consider, namely, a reversed electromagnetic feedback.

As in the case of a positive feedback, the magnitude of this reversed effect depends upon the extent of the inductive coupling between L1 and L, increasing as they come closer together.

It is obvious that we have one feedback of energy through Cn which is addative in respect to the signal energy in LC, and due to the coupling between L1 and L, a second feedback which is subtractive in nature.

If this latter coupling is carefully adjusted it is possible to make the reversed feedback equal in magnitude to the regeneration through Cn, and since these two are out of phase, the resultant will be zero regeneration. In other words, we have a purely non-regenerative amplifier. Such an amplifier is often termed a

It is this principle of balancing a positive and negative feedback which constitutes the basis of many of our presentday receivers, such as the superdyne, neu-

It is obvious that a large negative feedback by virtue of the electromagnetic This state may be obtained in two ways. coupling will necessitate a relatively large First, the coils L and L1 may be mounted number of turns in the plate coil La1. In

TN THE construction of tuned Radio | the signal current present in L and we | necessitates a reduction in the number of | fact. the greater this reversed feed-back turns in coil La1. An abnormal condition the more turns will be necessary in La1 of coupling will obviously cause inef- to give maximum regeneration through Cn. In all cases, the positive feedback ber of plate coil turns, we reach a degree through the tube capacity Cn must at of coupling between La1 and L1 which is least equal or preferably be so much greater than the reversed feedback, that ficiency of the transfer of energy from La1 the system is on the verge of oscillation, otherwise the signal current in LC will be greatly suppressed. A reversed feedback tends to increase the effective resistance of the tuning circuit LC and may completely annihilate a received

> Effect on Selectivity The effect of this reversed feedback upon the selectivity, which we may expect to gain in the coupling between La1 and L1 is pronounced. If, to compensate for an abnormal reversed feedback, it is essential to use a large number of turns in coil La1, we may exceed the critical coupling value; resulting in broadened and unselective response in the tuning circuit L1C1. On the other hand, if we do not increase the number of plate coil turns, there will be insufficient regeneration to the circuit LC to give maximum response and selectivity.

Figure 11.—Zero Coupling.

The writer has found the most ideal condition of balance when the coupling between L and L1 is approximately zero. (Continued on page 18)

"TROUBLE-PROOF" **PRODUCTS**







Walnart Variable Condensers, plain and vernier, do not "cut out" or develop wobbliness. Plates accurately pressed, permanently aligned and locked in slotted studs fastened in Bakellte ends. List prices: Plain, 3-plate, \$1.25; 5-plate, \$1.50; 13-plate, \$2.00; 17-plate, \$2.50; 23-plate, \$2.75; 43-plate, \$3.00; Vernier, 13-plate, \$4.00; 23-plate, \$4.50; 43-plate,




Walnart Multiple Gang Sensible Sockets are made in either two or three gang types for standard or UV-199 base tubes. Four gang and larger sizes made on special order. Bakelite insulation.




is in Walnart parts. They are so good that it keeps a quarter million dollar factory going night and day to supply dealers and set manufacturers. Send for literature on the full line. State dealer's name if you find it necessary to order direct.





Walnart Sensible Sockets. Lower dielectric loss than all bakelite, fibre or composition sockets. Unconditional-ly guaranteed. Bakellto insulation, Standard or UV-199 base. List 50c

Walnart Filament Switch. One hole mounting. Bakelite-Dllecto base. Push and Pull type. List 30c.



Walnart Variable Grld Resistance. List \$1. With fixed condenser, \$1.25.




GREEN STREET AT JACKSON BOULEVARD CHICAGO, ILL., U. S. A.



TOTO DO DO DO DO DO DO PA

of one dial control because the dials match



The ease with which you read is the ease with which you tune. See the unique station "selector." It tells you where to find any station.

Jobbers and Dealers who are interested may write

PFANSTIEHL RADIO CO.



ADVANCE PROGRAMS

(Continued from page 14)

WiP, Philadelphia, Pa. (Eastern, 509), 1 p. m., Gimbei tea room orchestra; 3, recital, students, Philadelphia Music academy; 6:05. Art Coogan and his orchestra from Club Madrid; 7. Uncle Wip's bedtime stories; 8:15, Philadelphia Pulico band, direction, Lieutenant Joseph Kiefer; 9, talk, Philadelphia Branch of United synagogues; 10, Harvey Marburger and his Vaudevilie orchostra from Cafo L'Aiglon.

WJAX, Cleveland, Ohio (Eastern, 390), 7:30 p. m., Ponco de Leon orchestra, Herbert Hayward, director, from Grebe's Hanna restaurant; 3, concert program, erranged by Mrs. Marion S. Summera; 10, orchestra.

WKAQ, Sen Juan, P. R. (intercoloniai, 360), 8:30-10 p. m., concert, Restaurant La Cafetera.

WLW. Cincinnati, Ohio (Central, 423), 4 p. m., French

WLW. Clnoinnati, Ohlo (Central, 423), 4 p. m., French lesson, Madame Teimpidis; 10, Doherty's orchestra; 10:30, Milnor instrumental trio; 11, recitai, Richard Pavey, tenor; Herbert Schatz, baritone; Graco Raine, pianist; 11:30. Lange-McKay orchestra.

WMAQ. Chicago, III. (Central, 447.5), 4 p. m., house-hold hour. Mrs. Elizabeth O. Hiller, director; 4:30, Illinois Federation of Women's clubs; 6, Chicago theater organ recitai; 6:30, Hotel LaSalle orchestra; 8, garden taik, James H. Burdett; 8:15, talk to Boy scouts; 8:30, music; 9, Gary, Indiana night.

WMC, Memphis, Tenn. (Central, 500), 12:30 p. m., Skyline serenaders; 8:30. Hotel Chisce orchestra, Frank Pappalardo, director.

WMH, Cincinnati, Ohio (Central, 309), 8 p. m., tenor solos, James Seevers; Thelma Copeland, accompanist; violin solos, Luke D. Ehrgott; Luclile White, accomplanist; plano solos, Lucille White; barltone solos, Gordon Smith; 9, Avon dance orchestra, R. C. Fisher, director director.

director.

WOAW, Omaha, Nebr. (Central, 526), 6 p. m., every child's story hour, Grace Sorenson; 6:30, the Venetians, Paul Storkel, manager; 9, program, Brock consolidated schools; faculty orchestra; Leslie M. Stout, violinist; string quartet; songs, Luella Black; R. H. McCann, saxopbonist; L. M. Stout, violinist; song, Rev. Schenck; male quartet; Ferne Same, violinist; Hazel Reeve, accompanist; Maurine Sams, ceilist; telk, "Brock and Her Schools," Rev. Schenck; vocal duet. Ferne Sams, R. H. McCann; songs, Raymond Chard; R. H. McCann; glris' glee club; 10:30, Wowl frolic, Frank Hodek, Jr., and hls Omaha nightingaies, Hodek, Jr., and his Omaha nightingaies,

WOO, Philadelphia, Pa. (Eastern, 509). 11 a. m., organ recitai, Mary E. Vogt; 12:02 p. m., Wanamaker crystai ten room orchestra, Robert E. Golden, director; 5-10, sports results end police reports; 5:15, organ recital, Mary E. Vogt.

WQJ, Chicago, III. (Centrai, 448), 11-12 m., "How to Select Lamb and Veal," Erna Bertrams; New York style talk, Eieanor Chalmers; 3-4, "Hot Breads," Core Beeman; "Lines and Materials," Charles T. Wolf, euthority on suitable apparei for the stout women; 7-8, Ralph Williams end his Rainbo Garden orchestra; Kathryn Snyder, reader; Manuel Rodriguez, tenor; 10-2 a. m., Raiph Williams end his Rainbo Skyjarks; Avei Christenen pianologues: Grose Wijson contraito. 10-2 a. m., Raiph Williams end hls Rainbo Skyiarks; Axel Christensen, pianologues; Grace Wilson, contralto; Hili, Hirsch, Gorny, harmony singers; Edna Solomon, contralto; Rosemary Hughes, soprano; Will Rossiter; Gail Bandeii, contralto.

WRC, Washington, D. C. (Eastern, 469), 6 p. m., children's hour, Peggy Aiblon; 8, "Indian Cilff Houses," Dr. J. Waiter Fewkes; 8:15, piano; 8:30, talk on motoring, auspices American Automobile association; 8:45. Mount Vernon quartet; 9:15, Kailipolis Grotto band.

WSAI, Cincinnati, Ohio (Central, 309), 10 p. m., dramatic sketch, "Canned Goods," Schuster-Martin pupils; 10:15, tenor solo, Harry Nolte; sopreno solo, Florence Braun; piano solo, Elba F. Davies; 10:45, humorous readings, Edytha Buerkle; popular songs, Hughes and Aytman. Hughes and Axtman.

WSB, Atlanta, Ga. (Central, 429), 12 m., enterteinment; 5-6 p. m., Bonnle Barnhardt's bedtime story; 8-9, DcKalb County association of Odd Feliows' program; 10:45. Dr. Cbarles A. Sheldon, organist; Bernard and Robinson.

WTAM, Cleveland, Ohio (Eastern, 390), 6 p. m., Guy Lombardo's Royai Canadiens, orchestra.

Friday, November 14

Silent night for: CKAC, KGO, WLW, WMH. WRC. WSAI. CKAC, Montreal, Can. (Eastern, 425), 4:30 p. m., No

CKY, Winnipeg, Can. (Central, 450), 7:30 p. m., lecture, Prof. Tracy; 8:15, studio concert.

KFAE, Puliman, Wesh. (Pacific, 330), 7:30 p. m., F. C. Butterfiold, pianist; essentials of farm managoment, George Sevenance; "Extending the Electric Power Lines to the Farm," R. D. Sloan; "Results in Drainage in 1924." A. B. Crane; review of new books. Alice L. Webb.

KFI. Las Angeles Callf. (Pacific 460), 6:45.8 p. m.

KFi, Los Angeles, Calif. (Pacific, 469), 6:45-8 p. m., Aeollan organ recitai; 8-9, instrumentai and vocai recitai; 9-10, vocai concert, featuring instrumentai numbers; 10-11, de luxe concert; 11-12, Hotei Ambassador Cocoanut Grove orchestra.

KFKB, Milford, Kans. (Central, 286), 7:20-8 p. m., collego of the air; 8-9, band concert; 9-10, Blacksmith Four, male quartct; 10-11, Jubilee Boys' orchestra; lecture, Dr Brinkioy.

iecturc, Dr Brinkloy.

KFNF, Shenandoah, Ia. (Central, 266), 7:30 p. m., concert, East River township,

KFSG, Los Angeles, Calif. (Pacific, 278), 3:30-4:30 p. m., organ recitai, courtesy, Roy Reid Brignaii, assisting artists; 7:30-9:15, crusaders raily; Silver band, direction, G. N. Nichols; revival chorus; eddross, Judge Carlos S. Hardy; evangelistic sermon, Aimee Sempie McPherson; 9:15-10, band concort, Silver band, G. N. Nichols, director; Radio problems, N. E. Brown: Marjorie Nell Sinder, reader; 10-11, organ recital, B. Ernest Bailard, organist, assisted by Haroid Lloyd, tenor, and Georgi Skuiteski, Russian basso.

KGO, Oakland, Calif, (Pacific, 312), 3 p. m., studio

KGO, Oakland, Calif, (Pacifio, 312), 3 p. m., studio musical program; 4-5:30, concert orchestra, Hotel St.

Francis.

KGW, Portland, Ore. (Pacific, 492), 12:30 p. m., Multnomah hotel strollers, Dwight Johnson, director; 5, children's program, story by Aunt Neii; 8, popular iecture, U. of Oregon; 10:30, Hoot Owls.

KHJ, Los Angeles, Calif. (Pacific, 395), 12:30-1:30 p. m., concert; 2:30-3:30, matinee musicale; 6-6:30, Art Hickman's concert orchestra, Edward Fitzpatrick, director; 6:30-7:30, children's hour, "American History," Prof. Walter Sylvester Hertzog; Sir Richard Headrick, silver-sheet stariet; 8-10, de luxe progrem; 10-11, Art Hickman's dance orchestra, Eari Burtnett, director.

KOB, State College, N. M. (Mountain, 360), 7:30-8:30 p. m., "Public Health," Dr. R. E. McBride; college p. m., "orchestra.

p. m., "Public Heaith," Dr. R. E. McBride; college orchestra.

KPO, San Francisco, Calif. (Pacific, 423), 12:45 p. m., talk, Commonweaith club iuncheon; 1-2, Rudy Seiger's Fairmont hotel orchestra: 4:30-5:30, Rudy Seiger's Fairmont hotel orchestra.

KSD, St. Louis, Mo. (Central, 546), 8 p. m., Gustave Lehieltner, barltone; Hugo Hagen, planist.

KYW, Chicago, Ill., (Central, 536), 6:30 e. m., exercises, physical director of Y. M. C. A.; 9:30, late news; 11:35, table talk, Anna J. Peterson; 6 p. m., newa, financial end final market reports; 6:35, bedtime story, "Uncle Bob;" 7, dinner concert, Congress hotel; 1:30, Duncan sisters muaic studio; 8:20, American Ferm bureau program; 9, midnight revue; 11-2:30, revua continued, Coon Sanders Original Nighthawks, organologue, W. Remington Weich, McVicker's theater.

WBAP, Fort Worth, Tex. (Central, 7:30-8:30 p. m., program, Mrs. W. D. Smith; 9:30-10:45, old-time fiddle music, Krum string band.

WCAE, Pittsburgh, Pa. (Eastern, 462), 6:30 p. m., dinner concert, William Penn hotel; 7:30, Uncle Kaybee; 8, special feature; 8:15, special feature; 8:30, violin orchestra, Prof. Fayette Lloyd, director.

WCAL, Northfield, Minn. (Central, 360), 9:45 a. m., St. Olaf College chapei services; 8:30 p. m., book talk, "Some One Act Plays," Christopher Morley, and others, Dr. George W. Spohn.

(Continued On page 23)

(Continued on page 23)

SELECTIVITY SECRETS (Continued from page 17)

so as to be at right angles. This mounting is not highly recommended, however, lnasmuch as the zero coupling point is very sharply defined and difficult to secure. A better method, and one which is generally used, consists in placing the coils in a staggered manner, as represented by the circuit of Figure 11.

In this instance the mutual field of L and L1 is greatly reduced and a zero coupling is more easily attained. In the diagram an angle of 57 degrees is given. This is approximately correct when the secondaries L and L1 are wound on 3-inch tubing and placed 6 or 7 inches apart. The exact angle will vary with the distance of separation as well as the geometry of the coils used. For this reason it is impossible to give any exact data.

A very good test of the nature of the coupling between L and L1 may be made by alternately reversing the plate coil leads so as to change the direction of the current through this coil. The ideal condition of coupling is evident when shifting these leads gives negative results. That is, no variation in the intensity of a received signal should occur from this action if the coupling is favorable. It will be difficult to reach such a low coupling, however, especially when the amplifier is adjusted to the point of critical regeneration.

Careless Construction

The writer has observed many cases of careless construction with the result that when the current through the plate coil was in one direction the set was decidedly "dead" and unresponsive (denoting excessive reversed feedback) and upon reversing the plate coil leads the amplifier produced a vigorous oscillation (positive feedback exceeding the critical value). The layman under conditions of this kind usually does the least desirable thing and introduces some form of a "loser" to stop oscillation, rather than redesigning with the intention of reduction of stray cou-

It is possible to utilize astatically wound coils for the secondaries, which has the effect of reducing the electromagnetic fields about the coils. This is not desirable, however, if the coil resistance

is greatly increased by such construction.

while reading for those who have read all or a part of "Secrets of Selectivity and Regeneration."—Editor's Note.)

CARE OF BATTERIES

(Continued from page 15)

The dry B battery is nothing more than a block of cells all identical to each other and connected in series. The only difference between a dry cell A and a dry cell B battery, is their size. The A is usually 6 inches in height and 2½ Inches in diameter, while the B generally varies between 21/2 to 31/2 inches in height, and from ½ to ¾ inch in diameter. Both consist of two electrodes, one carbon and one zinc, (the latter also acts as the container or "can"), and an electrolyte in which is included a depolarizer. The electrolyte is not a liquid though, as in a storage battery; it is rather, a sort of paste and powder.


Dry A batteries are sold in single units and in cases containing two, three, and four cells. Dry B batteries are mostly sold in blocks of 15 and 30, and are variable. They are put up in larger sizes, of course, but these are the two most used. The standard detector plate battery is tapped so as to give voltages of 16½, 18, 19½, 21 and 22½. The 45 volt (30 cell) block is commonly tapped from 16½ to 22½ volts, and again at its maximum, 45 volts. The low voltage taps permit one battery to be utilized for both a detector and amplifier.

As in the case of an A battery, the kind of tubes used also determines the proper B battery. It would not be of much use to list here the different tube characteristics, for with each tube always comes a pamphlet or booklet; this should never be thrown away as it contains all the necessary data of the tube and ought to be kept for reference.

"How long will my batteries last" is a question just as difficult to answer as, "How far will I be able to receive?" The life of a battery mainly depends upon the quality and size of the cells, the amount of current consumed by the tubes, the length of time the receiver is in use daily, and the age of the battery when first placed in operation.

(Mr. Fenwick will tell you in the next Mr. Harper will bring his series to a article, how to make a storage B battery. close in his next contribution, which, it Rules for battery economy and a B battery might be emphasized, will be very worth charger will be discussed.—Editor's Note.)





Lincoln Low-Loss Condenser

Lincoln Low-Loss Grounded Rotor Condenser, 23plate model is most efficient electricelly, strongest mechanically. Several radical improvements. List

Lincoln Oscillascope

The "superbet" depends for efficiency on its oscillating circuit. The Lincoln Osciliescope permits auch delicate control of oscillationa thet it produces amazing results. List price \$6.50,

Lincoln "Long 45" Tuner Condenser, inductence end tickler coil ell in one.

Add a aocket, rheostat grid-condenser and leak . . . and you have a wonderfully efficient complete set. Coast-to-coast range with clearness of reception equal to hig expensive sets. List price \$10.00.

Lincoln Collapsible Loops

Correctly designed mechanically and electrically. Insures quality reception .. end is most convenient. List price \$6.50. The Lincoln Collapsible Four-Point Tapped Loop is ideal for "superhet" and other radio-frequency circuits. List price \$8.00.



The Lincoln Kit Includes the "Long 45" Tuner. Everything for e 1-tube set with coast-to-coeat range. Eesy to assemble, eesy to add to. List price \$21.50.

Write for Catalog
All Lincoln products fully guaranteed. If your dealer cannot supply you, order direct giving his name. Write for illustrated catalog giving descriptions.

Lincoln Radio Corporation 224 N. Wells St. Chicago, Ill.

The kind of Letters

-And here is the letter we promised you we'd print this week!

Bradshaw & Weil, Inc. INSURANCE

W. Jackson Blvd., Chicago

Thordarson Electric Mig, Co., 500 W. Huron Street,

Chicago.

Gentlemen:

I am taking this opportunity with your am taking the success is have hed your of the success in have hed your ratio audio frequency new Model 3½-1 and audio frequency remains formers.

The writer has experimented with practically all of the standard transformers tically all of the standard transformers on the merket, using them in pairs the in combinations, i. e., one make on end in combinations, i. e., one make on one step end another on the other step. These experiments resulted sometimes in one step end volume and e great growd tone quelity end volume and e great growd tone quelity end your new ransformers and the results have been remarked the subject of the results of the subject of the results obtained by income new transformers used in conting these transformers used in conting these transformers used in conting the end your a brief idea of what they good.

To give you a brief idea of what they

the majority of the true consequence of the majority of the true emperatory to the true especially being function with the true especially being sood.

To give you a brief idea of the true of true of the true of true of the true of true o

Very truly yours, (Signed) H. W. BOND. HWB:M

AMPLIFYING TRANSFORMERS

Standard on the majority of quality sets Audio Frequency: 2-1, \$5: $3\frac{1}{2}$ -1, \$4; 6-1, \$4.50. Power Amplifying, pair \$13.

Urite for some <u>real</u> bulletins!



UV-200



"The detector tube supreme." Noted for stability, long life, and uniformity. A sixvolt standard base tube for any receiving circuit.

Radiotron UV-200 with its long distance reception—clearness—and good volume—is the basis of many a receiver's splendid performance.

Radio Corporation of America

Sales Offices — Dept. 317 233 Broadway, New York

433 California St. San Francisco, Cal. 10 South LaSalle St.,

quality is your

Price

\$4.00

Be sure that every vacuum

tube you buy is marked RADIOTRON

Helpful Hints to Get the Most from Radio

Chapter VIII—Grid Leaks and Biasing

By Thomas W. Benson

In This series of articles set opera-tion will be told in so simple a manner that the uninitiated can follow instructions and get the most out of reception, whether or not he knows anything about electricity or its application to broadcasting and reception. The series consists of thirteen chapters, of which the five next will be:

Chapter IX-Jacks and Switches. Chapter X-Amplifying the Signals. Chapter XI-Care of Radio Bat-

teries. Chapter XII-Telephones and Loud Speakers.

Chapter XIII-Hints on Tuning.

GRID leak is essentially a very high resistance and made in two types, namely, fixed and variable. In the former the resistance unit is made either of a strip of insulating material coated with India ink or a thin film of high resistance metal and enclosed in a glass tube to exclude moisture and simplify its support. The variable types take many forms, the idea being to have under control the resistance of the unit.




Figure 17.—Regenerative circuit showing how grid leak drains grid charges to fila-ment through inductance.

It is safe to say that any form of variable leak in which a contact lever moves over the unit is short lived. This is due to the moving arm gradually scraping

Hansen"BIRD-CAGE" Radios

NIGHTINGALE RADIO

A simplified, loud speaking, long range set at a price within the reach of all.

Hansen BOBOLINK: \$25.00

Write for New Catalogue
Dealers and Jobbers—Our line is Interesting

120-134 JEFFERSON ST., MILWAUKEE

DISTRICT DISTRIBUTORS

and profitable.

Hansen BUBULINK.

2 Tube Reflex......

Hansen CARDINAL.

3 Tube Reflex......

Hansen BLUE BIRD.

6 tube loop.

4 Tube Radio Frequency......AMERICAN CREST. This we believe to be the best high grade 6-tube

6D. Num RECEIVERS

4 tube very selective.....

loop set on the market today

\$25.00

\$50.00

\$57.50

\$150.00

\$90.00

\$135.00

4 Tube Radio Set \$5

Without Accessories

strument employ either a fluid contact till the charge can leak off. This action ure 19. A moment's consideration will that is mercury as the contacting medium, or have the resistance changed by being partially shorted as desired by a strip of the resistance of the leak is lowered until in this circuit functions simply as a metal being forced against the surface of the resistance material.

Grid Leak Plays Important Part

The grid leak plays an important role in the operation of a receiver and trouble




Figure 18.—Regenerative circuit in which leak must connect direct to filament since inductance is at plate potential.

can often be traced to this cause. Let us consider the detector circuit. Here we find that a grid leak practically controls the detecting function of the tube. We learned in the chapter on detectors that the grid charge obtained during half the cycle was prevented from leaving the grid by the grid condenser.

To prevent this charge building up high enough to shut off the tube action a grid leak is connected across the condenser. The resistance of this leak will determine the rate at which the charge will flow from the grid to the filament. With a leak of too low a value the charge leaks off too rapidly and the grid charge never builds up high enough to obtain full response from the tube. With a high value

they become inaudible.

with a variable grid leak to permit close adjustment of the leak value which varies somewhat with each tube. The soft tubes, as a rule, are more sensitive to changes in the resistance of the grid leak while the hard amplifying tubes as well as the dry cell tubes are not so sensitive.

Tickler Feedback

It is well to remember that the grid leak must always be connected from the grid to a part of the circuit that is at filament potential. In Figure 17 is shown the conventional connection with a tickler feedback regenerative circuit where it will be seen that the top of the inductance is at the same potential as the filament because it has a metallic connection to the filament. There are some forms of regenerative circuit where this is not true; for instance, the circuit in Figure 18 where the inductance connects to the plate and consequently is at plate potential. In this case the grid leak then is connected direct to the filament. With




Figure 19.—Skeleton circuit of resistance coupled amplifier showing leaks used as coupling device as well as grid leak.

a grid condenser in the detector, slightly better results are had when the grid return is connected to the positive terminal of the filament.

A similar condition exists in resistance coupled audio frequency amplifiers where

off the resistance material and eventually in the leak the grid charge builds up too we find grid leaks are likewise useful for destroying it. The better types of in- high and the tube shuts off for an instant coupling between tubes, as shown in Figmanifests itself by a series of clicks in show that were the grid leak to be conthe phones that increase in frequency as nected across the grid condenser, which blocking condenser to keep the plate po-The detector then should be equipped tential off the grid, we would be defeating the purpose of that condenser and place a high positive potential on the




Figure 20.—Characteristic curve of vacuum tubes to show effect of biasing.

The leak therefore is connected to the filament and for this type of duty is of the fixed type because the tubes used are hard and the proper value of leak determined by experiment.

Leak Used as a Coupling The use of a leak for coupling between audio frequency amplifiers is by no means new, but has one feature to recommend it to the critical fan. The reproduction of music and voice is perfect when the leak is high enough in value, at least equal to the impedance of the tube. Resistance coupling gives equal amplification

duces no distortion. The fact that grid leaks are of extremely high resistance makes it unhandy to rate them directly in ohms, so it has (Continued on page 20)

at all voice frequencies and thus intro-

The "Goode" Two-o-One





BY MAIL ONLY Postpaid

QUARTER AMPERE

GUARANTEED SATISFACTORY

All "GOODE" Tubes Sold Direct to the Consumer-No Dealer Profits

ONE-"Goode" Detector-Amplifier......\$2.39 THREE-"Goode" Detector-Amplifiers..... (Ail postage prepaid)

The "Goode" Two-o-One A Tube amplifies or detects. It is a quarter ampere, five voits, stenderd base silvered tube.

Send express or postal money order or New York


The Goode Tube Corporation OWENSBORO - - KENTUCKY

"The Choice of The Critical"

Opinions do not answer, facts do.... That is why you cannot afford to borrow the jaundiced ideas of your neigh-bor when choosing your con-

Buy a D. X. L. and save being disappointed. This condenser is a straight-line-low-loss type designed especially for super-heterodyne and all super sensitive sets. With grounded rotor plates of brass construction and alumnum and alumnu tion and aluminum end plates. Body capacity entirely eliminated. Approved by the University of Michigan and found absolutely accurate with the U. S. Bureau of Stand-

WRITE FOR FOLDER



23 Plate..... 5.50 43 Plate..... 6.00

PRICES:

17 Plate..... 5.25

If Your Dealer Can't Supply We Will Furnish Direct Send Money Order

Manufactured by

D. X. L. RADIO CORPORATION 5769 STANTON AVENUE

DETROIT, MICH.



Greatly Improves Reflex or Neutrodyne

The HILCO MULTIFORMER is an inductance of multiple uses, involving a new idea and principle in radio frequency transformer design. When used as a replacement coil in Neutrodyne, Reflex and all other tuned radio frequency receivers, no potenti-

ometer or neutralizing condensers are required and stations can be logged with unfailing accuracy. It also makes an unequaled wave trap and replaces variocouplers and similar instruments for tuning the antennae circuit.

Sold by dealers at only \$2.25 Write Dept. 10 for descriptive literature on the Hilco Multiformer and other radio apparatus.

A. E. HILL MANUFACTURING COMPANY, Atlanta, Ga.

Radio Apparatus that is Distinctively Different And Superior in Efficiency And Appearance.



(Continued from page 19)

become the practice to rate them in units of 1,000,000 ohms, calling this unit a megohm, usually abbreviated to meg.

We come now to a consideration of grid biasing, which is nothing more or less than applying a fixed potential to the grid of the tube to control its operation. As usually applied it refers to the audio amplifying tubes, but we will consider it first in connection with detectors.

Previously we considered tube detectors with a grid condenser that detected by reason of the varying potential of the grid condenser thus controlling the plate cur-

Under some conditions it is desirable to eliminate the grid condenser and leak for the sake of simplicity and we can then resort to a biased grid to obtain detection. This action of detection with a biased grid is extremely important in that it enters into the operation of reflex receivers with the result that the set will not function.

It is conceivable that the grid biasing in a Radio frequency amplifier could be such that detection would result, thus reducing the efficiency of any other stages of Radio frequency amplification, and this is just what happens when signals can be heard through a reflex receiver with the detector out of operation.

Grid Plate Characteristics

With the assistance of the curve shown in Figure 20 the action can be made clear. This shows the general grid plate characteristics of a vacuum tube, but is not an actual plotted curve, the potential of the grid being read along the bottom and the plate current up the side. Suppose the potential of the grid is 2.5 volts negative, then the plate current will be represented by point A. Now, if an alternating audio stages. An attempt to bias Radio current, in this case a Radio current, is stages usually results in making them impressed upon the grid it will alternately unstable and liable to oscillate so the become more negative and less negative or logical thing to do is to try various plate more positive.

When the grid is more negative the plate current is reduced slightly, but little trick is the secret of making balky when the grid is made less negative the reflex sets work. plate current is proportionately greatly increased. Thus an alternating current impressed upon the grid is reproduced in the plate circuit by a current having alternative halves of the cycles larger than the remaining half cycles The result is actually the same as if rectification had taken place and thus giving the detector action. This is known as working on the bend of the curve and a similar action would take place were the grid to be

> Erla precision parts get the best out of Erla

SUPEREFLEX

circuits; most powerful, tube for tube. Ask for Bulletin 24.

Electrical Research Laboratories, Chicago





Pages 14 and 15—

tell you how to build the

Triple Circuit Tuner

The outstanding feature of this set is its extreme selectivity and sensi-

Mail coupon today for Shamrock booklet telling you how to build this inexpensive set and nine others. Full directions simply told.

SHAMR	OCK I	MANUF	ACT	URING CO.,
				Newark, N. J.
l –			~	4

I enclose 10 cents (U. S. stamps or coin) for copy of "Shamrock Radio Builder's Guide Book," containing diagrams and complete instructions for building 10 inexpensive sets.

Name	***************************************
Address	•••••••••••••••••••••••••••••••••••••••
	37

Dealer's Name

GET MOST FROM RADIO biased positively to cause the tube to work on the upper bend of the curve.

While the bend of the curve gives rectification and detection because of the distorted plate current an amplifier tube must give an exact reproduction in the plate circuit of the varying voltages impressed on the grid. To do this the tube must be worked on the straight portion of the curve and referring to the curve we see the grid should be at a zero voltage with this curve.


The curve was drawn with a certain B battery voltage and when the plate voltage is increased the curve shifts to the left as shown by dotted lines marked number 2. We now see that a zero voltage on the grid throws the operating point of the hub on the upper bend of the curve and were the tube worked as an amplifier with zero grid voltage distortion would result. To correct this a bias or C battery is connected into the circuit to impress a negative voltage on the grid of about 2 volts, which then brings the operating point back on the straight portion of the curve.


This shows nicely that as the plate voltage is increased on an amplifying tube the grid must have an increased negative bias applied to it to prevent distortion. A slight negative bias is always given the grid when its return is connected to the negative filament, but this is not always sufficient to give the proper operating point for the tube and it is well to try a C battery on every audio amplifier and note if there is any improvement in reproduction.

Improper Bias

Poor amplification in reflex sets is usually due to improper bias being applied to the grid that gives distortion and detection in the Radio stages and distortion and poor amplification in the voltages and thus shift the curve to suit existing grid biasing in the set. This

(In the succeeding article by Mr. Benson he will give you in detail the manner of construction and use of jacks and switches. A set may be spoiled by their use if they are improperly installed, but when located right they greatly aid the operator in getting the most out of his set.-Editor's Note.)





No antenna-just screw the Ducon into your electric light socket and tune in. A great saving in expense and labor-and great results with your set.

PRICE \$1.50

Sold on a 5 day trial basis by all reliable dealers



HOW TO OPERATE SET

(Continued from page 9)

ing makes this necessary. The loud speaker terminals are fastened at the factory to the two right hand binding posts on the socket shelf. Be sure that these connections are fastened properly before attempting to tune the set. Note that the cords from the loud speaker are positive and should be fastened to the proper respective posts. If it is desired to use headphones or some other make of loud speaker, first and second stage jacks are provided in the panel for this purpose. Note that when a plug for phone or outside loud speaker is inserted in the second stage, the in-built loud speaker is automatically disconnected. It is thus possible to tune with headphones without the loud speaker being connected, and to bring the loud speaker into action by simply removing headphone plug. -Tuning

If the instructions given above have been carefully followed, the set is now ready for operation. The upper left hand lever Number 5, marked "Filament Battery," which during the connecting up process should be turned to the "Off" position, should now be turned to the "On" position. This lights the filaments of the tubes from the "A" battery. The turning of this switch to the "Off" position is all that is necessary to disconnect the set when not in use, since this switch disconnects both the A battery and the ground from the set. The rheostat, Number 4, in the upper right hand corner should then be turned to the numeral 8 on the dial. The correct position of this rheostat will depend somewhat on the tubes used. Now move the lever marked "Intensifier," Number 3, to approximately the numeral 6 on the dial. Then take the lever marked "Turner," Number 1, in the left hand, and lever marked "R. F. Tuner," Number 2, in the right hand, and bring both to positions showing similar reading on both dials. Now proceed as follows: Holding the tuner lever, Number 1, steady, move the R. F. tuner, Number 2, back and forward over a reading of the scale until an audible click is heard. If it is impossible to secure this

We Want Agents to sell RADIO SETS and Supplies

(Part or Whole Time) Standard, well advertised merchandise—the kind everybody knows and wants. Make handsome profits representing us. \$5 a day easy in spare time. \$10 to \$20 a day made by many. Buy parts wholesale, sell them at retail. Assemble sets and sell at big profits—or sell our complete sets. Charron of Waukegan, picked off

\$13 in One Hour Big Pay! Makes \$75 to \$150 a week A Week Up!

A Week Up!

Widener of Kanwas City has avsas City \$50.00 a
craged \$50.00 a
week selling radio
week selling radio
week selling radio
trade. You can
trade. well—or
do as well—or
hetter. regularly. Begin by selling in spare time. Others do as well and better. Establish yourself in the radio business. No invest-ment required. Write for agency in your locality. trade. well-or do as well-or Division, Sect. 24

WAVELAND

Radio Co., Inc., 1027 N. State, Chicago



The new FAHNESTOCK Display Case Will stimulate your sales of Fahnestock Radio Products. 14 of the most popular styles and sizes are included. Shows the purchaser instantly the correct piece for his set. A constant invitation to buy Fahnestock Products. Dealers are offered 200% profit on each case, an unusual offer on standard merchandise.

Transportation prepaid when money order or check accompanies order. , Contents Retail for \$51.50

Refills will be supplied at the regular 100 lot prices, shown in catalogue, which comes with case, less discount shown on enclosed sheet. Send check or money order, today.

FAHNESTOCK ELEC. CO.

NEW YORK

LONG ISLAND CITY

click, move the intensifier, Number 3, to a reading of 8 or even 10, and repeat process described above. If still it is impossible to secure a decided click in the receiver and you are positive that A and B batteries are of proper voltage and are properly connected to the set, exchange the first, or left hand tube with one of the other three tubes and proceed with the tuning as before.

In explanation of the possible necessity of changing tubes, it should be noted that occasionally a tube will not oscillate properly in the first or Radio frequency socket, and it is very desirable to put in this socket the tube which will best respond. When operating the tuners as described above, and it is possible to secure a decided click, it is proof that the tube in the Radio frequency socket is oscillating properly.

When satisfied upon this point, proceed with the tuning by moving the tun-ing lever, Number 1, a few points at a time and, while holding it constant, rotating the R. F. tuner lever, Number 2, through a small arc to the position at which the click mentioned above is audible. When the tuner, Number 1, has been moved to proper position to receive the station, a very characteristic whistle, which is already familiar to all Radiophans, will be heard. To clear the tube of oscillation, which causes this whistle, move the intensifier, Number 3, toward the O position until the whistle disappears, then move it back to a point just below where the whistle is heard.

Now by moving carefully, one at a time, the two tuner levers, number 1 and number 2, sharpen tuning until the voice or music is heard satisfactorily.



For a limited time only, and to introduce this new and superior Storage "B" Radio Battery to the Public, we are selling it for \$3.50. Regular Retail Price is \$5.50. You save \$2.00 by ordering NOW. A finer battery cannot be built than the

World Storage "B" Battery

(12 CELLS-24 VOLTS)

To ten million home with Radio Sets-and to countless milliona of prospective buyers—this WORLO Storage "B" Battery brings a new collection of battery economy and performance. Here is a battery that pays for itself in a few weeks—will last for years and can be recharged at a negligible cost. And you save \$2.00 by ordering now.

A Superior Battery Solid Rubber Case
Has heavy duty 21.8 in. x 1 ln. x 1.4 in. plates and plenty of
acid circulation. Extra heavy glass jars allow ready observation of charge and prevent leakage and seepage of current:
It holds its charge, while idle, at constant voltage.
You will find this battery a boon to long distance reception,
It does away with a great many noises so often blamed un
"static" Mail your order today.

SEND NO MONEY

Just etate number of batteries wanted and we will chip day order is received. EXTRA OFFER: 4 batteries in series 193 volts; 13.00. Pay Expressman after examining batteries 6 per cent discount for cash in full with order. Send your order

WORLD BATTERY COMPANY Makers of the famous World Radio "A" Storage Battery
1219 S. Wabash Ave., Dept. 76 Chicago, Ill. SAVE \$2.00 BY ORDERING NOW!



6-Volt, 11 Plate \$12.25 6-Volt, 13 Plate 14.25 6-Volt, 120 Amps. 12.30 6-Volt, 120 Amps. 14.50 6-Volt, 140 Amps. 16.00 12-Volt, 7 Plate 17.00 Shipment Express C. O. D. subject to examination. 5 per cent discount for each in full with order.

2-Yr. Guarantee Bond in Writing With Each World Storage Battery

proves satisfactory World performance. Mall this ad with your name and address—we will ship battery day order is received; and give you your choice of "B" Storage Battery or a handsome nickle finish Auto Spotlite, FREE. Write TODAY. WORLD BATTERY COMPANY
60 E. Roosevelt Road Dopt. L, CHICAGO, ILL.

This FREE "B" Storage Battery takes the place of dry cell "B" batteries. Cau be recharged and will last indefinitely. To be sold retail for \$6.00. It is the only battery of its kind equipped with solid rubber case—and incurance against acid and leakage. Take advantage of this remarkable introductory offer NOW. (To those who prefer it, we will end FREE a handemen nickel finish Anto Spotlite, instead of the "B" Battery. Be aure to specify which is wanted.)

GIVEN FREE To introduce this new and enperior World "B" Storage Battery to the Public



Internal Spiderweb Coil Mounting

Inductances Adjusted from Front of Panel

There are many who like spiderweb coils for tuning, but mountings are not always suitable, nor do they present a neat appearance on the panel face. Many

WORKSHOP KINKS EARN A DOLLAR—

HERE are many little kinks worked out at home that would aid your fellow Radio worker if only he knew about them. There are new hook-ups, new ways of making parts and various unique ways of operating sets that are discovered every day. Radio Digest is very much interested in obtaining such material. Send them in with full details, including stamped envelope, so rejected copy may be returned. The work must be entirely original, not copied. RADIO KINKS DEPARTMENT

Radio Digest, 510 North Dearborn St., Chicago

inside mountings have been designed for enclosing in a set and a few of them work well, but it is very clear that the one shown in the illustration is quite superior to most of them.

Two blocks of wood are used for the base upon which the mountings are placed. These blocks are faced with a piece of panel stock and the whole is fastened to blocks and the two outside coils are pivand are operated with long threaded rods or screws with a thumbnut on the ends to have any other light burning. and rubber bands. The rods are run through threaded holes in the block mounting panel.-R. Compton, Los Angeles, Calif.

Dash Lamp Makes Panel Light While sitting up late at night trying to

tune in DX, other members of the family will not have their sleep disturbed because of the light if an automobile dash lamp is placed on the panel. This lamp can be connected directly to the A battery with a switch in series with it. This lamp

CARTER "TU-WAY" Plug \$1.00

The first plug to take more than one head set and still the first plug in popularity with Radio Fans who know good parts and buy them. Insist on the original. Any dealer can supply.

In Canada


Carter Radio Co., Limited, Toronto Parter Radio (o.

Send No Money Hear What YOU Like

Stations are glad to put on numbers at your request. We print special "Thank You" cards that get ATTENTION. See the name CHESTER A. WHEELER on illustration. That is where YOUR name will be. Your INDIVIDUAL cards show more than ordinary interest and stations appreciate them and consider your request.

Thank YOUR Favorite Stations

Speakers and musicians deserve and appreciate applause for radio programs just the same as from the stage. Their entertainment makes your radio possible. Encourage them and help bring the best talent to radio. Send them YOUR "Thank You" card of ap-




preclation. Sample Card FREE All the, Rage

Be up-to-date. Enjoy these popular "Thank You" cards, Get this additional pleasure from your radio. Save letter postage. Cards require only 1c stamp.

No Charge for Printing Your Name and Address

Good quality cards. High grado printing. Attractive special radio design. The kind that gets results. 100 only \$1.35; 200—\$1.85; 300—\$2.35, plus fow cents postage. Don't send one cent. Just pay postman after cards arrive. If you prefer to send money order or check with order, we prepay postage. We GUARANTEE Satisfaction. Money Returned If Not DELIGHTED Send order today—NOW. A posteard will do. Radio Printers, Dept. 48A, Mendota, III.

ATTACHES TO CABINET PANEL



0 -12

ances, variocouplers, variometers) in your set so that they will be situated too near the wooden cabinet.

This will cause losses in the Radio-frequency circuits if you do it. One set that was examined worked very poorly when the lid was shut down on it, but it worked well when the lid was left up. The tuning inductance was located close to the varnished wood of the lid.

should be mounted so that it will throw the panel with screws. The center coil is a light on the tuning dials. When late mounted stationary in the center of the tuning is to be done, the switch is turned on and the major tuning controls will be oted to turn through the arc of a circle in the light so that the dial settings can be followed. It will then be unnecessary

> Magaganian kananan kalahili k Kalahi kalahi kalahi kalahili kalahili kalahili kalahili kalahili kalahili kalahili kalahili kalahili kalahili

Liki di salah sarah salah s

4 4 3 3 4 34 34



Wonderful Reproducer

set, for it contains the famous Miller-B-Metal \$1.00 Crystal—a real loud talker. Gets volume up to 600 meters. Thousands of fans use this set for local work and save their expensive



Interchangeable Crystal Every pin point on this double-rectifying crystal is a "hot-spot." Permits close tuning without violent oscillation. Great for reflex sets. Two extra pieces of Miller-B-Metal are given free with each crystal. You can remove the old and replace with new Miller-B-Metal when you wish.

At your dealer's or sent at your request. Literature free. The A. H. Miller Radio Co. 1222 20th Street, Detroit, Mich.




FADA makes it easy to build a 5-tube Neutrodyne

With the new FADA set of knock-down parts and the new FADA book you can build a 5-tube Neutrodyne receiver that will beat anything you ever had. Outfit No. 169-A sells for \$72. It contains everything necessary. The new enlarged FADA book of 76 pages makes every detail of assembling clear. 30 pages of trouble shooting. Large picture wiring diagram. At your dealer's, 75c. F. A. D. ANDREA, INC. Il Jerome Ave. New York

1581 Jerome Ave. Radio

NEUTRODYNE



The Cosmopolitan Phusiformer, which has won the Universal praise of Radio Engineers, -enables you to start in with the small expense of a crystal or a one-tube set and to build, by degrees, a multi-tube set with as many stages of tuned R. F. as desired, simply by adding more tubes and Phusiformers. Radio sets that use Phusiformers as tuning units are free from oscillation, squeals and howls. Phusiformers are selfneutralizing, no extra condensers or coils are necessary to balance the capacity of the tubes. Build a Phusiformer tuned radio set and learn with what clarity and volume distant stations can be received.



COSMOPOLITAN PHUSIFORMER CORP. 15 W. 18th St. NEW YORK

www.americanradiohistory.com

Soldering Phone Cord Tips for Perfect Joint

When the tip pulls off your telephone cord there is one way that it can be replaced so that it will stay put. Don't try to cover the tinsel cord with a coating of lead without first making some sort of foundation for the solder to cling to. The best way to build up this foundation is to remove the insulation from the tinsel cord for a distance of about 1/2 inch, after applying a coating of acid. Wind about twenty or thirty turns of some fine magnet wire (No. 34 or 36), from which the insulation has been removed, around the tinsel. After the loose ends have been cut you are ready to apply a coat of acid and tin the end of the cord with solder. You will now have a stiff end which will not bend or fray out.

Next hold the tip with a pair of pliers over a Bunsen burner or gas jet and when hot fill the opening nearly full of solder, then remove tip from flame and while it is still hot the previously prepared tinsel cord can be forced into the opening; this will force out the excessive solder. Small beads of solder which have collected on the shank of the tip can easily be scraped off and the job finished. The result is a good connection and a cord which will give many months of service.

Always keep the plate and grid leads as far apart as possible. If they must run close, have them run at right angles to each other. This will reduce howling.





PREMIER Microstat

THE SLIDING SCALE **VERNIER** RHEOSTAT

FINE TUNING MADE EASY

Premier "MICROSTAT" is a wonder for tuning in the distant, stations. Stands alone in its fineness of adjustment and minute control. Two resistor units-one six ohms and one forty ohms—connected in parallel. Vernier adjustment on high resistor. Noiseless in operation. Insures freedom from sputtering and scratching. Premier "DUOSTAT" combines two rheostats in one. Provides all necessary control of two tubes with one panel mounting. Premier Double Disconnect Potentiometer is the last word in plate current control. Its special feature, a double break switch, automatically disconnects "A" and "B" batteries when lever is off. Prevents battery waste and tube burn out danger.

All three above instruments are typical in design. Each requires only one hole in panel. Bakelite moulded. Silver etched dials. Many other superior features. All one price, \$2.50 each.

Write for Free Bulletin No. 94 showing complete line of Premier Quality Radio Parts. Ask your dealer if he has Premier free hook-ups. If not, send his name and receive a set free.

Premier Electric Company



Questions and Answers

Audio Amplifier

(9692) ROB, Crichton, Ala.

I would appreciate learning how I might hook-up a two stage audio frequency amplifier of my Radio set, putting in the circult a Type LS2 Model A Mag-navox which I use in connection with a phonograph for dance music, at my home.

The Magnavox does not give sufficient volume for dance music outside of the house. Radio reception for the next summer is almost out of the question on account of the severe static.

I wish to hook-up a 9 to 1 RC transformer on the second step, using 201A

A.—We are giving a diagram of amplifier to meet your requirements, advising, however, that a six to one and a three and one-half to one ratio transformer should be used on first and second stages respectively. A nine to one ratio is too high and will be llkely to cause distortion.

Honeycomb Coil Set

(07281) WSC, Montreal, Canada.

I have a three tube set (detector and two stages of audio amplification) with three honeycomb coils (50-45-75) which gives excellent results between 200 and 400 meters, but I can't touch the higher wave lengths such as KYW. I understand a different combination of coils would bring In higher wave lengths, and would like you to advise what combination | Will you please kindly explain what is would catch, say from 400 to 550.

I use WD-11 tubes with 3 dry cells in parallel on the filament, 22½-volts on the detector and 45-volts to 671/2-volts for amplification, but can only get local on the loud speaker, except for Pittsburgh, occasionally. Can I get any more volume from this set using the same tubes?

Send me your burned-out or broken Power tubes—50 watts or over. Will pay liber-ally. W. Baker, 36 West 20th Street, New from this set using the same tubes?

A.—Your Ilmitations in the matter of

PATENT ATTORNEYS

PATENTS. Booklet free. Highest references. Best results. WATSON E. COLEMAN, Patent Lawyer, 644 G Street, Washington, D. C.

Radio Call Log and Game Book with Map and score sheets. Sells 35c. Dealers' sample 25c. Radio Callog, 64 West Randolph, Chicago.

BIG money selling new household cleaner. Washes and dries windows. Sweeps, scrubs, mops. Complete outfit less than brooms. Over 100% profit. Harper Brush Works, 200 3rd St., Fairfield, Iowa.

SCIENTIFIC FIXED CRYSTAL DETECTOR BEST BY TEST Price, \$1.50

Manufactured by SCIENTIFIC RESEARCH LABORATORIES

502 N. Howard Street Baltimore, Md. 1f your dealer cannot supply you order direct.

RADIO DICTIONARY

Send 25c (coin) for handiest book published for Radlo Fans. Contains information you have been looking for, Don't walt. Send Today.

Parker's Progressive Printery 1807 Hamilton St. Racine, Wis.

Make \$100 Weekly-sell RADIO


Demonstrate once—results mean sure sale. Coast to Coast, lowest prices, attractive four tube instrument \$39.50. Big commission to you. Exclusive territory to proven salesman. Territory going fast. Write today for large illustrated book No. 100. Don't fail to give name of your county.

OZARKA, INC.

815 Washington Blvd. Chicago, III.







wave length range can be overcome by one hundred turn honeycomb coils in primary, secondary and tickler.

Addition of another stage of audio frequency amplification will be the best method of increasing volume, and can be connected in the manner of preceding stages.

Split Variometers

(9151) RHM, Green, Kans. Notice you frequently refer to and show diagrams for split variometer circuits. the difference between the split variometer and the common variometer. Can the same instrument be used for either? What is done to split the common variometer?

York City.

Men to build radio sets for me in spare time. Leon Lambert, 501-H Kaufman Bldg., Wichita, Kansas.

YOUR CRYSTAL SET

will work 400 to 1,000 miles if made by my plans. No tubes or batteries. Copyrighted plans \$1.00. Satisfied customers everywhere. Particulars free.

LEON LAMBERT 501 Kaufman Bldg. Wichita, Kansas

REPAIR

All Types of Radio Tubes \$2.50 Postage Prepaid

Agents and Dealers Special Discount


H. & H. RADIO CO., P. O. Box 22A Clinton Hill Sta., Newark, N. J.

QUINCY RADIO LABORATORIES QUINCY ILLINOIS

Est. Dealers: Write for No11A CATALOG Discounts

LATEST WHOLESALE Simply send name TODAY for big

48 - page catalog of latest radio goods at Wholesale. Live dealers and agents wanted. STANDARD RADIO CO., 106 East 13th, Kansas City, Mo.



HEXAGON SHAFT

The rotor blades, stamped with hexagon hole, are gripped tightly by the hexagon shaft, preventing fanning of rotor blades. Found in new types 3 and 4, celeron end plates; types 5 and 6, METAL END PLATES.

100% GUARANTEED
ASK YOUR DEALER

U. S. TOOL CO., INC. 122 Mechanic St. NEWARK, N. J.

Have a diagram of a homemade reflex employment of a fifty, seventy-five and circuit, in which the Radio frequency transformers are wound at home. This calls for primary circuit wound around cutside the secondary, with a thickness of emplre cloth between the coils. What is empire cloth, and where could it be obtained? Have never found it in any catalogues. Would waxed paper do as

> A.—Any standard variometer will serve to use as a "split" connection which is accomplished in using stator and rotor as separate coils instead of in the usual series electrical connection.

> Empire cloth is an insulator and should be available through any dealer in elec-

SUPERTRON A GOOD TUBE

ALL TYPES \$4.00

Be Sure It's a Genuine Supertron VICTOR RADIO MFG. CO. New York City 32 Union Square

BUY NOW!

Send for our special offer to dealers

COMPLETE STOCK OF NATIONALLY KNOWN BRANDS

DEALERS!

 \overline{a} mannamannamasasaanamannamanahahahamanamanahama \overline{a}

Write for Discounts on

ACME COLUMBIA DAVEN **ERLA**

FEDERAL FROST PREMIER **SHAMROCK**

BARRET & PADEN **BREMER-TULLY**

and Other Standard Lines PRAIRIE STATE RADIO CO.

Chicago, Ill. 39 West Adams St.



The price is low because we ship

"knocked down."

No longer do you have to utilize the dining room table, or the sewing machine cabinet as a place to keep your radio set. The radio table illustrated is a real piece of furniture, beautifully finished in hand-rubbed mahogany; legs fitted with "domes of slionee." The top measurea 16x28 inches; the table is 31 inches high. Comes by porcel post, knocked down; a pair of pilers is the only tool needed to assemble. Send no money; we'll ship the table and you pay the postman. This table is guaranteed to satisfy you—or money will be refunded.

Our new booklet shows and describes many other styles of radio tables.

RADIO FURNITURE COMPANY SAINT LOUIS

trical supplies. Waxed paper could be substituted.

Soldering Joints

When making up a soldered joint there are four points to be remembered: The surface of the parts should be cleaned and polished; the surface should be kept at the right heat; soldering flux should be applied to the cleaned surface; the metal parts should be heated with the iron and just enough solder applied to cover the parts neatly. This is called tinning the surface and it makes the solder run freely.

Going Into the Radio Business? To Make Money

Send for our new Illustrated catalog, with bargain prices.

WHOLESALE ONLY MANHATTAN RADIO CO. 112 Trinity Place New York City

Our New 40-Page Catalogue

For Dealers and Set-builders. Standard Items at Extreme Discounts Write for it today.

The Roveraft 6. 217 SO. FIETH ST. MINNEAPOLIS .. DEPT. 10



FRESHMAN PLUNGER

106-7th Ave., New York

TYPE VARIABLE GRID LEAK was designed especially for the non-tech-nical set owner who can replace in an in-stant the fixed grid leak with this new, efficient cartridge type Variable Grid Leak : without requiring the

At your dealer or by mail post-paid. Write for free catalogue.

65c 106-7th Ave. New York

STAR-ITE CRYSTAL

Used as a detector with non-regenerative tube

used as a detector with non-regenerative tube sets, we have had a grest many letters from radio folks who seem to be of the impression that this is the—as yet unperfected—OSCIL-LATING CRYSTAL, of which so much has been sald in the radio press.

We have secured osciliation with crystals in a laboratory fashlon, but would not attempt to sell the STAR-ITE to take the place of amplifying tubes.

We do say that the STAR-ITE is the absolute pinnacle of perfection as a crystal to be used in a REFLEX Set, or a CRYSTAL Set, and as a detector in many nongenerative tube sets, and are giad to support our belief by making it extremely easy to try one for yourself.

As this crystsi is a new one put out by an old firm in the crystal business your dealer may not have it, but try to get him to order one for you, on our money back guarantee. If he does not wish to do so send us his name with a \$1.00 bill at our risk, and we will send you one with the understanding that you may return it, and we will refund you the \$1.00 at any time within 30 days. Gold Cat Whisker in Each Package



Radiophone Broadcasting Stations

Corrected Every Week-Part IV

FIND MISTAKES AND YOU'LL GET DOLLAR

NE DOLLAR will be paid to the Radiophan reader of Radio Digest submitting the most errors in any one station's listing in the Directory of Radiophone Stations, which appears in five parts, serially continuously, on the next to last page. Letters must reach Radio Digest's office not later than one week from date of issue corrected. Readers are not limited to correcting one station, but such corrections must be verified by the stations themselves, and NOT by comparison to other so-called accurate Radiocasting directories or lists. Turn in corrections for as many station as you can find-if you can find errors! Use separate sheet of paper for each station submitted and place name and address on each sheet. In case of tie, duplicate awards will be made.

(The following schedules complete the alphabetical station data list, Part III of which was given last

WNAO, Norman, Okia. 254 meters, 100 watts. Univ. of WNAP, Springfield, O. 275 meters. 100 watts. Wittenberg College. Announcer, Lester Crowl. College

berg College. Announcer, Lester Crowl. College sctivities.

WNAR, Butler, Mo. 231 meters. 20 watts. First Christian church. Sun, 11 am, 8 pm. Central.

WNAT, Philadelphia, Pa. 360 meters. 100 watts. Len-

WNAT, Philadelphia, Pa. 360 meters. 100 watts. Lennig Bros. Co.

WNAW, Fortress Monroe, Va. 360 meters. 5 watts. Henry Kunzmann. Daily ex Sun, 8-9 pm. Sun, 2-3 nm. Eastern.

WNAX, Yankton, S. D. 244 meters. 100 watts. Dakota Radio Apparatus Co. Daily, 11:30 am, reports; 4:30 pm, reports, music. Wed, Sat, 9-10 pm, music. Central.

WNYC, New York, N. Y. 526 meters, 1000 watts. New York Municipal Radio Station. Announcer, Thomas H. Cowan. Slogan, 'Municipal Broadcasting Station of the City of Greater New York.' Daily ex Sun, 7:30 pm, 10:30, police; 8:30, entertainment; 11, weather.

Eastern.

WNAL, Omaba, Nebr. 258 meters. 20 watts. Omaba Central High School. Daily ex Sat, 3 pm, organ. Mon. Tues, Thurs, 7:30-9 pm, music. Sat, 12 midnight program. Central.

WOAC, Lima, O. 266 meters. 50 watts. Page Organ Co. (H. P. Maus).

WOAE, Fremont, Neb. 280 meters. 15 watts. Midland

WOAE, Fremont, Neb. 200 meters. 15 watts. Entitled College.

WOAF, Tyler, Tex. 360 meters. 10 watts. The Tyler Commercial College. Daily ex Sat. Sun. 12 m. weather, markets; 12:40 pm, concert; 4:25, sports; 8 pm, weather, sports codes; 10:15. U.S. Navy press. Sun, 11 am, 7:30 pm, cburch services. Centrai.

weather, sports codes; 10:15, U.S. Navy press, Sun, 11 am, 7:30 pm, cburch services. Centrai.

WOAI, San Antonio, Tex. 385 meters. 500 watts. Southern Equip. Co. (Evening News-Express.) Announcer, J. G. Cummings. Daily ex Sun, 10:30 am, 12:15 pm, 3, markets; 7, sports, markets. Tues, 9:30-10:30 pm; Thurs, 7:30-8:30 pm, music; Sun, 11 am, church service; 9:30-10:30 pm, music. Centrai.

WOAN, Lawrenceburg, Tenn. 360 meters. 500 watts. James D. Vaughan.

WOAR, Kenosha, Wis. 229 meters. 50 watts. Henry P. Lundskow. Wed, 7 pm. Sun, 5 pm. Central.

WOAV, Erie, Pa. 242 meters. 50 watts. Pennsylvania National Guard. Announcer, Corp. Al. McDannel. Slogan, "Wayne Rangers. Club, Neversleep Club." Tues, 8:30 pm. Thurs, 3 pm. Sun, 9:30 pm, music. Sun, 1-4 am, Milkman's matinee. Sun, 10:30 am, 7:45 pm, church services. Eastern.

WOAW, Omaha, Neb. 526 meters, 500 watts. Woodmen of the World. Announcer, Gene Rouse. Słogan, "Gateway to the West and to the East." Mon, Tues, Thurs, Fri, Sat, 6-7:30 pm, 9-11, concert. Sun, 9-11 am, 6-7 pm, Bible hour; 9-11. Central.

WOAX, Trenton, N. J. 240 meters, 500 watts. F. J. Wolff. Mon, Tues, 9:15-11 pm, orchestra. Dally 11:15 am, 12:15 pm, weather, mid-weekly crop report. Eastern.

WOC, Davenport, Ia. 484 meters. 500 watts. Palmer

WOC, Davenport, Ia. 484 meters. 500 watts. Palmer School of Chiropractic. Announcer, Stanley W. Barnett. Slogan, "Where the West Begins and the State Where the Tall Corn Grows." Daily ex Sun, Tues where the Tall Corn Grows." Dally ex Sun, Tues night; 9 am, markets; 10 am, bousehold hints; 10:55, time; 11, weather; 12 m, chimes; 1 pm, markets; (Sat, 11:15), 5:45, chimes; 6:50, scores, weather. Mon, 10 pm, concert. Tues, 6:30 pm, sandman. Thurs, Sat, 9 pm, orchestra. Mon, Wed, Fri, 8 pm, music. Sun, 9 am, chimes; 1:30 pm, orchestra: 7:30, reports; 8, church services; 9:30, concert. Tues night silent.

Central.

Wol, Ames, Ia. 360 meters. 500 watts. Iowa State College. Announcer, H. B. Deal. Daily ex Sun, 9 am, 9:30, market, weather reports; 12:30 pm, market, weather, educational talks; 9:30, weather, music. Cen-

WOO, Philadelphia, Pa. 509 meters. 500 watts. John Wanamaker. Announcer, Jos. U. Nassau. Daily ex Sun. 11 am, organ recital; weather; 11:55, time; 12-1 pm,

concert; 5:15 pm, organ recital; 7:30, sports, pol-reports; 9:55, time; 9:02, weather. Mon, Wed, R 7:30-11 pm, music, concert. Sun, 2:30 pm, Sun-school; 6, organ; alternate am and pm servi s

school; 6, orgsn; alternate am and pm servis. Eastern.

WOQ, Kansas City, Mo. 360 meters. 500 watts. Unity School of Christianity. Announcer, Sam Adair.

WOR, Newark, N. J. 405 meters. 500 watts. L. Bamberger & Co. Announcer, J. M. Barnett. Daily ex Sun, 2:30-4 pm. Daily ex Sun, Wed, 6:15-7:30, music, talks. Wed, 6:15-7. Mon, Wed, Sat, 8-11 pm, music, entertainment, lectures. Eastern.

WOS, Jefferson City, Mo. 441 meters. 500 watts. Missouri State Marketing Bureau. Announcer, J. M. Witten. Slogsn, "Watch Our State." Daily ex Sun, first 15 min. of every hour from 9 am-2 pm, markets. Daily ex Sat, Sun, 5 pm, markets. Sun, 7:30-8:30 pm, church service. Central.

WPAB, State College, Pa. 283 meters. 500 watts. Pa. State College. Announcer, Gilbert L. Crosley.

WPAC, Okmuigee, Okla, 360 meters. 100 watts. Donaldson Radio Co.

WPAJ, New Haven, Conn. 268 meters. 100 watts. Dooilttle Radio Corp. Mon, Thurs, 8 pm. Sun, 11 am. Eastern.

Eastern.

WPAK, Fargo, N. D. 283 meters. 50 watts. N. D.
Agricultural College. Daily, 1 pm, weather. Mon,
Wed, Fri, 7:30 pm, talks. Central.

WPAR, Belott, Kans. 230 meters. 10 watts. Ward Battery & Radio Co. Discontinued temporarily.

WPAU, Moorhead, Minn. 286 meters. 10 watts. Concordia College. Anoouncer, G. Braatin.

WPAZ, Charleston, W. Va. 273 meters. 20 watts. West
Virginia Radio Sales Corp. Mon, Wed, Fri, 8-9 pm.
Eastern.

Eastern.

WQAA, Parkesburg, Pa. 360 meters. 500 watts. Horace A. Beale, Jr. Temporarily discontinued.

WQAC, Amarillo, Tex. 234 meters. 100 watts. E. B. Gish. Irregular schedule.

WQAE, Springfield, Vt. 275 meters. 50 watts. Moore Radio News Station. Slogan, "Among the Green Hills of Vermont." Sat. 7:30-8 pm, 11-1 am. Sun, 8:40-9:30 pm, address. Eastern.

WQAF, Sandusky, O. 240 meters. 5 watts. Sandusky Register. Announcer, Jack Vance. Daily, 10:30 pm, westher. Eastern.

WQAM, Miami, Fla. 283 meters. 100 watts. Electrical Equip. Co. Announcer, Frederick W. Mizer. Slogan, "It Is Alway June in Miami." The Most Southern Radiocasting Station in U. S. Daily ex Sun, 12 m, weather, news, music. Wed, 9-11 pm, orchestra. Sun, 9-11 pm, music. First Sun of each month, 7:30-8:30 pm, sacred concert. Eastern.

pm, sacred concert. Eastern.

WQAN, Scranton, Pa. 280 meters. 100 watts. Scranton
Times. Announcer, T. V. Neaion. Siogan, "The
Voice of the Anthracite." Daily ex Sun, 12:30-1 pm,

Times. Announcer, T. V. Neaion. Siogan, "The Voice of the Anthracite." Daily ex Sun, 12:30-1 pm, 4-4:30, 7:30-8, news, reports, music. Tues, Fri, 8 pm, entertainment. Eastern.

WQAO, New York City, N. Y. 360 meters. 100 watts. Calvary Baptist Church. Announcer, R. E. Bogardus, Sün, 11:30 am, 7:30 pm, church services. Eastern.

WQAS, Lowell, Mass. 266 meters, 100 watts. Prince-Walter Co. Daily ex Sun, 10:45-11 am, 2:30-3 pm, music. Mon, Wed, Fri, 6-7 pm, news, concert. Thrus, silent. Eastern.

WQAX, Peoria, Ill. 248 meters. 100 watts. Radio Equipment Co. Mon, Wed, Fri, 7:15-8 pm. Central.

WQJ, Chicago, Iil. 448 meters. 500 watts. Caiumet Baking Co.—Rainbo gardens. Announcer, Jerry Sullivan. Daily ex Sun, Mon, 7-8 pm, 10-2 am, music. Sun, 10:30 am, church service; 8-10 pm, music. Central.

WRAF, La Porte, Ind. 224 meters. 10 watts. Radio Club, Inc. Announcer, Charles Middleton. Mon, Thurs, Sun, 8:30 pm. Central.

WRAL, St. Croix Falls, Wis, 248 meters. 100 watts. Northern States Power Co. Mon, 8:30-10:30 pm. Tues, 9-11 pm. Second and last Fridays of each month, 8:30-10 pm. Central.

WRAM, Galesburg, Ill. 244 meters. 100 watts. Lombard College. Mon, Fri, 4:30-5:30 pm. Wed, 7:30-8:30 pm. Central.

WRAN, Waterloo, Ia, 236 meters. 10 watts. Black Hawk Electrical Co. Announcer, Hart Bowder. Slogan, "We

pm. Central.

WRAN, Waterloo, Ia. 236 meters. 10 watts. Black Hawk
Electrical Co. Announcer, Hart Bowder. Slogan, "We
Radiate All News." Daily ex Sun, 5-5:30 pm. Cen-

tral.

WRAO, St. Louis, Mo. 360 meters. 10 watts. St. Louis Radio Service Co. Mon, 7:30-9 pm, dance music. Sun, 3:30-5 pm, music. Central.

WRAV, Yellow Springs, O. 242 meters. 100 watts. Antioch Coilege. Announcer, Paul Niswonger. Wed, 8 pm. Sun, 7 pm. Central.

WRAW, Reading, Pa. 238 meters. 40 watts. Avenue Radio Shop. Announcer, C. M. Chafey. Thurs, 9:30-11 pm. Eastern. TI pm. Eastern.

WRAX, Gloucester City, N. J. 268 meters. 100 watts.

Flexon's Garage. Announcer, Anna D. Flexon. Mon, Wed, Fri, evenings, program. Eastern. WRBC, Valparaiso, Ind. 278 meters. 500 watts. Immanuel Lutheran Church. Announcer, Dale Clemmons. Slogan, "World Redeemed by Christ." Mon, 7:30 pm. Sun, 7:30, church service. Central. WRC, Washington, D. C, 469 meters. 500 watts. Radio

Corp'n of America. Announcer, Feland Gannon. Daily ex Sun, 6 pm, children's hour. Mon, Wed, Fri, 3-6:30 pm, music. Tues, Thurs, Sat, 5:15-11 pm, music.

Eastern.

WRK, Hamilton, O. 360 meters. 200 watts. Doron Bros.
Elec. Co. Slogan, "The Oldest Station in Existence."
Fri, 8:15 pm, music, lecture. Sun, 10:15 am, 7:30
pm, church services. Central.

WRL, Schenectady, N. Y. 360 meters. 500 watts. Union
College Radio club. Thurs, 8-9:30 pm, college festivities. Eastern.

ties. Eastern. WRM, Urbana, Ili. 360 meters. 500 watts. Univ. of Ili.

WRM, Ordana, In. 300 meters. 500 mates.

WRR, Dallas, Tex. 360 meters 45 watts. City of Dallas.

Announcer, C. H. Garrett. Dally ex Sun, 11:30-12:30 pm, weather, music; 2:45-3:30, sports, markets, news; music; 8-8:30 pm, music. Mon, Thurs, 9:30-10:30 pm, dance music. Sat, 12-2 am, organ. Sun, 11 am, 7:30 pm, church service. Central.

WRW, Tarrytown, N. Y. 273 meters. 500 watts. Tarrytown Radio Research Laboratory. Announcer, Frederick Koewig. Slogan, "Everything in Radio." Dally 10:30-11:30 am; 9 pm police reports. Mon, 7-8 pm.

Mon, Tues, Wed, Fri, Sat, 9-11:30 pm. Thurs, 8-9 pm; 10:30-11. Sun, 8-9 pm, services. Eastern. WSAB, Cape Girardeau, Mo. 360 meters. 100 watts. Southeast Mo. Stste Teachers College. Mon, Wed, 3:30 pm, lecture; 9, concerts. Central. WSAC, Clemson College, S. C. 360 meters. 500 watts. Clemson Agri. College. Announcer, H. E. Gaffney. Wed, 8 pm. Eastern. WSAO, Proidence, R. I. 261 meters. 100 watts. Fosters-Jewelers.

WSAI Cincinnati, O. 309 meters. 500 watts. United States Playing Card Co. Announcer, P. A. Green. Mon, 10-12 m. Tues, 7-10 pm. Thurs, 10-12 m. Sat, 8-10; 12-1:45 am. Sun, 3-4 pm. Central.

WSAJ, Grove City, Pa. 258 meters. 250 watts. Grove City College. Announcer, H. W. Harmon. College activities. Wed, 7:30-9 pm, music. Sat, football. Eastern.

WSAN, Allentown, Pa. 229 meters. 5 watts. Allentown Radio Club. Announcer, R. J. D. Hawes. Tues,

town Radio Club. Announcer, R. J. D. Hawes. Tues, Thurs, 8 pm. Eastern.

WSAP, New York, N. Y. 263 meters. 250 watts, City Temple. Announcer, L. K. Dickson. Thurs, 8-9:30 pm. Sat, 10:45-12 m. Sun, 7:30-9:30 pm. Eastern.

WSAR, Fall River, Mass. 254 meters. 100 watts. Doughty & Welch Elect. Co., Inc. Announcer, Charles McCarthy. Daily ex Sun, 12-1 pm. Mon, Thurs, 6-7 pm. Wed, 8-10 pm. Sun, 4:30-6 pm. Eastern.

WSAU, Chesham, N. H. 229 meters. 10 watts. Camp Marienfeld.

Marienfeld.

Marienfeld.

WSAZ, Pomeroy, Ohio. 258 meters. 50 watts. Cbase Elec. Shop. Announcer, Glenn E. Chase. Daily ex Sun, 5:30 pm, weather. Tues. Thurs, Sat, 5 pm, music. Central.

WSB, Atlanta, Ga. 429 meters. 500 watts. Atlanta Journal. Announcer, Lambdin Kay. Slogan, "The Voice of the South." Daily ex Sun, 12-1 pm, music, weather; 2:30, reports; 3:30, baseball; 5, orchestra; 5:30, bed-time story; 8-9, concert (ex Wed); 10:45-12, concert. Sun, 10:45-12:15 pm, 5-6, 7:30-9:15, church services. Central.

time story; 8-9, concert (ex Wed); 10:45-12, concert. Sun, 10:45-12:15 pm, 5-6, 7:30-9:15, church services. Central.

WSL, Utica, N. Y. 273 meters. 10 watts. J. & M. Elec. Co. Daily ex Sat, Sun, 11-11:30 sm, 5-6 pm, music, nevs. Mon, Wed, Sat, 8-9 pm. Sun, 10:30-12 m. 7:30-9 pm. Church services. Eastern.

WSOE, Milwaukee, Wis. 246 meters. 100 watts. School of Engineering of Milwaukee. Announcer, O. W. Meissner. Daily ex Sat, Sun, 9-10 am, lecture; 5:30-6:30 pm, concert. Mon, Fri, 9-12 mid, music. Tues, Thurs, Sat, 7:30-9 pm, music. Sun, 12:30-1:30 pm, concert; 7:30-8:30, services. Central.

WTAB, Fall River, Mass. 266 meters. 100 watts. Fall River Daily Herald. Tues, Thurs, Fri, 8-10 pm. Sat, 9-11 pm. Sun, 6 pm. Eastern.

WTAC, Johnstown, Pa. 275 meters. 150 watts. Penn. Traffic Co. Tues, Thurs, 7:30 pm. Eastern.

WTAF, New Orleans, La. 268 meters. 10 watts. Louis J. Gallo. Slogan, "The Bayou Station." Daily, 6:45-7 pm, police, baseball, weather, Tues, Sat, 9-10:30 pm; Thurs, 10:30-11:30 pm; Sun, 10-12 midnight, revue. Central

WTAJ, Portland, Me. 236 metera. 20 watts. The Radio Shop.

WTAL. Toledo. Ohio. 252 meters. 10 watts. Toledo

Radio Shop.

WTAL, Toledo, Ohio. 252 meters. 10 watts. Toledo Radio & Elec. Co. Slogan, "The Gateway to the Sea."

Daily, 1:10 pm, 7:15. Tues, Thurs, Sat, 8:30 pm.

WWAO, Philadelphia, Pa. 360 meters. 100 watts. Wright & Wright, Inc. Mon, 8 pm. Thurs, 8:30 pm.

WWAE, Joliet, Ili. Lawrence J. Crowley (Alamo Dance Hall). 242 meters. 500 watts.

WWI, Dearborn, Mich. 273 meters. 250 watts. Ford Motor Co. Wed. 8-10 pm, music, lectures. Eastern.

Motor Co. Wed. 8-10 pm, music, lectures. Eastern. WWJ, Detroit, Mich. 517 meters. 500 watts. The Detroit News. Announcer, E. L. Tyson. Daily ex Sun, 8-8:30 am, setting-up exercises; 9:30-9:45, household hints; 9:45-10:25, health talks; 10:25-10:30, weather; 11:55-12, time; 12:05-12:45 pm, music; 3:30-3:50, music; 3:50-4:15, markets; 5-6, sports. April 22, and every other week, 8:30-10 pm, concert. Sat, 7-8:30 pm, concert. Thurs, 10-12 pm, "midnight special;" Sun, Fill in weeks, 7-8:30 pm, concert; Sun, 11 am, 7:30 pm, church services; 2-4 pm, or 4-6, concert. Eastern.

WWL, New Orleans, La. 280 meters. 5 watts. Loy-ola Univ. Announcer, O. L. Abell. Sat, 8-9 pm. 2AB, Havana, Cuba. 240 meters. 20 watts. Alberto S.

de Bustamante.

2BD, Aberdeen, Scot. 495 meters, 1,500 watts. British Broadcasting Co. Daily ex Sun, 3:30-5:30 pm, concert; women's talk; 5:30-6, children's period; 6:40-6:55, 7-10:30, concert. Sun, 3-5 pm, concert; 5:30, children's hour; 8:30-10:15, concert. G. M. T. 2BE, Belfast, Ireland. 435 meters. British Broadcasting Co., Ltd. Announcer, W. T. Guthrie. Dally. 7-10:30 pm, music. Dally ex Mon, Sun, 4-5 pm. G. M. S. 2BY, Havana, Cuba. 300 meters. 100 watts. Electrical Company of Cuba.

20 W. Havana, Cuba. 300 meters. 100 watts. Pedro

Zayas.

2FC, Sydney, Australia. 1.100 meters. 5,000 watts.
Farmer & Co., Ltd. Daily ex Sun, 12:55 am, chimes;
12:58, time; 1 pm, markets; 3:30, chimes; 3:35, music;
4:45, weather, stocks, news; 6:30, chimes; 6:33, children's hour; 7, markets; 7:55, chimes; 8, music; 9, orchestra; 10, national anthem. 2HC, Havana, Cuba. 275 meters. 500 watts. Heraldo

2HS, Havana, Cuba. 180 meters. 20 watts. Julio 2JQ, Havana, Cuba. 150 meters. 10 watts. Paul Perez Falcon. 2KD, Havana, Cuba. 350 meters. 100 watts. E. Sanchez de Fuentes. 2KP, Havana, Cuba. 200 meters. 10 watts. Alvaro

2 KP, Havana, Cuba. 200 meters. 10 watts. Alvaro Daza.
2 LC, Havana, Cuba. 250 meters. 30 watts. Luis Casas. 2 LO, London, Eng. 365 meters. 1,500 watts. British Broadcasting Co. Daily, 10:20 am, time, music; 3:15-3:45 pm, 4-11. G. M. S. 2 MG. Havana, Cuba. 280 meters. 20 watts. Manuel Y. Guillermo Salas Music Store. Daily ex Sun, 3-4 pm, music; 10. Eastern.
20 K. Havana, Cuba. 360 meters. 100 watts. Mario Gareta Velez.
20 L. Havana, Cuba. 290 meters. 10 watts. Oscar Collado.
2 TW, Havana, Cuba. 230 meters, 20 watts. Roberto E. Ramirez.

Ramírez.

2WW. Havana, Cuba.

210 meters. 50 watts. Amadeo
Saenz de Caishorra.

2XO, Havana, Cuba.

345 meters. 50 watts. Dr. Ed-

usrdo Sanchez.

22Y, Manchester, Eng. 375 meters. British Broadcasting Co. Daily ex Sun, 3-3:25 pm, 3:30-4:30, 4:30-5, 5-6, 6:30-6:55, 7-11. G. M. T.

3NB, Tammerfors, Finland. 100 meters. 20 watts. 3NBA, Tammerfors, Finland. 100 meters. 20 watts. Amateur station.
3NBA, Tammerfors, Finland. 300 meters. 240 watts. Broadcasting station.
5EV, Colon, Cuba. 360 meters. 10 watts. Leopoid V. Figueroa. Sun, 9-11 pm. Eastern.
5IT, Birmingham, Eng. 475 meters. British Broadcasting Co. Daily ex Sun, 3:30-4:30 pm, 5-5:30, 5:30-6:30, 6:30-6:45, 7-11. G. M. T.
5NO, Newcastle, Eng. 400 meters. British Broadcasting Co. Daily ex Sun, 3:45 pm, 4:45, 5:15, 6-6:30, 6:30-6:35, 7-11. G. M. T.
5PY, Plymouth, Eng. 335 meters. 200 watts. British Broadcasting Co. Announcer, Henry Hudson. Daily ex Sun, 3:30-4:30 pm, orchestra; 5:30-6:30, children's hour. Mon, Wed, 7-11 pm. Tues, Thurs, Fri, 7-10:30 pm. Sat, 7-12. Sun, 3-5:30 pm; 8-10:30. G. M. T.

MAL, 101600, Ohlo. 252 meters. 10 watts. Toledo Radio & Elec. Co. Slogan, "The Gateway to the Sar, Dally, 1:10 pm, 7:15. Tues, Thurs, Sat, 8:30 pm. Eastern. WTAM, Cleveland, Ohlo. 390 meters. 1,000 watts. Williard Storage Battery Co. Announcer, A. R. Herske, Slogan, "The Voice from the Storage Battery," Mon, 8:10 pm, concert. Wed, 8:11 pm, concert. Sat, 9:11 pm, oncoret. Sat, 9:11 pm, 0:15 pm, 0

7BY, Camaguey, Cuba. 350 meters. 500 watts. Salvador Rionda Rionda.
7SR, Elia, Cuba. 309 meters. 250 watts. Salvador C.
Riondo. Slogan, "Cuba, the Land of Sunshine, Sugar
and Tobacco." Mon, Tues, Thurs, 9 pm. Eastern.
8AZ, Santiago, Cuba. 240 meters. 20 watts. Alfredo 8BY, Santiago, Cuba. 200 meters. 20 watts. Alberto

RAVEIO.

80 W, Santiago, Cuba. 275 meters. 15 watts. Pedro C, Andux. Daily, 4:30-8:30 pm, 10:30-12.

8EV, Santiago, Cuba. 180 meters. 75 watts. Eduardo Mateos.

8FU, Santiago, Cuba. 225 meters. 15 watts. Andres 8GT, Santiago, Cuba. 260 meters. 50 watts. 'Juan F.

(The fifth part of the directory, to appear next week, provides a state-city index to stations.)

Chibas.

ADVANCE PROGRAMS

(Continued from page 18)

WCAY, Milwaukee, Wis. (Central, 266), 8 p. m., Oswald Jaeger night; Beecher Burton, tenor; Morrie Kippen, vlollnist; Hanoah Brosstern, pianist; Anthony Olinger,

Jaeger night; Beecher Burton, tenor; Morrie Kippen, violinist; Hanoah Brosstern, pianist; Anthony Olinger, baritone.

WDAF, Kansas City, Mo. (Central, 411), 3:30-4:30 p. m., the Star's string trio; 6-7, school of the air, plano tuning-in number on the Duo-Art; address, speaker from the Kansas City Children's bureau; 8-9:30, the Star's Radio orchestra and the WDAF minstrels; 11:45-1 a. m., Nighthawk frolic, the "Merry Old Chief" and the Plantation players.

WDAR, Philadelphia, Pa. (Eastern, 395), 11:45 a. m., daily almanac; 12:02 p. m., Stanley theater organ recital, Arcadia cafe concert orchestra; Feri Sarkozi, director; 2, Arcadia cafe concert orchestra; Paylet, members National School of Oratory and elocution; 7:30, Dream Daddy's bedtlime stories; 8, "Turning the Pages," talk by Arnold Abbott; 10:05, Arcadia cafe dance orchestra; Morning Glory club program with featurea from local theater; songs by Carl Zoehrns and Lou Hersher.

WEBH, Chicago, III. (Central, 370), 7-8 p. m., Frank Bordner, baritone; Oriole orchestra; 9-10, Frederick Agard, tenor; Oriole orchestra; Rita McFawn, soprano; musical bits, Riviera theater; 11-12, Winter Garden four; Sandy Meek, tenor; Oriole orchestra.

WEEL, Boston, Mass. (Eastern, 303), 6:30 p. m., Dok-Eisenbourg and his Sinfonians; 7, Boston Edison Big Brother club; 7:30, musicale; 7:45, Thomas Connoly, baritone; 8, musicale; 8:30, Jean Livingston Sherburne, soprano; 9, program from WEAF.

WFAA, Oallas; Tex. (Central, 476), 12:30-1 p. m., address, Dr. Robert Stewart Hyer; 8:30-9:30, entertainment, Kerens.

WFI, Philadelphia, Pa. (Eastern, 395), 1 p. m., Meyer Davis Bellevue Stratford concert orchestra; 3, report,

closing prices, Chicago grain market; 3:05, Caroline Hoffman, pianist; 6:30, Meyer Davis Believue Stratford concert orchestra; 7, Sunny Jim, the kiddies' pal. WGR, Buffalo, N. Y. (Eastern, 319), 12:30-1 p. m., George Albert Bouchard, organist; 2:30, Buffalo Courier and Enquirier musical program; 6:30, dinner music, the Vincent Lopez Hotel Statler dance orchestra, Harold Gieser, directing; 9-11, concert, the Niagara Battery corporation, C. S. Bettinger, directing; 11:30, super-dance music, the Vincont Lopez Hotel Statler dance orchestra, Harold Gieser, directing.

WGY, Schenoctady, N. Y. (Eastern, 380), 2 p. m., "Home Lighting Effects," Walter A. Bowe; 7:45, WGY orchestra; travelogue, Dr. Sigel Roush; 10:30, WGY orchestra; Welch singers, William James, tenor; Radiologue, Charles M. Ripley; Rowland James, barl-

WHAS, Louisville, Ky. (Central, 400), 4-5 p. m., Alamo theater orchestra; 7:30-9, concert, auspices Evansville colicge, Herbert E. Heldecker.

WHK, Cleveland, Ohio (Eastern, 283), 6 p. m., Ponce de Leon orchestra, Herbert Hayward, director, Grebe's Hanna restaurant; sports, news; 8, musical and educational forum; WHK-Bellhops orchestra, Dean Smith, director; popular entertainers. WHO, Des Moines, Ia. (Central, 526), 7:30-9 p. m.,
"Movie Chats," Dorothy Day; Mrs. William H.
Bottcher, soprano; A. E. Love, fiddler; Gail Elder
James, reader; the Williamson brothers.

James, reader; the Williamson brothers.

WIP, Philadelphia, Pa. (Eastern, 509), 1 p. m.,
Glimhel tea room orchestra; 3, recital, James V.
Loughran; 6:05, Jordan-Lewis dance orchestra, direction Bob Lewis; 7, Uncle Wip's bedtime storics.

WMAQ, Chicago, Ill., (Central, 447.5), 12:25 p. m.,
Y. M. C. A. forum; 4, talk on English diction,
Mrs. Alexandra Cariisle Jenkins; 4:30, pupils of
Bush conservatory; 6, organ recital, Chicago theater;
6:30, Hotel La Salle orchestra: 8, weekly wide
awake club program, Mrs. Frances M. Ford; 8:30,
musical geography, Mr, and Mrs. Marx E. Obern-

dorfer; 9, Christian Endeavor topics; 9:15, Hyde Park girls giee club,

WMC, Memphis, Tenn. (Central, 500), 12:30 p. m., Skyline serenaders; 8:30, Britling's Cafeteria orchestra, Prof. Chin-Chin, director; 11, midnight frolic.

WOAW, Omaha, Nebr. (Central, 526), 6 p. m., story hour, Doris Claire Secord; 6:30, dinner program, Moguls, A. B. Mixson, manager; 9, community program from Henderson; Wheeler's orchestra; Mrs. Lawrence Taylor mezzo-soprano; quartet: Mrs. Claude E. gram from Henderson; Wheeler's orchestra; Mrs. Lawrence Taylor, mezzo-soprano; quartet; Mrs. Ciaude E. Wilson, accompanist; Mrs. C. H. Amick, reader; Donald Anderson, tenor; Irolene Bass, accompanist; Margaret Spellbring, planist; Mrs. John Thorsen, Jr., soprano; Faith Dunn, accompanist; George McDermott, trombonist; Mrs. June Fickel, soprano; H. H. Lisle, tenor; planologue, Mrs. C. H. Amick; Claude E. Wilson, tenor; Mrs. Charles Gipe, planist; 10:30, King Arthur and his Knights of the Round Table, Randail's Royal orchestra.

WOO, Philadelphia, Pa., (Eastern, 509), 11 a. m., organ recital, Mary E. Vogt; 12:02 p. m., Wanamaker crystal tea room orchestra, Robert E. Golden, director; 5:10, sports results and police reports, 5:15, Mary E. Vogt; organist; 7:30, A. Candelori and his intionate concert from studio in Fox theater; 10:03,

Hotel Adelphia orchestra; 8:20, Erno Rapee and his intionate concert from studio in Fox theater; 10:03, organ recltal, Mary E. Vogt; 10:30, Vincent Rizzo and his Hotel Sylvania dance orchestra.

WQJ, Chicago, III., (Central, 448), 11-12 m., Fred Mann and His Sunday dinner menu; 3-4 p. m., talk, Sarah Place; "A Trip to the Mardi Gras at New Orleans," Mrs. Harry T. Sanger; 7-8, dinner concert, Ralph Williams and his Rainbo Garden orchestra; Ingram Cleycland, violinist; James J. Whalen, tenor; Edith Sackett, accompanist; Fred Jaconson, monologues; 10-2, Ralph Williams and His Rainbo Skylarks; Paul Lougher, tenor; Nubs Allen, contralto; Lew Butler; Langdon Brothers.

WRC, Washington, D. C., (Eastern, 469), 3 p. m., fashlon developments of the moment, Women's Wear; 3:10, songs; 3:20, "Beauty and Personality," Elslo

Pierce; 3:25, current topics, editor of The Review of Reviews; 3:35, piano; 3:50, Magazine of Wall street; 4, songs; 6, stories for children, Peggy Albion.

WSB, Atlanta, Ga. (Central, 429), 12 m., Bernard and Robinson; 5-6 p. m., Bonnie Barnhardt's bedtime story; 8-9, Kimo Kalohis Honolulu maids; 10:45, Radiowl entertainment.

WTAM, Cleveland, Ohio, (Eastern, 390), 6 p. m., Guy Lombardo's Royal Canadians, orchestra.

Switch Points

Common brass upholstering tacks make good switch points when used on wood panels It saves time as you do not have to drill the panel, because you can hammer the tacks in the wood panel. If one tack should be misplaced it can easily be moved to another location. If the tacks should be placed too far apart so that the switch arm goes between, you do not have to raise it with your fingers because it raises itself on the curved part of the tack .- Fred Boelter, Minneapolis, Minn.

Crystals as Detectors

Crystal detectors are the simplest of all Radio detectors used at the present time. The receiving range is limited, except when used in conjunction with an audion bulb in the reflex circuits.



Eveready Radio Batteries for Every Radio Use

Each one supremely economical and efficient for the use for which it is designed—each one made under the supervision of the world's greatest electro-chemical battery laboratory

Eveready "B" Batteries

There are Eveready Batteries for portable sets where small size and light weight are more important than long life. There are Eveready medium size batteries that come between the small and the large sizes. There are Eveready large size "B" Batteries that afford maximum economy and reliability of service when used with average one, two, three or four tube sets. And now there is a newer Eveready heavy duty, extra large size "B" Battery that gives similar economy to owners of multi-tube heavy drain sets and power amplifiers.

economy, buy Evereadys, choosing the large sizes (Nos. 766, 767, 772) for average home sets, and the heavy duty, extra large (No. 770) for multi-tube heavy drain receiving sets and power amplifiers. For portable sets choose the Eveready No. 764 medium size, unless space is very limited, in which case choose the Eveready No. 763 small size "B" Battery.

Eveready "C" Batteries

Eveready makes a long-lasting "C" Battery with terminals at 1 1-2, 3 and 4 1-2 volts. May

For maximum "B" Battery also be used as an "A" Battery onomy, buy Evereadys, choos- in portable sets.

Eveready "A" Batteries

Eveready offers you "A" Batteries for all tubes, both storage and dry cell. For storage battery tubes, use the Eveready Storage "A." For dry cell tubes, use the Eveready Dry Cell Radio "A" Battery, especially built for radio use.

Manufactured and guaranteed by

NATIONAL CARBON COMPANY, Inc.

Headquarters for Radio Battery Information

New York

San Francisco

Canadian National Carbon Co., Ltd., Toronto, Ontario

- The state of the

BUY THEM FROM YOUR DEALER