

BYTE

\$3.50
JULY 1984 VOL. 9, NO. 7

\$4.25 IN CANADA / £2.10 IN U.K.
A MCGRAW-HILL PUBLICATION
0360-5280

THE SMALL SYSTEMS JOURNAL

COMPUTERS
AND
VIDEO





Announcing a small imp

It's 12" x 11 1/4" x 2 1/4!"
 It weighs less than 8 pounds.*
 And costs less than \$1,300.**
 Yet with 128K, the new Apple[®] IIc Personal Computer is a lot bigger than it looks.

The IIc has a full-size keyboard.



Because it's inherited all the talents of the eminently talented Apple IIe: The versatility to run over 10,000 different software programs.

The ironclad reliability of the first true VLSI motherboard. And the artistic ability of 16 high-resolution colors.

The IIc also has some talents of its very own.

For instance, a switchable 80/40-character display.

Switchable QWERTY/Dvorak keyboard.


A built-in half-high 143K single-sided disk drive.

Built-in serial ports for modems, printers and an extra half-high drive.

Even built-in mousetronics so it's ready to use a mouse and all the new Apple II mouseware.

And our newest brainchild is certainly not an orphan.

You can grow it with a whole family of Apple II accessories and peripherals.



Thin, isn't it? Even with its built-in disk drive.



Improvement on the Apple IIe.

Including the new Apple Scribe—Apple's first full-color print-on-anything printer for under \$300, it can handle anything from business graphics to term papers.

The IIc's father, of course, is the granddaddy of the whole personal computer industry, the Apple IIe. Which, lest we forget, has quite a few improvements of its own this year.

The IIe can now use our ProFile™ hard disk—so it can store about 2400

pages of anything you'd like to remember.

And the Apple IIe is still the most expandable personal computer there is.



Built-in ports for making all the right connections.

You can increase its RAM to an elephantine 512K. Add a Z-80 card to run CP/M.™

In fact, you can grow it with enough cards and peripherals to run just about any family business. Like Saudi Arabia.

So you see, the only question is whether you need an expandable Apple II. As in IIe.


Or a compact Apple II. As in IIc. Just visit your friendly authorized Apple dealer.

And tell them what size improvement you'd like.



* Don't asterisks make you suspicious as all get-out? Well, all this one means is that the IIc CP/M alone weighs 7.5 pounds. The power pack, monitor, an extra disk drive, a printer and several bricks will make the IIe weigh more. Our lawyers were concerned that you might not be able to figure this one out for yourself! ** The FTC is concerned about price-fixing. So this is only a Suggested Retail Price. You can pay more if you really want to. Or less. © 1984 Apple Computer, Inc. Apple, the Apple logo and ProFile are trademarks of Apple Computer, Inc. CP/M is a trademark of Digital Research Inc. For an authorized Apple dealer nearest you, call (800) 538-9696. In Canada, call (800) 268-7796 or (800) 268-7637.



CONTENTS



121



125



FEATURES

- INTRODUCTION** 119
- SYMPHONY: A FULL-ORCHESTRA VERSION OF LOTUS 1-2-3**
by *Rik Jadrnicek* 121
Word processing and communications add to the power of this integrated program.
- CIARCIA'S CIRCUIT CELLAR: A MUSICAL TELEPHONE BELL**
by *Steve Ciarcia* 125
Steve's latest project can help you personalize the sound of your telephone and, in the process, learn about the telephone system.
- THE WEST COAST FAIRE** by *Jerry Pournelle* 136
The lord of the manor visits his favorite computer show.
- AN ADA LANGUAGE PRIMER, PART 2: TOOL BUILDING IN ADA**
by *Sabina H. Saib* 139
The primer concludes with an exploration of more advanced programming techniques and a look at Janus Ada for microcomputers.
- KERMIT: A FILE-TRANSFER PROTOCOL FOR UNIVERSITIES, PART 2: STATES AND TRANSITIONS, HEURISTIC RULES, AND EXAMPLES**
by *Frank da Cruz and Bill Catchings* 143
This method works on both microcomputers and mainframes.


THEME: VIDEO

- INTRODUCTION** 149
- ELECTRONIC ENCYCLOPEDIAS** by *Peter R. Cook* 151
Interactive video technologies help explore "the realm of worthwhile knowledge."
- TELEVISIONS AS MONITORS** by *Ken Coach* 171
There's a new generation of TV receivers that double as computer displays.
- COMPUTER CONTROL OF A VIDEO RECORDER** by *Cy Tymony* 179
You can extend the capabilities of your VCR with any sound-generating computer.
- VIDEODISCS AND COMPUTERS** by *Stan Jarvis* 187
Hardware, formats, and interfacing are discussed.
- CONTROLLING VIDEODISCS WITH MICROS**
by *Rod Daynes and Steve Holder* 207
Tips on getting started and a generic BASIC program for the Sony SMC-70 are presented.

REVIEWS

- REVIEWER'S NOTEBOOK** 233
- THE SAGE II AND SAGE IV COMPUTERS** by *Allen Munro* 235
Driven by the 32-/16-bit MC68000 chip, the Sage computers display the power of the p-System.
- THE COMPAQ PLUS** by *Mark Dahmke* 247
A key feature of this transportable computer is its shock-mounted, 10-megabyte fixed disk.
- XENIX FOR THE IBM PC XT**
by *Steven H. Barry and Randall Jacobson* 255
Sritek offers a 68000-based multiuser system.

BYTE July



TURBO PASCAL *by Tom Wadlow* 267
 Borland International's new Pascal compiler is available in CP/M and PC-DOS versions.

LISP FOR THE IBM PERSONAL COMPUTER
by Jordan Bortz and John Diamant 281
 Integral Quality's IQLISP is compared with muLISP from The Soft Warehouse.

THE SMITH-CORONA L-1000 PRINTER
by Richard S. Shuford 293
 This daisy-wheel unit is appropriate for light-duty word processing or high-quality program listings.

REVIEW FEEDBACK 301
 Readers react to previous reviews.

KERNEL

INTRODUCTION 303

COMPUTING AT CHAOS MANOR: THE AT&T COMPUTERS
by Jerry Pournelle 305
 The good doctor applauds the 3B2/300 and goes on to critique a plethora of products.

CHAOS MANOR MAIL 328
 Jerry's readers write, and he replies.

BYTE WEST COAST: TRENDS IN TELECOMMUNICATIONS
by John Markoff 341
 On-line search software and faster modems help personal computer users access specialized information on large databases.

BYTE JAPAN: START-UP *by William Raike* 361
 BYTE's Tokyo correspondent reports on Seiko's wrist computer, the Akihabara district, and other news from across the Pacific.

MATHEMATICAL RECREATIONS: INVARIANCE
by Michael W. Ecker 365
 Several number tricks are based on this principle.



44

EDITORIAL: PATRONIZING THE NAIVE USER 6

MICROBYTES 9

LETTERS 14

UPDATE 33

WHAT'S NEW 44, 410

ASK BYTE 54

CLUBS AND NEWSLETTERS 69

BOOK REVIEWS 73

EVENT QUEUE 94

BYTE'S BUGS 112

BYTE'S BITS 114

BOOKS RECEIVED 406

UNCLASSIFIED ADS 461

BYTE'S ONGOING MONITOR BOX, BOMB RESULTS 462

READER SERVICE 463



247

MicroTime



1-800-MICRO 84

IBM® COMPATIBLE

NEW PC NEW



ZENITH

DESKTOP PC-150
PORTABLE PC-160

FREE ON-SITE SERVICE
SET-UP ASSISTANCE

LOWEST PRICES

COLUMBIA • BENCHMARK
AMDEK • ZENITH • HAYES
HOUSTON INSTRUMENTS
OKI • GEMINI • NEC • TTX
DATASOUTH • BROTHER
SILVER REED • DTC

PHONE SUPPORT

SYSTEM INTEGRATION
SOFTWARE SUPPORT
SET-UP ASSISTANCE
MODEM TEST LINE

IBM-APPLE ADD-ONS

KOALA • ORANGE • TITAN
QUADRAM • TECMAR

800-642-7684
OPEN SATURDAY

411 West Grant Road
Tucson, Arizona 85705



EDITOR-IN-CHIEF
PHILIP LEMMONS

MANAGING EDITOR
GENE SMARTE

CONSULTING EDITORS
STEVE GIARCIA
JERRY POURNELLE

SENIOR TECHNICAL EDITORS
RICHARD MALLOY, *Reviews*
G. MICHAEL VOSE, *Features*
GREGG WILLIAMS

TECHNICAL EDITORS
THOMAS R. CLUNE
GLENN HARTWIG
RICHARD KRAJEWSKI
ARTHUR A. LITTLE
BRUCE ROBERTS
KEN SHELDON
RICHARD S. SHUFORD
JANE MORRILL TAZELAAR
STANLEY WIZOLA
MARGARET COOK GURNEY, *Associate*
ALAN EASTON, *Drafting*

WEST COAST EDITORS
EZRA SHAPIRO, *Bureau Chief, San Francisco*
JOHN MARKOFF, *Senior Technical Editor, Palo Alto*
DONNA OSGOOD, *Associate Editor, San Francisco*

MANAGING EDITOR, USER NEWS
GEORGE BOND

USER NEWS EDITORS
ANTHONY J. LOCKWOOD, *What's New*
MARK WELCH, *Microbytes*

CONTRIBUTING EDITORS
DENNIS ALLISON, *at large*
MARK DAHMKE, *video, operating systems*
MICHAEL ECKER, *mathematical recreations*
RIK JADRNICEK, *CAD, graphics, spreadsheets*
MARK KLEIN, *communications*
ALAN MILLER, *languages and engineering*
DICK POUNTAIN, *U.K.*
WILLIAM RAIKE, *Japan*
PERRY SAIDMAN, *computers and law*
ROBERT STERNE, *computers and law*
BRUCE WEBSTER, *software*
RICHARD WILLIS, *at large*

COPY EDITORS
ELIZABETH R. COOPER, *Chief*
DENNIS BARKER
ANNE L. FISCHER
NANCY HAYES
PAULA NOONAN
JOAN V. ROY
BUD SADLER
WARREN WILLIAMSON

ASSISTANTS
PEGGY DUNHAM
MARTHA HICKS
FAITH KLUNTZ
BEVERLY JACKSON
LISA JO STEINER

ART DIRECTOR
ROSSLYN A. FRICK

PRODUCTION
DAVID R. ANDERSON, *Associate Director*
VIRGINIA REARDON, *Production Manager*
MICHAEL J. LONSKY
JAN MULLER
SHERRY MCCARTHY, *Chief Typographer*
NAN FORNAL
LEN LORETTE
VALERIE PAGE
DONNA SWEENEY

Editorial and Business Office: 70 Main Street, Peterborough, New Hampshire 03458. (603) 924-9281
West Coast Offices: McGraw-Hill, 425 Battery St., San Francisco, CA 94111. (415) 362-6000.
McGraw-Hill, 1000 Ellwell Court, Palo Alto, CA 94303. (415) 964-0624.

Officers of McGraw-Hill Publications Company: President: John G. Wrede. Executive Vice Presidents: Paul F. McPherson, Operations; Walter D. Serwatka, Finance & Services; Senior Vice President: Editorial: Ralph R. Schulz. Senior Vice President: Publishers: Harry L. Brown, David J. McGrath, James R. Pierce, Gene W. Simpson, John E. Slater. Vice President: Publishers: Charlton H. Calhoun III, Richard H. Larsen, John W. Patten. Vice Presidents: Kemp Anderson, Business Systems Development; Shel F. Asen, Manufacturing; John A. Bunyan, Electronic Information Services; George R. Elsing, Circulation; Michael K. Hehir, Controller; Eric B. Herr, Planning and Development; H. John Sweger, Jr., Marketing; Virginia L. Williamson, Business Development.

Officers of the Corporation: Harold W. McGraw, Jr., Chairman; Joseph L. Dionne, President and Chief Executive Officer; Robert N. Landes, Senior Vice President and Secretary; Ralph J. Webb, Treasurer.

BYTE is published monthly by McGraw-Hill Inc. Founder: James H. McGraw (1860-1948). Executive, editorial, circulation, and advertising offices: 70 Main St., Peterborough, NH 03458, phone (603) 924-9281. Office hours: Mon-Thur 8:30 AM - 4:30 PM, Friday 8:30 AM - 1:00 PM, Eastern Time. Address subscriptions to BYTE Subscriptions, POB 590, Martinsville, NJ 08836. Postmaster: send address changes, USPS Form 3579, undeliverable copies, and fulfillment questions to BYTE Subscriptions, POB 596, Martinsville, NJ 08836. Second-class postage paid at Peterborough, NH 03458 and additional mailing offices. USPS Publication No. 528890 ISSN 0360-5280. Postage paid at Winnipeg, Manitoba, Registration number 9321. Subscriptions are \$21 for one year, \$38 for two years, and \$55 for three years in the USA and its possessions, in Canada and Mexico, \$23 for one year, \$42 for two years, \$61 for three years, \$69 for one year air delivery to Europe, 17,100 yen for one year surface delivery to Japan, \$37 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the USA and its possessions, \$4.25 in Canada and Mexico, \$4.50 in Europe, and \$5 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue. Printed in the United States of America.

Address all editorial correspondence to the Editor, BYTE, POB 372, Hancock, NH 03449. Unacceptable manuscripts will be returned if accompanied by sufficient first-class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE.

Copyright © 1984 by McGraw-Hill Inc. All rights reserved. Trademark registered in the United States Patent and Trademark Office. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 29 Congress St., Salem, MA 01970. Specify ISSN 0360-5280/83 \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill Inc. is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London WC1R 4EJ England. Subscription questions or problems should be addressed to: BYTE Subscriber Service, POB 328, Hancock, NH 03449.

PUBLISHER
GENE W. SIMPSON

ASSOCIATE PUBLISHER/PRODUCTION DIRECTOR
JOHN E. HAYES

PUBLISHER'S ASSISTANT
DORIS R. GAMBLE

ADVERTISING SALES
J. PETER HUESTIS, *Sales Manager*
SANDRA FOSTER, *Administrative Assistant*

ADVERTISING
DEBORAH PORTER, *Supervisor*
MARION CARLSON
JEANNE CILLEY
CATHY A. R. DREW
ROB HANNINGS
JEANNA REENSTIERN
LISA WOZMAK
WAI CHIU LI, *Quality Control Manager*
LINDA J. SWEENEY, *Advertising/Production Coordinator*
JULIE NELSON

CIRCULATION
GREGORY SPITZFADEN, *Director*
ANDREW JACKSON, *Subscriptions Manager*
BARBARA VARNUM, *Assistant Manager*
PHIL DECHERT
MARY EMERSON
LOUISE MENEGUS
AGNES E. PERRY
JENNIFER PRICE
JANE VARNUM
JAMES BINGHAM, *Single-Copy Sales Manager*
LINDA TURNER, *Assistant Manager*
CAROL AHO
CLAUDETTE CARSWELL
EDSON WARE

MARKETING COMMUNICATIONS
HORACE T. HOWLAND, *Director*
DOUG WEBSTER, *Director of Public Relations*
VICKI REYNOLDS, *Marketing Associate*
NANCY GIACALONE, *Assistant*
STEPHANIE WARNEKY, *Graphic Arts Supervisor*
SHARON PRICE, *Graphic Arts Designer*
MICHELE P. VERVILLE, *Research Manager*
PATRICIA AKERLEY, *Market Research Analyst*
CYNTHIA DAMATO, *Reader Service Coordinator*

ACCOUNTING
DANIEL RODRIGUES, *Business Manager/Controller*
KENNETH A. KING, *Assistant Controller*
MARY E. FUJHR, *Accounting & D/P Manager*
KAREN BURGESS
PATRICIA BURKE
LYDA CLARK
DIANE HENRY
VERN ROCKWELL
LINDA SHORT
JOANN WALTER
VICKI WESTON

TRAFFIC
N. SCOTT GAGNON, *Manager*
ANTHONY BENNETT
BRIAN HIGGINS

RECEPTIONISTS
L. RYAN MCCOMBS
JULIE FERRY

PERSONNEL/OFFICE MANAGER
CHERYL A. HURD



68000-based systems. Just tell us what you need.

68000-based systems to fit your application.

Right from the pages of our catalog, we can deliver 68000-based supermicro systems to match virtually any application.

Including yours.
Here's how.

Built on the IEEE-696 (S-100) bus, Cromemco systems offer up to 21 board slots. And a family of 35 boards — CPU, memory and specialized I/O — to fill the slots any way you choose.

At the heart of each system is our 68000/Z-80 dual processor. Backed by as much as 16 Mb of error-correcting RAM. Full multi-tasking capability. I/O to handle up to 16 terminals.

And that's just the beginning. You can select single or dual floppies, 5¼" or 8". A 21 Mb 5¼" Winchester hard disk. And a nine-track tape drive.

We can accommodate your taste for the exotic, too. With boards like our SMD interface that supports up to 1200 Mb of disk storage. An NTSC standard color graphics interface. A TV camera digitizer. A/D and D/A converters. An IEEE-488 bus interface. Communications. And more.

Intelligent workstations.

Then, if you're designing a distributed processing system, you'll want to take a look at our C-10 personal computer. The Z-80-based C-10 can serve our 68000-based systems

as a powerful intelligent workstation in a distributed processing mode. Or as an independent personal computer with its own floppy storage.

High-level languages and applications software.

That brings us to software. It starts with CROMIX®, our UNIX™-like operating system that you're free to tailor to your application.

CROMIX can execute both 68000- and Z-80-based programs. So right along with your 68000-based packages, your system will accommodate a wide selection of CP/M® software written for the Z-80.

And our high-level language support is second to none. From a 68000 Macro Assembler. To 68000 FORTRAN 77, PASCAL, GSA-certified high-level COBOL, C and BASIC.

Cromemco means business. Your business.

You see, when we say, "Just tell us what you need," we're not kidding.

You won't find another family of 68000-based microcomputers that can fit your needs as exactly as ours.

So if you're in the business of providing specialized computing solutions, you really should be doing business with Cromemco.


For a copy of our Systems Catalog, contact: Cromemco, Inc., 280 Bernardo Avenue, P.O. Box 7400, Mountain View, CA 94039. (415) 964-7400.

In Europe: Cromemco/GmbH, 6236 Eschborne 1, Frankfurter Str. 33-35, P.O. 5267, Frankfurt Main, Germany or Cromemco Ltd., The Cambridge House, 178-182 Upper Richmond Rd., Putney, London SW15 England.

Cromemco®

©Cromemco and CROMIX are registered trademarks of Cromemco, Inc. UNIX is a trademark of Bell Laboratories. CP/M is a registered trademark of Digital Research. ©1983, Cromemco, Inc.

Circle 93 on inquiry card.



SEEQUA SHOWS YOU HOW TO GET AN IBM PC FOR JUST \$1995.

BUY A CHAMELEON BY SEEQUA.



The Chameleon by Seequa does everything an IBM PC does. For about \$2000 less than an IBM.

The Chameleon lets you run popular IBM software like Lotus® 1-2-3™ and dBase II.® It has a full 83 key keyboard just like an IBM. A disk drive like the IBM. And a bright 80 × 25 character screen just like an IBM.

But it's not just the Chameleon's similarities to the IBM that should interest you. Its advantages should, too. The Chameleon also has

an 8 bit micro-processor that lets you run any of the thousands of CP/M-80® programs available. It comes complete with two of the best programs around, Perfect Writer™ and Perfect Calc.™ It's portable. And you can plug it in and start computing the moment you unwrap it.

So if you've been interested in an IBM personal computer, now you know where you can get one for \$1995. Wherever they sell Chameleons.

The Chameleon by



SEEQUA
COMPUTER
CORPORATION

8305 Telegraph Road
Odenton, MD 21113

Chameleon shown with optional second disk drive.

To learn more about Seequa or for the location of the Seequa dealer nearest you, call (800) 638-6066 or (301) 672-3600.

IBM is a registered trademark of International Business Machines Corporation.

Circuit-Board-Design Without the Tedium

smARTWORK™ lets the design engineer create and revise printed-circuit-board artwork on the IBM Personal Computer.

Forget tape. Forget ruling. Forget waiting for a technician, draftsman, or the CAD department to get to your project. smARTWORK™ software turns your IBM Personal Computer into a professional, high-quality drafting tool. It gives you complete control over your circuit-board artwork — from start to finish.




smARTWORK™ transforms your IBM PC into a CAD system for printed-circuit-board artwork. Display modes include both single-layer black and white and dual-layer color.


What makes smARTWORK™ so smart is that it understands electrical connections. Conductor spacing is always correct, lines don't become too narrow, and connecting lines do not intersect other conductors. smARTWORK™ can automatically find and draw the shortest route between two conductors. Or you can specify the route.

smARTWORK™ is the only low-cost printed-circuit-board artwork editor with all these important advantages:

- Complete interactive control over placement and routing
- Quick correction and revision
- Production-quality 2X artwork from pen-and-ink plotter
- Prototype-quality 2X artwork from dot-matrix printer
- Easy to learn and operate, yet capable of sophisticated layouts
- Single-sided and double-sided printed-circuit boards up to 10 x 16 inches
 - Multicolor or black-and-white display
 - 32 user selectable color combinations; coincident points can be displayed in contrasting colors.
 - Can use optional Micro-soft Mouse as pointing device



Twice scale hardcopy of your artwork is produced using the Epson dot-matrix printers or the Houston Instrument DMP-41 pen-and-ink plotter. Quick 1X check plot is also available from Epson printers.



Dual-layer color display of a 2" by 4" section of a 10" by 16" circuit board

The Smart Buy

At \$895, smARTWORK™ is an exceptional value, particularly when compared to conventional engineering workstation costs.

Call or write us for more information on smARTWORK™. We'll be glad to tell you how smARTWORK™ helps us design our own circuit boards and what it can do for your business.

Send a purchase order, or major credit card number, and smARTWORK™ can be working for you next week.

System Requirements

- IBM PC or XT with 192K RAM, 2 disk drives and DOS Version 2.0
- IBM Color/Graphics Adapter with RGB color or b&w monitor
- Epson MX-80/MX-100 or FX-80/FX-100 dot-matrix printer
- Houston Instrument DMP-41 pen-and-ink plotter (optional)
- Microsoft Mouse (optional)



"smARTWORK" and "Wintek" are trademarks of Wintek Corporation.

WINTEK CORPORATION, 1801 South St., Lafayette, IN 47904-2993, Phone: (317) 742-8428, Telex: 70-9079 (WINTEK CORP UD)

COMDEX: Morrow Unveils Battery Portable

At the recent COMDEX trade show in Atlanta, Morrow introduced the Pivot, a 9-pound IBM-compatible portable computer with a built-in one-third-height 5¼-inch disk drive and room for a second. The \$2500 base configuration also includes a 16-line LCD, 128K bytes of RAM (expandable to 512K), a 300-bps modem, and batteries that last for 5 hours. The computer will not fit in a briefcase and stands upright rather than flat; the keyboard flips down. Morrow says it will offer a 25-line LCD early next year.

COMDEX: Laser and Color Printers Get Attention

Hewlett-Packard's \$3500 LaserJet, based on Canon's 300-dot-per-inch LBP-CX laser printer, wasn't the only Canon at COMDEX. Quality Micro Systems showed a \$9995 version that can print graphics by emulating Tektronix graphics drivers.

Earlier, Personal Computer Products Inc., San Diego, CA, announced a laser-printer controller for the Canon printer; a laser printer with the controller could retail for about \$3500. Apple is also expected to announce a laser printer based on the Canon.

Several color-graphics printers were unveiled quietly at COMDEX. Seiko Instruments, Milpitas, CA, showed a \$12,000 printer with a resolution of 152 dots per inch; Gultron Industries introduced a \$4950 seven-color thermal-transfer printer with a resolution of 100 dots per inch.

Epson's JX-80, an \$800 160-cps seven-color dot-matrix printer, can use either a four-color ribbon or a standard Epson FX-80 black ribbon. Dataproducts has two new color printers: a \$1695 200-cps model and a 400-cps model for \$2195. C. Itoh exhibited two seven-color dot-matrix printers, including a \$2000 model with a 24-wire print head.

COMDEX: Makers Move to 3½-inch Drives

Citizen America Corp., a subsidiary of Citizen Watch, showed two 3½-inch floppy-disk drives that are only an inch high. Panasonic introduced both 3- and 3½-inch drives, including a 1¼-inch-high 3½-inch drive. Janome, which exhibited a 3-inch disk drive last fall, added a 3½-inch drive. Mitsubishi also showed a 3½-inch drive.

New Telecommunications Products for the IBM PC

ModTech International, Salt Lake City, UT, showed MasterLink at COMDEX, an \$800 expansion board for the IBM PC. When you pick up the phone, ROM software automatically switches the computer from the current application to the on-board software. A \$295 Night Owl option lets the system send and receive electronic mail unattended. Code-A-Phone, Portland, OR, showed the \$700 Tel-A-Modem, a combination two-line telephone/modem allowing voice and data communications simultaneously. Both units include a 300/1200-bps modem. Three companies also unveiled internal 300/1200-bps modems for the IBM PC: Quadram's Quadmodem is priced at \$595, Anderson Jacobson's PC Connection is \$495, and U.S. Robotics' Personal Communicator is \$499.

Demand Prompts Smaller, Higher-Capacity Hard Disks

Shugart and Cogito, which currently make 5- and 10-megabyte 5¼-inch half-height hard-disk drives, are both expected to introduce 20-megabyte versions at NCC. Mitsubishi showed a 20-megabyte 5¼-inch half-height drive at COMDEX, with a 1000-unit price of \$875.

Microscience unveiled both a 10-megabyte half-height 3½-inch hard-disk drive and a 20-megabyte half-height 5¼-inch drive. The recently formed Lapine Technology announced 5- and 10-megabyte 3½-inch drives. Atasi, which now sells a 46-megabyte 5¼-inch hard-disk drive, exhibited a 75-megabyte version at COMDEX.

Dragon Industries, Hopkinton, MA, is selling 65- and 140-megabyte hard-disk systems for the IBM PC, priced at \$4995 and \$6995. Tallgrass Technologies added a \$1995 60-megabyte tape drive that uses MS-DOS disk-access commands.

Dysan Corp. is now shipping Chocolate media to hard-disk manufacturers. Dysan says the product is a high-capacity alternative to the thin-film media now used in hard-disk drives.

(continued)

ACT Introduces New Apricot Computers

ACT was expected to introduce two new models of the 8086-based Apricot in late June. The Apricot Executive includes a 25-line LCD, a single 3½-inch disk drive, 512K bytes of RAM, a trackball/mouse, and a voice-recognition system for about \$3000. The Apricot FI is a \$1600 system with 256K bytes of RAM and one 3½-inch disk drive. Both systems use an identical keyboard linked to the computer using either an infrared signal or a fiber-optic cable.

Two Firms Announce Speech Recognition for IBM PC


Microphonics Technology, Federal Way, WA, offers a \$795 voice-recognition expansion board that can handle a 128-word vocabulary. Another speech-recognition system, the Speech Recognition Board from Interstate Voice Products of Orange, CA, will be introduced at NCC this month. The \$1650 SRB will recognize up to 240 spoken commands. Either system can be used with off-the-shelf application programs on the IBM PC.

Digital Research Introduces Multiuser/Concurrent PC-DOS

Digital Research introduced StarLink, a \$1695 expansion board for the IBM PC allowing you to link four terminals to the IBM PC using standard RS-232C cables. StarLink includes a version of Concurrent PC-DOS that allows the PC user to run up to four MS-DOS or CP/M-86 applications concurrently in addition to the program used on each terminal. Digital Research had originally planned an eight-terminal version of StarLink but delayed that product because of performance problems using the IBM's 8088 processor.

NANOBYTES

TTX Inc., Foster City, CA, has developed an interface/buffer allowing the Apple Macintosh to use a daisy-wheel printer. The TTX MACpac includes a 64K-byte print buffer and a 14-cps printer for \$895. . . . **Digital Equipment's** LA100-PF is a \$1595 240-cps dot-matrix printer that uses removable cartridges to select fonts and to emulate Epson or IBM printers. . . . **Harris** announced the 80C88, a CMOS version of Intel's 8088 processor. . . . **National Semiconductor** has renamed its 32-bit processors the Series 32000 and has licensed **Texas Instruments** as a second source for that line. . . . **The Neon Software Co. Inc.**, Middletown, CT, is selling IBM PC software on clothes hangers. Women's Ware includes Budgeting, Checkbook, Recipe, and other programs for \$49.95 each. . . . **Diamond Computer Systems Inc.**, Santa Clara, CA, offers a \$695 board that allows the IBM PC to run CP/M or Apple II software. . . . **Ericsson**, a European telecommunications and information systems firm, will introduce an IBM PC-compatible computer. . . . **WordTech Systems Inc.** introduced dB/Compiler, a \$750 compiler for dBASE II. . . . **IBM** announced that it will sell enhanced versions of **Software Publishing Corporation's** popular PFS: series for \$129 to \$149. . . . Sheet feeder prices drop: **Multi-Matic**, Philadelphia, PA, is selling a \$395 sheet feeder, which also uses a \$50 adapter for attachment to a specific printer. **Brother** offers a \$269 sheet feeder for its \$995 HR-25 daisy-wheel printer. . . . **T.N.T. Software Inc.**, Round Lake, IL, is selling My Word!, a \$25 WordStar-like word processor for the IBM PC. MBASIC source code is \$25 extra. . . . **VisiCorp** has cut prices on all its products by about 50 percent and introduced FlashCalc, a \$99 spreadsheet for the Apple II. . . . **Modula Computer Systems**, Provo, UT, now offers Modula-2 compilers for UNIX and for the Macintosh, priced at \$94 and \$150. . . . **Amlyn** has announced a half-height 3.2-megabyte floppy-disk drive that is not compatible with the Drivetec/Kodak 3.3-megabyte drive, while **Shugart Corp.** and **Phillips Peripherals** have both introduced 1.6-megabyte half-height 5¼-inch floppy-disk drives. . . . **Strobe Inc.**, Mountain View, CA, announced a \$995 8-pen plotter. . . . Hong Kong manufacturer **Bondwell Industrial Co. Inc.** plans to buy **Spectravideo** and will add a \$995 Z80-based portable computer with two single-sided disk drives and 128K bytes of RAM. . . . **Workman and Associates'** WRITE is *not* available for CP/M-86; this column reported in error that it was. . . . **Tallgrass, Information Storage Inc.**, and **CPT Corporation** are jointly developing an optical disk drive.



Integrated.

Printegrated.

Now, translate your integrated software into integrated hard copy, with the TI OMNI 800™ Model 855 printer. So versatile, it combines letter-quality print, draft-quality print and graphics as no other printer can. **It prints letter-quality twice as fast** as comparably priced daisy wheel printers, yet gives you characters just as sharp, just as clear.


It prints rough drafts ten times faster than daisy wheel printers... faster than most any other dot matrix printer. **Only the TI 855 has snap-in font modules.** Just touch a button; change your typestyle. The 855 gives you more typestyles to choose from than ordinary dot matrix printers. It makes them quicker, cleaner, easier

to access than any other dot matrix or daisy wheel printer.

The 855's pie charts are rounder... all its graphics are sharper than on other dot matrix printers, because the TI 855 prints more dots per inch. As for daisy wheel printers... *no graphics.*

The TI 855 Printer

The printer for all major PC's



For under \$1,000 you get twice the performance of typical dot matrix printers. Or all the performance of a daisy wheel printer, and then some, for half the price.

So get the best of all printers, and get optimum results from your integrated software. With the TI 855. See it at your nearest authorized TI dealer. Or call toll-free: 1-800-527-3500. Or write Texas Instruments Incorporated, P.O. Box 402430, Dept. DPF-182BY, Dallas, Texas 75240.

TEXAS INSTRUMENTS 
Creating useful products
and services for you.

™ OMNI 800 is a trademark of Texas Instruments Incorporated
Copyright © 1984 Texas Instruments Incorporated 2763-36

“Dare to

TI makes the best software perform even better.

When choosing a computer, there are two important things to look for. Who runs the best software—and who runs the software *best*? That's why we're staging a dramatic country-wide side-by-side comparison against IBM™ called “Dare to Compare.”


Come to a participating dealer and take the “Dare to Compare” challenge. You'll see first-hand how...

TI makes software faster to use.

Take a closer look. See how we give you more information on-screen than the IBM PC? That way you'll spend less time looking for data, and more time using it. We also give you 12 function keys, while they give you 10. Unlike IBM, we give you a separate numeric keypad and cursor controls. And that saves you both keystrokes and time. We also isolated the edit/delete keys to reduce the chance of making mistakes.

TI makes software easier to use.

TI gives you up to 8 colors on-screen simultaneously, which makes separating the data a lot easier. IBM displays only 4. Our graphics are also sharper. And easier on the eyes.



IBM Personal Computer

LETTERS

BOUQUETS . . .

I applaud the April editorial "A Call for Ethical Standards for Personal Computer Magazines" by Phil Lennore (page 4).

As president of the National Office for the Deaf, I represent one of the distribution channels that require great care to end users. Our members often pride themselves on their independence, objectivity and the freedom to market whatever product we deem the best value for our customer.

By endorsing your standards, obviously BPC will continue to be the reference standard in our industry.

Keep up the good work!

Don Noyes,
Lincoln, NE

As a professional journalist and regular reader of a wide array of technology magazines, I applaud your stance on ethical standards for computer magazines.

The guidelines you set forth in your April editorial are absolute essentials for any fair and objective reviewer. I sincerely hope the your spirit of professionalism will prevail. Except for the computer magazine industry.

Clay S. Iversin
The International Bureau,
Minneapolis, WI

I enjoyed the April editorial on ethical standards for personal computer magazines. The right to give critical numbers to editors, not BPC, Chevrolet, Intel, Eastman, etc., so that readers can vote for or against them in BPC's BQ&B each month.

N.C. Ives
Lincoln, MA

As a new subscriber to BPC, I would like to commend you for your editorial in the April issue. Your determination in supporting both hardware and software is the prime reason I subscribe to BPC.

Geoffrey Iversin,
North Spoken, NY

I like your magazine. The April editorial by Phil Lennore was fascinating for me in its description of your commitment to honest reporting. And, I am delighted to be able to hold myself to reading a magazine with such high standards. Please keep up the good work.

William T. Hooper Jr.,
Miami Beach, FL

Each issue of BPC, I am impressed. To a certain extent, the better writers might be viewed as outsiders. But on the other hand they raised some points that led the authors of some articles to add information to their subjects that otherwise might not have come out.

Letters are one of the features I always read and the consistently educational whenever they are reader like yours.

Yvonne L. De Tora
Cincinnati, OH

... AND BECKETS

As a software author I object to your citing and attributing the violation of copyright law to printing notices by people misusing software envelopes in your Unofficial Ad section. Such ads are never read. They are signs of your program, and I will send you copies of mine. I cannot believe that I am alone in my objection.

Shirley S. Johnson
Los Angeles, CA

Please see the new advisory on Unofficial Ads.

As critics, your April issue would have us believe that God used a portable computer to create the world. Thank you for your readers for if he would have used IBM's mainframe, how things would be and we just like the idea really want to rest on the seventh day but his system was down so he had to.

Edn Gault
Brentwood Junction, NY

In last December's issue I expected to find a Cancellation Index so I had to preview yours. I was disappointed when I saw that the service apparently had been discontinued. The Index has particular value for the hobbyist and as a regular subscriber I recognized its importance.

One major gripe: Despite the enthusiastic acceptance of the IBM PC, there is still a large number of Apple computers in the hands of your readers and many who buy will never like. Could you please consider this and give us Apple owners a more extended share of your attention?

Despite the respectable travel voice, thank your magazine it still the most enjoyable and readable around. Keep up the good work.

R. P. Swann
Rancho San Jose, CA

We apologize for the lack of a cancellation in-

dex for 1985. We are working our computer into new approaches to make the indexes much more usable. Please bear with us. As to coverage of Apple products, we have previously featured the Macintosh and the IIc and have published such recent articles as Apple I&II, Macintosh IIcx, Macintosh IIx/IIc and a current comparison series between the Apple II. We also are publishing the BPC Guide to Apple PCs in October. The Guide will be provided to all BPC subscribers at no cost.

Five things in the letter are enough that I write a letter to the editor of magazine. Unfortunately, I have had to read your magazine in hand and pen a letter of complaint about your five publications. I have no complaint with the magazine itself or its editorial content. In fact, it is the only magazine I read cover to cover monthly.

My problem is with the circulation department. It drives me nuts to see the rate listed in BPC in the back area and in the magazine table of local computer stores or websites as I receive mine in the mail. A buy or two could result, but not too weeks, I would like a situation of the department.

As to not having my friends ask me if I read an article in BPC and telling me that they I will have it given me up.

Stephen Rose
An urban address

The circulation department has taken several steps to speed delivery to subscribers, including arranging for direct shipments to different regions of the country. Let us know whether things improve.

OVERLOOKED BASICS

Your features on iBASIC in the April issue were very interesting, and I would like to add a couple of comments. iBASIC probably the most powerful BASIC for any microcomputer (especially as implemented on the same 286 machine) was, surprisingly absent. The iBASIC is the only one that has found some acceptance as a useful tool in the engineering community because of its powerful command structure and exceptional graphics commands that allow simple plotting and labeling of engineering-type data.

Another iBASIC that is often overlooked is that of the Vector machines, which is one of the most logical and clean of iBASIC dialects. In addition, it has a neat to the VMS, meaning that I have seen on other machines. We don't (continued)

FIND A COMPUTER THAT'LL OUTPERFORM OURS AND WE'LL GIVE YOU A HEADSTART.TM FREE.



If you can find a microcomputer, equally priced or less, that'll beat only half of 10 standard features we've selected on our HeadStart Model 512, we'll give you a HeadStart absolutely free. How can we make this incredible offer? Because looking for a better computer than our new HeadStart is like looking for a needle in a haystack. You're more apt to come up with a case of hay fever.

HeadStart is simply the fastest, smallest, most powerful business computer in its class. Period.

In fact, we're so certain we have an unbeatable machine, we're offering you this challenge. If, by some inconceivable circumstance, you *should* find a business computer that is even equal to ours, we'll give you a HeadStart. Absolutely Free.

If you'd like to accept our challenge

and learn more about this small wonder of microcomputer technology we call HeadStart, call us or fill out and return the coupon.

You could come up with a free HeadStart, which is nothing to sneeze at. Take the Intertec challenge at NCC Booth 1758.

**HERE'S YOUR CHANCE TO WIN
A FREE COMPUTER AND GET A
HEADSTART ON THE COMPETITION.**



Intertec Dept. "HeadStart"
2300 Broad River Road, Columbia, SC 29210
Phone: 1-803-798-9100

- I accept your challenge. Please send me details on how I can beat the HeadStart VPU 512.
- HeadStart sounds terrific. Tell me more.

Name _____

Title _____

Company Name _____

Phone _____

Address _____

City _____

State _____ Zip _____

intertec[™]

Need A Printer?

Now - Your Printer Search Is Over With...

Gemini 10X

From MidWest Micro-Peripherals

by **Star**
MICROPERIPHERALS

FREE COVER!
Get a deluxe anti-dust, anti-static cover for your new Star printer. A \$16 value - yours free with your purchase.

only **\$269**



Word processing...graphics...charts...the advantages of owning a printer are endless. And so are the advantages of purchasing a Star Micronics Gemini-10X from MidWest Micro-Peripherals.

Compatibility

The Gemini-10X is compatible with all major brands of computers. It comes standard with a Centronics compatible printer port (serial optional), plus tractor, friction, and roll feed. With 120 cps bi-directional, logic seeking carriage control and 816 character buffer (expandable to 4K and 8K), you'll get crisp, clean hard copy without having to wait.

Versatility

If you want variety, the Gemini-10X features Epson compatible printer codes. For a wide range of graphic looks, the unit offers six character sets and eight fonts as standard.

Value

All this and more at the **guaranteed lowest price**. If you can find a verifiable better price anywhere on any Star printer, **WE WILL BEAT IT**. But besides price, MidWest also offers the best service. We ship 95% of our orders from stock within 24 hours.

We have cables and interfaces in stock for IBM, Apple, Commodore, TRS-80, and most other micro-computers.

And the experienced MidWest staff is ready to help you before, during and after your purchase. So call us today and let us help you find a happy ending to your Great Printer Search.

More Star Printers		Sale Price
Gemini-10X		\$269
Gemini-15X	120 cps	419
Delta 10		439
Delta 15	160 cps	589
Radix 10		639
Radix 15	200 cps	739
PowerType	DaisyWheel	399

Call NOW For Information, Ordering & Quantity Pricing.

1-800-423-8215
In Ohio 1-800-321-7731

We accept VISA and MASTERCARD (Add 3%), certified checks, money orders, and COD's.

MW MidWest Micro-Peripherals
(Division of Intotel, Inc.)
135 South Springfield St.
St. Paris, Ohio 43072
102BY

LETTERS

just return the numeric equivalent of a string but rather evaluates any legitimate BASIC expression in the argument and returns its value, so that

```
PRINT VAL (SIN(PI/4))
```

returns .70710 rather than 0 or an error. This makes entry of formulas into a program simple, because you can use

```
INPUT NS  
sin ((x^2)/tan(y))  
PRINT VAL NS
```

which will return the correct answer if x and y are defined.

In the discussions of "structured" versus "unstructured" programming, the GOTO statement is universally censured. Far worse than a GOTO is the universal use of obscure PEEK and POKE statements required by most microcomputer BASIC dialects to accomplish simple tasks.

Thanks for an interesting issue.

V.P. O'NEIL II
Gilbert, AZ

Your April review of new BASICs was of great interest since I have used BASIC for years in a small business.

In 1979 I obtained a North Star Horizon and, using North Star BASIC, implemented a complete package including editor, general accounting, mailing list, etc. I am told that our system is archaic, since it uses a poor language and runs on an 8-bit processor (Z80) with a 4-MHz clock.

For a different business, I recently obtained a Hewlett-Packard Model 150 with an 8-MHz clock, 8086 processor, and Microsoft BASIC.

I ran the following program on both machines. (The DEFINT statement, absent in North Star BASIC, tells the HP 150 to force "I" to a 16-bit integer, saving time in the FOR loop.)

```
10 DEFINT I  
20 A = 0  
30 FOR I=1 TO 20000  
40 A = A + .00001  
50 NEXT  
60 PRINT A
```

The North Star computer did the loop in 65 seconds, yielding the right answer, 0.2. Microsoft BASIC took 50 seconds (a savings, but not much), yielding the wrong answer, 0.1999783.

So, a better BASIC will be welcome as a "standard." Meanwhile, we have purchased a used North Star as a backup to run our old, obsolete, and dependable software.

PAUL T. BRADY
Middletown, NJ

I enjoyed reading the series of articles on improved versions of BASIC in the April issue. However, I was surprised that no mention was made of the extended BASIC that has been available on Hewlett-Packard's "scientific" series of computers for nearly a decade. For example, the HP-86 computer has roughly 170 functions and commands available, with plug-in ROMs available for file management, matrix manipulations, interface control, listing of

variable cross-references and program flow, etc., for a total of about 330 functions. From the articles in the April issue, it appears that other companies have almost caught up with HP BASIC in a few areas and surpassed it in only one case (Macintosh BASIC). More recent HP computers are significantly improved over the 86. The 9816 ("200/16") offers every structure you could want for control of program flow but lacks the structured variables of Pascal and other newer languages. Although its variables are limited to arrays, the 200/16 can sort a string array with a single command. HP also has integrated a spreadsheet with the BASIC language on the 75 computer. Users can create their own VisiCalc functions as well as incorporate spreadsheet abilities into BASIC programs.

Some enhancements can only be implemented by a computer manufacturer. For example, the HP-86 has seven dedicated keys to control program debugging and execution (besides the 14 programmable function keys), optional ROMs that make additional functions always available (even without a disk drive), and perhaps most importantly, an operating environment that supports the BASIC language. For example, users can execute several commands in immediate mode from the display screen then edit in line numbers to quickly develop programs. What is unfortunate about these computers is that little applications software is available, and the user is thus forced to continually write programs when a database system or integrated package could provide even quicker results.

Your readers may also be interested in a speed comparison of some BASIC implementations. Execution speeds for a simple division program to calculate prime numbers (*Interface Age*, August 1981) are: Apple II, 970 seconds; IBM PC (Microsoft BASIC), 785 seconds; HP-86, 1425 seconds; HP 200/16, 82 seconds; Apple Macintosh (Microsoft BASIC), 784 seconds. The Macintosh and HP machines used variables with about twice the numeric precision of the others. It is interesting to note that the Macintosh is no faster than the IBM PC. This is not merely a case of differences in precision because the HP 200/16 with the same processor as the Macintosh and higher precision is about 10 times faster. Perhaps the Microsoft implementation is particularly sluggish. It would be interesting to evaluate Apple's Macintosh BASIC.

RANDY WEBB
Bloomington, IN

Your April articles on improved BASICs were very informative, even inspiring. It's about time BASIC grew up. As an educator, I have had mixed feelings about teaching BASIC as a first programming language. BASIC is easy to learn, but a lot of bad habits have to be unlearned later. Some college instructors have gone so far as to say they prefer incoming students who have no programming experience to those who have learned BASIC. The "experienced" BASIC programmers are famous for their tangled, poorly planned "spaghetti programs."

Now the situation should change. But here's
(continued)

Sprinter™



Portable



A new generation printer that combines portability, dependability and quality. **Sprinter** is travel convenience — lightweight and rugged with an easily removable travel cover and plenty of space for storage.



Personal

A friendly printer that is easy to operate. Ease of operation is top priority for this printer. A **SoftSwitch™ Control Pad** allows the user to control forms' length, print density, tabulations, baud rate and character sets.



Professional

A fast printer, the 160 CPS **Sprinter** comes standard with a 4K buffer expandable to 68K with MPI's **MemoryMate™** option. It comes equipped with an **EasyLoad™** front paper feed for quick paper insertion and handles everything from letterhead to multi-part forms.



Micro Peripherals, Inc.

4426 So. Century Dr. • SLC, UT. 84123
(801) 263-3081

Travel with the Best!

See the Sprinter at your local computer store or call us for the dealer nearest you. **1 (800) 821-8848**

Circle 229 on inquiry card.

THE SMART WAY TO CONNECT COMPUTER EQUIPMENT.

There's only one cable on the market that allows you to hook your computer to virtually any peripheral. It's the Smart Cable. Its on-board logic matches any RS-232 port to another. Instantly. And automatically. No other cable can do it. So don't face the problem of needing a new cable for every new connection. Buy the only cable you'll ever need to buy. The Smart Cable. Suggested retail \$89.95.



IQ TECHNOLOGIES, INC.

11811 N.E. First Street
Bellevue, WA 98005
(206) 451-0232
TELEX 701 472 IQTECH UD
1-800-232-8324



Smart Cable

LETTERS

the catch: After talking with the people at True BASIC Inc. and at Software Technology (authors of BetterBASIC), I have learned that these languages are *not* being planned for adaptation to the Apple II. And let's face it, the vast plurality of public schools use the Apple II. Are we to go on teaching bad habits to our beginning programmers? Pascal is certainly an alternative. But Pascal is intimidating and hard for many students to learn as their first language. Editing, compiling, executing, and re-editing to debug a program can severely test the patience of a young person.

Supposedly, the 6502 and Z80 processors are not "powerful" enough to handle the wonderful new BASICs. But even a low-end machine such as the Commodore 64 has a good choice of structured, "user-friendly" languages. Simon's BASIC allows many of the features of Pascal. And a relatively unknown language, COMAL, has been around for years on Commodore machines. COMAL is incrementally compiled and allows procedures and functions with global and local variables. It permits nested IF/THEN/ELSE statements and a wide variety of looping structures (REPEAT/UNTIL, WHILE/ENDWHILE, and LOOP/EXIT/ENDLOOP). The Commodore 64 version also supports high-resolution turtle-graphics commands and is available *fræ* in the public domain! It does not have fancy features such as "windows," but this is a luxury better suited for 16-bit processors that can address more memory.

It is indeed ironic that the Apple II, the most widely used and generally best-supported computer in our public schools, does not have a good language available for teaching beginning students. The best I've been able to come up with is Microsoft's GBASIC (running under CP/M), which has the WHILE/WEND loop but not much else in the way of structure. Digital's CBASIC looks fairly good at first glance but does not allow nesting of IF/THEN/ELSE statements, which mandates use of a lot of GOTOs. There is one place in Denmark that may offer a nongraphics CP/M version of COMAL for the Apple II. But have you ever tried to get a school district to approve a purchase order to Denmark?

High school computer education is now facing a terrible dilemma. What do we teach? Isn't it about time *somebody* offered a well-structured, incrementally compiled language for the Apple II?

WENDELL BROWN
Kent, WA

CSS LANGUAGES

.....

"ISIM: A Continuous-System Simulation Language" by Roy E. Crosbie (May, page 400) was interesting. I think you could have helped your readers by adding a box informing them that several other CSS languages were listed in "Going Further" by Charles Pratt (March, page 204).

GERALD L. GOTTLIEB, PH.D.
Evanston, IL
(continued)

← Circle 163 on inquiry card.

Pick up a SixPakPlus™ for your IBM® PC.

Introducing... SixPakPlus™, the refreshing new 384KB multi-function card! In response to the changing needs of the IBM PC and PC-XT marketplace, AST Research, Inc. is proud to announce the latest addition to our line of multifunction enhancement products, the SixPakPlus! This new product is the result of extensive marketing research into the needs of IBM PC users whether they have the original 64K system board, the newer 256K system board, or the PC-XT. The SixPakPlus has been engineered to meet these needs at a competitive price while main-

taining AST's high standards for quality and reliability.

The SixPak, as we like to call it, could have been named for the six banks of RAM on it. However, we like to think that it was named for the six functions of the card. The features of the SixPak include:

1. RAM memory starting at 64K, user-expandable in 64K increments to 384K. This makes the SixPak ideal for the PC or PC-XT with a 256K system board; 384K on a SixPak added to 256K on the system board yields 640K, the maximum addressable user memory in these systems.
2. One Serial (async) communications port, configurable as either COM1 or COM2, for use with serial printers, modems, a "mouse," and other serial devices. The serial port has on-board jumpers for easy management of the RS-232C lines, simplifying the wiring of cables in many installations.
3. One Parallel (printer) port, configurable as LPT1 or LPT2 (LPT2 or LPT3 when the IBM monochrome card is installed), for use with the IBM/Epson and other compatible printers. The port is compatible with IBM diagnostics.
4. A Clock-Calendar with battery backup, featuring an easily replaceable Lithium battery and a quartz-controlled timebase for a high degree of accuracy.
5. An optional IBM-compatible Game Adapter port, for use with an IBM-type joystick. In conjunction with application programming, this game port may be used for cursor control, in generating graphics or for playing games at the end of your work day!
6. Every SixPak comes with an AST SuperPak utility diskette which includes SuperDrive and SuperSpool, the most powerful disk emulator and print spooler software you can get. These programs will greatly enhance the throughput of your PC or PC-XT by emulating disk drive and printer access at RAM speeds rather than the normal slower speed of mechanical devices. SuperPak is the first of such software to be compatible with both DOS 1.1 and DOS 2.0.

Most important of all, the SixPak comes with the AST "Plus;" AST's unsurpassed reputation for quality, reliability, after-the-sale support, and overall design excellence that gives our products the best price/performance ratio in the industry! Hence the name, SixPakPlus!


AST products are available from Computerland, Entre', ComputerMart, and selected dealers worldwide. Call factory if your dealer does not have the AST products you want.

© IBM is the registered trademark of International Business Machines

AST
RESEARCH INC.


Circle 4 on inquiry card.

2121 Alton Avenue • Irvine, CA 92714
(714) 863-1333 • TLX 753699 ASTR UR



Dealer Inquiries Welcome

For the first time, you can get
three types of computer
communications systems from
just one company. Quadram.



Now Quadram Makes Communications as easy as 1, 2, 3.

When it comes to enhancement products for IBM® PCs and other personal computers, no one can beat Quadram. In fact, if you use spreadsheets or large databases, you're probably using a Quadram product already.

Now Quadram applies their expertise to communication devices. Not just modems, but a full range of other products, too. So that you can do anything from networking many PCs together to giving your PC full 3278 terminal emulation in an IBM mainframe environment.

Only Quadram gives you such a selection—complete with options and upgrade capability. So now it's easier for you to design the perfect system for your needs. All you need to do is remember one name—Quadram.

1. Quadmodem.™ From your home or office, reach out and touch something.

Just because your computer is all alone, that doesn't mean it has to be lonely. Not when you've got Quadmodem.

Quadmodem is a complete intelligent modem package, including an integral or standalone modem with supporting documentation. Each modem comes with QuadTalk—a powerful communications software package plus an introductory offer from The Source.™



Just pick the model that's right for you and your computer.

The Integral Unit drops into an IBM PC, XT, PCjr or Apple IIe.

The Stand Alone is an intelligent modem that connects to your system through an RS-232 port.

Both have enhanced diagnostic capability to troubleshoot not only your system, but the

system at the other end of the phone line. And both have call progress monitoring to automatically determine and compensate for different types of phone systems and transmission status (human voice, busy signal, data or dial tones). Of course, both plug directly from your computer into your phone jack.

Get the modems with the name for quality, Quadmodem.™ Fully compatible with Bell 103/212A dial-up modems and the most popular modem brands.

2. Quad3278™ Let an IBM PC communicate with an IBM mainframe.



To integrate your PC into a mainframe environment, look to Quadram first.

Because now you can have all the features of the IBM PC (mass storage and peripherals) plus the incredible power of a mainframe right at your desk. All it takes is Quadram's 3278 emulation package which includes hardware, software, even cabling.

To make your IBM PC emulate the 3278 Display Work Station, get the Quad3278.™ Once you're on-line the IBM mainframe sees you as just another 3278 terminal. Little does it know that you're actually a high-performance, intelligent work station, with all the functions of the Personal Computer. With mainframe support you can download data, process it on your PC, even store it on your own disk for later reference.

Make the connection from micro to mainframe. And back it up with Quadram quality. It's the logical step for the future.

3. Quadnet.™ Turns your IBM PC's into a Local Area Network.

Local Area Networking (LAN) is one of the most interesting and useful ideas to come

down the pike. Basically, it allows you to inter-link a group of computers together so they can share information and peripherals with each other.



And now with Quadnet, you don't have to compromise your system to fit our system. Instead, you can easily link as few as two, or as many as 255 IBM PCs together in a hard-wired network. And you can configure them almost any way you want. They can work independently of each other or share resources and peripherals.

The possibilities are endless. But the important thing to remember is that Quadnet gives you a choice with four different Network Systems. Choose the one that meets your price and performance needs.

Quadnet grows as you grow. Yet the user commands stay the same, thanks to the upward compatibility of the Quadnet operating software.

Whichever version you hook on to, you get a complete package (hardware, software, and documentation). And most importantly, you get Quadram's reputation for quality.

QUADRAM QUALITY



At Quadram, we don't make personal computers. We just make them better. So insist on the Quadram name. It's your assurance that you're buying from one of the most established and involved

companies in the microcomputer field. Ask your dealer about us.



4355 International Blvd./Norcross, Ga. 30093
(404) 923-6666/TWX 810-766-4915 (QUADRAM NCRS)

INTERNATIONAL OFFICES

Interquadram Ltd. 442 Bath Road, Slough, England SL16BB
Tel: 6286-63865 Tlx: 847 55 Auriema G Interquadram GmbH
Fasanerweg 7, 6092 Kelsterbach, West Germany Tel: 6107-3089
Tlx: 417770 Seva G Interquadram s.a.r.l. 41, Rue Ybry, 92522 Neuilly
Tel: 758-1240 Tlx: 630842 Iso Bur Chevco Computing 6581 Kitimat
Road, Mississauga, Ontario, Canada L5N-2X5 Tel: 416-821-7600

IBM® PC, XT, PCjr are registered trademarks of International Business Machines Corporation.
™The Source is a registered trademark of Source Telecomputing Corporation.

APPLE IIe® is a registered trademark of Apple Computers, Inc.


© Copyright 1984 Quadram Corporation. All rights reserved.

affordable & reliable...

NETWORKING



Networking begins with your fine computer. Where it goes is unlimited when you interface your peripheral devices with a 4, 8 or 18 port BayTech Serial Port Expander. With BayTech's units you can mix-and-match other computers and/or peripheral devices of different configurations without the need to reconfigure. Port configuration of the peripheral device ports may be changed by the user with BayTech's menu-driven software.



BayTech's versatile networking multiports, capable of any-port-to-any-port interconnection, have virtually unlimited applications. With their features and low cost, the user can create a local network providing simultaneous communication for 5, 9, or 18 RS-232C devices.



A few companies make a good, expensive Serial Port Expander. One company makes an excellent, affordable line of them - BayTech.

- Model 524F \$ 329.
- Model 528F \$ 619.
- Model 5218F \$1750.

"We design and price BayTech Multiports so everyone can have an affordable and reliable computer network. To solve your networking problems, call us."

Charles R. Ramsey, President
Bay Technical Associates, Inc.

1-800-523-2702



HIGHWAY 603, P.O. BOX 187
BAY ST. LOUIS, MS 39520 (601) 467-8231

LETTERS

TO ERR IS INDEED HUMAN

Greg Scragg's "criticism" (April Letters, page 20) of Douglas Davidson's "forgotten" sort ("Address Calculation: The Forgotten Sort," November 1983, page 494) demonstrates too much enthusiasm and too little familiarity with the subject area. He quotes Donald E. Knuth (*The Art of Computer Programming*) as proving that "no sort can work in time less than $O(n \log n)$." What Knuth clearly points out, but Mr. Scragg appears to have missed, is that this bound only holds for "sorting techniques which are based solely on an abstract linear ordering relation between keys" (Knuth, volume 3, 1st edition, page 181)—specifically excluding such methods as address calculation. In fact, Knuth describes the address calculation sort, concluding that "we have achieved a sorting method of order N , provided only that the keys are reasonably well spread out over their range" (ibid., page 102)—precisely the claim Mr. Davidson makes.

Mr. Davidson's article presents a simple, too often neglected algorithm with which many of BYTE's readers were likely unfamiliar. Mr. Scragg's letter is unjustified and inept, and seems unforgivable regardless of the state of his schooling.

MIKE DIXON
Ontario, Canada

This letter is representative of several we received regarding Mr. Scragg's criticism of Mr. Davidson's article.

ICONOLATRY

To complete Gary Sanford's amusing "ultimate allegory" (April Letters, page 15), I suggest a passenger-driven mouse—nothing elaborate to begin with, say, 50cc with a 4-speed box (labeled N, S, E, and W). The posher PC pushers would soon rush in with add-ons: seat belts, "I ♥ my  stickers, in-dash computers with submice. . . . There is (literally) no end to the possibilities.

Another aspect of Tom Houston's iconolatriy ("The Allegory of Software," December 1983, page 210) puzzles me. I've often wondered why the drudgery of program development has not been enlivened by the use of video-game graphics. I have in mind, for example, that instead of typing ERASE FILENAME it would be more fun to have all your FILENAMES floating around the screen in little boxes while you try to blast the right one with your joystick button. Much less user-mollycoddling than having mousey drag off naughty Freddy File to the trash can.

STAN KELLY-BOOTLE
Mill Valley, CA

DESIGN FLAWS

Some of the examples and assertions of Mark Johnson and Allen Munro's "Pascal's Design

Flaws: Modula-2 Solutions and Pascal Patches" (March, page 371) are misleading or incorrect with respect to the Pascal language as defined by the International Standardization Organization (ISO Pascal), Standard Pascal:

1. does not have a built-in string type
2. allows short-circuited evaluation of Boolean expressions (implementation-dependent)
3. includes, at level 1 of the standard, "open" array parameters (referred to as "conformant array parameters" in the standard)
4. defines an out-of-range case selector to be an error

STEVE BRECHER
Software Supply
Long Beach, CA

We thank Steve Brecher and others who have pointed out some of the ways that standard versions of the Pascal language (as developed by the ISO and the American National Standards Institute) address the Pascal design flaws we discussed.

One of the problems with talking about Pascal is making it clear which "standard" Pascal you are talking about. Our article pertained to the original definition of Pascal, as published in the Pascal User Manual and Report by Kathleen Jensen and Niklaus Wirth. We chose to discuss Pascal's problems in terms of UCSD Pascal because it is the most widely used implementation for microcomputers. Future Pascal implementations will undoubtedly be influenced by newer standards from the ISO and ANSI. Thus far, however, the user base for UCSD Pascal far exceeds that of other implementations.

MARK JOHNSON AND ALLEN MUNRO
Redondo Beach, CA

THE SPIRIT OF BENCHMARKS

I enjoyed reading "STSC APL* Plus and IBM PC APL: Two APLs for the IBM PC" by Jacques Bensimon (March, page 246). Although STSC's APL*PLUS/PC is a very fine product, the soon-to-be-released I.P. SHARP APL/PC promises to contain the powerful operators, such as nested arrays, that most sophisticated APLers expect from their language. I hope BYTE will have the opportunity to review I.P. Sharp's upcoming product.

In response to page 250 of the article, Mr. Bensimon remarks "... a significantly modified algorithm to reduce execution time, which goes against the spirit of benchmarking" was used in an APL solution submitted by Michael Rowe and Donald Stoneburner (May 1983 Letters, page 8). As the Rowe half of the Rowe and Stoneburner solution, and as a professional who has been involved with many benchmarks of commercial systems, I cannot comment on what is the "spirit" of benchmarking, nor am I sure that benchmarks even have "spirits." What I would like to assure the fine readers of BYTE is that there is a purpose for doing benchmarks.

LETTERS

A benchmark's purpose is that of evaluating and quantifying the efficacy of hardware/software environments within a relevant range of use. A relevant range would be defined by the particular purpose of a benchmark. If a benchmark is performed to generate capacity planning decision information, the relevant range would be based on anticipated utilization; or if a benchmark is performed for systems tuning or performance analysis, the relevant range is based on present utilization. You can always make a benchmark look extremely bad or extremely good for a particular software/hardware environment, but a well-designed benchmark will strive to make representative use of the hardware/software environment by selecting commonly accepted and practiced programming techniques. Most professionals soon find and adopt efficient programming techniques and algorithms (count the times that you or a colleague has made the remark, "I have this routine running twice as fast and with half the code"). Thus, most benchmark designers take for granted that the average programmer is no dummy and therefore tests efficient and representative algorithms. The Rowe and Stoneburner solution is efficient (22 milliseconds for 10 iterations running on an IBM 3081) and makes use of commonly utilized APL programming techniques.

As for the "significantly modified" nature of our algorithm, I thank Mr. Bensimon for his opinion, but I do not concur. Conceptually, each alley of the Sieve of Eratosthenes can be thought of as a Boolean decision processor, in that a ball rolls down an alley (representing a particular number) and if it encounters a hole (representing the number's factorability by a previously derived prime) it is proven *not* to be prime. Our algorithm is true to this original construct, in that we generate a bit mask based on previously derived primes and perform a Boolean AND between this mask (representing the sieve holes) and a bit string (representing all possible numbers (alleys of the sieve)).

One additional note concerns bit-string implementations. PC versions of APL (and some other languages) do not universally implement true Boolean strings, in that a whole byte or integer is sometimes used per single bit. If this were the case, an algorithm that is highly dependent on Boolean operations may have highly variable results in relation to memory utilization and execution speed across software implementations. I have heard, but cannot confirm, that the first release of STSC's APL*PLUS did not have true bit strings, but that the current release does have true bit strings.

MICHAEL C. ROWE, PH.D.
Lewisville, TX

SIMULATION LANGUAGES

I was very interested in the theme articles on simulation in the March issue, but rather disappointed by the sparse and vague references made to European, and especially British, developments in this field. This is surprising and unfortunate because considerable attention has

been paid in the United Kingdom to the use of existing (mainframe) simulation languages on microcomputers. This approach has two main advantages: the microcomputer-based system can be used without retraining personnel who are already familiar with the language; and a mainframe can be used if the model becomes too large for the microcomputer.

The languages that I refer to are the Extended Control and Simulation Language (ECSL), together with its associated code generator CAPS; SEE-WHY; and FORSSIGHT, the current version of the original general-purpose simulation language, GSP (General Simulation Program), which was first used in 1958. All of these languages also support dynamic graphic display facilities on microcomputer systems. As far as I know, FORSSIGHT is not yet available in the United States, but ECSL and SEE-WHY are both actively marketed here.

These three languages use the powerful three-phase activity cycle representation, sometimes called the "British" approach. This means that they can be used only for pure discrete event modeling purposes. This approach has the benefits of being easy to understand and code, and it eases certain modeling decisions.

I hope that this letter will draw your readers' attention to these languages, so that they will consider them when choosing a simulation language.

ROBERT I. MILLS
West Lafayette, IN

A MINOR PROBLEM

For someone who "writes extensively about computers," Ed Teja seems intent on coming across as a novice ("CompuPro's System 816/C and System 68K—the Two and Only," March, page 214). His persistence in referring to the "68K bytes" of CompuPro's 68000 board is in strange contrast to the technical detail of the rest of the article. How could he possibly miss "68K" being an abbreviation for "68000"? And how can I possibly take seriously someone who makes such a flub?

PAUL ROBINSON
Framingham, MA

There was no "persistence in referring to the '68K bytes' of CompuPro's 68000 board." In one caption an editing change converted the declaration that this was a picture of the System 68K's central processing unit into the misstatement Mr. Robinson noted. I should have caught the error in the galleys. I didn't. Mea culpa.

EDWARD TEJA
Santa Cruz, CA

COMPARING COMPILERS


I found Kaare Christian's "Inside a Computer: Notes on Optimization and Code Generation" (February, page 349) most intriguing, and I

(continued)

affordable & reliable... PORT CONTENTION



Add more users to your multi-user computer without expensive hardware or software modifications. A BayTech Port Contention unit will maximize utilization of available ports, thereby minimizing idle, valuable system time. With 6-to-3, 8-to-4 and 12-to-6 port models available, Port Contention problems can be solved from micro to mainframe computers.



The graphic above illustrates a typical BayTech Model 5218B Port Contention application. By adding a single 5218B unit, a 6-port multi-user computer gains six additional users, thereby doubling accessibility to the computer.

- Model 5288B: 6 ports to 3 ... \$ 625.
- Model 5212B: 8 ports to 4 ... \$1095.
- Model 5218B: 12 ports to 6 ... \$1750.

To solve your port contention problems ...

1-800-523-



Now You're Talking!™

rushed to my IBM PC to see what kind of optimized code Microsoft's 3.13 Pascal compiler produces for the Sieve of Eratosthenes algorithm. [For more information see "Eratosthenes Revisited: Once More through the Sieve" by Jim Gilbreath and Gary Gilbreath, January 1983, page 283.] Eagerly comparing my .COD listing to the DRI and Intel listings, I saw a close correlation between Microsoft's and Intel's optimization strategies.

My summary: Where Intel dedicates CS and

AX to somewhat specific functions, Microsoft seems to use AX generally. This results in five instructions (that the Intel code did not require) to load AX with the desired values. In one case, Microsoft saves an instruction adding directly to the count in memory, whereas Intel adds to and then stores AX. The bottom line is that Intel produces a tighter, faster Sieve, but not by much.

Because I use MS-DOS and do not have access to iRMX/86, I was pleased to see how well

Microsoft Pascal optimizes. Although some may be bothered by the fact that the Microsoft .COD file is just a memo listing and not an assembly-language source that can be modified, this suits me just fine. Code that is not tinkered with is one less picket in the fence to come loose—or one less to be hammered up in the first place. The fact that the compiler does such a good job of optimizing is key to my happiness.

As Christian points out, the use of .COD lists is most helpful in analyzing alternative coding tactics. In one case, a piece of my Pascal source code looked redundant because a variable expression was explicitly stated in two consecutive lines. When I compiled this alongside an alternative that precomputed the expression, I discovered that the compiler carried the results of the expression evaluation to the second line, doing automatically, and in less code. What I attempted to achieve in my alternative.

As a final note, Christian's discussion of ways to beat the FOR loop control was most instructive. Microsoft, by the way, exhibits the same weakness that Intel does.

CHET FLOYD
Manhattan Beach, CA

STILL MORE ON THE MAC

After reading the February issue on the Macintosh, I flipped through some old copies of *Scientific American*. An article in the June 1978 issue caught my eye: "The Earliest Precursor of Writing," in which Denise Schmandt-Besserat investigates pictographic versus ideographic origins of writing. It suddenly struck me that the Lisa and Macintosh represent a major step backward in the state of the art of recordkeeping, on the order of perhaps six millennia. Congratulations Apple! The computer, originally conceived of as a tool to expand the horizons of man's intelligence, is instead now encroaching upon it.

THOMAS LITANT
Tokyo, Japan

There is an important difference between Macintosh's graphical images and those of prehistoric man. Mac's icons provide a method of controlling an interactive device, while prehistoric man's were for recording information.

THANK YOU

Several months ago I wrote to you asking if any of your readers would be interested in contributing programs to a book called *Microcomputer Programs in Medicine*.

The response from your readers was astounding. I received letters, postcards, packages of disks, and printouts from all over America, various parts of Canada, England, Ireland, South Africa, Saudi Arabia, Israel, Australia, Malaysia, and even one from mainland China.

I received phone calls in the middle of the night from people asking for details of the im-

(continued)

32 BIT SINGLE BOARD SUPER MICRO

Ideally Suited For:

- Industrial Control
- Robotics
- Personal Computers
- 68000 Software/Hardware Development
- Hobbyists
- Education

Features:


- Mounts directly on 5 1/4" Disk Drive
- 8 Mhz 32 bit 68008 microprocessor (Fully software compatible with 68000 microprocessor) 8 bit data bus
- 128K Bytes on board (no wait state) RAM Plus 4, 8, 16, 32 or 64 K Bytes EPROM memory
- 2 8 bit Parallel Ports
- 2 RS-232 Serial Ports (50 - 38.4K baud, software selectable)
- Floppy disk controller can run up to four 5 1/4, 3 1/2, 3 1/4 or 3" drives. Single or double sided, single, double or quad density.
- Full debug monitor with single line assembler and disk loader
- Extended expansion bus includes all data, address and control signals plus all decoded and multiplexed address and control lines for an additional 128K of RAM
- Power Requirements - +5V @ 1.5A, +12V @ 100mA, -12V @ 100mA

\$595 COMPLETE. Assembled and tested. Includes documentation and surface shipping within continental U.S.

OEM and DEALER DISCOUNTS AVAILABLE

EMERALD COMPUTERS

4000 S.E. International Way, Suite F203
Milwaukie, Oregon 97222 (503) 654-9666



WHO'S GOING TO BE LEFT IN THE DARK EVEN WHEN THE LIGHTS COME ON AGAIN?

When the blackout hit, the CPA on the left didn't have a Saft Standby Power System to protect his numbers. He lost his memory. Result: No data, no business. Even with the lights on.

Our system is made for the small business computer at a small business price. Best of all it's from SAFT, the hottest name in the battery business today. And although it can provide emergency power for almost anything, it was designed specifically to protect personal and small business computers from data loss in the event of a blackout or brownout.

As soon as the power drops, a Saft Standby Power System

turns on in less than one-half cycle, protecting the data and memory within the computer. There are two systems available. The 200VA, which provides standby power up to 20 minutes. For larger systems, the 400VA provides standby power up to 10 minutes. That gives an operator plenty of time to get off the computer safely. And during normal operation it acts as a line filter to protect against harmful spikes.

So don't be left in the dark. Depend on the Saft Standby Power System. Call us at (602) 894-6864. Or write SAFT Electronic Systems Division, 2414 W. 14th St., Tempe, Arizona 85281.



SAFT

MORE POWER TO YOU.



Technical Information & Other Queries

(602) 246-2222

TOLL-FREE ORDER LINE 1-(800) 421-3135

SAVE EVEN MORE!

We will attempt to beat anyone's price, and remember, if you don't live in Arizona, you won't pay sales tax, which can save you an additional 6% or more compared with purchases made in your home state.

HARDWARE! HARDWARE! HARDWARE!

Epson, Okidata, NEC, Gemini, Daisywriter, Diablo, Juki, Silver Reed, Toshiba Printers and AMDEC, Princeton and Zenith Monitors are now available from Warehouse Software. Call for the lowest prices in the U.S.

DATA BASE MANAGEMENT SYSTEMS

UNBEATABLE PASCAL PRICE!
 DB-Base II+Everyman's base primer
 Extra Juke with Dbase Accounting,
 Mail Merge and Inventory Programs For
 IBM PC and CP/M — Call for our
 special price.

- Fox and Geller Quickcode.....\$159
- Knowledgeman.....\$275
- Condor III.....\$330
- NWA Statpak.....\$350
- Tim IV.....\$249
- Infostar.....\$255
- PFS File.....\$95
- FRIDAY.....\$175
- Personal Pearl.....\$145
- Fast Facts for IBM PC.....\$135
- RBase 4000.....\$285

WORD PROCESSING

- Wordstar, Mail Merge, Correct
 Star,Star Index.....\$345
- Wordstar.....\$230
- Mail Merge or Spell Star.....\$130
- Microsoft Word With Mouse.....\$305
- Word Perfect.....\$295
- Volkswriter for the IBM PC.....\$110
- Volkswriter DeLuxe.....\$175
- Aspen Spellchecker.....\$36
- Metasoft Benchmark.....\$265
- Multimate.....\$275
- Peachtext 5000.....\$195

SPREADSHEETS

- Calcstar for IBM PC... \$65..... Other \$95
- Supercalc II.....\$159
- Supercalc III.....\$215
- Microsoft Multiplan.....\$155
- ITK Solver.....\$289

ACCOUNTING

**TCS, equivalent of Peachtree - Specially
 augmented by Warehouse Software.
 Customized for your IBM PC Terminal
 and Printer - GL, AP, PA, AT, CP/M, or PC
 XT, DOS 1.1, 2.0.
 Each Module.....\$ For A.I.F. or \$275**

CYMA.....CALL

Call for programs not listed.

TERMS: Prices include 3% cash discount. Add 3% for charge orders. Shipping on most items \$5.00. AZ orders +6% Sales Tax. Prices subject to change.

TOLL-FREE ORDER LINE 1-(800)-421-3135

WAREHOUSE SOFTWARE

2701 West Glendale Ave., Suite 6
 Phoenix, AZ 85021



LETTERS

pending book.

As a result of this overwhelming response, the programs have now been published in book form in two volumes. Volume I contains scheduling and appointment programs, direct patient billing and accounts receivable programs, patient file retrieval, simple statistics (including standard deviation), graph drawing and curve fitting, and numeric and alphabetic sorting. Volume II contains programs for taking patient histories and history summarization, respiratory function, pediatric growth-percentile calculation, bar-graph drawing, etc.

The book is available from Computer Medical Corporation, Medical Software Company, 328 Main St., Center Moriches, NY 11934.

I must thank your readers again for the fantastic response.

DEREK ENLANDER, M.D.
 New York, NY

THE PERFECT MICROCOMPUTER

First, let me congratulate you for having the finest computer magazine and the finest consulting editors: Steve Ciarcia and Jerry Pournelle. I agree with their assessment of the industry as exemplified in the May issue.

I find the prevalent state of the microcomputer industry appalling. Although we have had two very powerful 16-bit processors available from the start of this decade (the MC68000 and the Z8000), they are not in most microcomputers and are underutilized in all but the most expensive. Mr. Ciarcia's Trump Card, for example, is a great addition to a PC, but why is it necessary? Did Intel and IBM conspire to offer America inferior technology? And why is the Z8000 such an underused chip?

Having owned three personal computers, I am ready to buy again, but this time I have some specific criteria in mind. I would like a 16-bit processor, at least 512K bytes of RAM expandable to at least 2 megabytes, two disk drives of at least 512K bytes each, multiuser capability, a good operating system with plenty of software, and an under-\$3000 price tag.

Guess what? There are none. Two computers that come close are the Sage and the Pinnacle. The Sage is a little too expensive at present, and the Pinnacle needs software. But why are there no Z8000 machines? I believe there are many computer sophisticates such as myself who would buy such a machine.

RICHARD H. KNOP
 Kansas City, MO


MUMPS

I read with interest Jonathan Javitt's article "Computerizing a Medical Office" (May, page 171). I have been involved in this field from both a programming and a medical perspective for over five years. I am in particular agreement with the seven-step approach Dr. Javitt recommends for effective use of computers within a

(continued)

HIGH PERFORMANCE

IT'S WHAT'S UNDER THE HOOD THAT COUNTS



Take a close look under the hood of a Datasouth printer. Inspect for loose parts, cheap fittings. Search for things that show more concern for speed on the assembly line than the communications line.

You won't find them. Instead you'll find the source of the Datasouth reputation: design, engineering and materials dedicated exclusively to *high performance* value.

Now look closer.

MORE THAN THE HUM OF ITS PARTS

Count the moving parts in a Datasouth printer. You won't find many. Most of those are dedicated to transporting the printhead and the paper from point to point with optimum speed and accuracy, while the rest of the printer sits quietly with the motionless authority of a Stonehenge.

And thinks.

Under the hood of every Datasouth printer is a highly intelligent microprocessor. Its sophisticated brainwork eliminates the need for many parts still common in other printers, and optimizes carriage and paper travel so the printhead intelligently follows the shortest path from one printable character to the next. So more work gets done with less strain on the machinery.

MODULAR MAINTENANCE

Datasouth design simplicity assures easy maintenance. All control electronics are on a single printed circuit board. The 9 wire printhead is rated at over 500 million characters, and is easily replaced in minutes.

Everything that matters is easy to reach, right there under the hood. Even the cartridge ribbon, rated at 3 to 4 million characters, snaps into place in seconds.

JUST TURN THE KEY

Datasouth printers are easily driven by virtually any mini or microcomputer. The fully instrumented dashboard allows the user to program up to 50 different applications features at the touch of a few buttons. Meanwhile, the digital readout shows everything from programming prompts to line count.

TAKE YOUR CHOICE

Datasouth reliability comes in two high performance models. The DS180 is a legendary workhorse that delivers crisp data quality printing at 180 CPS. The new multimode DS220 cruises at 220 CPS for high speed data printing and at 40 CPS for letter quality word processing. Both models print precision dot-addressable graphics.

If you have a high performance printing need, Datasouth has a high performance printer to fill it.

DRIVE ONE TO WORK TODAY

Both the DS180 and the DS220 are on display at more dealer showrooms every day, including one near you. So go take a hard look at the kind of hard copy you get from high performance Datasouth printers.

See what *really* counts when you compare printers.



datasouth

H I G H P E R F O R M A N C E M A T R I X P R I N T E R S

Find Datasouth Printers At
Participating **ComputerLand**® Stores
And Other Fine Dealers.




Circle 102 on inquiry card.

AVAILABLE NATIONWIDE
THROUGH OUR NETWORK OF
SALES AND SERVICE DISTRIBUTORS
CALL TOLL FREE:
1-800-222-4528

Datasouth Computer Corporation
Box 240947 • Charlotte, NC 28224
704/523-8500 • Telex 6843018 DASOU UW

JULY 1984 • B Y T E 27

Knowledge Manager: The software that keeps on growing...



Whether your needs are simple...

Features*	Advantages*	Benefits*
Unlimited number of tables open at a given time Up to 255 fields per record	No need to open and close tables repeatedly Greater descriptive capacity	Speedier answers to your queries Lowers frustration of having to deal with multiple tables for a single topic
Passwords, read/write access, data encryption Query multiple tables with a single command Query syntax like IBM's SQL/DS	Access to data is individualized Retrieves data without unnecessary intermediate steps English-like commands	Unauthorized use of data prevented Users get information more efficiently Users not required to learn a new language
Dynamic sorting and grouping of query output Spreadsheet cells may be defined in terms of • formulas • data table values • programs	Control of output format Cell can automatically retrieve information from tables and can perform intricate mathematical operations on that information	Data can be customized to users needs No need to rekey information or perform calculations separately
Forms creation for screen and printer using 8 colors, blinking, bell, prompts, reverse video, etc.	Greater versatility in screen and printed output	Screens and forms are easy to understand and use
Statistics (e.g., min, max, average, sum, standard deviation, variance, etc.) automatically generated	Provides more complete analytical description of data	Improved decision-making capabilities
High resolution color graphics: pie charts, bar charts, area curves, scatter diagrams, etc.	Numerical data from spreadsheets and tables can be pictorialized	Patterns and trends easier to spot


*Partial List

We help a lot of different people solve a lot of different problems: from the simplest to the most complex... from mailing lists to integrated accounting, from preparing tax returns to order entry. Whether you need help saving money or making it, the Knowledge Manager can help you manage your information better than any other micro software package.

Quality Software for Quality Results

You can start just as simply as you want and grow just as fast as you like. The Knowledge Manager's powerful commands are always ready when you are. You get quick results, improved productivity, accurate information, custom tailored to meet your needs. The Knowledge Manager lets you use your information, when you want it and in the way you want it.

For people who just can't get enough of a good thing



intricate... or somewhere in between

Reliable and Comprehensive

The Knowledge Manager is built to last. You can start with the Beginner's Guide, or run right through the instruction manual to advanced data management commands.

Chances are you won't find a job the Knowledge Manager can't do.

Dealer inquiries invited.

KNOWLEDGE man

KnowledgeMan is a trademark of Micro Data Base Systems, Inc.; SQL/DS of IBM.

Circle 212 on inquiry card.

Please send me:

- Free feature-by-feature comparison
- Forms painter and graphics information and pricing*
- Run-time package information and pricing*

*Forms painter, graphics and run-time package are available as optional components.

- Please accept my order for the Knowledge Manager \$500.00
- Shipping and Handling† 10.00 (Indiana residents must add 5% sales tax—\$25.00)

Machine: _____

Operating Systems:

- PCDOS MSDOS CP/M-86

Disk Format:

- 8" IBM-3740 SS/SD

- 5¼" IBM PC SS
 - 5¼" Victor/Sirius
 - 5¼" DEC Rainbow
- †Add \$20.00 if outside U.S., Canada or Mexico

192K RAM required, 500K mass storage suggested.

- Check or money order enclosed (must be drawn from U.S. bank in U.S. currency)

MasterCard No. _____

VISA No. _____

American Express No. _____

Expiration Date _____

Bank No. (if M.C.) _____

Signature _____

VISA, MasterCard and American Express orders may be placed by phone (317) 463-2581.

Name _____

Title _____

Company _____

Phone (____) _____

Address _____

City _____

State _____ Zip _____

Send To:

 **MDBS/Consumer Products**
P.O. Box 248
Lafayette, IN 47902
Phone: (317) 463-2581
Telex: 209147 ISE UR

Or Contact Your Local Dealer.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE
Current release is 1.06 as of 4/1/84.

Now Taxan for IBM

RGBvision 420 features 640 horizontal line resolution with .38mm dot pitch, non-glare black face picture tube, 18 MHz bandwidth. Includes cable.

TAXAN Model 121 (Green) or 122 (Amber) are TTL, 800 horizontal line resolution, 20 MHz bandwidth.

The optional tilt and swivel base with LCD clock, model 110-12, is also available for Models 121 / 122.

Ask your dealer about TAXAN model 505, 256K RAM expansion card for the IBM PC.

Circle 300 for Dealer inquiries.
Circle 301 for End-User inquiries.

Image on Model 420
Created by
Visual Data Enterprises



TAXAN manufactures monitors for nearly every personal computer.

TAXAN Corporation, 18005 Cortney Court, City of Industry, California 91748, (818) 810-1291

See your local **TAXAN** dealer or call us for details

LETTERS

medical practice.

However, as both a software vendor and a physician I disagree with some aspects of the article. On page 174, Dr. Javitt says:

... packages have been created that accommodate specific items of clinical information. These programs allow a practice to designate 10 or 20 items that must be recorded for each patient and to configure data fields to store those items. ... What is needed is a relational database that is able to track clinical parameters over time and correlate them. ... This level of sophistication has not been developed under current microcomputer systems and is currently available only under Unix.

Our medical-software package now supports both free-text entry of patient records and storage of up to 1000 problems per patient. All information is retrievable individually or in groups selected from criteria of the practice without resort to custom programming with up to fifty Boolean AND, OR, and NOT operands for either inclusion, exclusion, or both.

On page 176 Dr. Javitt states:

Installation ... is time-consuming. ... In the initial phase, the personal data on each physician in the practice must be entered as well as the particulars of each insurance carrier with which the practice deals. A complete list of diagnoses and procedures used in charges and ... codes. ... Try to find a program that can learn new diagnostic codes and procedures as it comes across them.

Our software package "learns" all data about a practice as required during a normal posting cycle. Thus, patient data, diagnostic codes, procedural codes, insurance carriers and codes, and provider information are all entered only when outside the current boundary of the known practice data.

The trick is not alchemy but rather Mumps. This ANSI-standard language/operating system/filing system supports a remarkably flexible data structure almost handcrafted to the needs of medical users with both variable-length records and multiple linked records per patient possible. Argument indirection permits the user to enter a variable whose truth value can be tested easily across the entire database. Finding all patients who are 35-55 and have hypertension and diabetes, for example, is easy. Finally, Mumps is available for microcomputers and minicomputers, ranging from the Apple II and clones to the largest networked mainframes, all without alteration of source code.

Both as a programmer and a physician, I have found the Mumps language to be a joy; I am

only sorry that BYTE has not represented this computing option to its otherwise well-informed readership.

DOUGLAS H. McNEIL, M.D.
Little Rock, AR

YOU THINK YOU'VE GOT PROBLEMS

Our corporation consists of two divisions. One is an offshore drilling and training division. The other develops computerized operating programs for the petroleum industry. We who work in the offshore drilling and training division are constantly exposed to terms and definitions from the computer division that we do not understand, such as gigabyte and multibus. And when we ask the computer division questions about what they are talking about they look at us like we are idiots. So we took it upon ourselves to find out what these terms mean, and due to our diligence and constant searching we did locate a multibus, of which we have enclosed a picture (see photo below). We would appreciate it if you could print it in your magazine so that all the other people who are constantly exposed to these computer people and who have no idea what they are talking about will at least know what a multibus is.

We are still searching for a gigabyte and are somewhat apprehensive about looking for a terabyte. If anybody else out there needs our assistance please feel free to write us and we will see if we can find what they are looking for.

GENERAL PETRO SCIENCE
Houston, TX

ARE YOU SITTING DOWN?

While I'm still in shock, I thought my fellow readers should be informed about the cost of computer repairs. I purchased a Columbia VP portable in September (by mail order) with the belief that nationwide servicing through Bell & Howell would negate any problem of not buying from a local dealer. (As a research engineer, I didn't need any dealer support for my applications.) Was I ever wrong!

When my machine went down on December 30, I figured a quick trip to Bell & Howell would take care of it. After all, it was probably just the Motorola 6845 CRT controller chip that needed replacing. It took a little longer than expected because, despite national advertising, Colum-

(continued)

EVERYTHING FOR IBM PC/XT DATA ACQUISITION AND CONTROL



MODEL DASH-8 \$375

- 4,000 Samples/Sec (30,000 in Assembly Language)
- 8 S.E. Channel, 12 Bit Analog Inputs
- Event, Period, Pulse Width, Frequency Measurement
- 7 Bits of Digital I/O
- Programmable Scan Rate
- Interrupt Handling
- Foreground/Background Operation

MODEL DASH-16 \$895

- 40,000 Samples/Sec
- 8 D.I., 16 S.E. Channel 12 Bit Analog Inputs with DMA
- 2 Multiplying Analog Output Channels
- 8 Bit Digital I/O
- Interrupt Handling
- Foreground/Background Operation

MODEL DASCON-1 \$485

- 30 Samples/Sec, 4 D.I. Channel 12 Bit Analog Inputs
- On-Board Signal Conditioning
- Direct Temperature Measurement (-200 to +650 C.)
- 12 Bits of Digital I/O
- Interrupt Handling
- 2 Optional 12 Bit Analog Output Channels
- 2 Optional Instrumentation Amplifiers (0.5 MicroVolt/Bit)
- Foreground/Background Operation

MODEL PIO-12 \$ 97

- 24 Bit Parallel Digital I/O
- Interface to Plotters, A/D's, D/A's, Relays, Switch Contacts, Etc.
- Interrupt Channel
- No Software Needed

MODEL IE-488 \$395

- Industry's Easiest IEEE-488 Board to Program
- Interrupt, DMA, and Normal Transfer Modes
- Controller, Talker or Listener
- No Floppy Disks Required
- Resident ROM Command Interpreter

Single Piece Pricing Including Software

ONE YEAR WARRANTY

Also Available is a Complete Line of Accessory and Expansion Products



254 Tosca Drive, Stoughton, MA 02072 (617) 344-1990
JULY 1984 • BYTE 31



bia Data Products Inc. did not have a servicing agreement in effect with Bell & Howell for the VP until January 1, 1984. In all fairness, the people I dealt with did their best to get my machine fixed—they just didn't have any idea how much it would cost. It came to \$811.06.

Why? It's simple. Servicing consists of replacing the motherboard at \$630 plus tax, plus two hours of labor at \$64 per hour. While this may be an acceptable way of performing service for a business, the individual consumer simply can't

afford it. It is equivalent to replacing the engine whenever your car won't start. How many of us would own cars under that condition? Therefore, I have some suggestions for the individual owner: (1) Find a reputable serviceman who will fix what's wrong with your machine (not just replace boards) *before* you buy it. Buy only what you know can be serviced reasonably. Many users groups know of such people and could put you in contact with them. (2) If you know nothing about computers or electronics and

can't find a suitable serviceman, then buy a service contract from your dealer or a reputable service organization.

As for me, I'm going to buy one of every chip on the motherboard (which will cost less than a service contract) and fix it myself the next time it fails.

MICHAEL W. FITZPATRICK
Westerlo, NY

THE ORIGIN OF "BUGS"

Several recent magazine articles and a book (*The Naked Computer*) have suggested that the words "bug" and "debug," used in relation to computers and computer programs, originated because a moth flew into the relays of the Mark I at Harvard.

Though this incident undoubtedly occurred, the meaning of the word bug is at least a hundred years older. For example, here is an excerpt from a letter written by Thomas Alva Edison to Theodore Puskas, Edison's representative in France, on November 13, 1878:

I have the right principle and am on the right track, but time, hard work, and some good luck are necessary too. It has been just so in all of my inventions. The first step is an intuition, and comes with a burst, then difficulties arise—this thing gives out and then that—Bugs—as such little faults and difficulties are called—show themselves and months of intense watching, study and labor are requisite before commercial success—or failure—is certainly reached.

JOHN LORD
Santa Monica, CA

IN PRAISE OF THE MAC

As an engineer, I have been using mainframe computer and minicomputers for the last 25 years. I have always viewed the microcomputer industry as being characterized largely by trash software running on trash hardware. For the past few years there has been frantic activity but little forward progress. For this reason, I find it sad to read all the letters nitpicking the Apple Macintosh. Perhaps these writers are proud of their ability to remember that <cntl><alt>Q moves the cursor left two characters (or was it three characters?) and are intimidated by the thought that soon anyone will be able to use a computer. In developing the Macintosh, Apple has done something unique in the microcomputer field—combined excellent hardware with excellent software. I think that Apple's pursuit of excellence is far more important to the future of microcomputing than the temporary difference between 128K bytes and 512K bytes of memory. This letter was, of course, composed on my new Mac. For the first time in 25 years, I am having fun using a computer.

GEORGE ROOT
Boulder, CO ■

NOW!
your personal computer can see

with
oculus™

THE REMARKABLE NEW VISION BOARD INTERFACE
THAT'S DOWNRIGHT AFFORDABLE

Both our Oculus-100 and Oculus-200 boards give vision to your IBM® PC or compatible computer. And, both convert your PC into an image processor.

For high performance, choose the Oculus-200 board. Priced at \$1995, it incorporates features you'd expect from vision systems costing twice as much. In fact, the Oculus-200 is a real-time, 30 frames/second video digitizer with 256K bytes of memory. Thanks to its on-board video output, the processed image can be displayed on an auxiliary monitor, with graphic overlay and vectoring capabilities. The Oculus-200 transforms, in real-time, the image received from a standard video camera into an array of 512 × 512 pixels with 128 shades of gray. Which means that the digitized image will be as sharp as your original subject.

For those special applications where a real-time binary system is just right: take a close look at our other board... the Oculus-100. It digitizes a TV image, in real-time, into an array of 512 × 512 black and white pixels that can be processed by your personal computer. And the image can be displayed, at a lower resolution, on your PC monitor. With its 32K bytes of memory and \$695 price tag, the Oculus-100 is ideal for the rapid processing of contrasting images.

Applications for the Oculus boards can include: page reading — facsimile — teleconferencing — surveillance/security — microscopy — graphic arts — factory inspection — and much, much more. Dedicated software for these applications is available from our company. Each board is delivered with menu driven imaging software, cable and manual. Camera and display monitor are not included.

For more information about our Oculus boards, software or volume discounts, call us toll free at (800) 361-4997, in Canada call (514) 651-2919. Or write to:

CORECO INC. The Computer REsearch COmpany, 547 St. Thomas,
Longueuil, Quebec, Canada J4H 3A7

IBM is a Registered Trademark of International Business Machines Corporation.

READ ONLY

A review of the IBM Personal Computer family. Summer 1984



UP AND RUNNING

And Swimming, Building, and Baking. Building and baking? They don't produce gold medal winners, but they do figure in staging the Olympic games. So do 200 IBM Personal Computers (including software) that are part of IBM's sponsorship of the 1984 Olympics in Los Angeles. In fact, IBM PCs are hard at work in both sports and administration.

PCs are involved in a wide range of planning and analytical activities, though they don't provide official results of the various athletic events. Some events, for example, use the IBM PC to determine how competitors are seeded—who competes against whom. In other events, such as archery, the PC simplifies the complex task of recording scores and compiling statistics for each athlete as the competition progresses.

In events like gymnastics that depend on points awarded by judges, statistics can be kept on the PCs to analyze scoring consistency. Also, a whole range of information about individual athletes, past Olympics, and

world and national records, both past and present, can be quickly recalled and compared with the help of the IBM PC.

Last but not least, administration. Spreadsheet programs, such as IBM's Multiplan™, were used on the PC for planning and forecasting by nearly every administrative department, from Construction to Ticketing. The same departments speed up some of their day-to-day accounting tasks with the help of the PC and IBM accounting packages.

Departments with specific software needs developed special packages with the assistance of a programmer whose services are part of IBM's Olympic sponsorship. Specially designed programs include database management applications to help handle transportation requirements and inventory control programs to keep track of sports equipment and personnel records.

In short, there's hardly an area of planning and staging the 1984 Summer Olympics that the IBM Personal Computer doesn't play a part in. Maybe there *should* be medals for administration.

Multiplan is a U.S. trademark of Microsoft Corporation.




ON THE STOREFRONT

A Shorter Distance between PC Points. We're all familiar with the feeling of being lost in the growing maze of new computer products. IBM has opened a path through that maze, straight to the information and answers you need about IBM Personal

Computer Products—information about a specific software package or hardware configuration and answers to technical questions.


The key to entering this new information path is the IBM Customer Support System (CSS) at your authorized IBM Personal Computer retail dealer or IBM Product Center. Dealers in over 300 cities throughout all 50 states use the Customer Support Sys-



tem, which includes a nationwide communications network, to help give you instantaneous computer-age service support that's unmatched by any other computer manufacturer.

Colorful Stops along the Way. More than 1,700 authorized IBM dealers have access to a permanent and continually updated directory of IBM Personal Computer product information in IBM's Customer Support System. For a sharp color display of the type and level of information you want, visit your dealer or IBM Product Center and choose from lists of options displayed on an IBM PC color monitor. There are choices that guide you quickly and easily from product directories to in-depth product demonstrations and configuration information.

Since knowing how to take the first step is often a problem, CSS gives you a variety of possible starting points. By selecting the appropriate category—such as printers or business software—you can move to a list of specific products and then to the



Information from CSS with simple one-key commands

product demonstration you want. If you know a product name to begin with—Word Proof, for example—CSS will make an alphabetic search for it. To keep you up-to-date, there's also a special listing for new product announcements.

You can browse through the CSS displays at your own pace, pausing at a given spot or moving quickly backward or forward by using simple one-key commands that are always displayed at the bottom of the screen. One of these commands enables you to make print-outs of any information you wish to save for future reference.

The IBM PC family's color graphics capabilities make the CSS software demonstrations especially impressive. The Multiplan demonstration, for example, consists of several consecutive screens of information. Each screen is split vertically, with representative sections of the actual program on the left and explanatory text on the right. By the time you've seen the entire demonstration, you'll have a good idea of both *what* the program can do for you and *how* it does it.

Answers at the End of the Line.

Over 1,000 authorized IBM retail dealers and IBM Product Centers are linked through their Customer Sup-

port System to the IBM Information Network. This nationwide communications capability helps your dealer give you fast, efficient service. Warranty claims, for instance, can be handled through CSS with a minimum of paperwork and delay. Dealers also use the network to communicate with other dealers and with IBM to keep abreast of the latest product and service information.

In addition, the CSS network is your gateway to technical information about the IBM Personal Computer family of products. IBM maintains a database on a 3033 mainframe in Tampa, Florida, that your dealer can use to answer—within minutes—a wide range of questions. If the solution isn't on hand in the database, your question can be submitted through CSS to a technical support staff in Boca Raton. There, it will be analyzed and an answer returned through CSS to your dealer.

The information used to answer your inquiry is added to the CSS database, where it will be immediately available for anyone else with a similar question. Your technical inquiries therefore contribute to the growth of the Customer Support System. Its on-line product information, color graphics displays, and advanced communications all have a single purpose—to help you get the most out of your investment in IBM Personal Computer hardware and software products.



HARDWARE NEWS

Color. There's color news for the IBM PC, IBM PCXT, and IBM *Portable* PC in the form of the IBM Personal Computer Color Printer. It's a high-performance, dot matrix printer that can print charts, graphics, artwork, and text in up to eight colors. The Color Printer produces color graphics that can enhance the appearance of your reports and presentations and make the information they contain even easier to understand. It can also type directly onto overhead transparencies.

The IBM PC Color Printer's range of performance features make it especially well suited for heavy-use/high-productivity applications. A near letter quality printing mode is standard. Printing speeds of up to 200

characters per second can help save time. So can programmable automatic control of print requirements such as print mode, line spacing, and margin and tab setting. These programmable features act as an extension of many software products—word processing programs, for instance—and can be initiated with just a few keystrokes.

A final feature for those who like a personal touch. You can use the Color Printer to personalize your documents by varying the printing modes, character spacing, and boldness. This allows you to differentiate



The IBM PC Color Printer

among headlines, subheads, and quotations and even to print math and science equations.

The Big Crunch. Not long ago, computing and number crunching were nearly synonymous. Personal computers and software for everything from office management to agriculture changed that, but the need for heavy number crunching has hardly disappeared. If it's still a part of your computer workload, the IBM Personal Computer 8087 Math Co-processor can help speed up your calculations.

The 8087 is a floating point co-processor that multiplies, divides, adds, subtracts, exponentiates, and performs trigonometric and logarithmic functions. It works together with the PC's 8088 processor to improve the execution speed of floating point operations by as much as 10:1. The Math Co-processor increases calculation speeds so greatly because it makes floating point operations a hardware rather than a software function.

In addition to increasing the speed—and often the level of precision—of statistical and analytical math packages, the Math Co-processor can improve the display speed of graphics and video games. It also significantly improves high-level language execution time, and is designed to work with the APL Interpreter and the version 2.0 Pascal and FORTRAN Compilers discussed next in this issue.



We Speak Your Language. IBM Personal Computers are shameless polyglots. They can handle most of the popular programming languages you want to work with. Much of the credit for their versatility goes to the IBM Disk Operating System (DOS) 2.10. This updated version of DOS 2.00 was developed to provide support for the IBM PCjr as well as for the IBM PC, PC XT, and IBM *Portable* PC. So all members of the IBM Personal Computer family are united by a single master program that provides the required support between their hardware and a wide range of application programs.

More to our present linguistic point, the DOS 2.10 diskette contains two programs, Disk BASIC and Advanced BASIC, to help you write your own programs on an IBM PC. (IBM PCjr BASIC—a separate, optional cartridge—provides this support for the PCjr.) Disk BASIC adds DOS file support, date, time of day, and communications capabilities to the BASIC language that comes with every personal computer from IBM. Advanced BASIC adds advanced key trapping and advanced graphics—including viewports, windows, and paint tiling—plus music and other capabilities.

DOS has other features that help simplify advanced program development and design, including a line editor, a linker, background printing, and chaining of commands. For help with writing and editing particularly sophisticated BASIC programs, there's the BASIC Programming Development System, a software package that consists of two programs and four utilities. The first program includes a Text File Editor and a Structured BASIC Pre-processor; the second includes a BASIC Formatter and a BASIC Cross-Reference.

Native Translators Available. The IBM BASIC Compiler compiles or translates the BASIC programs you've written, down to native object code so they'll run on your IBM PC. And BASIC is just the beginning. DOS also provides the support you need to develop and run programs using the IBM Personal Computer Macro Assembler or the FORTRAN, COBOL, and Pascal Compilers.*

Two of these, the FORTRAN and


Pascal Compilers, are available in recently updated versions. IBM PC Pascal 2.0 is based on the ISO standard, and IBM PC FORTRAN 2.0 conforms to the ANSI-77 standard subset level. Both new versions feature improved arithmetic capabilities, and both support the IBM 8087 Math Co-processor for greatly increased speed in processing floating point calculations. (For more about the Math Co-processor, see "Hardware News" in this issue of *Read Only*.)

In addition, versions 2.0 of the FORTRAN and Pascal Compilers feature a Library Manager for creating user-defined libraries and provide easy access to all files in any subdirectory through DOS path support. FORTRAN 2.0 supports linking of object modules with subroutines written in Pascal 2.0 and vice versa. Both new versions support linking of object modules with subroutines written in IBM PC Macro Assembler.

There's a bargain in store for those who already own the 1.0 versions of these compilers: you have the option of buying an upgrade to the 2.0 version at a substantial savings from the full 2.0 price.

To ensure that your programming reach doesn't exceed your grasp, the IBM PC APL Interpreter enables you to write and edit your own programs in APL. It can also be used to exchange data files and workspace between your IBM PC and many mainframe computers.*

Finally, if you're inclined to make serious use of the IBM PC's array of programming aids, we suggest that you also take a look at the recently announced IBM PC Sort program. It provides support for data types and file organizations used by the IBM DOS-supported languages mentioned



Application development tools from IBM

above and can significantly speed and streamline your programming efforts.

IBM PC Sort can be used as a stand-alone utility, integrated into a batch job stream, or invoked directly from a COBOL program via the Sort verb. It can sort records from a data file

or files, merge multiple input files, selectively include or exclude records, and create an output file containing the records, pointers, or keys from the input files. There are no arbitrary limits in IBM PC Sort for file size, record length, number of keys, or number of input files.

*BASIC Compiler and Macro Assembler will run on the IBM PCjr. APL Interpreter will not. Although the IBM PCjr does not support FORTRAN, COBOL, and Pascal Compilers, most of their output will run on the PCjr if there is sufficient storage.

Now Get Organized. The IBM PC's ability to run a wide variety of commercially available programs and to help you develop your own applications may result in a good news/bad news situation. The good news is that you'll be able to satisfy your application requirements. The bad news is that you'll probably be the one responsible for keeping track of your growing library of programs. If, as we've often found, enthusiasm outstrips organization, you may find yourself falling behind—especially if you're working in an area, such as



Animation Creation software from IBM

small business finance or education, where programs multiply rapidly.

Fortunately, help is in sight, in the form of Fixed Disk Organizer, an IBM software package that does just what its name suggests.

Fixed Disk Organizer has a master menu that lets you sort out your various application programs by category—word processing, spreadsheet, communications, and so on. You can tailor the menu to your specific application needs by adding new menu categories, revising or deleting existing categories, or changing titles. The master menu allows you to review all the programs stored on your fixed disk at a glance and to call them up quickly with just a couple of keystrokes.

Fixed Disk Organizer also helps protect sensitive data by allowing you to create passwords and restrict access. It also enables you to write a

string of complex DOS commands into a batch file and execute them whenever you want simply by selecting that file from the menu. And in case part of your organizational problems stem from not always remembering just how things are organized, you can use Fixed Disk Organizer to establish Help files as a reminder.

So we're all in trouble—no more excuses for not being organized.

Moving Pictures and Mathematical Castles. Let's not forget that there's more to life than programming, compiling, and getting organized. There's also software from IBM for pure enjoyment and for enjoyable education. Two such packages are Animation Creation and Adventures in Math.

Adventures in Math incorporates math drills into an adventure game with vivid color graphics of a castle and its passageways and treasures. To find the way out—and to uncover as many treasures as possible along the way—children (or particularly skillful adults) have to solve basic math problems. The program's difficulty level increases as you solve the problems you're confronted with.

Using Animation Creation, you or your children can draw your own pictures and watch them come to life. To draw pictures, you select from 254 computer characters and position them on your screen. Add color by choosing any of 16 foreground and 8 background colors. Then, by slightly repositioning the images on successive screens, you can create animation.

Next stop, Hollywood.



HARDCOPY

You Can't Enjoy the Game without a Program. Earlier in this issue (see "On the Storefront"), we discussed the Customer Support System for online information about IBM Personal Computer products. Much of that information is also available in two publications: *The Guide*, a directory of Personal Computer offerings from IBM, and *The Library*, a directory of IBM Personal Computer software offerings. If you want to enjoy the personal computer game, these are the "programs" you need to do it.

The Guide, published twice a year, is a catalog that contains clear, concise descriptions of IBM PC, IBM PC XT, IBM PCjr, and IBM *Portable* PC systems. It also reviews printers, video displays, expansion units, and all other IBM PC hardware products. A separate section of *The Guide* contains articles on IBM PC software packages.

Both hardware and software articles are illustrated



with annotated color photographs—of key screens for the software packages—and start with charts that provide quick product overviews. Other noteworthy features include sample configuration tables for all three systems and a closing section on Sales and Service Support.

The Library, updated quarterly, presents an overview in booklet form of the entire IBM PC software product line. It presents the software by category, with sections on Operating Systems and Languages, Personal Productivity, Communications, Business, Education, and Entertainment. Program descriptions are brief and to the point. Each includes a short overview, program highlights, and system requirements. There's also a chart at



IBM®



the end of the booklet that shows at a glance which programs are compatible with the IBM PCjr.

Or the Hardware without a Manual. If *The Guide* and *The Library* are the general road maps to IBM PC products, the *Technical Reference* and *Hardware Maintenance and Service manuals**—now available in newly updated versions—are the detailed maps of downtown. It's not a trip everyone wants to take, but if you do, these are the right directions.

There's a three-volume *Technical Reference* set for the PC and another for the PC XT and *Portable* PC. These manuals include the functional specifications for the system units and for the options and adaptors in the IBM PC product line. The *Hardware Maintenance and Service* manual details many aspects of troubleshooting a personal computer from IBM. It includes a parts catalog, a section on preventive maintenance, and instructions for identifying the failure of a replacement unit.

*These manuals are intended for use by technically qualified service personnel.



TIPS AND TECHNIQUES

If you use Personal Editor—IBM's full-screen editor for writing programs and brief documents—but find yourself displaying the Help file whenever you forget a function key assignment, here's a little help from the fellow forgetful.

Function key assignments can easily be displayed on the command line of your Personal Editor screen by assigning F1 to display the unmodified keys and alt+F1 to display the alt+Fx keys. You can then assign the Help function to alt+H, although you probably won't need it nearly as often as before.

The macro for the F1 assignment can be written as follows: def f1 = [cursor command] [begin line] 'F: 2=Save 3=File 4=Quit 5=Erase 6=EraseEOL 7=Print 8=Switch 9=InsL 10=Ins&Indt' [cursor data].

For more information about IBM Personal Computer products, see your authorized IBM Personal Computer dealer or IBM Product Center. To learn where, call 800-447-4700. In Alaska and Hawaii, 800-447-0890.

©1984 International Business Machines Corporation
Little Tramp character licensed by Bubbles Inc., s.a.

FEEDBACK

Pascal p-System Upgrade for PC XT

Maura Smith, SofTech Microsystems' director of communications, commented on James P. Reed's letter to the editor "Watch the Fine Print" (February, page 24). In his letter, Mr. Reed related his surprise when he discovered that neither UCSD Pascal p-System's program nor data files can be stored on an IBM PC XT's fixed disk.

Ms. Smith wants BYTE readers to know that SofTech Microsystems offers an upgrade kit to solve fixed-disk problems such as Mr. Reed's. This upgrade allows you to store both programs and data on the IBM PC XT's hard disk, and it lets you partition a disk among various operating systems.

The upgrade is available through SofTech's end-user sales department for \$20. The address is SofTech Microsystems, 16885 West Bernardo Dr., San Diego, CA 92127. (619) 451-1230.

DEVELOPMENTS

Product News

ODP Computer Systems of Cleveland, Ohio, has announced a 15 percent price reduction on its entire line of ODP-300 business and industrial desktop micros. Prices begin at \$3495 for a single-user system with two floppy-disk drives and 128K bytes of RAM.

ASHTON-TATE's dBASE II database-management system will now be bundled with Kaypro 4 and 10 computers shipped after April 4, according to Kaypro Corporation. In a related development, Kaypro revamped the software package that comes with each of its computers. The new bundle features Digital Research's CP/M 2.2 and MicroPro International's WordStar, MailMerge, CalcStar, and MBASIC. Incidentally, if you're wondering why Kaypro changed the name of the Kaypro II to Kaypro 2, a company spokesperson explained that it was because people kept asking to see a Kaypro *eleven*.

MICROPRO International, the San Rafael, California, applications-software developer, has announced that its WordStar Professional package is available for the Tandy 2000. The Professional package is made up of the WordStar word processor, the CorrectStar spelling corrector, the MailMerge file- and data-merging program, and StarIndex, which creates tables of contents and alphabetized indexes. MicroPro claims to have sold 800,000 copies of WordStar.

LOTUS Development Corporation's 1-2-3 is now available for the IBM PCjr. The Cambridge, Massachusetts, software developer has set the suggested price for this integrated package at \$495.

SOFTWARE Systems Inc. has changed its name to MultiMate International Corporation. According to a company spokesperson, the public's recognition of the name MultiMate is higher than its recall of the name SoftWord Systems. This is due to the fact that the name of each of the company's products begins with the word "MultiMate." The word "International" reflects the company's expanding overseas customer base. MultiMate International, which produces word processors and database and list managers, maintains corporate headquarters in East Hartford, Connecticut.

TERRAPIN LOGO's suggested retail price has been reduced to \$99.95, according to a recent announcement by its Cambridge, Massachusetts-based publisher, Terrapin Inc.

LEADING EDGE Products of Needham, Massachusetts, has reduced the price of its Leading Edge Word Processor to \$200, in response to IBM's announcement that it will market a version of Displaywriter for the PC.

NETWORK UPDATES

Database Serves Financiers

Invest/Net, billed as the insider's trading monitor, is said to feature complete up-to-the-minute information showing the buys, sells, and options exercises of corporate insiders, including senior officers, directors, or owners of 10 percent or more of a corporation's stock. You can also browse the entire list of stocks traded in the United States, scan specific industry groups, and assemble data covering any period of time. A talk-back feature lets you communicate with Invest/Net or other users. The transactions are taken from the records of the Securities and Exchange Commission as well as the New York and American stock exchanges.

Invest/Net can be accessed by any personal computer or terminal equipped with a 300- or 1200-bps modem. Most commands require a single keystroke, and a help facility is on line. It's available in more than 240 cities worldwide. For contract fees, contact Financial Information On-Line—Invest/Net, 99 Northwest 183rd St., North Miami, FL 33169. (305) 652-1710.

Collectibles On Line

The Collector's Data Service, a database for collectors and connoisseurs, went on line last

month. This service provides an exchange for buyers and sellers of such sought-after items as oriental rugs, exotic real estate, works of art, classic cars, antiques, and other collectibles. Lists of stolen properties are carried, along with newsletters, event calendars, and show and auction listings. Additional features include on-the-spot credit validations and low-cost classified notices.

Access is via Tymnet. Further information is available from the Collector's Data Service Ltd., 420 West Mercer, Seattle, WA 98119, (800) 435-0100; in Washington, (206) 281-7273.

Pharmaceuticals Focus of New Network

GTE Telenet Communications Corporation and Fisher Stevens Inc. have introduced PHYCOM (Physicians Communications). PHYCOM is reported to be the first on-line version of the *Physicians Desk Reference*, which contains information on nearly 1000 trade-named pharmaceutical products, product profiles, details of patients' reactions, abstracts of papers by physicians with prescribing experience, and a bibliography of clinical studies.

Up and running since early April, PHYCOM provides daily news bulletins on medical and regulatory developments from the Bureau of National Affairs. A special emphasis is placed on government health-care rulings and medicolegal decisions. A request service enables doctors to contact sponsoring drug companies for product literature or samples, order reprints of published papers, and register for seminars and symposia.

Most of PHYCOM's information can be obtained free of charge, because the cost of providing this service is shared by the sponsoring companies. PHYCOM is available through GTE Telenet's MINET medical-information network. For further information, contact GTE Telenet Communications Corp., 8229 Boone Blvd., Vienna, VA 22180, (703) 442-1000.

Electronic Mail System for Deaf Uses Standard Telephone

Subscribers access the Deaf Electronic Mail Service's (Deaf-EMS's) computer through their TTY or TTD (teletyping devices) in the same manner they would place a call to a friend. Serving as a community bulletin board and electronic mail system for the hearing impaired in the Seattle, Washington, area, Deaf-EMS provides users with mailboxes and schedules of such events as captioned films, national deaf sports, and local club and service organization announcements. Health, safety, and other public-service announcements are covered.

(continued)

Developed by Silent Software Services, Deaf-EMS does not require users to purchase additional equipment or modify their hardware. Deaf-EMS's interface converts the 5-bit Baudot TTY letter code to the 7-bit ASCII code used by its computer, which facilitates ease of use.

Silent Software Services was founded by Paul Stefurak of Seattle. Deaf since birth, Mr. Stefurak earned a degree in mathematics from Gallaudet College for the Deaf in Washington, D.C. For more information contact Silent Software Services, 3864 Beach Dr. SW, Seattle, WA 98116. (206) 937-5386 (voice or TTY).

INTERACTION

Analyses Can Be Risky Business, But Maybe Not That Risky

Professor William Lyons from the University of Tennessee's political science department wrote us suggesting the possibility of a "substantive error" in Pat Macaluso's article "A Risky Business—An Introduction to Monte Carlo Venture Analysis" (March, page 179). We wrote to Mr. Macaluso requesting his opinion on the issues raised by the professor. Here are some excerpts from both letters.

"Pat Macaluso," writes Professor Lyons, "gives the strong impression that one makes estimates of the standard error of the sample means of a particular size drawn from a population only through repeated sampling. In fact, one would not use the sample standard deviation of \$13,400 if one had conducted one sample, as is suggested on page 190: 'If we had made only one run of 2000 samples, we would have little idea of how we were doing. The large standard deviation of \$13,400 would have left us with a range of about \$14,000 to \$41,000 in which to expect the average in 2 out of 3 chances:'"

Professor Lyons contends that you would not use the standard deviation of the cases in such a manner. In his opinion, the appropriate technique would be to use an estimate of the standard deviation of the means. You can estimate this by dividing the standard deviation of the one sample taken (i.e., \$13,400) by the square root of the sample size minus one ($\sqrt{2000-1}$). This phenomenon lets researchers make estimates of population parameters after having conducted a single sample.

In his reply, Pat Macaluso agrees with Professor Lyons that you should not use a sample standard deviation as an estimate of the population value, and he confirms that you should first divide by the square root of the sample size. The purpose of the 10-run method used in the article, notes Mr. Macaluso, was to get a fix on the sample size. Consequently, he asserts the validity of the use of sample standard deviations in that context.

He does, however, differ with what he sees as Professor Lyons's suggestion that you could do as well by making a single run of *N* samples. Such an avenue may be justifiable for a survey where sampling is expensive, but it would be unwise when sampling a model on a computer.

"Suppose we made a single run of 200 samples," suggests Mr. Macaluso. "A typical result

would be about \$27,600 plus or minus 950 . . . not bad for a two-thirds chance of bracketing the true (model) average. It could well satisfy an analyst. Still, the 10-run method requires a sample size of 2000 and uses the averages from 10 runs of 200 samples each to approximate the population parameters. My approach makes allowance for the iffy nature of the model, the number of variables, and the economy of sampling on a computer.

"The analyst can see how data that are often skewed settle down to a fairly normal sampling distribution with diminishing variation. This makes the process more understandable and helps settle on a larger, yet more practical, sample size. Managers risking large sums of money appreciate the conservatism of this approach."

Internal Circuitry Compensates for Possible Bug

David L. Gaissert, an evaluation engineer with NCR Corporation in Peachtree City, Georgia, spotted a bug in the BASIC program accompanying Joe D. Blagg's article "A Low-Cost, Low Write-Voltage EEPROM" (February, page 343) and is concerned about a possible error in the circuit Mr. Blagg described.

In listing 1 on page 344, the program does not increment the EEPROM address pointer, which is the variable *P*. This results in programming all 2048 bytes of RAM into a single address, 14336. To correct this problem, add this line to the program: 265 P=P+1.

While scrutinizing Mr. Blagg's example of interfacing the 52B13 EEPROM to a Z80-based system, Mr. Gaissert noticed that a one-shot was used to extend the Z80's bus-write pulse to a nominal 10 milliseconds. He felt that the interface does not have provisions for latching the data until the write pulse times out. The integrity of the data to be written would then be lost even before the EEPROM had a chance to complete the programming process.

Mr. Blagg has informed us that this would be true when programming a conventional PROM, such as the 2716, but not with Seeq Technology's 52B13 EEPROM. Seeq's chip has its own data-latching network as a part of its internal circuitry. Once it detects the leading edge of \overline{WE} , the 52B13 latches in all other input signals, including data, addresses, \overline{CE} , \overline{CC} , and \overline{OE} . The system controller only has to maintain the \overline{WE} signal during the write cycle after the latches are activated. This feature was one of the reasons Mr. Blagg found the chip so easy to use.

While on the subject of Seeq Technology, Mr. Blagg provided us with some supplementary materials to pass on to you. Seeq is producing the 52B13 (at the time Mr. Blagg wrote his article, only production samples were available). It's distributed nationwide by Schweber Electronics, Jericho Turnpike, Westbury, NY 11590. (516) 334-7474, which maintains outlets in 30 cities. At press time, the 52B13 is available in 350- and 250-nanosecond versions for \$23 or \$27.50 each (quantity 1 to 24). Seeq Technology is located at 1849 Fortune Dr., San Jose, CA 95131, (408) 942-1990.

(continued)

Roland DG manufactures a complete line of high quality monitors, each designed to suit specific uses and applications, from composite monochrome and color monitors to monochrome TTL-signal monitors (ideally suited for use with the IBM PC).



Composite Color Monitor



Monochrome Composite Monitor (available in Amber or Green)



Monochrome TTL-Signal Monitor (available in Amber or Green)


Free and Easy

Using a Business Plotter is difficult and expensive, right? Wrong! That's the way things used to be. Roland DG's new hardware/software package not only makes plotting easy, it also makes part of the deal free!

During the months of April, May and June with the purchase of a Roland DG DXY-800 8-Pen X-Y Plotter, you get the KeyChart Presentation Graphics Software to run the plotter—*Absolutely Free!* A savings of \$375.00.

At the heart of the package is the Roland DG DXY-800 X-Y Plotter, (the lowest priced 8-pen plotter on the market). The DXY-800 is an 8-pen intelligent plotter offering an 11" x 17" plot bed, Centronics parallel and RS-232 serial interfaces, and can also be used in either a horizontal or vertical (60 degree inclined) position, to conserve your desk-top space. Use regular paper or even acetate to produce overhead projection graphics.

Next add KeyChart, probably the quickest, and easiest software program for generating presentation-quality business graphics. You don't have to be a programmer to use KeyChart. It is completely menu-driven and can provide automatic default values for every characteristic. Load in your data from the keyboard, or from almost any electronic spreadsheet, including Lotus 1-2-3.



M O D E L
DXY800

keyChart graphics software is high-quality, quick, and easy.



Why not take the work out of your next business presentation?



thanks to Roland DG, KeyChart can come to you for free.



hurry, this kind of free and easy dealing isn't going to last forever, just until June 30th. For a dealer near you contact: Roland DG, 7200 Dominion Circle, Los Angeles, CA 90040, (213) 685-5141.

KeyChart is a trademark of SoftKey Software Products Inc. Lotus and 1-2-3 are trademarks of Lotus Development Corp.

Roland DG

DATAEASE™

**"DATAEASE is a true winner
— on technical merit alone,
DATAEASE would put dBASE II
out of business."**

**Business Computer Systems
April 1984**

DATAEASE is the most complete information management system available. While literally hundreds of systems claim to offer simple solutions to complex business information needs, rave reviews from our clients, application developers and the media confirm DATAEASE as the **only** product which delivers on this promise.

"DATAEASE received the highest 'Overall Evaluation' rating of the five fully relational programs tested by Software Digest in its report on 20 IBM PC database and file management programs appearing in the March 1984 issue of The Ratings Newsletter."

**The Ratings Newsletter
Software Digest, 1984**

Thousands of business clients worldwide — large and small — say DATAEASE increases productivity. And that is why, in a few short months,

DATAEASE has become a top-seller within the Fortune 500 companies.

"What took five man-months of development with dBASE II, was accomplished in two weeks with DATAEASE."

**Bob Scavullo, President
Noesis Computing Company**

"DATAEASE enabled us to change files, records and reports with no fear of losing data — I can't begin to put a value on that."

**Peter J. Newcombe, Corp. MIS Manager
General Defense Corporation**

Here are some of the features that make DATAEASE the best buy on the market today:

- Layout your forms on the screen.
- Connect any number of files in seconds.
- Access functions with single keystrokes.
- Modify records and design custom reports.

		DATEAEASE	dBASEII®	R:base™	power-base™
Features	Menu driven with built-in commands	•			•
	Full application development functions	•	•		
	Applications can be modified by user	•			
	Menus can be defined by user	•			
	Over 200 fields/record & characters/field	•		•	
	More than 8 indices per file	•			
	More than 16 concurrent open files	•			
Data Entry	Full screen editing for form creation	•		•	•
	Selection from predefined choices	•			
	Valid options always displayed	•			
	Table look-up, dollar and date fields	•		•	•
	Checks for duplicate records	•		•	
	Form modification with auto file update	•			•
Reports & Queries	Query selection through English prompts	•			
	Multiple field sort	•		•	
	Create form letters and mailing labels	•			
	Update multiple files concurrently	•		•	
	Update data between files	•	•		
Interfaces	Read/write both DIF and ASCII	•		•	
	Menu integration with 1-2-3/MultiMate, etc.	•			

- Sort, group and calculate statistical information.
- Access up to 32 files concurrently.
- Interchange data with popular programs.
- Import and export data from mainframe databases.
- Define menus to customize your application flow.

"DATEAEASE requires no training, and very little support . . . that keeps my customers happy, and coming back."

**Nancy Lubecker, Assistant Manager
Softwaire Centre International**

Take a look at DATEAEASE today. DATEAEASE is available at participating Computerland stores and other fine retail dealers. Call or write for detailed information on the entire SOFTEASE™ family of products (DATEAEASE™, WORDEASE™, GRAPHEASE™, DOSEASE™ and MEDEASE™). Circle 283 on inquiry card.

DATEAEASE Demonstration Diskette

- Check one: IBM PC Wang DEC TI
 Check attached for \$10. Send complete information package and DATEAEASE Demonstration Diskette.
 Send information package

Name _____
 Title _____
 Company _____
 Address _____
 City _____ State _____ Zip _____

Send to: Software Solutions, Inc., 305 Bic Drive,
 Milford, CT 06460 • 203-877-9268 • Telex: 703972

For information or nearest dealer call:

800-243-5123

S. Africa: Dataflex, Craighall: 11724-6353
 United Kingdom: M&T Publishing, Munich: 089-4615-0
 Canada: Logiquest, Inc., Montreal: 514-597-9651
 Sapphire Systems, Essex: 011-44-3-745

© 1984 Software Solutions, Inc.

Bug in Early 8088 Arises Later, Reader and Author Explain Fix

BYTE reader Martin Janzen of PBSC Software in Winnipeg, Manitoba, found J. Eric Roskos's article "Writing Device Drivers for MS-DOS 2.0: Using Tandon TM100-4 Drives" to be both interesting and informative. (See February, page

370.) However, the routines in which a local stack is created for the device driver, listing 2 on page 374, concerned him. It seemed to Mr. Janzen that the two groups of instructions (i.e., to switch to a local stack and to switch back to the DOS stack) could produce unpredictable results, such as overwriting areas of memory or storing registers in nonexistent memory.

Listing 1: Martin Janzen's solution to prevent unwanted interrupts from disrupting critical sections.

```

dev_strategy:
    switch to local stack
cli
mov  spsav.sp          ;turn off interrupts
mov  sssav.ss         ;save DOS's stack pointer ...
mov  ax.cs            ;... and stack segment regs
mov  ss.ax            ;set up a local stack in this
mov  sp.offset stkbot ;code segment
mov  sp.offset stkbot ;bottom of local stack
sti                          ;allow interrupts to occur

;switch back to DOS's stack
cli
mov  ss,sssav         ;turn off interrupts
mov  sp,spsav        ;restore DOS's stack segment
sti                          ;... and stack pointer
ret                          ;allow interrupts to occur
                                ; after 'ret' instruction
    
```

"Each [group of instructions] makes up a critical section; a sequence of instructions which may not be interrupted," explains Mr. Janzen. "For example, if an interrupt were to occur after the MOV SS,AX instruction had been executed, but before the MOV SP, OFFSET STKBOT instruction, the interrupt mechanism would push the CS and IP registers onto a stack pointed to by the new value of the SS register and the old value of the SP register."

Mr. Janzen's solution (see listing 1) is to surround each critical section with CLI (clear interrupt flag) and STI (set interrupt flag) instructions. This prevents the interrupts from being processed until the critical section is complete and the stack has been moved.

"If a critical section occurs inside an interrupt-handling routine," says Mr. Janzen, "then the interrupts will already be disabled when the routine receives control. Provided that the routine never executes an STI instruction, the critical section will always execute correctly. However, it is not good to leave interrupts disabled for too long, so this method is not practical for any but the shortest interrupt handlers."

"Whenever a MOV or POP instruction is executed specifying a segment register as the destination," says Mr. Roskos, "interrupts are automatically suppressed until after the next instruction is executed. Intel designed the instructions this way ... to handle the case Mr. Janzen describes. Thus, it is not necessary to surround the sequence MOV SS, AX ... with a CLI/STI pair [because] the first of the two instructions will cause interrupts to be ignored until after the second of the two is executed."

Mr. Roskos stressed that Mr. Janzen could well have found that the program did not work on his machine. He told us that the problem existed in some of the older IBM PCs, which had a bug in the 8088's microcode. Long after writing his article, Mr. Roskos came across Will Fastie's "Tracing a Bug in the 8088" (PC Tech Journal, September-October 1983, page 106). The article described an error in the 8088 processor that was shipped with some of the earlier IBM PCs. This bug prevented the disabling of interrupts following a MOV or POP to the stack segment from working correctly—precisely the difficulty encountered by Mr. Janzen. Mr. Roskos verified the error by using an old 8088 microprocessor he had, but he defended his program as being correct according to Intel's specifications for the 8088 microprocessor. In addition, it works with all IBM PCs, except for those few early releases with the faulty microcode.

Although Mr. Janzen's solution is workable for machines with a defective 8088, Mr. Roskos offers a caveat regarding the use of CLI/STI pairs to protect stack switching. In some routines the interrupts must remain disabled and that using a CLI/STI pair turns on interrupts at the end of the critical section you're protecting. This can cause complications if the protected section resides inside a larger block of code that is supposed to be run with the interrupts off.

If such a situation as described here were to arise and you wanted to protect the stack switches, you must first verify that the interrupts will always be on at the start of the critical section

(continued)

Put an Amber CRT in Your Computer

Now you can eliminate the strobe, flicker and fatigue from your computer terminal with a new amber Soft-View™ replacement CRT from Langley-St. Clair.

Available for the TRS-80, TeleVideo, KayPro, Heath, DEC, Zenith, IBM PC, Apple III and a wide variety of other monitors. These new replacement display tubes use amber phosphors which exceed the European standards for persistence and color. And the "decay" or fade-out rate of the phosphor is the same as the "refresh" or scanning rate of the computer screen, so the display glows gently, rather than flickering like a strobe light — an annoying problem with inexpensive green phosphor tubes.

- Available in medium decay "European Phosphor" (the standard in Europe).
- Made with Lead/Strontium impregnated glass that stops X-ray emission.
- High-contrast double dark face glass that also cuts U.V. radiation.
- Face of tube is etched to stop glare.
- Easily installed...comes with pre-mounted hardware.
- Ideal for word processing and programming, yet fast enough for games and graphics.
- Warranted for one full year against manufacturing defects or tube failure.
- Comes with a 30 day money back guarantee.



Call now to order your 'Soft-View™' CRT from Langley-St. Clair—\$99.95*

800 221-7070

In New York call 212 989-6876

Please specify computer and model number when ordering. Dealer Inquiries Invited.



Langley-St. Clair

Instrumentation Systems, Inc.
132 W. 24th St. New York, NY 10011

TRS-80, TeleVideo, KayPro, Heath, DEC, Zenith, IBM PC and Apple III are registered trademarks of Tandy Corp., TeleVideo Corp., NonLinear Systems, Inc., Heath Co., Digital Equipment Corp. (IBM) and Apple Computer, Inc. Soft-View is a trademark of Langley-St. Clair Instrumentation Systems, Inc.

* Please add \$7.00 for packing and UPS shipping, \$17.00 for overseas. Parcel Post or UPS Blue Label. Add sales tax where applicable.



People who buy UDS modems aren't playing games!

You can often judge a personal computer user by the hardware he selects. If the modem comes from UDS, chances are he has a serious investment in computer and software, a serious data communications requirement and serious computer-based decisions to make.

UDS modems offer true pro-quality performance to the serious microcomputer owner. Data rates range from 0 to 9600bps. Depending on data rate, synchronous and asynchronous models may be selected for half- or full-duplex communications. Their prices put them within easy reach of the serious user.

If data communication has progressed beyond the game-playing stage in your microcomputer system, it's time to investigate UDS. The efficiency, reliability and potential for faster data transfer can add real professional capability. Contact Universal Data Systems, 5000 Bradford Drive, Huntsville, AL 35805. Telephone 205/837-8100; TWX 810-726-2100.

 Universal Data Systems

 **MOTOROLA INC.**
Information Systems Group
Circle 318 on inquiry card.

 **NCC '84**
Booth #B-3238

Softline

FOR YOUR
BOTTOM LINE.

Lotus
1-2-3
\$319

dBase III
\$CALL

WordStar
Professional
\$359

Multi Mate
\$279

WORD PROCESSING/ EDITORS

Easywriter I System (3 pak)	\$219
Edix/Wordix	\$269
Final Word	\$189
Microsoft Word	\$239
Microsoft Word/Mouse	\$299
Multimate	\$279
PeachText 5000	\$219
Perfect Writer/Speller	\$249
PFS: Write	\$ 95
Samna Word II	\$329
Select Word Processor	\$199
Spellbinder	\$249
SuperWriter	\$179
Volkswriter Deluxe	\$179
The Word Plus (Dosis)	\$109
Word Perfect (SSI)	\$CALL
WordPlus-PC with The Boss	\$329
WordStar	\$239
WordStar Professional (WS/MM/SS/SJ)	\$359
WordStar Options Pak (MM/SS/SJ)	\$189

DATABASE SYSTEMS

Alpha Data Base Manager II	\$179
Condor III	\$329
dBase II	\$369
DBplus	\$ 89
Friday	\$179
InfoStar	\$269
Knowledgeman	\$299
Perfect Filer	\$159
Personal Pearl	\$199
PFS: File/PFS: Report	\$169
Powerbase	\$289
QuickCode	\$169
R:base 4000	\$289
T/Maker III	\$199
TIM IV	\$269
Versaform	\$249

SPREADSHEETS/ INTEGRATED PACKAGES

Framework	\$CALL
InteCalc	\$189
Jack 2	\$329
Lotus 1-2-3	\$319
Multiplan	\$135
Open Access	\$399
Ovation	\$CALL
SuperCalc 3	\$239
Symphony	\$CALL
TKI Solver	\$289
VisiCalc IV	\$159

PROJECT MANAGEMENT

Harvard Project Manager	\$269
IntePert/Plan	\$239
Scltor Project Scheduler	\$229
VisiSchedule	\$199

GRAPHICS/STATISTICS

Abstal	\$279
BPS Business Graphics	\$229
Chartman Combo (II&IV)	\$349
Chartmaster	\$259
dGraph	\$189
Energraphics	\$259
Fast Graphs	\$199
Graphwriter Combo	\$429
PC Draw	\$289
PFS: Graph	\$ 95
Statpac	\$299

ACCOUNTING MODULES

Ask Micro Accounting	\$299
BPI Accounting	\$369
IUS EasyBusiness System	\$319
MBA Accounting	\$369
Open Systems Accounting	\$459
Peachpak 4 (GL/AP/AR)	\$239
Peachtree Accounting	\$399
Real World Accounting	\$469
Star Accounting Partner (GL/AP/AR/PAY)	\$269

PROFESSIONAL DEVELOPMENT

Management Edge	\$139
Think Tank	\$179

HOME/PERSONAL FINANCE

Dollars and Sense	\$119
Financier II	\$119
Home Accountant Plus	\$ 99
Tax Preparer 84	\$189

LANGUAGES/UTILITIES

Access Manager	\$239
Digital Research C Compiler	\$219
Display Manager	\$299
Microsoft C Compiler	\$329
MS Basic Compiler	\$249
MS Fortran	\$239
Pascal MT+86	\$249
Norton Utilities	\$ 59

COMMUNICATIONS/ PRODUCTIVITY TOOLS

Crosstalk	\$119
Memory Shift	\$ 79
Move II	\$109
Prokey 3.0	\$ 95
Smartcom II	\$109

HARDWARE PERIPHERALS*

AST Six Pack Plus (64k)	\$269
Quadboard (0k)	\$209
Hayes 1200B with Smartcom	\$399
Hayes Smartmodem 1200	\$499
Hercules Graphics Board	\$349
Epson FX-100 Printer	\$CALL
Comrex II Printer	\$CALL
C: Itoh Prowriter	\$CALL
C: Itoh Starwriter	\$1199
Okidata 93A	\$749
64K Memory	\$ 55

*Call for shipping.

R: base
4000
\$289


Word &
Mouse
\$299

Microsoft C
Compiler
\$329

Smartmodem
1200B
\$399

free!

Diskette
Library
Case
with your order



DISCOUNT COUPONS

With each order,
we offer
discount coupons
worth up to
\$10 on your next order.

1-800-221-1260

In New York State call (212) 438-6057

TERMS:

Checks—allow 14 days to clear. Credit processing—add 3%. COD orders—cash, M.O. or certified check—add \$3.00. Shipping and handling UPS surface—add \$3.00 per item. (UPS Blue \$600 per item). NY State Residents—add applicable sales tax. All prices subject to change.

Softline
Softline Corporation
3060 Bedford Ave., Brooklyn, N.Y. 11210
TELEX: 421047 ATLN UI



UPDATE

tion. Otherwise, you'll re-enable them, producing errors. Often this can be avoided by turning off the interrupts (using PUSHF/CLI/POPF) and then restoring them to their previous state. In the case of a stack switch, this won't work, so you must analyze the code before adding CLI/STI to the program.

Our thanks to Mr. Janzen and Mr. Roskos.

Statement Draws Fire, Authors Stand By Words

Nicholas Ourusoff, associate professor of computer science at Lander College in Greenwood, South Carolina, disagreed with a statement made by Mark C. Johnson and Allen Munro, authors of "Pascal's Design Flaws: Modula-2 Solutions and Pascal Patches" (March, page 371). He objected to their assertion that "... the Pascal-language definition does not permit ... short-circuited evaluation—cessation of the evaluation when the expression is false."

To back his argument, Mr. Ourusoff sent us this quote from the second edition of Jensen and Wirth's *Pascal User Manual and Report* (Springer-Verlag, 1978):

Boolean expressions have the property that their value may be known before the entire expression has been evaluated. Assume, for example, that $x=0$. Then

($x>0$) and ($x<10$)

is already known to be false after computation of the first factor, and the second need not be evaluated. The rules of Pascal neither require nor forbid the evaluation of the second part in such cases.

"In general," concludes Mr. Ourusoff, "Jensen and Wirth have little to say about implementation of Pascal in this book, being mainly concerned with the language definition itself. In Boolean expressions, however [and contrary to what Johnson and Munro state], implementors of Pascal are explicitly given the freedom to use short-circuited evaluation if they choose."

Mark Johnson and Allen Munro agreed their statement was somewhat misleading. What they had intended to say was "the definition does not provide ... short-circuited evaluation."

They do, however, stand by their statement. They counter Mr. Ourusoff's accusation by completing the quote from Jensen and Wirth: "This means that the programmer must assure that the second part is well defined."

They feel that Jensen and Wirth were telling programmers that they should assume that short-circuited evaluation will not be provided by the implementation.

Skeleton Credited to Wrong Body

An editing error in the March BYTE incorrectly credited David Zeltzer's picture "Jumping Skeleton" to the wrong organization. (See "Simulating Reality with Computer Graphics," by Peter R. Sørensen, page 106.) Mr. Zeltzer did his work at Ohio State University's Computer Graphics Research Group, with the support of the National Science Foundation. ■

Turn
the page.

We're gonna
do a number
on you.

dBASE III



Introducing the III and only.

It's fast.

It's easy.

It's the most powerful database management system for your 16-bit PC.

And it can do more things with more records in less time.

You've never seen anything like it.

dBASE III™ can handle over a billion records per file, limited only by your computer system. You can have up to ten files open, for sophisticated applications programs.

When you have two related files, information in one can be accessed based upon data in the other.

dBASE III now handles procedures, parameter passing and automatic variables. You can include up to 32 procedures in a single file. With lightning speed. Because once a file is opened, it stays open. And procedures are accessed directly.

Easier than ever.

dBASE III uses powerful yet simple commands that are the next best thing to speaking English.

If you're unsure of a command, HELP will tell you what to ask for.

If you don't know what command comes next, a command assistant does. All you have to know is what you want it to do.

Our new tutorial/manual will have you entering and viewing data in minutes rather than reading for hours.



And to make matters easier, you get full screen report set-up for simple information access.

Faster than no time at all.

dBASE III isn't just fast. It's ultra-fast. Operating. And sorting. Even faster, is no sorting. Because dBASE III keeps your records in order so you really don't have to sort anything. Unless you want to. Then watch out!

What about dBASE II®?

It's still the world's best database management system for 8-bit computers. And it's still the industry standard for accounting, educational, scientific, financial, business and personal applications.

Let us do a number on you.

For the name of your nearest authorized dBASE III dealer, contact Ashton-Tate, 10150 West Jefferson Boulevard, Culver City, CA 90230. (800) 437-4329, ext. 333. In Colorado, (303) 799-4900.

ASHTON · TATE ™

©Ashton-Tate 1984. All rights reserved.

dBASE III is a trademark and dBASE II is a registered trademark of Ashton-Tate.

Advanced Personal Computer Has UNIX

NEC Information Systems' Advanced Personal Computer III is an IBM PC compatible offering UNIX functionality. The MS-DOS operating system and GW BASIC are standard, and the multitasking, single-user UNIX System III operating system is

available with special memory-management hardware.

Three basic Advanced Personal Computer III configurations are offered: a single 320K-byte floppy-disk drive system; a dual-drive system; and a system with an integrated 10-megabyte Winchester-disk and a single

floppy-disk drive. All models have an 8-MHz NEC PD8086 (16-bit) microprocessor, 128K bytes of RAM, 8K bytes of non-volatile CMOS memory, and 32K bytes of ROM for bootstrapping, diagnostics, and ROM BIOS. I/O facilities are made up of a Centronics parallel interface, an RS-232C port with both asynchronous and synchronous communications at speeds of up to 9600 bps, and monochrome and color (RGB) monitor interfaces. A hardware calendar/clock and IBM character sets are supplied.

The Advanced Personal Computer III's 61-key IBM Selectric-type keyboard is supplemented with a numeric keypad, cursor-control keys, calculation keys, and 12 user-definable function keys that can be used in five modes for 60 total programmed definitions. Both monochrome and color systems use 14-inch, reduced-glare monitors. The display format is 25 lines by 80 columns; character cells are 8 by 16 pixels. Graphics resolution is 640 by 400 pixels. The graphics option gives the system 64K bytes (monochrome) or 192K bytes (color) of dedicated memory. Each pixel can have any one of eight colors. The monochrome and graphics subsystems are based on the NEC

7220 graphics-display controller.

Other options include up to 640K bytes of RAM, RS-232C and IEEE-488 interfaces, a memory-management unit that protects multitasking operations in the UNIX environment, and joystick interfaces and sound effects. The system runs all generic MS-DOS software in IBM 5¼-inch formats; a complete list of available applications software is available through CompuServe and The Source.

A 256K-byte Advanced Personal Computer III with the floppy/hard-disk combination, UNIX software, and UNIX hardware costs \$5320. The UNIX software features a C compiler, RAND editor and Berkeley UNIX editor, 8087 coprocessor and emulation, coresidence with MS-DOS on hard disk, file transfers to and from MS-DOS, and C-Shell from Berkeley UNIX. The single-drive system with a 14-inch monochrome monitor is \$1995. A monochrome system with the hard- and floppy-disk combination is \$3995. For more information, contact NEC Information Systems Inc., 1414 Massachusetts Ave., Boxborough, MA 01719, (617) 264-8000.

Circle 500 on inquiry card.



Inexpensive Optical-Character Reader for Micros


The Omni-Reader from Oberon International is an inexpensive optical-character reader for microcomputers. It links to your computer or word processor in the same manner as a telephone modem. Omni-Reader is operated manually and is reportedly faster than top-rated typists. It reads at less than 4 seconds per line.

Omni-Reader consists of a light-sensitive scanning head, a specially grated ruler, and in-

telligent software. You pass the head over a line of text, using the ruler to facilitate accurate registration on the line. The special grating on the ruler is sensed so as to determine how fast and in which direction you are scanning a line. This method captures a series of vertical slices across the line of characters. These characters are analyzed by a dedicated microprocessor that uses a number of algorithms to process a line of recognized text for transmis-

sion to your computer. The algorithms allow the software to discern a variety of type fonts and learn nonstandard fonts.

Omni-Reader's suggested retail price will be under \$500. For more information, contact Oberon International, Suite 630, LB 48, 5525 MacArthur Blvd., Irving, TX 75062, (214) 252-8453. In the United Kingdom, the address is 47 Romney St., London SW, England; tel: 44 1 222 0518. Circle 501 on inquiry card.





DATA ACQUISITION SOFTWARE THAT SPANS TWO WORLDS

Now one IBM PC can direct high speed acquisition of analog signals, and simultaneously read and control instruments on the IEEE-488 bus. Connect your analog signals to the Keithley DAS Series 500 Measurement and Control System; connect IEEE-488 instruments to our new Plus500 Instrument Control System. The same software environment controls both interfaces at the same time.

■ *Soft500 and new Plus500 software make measurement and control accessible.*

Soft500 and Plus500 software are enhancements of BASIC, the language of personal computing. As easy to use as BASIC itself, Soft500 and Plus500 add

powerful data acquisition and control capabilities to a higher level language.

■ *You can trust the data.*

Soft500's foreground/background scheduling carefully times multiple tasks to ensure that successive readings from the same channel maintain precisely the same sampling interval. And there's still time for simultaneous data analysis.

■ *The Series 500 is fully modular.*

Seventeen modules form an extensive and growing family that supports analog input, analog output, digital I/O, current loop output, pulse counting, and AC/DC relay control. And now the Plus500 Instrument Control System allows simultaneous access to the IEEE-488 bus as well.

■ *Quality manufacturing, quality service.*

The Series 500 is built like an instrument. It has the highest accuracy, the lowest noise, and the best thermal stability of any personal computer based data acquisition workstation. That's why it comes with a one-year warranty and a free product support hotline.

■ *For more information*

Call us toll free at 1-800-552-1115. In Massachusetts, call 617-423-7780. We'd like to tell you more about the Series 500 measurement and control family. 349 Congress Street Boston, Massachusetts 02210

KEITHLEY 

Otrona's PC-Compatible Portable Easily Converts to Desktop Computer



The Otrona 2001, a portable computer that easily converts to a desktop system, is fully compatible with the IBM PC. Its architecture offers three PC-compatible expansion slots, and its operational compatibility embraces all IBM software, such as Lotus 1-2-3 and Multiplan.

The basic Otrona 2001, retailing for \$2495, comes with a single 48-tpi 360K-byte floppy-disk drive, a 4.77-MHz 8088 microprocessor, 128K bytes of RAM with parity, 64K bytes of

ROM, with diagnostics, a 7-inch amber flat-screen display, a serial RS-232C asynchronous port, a parallel port, and a composite-video/RGB external monitor interface. The low-profile, 84-key DIN 30-mm keyboard is equipped with 10 function keys, a 15-key numeric pad, uppercase/lowercase LED indicators, and a 16-keystroke buffer. The display format is 80 by 25 with a standard resolution of 640 by 200 pixels. The Otrona 2001 weighs 19 pounds and measures 7 inches high, 15

inches wide, and 14 inches deep.

Expansion options include a 10-megabyte internal hard-disk drive, a second 5¼-inch floppy-disk drive, up to 640K bytes of RAM, a 4.77-MHz Z80B microprocessor with CP/M, an 8087 mathematic coprocessor, real-time clock, internal 300/1200-bps auto-dial modem, high-resolution (640 by 200) graphics board, and additional asynchronous and synchronous I/O ports. A 7-inch P-31 green-phosphor monitor, a 12-inch color display, a dot-matrix printer, DC power supply, a travel pack, and a PC-compatible expansion chassis are also available. Otrona offers Microsoft MS-DOS version 2.1 with Disk Manager 2 and GW BASIC, CP/M 2.2, and BASIC-80 Plus as system software.

The Otrona 2001 is available for immediate delivery. For the name of your nearest dealer, contact Otrona Advanced Systems Corp., 4725 Walnut St., Boulder, CO 80301. (800) 525-7550; in Colorado, (303) 444-8100.

Circle 502 on inquiry card.

StarLink Expands IBM PC into Multiuser Micro

A hardware/software combination to expand the IBM PC into a multiuser system, StarLink from Digital Research provides a low-cost alternative to purchasing multiple computers. With StarLink, you can connect four terminals or microcomputers to your IBM PC, with users sharing files, data, and applications.

StarLink is made up of an 8088-based board, 64K bytes of RAM, and Concurrent PC-DOS [see announcement on page 50]. Its on-board RS-232C interface lets you use the IBM PC along with terminals, modems, and computers from other manufacturers. The operating system has protection and file-locking functions.

StarLink can run such applications programs as WordStar, MBA Accounting, and Multiplan. It requires an IBM PC, PC XT, or PC compatible with 512K bytes of RAM. The list price is \$1695. Contact Digital Research Inc., 160 Central Ave., Pacific Grove, CA 93950. (408) 649-3896. Circle 503 on inquiry card.

Light Pen Works with Apples

The Gibson Light Pen, available from Koala, lets you create and manipulate objects on the Apple's screen. It's easy to judge and control the Gibson Light Pen because it comes in direct contact with the screen. Color can be added or changed as often as you like, and you can choose from a variety of presupplied colors and patterns to paint areas of your art.

The heart of the Gibson Light Pen is software. Four programs come with the pen, and Koala intends to expand software offerings in the future. The programs are PenPainter, PenAnimator, PenMusician, and PenDesigner. PenPainter is a color graphics program for artistic applications. PenAnimator serves as an introduction to animated computer graphics. It lets you create 20 frames of animation


that can be cycled through the monitor. PenMusician shows you how to score simple melodies. It uses the Light Pen for moving notes across the staff lines, and it plays back the melodies. PenDesigner is a black-and-white line art program for technical or business graphics. It provides the means for producing professional-quality graphics.

The Gibson Light Pen is currently being shipped for the Apple II series. System requirements are 64K bytes of RAM, Applesoft in ROM, DOS 3.3, a disk drive, and a monitor. Versions for the Commodore 64 and the IBM PC and PCjr are expected by year's end. It lists for \$249. Further information is available from Koala Technologies Corp., 3100 Patrick Henry Dr., Santa Clara, CA 95052-8100. (408) 986-8866.

Circle 504 on inquiry card.



This is THE PASCAL COMPILER You've Been Hearing About



"It's almost certainly better than IBM's Pascal for the PC... Recommended."

Jerry Pournelle
Byte, May 1984

\$49.95

"If you don't have CP/M [for your Apple], Turbo Pascal is reason enough to buy it."

Cary Hara
Softalk Apple, May 1984

"If you have the slightest interest in Pascal... buy it."
Bruce Webster, Softalk IBM, March, 1984

And Now It's Even Better Than You've Heard!

- Windowing (IBM PC, XT, jr. or true compatibles)
- Color, Sound and Graphics Support (IBM PC, XT, jr. or true compatibles)
- Optional 8087 Support (available at an additional charge)
- Automatic Overlays
- A Full-Screen Editor that's even better than ever
- Full Heap Management—via dispose procedure
- Full Support of Operating System Facilities
- No license fees. You can sell the programs you write with Turbo Pascal without extra cost.

Yes. We still include Microcalc... the sample spreadsheet written with Turbo Pascal. You can study the source code to learn how a spreadsheet is written... it's right on the disk.* And, if you're running Turbo Pascal with the 8087 option, you'll never have seen a spreadsheet calculate this fast before!

*Except Commodore 64 CP/M.

Order Your Copy of TURBO PASCAL® VERSION 2.0 Today

For VISA and MasterCard orders call toll free:
In California:

1-800-227-2400 x968
1-800-772-2666 x968

(lines open 24 hrs, 7 days a week)

Dealer & Distributor Inquiries Welcome 408-438-8400

Choose One (please add \$5.00 for shipping and handling for U.S. orders. Shipped UPS)

- ___ Turbo Pascal 2.0 \$49.95 + \$5.00
- ___ Turbo Pascal with 8087 support \$89.95 + \$5.00
- ___ Update (1.0 to 2.0) Must be accompanied by the original master \$29.95 + \$5.00
- ___ Update (1.0 to 8087) Must be accompanied by the original master \$69.95 + \$5.00

Check ___ Money Order ___
VISA ___ MasterCard ___
Card #: _____
Exp. date: _____



BORLAND
INTERNATIONAL

Borland International
4113 Scotts Valley Drive
Scotts Valley, California 95066
TELEX: 172373

My system is: 8 bit ___ 16 bit ___
Operating System: CP/M 80 ___
CP/M 86 ___ MS DOS ___ PC DOS ___

Computer: _____
Disk Format: _____

Please be sure model number & format are correct.

Name: _____

Address: _____

City/State/Zip: _____

Telephone: _____

California residents add 6% sales tax. Outside U.S.A. add \$15.00 (if outside of U.S.A. payment must be by bank draft payable in the U.S. and in U.S. dollars.) Sorry, no C.O.D. or Purchase Orders. c15



Clout Inquiry Option for R:base

Low-Cost Screen Graphics for PC

Microrim's Clout is a natural-language inquiry option for the R:base Series of relational database-management systems. It lets you pose questions to your database in free-form English words and phrases without fussing with command syntax or database structures.

Clout incorporates expert system theory and natural-language techniques from artificial-intelligence technology. It extends the power of the R:base Select command by allowing you to retrieve information from up to five files. Upon installation, Clout reads the attributes in an existing database and adds them to its built-in 200-word dictionary. It then lets you build on the dictionary with synonyms for words or operations associated with the database.

Clout has the ability to search through the database to retrieve records based on adjectives or qualifying words, and it allows

you to define words in terms of the result of computations or data manipulation. Clout can be used with any R:base database. You can add approximately 500 words of your own. Information requests incorporated into Clout can take almost any form possible, including arithmetic expressions, uppercase/lowercase characters, singular or plural words, and any standard verb conjugation. Other features include an automatic spelling checker, automatic report formatting, menu-driven functions, and more than 60 Help screens.

Clout requires an MS- or PC-DOS 1.1 or higher system with 256K bytes of memory. Although Clout will operate on a dual-disk-drive micro, a hard-disk system is recommended. Any 80- or 132-column ASCII printer can be used. Clout is \$195. For complete details, contact Microrim Inc., 1750 112th Ave. NE, Bellevue, WA 98004, (206) 453-6017.

Circle 505 on inquiry card.

Fontrix 2.0 is a low-cost, extended-screen graphics software package for IBM PC and PC XT computers. Fontrix, first introduced for the Apple more than a year ago, gives your monitor a window on a large graphic worksheet, moving across nearly 23 times the area and resolution of a single screen (up to 115 screens with a hard disk). Its drawing and painting routines work with both a keyboard and a mouse.

Among Fontrix's programming tools are elastic lines, rectangular area fills, freehand drawing, and the ability to capture, move, and replicate portions of the screen. Text can be intermingled with graphics. The italic and bold functions are automatic, and you can change fonts at any time. It comes with 11 fonts and with a font editor capable of creating a variety of characters, including special symbols. The font editor provides a 48- by 48-pixel character cell environment and offers

such features as copy and overlay.

Fontrix's graphics dump prints single and extended graphics on most popular dot-matrix printers, including Epson, Mannesmann Tally, NEC, C. Itoh, and Okidata. The dump features independent horizontal and vertical magnifications, 90-degree rotation, justifications, and multiple copies.

Optional libraries of additional fonts are available. Each volume contains 10 fonts. The five volumes of the library list for \$20 each. The Apple version of Fontrix, which costs \$75, requires 48K bytes of RAM, Applesoft in ROM, and a disk drive. It works with the Apple II Plus, IIe, and III. The IBM Personal Computer version requires 256K bytes of memory, a graphics board, and PC-DOS 2.0. It lists for \$125. Contact Data Transforms Inc., 616 Washington St., Denver, CO 80203, (303) 832-1501.

Circle 506 on inquiry card.


Please Database System Is Easy to Use

First-time users of Please, Hayes Microcomputer Products' database-management system for the IBM Personal Computer, can create a database shortly after they sit down at the keyboard according to the manufacturer. A menu-driven package, Please has 999 characters per field, 99 fields per record, 2000 characters per record, and the ability to accommodate several million records per database, depending on your system's capacity. It lets you quickly change the structure of the database, merge and copy databases, and transfer data rapidly. Four different field types let you shape output to specific needs, and Please gives you the option of setting your screen formats and field characteristics.

Please has an Import/Export feature that transfers data to and from other sources, such as Lotus 1-2-3, dBASE II, Friday!, and VisiCalc. Instructions for

inputting data from these and other popular programs are provided in the operator's manual. For one-time needs, Quick List retrieves selected information from a database according to specific criteria. Output Plans, comprising List, Form, Replacement, and Export functions, manipulate selected information. The List Output Plan produces columns of information from a database, while the Form function allows data to be printed in a predetermined location on a form or mailing label. Replacement makes mass deletions, and Export sends information to spreadsheets, word-processing files, and other programs.

Please's Define mode lets you create new fields in the Output Plans based on files within the record. While the original record remains on screen, Dial automatically calls a telephone number from the record using Hayes Smartmodem. Additional



features include nine-digit decimal precision, a maximum of nine screens per record, and on-line Help facilities. Optional applications templates expand Please further. These templates focus on such common database-management needs as mailing lists, contacts, appointments, and household records.

Please requires a 128K-byte IBM PC equipped with a mono-

chrome or color monitor and either a pair of double-sided, double-density drives or a hard-disk drive. It costs \$349. The applications templates list for \$29.95. For the name of your nearest dealer, contact Hayes Microcomputer Products Inc., 5923 Peachtree Industrial Blvd., Norcross, GA 30092, (404) 449-8791.

Circle 507 on inquiry card.



StorageMasterTM Media is Here!

Now you can buy flexible disks with a five year warranty from Control Data.

A lot of companies make diskettes. But Control Data also makes disk drives. In fact, we're the leading independent supplier of disk drives to computer manufacturers.

Now we've put our expertise into a truly superior line: StorageMaster diskettes from Control Data.

You can choose from a com-

plete line of premium 8" and 5.25" diskettes in single or double densities, single or double-sided. And each diskette is 100% certified and backed by a 5 year warranty. So you can depend on them to perform for years to come.

Look for StorageMaster diskettes at your local computer store or ask for them from your computer supplies distributor.

Or give us a call toll-free at 1-800/328-6207 (in Minnesota call 612/853-8065) and we'll tell you where to find StorageMaster diskettes.

CD
CONTROL
DATA


Kit Extends PCjr Up to 512K

The Drive Two Enhancement Package is a two-piece, snap-on expansion kit for the IBM PCjr. Manufactured by Rapport Corporation, this kit extends the capabilities of the 64K-byte, single-drive PCjr to those of a dual-drive IBM PC. With the Drive Two, you can run virtually any software designed for the PC as well as PCjr software.

The Drive Two kit comes with a 360K-byte floppy-disk drive, a clock/calendar with battery backup, a parallel printer port, and an expansion slot for in-

creasing the PCjr's RAM to 512K bytes. Once installed, this package lets you operate PC-DOS 1.1, 2.1, or 2.0. Installation is said to take less than 10 minutes, requiring only a flat-head screwdriver. The kit snaps on top and to the side of the PCjr box and uses the original PCjr cover.

The Drive Two Enhancement Package costs \$675. For more details, contact Rapport Corp., Suite 213, 80 South Redwood Rd., North Salt Lake City, UT 84054, (801) 292-9454. Circle 508 on inquiry card.



dBASE III: Relational DBM for 16-Bit Computers

Ashton-Tate has introduced dBASE III, a relational DBM (database manager) for 16-bit microcomputers. With dBASE III, you can enter, manipulate, and retrieve large volumes of data as well as develop custom applications programs to put that information to work. Its storage capabilities, limited only by your computer, can be as high as 2 billion records per file with 128 fields per database. As many as 10 database files can be simultaneously operated.

At the same time, Fox & Geller (604 Market St., Elmwood Park, NJ 07407) has announced that it is supplying Quickcode III, dUTIL III, and dGRAPH III versions of its dBASE enhancements. Quickcode is an applications generator that uses the dBASE programming language. dUTIL is a general utility program, and dGRAPH sorts, averages, and totals dBASE data and displays it graphically.

dBASE III provides fast sorting and indexing of stored data and color displays. Its user interface features a command assistance mode that guides novices through the most common areas of the database. Full on-line, context-sensitive help is available at the press of a key.

Written in C from the ground up, dBASE III uses the same English-like commands as its predecessor, dBASE II, with

only minor modifications and enhancements for new functions and program changes. It also uses the dBASE programming language, which lets you develop your own applications programs. It's compatible with Framework and dBASE II.

Miscellaneous features include variable-length text files of up to 4K bytes per entry, 4000 bytes per record (fixed length), 512K bytes per record (variable length), 15.9 digits of numerical precision, full-screen data entry and modification, and report and mailing-list generation.

dBASE III currently runs on the IBM PC, PC XT, and all IBM PC compatibles. Minimum system requirements are 256K bytes of RAM, dual 5¼-inch 360K-byte floppy-disk drives, a monochrome or color display, PC-DOS 2.0, and an 80-column printer. It will also work with a single floppy-disk and one fixed-disk drive. Available this month, it will list for \$695. A take-home sampler tutorial can be obtained for \$9.95. Owners of dBASE II wishing to upgrade to dBASE III should contact authorized dealers before July 31 for details on a preferential pricing program. Prices for the Fox & Geller programs had not been announced at press time. Contact Ashton-Tate, 10150 West Jefferson Blvd., Culver City, CA 90230, (213) 204-5570. Circle 509 on inquiry card.

Multitasking Concurrent PC-DOS to Be Available in Third Quarter

Digital Research has announced that its long-awaited Concurrent PC-DOS will be shipped during the third quarter of this year. Pricing has been set at \$295.

Of particular note to our corporate readers is Concurrent PC-DOS's ability to run as many as four PC-DOS or CP/M applications programs simultaneously, thereby making it a suitable productivity tool for team-working environments. It also runs most popular PC-DOS applications packages, such as Lotus 1-2-3, dBASE II, WordStar, MultiMate, and SuperCalc 3.

Concurrent PC-DOS works by presenting you with menus that outline a series of tasks to perform. The menu serves two functions. First, it guides the operator through all the system's resources and applications while tending to such control commands as copy, print, and delete files. The second function lets you create your own menus and compose special commands for custom-designed Help screens.

A communications capability lets you work on one application while the IBM PC receives information from an external

database. Concurrent PC-DOS has a window capability that permits simultaneous monitoring of four applications. Windows can be positioned anywhere on screen, scrolled, or sized to display the important parts of the application. Information can be cut and pasted from applications by placing the window over the appropriate data.

Advanced productivity tools supplied include a print spooler, Rolodex, and a two-user function. The print spooler lets you queue up documents to be printed while other tasks

are printing. Rolodex is a sorting and searching program for lists of names, addresses, and other pertinent data. The two-user function offers a remote dial-up link.

An IBM PC or PC-compatible system with 256K bytes of memory and two floppy-disk drives is required. For maximum efficiency, 512K bytes of memory and a hard disk are recommended. The \$295 list price includes documentation. Contact Digital Research Inc., 160 Central Ave., Pacific Grove, CA 93950, (408) 649-3896. Circle 510 on inquiry card.

(continued on page 410)

Circle 302 on inquiry card. →

Our Family Tree Is Growing Again

SBC-II A two user multiprocessing S-100 slave complete with a Z-80 CPU (4 or 6 MHz), 2 serial ports, 6-K RAM, and 2K FIFO buffer for each user! A cost effective way to add users to your multiprocessing system.

HD/CTC A hard disk and cartridge tape controller combined together on one board! A Z-80 CPU (4 or 6 MHz); 16K ROM, and up to 8K RAM provide intelligence required to relieve disk I/O burden from host system CPU. Round out your multi-processing system with an integrated mass storage/backup controller.

Systemmaster
The ultimate one board computer; use it as a complete single-user system or as the "master" in a multi-processing network environment. Complete with Z-80A CPU, 2 serial and

SBC-1 A multiprocessing slave board computer with Z-80 CPU (4 or 6 MHz), 2 serial ports, 2 parallel ports, and up to 128K RAM. Provides unique 2K FIFO buffering for system block data transfers. When used with TurboDOS or MDZ/OS the results are phenomenal!

2 parallel ports, floppy controller, DMA, real time clock, RAM drive disk emulation package, and Teletek's advanced CP/M BIOS or TurboDOS.

4600 Pell Drive Sacramento, CA 95838 (916) 920-4600 Telex #4991834 Answer back-Teletek

TELETEK

WANTED



SOMETHING TO RELIEVE THIS MESS!

If you've ever found yourself searching for a calculator, notepad or appointment book when you've got a computer right in front of you, then you know the absurd situation we're illustrating.

Sure, there are clumsy little programs you can boot up to accomplish one or the other of these tasks . . . but that's generally meant first stepping out of the software you're working with.

What's always been needed is one powerful piece of software, occupying only a few K, that would be tucked away in an unused part of RAM no matter what program you're running.

Whether you were running dBasell, Lotus 1-2-3, WordStar or even Turbo Pascal© . . . it would always

be ready for lightning-fast use. You could just hit a button and open a window for a notepad, another for a calculator. Hit the button, again, and your work would be saved to disk and you'd be right back in your original software!

While we're at it, it should also have a perpetual calendar linked to a datebook. And even an autodialer, with a built-in phonebook.

Is this piece of software possible? At a price you can afford . . . now?

WANTED DELIVERED

Something totally new in applications software from Borland, the folks who make Turbo Pascal®

JUST A KEYSTROKE AWAY...

NO MATTER WHAT SOFTWARE YOU'RE RUNNING!


- A CALCULATOR
- A NOTEPAD
- AN APPOINTMENT CALENDAR
- AN AUTO DIALER
- AN ASCII TABLE
- AND MUCH MORE

ALL AT ONCE... OR ONE AT A TIME.

ANYWHERE ON THE SCREEN YOU LIKE.

ANOTHER KEYSTROKE, AND YOU'RE RIGHT WHERE YOU LEFT OFF IN YOUR ORIGINAL PROGRAM!

(you never really left!)



SIDEKICK®

INTRODUCTORY OFFER

\$49.95

Available only for the IBM PC, XT, jr. and Compatibles.

SIDEKICK

NOW... Whether you're working in dBaseII, Lotus 1-2-3, WordStar or whatever... You'll have your SIDEKICK®, too!

Something brand new. Crafted in Assembly language as carefully as Borland's famous Turbo Pascal®, so that it's lightning-fast and as compact as only Borland knows how to make it! With a notepad that has a full-screen editor that saves your notes to disk. You can even swap information back and forth between your applications software and your Sidekick.

Suppose you're working with a spreadsheet, and you suddenly have an important idea. Just hit the button, a window opens, you write the note and hit the button again. You're right back where you left off in the spreadsheet.

Need to make a phone call? Whether the number is in an existing database, your own Sidekick phone directory, or you've just typed it on the screen... put the cursor next to the number, hit the keystroke, and Sidekick dials for you!*

There's lots more, too. You can move the Sidekick windows anywhere on the screen you like. And you can have as many on screen at a time as you need.

We designed it because we needed it. If you've ever been writing a report and needed to do a quick calculation, or jot down a note, then you understand why.

*Only with Hayes Smartmodem and compatibles.

YOU CAN ORDER YOUR COPY OF SIDEKICK® TODAY!

For Visa and MasterCard orders call Toll Free **1-800-227-2400 ext 953** in California **1-800-772-2666 ext 953** (lines open 24 hours, 7 days a week) Dealer and Distributor Inquiries Welcome 408-438-8400

SIDEKICK® \$49.95

(plus \$5.00 shipping and handling • Shipped UPS)

Check Money Order
VISA MasterCard

Card # _____

Expiration Date _____

Please be sure your computer is an IBM PC, XT, jr., or true compatible!

NAME _____

ADDRESS _____

CITY/STATE/ZIP _____

TELEPHONE _____

California residents add 6% sales tax. Outside U.S.A. add \$15.00. (If outside of U.S.A. payment must be by bank draft payable in the U.S. and in U.S. dollars.) Sorry, no C.O.D. or Purchase Orders.

S C15

BORLAND INTERNATIONAL

Borland International
4113 Scotts Valley Drive
Scotts Valley, California 95066
TELEX: 172373

Conducted by Steve Ciarcia

POWER-LINE POLLUTION

Dear Steve,

I enjoyed reading "Keep Power-Line Pollution Out of Your Computer" in the December 1983 BYTE. A definite need exists for such protection devices to be utilized with computer equipment. However, when I contacted Radio Shack about the components, the only item available was the four-outlet power strip. The MOVs (metal-oxide varistors) have been back-ordered for months, and the EMI/RFI (electromagnetic interference/radio frequency interference) filter is a discontinued item. Do you have any suggestions for an alternate EMI/RFI filter?

LEE E. ANDERSON
Rockville, MD

Radio Shack still sells the V130LA10A MOV transient protectors (part number 276-5701), but it could not anticipate the demand caused by my article. In fact, I was surprised by the number of letters received on this subject. It's nice to know that many of you are interested in power-line protection.

I chose the Radio Shack MOVs because they were easily obtainable, but you can contact several other sources. The V130LA10A, which is manufactured by General Electric, should be available from a GE distributor or electronic parts supply house. Also, Panasonic and General Instrument manufacture similar units.

The Panasonic ERZ-C14DK201 is available as part P7063 from Dig-Key Corporation, Highway 32 South, POB 677, Thief River Falls, MN 56701, (800) 346-5144. The General Instrument part S14K130 is available from Active Electronics, POB 8000, Westborough, MA 01581, (800) 343-0874.

Several manufacturers produce power-line filters that are suitable for your applications. They include Corcom Inc., 1600 Winchester Rd., Libertyville, IL 60048, (312) 680-7400, type 5V81 or 5V83; Cornell-Dubilier Electronics, 150 Avenue L, Newark, NJ 07105, (201) 589-7500, type APF511L; Delta Electronic Industry USA, 1355 Yosemite Way, Hayward, CA 94545, (415) 785-5231, type 05DBAGS; and Potter Company, POB 337, Wesson, MS 39191, (601) 643-2215, type 600A5.

These filters are equivalent to Radio Shack part number 273-100. Write the manufacturers for additional information and the address of your nearest supplier.—Steve

Dear Steve,

Will a big transient lead to an MOV "suicide" while it is protecting my system? If so, how big? Also, how can I tell that the MOVs need to be replaced?

How much of my upstream wiring will be protected against transients by MOVs on a power strip with a line cord 3 feet long (as in figure 1a on page 43 of the December 1983 BYTE)?

Finally, I understand that an EMI/RFI line filter protects only downstream. Does EMI/RFI filtering affect upstream transient clamping by MOVs?

N. C. WEBB
Lincoln, MA

MOVs have an energy rating expressed in joules or watt-seconds, but the actual energy absorbed is a function of the applied transient waveform. Also, a device with a lower clamping voltage will absorb less energy. Therefore, it is difficult to give a specific failure rate.

MOVs are rugged devices conservatively rated and exhibit a low failure rate when properly selected. Still, they do fail, and their failure characteristics should be considered. MOVs initially fail in a short-circuit mode when subjected to transients beyond their peak ratings. Short-circuit failures also occur when MOVs are operated at steady-state voltages in excess of their voltage ratings.

When a device short-circuits, it can demand large amounts of energy input, and failure occurs by rupturing of the package and expulsion of material. This mini-explosion can be minimized by a fuse in series with the MOV to open the circuit when such failure occurs. Locating the MOV away from other components will avoid damage from packaging material.

In answer to your second question, since the MOVs are in parallel across the AC line, they should, in theory, provide protection to any device connected to it. However, the AC wiring has inductance and capacitance and will present different impedances to various transients. Assumptions as to the effective length can be made, but it is safer to have the MOVs close to the device requiring protection.

Lastly, the EMI/RFI filters do not affect the upstream clamping ability of an MOV. Conversely, the EMI/RFI filters tend to reduce the transient voltage levels downstream of the line and make the MOVs work somewhat easier. The components in the filter are usually not damaged by transient voltages.—Steve

Dear Steve,

I was unable to find GE part V130LA10A at Radio Shack—sold out for many weeks—and had to get V130CA20A units. Does the "10A" stand for 10 amperes (A) and the "20A" for 20 A? In terms of transient protection, what is the gain, or loss, from the use of V130LA20A units rather than the V130LA10A units?

ELBERT S. MALONEY
Pompano Beach, FL

The GE MOV-II varistors such as the V130LA10A described in my article use the following model number nomenclature:

V the GE MOV varistor
130 the applied RMS (root mean square) voltage
LA product series (LA for radial leads)
10 pulse energy rating
A clamping voltage

The 130 volts (V) indicates that it would be suitable for a standard 117V AC line and allow for an overvoltage of 10 percent. The pulse energy rating of 10 indicates that the MOV has a maximum allowable energy rating of 38 joules for a single noncomplex impulse of 10/1000 microsecond (μ s). The clamping voltage is the peak terminal voltage measured with an applied 8/20 μ s impulse current of 50 A.

The V130LA20A has a pulse energy rating of 70 joules and a clamping voltage of 340 V with a peak current of 100 A. It is an excellent substitute and will result in a higher safety factor.—Steve

Dear Steve,

Perhaps I'm paranoid, but I live on top of Little Mountain in the Great Smokies. This area is pretty high by Connecticut standards, and lightning strikes are a frequent occurrence. For example, I've lost three white pines to lightning in the past few years, and I've seen a 200-watt light bulb explode in my summer home when a surge came down the power line; fortunately, nothing else was turned on at the time. When I built a permanent home, I went all out on lightning protection. Here are a couple of hints you might find useful.


First, a careless reader of the "How Lightning Strikes" text box (December 1983, page 38) might get the impression that one rod is enough. I had a professional lightning rod installer do my home. He put a rod every six feet along all the ridge lines, tied them all together with cable, fastened that to all the other metal on the roof, and brought the cable down to three separate grounding rods. You should see the purple glow in the air during electrical storms. Something is definitely happening up there on the roof, but I haven't had a strike.

Second, my electrician was able to install a lightning arrester on the power-line side of my meter box. I don't know what's inside but am glad to have it there.

Since you live in Connecticut, I can see why you wrote, "Blackouts generally affect only a small number of utility customers... and generally last less than 10 seconds." It just ain't so here in the Great Smokies. I suspect many

(continued)

In the Hard Disk Jungle Tallgrass Clears A Path



In today's hard disk jungle, Tallgrass clears a path by offering high performance, integrated mass storage solutions for the IBM® PC/XT, the T.I. Professional and related computers.

TALLGRASS INNOVATIVE FEATURES

MASS STORAGE SYSTEMS with formatted HardFile™ capacities of 6, 12, 20, 35 and 70 Mb, all with built-in tape backup.

CONVENIENT INTEGRAL TAPE BACKUP SYSTEM allows rapid tape "image" streaming, or incremental file-by-file backup and restore on ANSI standard inexpensive data cartridges, instead of the usual floppies, video cassettes, or low-capacity removable Winchester devices.

NETWORK READY and fully compatible with networks such as PCnet® and EtherShare™.

HIGH RELIABILITY with dual directory and read-after-write verify options. A dedicated landing zone, where the read/write heads reside when the disk is idle, provides data protection during powerdowns and transportation.

Follow the Tallgrass path to your local computer dealer and watch your personal computer transform into a powerful data processing system.

Available from COMPUTERLAND® Entré® Computer Centers, MicroAge® Computer Stores and other participating computer dealers.

New! IBM-XT Cartridge Tape Backup

World Headquarters: Tallgrass Technologies Corp. / 11100 W. 82nd St.
Overland Park, KS 66214 / 913/492-6002 / Telex: 215406 TBYT UR

Canadian Headquarters: Tallgrass Technologies (Canada), 1775 Meyerside Drive
Mississauga, Ontario, Canada L4V 1H2 / 416/673-3244

European Distributor: CPS Computer Group, LTD
Birmingham, England B276BH / (021) 7073866

Australian Headquarters: Tallgrass Technologies (Australia) / Five Dock Plaza,
Suite 12/50 Great North Road / Five Dock / Sydney, N.S.W. 2046 / (02) 712-2010



**Tallgrass
Technologies**
Corporation

IBM® is a registered trademark of International Business Machines Corp. PCnet® is a trademark of Orchid Technology EtherShare™ is a registered trademark of 3Com Corp.

www.americanradiohistory.com



ULTRATERM?

JUST ASK THE PROFESSIONALS!

With the wide variety of peripherals available, it's difficult to evaluate the quality of accessories for your Apple. Listen to what the professionals say about UltraTerm.

BYTE—FEB. '84

"Overall, the UltraTerm display card is one of the best peripheral devices I have seen to enhance the display capabilities of the Apple."—P. Callamaras

SOFTALK—SEPT. '83

"The UltraTerm shines brightest in use with spreadsheets and word processors."

COMPUTER RETAILING—FEB. '84

"The UltraTerm is a high quality investment for anyone who has an Apple product and wants to add to it."

PEELINGS II—VOL. 4. NO. 8 '83

"The UltraTerm will be the new industry standard for Apple video display cards. The availability of the extra modes will enhance almost any software product that uses the text screen."

PERSONAL COMPUTING—MAY '83

"Perhaps the most impressive achievement of the UltraTerm expansion board is that the character set it produces is so sharp that its difficult to see the dots that make up each character."

The experts agree—the UltraTerm is one of the best display devices for Apple computers.

Videx Inc.

1105 NE Circle Blvd.
Corvallis, OR 97330
(503) 758-0521

ASK BYTE

others who live at the end of their power lines have learned it isn't true for them either. I've learned to be careful. I never use my computer during storms, and I back up frequently—even on cloudless days. But I'd like an uninterruptible power supply. The problem is, I don't know how to select a good one. For example, I'd like the AC to come from the (trickle-charged) battery all the time, because I've been told that even momentary glitches can mess up some computers.

If you'd write something on this topic, I will appreciate it. A Circuit Cellar design would give us something to have faith in.

CHARLES R. BLAIR SR.
Townsend, TN

You are indeed correct that more than one lightning rod is required for a roof or other large structure. The down line should be dressed away from the house to prevent any arc-over in the event of a strike, and multiple grounds are a good idea. I have seen installations where the soil itself was treated with salts to improve conductivity.

General Electric manufactures a device known as the Home Lightning Protector, which is designed to mount at the weatherhead or meter housing of the AC line. It uses a Thyrite element to clamp surges at about 650 V and should be installed by a licensed electrician. The device number is 9L15BC002, and it can be obtained from an electrical supply house. Another unit is the Square D Model J9200-10, and similar units are available from other manufacturers.

I have had many requests for an uninterruptible power supply and am considering an article for a low-cost unit. Watch for it.—Steve

Dear Steve,

I use a Universal Data Systems 103LP modem that is powered by the telephone line. When an electrical storm is in the vicinity, my connection to the computer has been lost several times shortly after lightning flashed several miles away. Once a nearby strike not only made me lose the computer connection, it also erased the memory in my LA34 DECwriter. Do power surges affect this kind of modem, and can I build a surge protector for my telephone line similar to the power-line protector you described in the December 1983 issue?

GERMAIN BOER
Nashville, TN

Power surges can affect any equipment and cause damages ranging from simple loss of memory to complete destruction. Solid-state devices are much more susceptible to transient voltage surges and noise. While the telephone lines use protection devices such as carbon gaps, gas tubes, and heat coils, solid-state circuitry is still vulnerable. The V130LA10A MOVs that were used for power-line protection can also protect the telephone lines. They are applied in the same manner as for power lines (line to line and from each line to ground), but check with your local telephone company before connecting any nonapproved components.—Steve

Dear Steve,

I'm a pretty fair amateur electrician. Would it be possible to wire in some suppression where the power lines enter the house and thus afford protection throughout? What would you use? Would high-surge lines (air-conditioner circuit, etc.) have to be isolated? How? It seems to me that wiring something into the circuit-breaker panel, if it's workable, is a lot more elegant, and likely to be cheaper, than scattering power strips around the house.

JOHN CARL BOWERS
Bronx, NY

Devices such as the GE Home Lightning Protector connect across the power line at the service entrance to reduce the amplitude of large transients and lightning surges. These are two-pole, three-wire units designed for 120/240-V single-phase service. They mount in a 1/2-inch knockout in the service entrance box or at the weatherhead. Available at an electrical supply house, they are in the \$20 range. Because they clip at voltages higher than the MOVs described in my article, the MOVs should still be used.—Steve

BANK SWITCHING

Dear Steve,

In writing about the Fujitsu Micro 16s ("A Machine for All Processors: The Fujitsu Micro 16s," June 1983 BYTE, page 150), Wayne Cling-smith says on page 156, "In slot 2 of the standard unit is an 8-bit Z80A microprocessor board. It operates at 4 MHz and has memory-bank-selection circuitry that enables it to address the full 24-bit (16-megabyte) address space of the Micro 16s." How does Fujitsu do that? What is bank-selection circuitry?

The manual accompanying my CompuPro CPU-Z says that an OUTPUT of C1, for example, to port FD will enable memory on page C1 and disable memory on all the other pages. I understand that, but I am completely terrified by the thought of even trying to write a routine callable from several pages with a RETURN to the proper page. How do you assign a 24-bit address to a LABEL in assembler code?

JACK H. HAYES
Maryville, TN

Yes, it is possible to address 16 megabytes of memory with an 8-bit Z80 processor. As you seem to suspect, however, it's not all available at the same time. Actually, on the S-100 machines that have 24 address lines, it's more usual to use the upper 8 address lines to select one of eight 64K-byte blocks for a maximum of only 512K bytes. This way, you can treat each line as a chip-select (block-select) line and wire the chip-select line on each board to a specific address line on the bus. A circuit to do this is given in the book Interfacing to S-100 (IEEE 696) Microcomputers by Sol Libes and Mark Garetz (Osborne/McGraw-Hill). The bank address is then output to a port (apparently port FD on your CompuPro system) and used to latch the

(continued)

BUYING A PASSWORD™ MODEM CAN SAVE YOU UP TO \$250. AND THAT AIN'T HAYES!*

You can bank on it. Your outlay will be less than if you settle for our major competitor, but not your output! A Password™ modem sends and receives up to 120 words a minute. Provides both 1200 and 300 baud capacity. Offers total interchangeability that lets you transmit information from any make microcomputer to any other make. And your investment is protected by a 2-year warranty.


Unlike our major competitor, Password™ delivers operating simplicity, plus the convenience of uncommon portability. Thanks to lighter weight, it goes almost anywhere. And because of the ingenuity of Velcro™ strips, it attaches wherever you need it, from the side of a desk to the side of a computer!

This means that Password™ doesn't tie you down, and its price won't hold you up. It features auto-dial, auto-answer, and even knows when to disconnect. If you're cost conscious, but refuse to sacrifice high-speed capability and performance, hook up with the right modem—Password™
The smart decision.

PASSWORD™
by U.S. Robotics, Inc.



1123 W. Washington
Chicago, IL 60607
Phone: (312) 733-0497



*Based on suggested retail price comparisons of U.S. Robotics, Inc. and Hayes Microcomputer Products, Inc.

appropriate bank-select line to an active state.

There are limitations on the addressability of programs and data in this extra memory, too. For example, you can't write routines that are directly callable from your main program if you switch 64K-byte blocks. It is much easier to handle the block switching if you switch only 32K or 48K bytes at a time and keep control of this with the lower 16K bytes that don't get switched. This can be made easier by using the PHANTOM line that is available on some S-100 sys-

tems to control a smaller block of memory.

If more memory is required, a more complicated bank-switching logic can be implemented to emulate the segmentation used in the 8086/8088 family of processors. This will allow addressing a full 16 megabytes in blocks as small as 256 bytes with 24 address lines.

A number of books discuss design of systems like this. I suggest you browse through the computer book section at a library or some of the larger book stores.—Steve

FOREIGN CHARACTER GENERATORS

Dear Steve,

Do you know where I can find a foreign-language character generator for either an IBM PC or a Hewlett-Packard Model 16?

YONG NANAGARA
Reading, PA

Several programs are available for the IBM PC that may serve your purpose. Character-generator programs that let you generate and save your own character sets for screen display include Lenitext from Duncan Atwell Computerized Technologies Inc., 1200 Salem Ave., Hillside, NJ 07205; Font Editor from Versa Computing Inc., 3541 Old Conejo Rd., #104, Newbury Park, CA 91320; and Graphic Character Editor from C & C Software, 54 Sonoma Ave., Goleta, CA 93117.

The following program, which was reviewed in the January 1984 PC magazine, contains a large number of character sets that can be printed with an Epson or an IBM Graphic dot-matrix printer: Fancy Font from SoftCraft, 8726 Sepulveda #1641, Los Angeles, CA 90045.

Word processors that have foreign-language character sets include Arabic-WP, Multilingual-WP, and Translator Aid System, all produced by Economic Insights, 416 Center St., Washington Grove, MD 20880.

I suggest you contact these companies or your local computer store for information about the capabilities of the programs.—Steve

INFRARED LINKS

Dear Steve,

I have a few questions for you. Do you know of any units that can provide a good two-way RF link between a computer and a terminal? Are you doing any more work on infrared links?

Also, with more computers running on batteries these days, how about a circuit that can indicate not only low or high voltages but also the presence of spikes and dropouts that may have caused a system error or crash?

DAVID SMITH
Milford, IA

I haven't heard of any low-cost RF data-communications equipment that would be satisfactory for a terminal-to-computer link, but one similar application is the Atari wireless joystick interface. The infrared or optical links seem to be getting more attention lately, with Fujitsu developing an infrared modem and a hand-held computer from Canon with an infrared printer interface in the works. And, of course, the IBM PCjr has an optical keyboard link.

Infrared light or visible light using LEDs and photo diodes or transistors seem like optimum media for this application because they avoid the potential for all sorts of RF interference problems that can arise with radio links. For-

(continued)

What do you get when you cross 1200 baud, free on-line time, and extra features at a price Hayes can't match?

Data Rate?

The MultiModem gives you a choice—either 1200 or 300 bits per second. So you can go on-line with the information utilities. Check out bulletin boards. Dial into corporate mainframes. Swap files with friends.

On-Line Time?

With the MultiModem you get CompuServe's DemoPak, a free two-hour demonstration of their service, and up to seven more free hours if you subscribe. You also get a \$50 credit towards NewsNet's business newsletter service.

Features & Price?

Of course, the MultiModem gives you automatic dial, answer, and disconnect. Gives you the Hayes-compatibility you need to support popular communications software programs like Crosstalk, Data Capture, our own MultiCom PC, and dozens of others. Gives you a two-year warranty, tops in the industry.

MultiModem.

But Better?

Yes. The MultiModem gives you features the Hayes Smartmodem 1200™ can't match. Features like dial-tone and busy-signal detection for more accurate dialing and redialing. Like a battery-backed memory for six phone numbers. All at a retail price of just \$549—compared to \$699 for the Smartmodem.

What do you get? The new MultiModem, from Multi-Tech Systems. Isn't this the answer you've been looking for?

For the name of your local distributor, write **Multi-Tech Systems, Inc.**, 82 Second Avenue S.E., New Brighton, MN 55112. Or call us at (612) 631-3550.



MultiTech Systems

The right answer every time.

Circle 230 on inquiry card.

Trademarks—MultiModem, MultiCom PC, Multi-Tech Systems, Inc.—CompuServe, CompuServe Information Services, an H & R Block company—NewsNet, NewsNet, Inc.—Crosstalk, Microstud, Inc.—Data Capture, Southeastern Software—Smartmodem, Hayes Microcomputer Products, Inc.

PC Owners . . . Reach for Your Phone! This Winchester is Loaded . . . with **UNIX** Software.



UNISOURCE

That's right, partner. Now is the time to upgrade your PC with the Sundown™ disk. Includes controller. Installs right inside your PC in less than 10 minutes. Backed by our full one-year warranty.

But that's only half the story . . . The Sundown comes loaded with VenturCom Venix/86. This highly-acclaimed operating system is a licensed implementation of AT&T's UNIX and is the only MULTI-USER, MULTI-TASKING UNIX environment available on the IBM PC. Plus you can store and run your MS/DOS programs and files as well!

We offer immediate delivery. And our price . . . now that will blow your boots off! Need we say more? Reach for your phone and dial:

617-491-1264

Unisource Software Corp., Department 4109
71 Bent Street, Cambridge, MA 02141

*UNIX is a trademark of Bell Laboratories.

**Somebody
has to be better
than everybody
else.**

It's inevitable.

Somebody is always more determined.
Works harder. And winds up on top.

Take Dysan, for instance.

We invented the 5¼" flexible diskette.

And while everybody else was trying
to figure out how to make them, we
were busy making them better.

With superior materials. A special
lubricant and jacket liner that extend
diskette life.

Unique manufacturing techniques.
Like our burnishing process that helps
eliminate read/write errors.

And an almost fanatical corporate
commitment to quality.

What does all this mean to you?

Every Dysan diskette you buy will
record and retain all your data all the
time. For as long as you own the diskette
and treat it right.

Dysan.

We're not just like everybody else.

Dysan 5¼" and 8" flexible diskettes
are available at your computer products
dealer.

Call toll free for the name of the
Dysan dealer nearest you. (800) 551-9000.

Dysan Corporation, 5201 Patrick
Henry Drive, P.O. Box 58053, Santa Clara,
CA 95050, (408) 988-3472.

Dysan®



Circle 118 on inquiry card.

**New Release
4.1**



We've continually improved Microstat since it was introduced in 1978, and the latest release includes many new features you've wanted.

- | | |
|---|--|
| Interactive and Batch Processing | Data sets that can exceed memory |
| Expanded Data Management Subsystem with New Data Transforms | Multiple Regression (including Stepwise) |
| Reading data files created by other programs | Scatterplots (including best fit regression) |
| 3 types of Analysis of Variance | Correlation Analysis |
| Time Series | 12 Nonparametric tests |
| Crosstabs and Chi-Square | 8 Probability Distributions |
| Factorials, Permutations, and Combinations | Descriptive Statistics |
| Hypothesis Tests | Easy Installation |

Microstat's algorithms have been designed to prevent numeric overflow errors and yield unsurpassed accuracy. Microstat's price is \$375.00 including the user's manual and is available for the Z80, 8086, 8088 CPU's and CP/M80, CP/M86, MS-DOS, and PC-DOS. To order, call or write.



6413 N. College Ave. • Indianapolis, IN 46220
(317) 255-6476



Trademarks: Microstat (Ecosoft), CP/M (Digital Research), MS-DOS (Microsoft), PC-DOS (IBM), Z80 (Zilog), 8086, 8088 (Intel).

ASK BYTE

rest Mims III has written several articles in Computers and Electronics (formerly Popular Electronics) on data communications using LEDs and photo transistors. See the October and November 1983 issues for two articles of particular interest.

It is not usual to find voltage transients in the power circuitry of battery-operated equipment unless they are caused by faulty wiring, such as loose connections, bad solder joints, and the like. Batteries are sometimes used as filters in low-voltage equipment because of their extremely high capacitance, so we should not find crashes caused by any battery problems except low voltage. If you have been having problems of this type, you may have a problem with bad connections or insufficient decoupling between circuit elements. It is common practice to use decoupling capacitors of 0.01 to 0.1 microfarad from the V+ terminal to common ground at each IC to prevent noise generation on the supply bus.—Steve

MS-DOS VERSUS PC-DOS

Dear Steve,

I have a Canon AS-100 that runs MS-DOS programs. I use "Copy F: to Copy A:" to bring an IBM PC program over to the Canon. A good many times it works, but a lot of times I experience total failure. Isn't PC-DOS different from MS-DOS? I saw a program that lets you execute a PC-DOS program through a CP/M-86 environment. Are the CP/M-86 calls similar to PC-DOS calls? Can CP/M-86 address certain parts of the BIOS (basic input/output system) ROM (read-only memory) that regular MS-DOS can't address?

Second, I have a lot of programs in BASIC and recognize that UNIX will be the dominant operating system of the future. How can I transport the BASIC programs into a UNIX environment? Are there emulators that recognize BASIC and convert it into the C language?

Finally, can the Micro D-Cam (September and October 1983 BYTE) be used to read typewritten invoices and automatically enter data into a computer, thus eliminating the use of a keyboard?

ARTHUR BRANDMEIN
Flushing, NY

Your questions regarding software transfer between the IBM and Canon computers relate more to differences in their BIOS structures than to differences in their operating systems per se. PC-DOS and MS-DOS are somewhat different internally. MS-DOS is designed to be installed in many types of machines with different I/O devices, while PC-DOS was written for one specific machine with most of the BIOS in ROM. Functionally, however, the two are the same. Software written for the IBM PC has a good chance of running on some "compatible" 8088/8086 machines if it does not bypass the DOS I/O calls, use the IBM's ROM BIOS functions or, worse yet, output directly to port addresses or access screen memory directly.

(continued)

PC FORTH™
IBM PC & XT,
HP-150,
Macintosh,
Apple II,
CompuPro,
Sage & CP/M-68K,
Wang PC,
All CP/M and
MSDOS computers.

Try the *professional language* offering the *utmost performance* in the *shortest development time*. Transport your applications between any of our enhanced 83-Standard compilers or expanded 32-bit versions. Choose from our wide selection of programming tools including native code compilers, cross-compilers, math coprocessor support, and B-Tree file managers. All fully supported with hotline, updates, and newsletters.

Laboratory Microsystems Incorporated
Post Office Box 10430, Marina del Rey, CA 90295
Phone credit card orders to (213) 306-7412

THE BUFFER DID IT.

Who Stole The 1500 Letters From The Computer?

Let's just say you've got to send a letter to 1500 different people. Would you like to spend 22.5 hours* or 60 seconds of computer time?

With a garden-variety buffer, the computer has to mix, merge and send 1500 addresses and 1500 letters to the buffer. Trouble is, most buffers only store about 32 letters. So after 32 letters, the computer's down until the printer's done. Altogether, you're talking 22.5 hours.

In the case of our new (not to mention amazing) ShuffleBuffer, computer time is 60 seconds flat. Just give

ShuffleBuffer one form letter and your address list, and it takes care of the mixing, the merging, and the printing. But that's not all ShuffleBuffer's stolen from the computer. Oh, no.

Who Changed and Rearranged The Facts?

Again, ShuffleBuffer's the culprit. You want to move paragraph #1 down where #3 is? Want to add a chart or picture? No problem. No mystery, either. Any buffer can give you FIFO, basic first-in, first-out printing. And some

Mr. Harold Burns
P.O. Box 1111
Toledo, Ohio 44020

Dear Har-

buffers offer By-Pass; the ability to interrupt long jobs for short ones. But only ShuffleBuffer has what we call Random Access Printing — the brains to move stored information around on its way to the printer. Something only a computer could do before. Comes in especially handy if you do lots of printing. Or lengthy manuscripts. Or voluminous green and white spread sheets. And by the way, ShuffleBuffer does store up to 128K of information and gives you a By-Pass mode, too.

And Who Spilled The Beans 239 Times?



Most buffers can't tell the printer to duplicate. If they can, they only offer a start/stop switch, which means you're the one who has to count to 239. Turn your back on your buffer, and your printer might shoot out a room full of copies. ShuffleBuffer, however, *does* control quantity. Tell it the amount, and it counts the copies. By itself.

So, What's The Catch?

There isn't any. Sleuth around. You won't find another buffer that's as slick a character as this one. You also won't find one that's friendly with any parallel or serial computer/printer combination. This is the world's only universal buffer. With a brain.

Who Wants You To Catch A ShuffleBuffer In Action?


You guessed it. We do. Just go to your local computer dealer and ask him to show you a ShuffleBuffer at work. Or, you can call us at (215) 667-1713, and we'll clue you in on all the facts directly.



ShuffleBuffer
The Buffer with a Brain

Interactive Structures Inc.
146 Montgomery Avenue
Bala Cynwyd, PA 19004

WHY JOHNNY CAN'T READ HIS OWN CODE



Johnny's A Good Programmer, Even Brilliant,

But— Johnny works in 8080/Z80 assembly language, with a conventional assembler. That can make yesterday's brilliance today's garble, a maze of mnemonics and a jumble of meaningless labels. Johnny's program is less than self-explanatory—even for Johnny.

Johnny *could* read his own code if he used SMAL/80—the *superassembler*—and so can you. SMAL/80 boosts your program's clarity and your productivity by giving you:

- Familiar algebraic notation in place of cryptic mnemonics — "A = A-3" for example, instead of "SUI 3" (if you know BASIC or Pascal, you *already* know SMAL/80)
- Control structures like BEGIN...END, LOOP...REPEAT WHILE, and IF...THEN...ELSE... to replace tangled branches and arbitrary label names (eliminating up to 90% of labels with no overhead imposed)
- Complete control over your processor—because SMAL/80 is a true assembler, it doesn't reduce execution speed or burden your program with its own runtime routines.

SMAL/80, the assembler that handles like a high-level language, lets you do it right the first time, and lets you read and understand your work afterward—the next day or a year later. Users say SMAL/80 has doubled and even tripled their output of quality code. But don't take our word for it—**TRY IT!**

Use SMAL/80 for 30 days. If you're not *completely* satisfied with it—for any reason—return the package for a full refund. **SPECIAL BONUS:** Order before Sept. 30, 1984, and get *Structured Microprocessor Programming*—a \$25 book **FREE!** SMAL/80 for CP/M-80 systems (*all* CP/M disk formats available—please specify); produces 8080/8085 and Z80 code. Now supports *Microsoft .REL*. **ONLY \$149.95** SMAL/80 for CP/M-80 systems, 8080/8085 output only. **SAVE \$20: \$129.95** **NEW!** SMAL/80X65—for Apple II and IIe (requires Z80 card and CP/M); produces Z80 and 6502 object code. **\$169.95**

Mastercard
Visa
C.O.D.'s

SMAL/80
CHROMOD ASSOCIATES
(201) 653-7615

We pay shipping on prepaid orders

1030 Park Ave. Hoboken, N.J. 07030

ASK BYTE

Most of the PC-DOS calls perform the same functions as the corresponding CP/M-86 BDOS calls. MS-DOS was originally written to provide as much upward compatibility with CP/M-80 as possible. This was done to simplify the translation of existing software, but MS-DOS, PC-DOS, and CP/M-86 all have additional functions, in some of which we find considerable differences between MS-DOS/PC-DOS and CP/M-86. Another difference is that PC-DOS accesses DOS calls through INT 33, while CP/M-86 uses INT 244, and generally uses different interrupt numbers for most other BIOS functions as well. In other words, while PC-DOS uses all the IBM ROM BIOS functions, CP/M-86 brings its own BIOS in.

The answer to your next question involves some speculation. First, UNIX or a similar operating system may well become popular for larger business microcomputers, but it isn't universally accepted that it will take over the personal computer field. Second, if UNIX does become popular for personal computers, it seems a fair bet that Microsoft and Digital Research will provide compatible BASIC interpreters and compilers. Therefore, you probably shouldn't be too concerned about transporting your BASIC programs. Also, you should know that while C was originally written in the UNIX environment, it is now available for MS-DOS and CP/M-86.

Lastly, yes, the Micro-D Cam can, in principle, be used to enter typewritten data directly into the computer. The picture is stored as a bit-mapped image much the same as any monochrome graphics display, so a picture could be transferred into a block of memory in the computer and processed to translate the bit patterns into letters and numbers. In practice, however, this turns out to be fairly difficult to do with a high degree of reliability for several reasons having to do with varying sizes, locations, and orientation of the character images. It would be a fun programming project though.—Steve

MEMORY ACCESS TIME

Dear Steve,

My query involves processor speed versus memory access time. The higher the processor clock rate, the more instructions that can be executed in a given time. This is of no avail, however, if the processor has to wait for slow memory. Without any instruction buffering between the fetching and execution of an instruction, the simple equation would seem to hold, for no wait states:

$$\text{memory access time} = \frac{1}{\text{instruction execution rate}}$$

The instruction execution rate depends on the processor clock speed and may be one instruction per clock cycle. Nowadays, it is not that simple with pipelined architectures, instruction buffering, and memory management.

The problem is that, with various claims and counterclaims by different manufacturers, it

becomes difficult to determine what memory access time is required for a particular processor to operate at a particular clock rate. Would you be able to determine the access time required for the more popular processors to operate with no wait states at a set clock rate?

PAUL SHIELDS
Dampier, Western Australia

Even though it might seem that the required memory access time for the simpler processors would be simply 1/instruction rate, it is really not that simple. Only in some 4-bit processors do we find instructions that execute in one clock cycle. For example, the shortest instructions vary from two cycles in the 6500, 6800, and 8086 series processors to four cycles in the Z80 and 8080 families.

A look at some timing diagrams for memory chips and various processors will show that actual read or write time can be as little as about one-and-a-half clock cycles, but the timing must allow for the data coming out from memory to become stable and for the processor to see the data long enough for a stable reading. The times required for this vary between different models of the same processor as well as between different types. The time for data to be valid at the memory output also varies. Thus, the only safe way to determine the access time is to obtain data on the processors and memory chips you are interested in and work out the timing. This information can be obtained from data sheets and application notes that are sometimes available from the manufacturers or from some of the advertisers in BYTE.

Two good sources for information on most of the available microprocessors are the Osborne Four and Eight Bit Microprocessor Handbook and the Osborne Sixteen-Bit Microprocessor Handbook by Adam Osborne (Osborne/McGraw-Hill). A number of other good books deal in depth with specific processor families. You might read these for background if you need it.—Steve

UPGRADING S-100 STANDARDS

Dear Steve,

I have an IMSAI 8080 that I would like to upgrade to 256K or 512K bytes of RAM. I'm hoping that you can help me.

Can I replace my Z80 board with a Cromemco Z80/68000 dual-processor board and use 256K- or 512K-byte memory boards on my system? What about CompuPro 8085/8088 and 8086/8087, 68000, and I/O and memory boards? Is it possible to use 16-bit boards from other manufacturers?

Thank you for your help.

AKBAR FASSIHY LANROODI
Tehran, Iran

The advantage of an S-100 system is that it is very versatile and can be upgraded easily. Now that the IEEE has established an S-100 bus standard, boards from one manufacturer should

(continued)



AZTEC C86

Optimized "C" compiler for PC DOS, MS DOS & CP/M-86
PC DOS, UNIX I/O, math, screen, graphics libraries
8086 assembler, linker & librarian, overlays
/PRO—library source, debug, ROM, MASM & RMAC, 8087, large model



NEW C COMPILERS

AZTEC C68K for MACINTOSH
VAX cross compilers



AZTEC C II


Optimized "C" compiler for CP/M, TRSDOS & LDOS
assembler, linker & librarian, overlays, utilities
UNIX I/O, math & compact libraries
/PRO—library source, ROM, M80 & RMAC

C TOOLS & AIDS

Z editor (like Vi), C TUTOR compiler, PHACT database,
C GRAFX, UNI-TOOLS I, QUICK C, BABY BLUE for PC
to CP/M cross, QUADLINK for PC to APPLE cross


AZTEC C65

"C" compiler for APPLE DOS 3.3, ProDOS or COMMODORE 64
VED editor, SHELL, UNIX & math libraries
/PRO—library source, ROM, overlays



CROSS COMPILERS

Compile & link on HOST—test on TARGET machine
HOSTS: UNIX, PC DOS, CP/M-86, CP/M-80, VENIX, PCIX, APPLE
TARGETS: PC DOS, CP/M-86, CP/M-80, APPLE, RADIO SHACK,
COMMODORE 64, other hosts and targets available



PRICES

AZTEC C86 C COMPILER

PC DOS MSDOS	249
CP/M-86	249
BOTH	399
/PRO EXTENSIONS	249
Z (VI EDITOR)	125
C TUTOR COMPILER	99
PHACT DATABASE	299
C GRAFX	99
SUPERDRAW	299
UNI-TOOLS I	99
QUICK C	125

AZTEC C II C COMPILER

CP/M	199
/PRO EXTENSIONS	150
TRS 80 MODEL 3	149
TRS 80 MODEL 4	199
TRS 80 PRO (3 & 4)	299

AZTEC C65 C COMPILER

APPLE DOS 3.3	199
ProDOS	199
BOTH	299
/PRO EXTENSIONS	99
C TUTOR COMPILER	99
E EDITOR	99
QUICK C	125

AZTEC C CROSS COMPILERS

PDP-11 HOST	2000
PC DOS HOST	750
CP/M-86 HOST	750
CP/M-80 HOST	750
APPLE HOST	750



MANX SOFTWARE SYSTEMS
Box 55
Shrewsbury, NJ 07701
TELEX: 4995812

TO ORDER OR FOR INFORMATION:
CALL: 800-221-0440 (outside NJ)
201-780-4004 (NJ)

Australia: Blue Sky Industries — 2A Blakeley St. — Chatswood NSW 2067 — Australia 61-2419-5579
England: TAMSYS LTD — Pilgrim House — 2-6 William St. — Windsor, Berkshire SL4 1BA — England — Telephone Windsor 56747
Shipping: per compiler next day USA \$20, 2 days USA \$6, 2 days worldwide \$75, Canada \$10, airmail outside USA & Canada \$20
UNIX is a trademark of Bell Labs. CP/M, CP/M-80 and CP/M-86 are trademarks of DRI. PC DOS is a trademark of IBM. MS DOS is a trademark of MICROSOFT.
N.J. residents add 6% sales tax.

work with boards from any other manufacturer that uses the standard. It is now possible, for example, to purchase a Cromemco processor, an SD Systems RAM board, and a CompuPro floppy-disk controller and expect them to work properly together.

There are some problems in upgrading an old system that may not have IEEE-696-compatible boards because some old S-100 boards used signals that do not agree with the new standard.

For example, new processor and memory boards use lines 58 and 60 to determine if a 16-bit or an 8-bit memory transfer will take place on the bus. Older boards that do not have these signals may not work properly with new IEEE-696 boards. If you have some of these older boards and want to use them with a new system, it is possible to modify them to meet the new standard. A good reference book on this subject is *Interfacing to S-100 (IEEE 696)*

Microcomputers by Sol Libes and Mark Garetz (Osborne/McGraw-Hill).

Before upgrading your system, it would be beneficial to review the newer products from the many companies now manufacturing S-100 boards so that an optimum system can be selected. The Priority One Electronics engineering selection guide is a good source of this type of information because it covers a wide selection of S-100 products from a variety of manufacturers. This selection guide can be obtained from Priority One Electronics, 9161 Deering Ave., Chatsworth, CA 91311.

Another source of reference material for the S-100 bus is *Microsystems magazine*, which covers the S-100 bus and CP/M subjects. The September 1983 issue should be of special interest to you because it contains an article on converting an IMSAI system to use the CompuPro 8085/8088 dual-processor board. The same issue also has an article on running N-DOS as a COM file under CP/M with an N-to-CP/M file-transfer facility. Volumes of *Microsystems magazine* can be obtained from Microsystems, CN 1987, Morristown, NJ 07960. —Steve



Touch-Tone® In...ASCII Out.

Turn any Touch-Tone® phone into a remote data entry terminal

By combining the capabilities of an intelligent modem with a DTMF to ASCII converter, Telnet has unlocked countless opportunities for you. With a Teleport 300 on your computer, you can use any Touch-Tone® phone in the country as a remote data entry terminal, or, if you wish, a control panel.

Imagine the possibilities: Branch office order entry, Inventory control, Remote control of environmental systems, Data logging, Emergency access to process control systems, Credit card authorizations, etc. The list goes on and on.

It's a full-featured smart modem

The Teleport 300 is a fully equipped intelligent modem: Bell 103J compatible, auto answer and originate, with tone and pulse repertory dialing and call progress indications. It's menu driven and user programmable. An internal buffer lets the

Teleport handle DTE speeds from 75 to 9600 baud.

Teleport delivers front end hardware security

You can program the Teleport 300 to respond only to a pre-determined series of DTMF signals. Unless the correct DTMF tones are detected, callers are not connected to your computer. It's an effective hardware barrier in front of any software security scheme you may be using to protect valuable programs and data.

To get all the Teleport details, call:

1-800-227-3800 ext 1130

Dealer inquiries are invited. Call the Telnet Telcom Components Division: (206) 827-9626 ext 220. Telnet Corporation 10801 120th Avenue NE P.O. Box 657, Kirkland, WA 98033 TWX 910 449-2862

Touch-Tone® is a registered trademark of AT&T.



MICROPROCESSORS

Dear Steve,

Is there a single publication that contains a listing of the computers that use a specific type of microprocessor? If not, could you list several microcomputers that use the 68000 chip?

NADDER SARSHAD
Edison, NJ

The October 1983 *Radio Electronics* featured a comprehensive computer buying guide, listing computers by price range. The tables of specifications showed the microprocessor, operating system, and specific features of each unit. Back issues of the magazine may be obtained from Gernsback Publications Inc., 200 Park Ave. South, New York, NY 10003.

Several microcomputers utilizing the Motorola M68000 chip include Apple's Lisa and Macintosh, Hewlett-Packard's HP-200, Radio Shack's TRS-80 Model 16, the Sage II, and Sord's Model M68. —Steve ■

IN "ASK BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to:

Ask BYTE
c/o Steve Ciarcia
POB 582
Glastonbury, CT 06033

Due to the high volume of inquiries, personal replies cannot be given. All letters and photographs become the property of Steve Ciarcia and cannot be returned. Be sure to include "Ask BYTE" in the address.

LOOK WHO BUYS SOFTWARE FROM US!

IBM • XEROX • NCR
 CHEVRON • GIE • SPERRY
 JFK SPACE CENTER • ARAMCO
 AT&T • BENDIX • PRICE WATERHOUSE
 HEWLETT PACKARD • GENERAL ELECTRIC
 GENERAL DYNAMICS • TRW • KAISER CEMENT

If you order software from us, you're in good company. You see, some of our best customers are America's biggest corporations.

Maybe they're attracted by our low, low prices (big companies are price-conscious too!).

Or maybe when you're an "IBM", you're looking for something extra. Like the personal service, giant inventory, and in-depth technical support you'll

find at 800-SOFTWARE.

You see, when you call us, we'll take care of you like our business depends on it. Because it does. Which means when you place an order, you can be sure we'll fill it promptly. And that our unique Order Tracking System™ is keeping tabs on your order every step of the way.

Most important, we'll be there if you need us after your software arrives. We'll make

sure that you'll receive the finest technical support and customer service in the industry. And that's a promise.

Next time you're looking for low price and great service, do what IBM, General Electric, and a lot of other big companies do. Pick up the phone and give us a call.

We'll show you why some hard-headed companies buy their software from us.

CHECK OUT ALL OUR INCREDIBLE BUSINESS SOFTWARE PRICES:

WordStar® PROF PAK \$389	Lotus™ 1-2-3 \$329	EasyWriter II System™ CALL	dBASE II™ \$399	
WordStar® \$269	InfoStar™ \$289	IUS Accounting™ CALL	Crosstalk™ \$119	
ANDERSON BELL™ Abstat \$339 ASHTON-TATE™ dBase II \$399 dBase II User's Guide \$ 20 AST™ 6-Pack Plus CALL ATI™ TRAINING PRODUCTS CALL BUSINESS SOLUTIONS™ Jack 2 CALL CEDEX™ TRAINING PRODUCTS CALL CONDOR™ 3 \$269 CONTINENTAL™ Home Accountant \$105 DIGITAL RESEARCH™ CPM 86 CALL Concurrent CPM 86 CALL CBasic 86 CALL All Other Products CALL	FOX & GELLER™ Quickcode \$199 dGraph \$199 All Other Products CALL HAYES™ Smartmodem 300 \$249 Smartmodem 1200 \$549 Smartmodem 1200B \$489 HERCULES™ Color Graphics Card \$409 HOWARDSOFT™ Tax Preparer \$229 HUMANSOFT™ DB Plus \$ 79 IMSI™ 4-Point Graphics \$129 All Other Products CALL IUS™ EasyWriter II System CALL EasyWriter I System \$140 IUS Accounting CALL All Other Products CALL	LIFETREE™ Volkswriter Deluxe \$179 LOTUS™ 1-2-3 \$329 MAXEL™ DISKETTES CALL MEMOREX™ DISKETTES CALL MICROPRO™ WordStar (w/Training Mod.) \$269 WordStar Prof. Pak (WS/MM/SS/SI) \$389 WordStar/MailMerge \$369 InfoStar \$289 Options Pak (MM/SS/SI) \$169 MailMerge \$139 PlanStar \$339 ReportStar \$229 Star Index \$129 All Other Products CALL MICRORIM™ RBase 4000 \$369	RBase Extended Report Writer \$109 RBase Program Interface \$299 MICROSOFT™ Fortran \$269 Multiplan™ \$149 Word™ \$289 Word™ w/Mouse \$359 All Other Products CALL MICROSTUF™ Crosstalk \$119 NORTON™ UTILITIES \$ 59 PALANTIR™ CALL PEACHTREE™ PEACHTEXT 5000 \$239 PERFECT SOFTWARE™ Perfect Writer \$209 Perfect Link \$119 All Other Products CALL QUADRAM™	Quadboards 64K/256K \$329/\$489 Quadlink \$559 ROSESOFT™ Pro Key \$ 99 SOFTWARE PUBLISHERS™ PFS File \$105 PFS Graph \$105 PFS Report \$ 95 PFS Write \$105 SOFTWARE SYSTEMS™ Multimate \$349 SORCIM™ Supercalc 2 \$169 Supercalc 3 \$259 All Other Products CALL THOUGHTWARE™ CALL VISICORP® Visicalc Advanced (Apple IIe) \$269 Visicalc \$189 Visi-On Products CALL All Other Products CALL

WE ALSO CARRY HUNDREDS OF OTHER PRODUCTS!



WRITE:
 800-SOFTWARE, INC.
 940 Dwight Way, Suite 14
 Berkeley, CA 94710



Copyright 1988 Software PMSI
 Microsoft is a registered trademark.



TO ORDER CALL TOLL FREE:
 800-227-4587 or 415-644-3611

- We guarantee our products against manufacturing defects.
- Quantity discounts available through our National Accounts Program.
- Purchase orders accepted. Please call in advance.
- Prompt U.P.S. or Federal Express shipping. Overnight delivery available. Call for shipping charges.
- Call for free catalog and other low software prices.
- We do not add surcharge for credit card purchases.
- Prices may change.
- International orders welcome: Telex #751743 800-SOFTWARE UD.
- Computer Key Word "GO-EH"

HIGH TECHNOLOGY AT AFFORDABLE PRICES

Dot Matrix Printers

C. Itoh Prowriter (8510).....	\$ 369.88
C. Itoh Prowriter-2 (136 col).....	589.88
C. Itoh Prowriter BPI.....	439.88
C. Itoh HotDot.....	509.88
C. Itoh HotDot-2 (136 col).....	729.88
Epson RX/FX/LQ Series.....	CALL
Infurunner Riteman.....	309.88
Mannesmann Tally 160-L.....	629.88
Mannesmann Tally 180-L.....	879.88
Mannesmann Tally Spirit-80.....	329.88
Okidata Microline 82A/83A.....	CALL
Okidata Microline 84 Step II.....	CALL
Okidata Microline 92.....	469.88
Okidata Microline 93.....	769.88
92/93/84 Plug-n-Play ROMs for graphic compatibility with IBM-PC.....	CALL
Star Micronics Gemini 10X.....	299.88
Star Micronics Gemini 15X.....	429.88
Star Micronics Delta 10.....	439.88
Star Micronics Delta 15.....	589.88
Star Micronics Radix 10/15.....	CALL
Toshiba P-1351.....	1689.88
Toshiba P-1351 Tractor.....	169.88

Letter-Quality Printers

C. Itoh A-10 Starwriter (18 cps).....	\$ 549.88
C. Itoh F-10 Starwriter (40 cps).....	1079.88
C. Itoh F-10 Printmaster (55 cps).....	1379.88
Diabo Series Printers.....	CALL
NEC 2010/2030 (18 cps).....	749.88
NEC 2050 for IBM-PC (18 cps).....	899.88
NEC 3530 (33 cps).....	1429.88
NEC 3550 for IBM-PC (33 cps).....	1779.88
NEC 7710/7730 (50 cps).....	1939.88
Qume Series Printers.....	CALL
Silver Reed EXP-770 (25 cps).....	979.88
Silver Reed EXP-550 (17 cps).....	559.88
Silver Reed EXP-500 (12 cps).....	439.88
Smith Corona Memory Correct III Messenger (12 cps) w/interface module.....	589.88
Star Micronics PowerType (18 cps).....	CALL

Modems

Hayes Micromodem IIe.....	\$ 259.88
Hayes Smartmodem 300.....	239.88
Hayes Smartmodem 1200.....	559.88
Hayes 1200B (IBM-PC).....	479.88
Novation AppleCat 300 baud.....	229.88
Novation AppleCat 1200 baud.....	419.88
Novation SmartCat 103, 300bd.....	169.88
Novation SmartCat 212, 1200bd.....	409.88
Novation Access 1-2-3 (IBM-PC).....	409.88
USR Password, 1200 baud.....	369.88
USR PC 1200 baud Modem/Multifunction board w/64-256K, clock, parallel port & Telpac software.....	CALL

Monitors

Amdek 300G (green).....	\$ 144.88
Amdek 300A (amber).....	159.88
Amdek 310A (TTL, amber).....	179.88
Amdek Color-1+.....	319.88
Amdek Color-2+ (12" RGB).....	459.88
NEC JB-1205M (amber).....	159.88
NEC JB-1201M (green).....	159.88
Princeton Graphics HX-12.....	509.88
Princeton Graphics Max-12.....	199.88
Quadram QuadChrome.....	529.88
Roland DG-121 (green/amber).....	149.88
Roland DG-122 (green/amber).....	179.88
USI Pi-3 (12" amber).....	179.88

IBM-PC Peripherals

64K Memory (4164/200ns) 9/pkg.....	\$ 79.88
AST MegaPlusII (64K).....	289.88
AST SixPak Plus (64K).....	299.88
Hercules Graphics Card.....	379.88
Keytronics 5151.....	219.88
Microsoft Mouse (parallel).....	149.88
Mouse Systems PC-Mouse.....	219.88
Paradise MultiDisplay.....	479.88
NEW Quadram 384K Quadboard.....	CALL
Quadram Quad 512 + (64K).....	239.88
Quadram QuadColor-1.....	219.88
Quadram QuadColor-2.....	229.88

Quadram QuadVue (monochrome).....	CALL
Quadram Parallel Card, RS-232C Card or Clock/Calendar Card.....	79.88
Tandon TM 100-2 (DSDD).....	229.88
Titan Cygnus I/O (parallel).....	149.88
Titan Cygnus I/O (RS-232).....	169.88
TG Joystick.....	59.88

Apple Peripherals

ALS CP/M Plus Card (CP/M 3.0).....	\$ 329.88
AMT MicroDrive (half height).....	219.88
Rana Elite-1 Disk Drive.....	259.88
TBL Cooling Fan.....	59.88
TBL Disk Drive Controller.....	69.88
Titan Accelerator II.....	469.88
Titan Memory Boards.....	CALL
Videx VideoTerm.....	239.88
Videx UltraTerm (80/160 column).....	289.88
Videx Enhancer II.....	109.88

Kensington Macintosh Starter Pak (swivel stand/surge protector/dust cover).....	69.88
Kensington Macintosh Modem.....	CALL
Macintosh Software.....	CALL

Accessories

NEW! Apple IIc Cables.....	\$ CALL
NEW! Macintosh Cables.....	CALL
EPD Lemon/Lime/Orange/Peach.....	CALL
Flip-n-File Diskette Box.....	CALL
Grappler+ Printer Card & cable.....	109.88
Kensington MicroSaver (4-plug).....	59.88
Monitor Stand (tilt/swivel).....	39.88
Pkasso-U Printer Card & cable.....	129.88
Printer Cables.....	29.88
Quadram Microfazer Print Buffers.....	CALL
Trace 80 col Sound Trap.....	129.88
Trace 132 col Sound Trap.....	189.88
80 Column Printer Stand.....	39.88
132 Column Printer Stand.....	49.88
2-Way Printer Switch Box.....	109.88
4-Way Printer Switch Box.....	159.88


ADVANCED LOGIC SYSTEMS • ALLOY • AMDEK • ANADEK • AST • CCS • CARDCO • C ITOH • COMREX • COLUMBIA DATA PRODUCTS
 CURTIS MANUFACTURING • DATA PRODUCTS (IDS) • DIABLO • DTC • EAGLE COMPUTER • EASIFEED • EPD • EPSON • FRANKLIN COMPUTER
 HAYES MICROCOMPUTER PRODUCTS • HERCULES COMPUTER TECHNOLOGY • INFORUNNER • INTERACTIVE STRUCTURES • JMM
 JUKI • KENSINGTON MICROWARE • LEADING EDGE • LQ • MANNESMAN TALLY • MA SYSTEMS • MICROSOFT • MILFORD NULL MODEM
 MOUSE SYSTEMS • NOVATION • NEC • OKIDATA • ORANGE MICRO • PARADISE SYSTEMS • PERFECT DATA • PRINCETON GRAPHICS
 QUADRAM • QUME • QCS • RANA SYSTEMS • ROLAND DG • SILVER REED • SMITH-CORONA • STAR MICRONICS • TANDON • TECMAR
 TITAN • TOSHIBA • USI • US ROBOTICS • VIDEX

The right place for the right price

If you live in the New England area (or plan to visit there), you should drop by our **Discount Computer Store**. We're about one hour's drive from Boston, the ocean or the White Mountains. From Boston, just go up Route 3 to Nashua, NH, and take Exit 7W (Route 101A). We're 5.1 miles from that exit, in Amherst NH. Take the next right after you see the Dexter Shoe factory outlet store.

In fact, we're near a lot of New Hampshire's factory outlet stores, and with no sales tax you can save a bundle on computer equipment, shoes and whatever else strikes your fancy. We have several systems on display, as well as printers, modems and monitors, all at the same prices you see in our ads. And if you can't fit a purchase into your car, don't worry...we'll ship it free anywhere in the 48 contiguous states.

No matter where you live—Boston or San Francisco—you don't have to strike out into the wilderness to save money. Take a short drive or drop us a line for the best advice and the best price on peripherals today.



TECHNICAL SALES DESK
(603) 881-9855
 TOLL-FREE ORDER DESK
(800) 343-0726

Hours: 9:00 to 5:30 EST, Mon-Fri

- FREE UPS ground shipping on all orders over \$50 (under \$50 add \$2.50 handling)
- Shipments fully insured at no extra charge
- MasterCard, VISA, American Express, Diners Club & Carte Blanche credit cards accepted
- No surcharges on credit card
- Credit cards are not charged until your order is shipped from our warehouse
- CODs accepted up to \$1000 (add \$10 for COD handling). Payable with certified check, money order or cash.
- Full manufacturer's warranty on all products sold
- 1-year extended warranty service is now available for many products (just ask us)
- Sorry, no APO/FPO or foreign orders



HIGH TECHNOLOGY AT AFFORDABLE PRICES

THE BOTTOM LINE



MILFORD, NH 03055-0423 □ TELEPHONE (603) 881-9855

CLUBS & NEWSLETTERS

■ **INTERESTED IN M&C?**
The M&C Interest Group (M&CIG) keeps members up to date with the latest developments on the M&C graphics standard, which is currently supported by several American and European computer manufacturers. A newsletter is produced each month; annual dues are \$15. Write to M&C Interest Group, Room 8025, 170 Fifth Ave., New York, NY 10011.

■ **Center Of CHALLENGE-FOCUS COMMUNITY GROUPS**
The Four Corners Users Group is currently made up of Commodore users, but users of other computers are encouraged to join. They meet frequently at one of the Clarke, Evans, Public Meetings. All group meetings serve users in the Four Corners area and the Central Florida Indian Reservation. The club is currently seeking sophisticated microhardware users (MSB) software for IBM 8010 or Commodore-64 computers with a 2001-, 8000-, or 4040-based disk. For information, send a self-addressed stamped envelope to Center of Challenge-Four Corners Users Group, Calnet Consulting, Inc., 7641 Olive, #2 80003, (302) 674-9422.

■ **CHANCE ON IBM**
The IBM of the Capital Hill Area Computer Society (CHACS) in Lansing, Michigan, is open from 1 pm to 8 pm, at (517) 373-6188. The club maintains a public-domain software library, produces a computer newsletter, meets monthly and houses several special-interest groups. Annual dues are \$15. For details on the library being used, a self-addressed, stamped envelope to the Treasurer, CHACS, P.O. Box 1500, Lansing, MI 48901.

■ **IBM-PC/XT/AT NOW RECOGNIZED BY M&C**
Special Signal, a newsletter about Apple Lisa, has expanded to include coverage of the Macintosh computer. The newsletter is

created, edited, and printed using a Lisa. Any users in the United States who submit the serial number of their Lisa, or Macintosh, can qualify for a free subscription. Other readers can subscribe for \$10.00 (one year). \$20 overseas. Contact Special Signal, 201 Grosvenor Dr., North, CA 95003, (415) 483-9300.

■ **TECHNOLOGICAL SUMMIT (TOS)**
Stella Cowie is the newsletter of the IBM Personal Computer Users Group, an assembly of individuals, Wisconsin area, computer users interested in the file and compatible machines. The twice-monthly meetings feature hardware and software demonstrations and custom-developed software for beginners. The newsletter runs a list of current members. For further details, contact Stella Cowie, P.O. Box 301, Oak Grove, WI 53122.

■ **MAC SIG IN APPLE II**
The Washington Apple II (WAI) has formed a special-interest group for owners of the Macintosh computer. The group will host seminars, distribute software from its public-domain library and publish articles about the line in its monthly newsletter. In addition, 11 qualified volunteers have a hot line to handle questions from members on specific programs, peripherals, and programming language. Membership is \$15. For office hours, non-meeting details and general information, contact the Washington Apple II, Suite 201, 6121 Woodhouse Ave., Bethesda, MD 20814, (301) 614-8000.

■ **OS/2 ON LINE**
The Computer Mail News (CMN) produced frequently has more than 100 annotated news of recently published computer

books under such categories as applications, business, consumer, science, history, software.

Levels, introductions, references, languages, and specific brands of computers. An older browser version of CMN, on line with Newnet, is equal to weekly. CMN also covers trade news, book ratings, and graphics. Subscription rates are \$15 annually for foreign subscriptions a \$25. For information on subscriptions, call (415) 343-1302. To subscribe to the first issue, contact the Computer Mail News, 725 Siskiyuts Park, Honolulu, HI 96811.

■ **MEDICAL, COMMERCIAL, AND INDUSTRIAL M&C/MS**
One language that meets the requirements of the American National Standards Institute (ANSI) is M&C/MS, or the Massachusetts General Hospital Utility Multi-Programming System. The programming language doubles as a database-management system with applications in more than 4000 medical, commercial, and industrial installations around the world. Its user group consists of about 3000 members. In addition to producing a quarterly newsletter, the club sponsors seminars and holds annual conferences for programmers and nonprogrammers interested in furthering their knowledge of M&C/MS. For membership details, contact the M&C/MS Users Group, Suite 305, 4322 Harvard Ave., College Park, MD 20740, (301) 514-2155.

■ **THE MAC II SIG**
The latest special-interest group to branch from the Boston Computer Society (BCS) is the Macintosh Users Group. House and technical people contribute the substance that meets each month to users

demonstrations, presentations, and discussions about peripherals, software, and uses of the Macintosh. Call Jack Hodgson for meeting locations and further details at (617) 274-1014, or contact the Boston Computer Society, Macintosh Users Group, One Center Plaza, Boston, MA 02108, (617) 267-8300.

■ **TELETYPE AND HEADSET**
The Heart of Texas (HOT) 16040 Club meets at 1 pm, each month in Tarrant, Texas, to discuss computer languages, peripherals, operating systems, and applications to all models of Radio Shack TRS-80 computers including 1, 2, 3, 4, 5, 10, 100. Color Computer users, CoCo, and the Pocket Computer, membership dues are \$10 and include a subscription to the monthly newsletter and voting privileges. An alternate membership of \$5 entitles you to receive the newsletter only. For information, contact HOT 16040 Club, P.O. Box 1933, Tarrant, TX 75093.

■ **OS/2 TO OS/2 M&C/MS**
General interest users of M&C/MS-based computers (30-50) in an international M&C/MS-M&C/MS users group that produces newsletters and public-domain software, runs a public-domain system, and maintains a software library. The OS/2-to-OS/2 personalized M&C/MS can be received at (207) 640-9475, the OS/2-to-MSB at (207) 640-1712. Both are open from 1 pm to 4 pm. Gates has membership at \$15 a year. For details, contact Joseph Shuman, 474 Shelden Ct., Brentwood, MA 01841, (617) 640-9214, or Fred Thores, 21790 Quince Ave, #213, Harvard, MA 01454, (617) 783-1429.

■ **ILLUSTRATION COMPROMISES**
Sixty-17 members of the Illustration of Object Buffering Society work on the applications of personal computers to the direct laboratory. The newsletter, *Illustration*

(continued)

EMACS
FOR THE
IBM PC

UniPress is pleased to announce the availability of MS-DOS EMACS to supplement our existing UNIX and VMS versions. MS-DOS EMACS is full-function Gosling EMACS, including compiled MLISP, macros, command undo and much more.

UniPress Gosling EMACS: The famous multi-window full-screen editor. Edit several files at once. Interprocess communication on UNIX and VMS. Extensible via macros and the built-in compiled MLISP language.

UniPress Gosling EMACS: The ultimate programmer's tool: C, Pascal and MLISP language assist. EMACS manages execution of Unix makefiles, and automatically points to lines containing errors in the source code. Keys can be bound as desired, macros can be named, customized MLISP routines can supplement the many included packages, and much more!

UniPress Gosling EMACS: Use EMACS as your session manager — Divide your screen into a "shell window" to run commands, and one or more source file windows.

ALSO NEW! MINIMACS — Special efficiency-conscious EMACS. Faster and smaller; includes all standard editing features, keybinding, and multiple windows.

PRICES: UNIX: \$395/Binary; \$995/Source
VMS: \$2500/Binary; \$7000/Source
MS-DOS: \$375/Binary; \$995/Source
(Requires at least 384K)

UNIPRESS OFFERS A FULL LINE OF
SOFTWARE FOR UNIX, VMS AND MS-DOS.

Lattice® C compilers to the 8086-family; both native and cross. Write programs on your mainframe for execution on the IBM-PC, etc. (Cross compilers for UNIX and VMS.)

Q-CALC — extraordinary UNIX spreadsheet.

LEX — Powerful interactive UNIX word processor.

PHACT — Multi-keyed ISAM database record manager for UNIX and MS-DOS.

OTHER UNIPRESS PRODUCTS:

Full UNIX System V operating system for the Apple LISA, /RDB The Menu System, UniCalc, and more.

Call or write for more information.

UniPress Software, Inc.

2025 Lincoln Highway, Rt. 27, Suite 312, Edison, NJ 08817
201-985-8000 • Order Desk: 800-222-0550 (outside NJ)
Telex: 709418

Mastercard and Visa

Unix is a trademark of Bell Laboratories • VMS is a trademark of Digital Equipment Corp. • MS-DOS is a trademark of Microsoft • Lattice and UniCalc are registered trademarks of Lattice Inc. • IBM-PC is a trademark of IBM.

chimica Clinica Notiziario SIBioC runs book reviews and other items of interest to its 3000-reader circulation. For details, contact Società Italiana di Biochimica Clinica. Sede e Redazione: via Keplero, 10-20124 Milan, Italy.

● **CADD. A NEWSLETTER FOR EDUCATORS.** CADD, a monthly newsletter, is designed to provide educators with information, articles, and tips for teaching computer-aided design and drafting more effectively. One section in the newsletter, called "CADD Without a System," gives an instructor material and advice for helping the student develop qualities the computer industry seeks. For a free issue, write to CADD, POB 906028, Tulsa, OK 74112. (918) 832-7124.

● **AND FORTH 'TO CANADA** The Southern Ontario Chapter of the FORTH Interest Group meets periodically and sponsors conferences that include presentations, business meetings, and discussions. For details about the group, contact Dr. N. Soltseff, Unit for Computer Science, McMaster University, Hamilton, Ontario L8S 4K1, Canada. (416) 525-9140, ext. 2065.

● **FOR CHAMELEONS AROUND THE WORLD.** The most frequently asked questions directed at Seequa's technicians will be answered in a monthly publication produced by the International Chameleon User Group (ICUG), which is backed by Seequa. It features a listing of new software for the Chameleon and references to public-domain software for MS-DOS, CP/M-86, and CP/M-80. Questions can be sent along with the \$18 annual membership fee to Joe Verzino, ICUG, POB 265, Dewitt, NY 13214. (315) 446-2763.

● **SAGE COMMUNICATION LINK.** The purpose of the Sage Users Group is to share information and provide an environment to develop members' proficiency and knowledge of microcomputing. The group holds general meetings for an information exchange; sponsors a bulletin-board/database system; maintains software and technical libraries; and updates information about the group's

current events. It also produces a newsletter to enhance the group's communication links. For details, contact Randy Scott, Sage Computer, 4905 Energy Way, Reno, NV 89502. (702) 322-6868.

● **WORLD TELECOMMUNICATIONS NEWS.** *International Networks* is a monthly newsletter covering the technology and policy of world telecommunications. It analyzes significant security questions confronting the future of electronic mail and database networks. An annual subscription is \$375. Write to *International Networks*, POB 187, Moulton Hill Rd., Monson, MA 01057. (413) 267-5171.

● **COLORFUL MEETINGS** The Alachua Color Computer Users Group meets at 7 p.m. on the second Tuesday of each month at the Operations Center located behind the Kelly Power Plant in Gainesville, Florida. Interested persons can contact Al Kirk, 4617 Southeast 2nd Place, Gainesville, FL 32601. (904) 377-6285, or George McDonald, Route 2, POB 530, Alachua, FL 32615. (904) 462-5392.

● **HUDSON VALLEY COMPUTERISTS.** The Hudson Valley Personal Computing Club is a nonprofit organization that promotes interest in public-domain software available for the IBM Personal Computer. The club is a forum for information sharing, personal computer education, computer literacy, and user support. Monthly meetings are held at Ulster County Community College, Stone Ridge Campus, Stone Ridge, New York. Contact the Hudson Valley Personal Computing Club, H.V.M. Box 6057, Kingston, NY 12401.

● **LOCAL GOVERNMENT APPLICATIONS.** Local governments, private companies, and consultants that are interested in the local-government/micro-computer market can request a complimentary copy of a monthly newsletter, *Government Microcomputer Letter*. It focuses on news and software and hardware applications. City and county policies on the use of microcomputers are also covered. For subscription details or a free copy, write to *Government Microcomputer Letter*, POB 16645, Tampa, FL 33687. ■

When Lotus wanted better graphics for 1-2-3, they chose a better graphics card—HERCULES™



And then we became a standard.

When the IBM® PC was introduced over 2 years ago, the talented people at Lotus realized that it was limited by a lack of high resolution graphics. They knew that this was going to have an adverse effect on 1-2-3's graphics. And Lotus didn't want anything to hold back their revolutionary software.

So they turned to Hercules.

Lotus recognized that the Hercules Graphics Card delivered the performance they wanted. It offered high quality text and high resolution graphics on IBM's monochrome display. It completely replaced the IBM monochrome card. And it didn't cost an arm and a leg.

Since then, Hercules has sold a lot of Graphics Cards. So many that the Hercules Graphics Card has become the high resolution standard for the IBM PC. And this means that there is more high resolution graphics software available for Hercules than for any other graphics card you can buy.

Software like Microsoft® Word. Our high resolution makes Word's text much sharper and easier on your eyes. And there are other programs for business graphics, computer aided design, terminal emulation and programming.

Call for our free information kit. See why the company that made the first graphics card for the IBM PC still makes the best.



Hercules. We're strong on graphics.
800 255 5550 Ext. 408

Address: Hercules, 2550 Ninth St, Berkeley, CA 94710 Ph: 415 540-6000 Telex: 754063 Features: IBM monochrome (display graphics resolution of 720x348; parallel printer port; text mode software compatibility; free software for programming; 2 year warranty. Foreign distributors: Compuserve/Canada; Reflex/U.K.; Computer 2000/W. Germany; Edisoft/France; SourceWare/Australia. Trademarks/Owners: Hercules/Hercules Computer Technology; Microsoft/Microsoft Corp; IBM/International Business Machines; Lotus & 1-2-3/Lotus Development.

PGS introduces the no-compromise monitor to meet your no-compromise needs.

High resolution

Once you've invested in a first-rate computer, you don't want to compromise with a second-rate monitor. That's why PGS introduced the first no-compromise monitor, the Princeton HX-12. It set the price/performance standard for high resolution RGB color monitors.

Super resolution

Now we're introducing the first no-compromise monitor in the super resolution class. It's our new SR-12: an RGB monitor that meets the most demanding expectations at a price that will surprise you.

Monochrome

And, for price/performance in a monochrome monitor, we're introducing the MAX-12: our new amber monitor that's as easy on the eyes as it is on your budget.

The monitor to meet your needs

All three PGS monitors are engineered for no-compromise performance to provide you with a cleaner, sharper image than any other monitor in the same price class. The HX-12 and the SR-12 both feature uncompromising color convergence for crisp whites without color bleed. The MAX-12 offers impressive clarity in a monochrome monitor with easy-on-the-eyes amber phosphor.

And all three monitors come with a non-glare screen and a shielded cable that plugs directly into the IBM PC or XT.

The HX-12 has the highest resolution (690x240) and the finest dot pitch (.31mm) in its class. And yet its suggested retail price is comparable to many medium resolution monitors. The HX-12 brings no-compromise color to the PC and now, with the PGS RGB-80 board, to the Apple IIe as well. **Suggested retail price: \$695.**

The new SR-12, in conjunction with the PGS high performance color graphics card, also features a .31mm dot pitch supporting 690 horizontal resolution. However, by increasing the horizontal scan rate to 27.5 KHz, the SR-12 can support 400 vertical resolution in non-interlaced mode. This results in a very high quality, flickerless image with the ability to generate graphics and text that is truly of monochrome quality. **Suggested retail price: \$799.**

The new MAX-12 offers you easy-on-the-eyes amber with 720x350 resolution at a suggested retail price (\$249) that is actually lower than the leading green-on-black competitor. And the MAX-12 runs off the IBM PC monochrome card—no special card is required.

Clarity of the Max 12 is enhanced by dynamic focusing circuitry which ensures sharpness not only in the center but also in the edges and corners. **Suggested retail price: \$249.**

Whatever your needs, from word processing to super resolution graphics, there's now a no-compromise PGS monitor that sets the standard. Ask your dealer for a demonstration and let your eyes decide. Or call for more information and the name of your nearest dealer.

You can look to PGS for the image your eyes deserve.

Circle 252 on inquiry card.

Nationwide service provided by Bell & Howell Service Company and MAI Sorbus Service Company.



800-221-1490

PGS Princeton
Graphic Systems

1101-I State Road
Princeton, New Jersey 08540
609 683-1660 TLX 6857009 PGS Prin



B·O·O·K R·E·V·I·E·W·S

ALGORITHMS

Robert Sedgewick. Addison-Wesley.
Reading, MA: 1983. 550 pages. \$30.95

FORTH FUNDAMENTALS

Volume 1. C. Kevin McCabe. dilithium
Press, Beaverton, OR: 1983. 248 pages.
\$16.95

THE UNIX OPERATING SYSTEM

Kaare Christian. John Wiley and Sons.
New York: 1983. 318 pages. \$26.95

ARTIFICIAL INTELLIGENCE APPLICATIONS FOR BUSINESS

Walter Reitman, ed.. Ablex Publishing.
Norwood, NJ: 1984. 343 pages. \$37.50

ALGORITHMS

Reviewed by Michael O'Neill


While ago I read a summary by Robert Sedgewick of his doctoral dissertation on the fastest general-purpose sorting routine known. "Implementing Quicksort Programs," in *Communications of the Association for Computing Machinery* (volume 21, number 10, October 1978, page 847). I was impressed that the author did not deal only with the abstract details of the algorithm, but that he also covered the concrete aspects of its implementation. Furthermore, the tricks, trade-offs, and fine points he presented were general enough to be useful in most programming environments. And the writing style was clear and concise.

So when *Algorithms* was published, I was curious to see if the author would keep up the good work. I found that this book is as impressive as the aforementioned summary.

ALGORITHM CONVERSION

Sedgewick's stated goal is to teach "... a large number of the most important algorithms used on computers today well enough to be able to use and appreciate them."

The key phrases in the above quote are "large number" and "use." Professor Sedgewick deals with a staggering



number of algorithms. The book treats a wider range of subjects than any other single work I have seen. The seven major sections are: Mathematical Algorithms, Sorting, Searching, String Processing, Geometric Algorithms, Graph Algorithms, and Advanced Topics. The book covers a number of topics not usually dealt with by introductory texts: curve fitting, integration, parsing (language translation), cryptology, linear programming, and the fast Fourier transform. And these are intended to be used (and useful). The author tries to give the reader the knowledge needed to convert a given algorithm into a working program, and he provides basic information about how fast the program can be expected to run.

LIMITATIONS

The ambitious scope of the book implies that some trade-offs had to be made. The author usually only presents the basic form of each algorithm as a fully written-out program; he discusses fine points, tricks, and useful modifications but leaves their detailed implementation to the reader. He keeps theoretical discussion to a minimum. And while there is some introductory

material on how to compute running times, he generally confines theoretical considerations to semi-intuitive treatments of running time and correctness questions.

Even with these limitations, the author has tried to pack a lot of information into 550 pages. Professor Sedgewick is in the unenviable position of making his exposition coherent and comprehensible without wasting words. The chapters are short: Quicksort is covered in 11 pages; parsing in 13. Thus, *Algorithms* is densely written. Information content is high, repetition is low, and there is ample cross-referencing. While there are some chapters on numerical algorithms that are rough going, I think the author has succeeded in making *Algorithms* work within these constraints.

A few warnings are in order, however. Because many of the implementation details are left to the reader and because the book is somewhat dense, it is neither a cookbook nor a reference work. The style also precludes skimming and diving into the text at random.

My only major criticism of *Algorithms* is a lack of coordinated references. The author gives only 5 or 10 references for each major section of the book, without indicating which one refers to the further information you may seek on a given subject. More extensive referencing (including references in the text) would add little to the length of the book but would make it possible to locate further information about specific algorithms.

PREREQUISITES

This book is not for beginners; a reader should have moderate programming experience and, I feel, should already have some basic knowledge of data structures. A more detailed list of what the prospective reader should know may be found on page 3 of the book itself.

By keeping theoretical detail to a minimum, by presenting a unified treatment


(continued)

of a wide variety of algorithms, and by treating implementation details with sufficient generality, Robert Sedgewick has written a work that will be useful to many practical programmers.

FORTH FUNDAMENTALS - VOLUME 1
Reviewed by E. Francis Avila

Until the introduction of C. Kevin McCabe's *FORTH Fundamentals*-Volume I, textbook-quality FORTH programming books that were both well written and logically organized were in short supply.

McCabe's treatise has been sorely needed for many years. (FORTH was created by Charles Moore almost 15 years ago.) However, this book is not for those with little programming experience. For the novice programmer, I would still recommend the perennial mainstay, Leo Brodie's *Starting FORTH* (see review in September 1983 BYTE, page 494). But for the seasoned pro-



grammer looking for a professionally written dissertation of FORTH's operation, McCabe's book is indispensable.

IMPROVING THE IMAGE

The author treats his subject matter in much the same style that college texts

cover material: technical, calculating, and concise. A book of this kind is needed if FORTH is to proceed beyond a fanatic's realm (a frequent stigma assigned to FORTH programmers) and be taken seriously in the world of professional programming. But because of an absence of professionally written texts on FORTH to date, many college computer-science departments have shunned teaching this versatile language. While McCabe's book is not intended as a college text, it is a beginning.

McCabe writes with an authority and assurance that can only come from an intimate knowledge of the subject. In contrast, it could be said that Leo Brodie never fully understood the language's intricacies and subtleties. This is not to deny that Mr. Brodie was the first to pen a readable book on FORTH; instead it is to acknowledge that his enterprise was a beginning point of
(continued)

FREE SHIPPING
Order line: 800-354-7330

SYSTEM #1
SANYO MBC-550-2 \$1399
• SANYO GREEN MONITOR
• GEMINI 10X • SOFTWARE
Sanyo MBC-550-2 Single 360K Drive Computer, Sanyo Crt-36 Monitor, Star Gemini 10X, Cabling, Wordstar, Calstar, MS-DOS, Sanyo Basic.
Sanyo MBC-550 System w/160K Drives \$1199

SYSTEM #2
SANYO MBC-555-2 \$1799
• SANYO GREEN MONITOR
• GEMINI 10X • SOFTWARE
Sanyo MBC-555-2 Dual 360K Drive Computer, Sanyo Crt-36 Monitor, Star Gemini 10X, Cabling, Wordstar, Calstar, Infostar, Spellstar, Mailmerge, MS-DOS, Sanyo Basic.
Sanyo MBC-555 System w/160K Drives \$1499

PRINTERS

C-ITOH	2010, 2015, 2030	\$650
A10-20	2050	\$795
8510 SP	3510, 3515, 3530	\$1225
8510 SCP	3550	\$1539
8510 BPI	7710, 7715, 7730	\$1649
8510 Prowriter		\$325
F-10 Parallel or Serial		\$920
55CPS Parallel or Serial		\$1205

COMPUTER INTERNATIONAL

Daisy-writer 2000 \$990

COMREX

CR-II Parallel or Serial \$445
CR-II Keyboard \$155

DATASOUTH

DS-180 \$1165
DS-220 \$1475

DIABLO

620 \$745
630 API \$1709
630 ECS \$ave
630 ECS/IBM \$1995
Series 36 \$ave

EPSON

All Printer Models \$ave

INFORUNNER

Ritemon \$255

IDS

Prism 132 Color \$1500

JUKI

6100 \$435

TERMINALS

ADDS

A-2 \$480
A-3 \$480
Viewpoint 60 \$625
Viewpoint 90 \$865

ALTOS

Smart II \$ave

HAZELTINE

All Terminal Models \$ave

QUME

QVT102, 103, 108 \$ave

TELEVIDEO

All Terminal Models \$ave

WYSE

All Terminal Models \$ave

MONITORS

AMDEK

300 Green \$150
300 Amber \$160
310 Amber \$160
Color 1+ \$275

ZENITH

All Monitor Models \$ave

MODEMS

HAYES

Smartmodem 300 Baud \$205
Smartmodem 1200 Baud \$490
Smartmodem 1200B \$435

US ROBOTICS

Password 1200 Baud \$315
212A Autodial \$430

DISKETTES

MAXELL

MD-1 \$190
MD-2 \$280

SCOTCH

5 1/4 55/DD (Qty 100) \$205
5 1/4 DS/DD (Qty 100) \$250

ELEPHANT

5 1/4 55/SD (Qty 100) \$160
5 1/4 DS/DD (Qty 100) \$220

COMPUTERS

ALTOS

All Computer Models \$ave

EAGLE

All Computer Models \$ave

NEC

8201 Computer \$ave

SANYO

See Special Above \$ave

ZENITH

All Model Z-150 & Z-160 \$ave

Prices reflect 3% to 5% cash discount.
Product shipped in factory cartons with manufacturer's warranty. Free shipping is on UPS ground only. Prices & availability subject to change without notice. Send cashier's check or money order... all other checks will delay shipping two weeks.

SILICON SPECIALTIES
2034 WEST SOUTHERN
MESA, ARIZONA 85202
602-969-0909

74 BYTE • JULY 1984

www.americanradiohistory.com

COMPUTERS and more...

is your place to buy for SELECTION, SERVICE and SAVINGS.
 We know that your needs are not the same as everyone's, so we don't treat you "just like every one else."
 Your needs are special. That's why **COMPUTERS and more...** is your place to buy for...



SCHOOL COMPUTERS

IBM	EAGLE
64KPC w/2-320 drives 2295	PC-XL 3395
PC XT w/256KRAM 4795	Spirit II 2699
PCJR 128K CALL	
APPLE	CORONA
The Macintosh call	DeskTob w/2 drives ... 2369
Apple Starter System 1299	Portable w/2 drives ... 2195
Apple IIe 899	
New Apple Products call	TELEVIDEO
	TS 1605 CALL
	Teletote SALE
	Multi-User Systems ... CALL
COLUMBIA	ZENITH
1600-1 w/1 year war. ... 2495	Z150 ON SALE
1600-1 Pack w/1 yr. war. 2795	Z160 CALL NOW
1600-4 CPU only 3454	
VP Portable 2349	

DEC	SHARP
Rainbow 100 2295	PC-5000 1529
Rainbow 100+ 4495	

KAYPRO	NEC
Kavoro II 115	We sell and service all
Kaypro II+ or 4+ CALL	Nec Micros CALL

FRANKLIN	LEADING EDGE
Ace 1000 799	PC 2199
Ace OMS CALL	

COMPAQ	For our complete selection
Compaq 2-drive 128K 2599	call for our line card and
Compaq Plus 3995	price list for all computers.

ACCESSORIES

IBM	RI0-Plus 64K
Access 1-2-3 389 269
Keytronic 5150 189	RI0 64K + 1/0 cd 269
Keytronic 5151 219	SR10 by STB on sale
Hercules Card 349	Optical Mouse by Visi 199
AST 6-Pack 265	Quadboard Ex 64K 319
AST PC Net CALL	Quadboard II 64K 249
Plantronic Color Bd 369	Quadvue 289
Z-Plus by CCS 679	Orchid Tech CALL
Graphix Plus by STB 319	1200B w/Stf 429
256K cd by STB 379	Tecmar Access CALL

APPLE	80 Col Card
80 Col 64K for IIe 116 109
Par Interface 54	294 K by Syntex 499
Serial Card 79	MicroModern IIe w/Stf 239
Buffered Grappler + 159	Koala Pad 79
Z-80 Card 97	Appli-Cards call



1 Year Warranty Available

TO ORDER: Phone orders invited using Visa, MasterCard, or bank wire transfers. Visa, MC, service charge of 2%. Mail orders may send charge card number (include expiration date), cashiers check, money order, or personal check (allow 10 business days for personal or company checks to clear). Please add 3% (\$5.00 minimum) for UPS shipping, handling, and insurance. All e equipment is in factory cartons with manufacturer warranty. Opened products not returnable. Restocking fee for returned merchandise. Equipment subject to price change and availability. Retail prices differ from mail order prices. Calif. residents add 6% State Tax. Company and school P.O.'s accepted on approval, IBM & Apple are registered trademarks.

INTERNATIONAL INQUIRIES WELCOMED
 TELEX 697120, DATAMAX ATTN: DEPT. 322

HOME PRINTERS

JUKI	TOSHIBA
6100 18 cps 419	PI351 P 1599
Tractor 109	P 1351 S 1599
Cut-Sheet Feeder 529	P 1340 P 799
	P 1340 S 799

EPSON	RITEMAN
Fx-100 CALL	Riteman Plus 329
Fx-80 CALL	Riteman Blue 359
LQ-1500 NEW	

ABATI	MANN-TALLY
LQ 20 Parallel 389	We carry all
LQ 20 Serial 429	Main-Tally Printers CALL

DAISYWRITER	SIEMENS
Daisy 2000 w/48K Buf. 949	PT 88 Ink Jet 759
Tractor for 2000 119	Pt 89 Ink Jet 994
Cut-Sheet Feeder 659	

RICOH	ANADEX
RP-1300 35 cps 979	9500 B 995
RP-1600 45 cps Ser. 1395	9625 B 1195
	9000 B 989

STAR	OKIDATA
Power Type - New CALL	
Delta IO & 15 CALL	
Gemini 10x & 15x CALL	
Radix 10 & 15 CALL	

TRANSTAR	Call for our low sale prices
Transtar 120P 399	on all OKI Printers
Transtar 120S 399	
Transtar 130P 579	
Transtar 130S 579	
Tran 130 Sheet Feeder 329	

FREE * SHIPPING

PLOTTERS

AMDEK	HOUSTON-INST
Amplot-4 Color 719	DMP-40-2 call
Amplot II Digital 899	DMP-40 P 959
X-Y 6 Color 949	

ENTER	C-ITOH
Sweet-P for Apple 729	Cx-4800 549
Sweet-P for IBM 789	
Sweet-P Model 100 519	STROBE
	M100 1-Pen 489
	M260 8-Pen 779

DISK DRIVES

Tandon 100-2 219
CDC for IBM (320 K) 229
SPECIAL NOTE TO OUR CUSTOMERS:
Because Hard Disk Drive companies are re-thinking their prices downward, please call for latest prices for: QUADRAM, TECMAR, DA-VONG, CORVUS, PEGASUS AND OTHERS.

OFFICE SOFTWARE

FOR PC & XT	FOR JR.
Easywriter I 189	Home Acct. Jr. 54
Lotus 1-2-3 319	Tax Advantage Jr. ... 54
Lotus Symphony 349	Personal Development 67
R:Base 4000 349	Filewriter 2 119
DesQ 339	Rescue at Rigel 24
MultiMate call	Easywriter I Sys. ... 189
Volkswriter DeLux 199	Kids on Keys Jr. ... 24
Wordstar on sale!	Creative Calc. 34
Home Accountant Plus 99	Creative Filer 34
Concurrent CP/M 86 239	Creative Writer 34
CP/M 86 CALL	Pipes 24
T.I.M. 329	Save New York 24
Q:Base 139	
Verse Form 279	
Ask Micro (ea package) 389	
Smartcom II 99	
Inview 219	
Micro Terminal 69	

MAC

Friday 199	APPLE
C Dex II 499	Friday 169
Micro Soft Basic 119	C Dex (each) 36
MultiPlan 139	Quick Code 179
Chart 99	Micro Pro on sale!
Call for our free price list	PFS: File 83
of software	PFS: Report 83
	PFS: Graph 83
	Visualc 3.3 169
	Visualc Enhanced ... 179
	Letter Perfect w/Mail 99
	dBase II call
	Tax Prepare '84 179
	Magic Window II ... 97

MONITORS AND TERMINALS

Princeton Hx-12 464	Zenith 131 319
Princeton SR-12 on sale!	Zenith 135 487
Princeton Max-12 179	Zenith 122 109
Taxan 420 467	Amdek 310 A 159
Taxan Amber 119	Amdek Color II 429
Taxan Kx-122 859	Amdek Color IV 799
Quadram Quadchrome 499	NEC 1216 419
Quadram Color II 449	

TERMINALS

WYSE 300 989	Televideo 914 539
WYSE 100 689	Televideo 924 687
QUME 102A 534	Televideo 910+ 549
QUME 103A CALL	Televideo 950 895

SERVICE

EXTENDED WARRANTIES AND FAST REPAIR BY QUALIFIED TECHNICIANS FOR OUR ENTIRE LINE. CALL FOR MORE INFO.



COMPUTERS and more...

3620 30TH ST., SAN DIEGO, CA 92104

TO ORDER (619) 291-1442

TOLL FREE 1-800-433-9449



"SE HABLA ESPANOL"
 P.O.'S ACCEPTED ON APPROVAL

* On All Pre-paid Cash Orders In Cont. U.S.

FORTH books and succeeding works should improve upon this early text. McCabe accomplishes that task.

A LOT TO OFFER

The language FORTH is made up of words contained in a vocabulary. These words represent specific programming operations and functions. The language is supplied with a set of core vocabulary words with which the programmer begins. As a programmer becomes proficient with the language, he normally develops extensions of the core to perform new and complex tasks. The purpose of a FORTH text is to examine and describe the function and use of each word. McCabe's job, therefore, is to describe each core word in complete detail, and he manages to do this admirably.

ORGANIZATION IS THE KEY

The author's greatest strengths are his organization of the subject matter, his

straightforward writing style, and his knowledge of the language. Organization is an important point since FORTH is based on a word vocabulary. Each new word introduced generally builds upon previous words. McCabe provides a logical progression of the FORTH vocabulary, emphasizing important words with exercises for the reader to try. In general, his exercises worked on my system using a FORTH-79 language. As each new word is introduced in the book, McCabe lets the reader know immediately on which standard the word is based. This is a real plus. A criticism of Brodie's *Starting FORTH* was that his book was based on PolyFORTH, a unique version of FORTH not in keeping with the proposed standards (more on that later); consequently, not all exercises would work properly, if at all. Several of Brodie's FORTH words are not available in the two most popular versions of the language, FIG-FORTH and FORTH-79.

DIFFICULTY WITH DETAIL

McCabe's weak point lies in the detail of complex subjects. For instance, the initial subjects in the beginning chapters—the stack, stack words, numeric operations, conditionals, and the like—are treated in careful detail but, as the book progresses, McCabe appears to be in a hurry to arrive at the end. I don't believe he spent as much time on the more complex aspects of FORTH as he did on the basics. This is unfortunate because it has been my experience that, in time, most users will master the operation of the stack and postfix notation, but some of the more elusive aspects of FORTH are a source of continual confusion. These include compilation, the vocabulary, array structures, floating-point math, multitasking, disk operation, and others.

Perhaps the most difficult aspect to understand in FORTH is the dictionary.

(continued)

One good thing deserves another:

Excellent Hardware, Excellent Software, X'Int™ Diskettes.

Why settle for a diskette that doesn't measure up to the quality you're looking for in a total computer system?

Choose the diskette manufactured with added features and quality standards that make it the very best available. Choose the X'Int diskette that's backed by a lifetime warranty.

Find out for yourself. Demand the 5¼" diskette that will give you nothing less than excellent results.

Only at an X'Int dealer near you.

X'Int FLEXIBLE DISKETTES

We live up to our name.

X'Int Diskette Products, inc.
630 International Parkway
Richardson, Texas 75081

Our 10 pack features a unique Program Shell™
X'Int's complete 5¼" product line of diskettes
are Perma Sealed and carry a lifetime warranty.



Charlie...You're too expensive!

Now you can get an AMI-PC for just

\$1995*

List price \$2295


American Micronics, Inc., is proud to introduce its total IBM-PC® compatible personal computer, the AMI-PC®

AMI-PC runs under DOS, 1.1, 2.0, 2.1, MS DOS, CP/M86® and p-System®

- AMI-PC system comes with 16 bit 8088 based CPU • 128K RAM Memory upgradeable to 256K • Two 320 K DS/DD Slimline Drives
- Floppy Disk Controller • Color/Graphic Adapter • Green Monitor
- 83 Key Detachable Keyboard with CAP and NUM Lock Indicators
- Two RS-232C Serial Ports and One Parallel Port.

Option: 5, 10, or 15 MB Hard Disk upgrades available.

- SIX MONTHS LIMITED WARRANTY
- 10 DAY MONEY-BACK GUARANTEE**
- AFTER SALE TECHNICAL SUPPORT



Partial List of softwares that run on AMI-PC

Air Traffic Controller	IBM® Microsoft Adventure	PFS Report	Easy Writer
AST-378 and AST-SNA	IBM® Macro Assembler	PFS Write	General Ledger
Benchmark	Lorus 1-2-3	Supercalc	Multiplan
dBase II®	Norton Utilities	VsiCalc®	BPI Personal Acc.
IBM® Cobol Compiler	Prokey	Volkswriter	Perfect Writer
IBM® Fortran Compiler	PFS File	WordStar	Info Star

Please call or write for the dealer nearest you.

AMI American Micronics, Inc.

17842 Irvine Blvd., Suite 122, Tustin, CA 92680, (714) 731-5201, (714) 559-1598, Telex 4722121

Dealers application accepted.

AIR TRAFFIC CONTROLLER is a registered trademark of Avant-Garde; AST-378 and AST-SNA are registered trademarks of AST Research; BENCHMARK is a registered trademark of Metasoft; FRIDAY & dBASE II® are registered trademarks of Ashton-Tate, Inc.; IBM® Cobol Compiler, IBM® Fortran Compiler, IBM® Microsoft Adventure, IBM® Macro Assembler, PC-DOS 1.1, PC-DOS 2.0, PC-DOS 2.1 are registered trademarks of IBM Corporation; LOTUS 1-2-3 is a registered trademark of Lotus Development; MS DOS 1.25 is a registered trademark of Micro Network Corp; NORTON UTILITIES is a registered trademark of The Norton Utilities; PROKEY is a registered trademark of Roseoft; PFS FILE, PFS REPORT, PFS WRITE are registered trademarks of Software Publishing; SUPERCALC is a registered trademark of Sorcim; VISICALC® is a registered trademark of VsiCorp; VOLKSWRITER is a registered trademark of Lifetree Software, Inc; INFO STAR, WORDSTAR are registered trademarks of MicroPro; CP/M86® is a registered trademark of Digital Research, Inc; UCSD-p is a registered trademark of SofTech Microsystems; AMI-PC is a registered trademark of American Micronics, Inc; EASY WRITER is a registered trademark of IUS; GENERAL LEDGER is a registered trademark of ASK Micro; MULTI PLAN is a registered trademark of Microsoft; BPI is a registered trademark of BPI Systems; PERFECT WRITER is a registered trademark of Perfect Software.

*Special introductory price

**Shipping and insurance charges are paid by the purchaser.

©American Micronics, Inc. 1984

Circle 21 on inquiry card.

www.americanradiohistory.com

dictionary fields, and linking. While McCabe devotes an entire chapter to this complex and confusing subject, I feel he would have done well to double his effort here, leading the novice FORTH programmer through more clearly mapped examples of dictionary operation. The examples he provides appear correct, but the chapter must be read more than once to fully grasp the content.

Contrary to claims made by FORTH advocates, FORTH is not an easy language to learn, especially for those unfamiliar with computer hardware concepts—an absolute necessity with FORTH. *Starting FORTH* takes a more fundamental, almost simplistic, approach to the language, and thus Brodie's book is best for the beginner. For instance, because Brodie assumes his readers do not know what constitutes a byte of memory, he explains it in detail, complete with drawings. McCabe does not bother.

Make no mistake, while FORTH is much more difficult to learn than BASIC, once mastered it is far easier and quicker to program in than most other popular languages; this is especially true in input/output-intensive applications.

MANY STANDARDS

One last observation. FORTH is still in the evolutionary stages of development. (I feel it always will be, due to its nature.) It can rightly be described as a roll-your-own programming language, and while there are standards, there are more unofficial variations to these standards than computer systems. This makes the job of writing a complete, accurate book covering FORTH an almost impossible task, in my opinion. McCabe wisely avoids the politics of FORTH standards and simply notes the differences between the more popular versions, generally FIG-FORTH and FORTH-79.

It's obvious, however, which standard

McCabe believes in. His book convinced me that FIG-FORTH, not the original form of FORTH, is the only way to go. As new standards emerge (FORTH-83 is the latest), less and less flexibility is available to the programmer in terms of custom implementations.

I am only reviewing the first of two volumes. The second is simply a detailed glossary of FORTH and provides a quick, expanded reference source of the language. In Volume 1, McCabe makes few references to Volume 2. Although the companion glossary is nice to have, I do not feel it is worth the retail cost.

Despite its flaws, *FORTH Fundamentals*-Volume 1 is a must for the serious FORTH programmer who requires an intimate understanding of the inner workings of this complex and versatile language. What is needed next is a FORTH applications book—McCabe just might be the one to do it.

(continued)

GTEK INC. (601) 467-8048
EPROM PROGRAMMER

DEVELOPMENT HARDWARE/SOFTWARE
 HIGH PERFORMANCE/ COST RATIO

Compatible w/all Rs 232 serial interface port * Auto select baud rate * With or without handshaking * Bidirectional Xon/Xoff and CTS/DTR supported * Read pin compatible ROMS * No personality modules * Intel, Motorola, MCS86, Hex formats * Split facility for 16 bit data paths * Read, program, formatted list commands * Interrupt driven, program and verify real time while sending data * Program single byte, block, or whole EPROM * Intelligent diagnostics discern bad and erasable EPROM * Verify erasure and compare commands * Busy light * Complete w/Textool zero insertion force socket and integral 120 VAC power (240 VAC/50Hz available)

DR Utility Package allows communication with 7128, 7228, and 7956 programmers from the CP/M command line. Source Code is provided. PGX utility package allows the same thing, but will also allow you to specify a range of addresses to send to the programmer. Verify, set the Eprom type.

MODEL 7316 PAL PROGRAMMER
 Programs all series 20 PALS. Software included for compiling PAL source codes.

Software Available for CPM, ISIS¹, TRSDOS³, MSDOS⁴.

1. TM of Digital Research Corp.
2. TM of Intel Corp.
3. TM of Tandy Corp.
4. TM of Microsoft.

Post Office Box 289
 Waveland, Mississippi 39576
 (601)-467-8048

Avocet Cross Assemblers are available to handle 8748, 8751, Z8, 6502, 680X, etc. Available for CP/M and MSDOS computers. Order by processor type and specify kind of computer.

Model DE-4 U/V Products hold 8, 28 pin parts. High quality professional construction.

S879 stand alone
MODEL 7956



MODEL 7956 GANG PROGRAMMER
 Intelligent algorithm. Stand alone. Copies eight EPROMS at a time. With RS-232 option \$1099.

\$549
MODEL 7316



\$1195
MODEL 7324



MODEL 7324 PAL PROGRAMMER
 Programs all series 20 & 24 PALS. Operates stand alone or via RS232.

- Model 7128-L1.L2.L2A \$239.00
- Model 7128-24 \$329.00
- DR8 or DR5 \$ 30.00
- DR8PGX or DR5PGX \$ 75.00
- Cross Assemblers \$200.00
- XASM (for MSDOS) ... \$250.00
- U/V Eraser DE-4 \$ 78.00
- RS232 Cables \$ 30.00
- 8751 adapter \$174.00
- 8755 adapter \$135.00
- 48 Family adapter \$ 98.00

\$549
MODEL 7228



MODEL 7228 EPROM PROGRAMMER
 All features of Model 7128 plus Auto Select Baud super fast adaptive programming algorithms, low profile aluminum enclosure. Programs 2764 in one minute!

\$429
MODEL 7128



MODEL 7128 EPROM PROGRAMMER
 Programs and Read:

NMOS	NMOS	CMOS	EEPROM	MPU'S
2508	2758	27C16	5213	8748
2516	2716	27C32	5213H	8748H
2532	2732	C6716	X2816	8749H
2564	2732A	27C54	48016	8741
68766	2764		12816A	8742H
68764	27128			8741H
8755	27256			8751
5133				

"My Apple's[®] telephone just called up the home office!"

The exciting world of telecomputing. With a Hayes system, you just plug it in! Communicating is so easy with a complete telecomputing system from Hayes. Hayes Smartmodem 300™ is a direct-connect modem for the new Apple IIc. Hayes Micromodem IIe® installs easily in an expansion slot in the Apple II, IIe, III and Apple Plus. Packaged with Smartcom I™ companion software, both are complete systems. Best of all, both systems are from Hayes, the established telecomputing leader. Just plug in—and the world is your Apple!

We connect you to all the right places. Bulletin boards, databases, information services—naturally. And that's just the beginning. Let your Apple plan your travel itinerary, including flight numbers, hotel and rental car reservations. Watch it retrieve and analyze daily stock and options prices. Work at home and send reports to and from your office. You can even do your gift shopping by computer!

Would you care to see our menu? Make your selection. Really. With

Smartcom I, you just order up what you want to do. The program guides you along the way. You can create, list, name, send, receive, print or erase files right from the menu. From the very first time you use it, you'll find telecomputing with Hayes as easy as apple pie!

We've got your number! We know that you want a system that's flexible and accommodating. That's why Smartcom I is so versatile, accepting ProDOS™, DOS 3.3, Pascal and CPM® operating systems. It provides you with a directory of all the files stored on your disk. And in combination with your Hayes modem, Smartcom I answers calls to your system, without your even being there.

Your Apple's telephone goes anywhere the phone lines go. Hayes modems allow your Apple to communicate with any Bell-103 type modem over ordinary telephone lines. You simply connect directly into a modular phone jack to perform both Touch-Tone® and pulse dialing. Hayes Smartmodem 300 and Micromodem IIe both transmit at 110 or 300 bits per second, in either half or full duplex.

Follow the leader. Over the years we've built our reputation as the telecomputing leader by developing quality products that set industry standards. Now we invite you to see for yourself just how simple it is to add powerful, easy to use telecomputing capabilities to your Apple computer with a complete, ready-to-go system from Hayes. Visit your Hayes dealer for a hands-on demonstration. And get on line with the world.

Hayes. We're here to help.



Hayes

Hayes Microcomputer Products, Inc.
5923 Peachtree Industrial Blvd.
Norcross, Georgia 30092. 404/441-1617.

Circle 146 on inquiry card.

Smartmodem 300 and Smartcom I are trademarks and Micromodem IIe is a registered trademark of Hayes Microcomputer Products, Inc. Apple is a registered trademark, and ProDOS is a trademark of Apple Computer, Inc. Touch-Tone is a registered service mark of American Telephone and Telegraph. CPM is a registered trademark of Digital Research, Inc. ©1984 Hayes Microcomputer Products, Inc.

**YOU DON'T
HAVE TO
REMODEL
TO ADD ON.**



With some computers, the more you do, the more you have to add on. A little memory expansion here. A graphics adapter there. Next thing you know, you need an expansion chassis. And a loan from the bank.

Corona builds memory expansion (up to 512K) and high-resolution graphics right into the main board. That saves you money. And expansion slots. Plus, our 128K standard memory and IBM® compatibility let you run thousands of software packages right out of the box. The net result is a PC that grows on you. Painlessly.

The Corona PCs.

It's a matter of simple addition.

In North America, call 1-800-621-6746 for the Authorized Corona Dealer near you. In Holland, call 020-03240-18111. There are over 1,600 dealers worldwide. And their job is to help. Service by Xerox.



THE CORONA PC

©Corona Data Systems 1984

BOOK REVIEWS

THE UNIX OPERATING SYSTEM
Reviewed by Irene Pasternack

When I first looked at *The UNIX Operating System* by Kaare Christian, the only thing I could say was "Why another UNIX book?" I read this book in order to answer that question and discovered that, yes, there is an audience for the book.

Christian's book is well suited for the person with experience using another computer system who needs to learn about UNIX. It provides a conceptual overview rather than a tutorial for beginners. The first few chapters on history and fundamentals take up only 13 pages, so I actually read them instead of skipping them and missing some important concept. The second section, "Advanced UNIX System Topics," provides clear descriptions, examples, and relevant concepts on topics that any serious UNIX user needs to understand: shell programming, C, make, Source Code Control System, yacc and lex.

system manager and programmers' utilities, and the UNIX kernel.

FOR SEVERAL LEVELS

The UNIX Operating System is also suitable for those who are learning UNIX as their first operating system but are beyond the basics. It fills in the concepts behind newly familiar commands and explains what your local system administrator or programmer is doing in a way a newcomer to computers can understand. It should be read after a class or practice with introductory books such as *The UNIX Primer Plus* by Mitchell Waite and Donald Martin (Howard W. Sams and Co., 1983) or *A User Guide to the UNIX System* by Jean Yates and Rebecca Thomas (Osborne/McGraw-Hill, 1982).

Appendixes include an abridged user's manual and a glossary of UNIX-specific terms. Christian does an excellent job of orienting you to what is relevant and what you should ignore, whether you are a novice, a programmer, or a system administrator.

The second chapter jumps into the UNIX system basics with a short warning to get you situated: "The UNIX System is harder to use than a toaster, but then it does more than a toaster. Learning the UNIX System is somewhat like learning a complex skill such as swimming or bicycle riding. At first none of your reflexes seem appropriate but eventually the skill is mastered."

People who consider themselves UNIX experts will probably remember this challenging phase of learning UNIX. The UNIX system, with all its built-in utilities and library functions, is an awesome tool that requires patience and an understanding of computers before you can learn how to use it. This book is designed to show you the major capabilities of this tool, rather than to teach you how to use it.

The following chapter covers the shell. For those uninitiated in UNIX, the shell is the part of the system that interprets your commands and acts on them. For

(continued)

UNIX
TIMESHARE+

*UNIX System III POWER and sophistication are yours.
Let THE SOLUTION turn your micro into all you dreamed it could be, bringing the Ultimate programming environment as close as your modem. Just a local call from over 300 cities nationwide via Telenet.

THE SOLUTION™

- **EXPANSIVE SOFTWARE DEVELOPMENT FACILITIES** including Language and Operating System design.
- **LANGUAGES:** C, Fortran 77, RATFOR, COBOL, SNOBOL, BS, Assembler + Artificial Intelligence programming via LISP.
- **USENET Bulletin Board System**—800+ international UNIX sites feeding over 190 categories, typically bringing you more than 160 new articles per day.
- **Interuser and Intersystem mail + 'chat' capability.**
- **UNIFY:** Sophisticated data-base management system.
- **UNIX & System enhancements** from U.C. Berkeley and Kormsmeier Electronic Design Inc.
- **Online UNIX manuals + Expert consultation** available.
- **SOLUTION-MART:** Hardware/Software discount shopping database.
- **LOW COST and FAST** response time.
(as low as \$5.95 hr. connect time + .03 cpu sec. non-prime)
- **\$24.95 = 1 hr. FREE system time + SOLUTION News subscription + BYTE BOOK** (Introducing The UNIX System 556 pp.).

*UNIX is a trademark of Bell Labs.



Payment via VISA or Master Card

Kormsmeier
ELECTRONIC DESIGN, INC.

5701 Prescott Avenue
Lincoln, NE 68506-5155
402/483-2238
10a-7p Central

There are a lot of powerful reasons to write software for HP systems.

TM



You're looking at two of them.

An enhanced UNIX™ operating system. And the cash bonuses you'll earn when you sell your UNIX-compatible applications with an HP system.

Those are compelling reasons to participate in HP's special program for software companies.

We have a whole range of products that can run UNIX, from our popular line of MC 68000-based machines to our powerful 32-bit systems. And we'll be expanding that range all the time.

While we're giving you a wider choice of products for your programs, we're also making it even easier for you to write them.

We've developed an especially powerful version of the industry standard UNIX, called HP-UX. Its enhancements provide for graphics, data base management and networking, to name just a few.

When you team up with HP, you have our full service organization behind you. Our factory and field support teams are dedicated to problem-

solving. So, if you or your customers have any questions about HP-UX, just give us a call. We're ready to help.

And we're ready to make your efforts very rewarding. When your customer buys an HP system because of your application, we'll give you a cash bonus of 30% of your software's sales price — up to 6% of the net HP system's price. Our only restriction is that, to qualify for the bonus, your software must sell for at least \$10,000.

There are lots of other good reasons to write HP-compatible software for UNIX or any of our other operating systems. To find out all about them, write to Hewlett-Packard, Attn: Gwen Miller, Dept. 57190, 19447 Pruneridge Avenue, Cupertino, CA 95014. In Europe, contact Henk van Lammeren, Hewlett-Packard Nederlands B.V., Dept. 57190, P.O. Box 529, 1180 AM Amstelveen, The Netherlands.



UNIX is a trademark of Bell Laboratories.

BD02315

Circle 150 on inquiry card.

JULY 1984 • BYTE 83

Graphics for Zenith Terminals



Graphics-Plus transforms Z19 into super terminal

The GRAPHICS-PLUS enhancement board installs easily into your Zenith Z19 terminal to give you powerful graphics capability as well as expanded user features. For a small investment, your Z19 now rivals the horsepower of very expensive terminals.

You get Tektronix 4010 compatibility to run industry standard graphics software. In the text mode, you get DEC VT100 compatible 80 and 132 column formats and 24/49 line

displays. Plus seven pages of off-screen scrolling memory. A "plain English" Set-up mode. Sixteen programmable function keys. And many more convenience features.

Printer Port Option

To capture your graphs and text on hardcopy, you will also want our printer interface board for popular dot matrix printers. Specify if you need serial or parallel compatibility.

New Reduced Prices

<input type="checkbox"/> Enter my Order		Quantity
<input type="checkbox"/> Send literature only		
<input type="checkbox"/> GRAPHICS PLUS (GP-19) board	\$ 695	
<input type="checkbox"/> Z19 Terminal with GP-19 installed	1395	
<input type="checkbox"/> Printer I/O board	175	
<input type="checkbox"/> Serial I/O <input type="checkbox"/> Parallel I/O		Total \$
Name _____		
Company _____		
Address _____		
City _____ State _____ Zip _____		
Telephone _____		

Northwest Digital Systems

P.O. Box 15288
Seattle, WA 98115
(206) 524-0014

* Ask about GRAPHICS-PLUS for the Z-29

BOOK REVIEWS

example, a common action would be to load and execute a requested program, directing its input and output streams to specific files or to the terminal. The UNIX shell also has the capabilities of performing conditional commands. Because of this, it can essentially be used as an interpretive programming language. Christian discusses the shell's capabilities and presents many examples of ways it can be used.

The structure of the UNIX file system is presented from a user's point of view. Many of the utility programs that are presented include the text editor, a few basic utilities for handling your directory and files, finding out what's going on, and formatting text.

ADVANCED TOPICS

"Advanced UNIX System Topics" is the second part of the book and it will delight programmers and systems administrators without completely overwhelming more casual users. Topics covered include make and Source Code Control System, advanced shell use, security, C, programmer's utilities, yacc, lex, system manager's utilities, and the kernel. These topics are not usually covered in books on UNIX but are important for anyone intending to do serious work with UNIX. Each new topic is introduced with a description of why it is important and the concepts behind relevant commands. Examples show format, how to use the commands, and alternative ways to accomplish a goal.

Although I am a fairly sophisticated UNIX user, I found that conceptual holes in my knowledge were filled. A less experienced UNIX user, approaching these topics for the first time, found the concepts and explanations understandable. This is quite a feat considering the levels of complexity of yacc, lex, shell programming, the kernel, and C.

Christian's explanations of yacc and lex are good examples of the quality of the book for both novice and experienced users. For the novice, the concepts and need for recognizing a command language are explained and the commands are demystified. For the experienced user, enough information is provided to begin using lexical analysis and parsing for useful tasks.

I found the description of the UNIX kernel fascinating because it explains

(continued)

FOX & GELLER

ANNOUNCE

THE ONLY THREE

FOR

dBASE III™

They've done it again! As proof of their never ending commitment to dBASE users, Fox & Geller are proud to announce a new line of innovative enhancement packages designed exclusively for Ashton-Tate's new dBASE III.

QUICKCODE III™

To handle the immense size and power of dBASE III Fox & Geller have developed QUICKCODE III. This greatly expanded program generator allows you to create programs without having to go through the tedious chore of writing code. You save time and gain instant access to a variety of powerful programs most commonly required by database users.

dGRAPH III™


dGRAPH III is the new graphics package for dBASE III that transforms your data into brilliant color graphs, instantly! dGRAPH III will select, sort, average and total dBASE III datafiles, and then display them in bar, pie, pie-bar and line graphs. You get full color, presentation quality graphs, with a few simple keystrokes.

dUTIL III™

dUTIL III is the new dBASE III utility program which will save you time and effort, greatly improving your database productivity. dUTIL III simplifies writing instructions and aids the user in debugging dBASE III command files.

Only Fox & Geller could create a series of product enhancers that enable the user to take full advantage of dBASE III's heightened speed and increased capability. If you own dBASE III or ever plan to, get to know Fox & Geller and their innovative line of dBASE III enhancers.

THE ONLY THREE FOR dBASE III.



Ask your local computer retailer for more information about Fox & Geller products, or call Fox & Geller directly at 1(800)221-0156.

FOX & GELLER


Fox & Geller, Inc. 604 Market Street, Elmwood Park, N.J. 07407 Fox & Geller, U.K. 17 Wigmore Street, London W1, England 011 441-580-5816
Fox & Geller Ltd. Amsterdamsestraatweg 23, 1411 AW Naarden, The Netherlands 011-31-2159-47170

dBase III is a Trademark of Ashton-Tate Quickcode III, dGraph III, dUtil III are Trademarks of Fox & Geller © 1984 Fox & Geller

Circle 345 on Inquiry card.

Less for Your Money

If you do word processing on your personal computer, you probably know that there are many programs for sale to help you with your spelling. But the biggest spelling error you'll ever make is paying too much for your spelling correction software. The Random House ProofReader gives you less for your money — less trouble, that is, and fewer spelling errors. The Random House ProofReader is based on the world famous Random House Dictionary. It contains up to 80,000 words, depending on your disk capacity. You can add new words with the touch of a key. It shows you the error and the sentence it's in. It instantly suggests corrections. It even rechecks your corrections. And it costs half as much as other programs with far less power. The Random House ProofReader is compatible with all CP/M 2.2®, MS-DOS® and IBM Personal Computer® systems.



**The
Random
House
ProofReader**
\$50

For orders or information, see your local dealer or call (617) 967-4541. Master card and VISA accepted. Or write Wang Electronic Publishing, One Industrial Ave., Lowell, MA 01851. Please enclose \$50 and specify your computer model, disk size and memory.

Random House and the House design are registered trademarks of Random House, Inc. CP/M is a registered trademark of Digital Research, Inc. IBM and IBM Personal Computer are registered trademarks of International Business Machines, Inc. MS-DOS is a registered trademark of Microsoft, Inc.

BOOK REVIEWS

why UNIX works as it does. Because the user never interacts directly with the kernel, it is rarely covered in UNIX books. The kernel is the master behind-the-scenes organizer, scheduling processes, allocating disk storage and memory, and supervising data transmission between peripheral devices and the main processing unit. This section explains why you have to reboot and what happens inside the computer when you start up your system. It explains how processes are handled, relating the concepts of parent/child processes, multiuser timesharing, block and character I/O, all the way to the functioning of the kernel.

ERRORS

As with every book on UNIX that I've seen so far, there are a few technical errors. In the chapter called "Check File Systems," the command `volcopy` is explained as an alternative way to back up files on Version 7, but it is not available on the Version 7 I use. Christian also errs with the phrase, "only the system is allowed to write in directory files." Any users with write permission for a directory can write in the directory file. Occasionally, introductory paragraphs contain generalizations that are not completely accurate. For example: "Many UNIX Systems have several text editors, most of which resemble . . ." ed. is misleading. Most people use a screen rather than a line editor, and only one of the popular screen editors is related to the line editor, ed.

Altogether, *The UNIX Operating System* is a well-written and useful book for those who are switching to UNIX from other systems or who are familiar with UNIX basics. It contains conceptual information and a wide range of topics not found in other recently published books on the UNIX operating system.

ARTIFICIAL INTELLIGENCE APPLICATIONS
FOR BUSINESS

Reviewed by Hunter Alexander

Artificial intelligence (AI) interests people in business both as a tool for performing tasks that could not have been done before and as a new way of approaching old problems. Walter Reitman has edited the May 1983 proceedings of the New York University (NYU) Symposium relevant to this topic and

they are published in *Artificial Intelligence Applications for Business*.

According to one contributor, in 1978 Schlumberger Ltd. of New York City began recruiting and equipping an AI group. To date, it has spent more than \$21 million on researching improved techniques for locating gas and oil (the dipmeter project). Texas Instruments, Amoco, and Standard Oil of Ohio have similar programs. The fifteenth chapter, entitled "Market Trends in Artificial Intelligence," by Howard Austin, delves into this aggressive AI marketplace where, at present, large amounts of money are being spent, both by business and by the government. One knowledgeable AI businessman, Eamon Barret of Smart Systems Technology in McLean, Virginia, estimates that \$300 million will be spent on AI in 1984. The book contains many such facts arranged in useful charts showing who's who on AI, how much money has been invested in certain projects, which people to contact, and what telephone numbers to call. Other tables list all known AI investors and contacts and their telephone numbers.

The book by itself will not help business people in developing a program that will enhance the company's productivity. Rather it is designed to bring the business person up to the speed of the AI industry.

A SAMPLE PROGRAM

This book is divided into three parts: expert systems, natural language, and the future of the AI marketplace. Adrian Walker's chapter on "Databases, Expert Systems and Prolog," takes us inside IBM's San Jose research laboratory. He explains how Plantdoc, a natural-language system, diagnoses ailments that you enter about houseplants and then recommends remedies. Because Plantdoc is one of the easiest applications to explain, it serves as a good example of how people can enhance their businesses with increased service or productivity facilitated by an AI program. Although the program could be for home use, a customer can allegedly enter a plant store and describe a plant's symptoms, such as yellow leaves that are dropping off. The clerk then enters this information, the ailment is diagnosed, and the computer responds

(continued)

Gifford has a lock on multiuser CP/M[®] 8-16.

It's 11:00 P.M. Do you know where your files are?

It's great when multiple local and off site users can run any 8- or 16-bit CP/M or MP/M™ program. It's even better when they can share expensive resources like printers, hard disks, and tape drives. Best of all is when they can share your most precious resource—data. Gifford has been delivering systems with all these features for over two years.

But sometimes data is sensitive. How do you keep people from taking more than their fair share?

Gifford adds a new dimension to CP/M security.

With our new security features, you can control what resources and data are shared.

Gifford's proprietary security enhancements include user login with encrypted passwords, control over access rights of modem users, secure electronic mail, and the ability to restrict users to specified terminals, programs, and directory areas. Plus, an audit log utility that keeps a permanent record of system activity. And you also get all the standard security features of Digital Research's MP/M-86™.

You select the level of security needed to get the best balance between file sharing and file safety.

Unleash productivity with Gifford's Virtual Terminals.

With our Virtual Terminals, each terminal on your system can monitor up to four different programs running concurrently. And at the touch of a key you can switch screens instantly from one program to another.

You could look up an address in dBASE II™, jump over to SuperCalc™ to make some projections, then switch instantly to WordStar® to use this information to update a letter. If you forget what's on a screen, just touch a key to refresh your memory. You won't need to go through the distracting process of loading and unloading programs.

And since your Virtual Terminal can run any 8- or 16-bit CP/M or MP/M program, you can choose the best programs for your job from the biggest software library in the world. It's easier than 1, 2, 3!

The Gifford Security Blanket: Total Solutions.

Gifford delivers solutions. This means professional pre-sale consultation, expert system integration with 200 hour system burn-in, complete training, and full after sale support.

For example, our three user CompuPro® based system with a 21-megabyte hard disk costs just \$9,990, and can be easily expanded for \$500 per

user. This includes MP/M 8-16, SuperCalc, and dBASE II.

Other Gifford solutions include systems with hard disks that range from 5 to 300 megabytes, 4 and 9 track tape backup, printers, plotters, and modems. Single- and multiuser 8086, 68000, and Z-80 based systems are available for immediate delivery, with 80286 and 16032 systems on the way.

Two year warranty protection.

In the unlikely event that you encounter a hardware related problem, we'll replace any defective S-100 part within 24 hours FREE for two full years. But chances are, it can be solved on the Gifford service hotline or diagnosed via modem. All at no cost to you.

Lock in on Gifford Security today.

If total support, training, on site service, obsolescence-proof upgradeable S-100 bus architecture, and complete system security sound appealing, cut the coupon or give us a call. We'll send you a free brochure that tells the whole story. Once you get it you'll see why Gifford has a lock on multiuser CP/M 8-16.

Gifford Computer Systems is a Full Service CompuPro® Systems Center.



The powerful Gifford System 321 shown with optional GCS-80 Virtual Terminals.

GIFFORD
COMPUTER SYSTEMS

2446 Verna Court, San Leandro, CA 94577
(415) 895-0798 A division of G&G Engineering
I'D LIKE THE WHOLE STORY.
Please send me your brochure.

Name _____ Title _____
Organization _____ M/S _____
Address _____
City _____ State _____ Zip _____
Phone _____
 Please have a representative call me. **BY-S**

GIFFORD COMPUTER SYSTEMS □ San Leandro, CA (415) 895-0798 □ Los Angeles, CA (213) 477-3921 □ Houston, TX (713) 680-1944
Amherst, NY (716) 833-4758 □ Telex: 704521

How to pick up the most portable computer for your money.

The advantages of a portable computer.

Personal computers.

No matter where you are or what you do, you can see how they're changing your world. If you've done any reading on the subject, you know that there are a dizzying array of personal computers on the market today, all with differing features, capabilities, sizes, and prices.

If you're planning to buy a personal computer, consider the advantages of a portable computer. Today, the portable computer can offer the same capabilities as a desk-top model, yet give you options that go far beyond your desk: If you work at home, a portable can free you of the cost of separate computers for your home and office. A portable computer can make any business trip infinitely more productive. And outside the office, a portable can also become an educational tool for your family.

The benefits of a portable computer go as far as you can take it.

Weigh the differences.


When looking at portable computers, keep in mind the three P's: power, price, and portability. Every portable computer design is the result of trade-offs between these three factors.


At one end of the spectrum you'll find small, inexpensive lap models with very limited capabilities, and at the other, relatively large and bulky portables with desk-top computer power, costing up to thousands of dollars more.

Within this broad range, however, exceptions do exist. Whatever your needs, remember: you're looking for the model with the most power and features at the lowest possible weight and price. A portable like the Visual Commuter.™

The Visual Commuter: two computers for the price of one.

Commuter is a breakthrough in portable computers. In only 16 pounds (half the weight of comparable portables), and for only \$1995, Commuter offers you the same features as a powerful desk-top computer: a 16-bit 8088 processor.





VISUAL

Visual Computer Incorporated

128K of memory expandable to 512K. Single or dual floppy disk drives with up to 720K of storage (roughly 360 typewritten pages). A full 16 line by 80 column optional flat panel display. And expansion capabilities for printers, hard disk, communications, and external monitors, including your TV set.

So instead of buying a desk-top computer for the office and a portable for the road, you can save yourself thousands by buying a Commuter.

A portable without IBM® PC compatibility is no bargain.

Any computer, no matter how advanced, is only as good as the software that goes into it. And in micro-computers, IBM PC compatible software sets the standard. The success of the IBM Personal Computer and the resulting IBM PC compatible software industry means that today's most innovative, powerful, and useful programming is being written expressly for the IBM PC. And only a truly IBM PC compatible can take advantage of it.

Commuter offers a level of IBM PC compatibility unsurpassed in a portable or desk-top computer. With the IBM PC compatible MS-DOS™ operating system and GW Basic.™ A full 83 key keyboard with a layout identical to the IBM PC. 5 1/4" floppy disks that are interchangeable with the IBM PC.

Built-in IBM compatible color graphics and monochrome support. There's

even a port for the IBM PC expansion chassis. And unlike many so-called IBM PC compatibles, Commuter can run virtually all of the software written specifically for the IBM PC.

No computer makes \$1995 go farther.

For \$1995, Commuter not only gives you desk-top power and features, it does it in only 16 pounds. And at 3 1/2" x 18" x 15" with built-in handle and carrying case, you can take it anywhere you'd take a briefcase.


For more information on Commuter, call **1-800-847-8252** (in MA call **1-800-462-5554**), or write Visual Computer Incorporated, 135 Maple Street, Marlboro, MA 01752. Or visit your local Commuter dealer today.

Commuter. Whether you compare it to desk-top models or other portables, you just can't pick up more computer for your money.

Commuter. It can take your business places it's never been.

Visual Computer Incorporated is a wholly owned subsidiary of Visual Technology Incorporated. COMMUTER is a trademark of Visual Computer Incorporated. IBM is a registered trademark of International Business Machines Corporation. MS-DOS and GW Basic are trademarks of Microsoft Corporation

Circle 323 on inquiry card.



**Heart of TEXAS
COMPUTER SYSTEMS**

TRS-80

We carry the full line of TRS-80 computers, plus TGS upgrades. Call for our low discount prices.

- Model 100** Briefcase size. **CALL**
- Model IV Portable:** **CALL**
- Model 12, 16** at discount: **CALL**
- Model 12/16 Accessories/disk.**

The TANDY-2000

Check out this terrific new computer from Tandy. It's beautifully designed and very versatile. Four times faster than the IBM-PC and has twice the floppy disk capacity. MSDOS compatible. It's a great machine and we have a great price. **CALL!**

DISK EXPANSION

	M-III	M-IV
1 Controller. Pwr. Sup. Hdwr. Instruct.	\$249	\$329
2 Kit 1, plus 1/40-trk. Tandon Dr.	\$429	\$479
3 Kit 1, plus 2/40-trk. Tandon Dr.	\$589	\$649
3a Kit 3 w/2 80 trk. drives (dual sided 40s)	\$698	\$729

Model IV needs 64K to operate. For 64K Kit, **CALL.**

Tandon

Quality disk drives--O.E. brand on IBM Available bare and in cabinets.

- TM100-1: \$159** **CALL US IF YOU FIND LOWER PRICES!**
- TM100-2: CALL**

CORVUS

25% OFF LIST PRICE!

OMNINET- A high speed multi-user network that connects several computers for instant communication up to 4,000 feet away.

Save over \$1,000 on a 20 mg. Corvus Hard Disk system for IBM PC and other computers.

- 5mg. \$1649 10mg. \$2279 20mg. \$3049**

**DAVONG
Systems, Inc.**

Single user or networking hard disk system for IBM & Apple. Lowest prices anywhere. **Priced from \$1375.** 10, 15, 21, 32 mg & cartridge tape backup--**CALL.**

Star PRINTERS

Fast, dependable, versatile, low price.

- Gemini 10X** 9in., 120cps, Friction/Tractor
- Gemini 15X** 15in., 120cps, Friction/Tractor

DISKETTES \$1.70

CompuDisk, high quality mini floppy disks from \$1.70. Compare our prices. Disks come complete with hub rings, protective envelopes, write protect tabs, adhesive labels. **Fully tested. Certified 100% Error Free. Guaranteed. SSDD or DSDD. Boxed or In Bulk. CALL.**

**Heart of TEXAS
COMPUTER SYSTEMS**

P.O. Box 1327 Arlington, TX 76004
Toll Free 1-800-433-5184
Texas 1-817-274-5625

VISA, MC, cashier's check, Money Order. No tax out of state. Texans add 5%. Prices subject to change.

with the appropriate remedy. On a less simplistic note, a similar procedure could be programmed for diagnosing what ails something as complex as a nuclear power plant, though we would certainly require a great deal of trust in the system and its information. Dr. Walker also tells how the Prolog language, used extensively in AI, provides powerful and practical means for integrating techniques in databases and expert systems. Digital Equipment Corporation, for example, has used expert systems to replace manuals and old-fashioned dumb databases. The corporation is presently automating manufacturing and assembly.

Other papers describe several applications that include knowledge-based systems, expert systems, natural-language interfaces, advisory systems, robotics, and intelligent database software.

This is no easy task. For a computer to interact with you it must be able to solve problems, answer questions, and recognize and respond to misconceptions. According to the authors of Chapter 12, Webber and Finin, there are four discernible types of user misconceptions: one, "that something exists"; two, "that something can participate in some relation"; three, a misconception about an object's type; and four, "that some event can occur." Further, there are times when even the user does not know how to answer or what information to supply. In these cases, the interactive process requires that the systems extract from the user the required data. "Without these capabilities," Webber and Finin claim, "interactive problem-solving systems will never be more than laboratory toys."

A CERTAIN FUTURE

Yet every discussion of AI should include some guesses about the future. The editor, Reitman, sees an increasing amount of AI software houses backed by venture capital from various sources. In the long run, AI is building and will continue to market software because certain professionals can benefit from it. "If there is a population of people who regularly buy knowledge or who could buy knowledge to avoid costly problems or who routinely perform tedious knowledge-based inference in their work, conjecture is that a commen-

surate knowledge system product would appeal to that market."

The opinions and stylistic problems in this book call for the reader to forgive these authors, because they are explorers of a new galaxy. Some of them will undoubtedly find more oil and copper, diagnose more diseases, invest wisely in the stock market, or maybe even win a space war.

AUDIENCE

This book would help someone setting up an artificial language department in a company, preparing to buy an AI product, and preparing to hire an AI consultant. A venture capitalist pondering an investment in AI would make a better transaction after reading this book. Someone planning to perform AI consulting, programming, or related work would do well to read Reitman. A professor teaching AI might hesitate to assign this book because of the price, but it will probably be on reserve in many libraries.

The contributors are all established experts. Reitman himself has drawn conclusions for readers to entertain about AI. He started 1983 teaching at NYU Graduate School of Business Administration. He organized or helped organize a conference on AI. The conference was a hit. Reitman got an offer he could not refuse. He now works for Bolt Beranek and Newman Inc., of Cambridge, Massachusetts, one of the more successful AI firms and contractor for the Navy and DARPA (Defense Advanced Research Projects Agency).

Reitman considers that people considering incorporating AI in their firms encounter two obstacles. He has attempted to address the first with the symposium proceedings, namely, "figuring out what AI is." The second matter takes more grappling: determining how a firm should apply AI. Because no two firms are alike, each one must decide on its specific expectations, answering questions such as: Do you want to implement AI for marketing or productivity? Will you design your applications or rent them? How far do you want this new implementation to extend?

Reitman suggests the next steps after symposia are books and articles; seminars; consultants; product, service, and development firms; demonstrations; in-


(continued)

CHOOSING A SERIAL INTERFACE FOR YOUR APPLE* COMPUTER.

The "Second Serial Hardware Decision"...

Once you've selected the right serial printer or modem for your Apple* system, your hardware decisions are over for a while. Right?


Wrong, of course! You still have to decide on an interface card. This "second serial hardware decision" is an important one—one made much simpler



SERIALL Printer/Modem Interface by SERIALL™, the new serial interface for Apple computers.

At a significantly lower cost than Apple's own serial card—\$159.00 vs \$195.00—SERIALL gives you a bunch more features. Practical, everyday features, not useless extras.

For one, SERIALL is the only interface that provides graphics capabilities for serial printers including Apple's new dot matrix Imagewriter™.



Graphics capabilities for serial printers

SERIALL also offers 27 easy commands for text formatting and screen dumps, making it the most intelligent serial interface you can use with an Apple.

Equally important, SERIALL gives you complete communications interfacing capability. You can use it for modems or in the special terminal mode for timesharing and talking to other computers.

In fact, SERIALL completely emulates the Apple serial card as a communications interface.

No additional software or hardware modification is required.

Finally, consider the quality. SERIALL's five-year warranty is proof that this interface is built to work long and hard. No other serial card is backed by a guarantee like this.

After comparing SERIALL feature-for-feature with other serial interface products, we think you'll agree—SERIALL truly is the Do-It-All serial card for Apple computers.



Available from Practical Peripherals—makers of MICROBUFFER™, PROCLOCK™, PRINTERFACE™, and GRAPHICARD™.


*Apple and Imagewriter are registered trademarks of Apple Computers, Inc.



See us at
NCC '84
Booth D3100!

31245 La Baya Dr., Westlake Village, CA 91362 • (818) 991-8200 • TWX 910-336-5431

**PRACTICAL™
PERIPHERALS**



A Jungle In There? Help Is Here: ETI's Office Management System

If your office has a way of getting overgrown with bulging files and paperwork, here at last is a clear cut way back to civilization.


The ETI Office Management System is an integrated office software program that is easy to use and easy to adapt to **\$99.95** your needs. And at only \$99.95, you don't have to be a big game hunter to afford it.

Whether it's used for file management, word processing, forms design or generating reports, the ETI Office

Management System is easy to operate. By using the built-in prompts and instructional guides, anyone in the office can become productive in minutes, without overheating their pith helmet.

And, the Office Management System grows with your needs. Its flexibility is limited only by the specific needs of your office.

To find out more about the flexible, easy-to-use and inexpensive ETI Office Management System, use our reply number or phone or write ETI.



ALSO FROM ETI

Project Control System \$295.00 Structured Development System \$49.95
Personnel System \$95.00 Micro-Reminder \$29.95

ETI OFFICE MANAGEMENT SYSTEM

ETI • 5848 EXECUTIVE DRIVE
LANSING, MI 48910 • (517) 887-2480

Requires IBM Personal Computer 128K of RAM, monochrome display, one disk drive. PC-DOS IBM and PC-DOS are trademarks of International Business Machines
Price subject to change without notice

house projects; cost; availability; and management style.

THE CONTROVERSY

"A rule-based approach may encourage a false sense of security in capturing expertise," we are told. This book both warns where the pitfalls are as well as brags about the successes of AI.

Coping with uncertainty is a concern shared by many. This book explains how some AI products have succeeded in coping better than any intuitive devices we have used in the past.

In the last chapter Reitman warns of the shortcomings of AI. Apparently, it has not yet lived up to the promise of its academic acolytes.

Questions about natural language and artificial intelligence seldom produce crisp answers. (To speculate, UFO reports began about the same time as AI research.) Some interesting results have been achieved; books come out; conferences are held. But people in business are left with the feeling that the shortage of substantial answers can be expensive. Other reports on AI can also be expensive, but this book is one of a kind and may help defer costly errors. ■

.....
Michael O'Neill (2227 Dwight Way #4, Berkeley, CA 94704) is interested in mathematics, electronics, and music.

E. Francis Avila (POB 401, Auburn, CA 95603) is director of communications at Litton Engineering Labs in Grass Valley, California.

Irene Pasternack is managing director of Specialized Systems Consultants (POB 7, Northgate Station, Seattle, WA 98125) and teaches UNIX seminars. She is also Chairperson of the Seattle Area UNIX Users Group.

Hunter Alexander (4520 King St. #404, Alexandria, VA 22302, (703) 820-8304) is BYTE's Washington correspondent whose interest in AI is supplemented by past experience as a researcher in the Office of Naval intelligence. He was also a consultant on defense and translator of technical Russian material.

.....
• BYTE is always looking for qualified book reviewers.
• Submit queries and proposals accompanied by a resume, writing samples, or a list of computer-related interests and expertise to Book Review Editor, POB 372, Hancock, NH 03449.
.....

WE MADE IT POWERFUL. BUT WE KEPT IT SIMPLE.

Until now, IBM PC users looking for a data base manager had to make an unappetizing choice: Multifile systems so powerful they're difficult to use. Or single file systems so simple they can't be used to do much.

Until we cooked up Power-base.™

Power-base is the only multifile data base manager powerful enough to get the job done, yet simple enough to be mastered in one sitting. Even if you've never used a computer.

There are no languages to learn, no commands to memorize. To tell Power-base what you want, simply keep choosing from the menu which never goes away, yet never gets in the way. To make a change, simply make another choice. And the unique DataZOOM™ gives you the power to move rapidly from file to file, right to the piece of information you need.

Software Digest awarded Power-base the highest "overall evaluation" after testing twenty IBM PC data management programs for the March 1984 issue of *The Ratings Newsletter*.

It's hard to make a simpler choice than Power-base.

Especially with a suggested retail price so easy to digest: \$395.

Get a taste of Power-base for yourself. For a demonstration copy, send us \$10. It's refundable when you purchase Power-base at your local participating ComputerLand or other authorized dealer.

Powerbase Systems, Inc., (Dept. A), 12 West 37th St., N.Y., NY 10018. (212) 947-3590.



Requires 256K for either IBM PC with 2 drives or XT and compatibles.
IBM Personal Computer and IBM PC are registered trademarks of the IBM Corporation.

Circle 247 on inquiry card.

Power-base and DataZOOM are
trademarks of Powerbase Systems, Inc.

JULY 1984 • BYTE 93

E·V·E·N·T Q·U·E·U·E

July 1984

● C. UNIX COURSES

Courses in C Language and UNIX, Concord, MA, Somers Point, NJ, and College Park, MD. Three five-day courses are offered: "C Programming Workshop," "Advanced C Topics Seminar," and "UNIX Workshop." Contact Joan Hall, Plum Hall Inc., 1 Spruce Ave., Cardiff, NJ 08232, (609) 927-3770. *July-August*

● DATABASE SEMINARS

SoftwareBanc Seminars various sites in the U.S. and Canada. Such seminars as "Problem Solving with 1-2-3," "dBASE II," and "Exploring UNIX" are planned. Contact SoftwareBanc Inc., 661 Massachusetts Ave., Arlington, MA 02174, (800) 451-2502; in Massachusetts, (617) 641-1241. *July-August*

● DBM SEMINARS

Digital Consulting Associates Classes and Seminars, various sites in the U.S. Seminars and classes on information centers, database administration, and other microcomputer topics. Contact Digital Consulting Associates Inc., 339 Salem St., Wakefield, MA 01880, (617) 246-4850. *July-August*

● ENGINEERING SUMMER

CONFERENCES, Chrysler Center, North Campus, University of Michigan, Ann Arbor. Topics include aerospace, chemical, electrical, nuclear, marine, metallurgical, mechanical/automotive, industrial and computer, information, and control engineering. Fees range from \$450 to \$1000, depending on course length. Contact Engineering Summer Conferences, 200 Chrysler Center—North Campus, University of Michigan, Ann Arbor, MI 48109, (313) 764-8490. *July-August*

● WORKSHOPS FOR

EDUCATORS, Computeworkshops Computer Seminars for Educators, various locations in California. Among the seminars offered are "Designing Educational Courseware," "Com-

puter Literacy for Educators," and "How to Set Up a Computer-Based Education Program in Your School or District." Each course is \$50. Contact Compukids of Seal Beach, Rossmore Shopping Center, 12385 Seal Beach Blvd., Seal Beach, CA 90740, (213) 430-7226; in West Los Angeles, (213) 473-8002; in Tarzana, (213) 343-4008; and in Rancho Bernardo/San Diego, (619) 451-1742. *July-August*

● DEC SEMINARS

Technical and Management Seminars for Professionals, various sites in the U.S. Subject areas: system-performance management, networking, personal computing, applications design and programming, real-time applications design, and management development. On-site seminars can be arranged. Contact Educational Services, Seminar Programs BUO/E58, Digital Equipment Corp., 12 Crosby Dr., Bedford, MA 01730, (617) 276-4949. *July-September*

● EFFICIENT COMPUTING

TECHNIQUES, Microcomputers: Techniques for Improving Your Computer Efficiency, Valley Inn and Tavern, Waterville Valley, NH. Four intensive two-day seminars: "Microcomputers: Programming in BASIC," "Introduction to VisiCalc," "Micro Database Applications," and "Engineering and Management Applications." Tuition is \$495, or \$679 with meals and lodging. Contact New Hampshire College, Resource Center, 2500 North River Rd., Manchester, NH 03104, (603) 668-2211, ext. 175. *July-September*

● MANAGERIAL SEMINARS

Computer Competence Seminars, Boston University Metropolitan College, Boston, MA. A series of hands-on presentations tailored for managers who know little or nothing about computers and for those who wish to sharpen their computing skills. On the docket are "PCs for Improving Financial Analysis

and Decision Support," "Personal Computers for Sales and Marketing Professionals," and many others. Fees range from \$225 to \$595. In-house programs can be organized. Contact Joan Merrick, University Seminar Center, Suite 415, 850 Boylston St., Chestnut Hill, MA 02167, (617) 738-5020. *July-September*

● RAINBOW SEMINARS

All-Hands-On, Boston, MA, Chicago, IL, New York City, and San Francisco, CA. A series of applications seminars featuring the DEC Rainbow 100, Contact Carol Ericson, BUO/E50, Educational Services, Digital Equipment Corp., 12 Crosby Dr., Bedford, MA 01730, (617) 276-4572. *July-September*

● HIGH-TECH TUTORIALS

Tutorial Short Courses from Hellman Associates, London, England, and various sites in the U.S. Among the courses offered are "VLSI Design," "Digital Control," and "Error Correction." Fees are generally \$895. Contact Hellman Associates Inc., Suite 300, 299 California Ave., Palo Alto, CA 94306, (415) 328-4091. *July-October*

● PROFESSIONAL EDUCATION

Seminars from the Institute for Professional Education, various sites in the U.S. Programs in statistics, management, simulation and modeling, personal computers, and computer science. Contact the Institute for Professional Education, POB 756, Arlington, VA 22216, (703) 527-8700. *July-December*

● NCC

The 1984 National Computer Conference—NCC, Convention Center, Las Vegas, NV. Professional-development seminars, more than 650 exhibits, and nearly 100 technical sessions. Contact the American Federation of Information Processing Societies Inc., 1899 Preston White Dr., Reston, VA 22091, (703) 620-8926. *July 9-12*

● FIBER-OPTIC METHODS Fiber and Integrated Optics, San Diego, CA. Course topics: single- and multimode fiber cabling, photo detectors, receiver and repeater technology, and optical-fiber sensors. The fee is \$875. Contact Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-6106. *July 9-13*

● SPECIAL EDUCATION

INSTITUTE, Microcomputers in Special Education: Today's Challenge, Lesley College, Cambridge, MA. Subjects: Logo software evaluation, administrative applications, and model programs. Technical expertise not required. Contact Ioy Nikkel, Lesley College, 29 Everett St., Cambridge, MA 02238, (617) 868-9600. *July 16-20*

● SIMULATION CONFERENCE

Summer Computer Simulation Conference—SCSC '84, Copley Plaza Hotel, Boston, MA. Technical sessions, papers, panel discussions, exhibits, and tutorials. Contact Charles Pratt, Simulation Councils Inc., POB 2228, La Jolla, CA 92038, (619) 459-3888. *July 23-25*

● SIGGRAPH

ACM SIGGRAPH '84, Minneapolis, MN. Technical papers, panel discussions, a design show, film and video presentations, and nearly 30 courses. Contact SIGGRAPH '84 Conference Office, 111 East Wacker Dr., Chicago, IL 60601, (312) 644-6610. *July 23-27*

● INTERFACING TIPS FOR

TEACHERS, Microcomputer-based Instrumentation for Schools, Middletown, OH. An introductory, hands-on workshop for college and secondary teachers. Contact Bill Rouse, 301 McGuffey Hall, Miami University, Oxford, OH 45056, (513) 529-2141. *July 23-August 2*

(continued)

DIMENSION. THE MOST POWERFUL, MOST COMPATIBLE PERSONAL COMPUTER YOU CAN BUY.

Introducing the capability the world has been waiting for. A single personal computer able to handle Apple,[®] IBM,[®] TRS-80,[®] UNIX[™] and CP/M[®] based software.

The Dimension 68000 Professional Personal Computer does it all. It actually contains the microprocessors found in all of today's popular personal computers. And a dramatic innovation creates the environment that lets these systems function merely by plugging in the software.

Add to this the incredible power of a 32 bit MC68000 microprocessor with up to 16 megabytes of random access memory.

Dimension has the power of a mainframe at a personal computer price. It's obviously the best value you can find. For more information ask your dealer or call us at (214) 630-2562 for the name of your nearest dealer.

dimension™



68000

A product of
Micro Craft Corporation
4747 Irving Blvd., Suite 241
Dallas, Texas 75247. ©1983

Circle 211 on inquiry card.

(CRT not included)



Apple is a registered trademark of Apple Computer, Inc.; IBM is a registered trademark of International Business Machines Corporation; TRS-80 is a registered trademark of Radio Shack, a Tandy Corporation company; UNIX is a trademark of Bell Laboratories, Inc.; CP/M is a registered trademark of Digital Research Corporation.

DEALER INQUIRIES INVITED



LMC's 32-Bit Virtual Memory MegaMicro Is The-State-Of-The-Art UNIX Microcomputer

LMC's 32-bit MegaMicro provides mainframe or super-minicomputer performance at prices competitive with today's far less powerful 8- and 16-bit microcomputers. This is made possible by use of the next generation of logic chips—the National Semiconductor 16000-series. LMC MegaMicros incorporate: the NS16032 central processing unit which has true 32-bit internal logic and internal data path configured on the IEEE 796 multibus; demand-paged virtual memory implemented in hardware; and hardware 64-bit double-precision floating-point arithmetic.

The LMC MegaMicro is supplied with HCR's UNITY* which is a full implementation of UNIX** and includes the Berkeley 4.1 enhancements to take advantage of demand-paged virtual memory. Also included are C and FORTRAN. Typical multi-user systems with 33 megs. of fast (30 ms. average access time) winchester disk storage, a half meg. of RAM, virtual memory, hardware floating-point arithmetic, UNIX, C, and FORTRAN 77 are available for \$20,000 (and even less with quantity or OEM discounts).

* UNITY is a Trademark of Human Computing Resources.

**UNIX is a Trademark of Bell Laboratories.

LMC MegaMicros The Logical Alternative™

LMC

The Logical MicroComputer Company

4200 W. Diversey, Chicago, IL 60639 (312) 282.9667



A member of The Marmon Group of companies

EVENT QUEUE

● **HEATH/ZENITH USERS MEET** International Heath/Zenith Users' Group Conference. Pheasant Run Resort. St. Charles. IL. Contact the Heath Users' Group, Hilltop Rd., St. Joseph. MI 49085. (616) 982-3463. July 27-29

● **MICROS IN EDUCATION** Stanford Institute on Microcomputers in Education. Stanford University. Stanford. CA. An intensive session that provides the background necessary to serve as a school or district resource person. Hands-on programming, word processing, and administrative computing. Contact Stanford Institute on Microcomputers in Education, POB K, Stanford. CA 94305. (415) 322-4640. July 30-August 31

● **WORKSTATION IN OFFICE EXPLAINED.** Software and Hardware for Interactive Workstations. Washington, DC. Demonstrates how to solve business problems by using distributed information systems. The design, operations, components, and possible results of a communications workstation will be explored. Tuition: \$695. Contact Continuing Engineering Education, George Washington University. Washington, DC 20052. (800) 424-9773; in the District of Columbia. (202) 676-6106. July 30-August 1

● **ROBOTICS STRATEGIES** Robot Manipulators. Computer Vision, and Automated Assembly. Massachusetts Institute of Technology. Cambridge. This short course emphasizes ways of developing strategies for solving such robotic problems as sensing, spatial reasoning, and manipulation. Existing industrial robots and binary-vision systems will be covered. Contact the Director of the Summer Session, Room E19-356, MIT, Cambridge, MA 02139. July 30-August 3

August 1984

● **SME CONFERENCES & EXPOS.** Conferences and Expositions from the Society of Manufacturing Engineers, various sites in the U.S. and around the world. A calendar is available. Contact the Public Relations Department. Society of

Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121. (313) 271-0777. August

● **SCHOOL COMPUTER COORDINATORS.** The Computer: Extension of the Human Mind. Center for Advanced Technology in Education. University of Oregon. Eugene. For individuals responsible for the use of computers and emerging technologies at the school and district levels. Pre- and post-conference workshops. Registration is \$95. Contact Summer Conference Office, College of Education, University of Oregon, Eugene, OR 97403. August 1-3

● **SHOW FOR TARHEELS** Great Southern Computer Show, Civic Center, Charlotte, NC. Hardware, software, peripherals, and accessories for the home and office. Seminars and workshops. Contact Great Southern Computer Shows, POB 655, Jacksonville, FL 32201. (904) 356-1044. August 2-4

● **HOME AND OFFICE** The First Annual Tampa Bay Computer Show & Office Equipment Exposition, Curtis Hixon Convention Center, Tampa, FL. Hardware, software, accessories, and peripherals for industry and home. Contact CompuShows Inc., POB 3315, Annapolis, MD 21403. (800) 368-2066; in Annapolis. (301) 263-8044; in Baltimore. 269-7694; in the District of Columbia. 261-1047. August 2-5

● **AI INVESTIGATED** The National Conference on Artificial Intelligence. Performing Arts Center, University of Texas, Austin. Seminars, exhibits, and panel discussions. Registration for American Association for Artificial Intelligence (AAAI) members is \$100; nonmembers pay \$140. Contact Claudia C. Mazzetti, AAAI, 445 Burgess Dr., Menlo Park, CA 94025. (415) 328-3123. August 6-10

● **COMPUTERS IN ENGINEERING.** The 1984 ASME International Computers in Engineering Conference and Exhibit, Hilton Hotel, Las Vegas, NV. More than 60 panel discussions and paper sessions. Product exhibits. Contact American Society of Mechanical Engineers, 345 East (continued)

Prescription: SemiDisk.™

... just what the doctor ordered!

Fast-acting.

If you've been "patient" with slow disk drives for too long, SemiDisk will relieve your suffering.

The SemiDisk, a super-fast disk emulator, stores and retrieves data much faster than either a floppy or hard disk. This is especially useful with programs such as editors, assemblers, compilers, spelling checkers, and large capacity data base managers.

Easy to apply.

Installation is as easy as plugging the SemiDisk into an empty slot of your computer, booting up normally, and running the installation software provided. No assembly language programming is required.

Comes in regular and extra-strength.

SemiDisk I is the standard model for S-100, for use with CP/M® 2.2. SemiDisk II is just as easy to use,

and offers extra speed and flexibility for custom S-100 applications. There are also SemiDisks for TRS-80 Model II, IBM PC, and Epson QX10.

Contains gentle buffers.

CP/M®80 installation software includes SemiSpool, which temporarily stores print data in the SemiDisk, and continuously feeds the printer as it becomes ready for data. This buffering action allows the computer to be ready for other uses immediately after issuing a print command, while the printer is printing.

No blackouts: A cure for emulator amnesia.

The optional Battery Backup Unit (BBU) plugs into the SemiDisk, and supplies power even when the computer is off. It contains a battery which keeps the data alive during prolonged power outages of four hours or more.

Stops head-aches.

Unlike a hard disk, which can 'crash' its head on the rapidly rotating disk surface, and a floppy, which grinds the disk constantly, the SemiDisk has no moving parts to break or wear out. No buzzing, clicking, grinding, or other noise. Just ultra-fast, silent data transfer.

Won't bruise your wallet.

And now the really good news! SemiDisk's price won't raise your blood pressure.

	512K	1Mbyte
SemiDisk I, S-100	\$995	\$1795
SemiDisk II, S-100	\$1245	\$2095
SemiDisk, TRS-80 II	\$995	\$1795
SemiDisk, IBM PC	\$945	\$1795
SemiDisk, Epson QX10	\$995	

SEMIDISK

SemiDisk Systems, Inc.
P.O. Box GG, Beaverton, Oregon 97075
503-642-3100


YOU O TO IN PIC

To help you communicate more clearly.
To make tough subjects easy. To make work
go faster. To visualize, really visualize what
you have in mind.

Pictures of your ideas. Produced by Mindset™
A new breed of hardware that gives you the
next generation of mouse-driven graphic

Intel's true 16-bit 80186 microprocessor. Two custom VLSI
processors for high speed, high resolution bit-mapped graph-
ics from 320 x 200 pixels in 16 colors. Runs Lumena™ and
other professional graphic design programs, IBM PC soft-
ware, and the next generation of icon-based, mouse-driven,
windowed software.

IBM is a registered trademark of International Business Machines Corporation. Lumena
is a trademark of Time Arts.



UGHT BE TURES.

power today. More impressive graphics than any we could show you on this page.

You can draw ideas. You can plot and rotate dimensional designs. Even change their perspective.

You can create charts, diagrams and layouts with brilliant clarity from Mindset's palette of 512 colors.

Mindset works, thinks and plays as fast as your mind. It runs IBM® PC software at blazing speed. Never puts your mind on hold.

Always goes with the idea flow.

Mindset's price? About one-third less than an IBM PC.

Bring us the programs you're using today. Try them on Mindset. Watch your ideas pop on the screen the way they come to your mind. Quickly. Completely. Your ideas never looked so good. So fast.

Call 1-800-447-4700 for your nearest Mindset dealer.

Mindset: The possibilities are endless.

INTRODUCING MINDSET

Mindset Corporation, 617 North Mary, Sunnyvale, California 94086

Circle 227 on inquiry card.

JULY 1984 • BYTE 99


Main/Frames

Main/Frames

from
\$175

- 70 Models of Enclosures
- Assembled and tested
- Quasi-Coax Motherboards
- Power Supply
- Card cage and guides
- Fan, line, cord, fuse, power & reset switches


Wow!
70 Models!



\$499

8" Floppy Main/Frame


Disk Enclosures
From \$100



\$275


8" Disc Enclosure

MORE BANG
FOR THE BUCK



\$525

Phase/80 8" Floppy Main/Frame



\$370

Slim Line 8" Floppy Main/Frame

32 Page
Free Fakt
Pakt Catalog

Write or call for our
brochure which includes our
application note:
"Making micros better than
any ol' box computer"

INTEGRAND

8620 Roosevelt Ave. • Visalia, CA 93291
209/651-1203

We accept BankAmericard/Visa
and MasterCard

EVENT QUEUE

47th St., New York, NY 10017.
(212) 705-7100. August 12-16

● **MICROS & VOC EDUCATION**
Microcomputers and High Technology in Vocational Education Conference. Vocational Studies Center. University of Wisconsin. Madison. Concurrent sessions. formal classes. presentations. speeches. and videotaped programs. Preregistration fee is \$55. or \$65 at the door. Contact Dr. Judith Rodenstein. 964 Educational Sciences Building. University of Wisconsin. 1025 West Johnson St., Madison, WI 53706. (608) 263-4367. August 13-16

● **COMPUTERS AND BIOLOGY**
The Fourth Annual Notre Dame Short Course Series: Computers in Biology. University of Notre Dame. Notre Dame, IN. Three concurrent short courses: "Computers in Bioeducation," "Microcomputers in Classroom and Laboratory," and "Computerized Data Analysis in Biological Research." Technical expertise is not required. Tuition is \$450. Contact Theodore J. Crovello. Biocomputing Short Course Coordinator. Department of Biology. University of Notre Dame. Notre Dame, IN 46556. (219) 239-7496. August 13-17

● **COMPUTING IN SCHOOLS**
The Third Annual Harvard Institute on Computing in Schools. Harvard Graduate School of Education. Cambridge, MA. Designed for educators and administrators. Software demonstrations and group discussions will be featured. Prior computer experience not required. Contact Institute on Computing in Schools. Programs in Professional Education. Harvard Graduate School of Education. 339 Gutman Library. Cambridge, MA 02138. (617) 495-3572. August 13-17

● **PROGRAM COMPUTER GAMES.** Programming Games on Computers. Salzburg Inn, Stowe, VT. Presented by Monty Newborn and David Levy. computer-game experts. this course is designed to show you how to program a computer to play chess. bridge. othello. checkers. and blackjack. Ability to program in BASIC. FORTRAN. or Pascal is advised. The fee is \$550. Contact Dr. Monty

Newborn. 4874 Westmount Ave. Westmount. Quebec H3Y 1Y1. Canada. or call (514) 481-1766. August 13-17

● **COMPUTERS. GRAPHICS. AND BUILDING.** Computers/Graphics in the Building Process—BP '84. Embarcadero Center. Hyatt Regency San Francisco. CA. Exhibit of equipment and services. tutorials. and technical sessions exploring the theme "The Building Process in Transition." Contact Conference Director. BP '84. Suite 333. 2033 M St. NW. Washington, DC 20036. (202) 775-9556. August 19-23

● **ADA COURSE.** Hands-On Programming in Ada. Washington, DC. Upon completion students will be able to design. code. and test Ada programs in an interactive environment. Enrollment is limited to individuals with programming experience in at least one high-level language. The fee is \$875. Contact Continuing Engineering Education. George Washington University. Washington, DC 20052. (800) 424-9773; in the District of Columbia. (202) 676-6106. August 20-24

● **PROGRAM COMPUTER GAMES.** Programming Games on Computers. Salzburg Inn. Stowe, VT. See August 13-17. August 20-24

● **COMPUTERFEST/HAMFEST**
The Central Pennsylvania Repeater Association Eleventh Annual Hamfest/Computerfest. Hershey, PA. Indoor dealer and flea-market areas. Registration is \$3. Children and spouses free. Contact Timothy R. Fanus. WB3DNA. 6140 Chambers Hill Rd., Harrisburg, PA 17111. (717) 564-0897 (noon to 8 p.m.). August 26

● **INFO CENTER CONFERENCE**
Information Center Conference and Exposition. Sheraton Boston and Hynes Auditorium. Boston, MA. More than 60 educational sessions on hardware. software. and organizational topics of interest to information-center managers will be featured. Contact Warren/Weingarten Publications. 38 Chauncy St., Boston, MA 02111. (617) 542-0146. August 26-30

(continued)

Better Business BASIC.

Finally! A BASIC compiler that means business.

Microsoft® Business BASIC Compiler allows you to create professional applications for MS™DOS systems that are so fast your users will never know they were written in BASIC.

Because the compiler produces native code, your software will run three to ten times faster than the same interpreted programs.

But speed isn't everything. Microsoft's Business BASIC also has business savvy.

Based on the de facto standard Microsoft BASIC, it includes a rich set of extensions:

Decimal floating point arithmetic (14-digit precision-BCD format) for extremely accurate dollars and cents calculations.

Two types of arrays provide maximum program flexibility: static arrays for speed, dynamic arrays for expandability.

Over twenty string handling functions provide sophisticated character manipulation capa-

bilities. Strings can be up to 32K bytes.

Multi-line functions and subprograms allow you to define routines with local or globally defined variables.

Separate module compilation means complex programs can be broken down into smaller units. Coupling multiple modules together permits creation of very large programs, up to one megabyte.

**Call 800-426-9400 to order
the better Business BASIC.
\$600***

In Washington State, call 206-828-8088. Ask for operator A5, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft Business BASIC in action.



*Price exclusive of handling and Washington State sales tax.
Microsoft is a registered trademark and MS is a trademark of Microsoft Corporation.

LOOK NO FURTHER!

we'll get you low prices and fast service, or else!



Circle 17 on inquiry card

ALPHA OMEGA

COMPUTER PRODUCTS

COMPUTERS

TAVA PC IBM Compatible, 128K, 3-320K Drives, Parallel Port, Monitor \$1989
 SANYO MBC 555 w/software 1049
 SANYO MBC 555-2 w/software 1420
 IBM PC 64K, 2-320K Drives, Color Graphics Board, DOS 2.1, Amdek 300G 2669

DISKETTES

SCOTCH 3M SSDD \$23
 MAXELL MD2 DSDD 39

PRINTERS

C. ITOH 8510 P, 120 cps SAVE
 EPSON FX80 160 cps \$495
 EPSON FX100 160 cps 695
 OKIDATA Microline 92 160 cps 425
 OKIDATA Microline 93 160 cps 699
 BMC BX-80 Printer 259
 GEMINI 10X 120 cps 275
 GEMINI 15X 120 cps 409
 NEC 3550 35 cps L/Q SAVE
 JUKI 6100 L/Q 18 cps 445
 C. ITOH F-10 40 cps 1075

MODEMS

HAYES Smartmodem 1200 482
 HAYES Smartmodem 1200B 425
 HAYES Micromodem IIe 249
 ANCHOR A. Mark I 300 Baud 81
 ANCHOR A. Mark XI 300/1200 269

MONITORS

TAXAN 12" Amber \$115
 GORILLA 12" Green 85
 AMDEK 310A for IBM PC 169
 AMDEK 300G 12" Green 135
 AMDEK 300A 12" Amber 145
 AMDEK Color I 13" 305
 PRINCETON HX-12 RGB 495
 BMC 13" Color 219

APPLE PERIPHERALS & SOFTWARE

VIDEX Videoterm 80C w/softswitch \$209
 VIDEX Ultraterm 279
 MICROSOFT 16K RAMcard 69
 MICROSOFT 280 Softcard 245
 MICROSOFT Premium Pack 479
 MICROSOFT Premium Softcard IIE 345

KRAFT & TG Joystick 45
 HAYES Mach II Joystick 99
 PROMETHIUS 1/2 Height Drives 195
 WIZARD IPI Parallel Interface 75
 PROMETHIUS Versacard 149
 EPS Keyboard 289
 KENSINGTON Systemsaver 68
 COOL & TIME (fan, surge, clock) 73
 KOALA Pad 93
 PFS Filing System 81
 PFS Report 81
 DBase II 389
 Wordstar 249
 Home Accountant SAVE
 Multiplan 165
 DB Master Version 4 249
 DB Utility 1 or 2 95
 Magic Window II 109
 Zaxxon 29
 Choplifter 25
 Zork I/II/III 28
 Wizardry 39
 Sublogic Pinball 27

IBM PERIPHERALS & SOFTWARE

TANDON TM100-2 360K \$219
 PANASONIC 1/2 Height 360K Drives 179
 MICROSOFT Mouse 139
 QUADRAM Quadboard w/64K 269
 QUADRAM Quadlink SAVE
 QUADRAM Quadcolor I 209
 64K RAM Kit 200 ns 55
 AST 6-pack plus 279
 STB w/64K clock, par, serial, game 295
 HAYES Mach II Joystick 35
 MAYNARD Int. 10MB Hard Disk 99
 rBASE 289
 Home Accountant + SAVE
 Multimate 329
 PFS Filing System 89
 PFS Report 81
 Lotus 1,2,3 319
 DBase II 389
 Friday 189
 Wordstar 259
 Wordstar Propack w/Mailmg, Spellstar 349
 Multiplan 165
 Flight Simulator 33
 Deadline 38
 Zork I/II/III 28

Hundreds of available items. Call for complete pricing information.

We do not charge for VISA or MASTERCARD.

(213) **345-4422**
 (818)



4847 La Montana Circle, Tarzana, CA 91356

All products are in factory sealed packages. We guarantee all items for 30 days. Within this period, defective merchandise returns must be accompanied by RMA number. All other returns will be subject to a 10% restocking fee. For prepaid orders there will be a 3% shipping charge; 5% for UPS Blue Label; \$5.00 minimum; all orders outside U.S. at 15% shipping. There will be an additional \$4.00 surcharge on C.O.D. orders. Cash or Cashiers Check is required on C.O.D. orders. Call, residents add 6.5% sales tax. Prices subject to change without notice.

EVENT QUEUE

● **PCB TECHNICAL SEMINAR**
 The 1984 Printed Circuit Fabrication Technical Seminar. Boston, MA. Contact Donna Esposito, PMS Industries, 625 Sims Industrial Blvd., Alpharetta, GA 30201. (404) 475-1818. August 27-29

● **EUROMICRO**
 The Tenth Annual Euromicro Symposium—Euromicro 84. Copenhagen, Denmark. One of the largest European computer events. Euromicro features speeches, tutorials, and technical sessions. Also featured will be the annual Euromouse contest in which robotic mice zip through a maze, racing against time and foreign competitors. Contact Euromicro, p/a TH Iwente Department INF, Room A306, POB 217, 7500 AE Enschede, The Netherlands; tel: (31) (53) 338799; Telex: 44200 THES. August 27-30

September 1984

● **ERGONOMICS CONFERENCE**
 World Conference on Ergonomics in Computer Systems, various sites throughout the U.S. and Europe. Ergonomic experts and computer professionals and users will exchange information and observations. Contact Computer Psychology Inc., 54 East Main St., POB 16, Mendham, NJ 07945. (201) 543-9009. In Europe, Telefonaktiebolaget LM Ericsson, LM Ericssons väg 4-8, S-12625 Stockholm, Sweden; tel: (8) 7190000. September-October

● **SHOWS IN GERMANY**
 Chip Microcomputer Weeks, various sites throughout West Germany. Microcomputer products, trends, and applications will be demonstrated. Sponsored by *Chip*, a leading German computer magazine. Contact Network GmbH, An der Friedenseiche 10, D-3050 Wunstorf 2, Bundesrepublik Deutschland (West Germany); tel: (0 50 33) 10 56; Telex: 92 45 45. In England, Network Events Ltd., Printers Mews, Market Hill, Buckingham MK18 1JX, England; tel: (02 80) 81 52 16; Telex: 83111. September-November

● **INTEL WORKSHOPS**
 Microcomputer Workshops.

various sites throughout the U.S. and Canada. Intel, the semiconductor memory manufacturer, is offering more than 20 workshops on microprocessor applications. A brochure is available. Contact Customer Training, Intel Corp., 27 Industrial Ave., Chelmsford, MA 01824-3688. (617) 256-1374. September-December

● **IBM SYSTEMS SHOW**
 The IBM System User Show, Olympia 2, London, England. Covers the full spectrum of IBM mainframes, minicomputers, and microcomputers. A focus on business. Contact EMAP International Exhibitions Ltd., 8 Herbal Hill, London EC1R 5JB, England; tel: 01 837 3699. September 3-5

● **AI IN EUROPE**
 The Sixth European Conference on Artificial Intelligence, Pisa, Italy. Covers programming languages, expert systems, natural-language processing, robotics, and computer vision. Tutorials. Contact the Programme Chairman, Institute of Educational Technology, Open University, Walton Hall, Milton Keynes MK7 6AA, England. In Italy, Stefano A. Cerri, Dipartimento di Informatica, Università di Pisa, Corso Italia, 40, Pisa 56100, Italy; tel: Pisa 40862/3/4; Telex: CNUCE 500371. September 5-7

● **SOFTWARE ONLY**
 The Second Annual National Software Show, Convention Center, Anaheim, CA. An exposition and conference devoted solely to microcomputer software. Contact Raging Bear Productions Inc., Suite 175, 21 Tamal Vista Dr., Corte Madera, CA 94925. (800) 732-2300; in California, (415) 924-1194. September 5-7

● **COMPUTER INTERFACING FOR SCIENCE**, Personal Computer and STD Computer Interfacing for Scientific Instrument Automation, Washington, DC. A hands-on workshop costing \$395. Contact Dr. Linda Leffel, C.E.C., Virginia Polytechnic Institute and State University, Blacksburg, VA 24061. (703) 961-4848. September 6-8

● **MOTION CONTROL SEMINAR**, Electronic Motion Control Seminar, Boston, MA. (continued)

Capable COBOL.

For over twenty years, COBOL has proved it can handle the most awesome data handling requirements of the business world.

And Microsoft® COBOL brings this power to the MS™DOS environment in an even more flexible version. It's the ideal choice for transporting and adapting the thousands of mainframe and minicomputer programs now on the market.

Microsoft COBOL was designed after the ANSI COBOL standard. Its quality and performance has been fully certified by the GSA.

Microsoft COBOL includes a complete set of file handling facilities including support for sequential, line sequential, relative and B+ tree indexed sequential (ISAM) files.

The advanced screen handling features, compatible with Data General®, make it easy to create forms and menus for interactive user programs. Direct cursor positioning, highlighting, automatic format conversion, projected

fields, and automatic field skip are just some of the capabilities.

An interactive source code debugging tool allows you to step through your program in symbolic form. There is no need to wade through object code and addresses in memory to see what is going on. It's a complete development package.

Applications developed with the compiler can be distributed without a runtime support charge.

Like all Microsoft languages, the standard linking interface makes it easy to combine assembly language subroutines.

Call 800-426-9400 to order the capable COBOL. \$700*

In Washington State, call 206-828-8088. Ask for operator A5, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft COBOL in action.



*Price exclusive of handling and Washington State sales tax.
Microsoft is a registered trademark and MS is a trademark of Microsoft Corporation.
Data General is a registered trademark of Data General Corporation.

Your System Deserves The Best!

Key Tronic Keyboards.

To enhance the performance of your personal computer or computer terminal, ask your dealer for a plug-compatible Key Tronic keyboard.

Key Tronic Corporation is the world's largest independent manufacturer of computer keyboards.


Key Tronic keyboards are engineered for performance and reliability, and are backed by a 14-year tradition of manufacturing excellence. All Key Tronic plug-compatible keyboards feature:

- **Familiar typewriter key locations and legends**
- Low-profile design
- Solid-state capacitive switches
- Positive tactile feedback

Each production element, from printed circuit boards to keytops is generated in-house to insure high quality.

So ask your computer dealer for a hands-on demonstration of a Key Tronic keyboard.

Call Toll Free 1-800-262-6006 for the retailer closest to you. (7 am-3 pm Pacific Time). Warranty information may be obtained by writing to the address below.




KB 5151 and 5151jr — *The Professional Series*

KB 5151 is plug-compatible with the IBM * PC and XT.

KB 5151jr is plug-compatible with the IBM PCjr*. Both are available in **DVORAK** and foreign layouts, and special models are made for the handicapped.

Suggested Retail Price: \$255.00



"THE RESPONSIVE KEYBOARD COMPANY"

Circle 173 on inquiry card.

Come see us at NCC Booth #B4206

Department E • P.O. Box 14687 • Spokane, WA 99214 (U.S.A.) • (509) 928-8000



KB 200
 Plug-compatible with
 the Apple II* and models
 are available for the handicapped.
 Suggested Retail Price: \$298.00



KB 100
 Plug-compatible with
 the Dec VT-100*
 Suggested Retail
 Price: \$379.00




KB 500
 Replacement keyboard
 for the Radio Shack
 TRS-80 Color
 Computer*
 Suggested Retail Price:
 \$89.95



KB 925
 Plug-compatible with
 the Televideo 925*
 Suggested Retail Price:
 \$324.00



KB 5150 and 5150 jr — *The Professional Series*
 KB 5150 is plug-compatible with the IBM* PC
 and XT. KB 5150 jr. is plug-compatible
 with the IBM PC jr.* Both are available in
 DVORAK and foreign layouts, and a special
 model is made for the handicapped.
 Suggested Retail Price: \$209.00



*IBM and PC jr. are registered trademarks of IBM Corporation.
 *Apple II is a registered trademark of Apple Computer, Inc.
 *DEC VT-100 is a registered trademark of Digital
 Equipment Corporation.

*Televideo-925 is a registered trademark of Televideo
 Systems, Inc.
 *Radio Shack is a registered trademark of Tandy
 Corporation.

SUPER APPLE® COMPATIBLE

SUPERIOR TO APPLE. COMPARE FEATURES
AMERICAN SUPER COMPUTERS Elite 4

1. Dual CPU's 6502 & Z80, 64K RAM
2. Runs APPLE & CPM, detached keyboard
3. Numeric keypad, 90 key keyboard
4. No copyright problems, completely legal
5. SAVES YOU LOTS OF MONEY! ONLY \$499

Disk Drive \$199 - Controller \$49 - Monitor \$109
Complete System:

Computer + Controller + Drive + Monitor ONLY \$839

APPLE IS T.M. ©1 APPLE Computers, Inc.

WE HAVE ALL APPLE CARDS - CALL! SAVE!
Phone **American Super Computers (919) 883-1105**

COMPUTERS	LEADERS	PRINTERS LETTER QUALITY
Advanced Digital 2.885MHz	Televideo 810	Super Quality - Super Price
Super Size 128W/PSNET/1	Televideo 824	EPSON-CANON TP-1
Super Slave-1/28	Televideo 925	TEC A10
Computer 816C Demo II only	Televideo 970	NEC2010
Melroe 0120	Add 2A-	Televideo TR-120P
Headstart VPU-128	Venepoint Color	Silver Reed 500P
North Star Horizon or Advantage	Zenith Z-28	565
NY PC Copy of IBM PC	Venue 50	565
Aries 508 20 S. Libr	5925	PRINTERS DOT MATRIX
Televideo 807	1287	ProWriter
Televideo 808/20	4818	Epson HX-80PT
Sanyo 250	784	Microline
Pole 80188	BMC Amber	118
Zenith ZF-151-21	CALL	245
Eagle PC Spare II	2072	184
NECPC 8201A	825	Amatic 9500B
		383
		420
		416
		CALL
		CALL
		331
		886

IBM is T.M. of International Business Machines/CompuPro is a Godbout Company

We Sell Entire Line Of Most Companies
Call For Latest Prices, Shipping & Availability
Factory Warranties - WE BEAT PRICES!

WHICH COMPUTER IS BEST? - FREE BROCHURE



4167 Kivett Dr., Jamestown, North Carolina 27282
Phone: (919) 883-1105 or (919) 889-4577

Prices & Specifications subject to change

EVENT QUEUE

Sponsored by the Electronic Motion Control Association. Contact EMCA Headquarters. Suite 1200, 230 North Michigan Ave., Chicago, IL 60601. (312) 372-9800. *September 10-11*

● ELECTRONICS SHOWS

Midcon 84 and Mini/Micro Southwest 84, Dallas, TX. Concurrent conferences exploring practical applications and the state of the art of electronics, including computers, graphics, and networks. Contact Electronic Conventions Management, 8110 Airport Blvd., Los Angeles, CA 90045. (213) 772-2965. *September 11-13*

● UNIX EXPOSITION

UNIX Systems Expo/84, Convention Center, Los Angeles, CA. Exhibits from more than 200 vendors of UNIX-related products and services, as well as presentations and panel discussions. Contact Computer Faire Inc., 181 Wells Ave., Newton, MA 02159. (617) 965-8350. *September 11-14*

● EUROPEAN COMPUTER

GRAPHICS, Eurographics '84—The Fifth Annual European Computer Graphics Congress, Copenhagen, Denmark. A congress with an international lineup of speakers and product exhibits. Contact Kenness International, 1 Park Ave., New York, NY 10016. (800) 235-6400; in New York, (212) 684-2010. *September 12-14*

● SOFTWARE EXPO

The Fifth Annual Software/Expo. Hyatt Regency, Chicago, IL. A conference and exposition. Contact Software/Expo, Suite 205, 2400 East Devon Ave., Des Plaines, IL 60018. (312) 299-3131. *September 12-14*

● TECHNOLOGY FOR

DISABLED, Computer Technology for the Handicapped, Raddison South Hotel, Minneapolis, MN. A national conference and exhibit for special education, rehabilitation, and medical professionals. Presentations and workshops. Registration is \$150 before September 1; \$175 after. Admission to the exhibit floor only is \$3. Contact Closing the Gap, POB 68, Henderson, MN 56044. (612) 665-6573 or (612) 341-8299. *September 13-16*

● GULF COAST COMPUTING

The Heart of Texas Computer Show, Bayfront Plaza, Corpus Christi, Seminars and displays. Contact Heart of Texas Computer Show, POB 12094, San Antonio, TX 78212. (512) 681-2248. *September 14-16*

● PEOPLE AND COMPUTERS

The 1984 SME World Congress on Human Aspects of Automation, Hotel du Parc, Montreal, Quebec, Canada. Contact Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121. (312) 271-1500, ext. 369. *September 16-19*

● COMPUTERS AND MODERN

WORLD, COMPCON Fall 84, Hyatt Regency Crystal City, Arlington, VA. Tutorials, panels, demonstrations, sessions, and papers will explore the theme "Small Computer (R)Evolution." Contact COMPCON Fall 84, IEEE Computer Society, POB 639, Silver Spring, MD 20901. (301) 589-8142. *September 16-20*

● MEDICINE, BIOLOGY,

ENGINEERING, The Thirty-Seventh Annual Conference on Engineering in Medicine and Biology, Los Angeles Hilton, Los Angeles, CA. Papers, short courses, and scientific and commercial exhibits will be featured. Contact The Alliance for Engineering in Medicine and Biology, Suite 402, 4405 East-West Highway, Bethesda, MD 20814. *September 17-19*

● ADA WORKSHOP

Future Ada Environment Workshop, Miramar Hotel By-the-Sea, Santa Barbara, CA. Workshops, addresses, presentations, working groups, and discussions. Registration: \$400 to \$700 depending on room choice. Contact ACM AdaTEC Future Ada Environment Workshop, TRW R2/1134, One Space Park, Redondo Beach, CA 90278, or register directly with Carolyn Gannon, GRC, POB 6770, Santa Barbara, CA 93160. *September 17-20*

● KENTUCKIANA EXHIBITION

CompuFest '84, Commonwealth Convention Center, Louisville, KY. Computer consultant services and approximately 100 hardware, software, peripheral, and word-processing system vendors will display exhibits.

(continued)



5 1/4" DISK CONTROLLER

KEY FEATURES

- Full sector buffering
- Logical sector addressing
- Multiple sector, cylinder operation
- 11 bit burst ECC
- Self-diagnostic capability
- Automatic sector alternation for the defective sectors
- Automatic Error Retry
- Industry Standard SASI I/F

National Computer Ltd.

UJASON OFFICE IN CALIFORNIA
PHONE: (408) 734-1006 FAX: (408) 744-0709

AKESONO BLDG. 2-6-12 IWAMOTO-CHO
CHYODA-KU, TOKYO, JAPAN
PHONE: (03) 863-6705 TLX: J27542
FAX: (03) 864-4581

NOW! Choose From 3 Hard Disc Drive Systems That Convert Your IBM* PC To Perform Like The PC XT!

Our Winchester Hard Disc Drive Systems offer 10 Mega-bytes of formatted capacity, are internally installed and use available power!

Maynard Electronics introduces three Winchester Hard Disc Drive Systems — the only drive systems to offer you 10 Mega-bytes of formatted capacity with complete internal installation! These systems offer the user countless benefits and features: capability of booting off the hard disc; additional functions while requiring only one card slot in your PC; and, use of available power, thereby preventing overheating problems which have affected other drives. Handling heavyweight data was never easier.

All three systems are quality engineered and work with DOS

2.0 without any special software drivers and also run with other operating systems designed to make use of the XT hard drive system. All you need is the IBM* DOS 2.0 Manual and you're ready to run!


Each system is equipped with a low-power hard disc drive, complete software, cable, a SandStar™ Card and Hard Disc Controller Module. SandStar™ is the first family of modular peripherals created for the IBM* PC. Simple instructions for easy installation are included and all components are backed by an Unconditional One Year Parts and Labor Guarantee.

WS 1



This System is equipped with the SandStar™ Multi-Function Card. In addition to the Hard Disc Controller Module, you can add up to three other SandStar™ modules while using only one card slot. The following modules are available: Serial Port, Parallel Port, Clock Generator, Game Adaptor, and Prototyping Module.

WS 2




This System is equipped with the SandStar™ Floppy Drive Controller Card. The Card can control, in addition to the Hard Disc Drive, two floppy drives mounted inside your PC and optionally two additional 5 1/4" or 8" drives mounted externally. This leaves three system slots for other expansion boards.

WS 3



This System is equipped with the SandStar™ Memory Card. In addition to controlling the Hard Disc Drive, the Memory Card allows you to add 64K bytes to 576K bytes of memory using only one card slot.

Expand your PC to perform like the PC XT, one of our Winchester Hard Drive Systems is right for you. And if you have already made the decision to install any of Maynard's SandStar™ Cards, the SandStar™ Hard Disc Controller Module may be purchased separately. ORDER, CONTACT YOUR LOCAL DEALER OR DISTRIBUTOR.



MAYNARD
400 East Semoran Blvd.
Casselberry, Florida 32707
305/331-6402

We make modern times better.


ELECTRONICS

**NOW!
Compatible
with
COMPAQ! ****

Circle 202 on inquiry card.

*IBM is a trademark of the International Business Machines Corporation.
**COMPAQ is a trademark of the Compaq Computer Corporation.

DISCOUNT PRICES COMPUTERS & EQUIPMENT

COMPUTERS		EQUIPMENT	
			
			
			
			
			
			
			
			

Since 1978
2803 Thomsville Road East
Colum, Georgia 31728
(913) 377-7200
1-800-841-0860



NOT ANOTHER BLACK BOX

A Software Implementation within Your Product Hardware

If you manufacture a computer system or a computer based product, allow it to EMULATE/COMMUNICATE by installing one or more of Systems Strategies "C" Language based communication packages.

- 3270 SNA/SDLC Emulation
- 3270 BSC Emulation
- 2780/3780/HASP Emulation
- X.25 Levels 1, 2, 3 Communication

You can purchase these "C" Language packages with source code and license to distribute in your hardware product. Each package is available either "Port it Yourself" with instruction manual and training or ported to your hardware by Systems Strategies' communications staff.

**Systems Strategies/Advanced Technology Division
Specialists in Data Communications Software**



Systems Strategies Inc.
225 West 34th Street
New York, New York 10001
(212) 279-8400

EVENT QUEUE

Technical sessions will be offered. A full day's worth of seminars costs \$15. Registration fee is \$2. Contact the Kentucky Society of CPAs, 310 West Liberty St., Louisville, KY 40202. (502) 589-9239. *September 18-20*

● **PARISIAN COMPUTING**
The Thirty-Fifth SICOB—International Exhibition of Data Processing, Teleprocessing, Communication, Office Procedures, and Office Systems. CNIT, Paris-La Défense, Paris, France. Microprocessing and videotex will be major highlights of the exhibition. International visitors presenting their passports will have a special reception room. Some of the congresses and conferences will feature simultaneous interpretation in English and French. Contact International Trade Exhibitions in France, 8 West 40th St., New York, NY 10018. (212) 869-1720. *September 19-28*

● **EDUCATIONAL CONFERENCE**
The First North Carolina Educational Microcomputer Conference. Benton Convention Center and Hyatt Hotel, Winston-Salem. Educational sessions, hands-on workshops, and product displays. A network of various computers will be set up. Contact Jeanette Gann, NC Regional Education Center, POB 21889, Greensboro, NC 27420. (919) 379-5764. *September 20-21*

● **DOCUMENTATION METHODS**
How to Document a Computer System. Holiday Inn—Thomas Circle, Washington, DC, and Hyatt Cherry Hill, Cherry Hill, NJ. A series of documentation procedures will be presented. The fee is \$155. Contact Technical Communications Associates, Suite 210, 1250 Oakmead Parkway, Sunnyvale, CA 94086. (800) 227-3800, ext. 977; in California, (408) 737-2665. *September 21 and September 24, respectively*

● **PACIFIC COAST FAIR**
The Fifth Annual Pacific Coast Computer Fair. Robson Square Media Centre, Vancouver, British Columbia, Canada. This event

features exhibits, user-group displays, and more than two dozen speakers. Workshops, presentations, and panels will discuss the Apple Macintosh, MS-DOS, software and hardware marketing, publishing, Modula-2, and graphics. Admission is \$4 per day. Contact Pacific Coast Computer Fair Association, POB 80866, South Burnaby, British Columbia V5H 3Y1, Canada. (604) 581-6877. *September 22-23*

● **GRAPHICS STANDARD COURSE**. Introduction to GKS. Hyatt Regency Hotel, Austin, TX. A course on the Graphics Kernel System (GKS) standard. The fee is \$495. Contact Nova Graphics International Corp., 1015 Bee Cave Woods, Austin, TX 78746. (512) 327-9300. *September 24-25*


● **ASIAN COMPUTER SHOW**
The Fifth South East Asia Regional Computer Conference and Exhibition and Hong Kong Computer 84. Hong Kong Exhibition Centre, China Resources Building, Wanchai, Hong Kong. Contact Cahners Exposition Group, 7315 Wisconsin Ave., POB 70007, Washington, DC 20088. (301) 657-3090. *September 24-27*

● **COMPUTERS, COMMUNICATIONS, AND CONTROL**
Eurocon 84—The Sixth European Conference on Electrotechnics, Brighton, England. A conference that seeks to identify the impact of computer-based technology on communications and control. Contact Manager, Conference Services, Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, England; tel: 01-240 1871, ext. 222; Telex: 261176. *September 26-28*

● **MID-ATLANTIC SHOW**
The Fifth Annual Mid-Atlantic Computer Show and Office Equipment Exposition. Convention Center, Washington, DC. Contact CompuShows Inc., POB 3315, Annapolis, MD 21403. (800) 368-2066; Annapolis (301) 263-8044; Baltimore, 269-7694; District of Columbia, 261-1047. *September 27-30.* ■

IF YOU WANT your organization's public activities listed in *BYTE's* Event Queue, we need to know about them at least four months in advance. Send information about computer conferences, seminars, workshops, and courses to Event Queue, *BYTE* Publications, POB 379, Hancock, NH 03449.

THE MOST IMPORTANT DECISION YOU WILL MAKE ABOUT YOUR IBM PC IS WHAT TO PUT INTO THESE SLOTS.



QUADBOARD BRINGS OUT THE BEST.

Quadboard, the multifunction board from Quadram brings out the best. It's the board that's been around the longest. And just keeps on getting better.

EXPANDABLE TO
384K

THE PERFECT "10"

Quadboard doesn't waste space. It combines 10 of the most needed PC functions onto one board to leave lots of room for expansion. You get all this:

1. **Memory expansion to 384K** in increments of 64K with full parity checking standard.
2. **A parallel port** for printers and other parallel devices (addressable as LPT1 or LPT2).
3. **A serial port** (RS-232C adapter) for plotters, modems, letter quality printers and other serial devices.

4. **A game port** for joy sticks and paddles.
5. **An I/O bracket** to organize expansion port connectors.
6. **A battery powered chronograph** for an up-to-date internal clock/calendar.
7. **QuadRAM Drive*** to set up multiple RAM drives in memory.
8. **MasterSpool*** for a software print buffer.
9. **Qswap*** to swap printers without changing cables.
10. **MasterCache*** a disk caching system that speeds up programs that frequently read data from a disk.

THE SOFTWARE MASTER.

Part of Quadboard's success is QuadMaster II, the best utility software package around. The one that's updated regularly to help you get more than ever out of your PC. No other combination can offer you more.

QUADBOARD® THE PERFECT DECISION

A QUALITY DECISION.

Quadboard is the number one option board for the IBM PC. First in performance, dependability and reliability. It all adds up to Quality, from Quadram. A company you can count on today. And tomorrow.




Before you fill another slot, consider Quadboard by Quadram. It's the best board for the job.

*Included as part of QuadMaster II software.

© COPYRIGHT 1984 QUADRAM CORPORATION
ALL RIGHTS RESERVED
QUADBOARD IS A REG. TRADEMARK OF QUADRAM CORPORATION.

IBM PC, and IBM PCXT are registered trademarks of International Business Machines Corporation.

QUADRAM TM
An Intelligent Systems Company

4355 International Blvd./Norcross, Ga. 30093
(404)923-6666/TWX 810-766-4915 (QUADRAM NCRS)

INTERNATIONAL OFFICES

Interquadram Ltd. 442 Bath Road, Slough, England SL1 6BB
Tel 6286-63865 Tlx 847155 Aurema G Interquadram GmbH
Fasanenweg 7, 6092 Keisterbach, West Germany Tel 6 107-3089
Tlx 417770 Seva G Interquadram s.a.r.l. 41, Rue Ybry, 92522 Neuilly
Tel 758-1240 Tlx 630842 Iso Eur Cheveo Computing 6581 Kinnaird
Road, Mississauga, Ontario, Canada L5N-2X5 Tel: 416-821-7600

The TeleVideo IBM PC

The best hardware for



TeleVideo versus IBM. Make a few simple comparisons and you'll find there is no comparison.

RUNS IBM SOFTWARE.

With the TeleVideo® IBM Compatible line—PC, XT and portable computers—you'll get the most out of all the most popular software written for the IBM® PC—more than 3,000 programs.

Because every TeleVideo Personal Computer offers the highest level of IBM compatibility on the market

THE BEST HARDWARE FOR THE BEST PRICE.

Features	Tele-PC	IBM PC	Tele-XT	IBM XT
Monitor	YES	OPTIONAL	YES	OPTIONAL
Screen Size	14"	12"	14"	12"
Tilt Screen	YES	NO	YES	NO
Quiet Operation	YES (NO FAN)	NO	YES	NO
Memory	128K	128K OPTION	256K	256K OPTION
Graphics Display (640x200 resolution)	YES	OPTIONAL	YES	OPTIONAL
Printer Port	YES	OPTIONAL	YES	OPTIONAL
Communication Port	YES	OPTIONAL	YES	YES
MS™-DOS/BASIC™	YES	OPTIONAL	YES	OPTIONAL
System Expansion Slot	YES	YES	YES	YES
RGB and Video Port	YES	OPTIONAL	YES	OPTIONAL
Typical System Price	\$2995	\$3843	\$4995	\$5754

compatibles. the best software.

and has the standard — not optional — features you need to take full advantage of every job your software can do.

Study the chart at the left. It proves that TeleVideo — not IBM — offers the best hardware for the best price.

Note that TeleVideo's ergonomic superiority over IBM extends from fully sculpted keys and a comfortable palm rest to a 14-inch, no glare screen that tilts at a touch.

THE BEST MICROCHIPS.

What is perhaps most impressive about the TeleVideo IBM PC Compatible can be found deep within its circuitry. We use the same 8088 central processing unit that runs an IBM PC. But we also employ new VLSI (Very Large Scale Integration) microchips that are designed and built exclusively for TeleVideo.

These interface more efficiently with the powerful 8088 and yield numerous benefits.

For example, our tiny custom chips do the work of many of the larger, more expensive circuit boards in an IBM PC. So we can offer a computer system that comes in one attractive, integrated case, is ready to run and occupies less desk space. A computer that edges out IBM's added-cost component system for reliability, ease of service and purchase simplicity.

Fewer circuit boards to cool also allowed us to eliminate the noisy, irritating fan IBM and most other PCs force you to put up with. And TeleVideo compatibles accept



THE BEST PORTABLE FOR THE BEST PRICE.

Features	TPC II	COMPAQ
High Capacity Storage	YES	NO
2nd Disk Drive	YES	OPTIONAL
Quiet Operation (No Fan)	YES	NO
Ergonomic Display	YES	NO
Communication Port	YES	OPTIONAL
International Power Supply	YES	NO
MS™ DOS 2.11	YES	NO
Graphics Display	YES	YES
Typical System Price	\$2995	\$3710

any IBM hardware options without modification.

THE BEST LINE.

But the Tele-PC is only one element of the TeleVideo IBM PC Compatible line.

The TeleVideo XT is the best hardware for users of popular IBM XT software who would appreciate an extra 10 megabytes of storage capacity along with the advantages listed on the preceding chart.

As the chart above demonstrates, our portable IBM compatible computer, the TPC II, is far and away better hardware than COMPAQ™ Better hardware — standard — at a better price.

THE BEST MANUFACTURER.

The TeleVideo IBM PC Compatible line is made by the world leader in multi-user computer systems and the number one independent manufacturer of terminals.

Our compatibles are available at participating ComputerLand and Entré (call 800-HI-ENTRE) dealers or you may call 800-538-8725 for the dealer nearest you. In California, call 800-345-8008.

Before you invest, make a few simple comparisons. You'll find that TeleVideo — not IBM or COMPAQ — has the best hardware for the best software. At the best price.

IBM is a registered trademark of International Business Machines. MS is a trademark of Microsoft Corporation. CVI Basic is a registered trademark of Microsoft Corporation. COMPAQ is a trademark of COMPAQ Computer Corporation.



TeleVideo®
Personal Computers
• TeleVideo Systems, Inc.

Circle 303 on inquiry card.

The BDS C Compiler . . . "Performance: Excellent. Documentation: Excellent. Ease of Use: Excellent."

That's what *InfoWorld* said when we introduced the BDS C Compiler four years ago. Today, the updated **BDS Version 1.5** is even *better*.

First, the BDS is still the *fastest* CPM/80-C compiler available anywhere.

Next, the new revised user's guide comes complete with tutorials, hints, error messages and an easy-to-use index — the perfect manual for beginner or seasoned pro.

Plus, the following, all for *one price*: Upgraded file searching ability for all compiler/linkage system files. Enhanced file I/O mechanism that lets you manipulate files anywhere in your system. Support system for *float* and *long* via library functions. An interactive symbolic debugger. Dynamic overlays. Full source code for libraries and run-time package. Sample programs include utilities and games.

Don't waste another minute on a slow language processor. Order now.

Complete Package (two 8"SSDD disks, 181-page manual): \$150. Free shipping on prepaid orders inside USA. VISA/MC, C.O.D.'s, rush orders accepted. Call for information on other disk formats.

BDS C is designed for use with CPM/80 operating systems, version 2.2 or higher. It is not currently available for CPM/86 or MS-DOS.



BD Software, Inc.
P.O. Box 2368
Cambridge, MA 02238
(617) 576-3828

BYTE'S BUGS

Readers Catch Bugs in Real-Time Article

The lengthy code accompanying Dr. David K. Broadwell's article "Real-Time Clocks and PC-DOS 2.0" (January, page 442) received considerable scrutiny from BYTE readers. One reader, Larry Waibel, caught a bug in the INIT (i.e., initialization) code at the end of Dr. Broadwell's system clock/driver program, which is based on the IBM PC macro-assembly language. In an attempt to pass to the operating system the end of the permanent part of his program with an offset of 0 and the breakpoint in the segment register. Dr. Broadwell added a few bytes to the segment

register. The result was that the program gobbled up 12K bytes of extra memory. The fix is shown here in listing 1.

Listing 2 shows you how to maneuver the INIT section to force it to a paragraph boundary and an offset of 0.

Another problem occurs because the operating system will try to verify its Write to the clock chip after the VERIFY-ON command is executed. This issues a command to output with verify to the driver. Bill Anderson suggests a fix: Remove the OUT_VERIFY: label from the Error Return Stack and place it adjacent to OUTPUT.

Listing 1. The excessive appetite of the INIT code section of Dr. Broadwell's program can be curbed with this patch.

```
INIT:
MOV DX,OFFSET INIT
MOV ES:BR__ADDR_0|BX|DX      :OFFSET OF END
MOV ES:BR__ADDR_|BXZ|CS     :SEGMENT OF END
:make that the break address
```

Listing 2. The INIT section can be forced to a paragraph boundary and an offset of 0 passed using these maneuvers.

```
CSEG SEGMENT PARA PUBLIC 'CODE'
START = $                          : gives paragraph bound for
                                   ref
.
.
.
IF ($-START) MOD 16                 :adjust to para boundary
ORG ($-START + 16 - (($-START) MOD 16))
ENDIF

INIT:
PUSH CS
POP AX
MOV DX,OFFSET INIT                 :get bytes to here
MOV CL,4                           :get ready for div by 16
SHR DX,CL                          :convert to paragraphs
ADD AX,DX                          :plus current code segment
MOV ES:WORD PTR BR__ADDR_0|BX|0
MOV ES:BR__ADDR_|BX|AX
etc
```

Communications Failure

An editing error resulted in an inaccurate description of the Frobo-Development System in May's What's New (page 514). It works in conjunction with the ColecoVision console to develop prototype software. Its cartridge adapter will operate on either the ColecoVision console or the Adam computer. Any program in the interface unit can be read, modified, and run through the

ColecoVision. The system allows users to access the ColecoVision's memory space and I/O channels, and the manual provides information and a disassembled listing of the ColecoVision's operating system. The 32K-byte interface box plugs into the ColecoVision and not the Adam. A Coleco cartridge, however, may play on either machine. ■

**ONE STOP SHOP
for SERVICE,
SAVINGS, and SATISFACTION**

Call for July Specials !!

<p>PRINTERS</p> <p>Dynak 15X 419 Epson FX-100 679 FX-80 459 RX-80 FT 389 Gemini 10X 259 15X 379 NEC 3550 1829 2030 Call Okidata 92P 439 93P 747 Prowriter 349 HP Ink Jet 499</p> <p>MONITORS</p> <p>Amdak 310A 159 300 135 Princeton HX 12 479 Sakata SC100 Color 259 Taxan Amber 119 Vision 3 449 Zenith 123 12 Green 95 122 12 Amber 95 135 13 Color 459</p> <p>MODEMS</p> <p>Hayes 1200 479 1200B 399 MM //e 210 300 baud 199 Novation Apple Cat 2 259 Promodem 1200 389 Signalman Mark I 81 Mark X 210 X// 275 Volks Modem 300baud 59</p>	<p>PC 64K 2-Drives, Controller Color & Monochrome, Parallel Port \$2399</p> <p>IBM XT \$4295 Call for Special Deals!</p> <p>MONTH'S SPECIALS</p> <p>Juki 6100 \$419 Gemini 10X \$259 Gemini 15X \$379 Word w/Mouse .. \$269 Slim Line Drive Apple/IBM \$189 Videx Ultraterm .. \$179</p> <p>NEW ARRIVAL!! MACINTOSH...\$2995</p> <p>//e 64K CPU, 2 Drives, Controller, 80-Col S SAVE S</p>	<p>IBM PRODUCTS</p> <p>Tandon TM 100-2 199 Panasonic 320K 179 Teac 55B 320K 109 STB Graphix Plus 259 RIO+ 259 Super RIO 279 Microsoft Multiplan 179 Lotus 1-2-3 289 AST 6 Pak 269 Mega+ 269 Quadboard 9K 219 Hercules Graphics Card... 369 Dbase II 379</p> <p>APPLE PRODUCTS</p> <p>Micro Sci A2 Drives 189 Rana Elite I 219 Teac Drive 210 Chison Drive 179 Videx 80 col w/softswitch.189 Ultraterm 179 Grappler+ 119 Grappler Work-alike 69 Buffered 16K 109 16K Ram 50 System Saver Fan 69 Microsoft Prem //e 289 Softcard CPM 229 Multiplan 179 MAC Multiplan 139 Basic 169 Apricorn Serial Card 69 Kuala Graphic Tablet 74 Z-80 Card 59 Ascii Express Professional.89 Maxell S/S 29 D/S 39</p>
<p>WE SUPPORT THESE FINE SYSTEMS: Altos, Apple, Columbia, Compaq, Corona, DEC, Epson, IBM, KayPro, Sanyo, TeleVideo, Zenith, Zorba, and many more.</p>		
<p>Computer Price Club</p> <p>714 841-6160</p> <p>16783 Beach Blvd. Huntington Beach, CA 92647</p>		
<p>MasterCard VISA</p> <p>NO CLUB FEE <small>PRICES SUBJECT TO CHANGE WITHOUT NOTICE CASH PRICE!</small></p>		

WAIT REDUCTION MADE EASY.

You know how hard it is to wait for the printer to finish before using the computer again. It's wasteful! Counter productive!



The solution: simply install Microbuffer™ printer buffer into the system, in seconds. And you can print and process simultaneously.

With one swift command, all printing data is dumped to the Microbuffer—it handles the printer and frees the computer for other functions.

Presto! Instant wait reduction.

Microbuffer II and II+ for the Apple II, II+, and IIe computers.

Microbuffer II comes in either a serial or a parallel version with 16K or 32K of RAM. Microbuffer II+, available with 16K, 32K or 64K, has both serial and parallel capabilities, so you can control two different printers at once. The Microbuffer II+ has on board high resolution graphics routines for 37 popular printers, and all include expanded graphics capabilities and text formatting in addition to the inherent benefit of letting you use your computer while your printer is working.




Microbuffer In-line for virtually any computer/printer combination.

These are stand-alone units that install In-line between virtually any computer and printer.

Besides printer buffering, the In-line serial interface (MBIS) can be used to efficiently transmit data from the computer to almost any device using a serial RS-232C interface. The parallel Microbuffer In-line (MBIP) is built exclusively for parallel interfacing, and works exceptionally well in virtually any parallel computer and any parallel printer.

Each of the stand-alone models have controls for making multiple copies (up to 255). With the pause control, printing may be halted at any point and continued later—it will pick up right where it left off. Even while you are printing copies of a document, additional files can be sent to the buffer and they will be processed in turn. Both



come with either 32K or 64K of RAM, and are easily upgradable up to 256K for processing greater amounts of data.

Microbuffer/E for Epson printers.

Fully compatible with Epson MX, FX, RX, and IBM-PC series printers, these easy-to-install boards simply plug inside the printer.

For parallel interfaces, the Microbuffer models MBP-16K and MBP-64K are available.

For serial interfacing, Microbuffer models MBS-8K and MBS-32/64K are available. The MBS-8K supports both hardware and software (X-ON/X-OFF) handshaking; the MBS-32/64K supports three handshaking configurations (hardware, software X-ON/X-OFF and ETX/ACK).

SO WHAT ARE YOU WAITING FOR?



PRACTICAL PERIPHERALS™

31245 La Baya Drive
Westlake Village, CA 91362 USA
(213) 991-8200 • TWX 910-336-5431

©1983 PRACTICAL PERIPHERALS

★ See us at NCC '84 Booth D3100!

Circle 249 on inquiry card.

JULY 1984 • BYTE 113

MEMORIES · SHOULD · ALL · —BE · MADE · LIKE · THIS— ·

All memories are good memories when they come from Cumana. Available for the Apple, Dragon, British Broadcasting Corporation and IBM personal computers, Cumana slimline disk drives are designed and manufactured to the highest standards to give outstanding performance and quiet operation.

Supplied with an extended 12 months warranty and fully assembled and tested before packaging, Cumana slimline drives are available in single and dual versions. All power and interface cables are supplied with the drives to enable you to plug in, switch on and go!



Cumana, Inc., Orangewood Business Center,
1701 East Edinger, Suite E12, Santa Ana,
CA 92705. Call: (714) 953-7622.

Cumana Ltd., Pines Trading Estate,
Broad Street, Guildford, Surrey, England.
Tel: (0483) 503121. Telex: 859380.

Apple is a registered trademark of Apple Computer, Inc.
The British Broadcasting Corporation Microcomputer is
manufactured under licence by Acorn Computers Limited.
Acorn is a registered trademark of Acorn Computers
International PLC.

Dragon is a registered trademark of Dragon Data Ltd.
IBM is a registered trademark of International Business
Machines Corporation.

Circle 95 on Inquiry card.



Introducing a pocketful of miracles.

It's the new BASF Qualimetric™ 3.5" Micro FlexyDisk®. Its name is a lot bigger than its size, and a lot smaller than its capacity—one astounding megabyte. Our new Micro fits into more than shirt pockets. It fits into several of the hottest new small portable personal computers—like Apple™ Computer's new Macintosh™ and Lisa™ 2 and Hewlett-Packard's HP-150 Touchscreen PC.

The Qualimetric part is what makes our Micro FlexyDisk different from the others that will inevitably follow. It indicates a new standard in design, production, inspection, and testing. This standard enables us to warranty the Micro for a lifetime* No more, no less. In addition, we certify that each bit of every byte on or between every track on each Micro FlexyDisk is 100% error-free. That's

*Contact BASF for a copy of our warranty.

Circle 36 on inquiry card.

because we know, while each Micro FlexyDisk may only cost a couple of bucks, the hours and brain cells you put into it are priceless.

For those occasions when you need more than a pocketful of miracles, we provide a handy and virtually earthquake-proof 5-pack. It's sized to slip easily into your briefcase, handbag, or backpack.

For a plethora of technical details about our new Micro FlexyDisk and even more important information on where to buy it, call toll-free. 1-800-343-4600.

Celebrating 50 years of magnetic recording




BASF


1




2




3





4



6



5



Features

SYMPHONY: A FULL-ORCHESTRA VERSION OF LOTUS 1-2-3 <i>by Rik Jadrnicek</i>	121
A MUSICAL TELEPHONE BELL <i>by Steve Ciarcia</i>	125
THE WEST COAST FAIRE <i>by Jerry Pournelle</i>	136
AN ADA LANGUAGE PRIMER, PART 2: TOOL BUILDING IN ADA <i>by Sabina H. Saib</i>	139
KERMIT: A FILE-TRANSFER PROTOCOL FOR UNIVERSITIES, PART 2: STATES AND TRANSITIONS, HEURISTIC RULES, AND EXAMPLES <i>by Frank da Cruz and Bill Catchings</i>	143

THIS SUMMER'S HOTTEST BATTLE won't be between rival baseball teams or even rival football leagues, but between the purveyors of integrated software. Lotus Development Corporation's Symphony takes on Ashton-Tate's Framework while Ovation Technologies' Ovation, Business Solutions' Jack2, Peachtree's Decision Manager, and many lesser contenders scramble to offer personal computer users more action. To find out what drives this important new technology, we begin examining window-based, multifunction software this month with a product preview of Symphony. Contributing Editor Rik Jadrnicek's examination of Lotus 1-2-3's heir apparent catalogs a list of impressive functions: a future review will assess whether the added capabilities encumber or enhance an already successful product.

This month's trip to Steve Ciarcia's Circuit Cellar finds BYTE's resident tinkerer putting together a sound circuit that can give your telephone a distinctive chime instead of a standard ring. As usual, Steve's work might be a springboard for other projects, such as adding music to a doorbell, dashboard, or digital alarm clock.

The BYTE Computer Show held in Chicago's McCormick Place in May gave Steve Ciarcia and Jerry Pournelle an opportunity to visit and talk with readers. The crowds around the BYTE booth indicated that one or the other of these popular editors was holding court. If you've not yet made it to a consumer-oriented computer show, you'll appreciate Pournelle's feature on the West Coast Computer Faire, held this past March in San Francisco. Jerry reports with his usual flair and eye for interesting products.

The first computer language invented by a committee, COBOL (Common Business Oriented Language), will be 25 years old next year. Labeled archaic by most programmers, COBOL applications nevertheless number in the tens of thousands and constitute the bulk of the nation's data-processing industry output. Will the newest committee-generated language, the Department of Defense's Ada, fulfill a similar legacy 25 years from now? Last month's beginning primer on Ada explored the language's modular, unitized structure and control statements. In this month's concluding installment, author Sabina H. Saib puts together an Ada toolbox of useful functions along with the source code (written in a microcomputer subset of Ada called Janus Ada) of all the examples illustrated in both parts of the series.

Kermit, the file-transfer protocol discussed last month in an Education theme article, is investigated further this month in the second of two installments. Last month's introduction examined how this protocol, developed at Columbia University, facilitates communication among micro-, mini-, and mainframe computers. Frank da Cruz and Bill Catchings discuss states, transitions, and heuristic rules and provide a sample sequence of packets from an actual file transfer.

Next month, we'll have a product preview of Framework and we begin a two-part examination of the new 16-bit version of the 6502 microprocessor as Steve Hendrix chronicles the specs of the 65816. Also, Senior Technical Editor Gregg Williams discusses the use of software toolkits and David Hinnant reports on benchmarking UNIX systems.

—G. Michael Vose, Senior Technical Editor, Features

#1 Rating
(Spreadsheet Configuration)
Auerbach's Index
"... a terrific machine"
Microcomputing May 1984
"... a great bargain"
Computers and Electronics May 1984



We have the lowest prices for Sanyo 550's*

*Our prices this month are lower than any advertised in this magazine for the Sanyo 550/550-2 series. Give us a call - we'll tell you the lowest advertised price and the page No. and our price will be at least \$10 less. To find out why the Sanyo 550 is the "hot" micro of 1984 ask for our new Sanyo brochure.

SANYO

FREE LQ PRINTER




Specials on "4-digit" Sanyo computers. All include dual drives, Basic, Wordstar, Cakstor, Mailmerge, Spellstor and Inforstor. Plus prices include a Sanyo 5000 letter quality printer (may be deducted for \$200 credit). The 1150's have dual 320K drives, the 1250's and 4050's feature 1.2 megabytes of formatted storage.

All Sanyo systems have a full one year warranty on the main board, 90 days on everything else, and can be serviced or over 50 service centers nationwide (quantities limited).

1150 w/CP/M \$1695
1250 w/CP/M \$2095
4050 w/CP/M-86 .. \$2149

ALTOS

XENIX
PHONE SUPPORT



From the lowest-priced dual-floppy multi-user systems to true 16-bit 10 Mhz. multi user systems. Local service available via TRW. We will configure, test and install your systems for an additional charge (call for prices).

580-20 \$3629
580-40 \$5099
586-20 \$5925
586-40 \$7395
8000 Series Call

Columbia Now even lower prices!



Don't buy a clone alone when you can get one with MS-DOS, CP/M/85, Basic, Perfect WriterTM, Perfect SpellerTM, Perfect CalcTM, Perfect FileTM, Fast Graphs, Home Acc't Plus, Space Commanders, a tutorial and nationwide Bell and Howell service. (Prices for 1600 series include video card and keyboard).

V.P. 1600-1 \$2499
Xtra 128K Installed \$100 1600-4 (10mb) \$3695

TERMINALS



ADDS VIEWPOINT \$449
Wyse 50 \$499
Also great prices on the Viewpoint 60, Wyse, Televideo, Altos, Zenith and Qume terminals.

PLOTTERS

HI DMP-29 \$1795
HI DMP-40 \$745
HI DMP-41 \$2340

MODEMS

Password 300/1200 \$309
Hayes 1200 \$509
Hayes 300 \$209
Mark XII \$249

NEC PC-8201A \$449

PRINTERS



Tally Spirit \$298
Tally 160/L \$599
Tally 180/L \$777
Okidata 92 \$180 Off
Okidata 93 \$280 Off
Plug N' Play FREE
Gemini 10X \$115 Off
Gemini 15X \$140 Off
Prism 132
all opts. \$1449
Toshiba 1351 \$1515
Epson Call

Scottsdale Systems Ltd.

617 N. Scottsdale Road, Suite B, Scottsdale, Arizona 85257



(602) 941-5856



Call 8-5 Mon.-Fri. Closed July 1-8 for Summer Vacation



We participate in arbitration for business and customers through the Better Business Bureau of Maricopa County

SERVICE/ORDERING

INTEGRATION: Prices listed are for new equipment in factory sealed boxes with manufacturer's warranty. We will pretest your equipment, integrate your system, configure your software, provide special cables, etc. for an additional charge. Call for prices.

ORDERING - MAIL ORDER ONLY: If you plan to visit us call for an appointment. Prices listed are for cash and include 3% cash discount. No C.O.D.'s or A.P.O.'s. We sell on a Net 30 basis to Fortune 1200 companies and Universities. P.O.'s add 2%/Visa, Mastercard add 3%. Az. residents add 6%. Prices subject to change, product subject to availability. Personal/Company checks take 3 weeks to clear, 0-20% restocking fee for returned merchandise. Shipping is extra - products are f.o.b. point of shipment. Software is sold only with systems and is not warranted for suitability. Registered trademarks: Wordstar, MicroPro International, CP/M and MP/M Digital Research, Televideo-Televideo Systems, Inc.

LETTER QUALITY

Silver Reed 500 \$409
Silver Reed 550 \$529
Diablo 630 \$1669
NEC 2030 \$675
NEC 3550 \$1595
NEC 7710 \$1735
DTC 380Z \$995
Juki 6100 \$449

COLOR MONITORS

Princeton HX-12 \$489
Zenith ZVM-103 \$449
Amdek Color 1 \$274
Roland CB-141 \$319



OKIDATA

Now you can have twice the resolution of an Okidata 92 for about the same price. Buy an Okidata 82 at the retail price of \$349 and we'll install an OK-Writer enhancement for \$70. You'll have the perfect double duty printer with 120 c.p.s. in draft mode and on 18x17 resolution in correspondence mode - plus a serial port. Call for print sample. OKI 82 w/Ok-Writer \$419



SYMPHONY

A FULL-ORCHESTRA VERSION OF LOTUS 1-2-3

BY RIK JADRNICKEK

Photo 1: A three-window display highlights Symphony's ability to depict a spreadsheet, document, and graph in color on the screen at the same time.



Editor's Note: The following is a BYTE product preview. It is not a review. We provide this advance look at this new product because we feel it is significant. A complete review will follow in a subsequent issue.

Symphony is a full-fledged integrated package created by Lotus Development Corporation. The name is an allusion to the original product's likeness to a chamber music group, while the new one's features are numerous and varied. It is priced at \$695 and current Lotus 1-2-3 users can upgrade to Symphony for \$200.

I am an experienced Lotus 1-2-3 user and I recently secluded myself in a room with a large pot of coffee, an IBM PC, and Symphony. Here is what I discovered.

In a nutshell, Symphony includes and improves upon the Lotus 1-2-3 spreadsheet, graphics, and database capabilities while adding new word-processing and data communications environments. All this is enhanced by powerful macro files and the Symphony command language.

THE MASTER ENVIRONMENT

A 256-column by 8192-row spreadsheet is the master environment for the SHEET (spread-

(continued)

Rik Jadrnickek is president of Micro Flow (POB 1147, Mill Valley, CA 94942), a microcomputing consulting firm. When he isn't writing or playing with micros, Rik likes sailing and traveling.

sheet), DOC (word processing), GRAPH (business graphics), COMM (data communications), and FORM (database) subenvironments of Symphony.

Like Lotus 1-2-3, the whole work environment is still memory-bound. With a 256K-byte IBM PC, Symphony showed 187,270 bytes free for modeling. I was able to fill 8 columns by 1925 rows with an 8-digit number (that's 29 single-spaced, typewritten, 8½ by 11 pages)—to take full advantage of Symphony. I would need more RAM (random-access read/write memory). (*Lotus recommends a minimum of 320K bytes of RAM for Symphony.*—Eds.)

You can create and name any number of windows overlooking this workspace. Each window can operate as one subenvironment (for example, as a spreadsheet). The same window can then be changed to another subenvironment. Within the same window you might start out typing a letter, then change that window environment to a spreadsheet to enter some formulas, then change back to the document environment to continue the letter.

Window names can be up to 15 characters long and include spaces. The layout of the windows can be as small as one character or as large as the screen. They can be freely moved around the screen and can be piled on top of each other like papers on a desk-top, or even filed away for later use. While paging from one window to the next, you can zoom into the window of your choice, making it fill the monitor screen. You can even completely eliminate window borders or you can change them to solid lines to give your integrated model a customized appearance.

Since all the windows and subenvironments you create overlook one master environment, the entire scenario is interactive. At your option, any changes you make in one window will be reflected in the others. In fact, in the process of developing formulas you can move from window to window picking up variables. Different windows can be formatted independently, and you can restrict the area they look upon. It's easy to switch among various environments, share data among environments, and use several environments simultaneously, thus achieving a high level of integration.




Photo 2: A full complement of Symphony menus, beginning with a start-up menu followed by spreadsheet, communications, word processing, database, graph, and a window-management menu.




Photo 3: A text sample in a word-processing window.

SERVICES AND ENVIRONMENT MENUS

Most of the commands used with Symphony are divided into two groups: services and menus. Pressing the F10 key on the IBM PC will present a set of tiered menus for the current active environment. For example, if you are in a window with the spreadsheet environment active, pressing the F10 key will give you access to the commands pertaining only to spreadsheets. A window with the DOC environment active would display the command menu used for word processing. The menus are therefore less complex and more focused on the task at hand.

Pressing the F9 key on the IBM PC displays the service menu giving you access to the commands common to all windows. You can then manipulate windows or disk files and configure the printer or program defaults. Within the services menu, cells can be protected and the entire worksheet can be locked against the editing of protected cells. A user-defined password is needed to unlock the spreadsheet.

Special application utilities can be attached to Symphony from the services menu. One such application is the DOS (disk operating system) window. This enables you to return to DOS with two keystrokes. When you execute those two keystrokes, the screen blanks and the A > prompt appears. You can run DOS utilities or even another program, RAM permitting. Typing "exit" at the A > prompt takes you out of DOS and returns you to Symphony.

SETTING SHEETS

Symphony lets you create Setting sheets to hold default values for printer settings and characteristics of the various environment windows. For example, you can create and store a variety of Setting sheets, each describing a different printer or printout format. A catalog of the sheets is kept for your review and selection for different applications. Communications parameters, database designs, graph specifications, word-processor formats, and spreadsheet characteristics all have Setting sheets.

The sheets are filled out by selecting options from menus similar to the command menus. When making the choices, the screen goes blank briefly and the Setting sheet reappears to reflect the changes. Each sheet created serves as a recap and can be dynamically updated, so you are seeing all values and changes as they are made. The use of Setting sheets further simplifies use of the program.

The special numeric pad keys have been put to good use in Symphony. All of them are used and the functions they perform are consistent from environment to environment. The scroll key actually warrants scrolling. In the document environment, it permits jumping 25 percent of a page in horizontal and vertical directions. In the spreadsheet environment, you can easily move to the end of data, column, or row. Lotus Development makes good use of the special keys on the IBM PC, especially the function keys (see figure 1). This,

Most commands are divided into two groups: services and menus.

coupled with the more focused menus of Symphony, speeds up the process of model building considerably and minimizes confusion.

THE SPREADSHEET ENVIRONMENT

The spreadsheet capabilities of Symphony are certainly not diluted. Lotus 1-2-3 is in full force and includes some new tricks. Global formats, recalculation order (including iteration count), title fixes, and global column widths are now conveniently displayed together in a Setting sheet. As you change the values, the full-screen Setting sheet changes dynamically—a real treat.

Remember that any window can become a spreadsheet environment and all windows are viewports onto the same master spreadsheet. When in the spreadsheet environment, only the menu items necessary for spreadsheet development are presented. Copying, moving, and erasing cells, ranges, and blocks is a breeze. Direct access is given to spreadsheet-oriented graphics and database commands to develop the Setting sheets for those environments (see graphics and database environments).

(continued on page 372)




Photo 4: A Setting window for communications parameters.




Photo 5: A Symphony database form.

The lean, mean plotting machine from Houston Instrument


Houston Instrument's brand new servo driven DMP-51 is the fastest drum plotter we've designed to date. This superb plotter offers a pen speed of up to 22 inches/second; programmable accelerations, and a pen-on-paper resolution of 1/1000 of an inch! That means you'll turn out quality 17" x 22" and 22" x 34" drawings a lot faster, increasing your firm's productivity and profitability.

Now, for more good news. The DMP-51, priced at \$4,495*, is as fast as other plotters costing three times more. At that price, you can afford to put a DMP-51 at individual drafting work stations.

This is the professional plotter that meets the needs—and the budgets—of all companies, large or small.

The DMP-51 is intelligent, too. The DMP-51 can execute complex graphics operations from the simplest commands. A mechanical/architectural version, the DMP-52, with its 18" x 24" and 24" x 36" paper size, is available for the same price from Houston Instrument.

So, watch our new plotter in action . . . it won't take much time to realize it's the best buy for your money. For the name, address and phone number of your nearest dealer or distributor, write Houston Instrument, 8500 Cameron Rd., Austin, Texas, 78753. You can also call 1-800-531-5205 or 1-512-835-0900 (Texas residents). In Europe, contact Houston Instrument Belgium NV, Rochesterlaan 6, 8240 Gistel, Belgium. Tel: 059-27-74-45. Tlx: 846-81399.



*Suggested U.S. retail price

4P014

**houston
instrument**

Circle 155 on inquiry card.



C·I·A·R·C·I·A'S C·I·R·C·U·I·T C·E·L·L·A·R

A Musical Telephone Bell

Personalizing
the sound
of your
telephone

BY STEVE CIARCIA

About a month ago, I was visiting an IC (integrated circuit) manufacturer that produces a line of communication and voice-synthesis chips, among others. I was there to get some firsthand information on some new chips that will be the heart of a low-cost Circuit Cellar voice-recognition project coming later this year.

The visit started like most business meetings I'm used to: it included a tour of the facility, discussions with the technical staff, and lunch. After returning from lunch, a group of us were standing in the corridor adjacent to a large divided office area deciding who should be part of the next meeting when a phone rang in the middle of the room. Everyone immediately stopped talking and looked toward their section of the office as the phone rang again.

They glanced at each other again as one said, "Is that my phone or yours?"

The consensus was, "It must be yours, it doesn't sound like mine."

I watched as all four started walking toward their offices. About halfway there, each one stopped dead and turned around. With a somewhat exasperated sigh, one of them said, "It was George's phone."

"It gets so frustrating. All the bells sound alike, and with the acoustics in here it's impossible to tell whose phone it is unless you're within 10 feet of it."

The others shared the same expression of annoyance as the discussion shifted from electronics-related topics to an area of more immediate concern: Why can't telephone manufacturers make different-sounding bells for phones? It would seem that in a free-enterprise system, adept at producing pet rocks and Cabbage Patch dolls, a custom telephone bell would be trivial.

While I didn't make any pledge to solve this problem, I recognized legitimate concerns and decided to intervene electronically. Therefore, projects on talking robots, automatic houses, and rainmaking machines will have to be put off for another month as I try to build a better mousetrap.

I hope that this month's project will solve the auditory confusion in an office or at least

add a little spice to an otherwise boring telephone. Rather than just ring, the Circuit Cellar Whimsi-Bell plays the first few bars of 25 pre-selected tunes. Instead of hearing an annoying metallic clamor, you can be greeted by the theme to *Star Wars*, or perhaps you would prefer the "William Tell Overture."

Cleverly disguised in this whimsical project is a discussion of the telephone system. My intention is to help you understand characteristics and specifications that govern the telephone products you purchase or the telephone interfaces you might build. It also sets the stage for future Circuit Cellar projects dealing with telephone lines.

Reading between the lines, however, you'll soon realize that the central theme is not musical phones but rather ring detection and auto-answering the phone by computer. It may seem like a trivial consideration, but the environment is hostile and connection restrictions abound. First, a little about the phone system.

THE STATUS QUO TELEPHONE

Essentially, the characteristics of the telephone have been unchanged for 90 years. It originally used a carbon microphone and electromagnetic earphone with a capacitively coupled electromagnetic ringer triggered from a hand-turned magneto. Today's Western Electric phones incorporate many of the same materials, and new electronic phones merely simulate their archaic predecessors. For example, the characteristic impedance of the early Edison phones was 600 ohms, and today's electronic units must still abide by this specification.

The design and use of telephone equipment are dominated by line resistance. When you wish to answer or initiate a telephone call, the only requirement is to place a load across the

(continued)

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. He is the author of several books about electronics. You can write to him at POB 582, Glastonbury, CT 06033.

phone lines (between tip and ring). The handset, or the data-access arrangement (DAA) in either your modem or your auto-dialer, will cause a DC current flow of approximately 25 to 30 milliamperes (mA). A current-sensing relay at the telephone company then signals the system that you are "off hook." If it is an outgoing call, you will receive a dial tone; if it is an incoming call, the ringing will stop and you will be connected to the incoming party.

The on-hook voltage between tip and ring of the telephone line is approximately 48 volts (V) DC. It is generally supplied by a battery from the telephone office and can range from 42.75 to 52.5 V. Tip and ring have nothing to do with the telephone ring itself; they refer to the plugs that the operators used to connect callers many years before automatic dial exchanges. The original system had large arrays of connection jacks with operators who would physically insert patch-cord jumpers between initiating and receiving calls. The two conductor patch cords made their electrical connection to the tip-and-ring portion of the plug. The tip connection was usually ground. (Anything designed for connection to the telephone line should not be polarity sensitive. Polarity is sometimes reversed, and 200V test voltages are sometimes placed on the line.)

Once the line is captured, an off-hook situation exists and a dial tone will be heard in approximately a second. The dial tone actually consists of two tones: 350 Hz and 440 Hz. If you are contemplating building a computer-activated




Figure 1: A simple ring-detector circuit.

automatic dialer, a tone decoder should be incorporated to signal the computer that dialing can commence. It will also signal you when the call has terminated if it was not initiated at your end. (If you want to get elaborate, the awful sound that the phone company blares at you to attract your attention when you forget to hang up a phone consists of four tones: 1400 Hz, 2060 Hz, 2450 Hz, and 2600 Hz. Pulsed at a rate of 5 Hz, it is called the receiver off-hook tone.)

DIALING

Most residential telephones in this country still use mechanical pulse dialers. When you turn and release the telephone dial, the current in the telephone line through the off-hook relay is interrupted by the number of times indicated on the dial position. These dial pulses are issued at approximately 10 pulses per second (pps)—some exchanges will accept up to 21 pps—with

about a 60/40 percent on/off-hook duty cycle. Nine breaks in succession are interpreted as a "9" digit, and three breaks define a "3" digit.

The separation of digits is determined by the *interdigit time*. Any succession of pulses occurring more than 750 milliseconds (ms) after the last pulse are considered part of the next digit. For example, if you send five pulses at 10 pps, wait 200 ms and send three more pulses, the telephone company will interpret this as the single digit "8." If you had waited 750 ms between transmissions, they would have been interpreted as the two digits "5" and "3."

The latest innovation in the telephone system is Touch-Tone, the registered trademark for AT&T's dual-tone multifrequency (DTMF) communication. The pulses go only as far as the local exchange office. From there, and throughout the rest of the telephone system, DTMF tones are used to direct calls.

The advantages of DTMF are increased dialing speed and, more important, the ability to transmit data. DTMF tones are sent with a minimum duration of 50 ms and an interdigit time of 45 ms. A seven-digit number on a pulse-dial system would take 11 seconds versus less than 1 second for DTMF.

I won't dwell on DTMF because it is covered in detail in my "Build a Touch Tone Decoder for Remote Control" on page 42 of the December 1981 BYTE.

THE BUSY AND RING SIGNALS

Again, if you intend to build an auto-dialer at some point, you should incorporate some means to recognize a busy signal. The busy signal consists of two tones, 440 Hz and 620 Hz, that are on for 0.5 second, then off for 0.5 second. Either the tones themselves can be recognized, or the unique 50/50 0.5-second duty cycle can be monitored.

When your telephone rings, it is the result of a high AC voltage being ap-

(continued)




Photo 1: Whimsi-Bell attaches to the tip and ring wires in parallel with your phone.



Sheet Feeders By Rutishauser.

Swiss-Made Quality. Competitive Prices.

Rutishauser. Remember the name. Our precision sheet feeders save you time. And Money. Rutishauser products are made to exacting standards of Swiss craftsmanship. Built to perform. Built to last. Time after time after time. Rutishauser. The very best in document and forms handling equipment... electronic or mechanical... for word and data processing systems.

MECHANICAL SHEET FEEDER (2:00)

Automatic feeding. Simple and easy to install and load. No special software, switches, controls, or adjustments needed.

PROGRAMMABLE DOUBLE BIN FEEDER (11:00)

Flexible control and consistently reliable performance — with or without electronic commands. Operator programmable, with remote/local modes. Also reacts to mechanical or electrical bin selection.

Circle 269 on inquiry card.

BI-DIRECTIONAL FORMS TRACTOR (9:00)

Trouble-free handling for accurate continuous forms feeding. Fits any standard word/data processing printer.

SINGLE BIN SHEET FEEDER (3:00)

One of the most widely used single bin feeders in the world. Automatic. Compact. Lightweight. A powerful microprocessor controls paper position and insertion.

DOUBLE BIN SHEET FEEDER (12:00)

Interchangeable and software compatible with our demand sheet feeder model. Each sheet fed upon command. Ample capacity with room for 450 sheets.

DEMAND SHEET FEEDER (10:00)

Feeds sheets upon command by printer system. Accommodates virtually any size paper or type of form.

FRONT FEED DEVICE (1:00)

Programmed insertion of forms for complex applications. Handles preprinted forms, ledger cards and other single or multipart documents.

Rutishauser sheet feeders are available for leading letter-quality printers. Rutishauser. Swiss standards of lasting value. Call us at (214) 343-9154 (USA) or (00-41-1) 926 46 00 (International). Isn't it... about time?

Rutishauser of America, Inc.
10345 Brockwood Rd.
Dallas, Texas 75238

(An affiliate of Rutishauser Data AG.)

Rutishauser
SWISS QUALITY
Swiss-Made Quality You Can Afford.

If you are building a computer-activated automatic dialer, use a tone decoder to signal the computer.

plied to the telephone lines. The voltage is capacitively coupled to the electromagnetic bell. When you are initiating a call and you hear a ringing in the earpiece, you are not hearing the ringing voltage. Instead, you are hearing a pair of tones, 440 Hz and 480 Hz, used by the phone company for signaling. The on/off duty cycle depends on the exchange being dialed. When the ringing stops, it usually means the call has been completed or that you are irrevocably lost among the trunk lines.

RING DETECTION

The solution to the problem described earlier is a ring detector. Rather than try to change all the bells in an office, it is a relatively simple matter to monitor the telephone line in parallel with the existing phone (with its bell turned low or off) and generate a different sound corresponding to the incoming ring signal. This new sound can be a buzzer, a slightly different bell, or an entirely new electronic signaling device. The actual alerting mechanism is secondary. It is all triggered by a circuit called a ring detector.

The incoming ring is the highest non-test voltage encountered on the telephone line. The normal on-hook condition is a high-impedance state with approximately 50 V DC between tip and ring. When the phone rings (usually 2 seconds on and 4 seconds off), it is because an additional 86 V AC of ringing voltage has been superimposed on the line. This 20 Hz \pm 3 Hz signal is passed through a capacitor to the telephone bell, causing it to ring. While 86 V AC is nominal, the ringing voltage can vary from 65 to 130 V AC, and the DC component can appear as much as 70 V negative.

Because the ringing voltage is so different from other telephone signals, a ring detector is simple in theory to construct. The simplest ring-detector circuit (shown in figure 1) consists of a neon lamp and a phototransistor. Neon lamps such as the NE-2 have a turn-on threshold of about 65 V and therefore would respond only to the higher ringing

(continued)




Figure 2: Texas Instruments CMOS ring-detector chips. (2a) Block diagram of the TCM1501A, TCM1505A, TCM1506A, and TCM1512A versions. (2b) Block diagram of the TCM1520A version.

Your financial records. Confidential plans. Personal correspondence. When you record it on Verbatim flexible disks, you always get back exactly what you recorded. That's because Verbatim disks are certified 100% error-free. And backed by a warranty to assure performance: Verex,[™] 1 year; Datalife,[®] 5 years, Optima Series,[®] 17 years. No wonder one out of every four disks sold is made by Verbatim, making ours the world's best-selling disks.

For your nearest Verbatim dealer, call toll-free 800-538-1793. In California or outside the U.S., call collect (408) 737-7771.

Because Verbatim always handles your most sensitive information with the utmost discretion.



Verbatim.
Nothing's better than a Verbatim response.

Circle 320 on inquiry card.

We'll repeat your most sensitive information word for word.

voltages. When the neon lamp lights, it in turn causes the transistor to conduct and triggers the one-shot.

Variations on this circuit employing LED (light-emitting diode) optoisolators and level-detection circuits are available, but a price is paid for simplicity. The telephone line is not an ideal environment and contains many aberrations that can lead to false triggering by crude ring detectors. Just the action of going on hook or off hook (also called tapping) generates local line transients that are sufficient to cause a neon bulb or LED to fire. We can add more components or compensate for these peculiarities in our communications software, but, fortunately, alternatives exist.

SPECIALLY DESIGNED RING-DETECTOR CHIPS

Texas Instruments produces a line of CMOS (complementary metal-oxide semiconductor) ring-detector chips that offer all the necessary features. (See figures 2a and 2b.)

The normal installation of the ring-detector chip uses a capacitor and a 2.2K-ohm resistor connected between the detector and the line. The network formed by the DC-blocking capacitor, current-limiting resistor, and full-wave bridge rectifier supplies power to the IC from the phone lines. The rectified AC signal is filtered by a 10-microfarad (μF) capacitor attached between pins 6 and 7. The value of this capacitor determines the minimum input voltage and turn-on time of the ring detector. It is also used to suppress response to dial tapping (tapping is a false triggering of the bell due to transient-producing pulses on the phone line, usually from rotary-dial phones).

In use, the ring-detector IC stays in standby mode until the incoming
(continued)




Photo 2: A view inside the Whimsi-Bell prototype. The doorbell synthesizer chip can play 25 different tunes.




Figure 3: A typical ring detector using the TI ring-detector chip.




Figure 4: A two-chip ring-detection circuit that provides an optoisolated ring-detector signal for your computer.

voltage between pins 1 and 8 exceeds 8.9 V (remember, the off-hook condition is a DC voltage on the line, and the series DC-blocking capacitor prevents the ring detector from seeing this voltage). While in standby mode, the impedance is approximately 1 megohm.

When the voltage exceeds 8.9 V, the IC begins to conduct. This energy is not transferred to the load, however, until the input reaches 17 V. Should the input voltage continue to rise beyond a predetermined limit (a transient instead of a true bell signal), an internal high-current SCR (silicon-controlled rectifier)

is triggered. The excess energy is dissipated in the 2.2K-ohm series resistor.

Two versions of the ring detectors are supplied by Texas Instruments. Models TCM1501A, TCM1505A, TCM1506A, and TCM1512A are detector tone drivers intended for use as electronic alternatives to the standard electromagnetic telephone bell. These chips incorporate an oscillator and a power audio-generator section to drive a piezoelectric transducer or speaker. Figure 3 demonstrates a typical circuit.

The TCM1520A is a ring detector only. It has a +5-V output signifying the ring

signal rather than an audio output. The TCM1520A is best utilized in auto-answer modems. Figure 4 demonstrates a two-chip circuit that provides an optoisolated ring-detection signal that can be connected to a computer. When a ring signal is applied, the 10- μ F capacitor charges until it passes the 17-V threshold. At that point, pin 4 outputs +5 V, which in turn drives the LED side of an optocoupler. The illuminated LED causes the transistor portion of the optocoupler to saturate, providing a low true signal to the computer. The computer, on recognizing a valid ring, gives




Figure 6: Block diagram of the General Instrument AY-3-1350 tone synthesizer.

an off-hook signal to the DAA or the modem to answer the phone.

BACK TO THE INITIAL PROBLEM

The office situation described earlier can be easily solved for one or two individuals with the one-chip circuit shown in figure 3. Here, a TCM1512A is used to drive a speaker. The circuit is connected in parallel to an existing phone that has had the bell disconnected or turned down. R1 sets the frequency of the "bell"; R2 sets its volume. When the phone rings, a different kind of bell is heard.

Such a circuit might be useful in some applications. Beyond a few installed in a large room, however, the same confusion would arise. Instead, a more varied signaling device must be employed.

A variety of alternatives comes to mind. Once you've detected the ring, virtually any triggerable event can occur. Initially, I thought it might be cute to attach a voice synthesizer or other equally nonstandard signaling device. However, I'd rather reserve voice synthesizers for more serious purposes. Instead, in the name of cost-effectiveness and mass production, I opted for Whimsi-Bell.

WHIMSI-BELL

The Circuit Cellar Whimsi-Bell, shown in photos 1 and 2 and schematically diagramed in figure 5, combines a ring detector and a sophisticated microprocessor-controlled doorbell synthesizer. The phone is connected to the Whimsi-Bell through a Yjunction phone-line connector. When the phone rings, it plays the first few bars of one of 25 tunes or three chimes. The switch-selectable repertoire is listed in table 1. The circuit also includes an optoisolated output so you can connect the device to a computer as well.

The heart of Whimsi-Bell is the General Instrument AY3-1350 tone synthesizer, which is actually a PIC 1655A 8-bit microcomputer that has been specifically mask-programmed as an electronic doorbell chime. Block-diagramed in figure 6, the PIC 1655A includes thirty-two 8-bit RAM (random-access read/write memory) registers, 512 by 12 bits of program ROM (read-only memory), an on-board oscillator and real-time clock, and 20 I/O (input/output) lines on a single chip. The chip runs on +5 V.

The Whimsi-Bell is powered by a 9V battery and consumes virtually no power until it is triggered by a ring-detect signal from IC2. This signal turns power on to IC1 through O1. O1 is sus-

tained for the musical period regardless of the length of the ring by the on/off signal, IC1 pin 12. The chip shuts itself off when it has concluded playing.

The ring-detect signal is attached to one of three points in the circuit (A, B, or C), depending upon the combination of tones you wish. All 25 tunes are accessible if the connection is to point A. The chimes are selected by opening all the selection switches and connecting the ring-detect input to one of the three input terminals. If A, it will play the Westminster chime; if B, it will play the simple chime; if C, it will play the descending-octave chime.

With the ring-detector connection at point A, where all 25 tunes are available, a particular tune is selected on the 10-position DIP (dual-inline package) switch SW1. SW1 positions 1 through 5 are assigned to selection codes A through E; SW1 positions 6 through 10 are assigned to selection codes O through 4. To select the *Star Wars* theme, D4, positions 4 and 10 would be closed (all others open). Every time the phone rings, that tune will be played.

The 25 tunes average nine notes each. The tunes are stored internally as a series of notes with a stop code following the last note in each tune. Each 8-bit note comprises a 5-bit pitch value and 3-bit duration. Two-and-a-half octaves of notes can be accommodated, with the durations ranging from a sixteenth note to a whole note. (I mention this only because the AY-3-1350 can be configured for external ROM should you care to play the entire "Star-Spangled Banner" when the phone rings. Contact General Instrument for an application note describing this procedure.)

There are two potentiometer adjustments. R10 varies the processor clock speed about 1 MHz to set the pitch. The other adjustment potentiometer, R12, varies the charging time on C7 to set the speed at which the notes are played.

The output of IC1 is a combination of signals. The actual tune output comes from pin 14, while pin 13 serves as an envelope generator to control the volume. A three-transistor amplifier directly drives an 8-ohm speaker.

IN CONCLUSION

This month's project is a little less taxing than the 99-chip Trump Card from the last two months. Nonetheless, ring detection and the telephone system are important subjects for discussion.

While I don't think everyone is going to want a Whimsi-Bell attached to their phone, all the people who have heard

Table 1: Tunes and switch settings for the Whimsi-Bell.

Switch	Tune	Switch	Tune
A0	Toreador	A3	O Sole Mio
B0	William Tell	B3	Santa Lucia
C0	Hallelujah Chorus	C3	The End
D0	Star-Spangled Banner	D3	Blue Danube
E0	Yankee Doodle	E3	Brahm's Lullaby
A1	John Brown's Body	A4	Hell's Bells
B1	Clementine	B4	Jingle Bells
C1	God Save the Queen	C4	La Vie en Rose
D1	Colonel Bogey	D4	Star Wars
E1	Marseillaise	E4	Beethoven's Ninth
A2	America, America		
B2	Deutschland Leid		
C2	Wedding March		
D2	Beethoven's Fifth		
E2	Augustine		

my prototype have been amused enough to want one, if only as a unique conversation piece. More important, I'm encouraged by all the experimenters who have built one of the Circuit Cellar modem projects and see this as a means to add auto-answering.

NEXT MONTH

I'll be answering some of the questions I've been asked about my previous projects. In September, I'll present the Circuit Cellar AC Power Monitor. ■

Editor's Note: Steve often refers to previous Circuit Cellar Articles. Most of these past articles are available in reprint books from BYTE Books, McGraw-Hill Book Co., POB 400, Hightstown, NJ 08520.

Giardia's Circuit Cellar, Volume I covers articles that appeared in BYTE from September 1977 through November 1978. *Volume II* covers December 1978 through June 1980. *Volume III* covers July 1980 through December 1981. *Volume IV* covers January 1982 through June 1983.

To receive a complete list of Giardia's Circuit Cellar project kits, circle 100 on the reader-service inquiry card at the back of the magazine.


The following item is available from

The Micromint Inc.
561 Willow Ave.
Cedarhurst, NY 11516
(800) 645-3479 for orders
(203) 871-6170 for information

Whimsi-Bell kit. Includes printed-circuit board, ICs, and all discrete components, as described in figure 5. Case and battery are not included. \$49

Please include \$3 for shipping and handling in the continental United States. \$10 elsewhere. New York residents please include 7 percent sales tax.

Only one company can show you so many And it isn't IBM.



**Monochrome text. Color graphics.
Even a new super display adapter that provides
the Best of Both, on one board.**

**Connect your PC to peripherals like a
modem or printer, with the added
efficiency of print spooling.**

IBM today sets the standard in personal computers.

But what happens when you want to expand your PC's capability to something beyond standard?

That's when you have to look beyond IBM. To the one company that offers the widest range of products to make your PC work more powerfully, more efficiently.

Persyst.

Display adapters. Persyst introduces a significant technical advance.

Now Persyst redefines the basic utility of display adapters for IBM personal computers.

Our BoB™ super display adapter provides the sharpest text resolution ever as well as brilliant color graph-

ics—the Best of Both—on one board. Plus a unique option that lets you design and download custom programmable character sets.

Meanwhile, for great basic performance, we also offer PC/Monochrome™ and PC/Color Graphics™ display adapters engineered to deliver the same quality as IBM's own standard adapters.

Only Persyst offers you so much choice.

Memory and multifunction boards. Persyst has the most flexible ways to expand your PC.

Here again, Persyst offers a unique array of products to expand your PC beyond the IBM standard.


Want the most capable one-slot multifunction packages available?

Choose either Time Spectrum™ with up to 512K, or Time Spectrum™ SB384 with up to 384K RAM. Other functions include a bidirectional parallel port and async serial ports to link your PC with printers, modems and instrumentation. Calendar clock. Game port. Plus, Wait-Less Printing™ print spooling and Insta-Drive™ RAM disk software.


Want to expand function without adding memory?

Our Timeport™ gives you a calendar clock, bidirectional parallel port and two async serial ports, as well as capability for ROM and static


PC/MONOCROME
DISPLAY ADAPTER



PC/ COLOR GRAPHICS
DISPLAY ADAPTER




BoB SUPER
DISPLAY ADAPTER



TIME SPECTRUM
WITH RAMPAK™



TIME SPECTRUM SB384




ways to expand the power of your IBM PC.



17664	3-08-83	12:00p
560	2-02-84	7:22p
133	1-01-80	12:08a
4	2-16-84	1:34p
273	2-16-84	3:49a
631	2-16-84	3:56a
280	2-22-84	11:24a
172	2-24-84	5:46p
615	2-24-84	5:50p
563	3-01-84	2:25p
1018	3-02-84	9:06a
311296 bytes free		

Memory expansion to let your PC utilize the most sophisticated software.

Productivity features like a calendar clock to date and time stamp your files automatically.



Quality and documentation. Persyst support is built into every product.

All Persyst expansion products include one important extra benefit—Persyst quality.

Each board is fully burned in. Completely system tested. And backed by a limited one-year warranty*.

What's more, award-winning Persyst documentation makes using any Persyst product simple.

Expand all the way from an IBM desktop PC to an IBM intelligent workstation. You can only do it with Persyst.

Persyst is the only resource that offers display adapters. Multi-

function and memory boards. And micro to mainframe communications.

The most complete selection of innovative, technically advanced expansion products to meet your needs today. And tomorrow.

Persyst dealers are ready to serve you. For the one nearest you, call (714) 660-1010.

Persyst Products, Personal Systems Technology, 17862 Fitch, Irvine, CA 92714.

Telephone: (714) 660-1010. Telex: 467864.


RAM. Uniport™ offers a calendar clock and bidirectional parallel port. And our Async Card™ provides two async serial ports.


You can even add synchronous communications to your PC with our Multiple Protocol Communications™ (MPC) controller.



"You can only do it with Persyst."

IBM is a registered trademark of International Business Machines Corporation. Rainbow and DEC are registered trademarks of Digital Equipment Corporation. TI is a registered trademark of Texas Instruments Corporation. *Limited warranty details available with each product or on request.





THE WEST COAST FAIRE

BY JERRY POURNELLE

The lord of the Manor visits his favorite computer show

The West Coast Computer Faire is my favorite computer show; how can a big publishing company like Prentice-Hall put it on the way Jim Warren did?

Of course it can't and it didn't, but in justice, Jim Warren wouldn't have been able to keep it up, either. For better or worse, the micro industry has changed.

Oh, sure, there are still some pretty good products for sale in the little booths along the walls, but there were fewer than in the old days for the simple reason that the big outfits also have a lot of incredible new stuff, and it's a lot harder for a newcomer to compete.

This Faire was to be four days long, with Wednesday as set-up day. I went up Tuesday evening to spend some time with some of the BYTE editors. Wednesday morning I went down to the Faire office. The press room wasn't set up, but I hadn't expected it to be. I went to exhibitor registration and asked for a press badge.

They'd never heard of press badges. Hah, thought I. Changes. Warren always let us get in early. Set-up day is a good time for interviews and private demonstrations before the crowds arrive. These people don't understand that. Ruining the Faire, they are...

Someone sent for David Sudkin. He listened for a mo-

ment, said "Sure!" and produced a big red "TEMPORARY" badge. End of problem. I wandered in to talk to people.

As usual, set-up day is a study in controlled chaos. The big companies like MicroPro, Apple, and IBM have professional set-up crews working with the local San Francisco exposition services people. The smaller outfits are on their own.

At least they used to be. This year the unionized exposition troops were greedier than usual. In the past they'd let a small booth owner carry his own stuff; this year they socked *everyone* for a couple of hundred bucks to let them unload their trucks. It's a good racket: \$200 to carry 10 boxes a hundred feet or so.

EATING THE SEED CORN

It's also a stupid racket, like eating the seed corn, because some of the smaller outfits won't come back. Indeed, all day Wednesday the talk among exhibitors was that it was time to get the Faire out of San Francisco and into a friendlier city. More than half the exhibitors I talked with swore they wouldn't be back next year.

There were a lot fewer, anyway. That is: there was a lot of space rented. Not quite as much as last year: no one was on the garbage-collection platform, and the

chair-storage area, otherwise known as the Black Hole of Calcutta, hadn't been rented, but everything else had been, including the two side halls that used to hold seminars and speeches.

Instead of lots of small exhibits, there were fewer, but much larger, setups. Three of the biggest were in a row: IBM, Apple, and Digital Equipment Corporation (DEC).

Wednesday ended with the traditional "after set-up" party thrown by *Compute!* magazine. As usual, there were more press people than exhibitors snarfing up the hors d'oeuvres and free beer. We also noted that there was no exhibitors' lounge: that location had been rented by Apple to let people get hands-on experience with Macintosh, or maybe it was IBM doing the same thing with PC and PCjr. The party was in the concession area—and unlike last year, there were no chairs and tables, just food service counters, with booths across a narrow aisle from them. I pitied the people who had those booths.

When I left on Wednesday night, it was a scene of pure chaos. On Thursday morning, the miracle had happened again: everything was set up. I headed upstairs to the Workman and Associates booth for coffee.

No coffee. The union people had not only forced Barry to pay for work he hadn't needed, but they'd lost the box containing vital parts to the coffee maker. Mornings are not endurable without coffee; you might as well sack a city. Eventually I found some in the press room, but by then I was thoroughly prepared to make this my last Faire.

ENTER THE POPULACE

At 11:00 the doors opened and the crowds came in.

There were quite a few people. Not as many as we had on the first day last year, but a respectable number—and this was, after all, Thursday. Last year the Faire was only three days and opened on Friday.

They were interested people, too. Fewer hackers—but a lot of *customers*. As I made my hurried cruise through the aisles, it seemed that more people were buying things. Barry Workman confirmed that when I got upstairs. There were a lot more serious customers.

All the presentations were well attended, too. The panels for hackers and hobbyists had plenty of those, but the panels for newcomers and users had crowds, too. The "All Star" speeches, which featured Bill Gates, Gary Kildall, Bill Godbout, Steve Wozniak, Adam Osborne, and, somehow inserted into this rarified atmosphere, me, were all crowded with attentive people who asked intelligent questions. This was a serious crowd.

By Thursday night it was pretty well confirmed: there were some glitches and justified complaints, but the new staff was trying hard to take care of the problems. This was a *different* Faire, but it was still a good one.

Barry Workman sells a line of CP/M software, including WRITE, my favorite text editor. He had more sales the first two days than he did during the entire Faire last year. Others report the same, and that's not just software vendors. The people at the Priority One booth had lots of

business, and when they announced a big sale on CompuPro 40-megabyte hard disks (like mine), there was something approaching a feeding frenzy. Even vendors of computer furniture reported big sales.

I expect there are several reasons for this. The state of the economy didn't hurt, of course. More important, though, more people have microcomputers, so they're ready to buy software and accessories. Whatever the reason, they were buying, and by Saturday night I could tell the exhibitors by their satisfied smiles.

SOME HITS

There wasn't much new and exciting stuff. The best hardware wasn't at the Faire at all: Richard Ohran, of Modula Computers Inc., was on a panel about Modula-2 with me. He brought a couple of the U.S.-built modifications of Niklaus Wirth's Lilith computer, but they could only be seen in his hotel room. Naturally, I went. It's wonderful. It has fabulous graphics capability, better than Macintosh or even the (alas, late and lamented) Diser Modula Engine, except that the Modula Computer Lilith has a Winchester hard disk and a 5¼-inch floppy disk—much nicer than the goofy Honeywell-Bull "washing machine" hard-disk cartridge that came with the Diser.

The Modula-2 panel was interesting, if a bit frustrating. Panelists were Ohran, Tony Gorrengourt of Logitech, John M. Craig, formerly of Diser and now with Ohran's company, and Joel McCormick of Volition Systems. I'd been asked to be chairman; since I was going to the panel anyway, this gave me a good seat, although I didn't have much to say. We had a good crowd, every seat taken; there's a lot of interest in Modula-2.

Tony Gorrengourt led off with a neat presentation on the philosophy of Modula-2. Then John Craig described the U.S. version of the Lilith machine. Joel McCormick promised that Volition Systems would get the 68000 native code Modula-2 compiler finished Real Soon Now. Richard Ohran described the public-domain Modula Research Institute compiler (for the IBM PC), which is available for \$40. (Useful if you're interested in Modula-2; alas, not really in shape for doing much practical programming.)

We were also able to announce that in early March a group met in Zurich to form the International Modula Users' Association, and we even agreed on some standards for the language and library modules. With any luck, we won't have a proliferation of dialects and libraries the way things went for Pascal.

TURBO!

One very hot item was Borland International's Turbo Pascal, which was on a show special at \$46.95, not much under the standard \$49.95, but low enough to attract

(continued on page 376)

Jerry Pournelle holds a doctorate in psychology and is a science-fiction writer who also earns a comfortable living writing about computers present and future.

Now...Draw On Your Imagination



Introducing The Gibson Light Pen System.™

The link between mind and machine has arrived. Suddenly you're free... free to translate your every thought into professional quality computer graphics... just by touching your screen.

The Gibson Light Pen System software features *icon* menus that offer easy access to powerful graphics tools such as symbol libraries, geometric shapes, mirror-imaging, magnification and complete color and pattern editing. Even if you're not a graphic artist, you can design, diagram and draw with precision at high-speed, in high-resolution, and in full-color... right on your screen.

COMPLETE WITH FIVE SOFTWARE SYSTEMS TO MAXIMIZE YOUR CREATIVE OPTIONS.

The Gibson Light Pen System comes complete with all you need to draw, paint, design, score music and learn animation.

DRAW FREEHAND WITH PENPAINTER.™

A full range of drawing tools, shapes, patterns and colors to draw or paint virtually anything on your screen.

DESIGN PRECISION DIAGRAMS WITH PENDESIGNER.™

Turn your computer into your own graphic design studio. A complete selection of templates make perfect business and architectural diagrams, technical drawings and engineering schematics a snap.

CREATE COMPUTERIZED ANIMATION WITH PENANIMATOR.™

All that you need to learn the basics of animation. Develop your own animation sequences, and bring your screen to life.

COMPOSE MUSIC WITH PENMUSICIAN.™


Score computerized melodies with incredible ease at the touch of your pen.

CREATE YOUR OWN LIGHT PEN APPLICATIONS WITH THE PENTRAK LANGUAGE SYSTEM.™

Take advantage of the software features, and customize your own light pen programs.

NOW AVAILABLE FOR THE APPLE II® SERIES

Coming soon for the IBM PC™ and PCjr.™



THIS IS THE SECOND PART of the two-part Ada language primer that began in last month's issue of *BYTE*. The first part was an introduction to the fundamental structures of Ada. In part 2, I'll cover more advanced programming techniques and explore Janus Ada, a partial Ada for microcomputers.

This primer is closely modeled on "A C Language Primer" by James Joyce, published in *BYTE* in August and September of 1983.

One of the reasons Ada may become very popular is its ability to package subprograms. The packaging of functions and operators enables programmers to write clean, expressive programs, as in this example:

```
--copyc.ada
--Copy input to output
with text_io; use text_io;
procedure copy is
  c : character;
begin
  loop
    get(c);
    put(c);
    if end_of_line then
      new_line;
    end if;
  end loop;
exception
  when end_error => null;
end copy;
```

This program copies characters until an end-of-file condition is reached. `end_of_line` is one of many predefined functions available in the `text_io` package. (See "An Ada Language Primer, Part 1" for an introduction to Ada and the `text_io` package.)

Such definitions make a program far more readable than using tests such as `while c <> char$(26) loop` or other obscure means for end of file. By stating before the program that we want to access the package `text_io`, we can use these predefined procedures and functions.

A proper Ada program is organized into packages that normally contain data, user-defined types, and subprograms. There is also a main procedure, which may be called `main` or some name meaningful to the application. In our example, our main program's name is `copy`. As we saw in part 1 of this primer, one organizational scheme divides up an Ada program into subprograms that are called by the main program.

In part 2, we will cover the concept of tool building—code that can be used as general-purpose subprograms.

STRINGS

Ada contains a built-in procedure, in the package `text_io`, to let an entire line of text read into the computer. To demon-

strate the elegance of building tools from simpler subprograms, however, we will define such a program based on the primitive procedure `get` for characters. With this procedure, you can build a procedure that reads a line of input and package it as a procedure, named `get_my_line` in a package named `my_package`. Then you can use the procedure whenever the need arises. The next two examples develop a slightly modified version of the `get_line` function found on page 26 of Kernighan and Ritchie's book *The C Programming Language* (Englewood Cliffs, NJ: Prentice-Hall, 1978); also see "A C Language Primer, Part 2: 'Tool Building in C'" by James Joyce (September 1983 *BYTE*).


The first example focuses on strings, which are defined as an array of characters in Ada. The program is written as a main program named `get_line`.

```
--getline.ada
--input and display a line
with text_io; use text_io;
procedure get_line is
  limit : constant := 80;      --A
  subtype index_type is
    integer range 0..limit;    --B
  index : index_type := 0;
  c : character;
  line : string (1..limit)    --C
    := (others => "");        --D
begin
  for i in 1..limit loop      --E
    begin --set exception block --F
      get (c);
      index := i;
      line (index) := c;
      if end_of_line then    --G
        index := i + 1;
        line (index) := ascii.cr;
        exit;
      end if;
    exception
      --exit from loop when end of file
      when end_error =>
        index := index + 1;
        line (index) := ascii.cr;
        exit;
    end; --for exception block
  end loop;
  --line formed, display it
  for i in 1..index loop      --H
```

```
    put (line(i));
  end loop;
end get_line;
```

The example begins by defining a compile time constant named `limit`, which is set to 80 in line A. This value is used in the definition of a subtype in line B and in the definition of an object in line C. Line B defines an integer subtype for variables that have values between 0 and `limit`. Such a variable is `index`, which is used to keep track of how many characters are read into the object named `line`.

(continued)



line is defined in line C as a string of length limit. It is initially set to all blanks by the assignment to (others = > ") in line D. This expression is called an *aggregate*. Aggregates are very useful in setting arrays (or parts of arrays) to some chosen value. This line also demonstrates the power of Ada initialization expressions.

The other declaration in this program is for the object named c, a character variable used in calls to the primitive procedure `get`.

The executable part of the program consists of two loops. One loop inputs the data character by character and the other loop displays the characters in a line. Line E defines a `for` loop, which has a loop parameter `i` that can step between 1 and limit. The loop has two conditions that can result in an early exit. In line F, a block is set up so that an end-of-file exception causes the loop to exit. In line G, a test is made if an `end_of_line` has been read. In either case, a carriage return is saved in the next character position. The example shows that there are also predefined character names for certain characters; for example, `ascii.cr` signifies a carriage return. In fact, all ASCII (American National Standard Code for Information Interchange) characters can be referred to by their symbolic values or by their designated names, such as `lf` for line feed and `del` for delete.

In analyzing the first loop, it is apparent that there are three conditions that can stop the loop:

- the loop parameter `i` has reached limit
- an end-of-file marker has been read
- a carriage return has been read

Line H defines the `for` loop used to display the line by letting the loop parameter `i` take on the values between 1 and `index`. For each value of `i`, the character in `line(i)` is displayed with the primitive procedure `put`.

After writing a program such as the preceding example, you should take some time to rethink the problem. Where possible, it is better to avoid the `exit` statement: it adds paths to the program, resulting in an unstructured program. The example that follows is written in a better style and performs essentially the same function.

```
--getline2.ada
--input and display a line
with text_io; use text_io;
procedure get_line is
  limit : constant := 80;
  subtype index_type is
    integer range 0..limit;
  index : index_type := 0;
  c : character := " ";
  line : string (1..limit)
    := (others => " ");
begin
  while index < limit and
    c /= ascii.cr and
    c /= ascii.eot loop
  begin --set exception block
    get (c);
    index := index + 1;
    line (index) := c;
  } } end_of_line then
    c := ascii.cr;
    index := index + 1;
    line (index) := ascii.cr;
  end if;
exception
```

```
--set character when end of file
when end_error =>
  c := ascii.eot;
  index := index + 1;
  line (index) := ascii.cr;
end; --for exception block
end loop;
--line formed, display it
for i in 1..index loop
  put (line(i));
end loop;
end get_line; --E
```

The major difference between the two programs is the `while` loop for inputting the data. The `while` statement explicitly states all of the conditions for staying in the loop. This is preferable to searching for `exit` statements. If all conditions for staying in the loop are satisfied, the program increments the `index` variable, stores the character, and reads another character.

Another method uses a special character to designate the end of the string. This is done in the C language and could be done in Ada as well, but such conventions do not yet exist in Ada. The following example takes such an approach by using a carriage return to end the string. The example illustrates the use of strings as arguments to a subprogram. The code in the inner loops of the previous example are packaged in procedures named `get_my_line` and `put_my_line`.

```
--mypackage.ada
--subprograms to input and display a line
with text_io; use text_io;
package my_package is
  limit : constant := 80;
  subtype index_type is
    integer range 0..limit;

  --to read a line into a string
  procedure get_my_line (line : out string;
    length : out index_type);

  --to display a line
  procedure put_my_line (line : in string);
end my_package;

--A package body my_package is
--to read a line into a string
--B procedure get_my_line (line : out string;
  length : out index_type) is
  index : index_type := 0;
  c : character := " ";
--C begin
  line := (1..line'last => " ");
  while index < limit and
    c /= ascii.cr and
    c /= ascii.eot loop
  --D begin --set exception block
    get (c);
    index := index + 1;
    line (index) := c;
    if end_of_line then
      c := ascii.cr;
      index := index + 1;
      line (index) := ascii.cr;
    end if;
  exception
```

```

-set character when end of file
when end__error = >
  c := ascii.eot;
  index := index + 1;
  line (index) := ascii.c;
end; --for exception block
end loop;
length := index;
end get_my_line;

--to display a line
procedure put_my_line (line : in string) is
  index : index_type := 1;
begin
  while line (index) /= ascii.cr and
    index < limit loop
    put (line(index));
    index := index + 1;
  end loop;
  new_line;
end put_my_line;
end my_package;

with text_io, my_package;
use text_io, my_package;
procedure main is
  my_string : string (1..limit);
  all_done : constant := 1;
  length : index_type := 0;
begin
  put (" Program to copy lines from input to output ");
  new_line;
  put (" Terminate program by entering just ");
  put (" a carriage return.");
  new_line;
  while length /= all_done loop
    get_my_line (my_string, length);
    put_my_line (my_string);
  end loop;
end main;

```

In packaging the subprograms, we first write a *package specification*, which contains any types appropriate to the package and specifications for the subprograms contained in the package. Our package, named `my_package`, has one type, the definition for `index_type`; one constant, `limit`, to define the string length; and two subprograms, `get_my_line` is defined as a procedure with two parameters: one for the string and one for the length of the line. `put_my_line` is defined as a procedure with one parameter. We need not specify the length of the string passed as a parameter to each subprogram. We need only specify the type of the parameter as string and whether the subprogram uses it as an input or an output.

Simple parameters in Ada are passed not as addresses but as values. This protects against side effects in subprograms. Furthermore, parameters declared as "in" cannot be assigned a value in a subprogram. For efficiency, when an array is passed as a parameter, the address of the array may be passed instead of the value of the contents of the array.

To compile and execute the program on a VAX computer with the New York University (NYU) Ada/Ed compiler, we type `$ ada mypackage`. After starting execution, the program prompts us with

Begin Ada execution

```

Program to copy lines from input to output
Terminate program by entering just a carriage return.
>

```

If we type This is some normal data, followed by a carriage return or an end-of-file signal (which is normally Control-Z), we will see

```

>This is some normal data.
This is some normal data.
>`Z

Execution complete
Execution time: 185 seconds
I-code statements executed: 718

```

\$

Two lines appear as a result of the program execution. The first echoes your input from the operating system. The second is from the combination of `get_my_line` and `put_my_line`. The input was terminated with a Control-Z, which appears as "Z". The actual execution time shows that this is an experimental compiler not intended to execute "real" programs. This compiler was produced to demonstrate that an Ada compiler could be written with a reasonable amount of effort and to provide an early experimental compiler for researchers investigating Ada. Near the end of this article, there is a section that shows the time taken to execute the same program on an IBM Personal Computer using one of the partial compilers. This example provides a better indication of the time that can be expected with one of the early partial compilers.

CASE STATEMENTS

The last control structure we'll discuss is the *case statement*, which lets us use a multiway decision via an elegant construct. The following example of a simple, suggestive help system for NYU Ada/Ed offers an introduction to case statements.

```

--case.ada
--Demonstrate case statement
with text_io; use text_io;
package help_package is
--send instructions to display
  procedure greet;
--receive response
--filtering out tabs, blanks, and carriage returns
  procedure get_response (c : out character);
--show help messages
  type help_topic_type is (ada_help, syntax_help,
    library_help, error_help);
  procedure help (help_topic : help_topic_type);
end help_package;

package body help_package is
--send instructions to display
  procedure greet is
  begin
    put (" On line help for Ada programmers ");
    new_line; new_line;
    put (" Type                For help about          ");
    new_line;
    put (" .....");
    new_line;

```

(continued on page 386)

Why choose?

...when you can have them all.



Introducing Concurrent CP/M with PC Mode* for DISCOVERY Multiprocessor Networks

Selecting the right blend of hardware and software for your computing needs can be a monumental challenge. Action Computer Enterprise, pioneer in the field of microcomputer multiprocessing, makes choosing easy. Scoring another innovative first, we have brought Concurrent CP/M with PC Mode to our full range of DISCOVERY Supermicros. This new multitasking enhancement to our already powerful multiprocessing operating system provides the capability to network multiple IBM PC

compatible workstations without sacrificing the ability to run your business in a true multi-user environment. And of course, the DISCOVERY can utilize the full complement of CP/M-80 and CP/M-86 based software including many fine multi-user applications.

If total flexibility is what your business needs, pick the system that offers *all* the choices... DISCOVERY.

Take Action Today!

Call Toll Free: **1-800-821-6596.**
(In California, it's **1-818-351-5451.**)



DISCOVERY... The Ultimate Solution.

DISCOVERY is a trademark of Action Computer Enterprises, Inc. CP/M, CP/M Plus, CP/M-86 and Concurrent CP/M are trademarks or registered trademarks of Digital Research, Inc. IBM PC and PC-DOS are trademarks of IBM Corporation.

ace Action Computer Enterprise

The Multiprocessing Company

Corporate Headquarters: 430 N. Halstead St., Pasadena, CA 91107 USA TWX 910-588-1201 ACTION PSD

In Europe: ACE (Europe), B.V., Paradijslaan 42, 5611 KP Eindhoven, The Netherlands Tel. (004) 045-2658 TLX: 51767 ACE E NL

In Asia: ACE (Asia), G/F, Lee Wah Mansion, 171-177 Hollywood Road, Hong Kong Tel. 5-441692 or 5-442310 TLX: 75332 PACIC HX

Serviced nationwide by Bell & Howell Company

* IBM PC compatible mode.

Circle 7 for Dealer inquiries. Circle 8 for End-User inquiries.

KERMIT: A FILETRANSFER PROTOCOL FOR UNIVERSITIES

PART 2: STATES AND TRANSITIONS, HEURISTIC RULES, AND EXAMPLES

BY FRANK DA CRUZ AND BILL CATCHINGS

THE KERMIT file-transfer protocol was developed at Columbia University primarily for downloading files from mainframes to microcomputers, but it has evolved into a comprehensive communication system for transferring data between numerous types of computers. Kermit is inexpensive and reliable, uses RS-232C asynchronous serial communications to exchange packets of information, and has error checking for reliable transmission of files and information.

By defining a common subset of different computers' communication capabilities, Kermit sets up the minimum standards for communication between two systems. Numerous advanced features and options make Kermit powerful and flexible: many parameters can be changed, and it can even be set up as a simple network file server. Kermit is a portable protocol that is compatible with and has already been implemented on many operating systems and brands of computers.

In part 1 we covered the design considerations and specifications for the Kermit protocol, from the different ways systems handle files and information to

KERMIT OFF CAMPUS

Although best known in educational circles, Kermit is equally suited to use by corporations, government agencies, and other organizations using a variety of large and small computers.

the encoding, error detection, and layout for the packets of information. This concluding part presents the states and transitions that take place in the Send and Receive File modes, rules that improve the performance and reliability of Kermit, examples of packets and a transfer session, the user interface, and future developments for Kermit.

Frank da Cruz is the manager of systems integration at the Columbia University Center for Computing Activities (612 West 115th St., New York, NY 10025) and is also planning the university's move toward personal computing in the coming years. Bill Catchings is the chief systems programmer of the file-transfer protocol and its principal designer.

PROTOCOL STATES AND TRANSITIONS

The Kermit protocol can be described as a set of states and a set of transitions that define, for a given event, what action to take and what new state to change to. The inherent simplicity of the design, particularly the requirement that each packet must be acknowledged, reduces the number of states and actions and the amount of state information that must be maintained to a minimum. Figure 1 shows a simplified version of a state diagram for Kermit receiving a file.

The receiver initially starts out in the Receive Init state and waits for the other side to send a Send Init packet. If any other packet is received or the Send Init does not arrive within the time-out interval, a NAK (negative acknowledge) is sent. Time-outs or NAKs can occur up to a threshold that, when exceeded for a particular packet, causes the protocol to assume that the connection has become unusable and to give up. After the Send Init arrives, the state becomes Receive File: Kermit waits for a File

(continued)

Header packet containing the name of the file that is to come. When the File Header arrives, Kermit opens a new file using the name provided (perhaps transformed to suit local naming conventions or to avoid a name collision) and switches to the Receive Data state.

Kermit then receives the contents of the file, until an EOF (end of file) packet arrives. At that point, Kermit switches back to the Receive File state. If another file is to be sent, another File Header packet will follow, otherwise an EOT (end of transmission) packet will terminate the transfer. The distinction between EOF and EOT, plus the File Header itself, allows files to be sent in groups. EOF marks the end of a file; EOT marks the end of a group. This dis-

inction also allows the two sides to disconnect cleanly: the EOF must be acknowledged before the sender will believe the file has been transmitted correctly; the EOT will follow, but if the ACK (acknowledge) sent in response to the EOT is lost, no harm will be done since both sides are terminating anyway.

For simplicity, some transitions are not shown in figure 1:

- If in any state a bad packet is received or a time-out occurs, a null transition back to the same state occurs, with a NAK for the expected packet.
- In any state an error may occur that can cause the transfer to terminate. For instance, the target disk

might fill up. The side that encountered the error sends an error packet containing an informative error message and quits. Upon receipt of the error packet, the other side displays the message on the screen (if it is in control of the screen) and also quits.

- Actions that are taken on each transition, such as opening a file when a File Header packet is received, are not shown; in particular, each packet successfully received is acknowledged with an ACK.

The state transitions for a sending Kermit are similar (see figure 2). In each state, instead of waiting for particular packet types, Kermit sends the appropriate packet and waits for an ACK. If the ACK does not arrive within the allotted time, or a NAK appears instead of an ACK, the same packet is retransmitted. A send operation begins with a Send Init packet, includes one or more files starting with a File Header, followed by one or more data packets and then an EOF. When all the specified files have been sent, an EOT packet closes the connection and terminates the operation.

Base-level Kermit provides that during any particular transaction the sender is the master and the receiver is the slave. These roles may be reversed in the next transaction; any Kermit implementation is capable of acting as either the master or slave. In addition, mainframe implementations may also be put in a kind of permanent slave, or server, mode in which all commands come in command packets from the master, or user, Kermit.

INITIAL CONNECTION

To allow a diverse group of computers to communicate with one another, an exchange takes place during the initial connection in which the two sides configure each other. The sending Kermit includes setup parameters in its Send Init packet, and the receiving Kermit responds with an ACK packet containing the corresponding parameters as they apply to itself. The DATA field of the Send Init packet is shown in figure 3. The fields are as follows ("I" and "you" are used to distinguish the two sides). Fields are encoded printably using the char function (ASCII [American National Standard Code for Information Interchange] value 32) unless indicated otherwise:

MAXL—The maximum-length packet I want to receive, a number up to 94. You respond with the maximum you




Figure 1: A simple state diagram for Kermit receiving files.




Figure 2: A simple state diagram for Kermit sending files.

1	2	3	4	5	6	7	8	9	10	11
MAXL	TIME	NPAD	PADC	EOL	QCTL	QBIN	CHKT	REPT	Reserved	

Figure 3: The setup parameters in the DATA field of the Send Init packet of the Kermit protocol.

want me to send. This allows systems to adjust to each other's buffer sizes or to the condition of the transmission medium.

THATC—The number of seconds after which I want you to time me out while waiting for a packet from me. You respond with the amount of time I should wait for packets from you. This allows the two sides to accommodate different line speeds or other factors that could cause timing problems.

RTND—The number of padding characters I want to precede each incoming packet; your response is **RTD**. Padding may be necessary for a half-duplex system that requires some time to change the direction of transmission.

FDCC—The control character I need for padding, if any, modified by XOR with 04 to make it printable. You respond in **HD**. Normally the null character (NUL) some systems use the delete character (DEL). This field is ignored if the value **RTND** is zero. **EOL**—The character I need to terminate an incoming packet, if any. You respond in **HD**. Most systems that require a line terminator for terminal input accept a carriage return for this purpose. (Can you see the catch-22 here?)

QCTL—The printable ASCII character I will use to quote control characters or prefix characters, normally #. You respond with the one you will use.

QBHT—The printable ASCII character I want to use to quote prefix characters that have the eighth bit set for transmitting binary files, when one or both systems cannot use the parity bit for data. (Since this kind of quoting increases both processor and transmission overhead, it is normally to be avoided.)

OC1=Check type, 1 the method for detecting errors, 1 for single-character checksum (the usual method), 2 for two-character checksum, 3 for three-character **OC-COM**. If your response agrees, the designated method will be used; otherwise, the single-character checksum will be used. Other check types may also be added.

RDV—The prefix character I will use to indicate a repeated character. This can be any printable character other than blank (which denotes no repeat character prefix) but - is recommended if you don't repeat identical repeat counts; will not be done. Groups of four or more identical characters may be transmitted more

efficiently using a repeat count, although an individual implementation may wish to set a higher threshold.

CFWD—An extendable bit mask encoded partially to indicate whether certain advanced capabilities, such as file-attribute packets, are supported.

Reserved fields—The reserved fields are reserved for future use. Those wishing to add their own parameters to the initial connection exchange should start at the 65th field after the capability mask in order to remain compatible with other Kermit programs.

Naturally, the three prefix characters must be distinct and should be chosen to be uncommonly used printable characters to minimize further overhead from having to prefix them when they are found in the data.

The trailing fields in the **DATA** field may be omitted in which case they will assume appropriate defaults. Defaults for intermediate fields can be selected by setting those fields to blanks. Every parameter has an appropriate default. In fact, the entire **DATA** field of the **Send** list packet or its **ACI** may be left empty (i.e. except of defaults). The more exotic parameters are at the end and reflect more recent developments in the Kermit protocol; earlier implementations can still communicate with newer ones, since there will not be agreement to use these options. The **Send** list mechanism preserves compatibility from the earliest Kermit to the most recent.

There is no protected negotiation; everything must be settled in a single exchange. Some parameters, however, are outside the scope of this exchange and must be set even before the first packet is sent. For instance, if the receiving computer can read only characters with odd parity but the sending computer sends them with even parity, the **Send** list packet will never arrive successfully in cases like this, the user may have to issue some preliminary commands to inform one or both Kermit programs about the vagaries of the other system. Another example is the packet terminator (**EOL**) mentioned above—if the receiving Kermit requires one that the sending Kermit doesn't know about, the **Send** list will never get through.

For these reasons, most implementations of Kermit provide **SET** commands for all the parameters listed above and some others as well.

During initial connection, an exchange takes place between the computers using Kermit in which the two sides configure each other.

RULES AND HEURISTICS

During a file transfer, one Kermit sends information packets—the headers, data, and so forth—and the other Kermit sends only **ACIs** or **NAIs** in response. The most important rule in the Kermit protocol is wait for a minute before sending the next packet. This prevents buffer overruns and allows participation by half-duplex systems. Of course, Kermit should not wait forever; a time-out should occur after a few seconds if the expected packet has not arrived. Upon time-out, a sending Kermit retransmits the current packet, a receiving Kermit reacknowledges the current packet or negatively acknowledges the expected one.

Some interesting heuristics are used in Kermit to boost efficiency and improve error recovery. A number of important rules take care of the cases when packets are lost in transmission. The first can be stated as a **NAI**: *if the next packet begins an **ACI**, it is the correct one.* A **NAI** with packet number *n+1* means the receiving Kermit got packet *n* sent in **ACI** that was never received and not knowing that the **ACI** didn't get through since we don't acknowledge an **ACI**, it now waits for packet *n+1*, which was never sent. In this case, we simply send packet *n+1*. An important exception is when the missing **ACI** is for a **Send** list packet: do you see why? The next rule, *always send a redundant packet*, handles the situation where the same packet arrives again. The sending Kermit timed out waiting for an **ACI** that was sent but lost and retransmitted the packet. The receiver must discard the redundant data and acknowledge the packet again, to do otherwise could have undesirable effects, such as adding the same data to a file twice or opening the same file multiple times. Note that the situation resulting from a lost **ACI** depends upon which side times out first.

Kermit must handle another situation arising from possible lost packets: *app-*

(continued on page 102)

We wrote the book on portability. In nine different languages.

	8080/8085/286 CP/M MP/M II	8086/8088/80186 CP/M-86 Concurrent CP/M™	8086/8088 IBM PC DOS	8086/8088 MS DOS	MC-68000 CP/M-68K
FORTRAN-77		✓	✓	✓	TBA
C BASIC Compiler	✓	✓	✓	✓	✓
Pascal/MT+	✓	✓	✓	✓	✓
Level II COBOL	✓	✓	✓	✓	TBA
PL/I	✓	✓	✓	✓	TBA
C		✓	✓	✓	✓
Assembler Plus Tools	✓	✓	✓	✓	TBA
Access Manager	✓	✓	✓	✓	TBA
Display Manager	✓	✓	✓	✓	TBA
micro/SPF		✓	✓	✓	
COBOL Animator	✓	✓	✓	✓	TBA
Personal BASIC		✓			TBA
Dr. Logo		✓	TBA		



To every software developer who'd written off portability as an impossible dream, Digital Research humbly announces a few monumental breakthroughs.

We not only offer languages that are portable from 8 to 16 to the 32-bit chips of the future, they're portable across all popular operating systems, too. What's more, we supply the broadest range of quality languages and development tools available today. And will tomorrow.

So rest assured. Whether you design applications at a major corporation, plan to become a major corporation or just qualify as a hobbyist, you only have to write it once.

Simply pick the Digital Research language that's right for you. From Personal BASIC™ to Digital Research FORTRAN-77™. The newest member of our remarkable family.

To complement languages, we offer a complete workshop of development tools. Our Display Manager™ and Access Manager™ simplify the design of screen displays and data bases. So you spend less time and effort.

If you write in COBOL, our Animator™ source level debugger will get your software running in record time.

And for programmers skilled with IBM mainframe SPF, we offer micro/SPF™. An editor that helps turn your invaluable experience into valuable new software applications.

At Digital Research, we work as hard for you after the sale as we do to get the sale. With backup like quality documentation, software updates and a phone line to our technical support team.

With so much productivity and service to draw on, it's small wonder IBM chose our languages for its IBM® PC, XT and the new IBM 3270/PC.

For more information, or the name of the Digital Research retailer nearest you, call 800-227-1617, ext. 400. In California, 800-772-3545, ext. 400. Or call your IBM representative directly.

micro/SPF is a trademark of Phaser Systems, Inc. Animator and Level II Cobol are trademarks of Micro Focus, Ltd. IBM is a registered trademark of International Business Machines Corporation. The Digital Research logo and products are either trademarks or registered trademarks of Digital Research Inc. © 1984 Digital Research Inc. All rights reserved.





Video

ELECTRONIC ENCYCLOPEDIAS <i>by Peter R. Cook</i>	151
TELEVISIONS AS MONITORS <i>by Ken Coach</i>	171
COMPUTER CONTROL OF A VIDEO RECORDER <i>by Cy Tymony</i>	179
VIDEODISCS AND COMPUTERS <i>by Stan Jarvis</i>	187
CONTROLLING VIDEODISCS WITH MICROS <i>by Rod Daynes and Steve Holder</i>	207

COMPUTERS AND VIDEO appear to offer an endless variety of combinations, as this month's cover by Robert Tinney depicts. With an increase in higher-power communication satellites that require smaller, less-expensive user antennas and electronics, and with the melding of television receivers and microprocessors, we might look ahead to the day when worldwide person-to-person visual as well as aural communication is based on personal computers and not on a direct descendant of Mr. Bell's original invention. "Bulletin Boards in Space," described by John Markoff in the May BYTE West Coast column (page 88), may give way to worldwide electronic conferencing and conventioning by adding television cameras to the growing list of common personal computer user options.

Many videotex, work-alike, and other interactive cable-television-based systems already exist. With the proliferation of coaxial-cable interconnection and its high-speed data-transmission capabilities, more and more homes and businesses could be linked via computer-controlled video instead of the restricted-bandwidth, audio-frequency-based systems now in use.

Shopping via computer is already a reality in some areas. With television- or presentation-level graphics, perhaps complicated and expensive encoding schemes could become unnecessary because you might be able to view the person to whom your message is directed. And as Rich Malloy, our product-review editor, stated in the July 1983 BYTE in his introduction to the Videotex theme, the printing presses might stop and BYTE could be delivered to you electronically.

Though with us for over a generation, until recently hardware costs made computer and video interactivity limited and expensive. In recent years, dramatic advances in digital electronics and large-scale integration (LSI) have made personal computers, videocassette recorders (VCRs), and videodiscs available to anyone with a down-to-earth application or interest in learning. In this issue, we present articles on a wide range of topics related to computers and video.

Peter R. Cook's article, "Electronic Encyclopedias," explores something that all of the major encyclopedia publishers have talked about for several years: how to develop an "intelligent encyclopedia" that uses natural means of accessing and using knowledge. Included with this article is contributing editor Mark Dahmke's look at "An Ideal Video Peripheral," a glimpse at how personal computers and videodiscs might communicate more efficiently.

In "Televisions as Monitors," Ken Coach describes some of the characteristics common to the new generation of television receivers that can double as microcomputer video monitors.

If you already have an inexpensive VCR with limited or no programming capabilities or are considering purchasing one, Cy Tymony's "Computer Control of a Video Recorder" should be particularly interesting. This construction project enables you to use your micro as a programmable control center for your VCR.

Stan Jarvis's "Videodiscs and Computers" takes a look at the videodisc industry, its evolution, and the myriad of companies and equipment facing personal computer owners.

As an example of what you can do with a CAV (frame-addressable) videodisc, Rod Daynes and Steve Holder designed a game around a generic version in "Controlling Videodiscs with Micros." They used the videodisc support commands available in the Sony SMC-70 computer.

—Gene Smarte, Managing Editor

THE END TO THE FLOPPY SHUFFLE...



BEGINS WITH THE ROSE.™

OSICOM'S NEW WINCHESTER SYSTEM FOR YOUR IBM® PC.

If you're still shuffling stacks of floppies everytime you sit down at your PC, you've probably outgrown your system. We know the problem, and we have the answer. The ROSE. The Rose is the affordable new hard disk system from Osicom. Designed to give you 10 megabytes of storage, The Rose allows you to access programs and information without the floppy shuffle. Even data access time is cut to milliseconds—so you'll have less time to wait, more time to work. And no software changes or special commands are needed, because The Rose is fully compatible with your IBM PC. You can even install The Rose in 3 easy steps (system includes PC adaptor, drive and cables). And as an added bonus The Rose will give you 64KB of RAM free.

So if you're looking for quality, performance and durability at a price that makes upgrading your IBM PC downright practical—The Rose is your answer. And Osicom stands behind The Rose with the best warranty of any comparable system on the market.

For product and dealer information, call us toll free. (800) 922-0881.
In New Jersey call (201) 540-0144.

Compare and Choose

FUNCTION	ROSE	OTHERS
Compatibility with IBM PC	Total	Most require special software
Capacity	Up to 2 drives of 140 MB ea.	Low performance of low capacity
Installation	Easy 1,2,3, procedure	?
Boot	Can Boot from Rose	Most require a floppy
Expandibility	Upgrade to other Osicom products	Buy another system
Memory	64KB of RAM	None
Economy	Starts at \$1195	Start at \$1295 or more
Warranty	1 year	Most offer only 90 days
Support	Toll free number, expert advice	?

The Rose
OSICOM 

ELECTRONIC ENCYCLOPEDIAS

BY PETER R. COOK

*Interactive video technologies help explore
"the realm of worthwhile knowledge"*

ENCYCLOPEDIAS EVOKE special memories for most people. When you were a child, you probably did research for essays and class projects, looked for "naughty" words and pictures, struggled through dull facts about dead people, or discovered fascinating facts in articles from "Aardvark" to "Zygote." Later on, maybe you used an encyclopedia to solve crossword puzzles, to help a child with homework, or to look up the location of a vacation spot or an unfamiliar country mentioned in the news.

Now there is a whole new range of associations that most people wouldn't normally connect with an encyclopedia: on-line databases, videotex systems, and laser videodiscs—new interactive technologies that, at first glance, might appear to be the very antithesis of the traditional printed encyclopedia. But major electronic publishing companies are beginning to create a new generation of encyclopedias, powerful informational/educational tools that can interact through, and with, all of these new media.

As part of a long-range development plan, Grolier is creating a massive encyclopedic database of text and audiovisual materials that can be accessed and manipulated using interactive technologies. The two major components of this plan, the text database and the audiovisual database, currently are be-

ing developed along separate but convergent tracks—one utilizes on-line or videotex technology, the other utilizes videodisc technology.

In this article, I will review both development tracks, observing from the publisher's point of view how information is enhanced by delivery via new interactive technologies. But let's begin with a look at encyclopedias delivered via a traditional interactive medium—the book. Though new technologies should not slavishly imitate those that preceded them, there is much to be gained by using the book metaphor for building the foundation of an information tool that utilizes the full power of interactive video technologies.

According to an entry in the *Academic American Encyclopedia* (AAE), a printed general encyclopedia "attempts to present the entire realm of worthwhile knowledge: the humanities and literature; fine, applied, and performing arts; science and technology; history and

Peter R. Cook is vice president of creative services for Grolier Electronic Publishing Inc. (95 Madison Ave., New York, NY 10016). He is responsible for coordinating the development of that firm's Multi-Component Electronic Encyclopedia, which is intended to combine videodisc and videotex technology. Cook spent five years at Arete Publishing Co., producing the Academic American Encyclopedia.

social sciences; critical issues such as bioethics and civil rights; and select data on significant places and persons."

Mechanics and economics tend to limit the size of a printed encyclopedia's "realm of worthwhile knowledge"; of necessity, the information itself is synthesized and summarized. Distillation and outlining of knowledge, along with broad coverage, make a general encyclopedia—whether it be in 1, 20, or 30 volumes—a useful reference tool.

The reference characteristics of encyclopedias are what brought about their rather unnatural, usually alphabetical, information structure. There is no inherent logic in grouping "Aardvark" with "Alvar Aalto" and "Hank Aaron," although such curious juxtapositions often create wonderfully serendipitous discoveries. Diverse subjects are thrown together for no reason other than the fact that an alphabetical, dictionary-like organization improves access to information. Some encyclopedias still cling to the earlier thematic approach in which related information is grouped together. Thematic groupings make it possible for information to be viewed in a broader context, but highly specific facts are harder to locate.

Alphabetical encyclopedias compensate for the seemingly arbitrary arrangement of their articles by using in-

(continued)

IBS

Now includes DOS 2.11
and SOFTWARE PACKAGE

MAXIMUM IBM®
COMPATIBILITY

**CARDS N DRIVES
for OEM**



Maximum IBM PC/XT Compatible System • Multi-Layered Board (Made in U.S.A., 1 Year Warranty) • 256K RAM Expandable to 640K • 96 Key detachable keyboard • 2 TEAC DS/DD Slim Drives • Drive Controller • Color Graphics Card • Monochrome Monitor • 2 Serial Ports • Printer Port • Operates under MS-DOS 1.1, 2.0, 2.11, 3.1, CP/M-86, and p-System • Runs LOTUS 1-2-3, Flight Simulation, and thousands more • **CALL FOR DEALERS IN YOUR LOCAL AREA.**

HARD DISK System

\$695

*MICRO SCIENCE® Slim Line
Hard Disk 10M Byte
*Auto-Boot Controller & Cables

Dealers Only
In Large Quantity

714-630-6361 • 630-6362 • TELEX: 783197
2732 E. MIRALOMA AVE. • ANAHEIM, CA. 92806
IBM is a trademark of IBM Corporation. Qunix is a trademark of Quantum Software.
MS DOS is a trademark of Microsoft Corporation. CPM is Digital Research's trademark.

ENCYCLOPEDIA

egrated cross-references that indicate the presence of related articles and draw connections between the various realms of knowledge. In its current (fifteenth) edition, the *Encyclopædia Britannica* attempts to overcome the shortcomings of this alphabetic tyranny by breaking the set into three resources: *Propædia*, a one-volume overview of knowledge; *Macropædia*, a collection of in-depth articles (many of considerable length) on broad areas of knowledge; and *Micropædia*, containing very short articles as well as discrete, specific facts. The attempt, however, is thwarted by the awkwardness of three integrated, but *separate*, resources.

While encyclopedias may have to struggle with the drawbacks of their own unique organizations, they also exhibit the positive characteristics of the printed book. Books are physical entities, portable random-access devices. Their organization is universally recognized: pages, chapters, tables of contents, prefaces, introductions, indexes, bibliographies, etc. They are the framework of written language. Other characteristics inherent in books let you browse through them easily and give you a sense of scale and place. You know how to navigate in a book.

But the book also has its limitations. It is a fixed medium: once printed, it cannot be changed. The only way for a user to update a printed encyclopedia is to buy a new one, write notes in the margin, or purchase the yearbook that most encyclopedia publishers issue annually to maintain the currency of existing sets. The information is also fixed in that it cannot be dynamically rearranged for the user's convenience. Comparing all the articles on dinosaurs, for example, might require accessing more than a dozen volumes. Information access is also limited by the specificity of the article titles and by the quality of the index—nonindexed information is almost the equivalent of *no* information. Finally, no matter how descriptive the text or how informative the illustrations, no printed encyclopedia can capture the power of a place, person, or event more vividly than an audiovisual medium. Yet the printed encyclopedia is, and will continue to be, a highly valued information resource for most people.

(continued)

Powerful Z80 emulation, priced well within your grasp. That's NICE.™

NICE may be only 3" square and 1/2" thick, but it hands you full speed, real-time emulation for the Z80—over 50 emulation functions, software breakpoints, all memory addresses and all I/O ports.

Just plug NICE directly into the target Z80 socket and any RS232 terminal for system development, troubleshooting, debugging, or testing... at home, in the lab or in the field.

And NICE hands you all this performance, portability and versatility for only \$498... the best emulator price/performance ratio on the market, hands down.

Call in your order today using

your VISA or Mastercard number: (800) NICOLET outside CA, or (415) 490-8300 in CA.

Or send your check or money order to NICE, Nicolet Paratronics Corporation, 201 Fourier Avenue, Fremont, CA 94539.

*Payment by check, money order, VISA or MasterCard.
NICE is a trademark of Nicolet Paratronics Corporation.
®Z80 is a trademark of Zilog, Inc.



Nicolet

Tek's best-selling 60 MHz scopes: Now 25 ways better for not a penny more!

Now Tek has improved its 2213/2215 scopes with brighter displays. Greater accuracy. And more sensitive triggering. At no increase in price.

The 60 MHz 2213 and dual time base 2215 have been the most popular scopes in Tektronix history. Now, Tek introduces an "A" Series update with more than 25 specification and feature enhancements—things you have asked for such as single sweep—all included at no added cost.

A brighter display and new vertical amplifier design provides sharp, crisp traces.

That makes the 2213A/2215A a prime candidate for tasks like TV troubleshooting and testing, where fast sweeps are typical.

New features include 10 MHz bandwidth limit switch, separate A/B dual intensity controls (2215A only), and power-on light: additions customers have suggested for



giving these scopes the final measure of convenience.

Triggering, sweep accuracy, CMRR and many more major specifications are better than ever. Check the performance chart: not bad for scopes already considered the leaders in their class!

The price: still \$1200* for the 2213A, \$1450* for the 2215A. Or, step up to the 100 MHz 2235 for just \$1650*!

You can order, obtain literature, or get expert technical advice, through Tek's National Marketing Center.

Direct orders include operator manuals, two 10X probes,

15-day return policy, world-wide service back-up and comprehensive 3-year warranty.

Talk to our technical experts.

Call toll-free: 800-426-2200, Ext. 197

In Oregon, call collect: (503) 627-9000, Ext. 197



Specification enhancement	2213/2215 "A" Series	2213/2215
CRT brightness	14 kv accel. potential	10 kv accel. potential
Vertical accuracy	3%, 0° to 50°C	3%, +20° to 30°C
Chop rate	500 kHz	250 kHz
Input capacitance	20 pF	30 pF
CMRR	10 to 1 at 25 MHz	10 to 1 at 10 MHz
Channel isolation	100:1 at 25 MHz	Not specified
A Trigger sensitivity (int)	0.3 div at 5 MHz	0.4 div at 2 MHz
TV triggering	1.0 div compos. sync	2.0 div compos. sync
Sweep accuracy (in 10X)	4%, 15° to 35°C	5%, 20° to 30°C
Delay jitter	20,000 to 1 (2215A) 10,000 to 1 (2213A)	10,000 to 1 (2215) 5,000 to 1 (2213)
Holdoff Range	10:1	4:1

*Price F.O.B. Beaverton, OR
All scopes are UL Listed and CSA approved. 3-year warranty includes CRT and applies to 2000 family oscilloscopes purchased after 1/1/83

Now consider an electronic encyclopedia that uses the full power of new interactive media and is designed to meet the needs of a new generation of users.

ELECTRONIC REFERENCE WORK

In 1982, Grolier acquired the rights to the *Academic American Encyclopedia*, a new 20-volume general-reference work designed for use in homes and schools. Containing approximately 30,000 articles and 9 million words, the AAE is characterized by its currency and its short entry format (its articles have an average length of approximately 300 words). For us it had the additional virtue of being typeset entirely with computerized equipment, and thus it could be converted for on-line dissemination.

The electronic edition of the AAE has been in existence for two years and is currently available to over 250,000 on-line and videotex subscribers through existing information utilities. These include services such as CompuServe, Dow Jones News/Retrieval, BRS, Dialog,

and Vu/Text. We also distribute through NAPLPS (North American Presentation-Level-Protocol Syntax, or "nap-lips") graphics-based systems: Viewtron, Keycom, and Times Mirror's Gateway (which uses Telidon graphics, a forerunner of NAPLPS). Users accessing the encyclopedia remain customers of the information utility, which in turn pays Grolier a royalty.

The encyclopedia's inherent data structure has to be adapted to the display characteristics and access protocols of individual systems. Because these system requirements have a considerable effect on how the user interacts with the encyclopedia, it is worth reviewing some samples at length, beginning with the less complex, and consequently less powerful, systems.

VIEWTRON: AN ASCII/NAPLPS HYBRID

Viewtron, operated by Viewdata Corp. of America (a Knight-Ridder subsidiary), is the first commercial videotex service to use NAPLPS color graphics, which

can be accessed only by AT&T's Sceptre terminal. This regional service is now available in just three Florida counties; if successful, however, the service will become available in major cities around the country.

Viewtron is a relatively simple menu-driven system that stores most of its databases on preexisting frames. However, because the AAE is a large database (by videotex standards), it is actually accessed through a communications gateway. The AAE text is housed on computers at Vu/Text (another Knight-Ridder subsidiary) in Philadelphia; the computers are linked by dedicated line to the Viewtron host in Miami. A user accessing the system is connected via the gateway as soon as he selects the AAE from a menu (see photos 1a through 1d). The videotex terminal "paints" the appropriate NAPLPS frame, but it has an active window for displaying the ASCII (American National Standard Code for Information Interchange) text from the Vu/Text gateway. The user is then prompted to type in a search term, which is matched against the AAE's 30,000 article titles. If an exact match exists, the system displays the first 15 lines of the article and the user can "page" through the rest at his own pace. If the search term is too broad, a number of articles are selected. For example, if just "Lincoln" is entered for information on Abraham Lincoln, the system locates all articles with the word "Lincoln" in the title, including "Lincoln, Nebraska" and "Lincoln Center for the Performing Arts." The first article is displayed with the qualifier "1 of n [articles]," and the subscriber can then use the system's "browse" function to scan the first frame of each article.

ASCII (NON-GRAPHIC) VIDEOTEX SERVICES

Dow Jones News/Retrieval and CompuServe are both consumer-oriented information utilities that primarily use keyword and menu-driven access. A subscriber logging onto Dow Jones News/Retrieval is guided to the AAE via names and enters a search term or query that is matched against article headings. If the search term is in more than one heading, the system generates a menu, listing all of the articles, and the user selects from this (see figures 1a

(continued)



Photo 1: A Viewtron subscriber selects the Academic American Encyclopedia (AAE) from one of the many submenus that list the several hundred topic areas available through the service and is then linked via a communications "gateway" (1a) to the AAE database (1b), housed on the computer of Vu/Text in Philadelphia. The user types in a search term—in this case "videotex"—(1c) and the system searches for an encyclopedia article with that title. In photo 1d, the system displays the first screen of information. While the user is accessing information from the AAE, the screen display is in a dual mode: a static NAPLPS color border surrounding an active "window" for the encyclopedia's ASCII text.

When it comes to superior performance, we study our lines very carefully.

Superior printer performance is not a fluke. It evolves from analyzing printed line after printed line. Taking the time to test and retest. After 30 years of manufacturing precision parts, we know that there are no shortcuts.

And so we took the Gemini-10X and methodically put it through its 120 cps pace. We achieved a print head life of over 100 million characters with an extremely precise dot alignment creating each crisp character.

So far so good.

Next, sophisticated performance demanded versatility. A wide choice of character sets, a buffer expandable to 8K, and the ability to interface with all popular personal computers. We added macro

instruction, giving Gemini-10X the capability to perform up to 16 operations with one command. We included as standard a paper feed system that has a friction and fully adjustable tractor feed. Then we even built in the dexterity to print graphics and text on the same line.

Done.

And, of course, staying the best means constant reviewing and fine-tuning. Keeping the Gemini easy to find, easy to afford and so reliable it can be warranted for up to twice as long as its major competitors.


Only the most careful engineering has built the new hard-working Gemini-10X. You'll applaud its performance.



THE POWER BEHIND THE PRINTED WORD.

Computer Peripherals Division
2803 N.W. 12th Street, Dallas/Ft. Worth Airport, TX 75261






APPARAT

PRINTED CIRCUIT BOARDS

Guaranteed into the next
century...and beyond.

All printed circuit boards manufactured by Apparat and sold after June 1, 1984, including RAM boards, COMBO cards and CRAMBO cards for the IBM PC, XT, PCjr and portable PC, are covered by our exclusive lifetime limited warranty covering parts and labor.

4401 South Tamarac Parkway, Denver, CO 80237—Customer Service 303/741-1778
Apparat retail outlets—DENVER: 4401 S. Tamarac Pkwy. 303/771-2032 • 5224 W. Warren Ave. 303/985-1217
CHICAGO: 1844 S. Arlington Heights Rd. 312/640-0322



Imagine your PC with Apparat add-ons. Imagine where it could take you.

Special values from the hard disk experts. For example, imagine your IBM PC or Portable PC with hard disk capability. Apparat's external Hard Disk Subsystem is completely compatible, running DOS 2.0 or 2.1 without modification or device drivers. And now you can get more capacity—22 and 33 MB formatted configurations—for less money. 22 MB for \$2,295, 33 MB for \$2,995. Apparat also offers internal or external 10 MB drives at similarly low prices.

XT owners—trade in your 10 MB drive for a larger Apparat hard disk drive. Our 22 MB drive is \$1,299, but you pay just \$899 with a trade-in of your existing 10 MB drive. Our 33 MB drive is just \$1,799, but you pay just \$1,399 when you trade in your existing 10 MB drive. Call the Apparat ordering hotline for trade-in details and shipping instructions.

TEAC or Panasonic floppies. These half-height floppies are perfect for your PC, PPC, or XT. Call for trade-in prices on full-height floppies.

New 28 pin EPROM programmer. Now Apparat has a new Prom Blaster for the PC, XT, PPC and PCjr to program most 28 pin EPROMS (including the 2764, 128, 256), in addition to our original Prom Blaster that programs most 24 pin EPROMS...each \$129. We also make an EPROM cartridge for the PCjr to accept your newly programmed EPROMS.

PPC and PCjr. Apparat has developed new products for the IBM Portable PC. Now available is a 256K RAM card and a Combo card (P & S). Both fit the PPC short slots. New for the PCjr is a 128K RAM card and a Combo jr card (P & clk). Both fit the side attachment.

Other Apparat add-ons. RAM cards for the PC and XT—64K \$189, expandable to 512K. COMBO II card for the PC and XT, 5 functions on one card—\$189. CRAMBO card for the PC piggybacks COMBO II on 64K RAM card—\$359. 64K internal PRINT SPOOLER with parallel interface—\$299. Stand-alone at \$319.

Warranty. All Apparat manufactured PC boards sold after June 1, 1984 covered by our exclusive lifetime limited warranty covering parts and labor.

Apparat, Inc.
ADD ON AND ON AND ON AND ON AND ON

ORDERING AND DEALER
INFORMATION
800/525-7674

Prices subject to change without notice.

(1a)




Figure 1a: A subscriber to Dow Jones News/Retrieval can access information in the encyclopedia by typing in his search term or query. In this case, the search term is "Brazil."

through 1e). If the selected article is long, an additional menu (or series of menus) is shown, providing a numbered outline of the contents. Thus, the user can select the most appropriate section without having to page through the entire article.

Dow Jones News/Retrieval also lists the number of pages or screens of text in each article and lets the viewer know which page he is viewing (2 of 14, etc.). CompuServe gives each page an individual number, which can be used in conjunction with the GO command to go directly to the page, bypassing the intermediate menu stages. As useful as these features are, menu-driven systems are limited. Access is through the article title only, which doesn't open up the full potential of an electronic encyclopedia.

FREE TEXT DATABASES

Two much more powerful on-line database systems are BRS and Dialog. Considerably more expensive than the consumer databases, BRS and Dialog use free text search procedures in which every word in the database is indexed and therefore can be searched.


When accessing via BRS, a search term or query is entered using the required command language. However, if the search term is not properly qualified, the system may locate far too many occurrences to be helpful. For example, a search for "Einstein" produced several

hundred "hits" (occurrences) of the word in 69 articles throughout the encyclopedia (see figures 2a through 2c). But the search can be narrowed down by using Boolean operators such as *and*, which combines two search terms in the same article; *same*, which combines two terms in the same paragraph; *with*, which combines them in the same sentence; and *adj*, which requires the two terms be directly adjacent. If what I really want to find out about Einstein is when he moved to Princeton, I would phrase the search as: "Einstein same Princeton," which means I'm looking for the paragraphs in which both of the words appear. This narrows the hits down to just two paragraphs, which can be quickly displayed. These paragraphs tell me that Einstein moved to Princeton in 1933 and that he died there in 1955.

This simple example doesn't really illustrate the full retrieval capabilities of free text systems. They can be powerful tools in the hands of an experienced researcher or librarian. On the other hand, their complex command syntax and Boolean search logic make them too complex for easy access by most untrained users.

In an effort to broaden the appeal and usage of their services, BRS and Dialog have both introduced easier-to-use and less expensive off-peak services: BRS After Dark and Knowledge Index, respectively. Communications software is

(continued)



Figures 1b and 1c: In the top screen, the system generated a menu listing all the articles with "Brazil" in the title. The bottom screen shows that the article on the country of Brazil (selection #1 on the top screen) was selected and the first page of an outline of the article's major sections is displayed.


also being introduced; Sci-Mate and In-Search simplify command procedures and enable the user to develop a search strategy before going on line. Such efforts are the first steps in what will undoubtedly be a series of software products aimed at making these information utilities (including Dow Jones News/Retrieval and CompuServe) more powerful and easier to use.

Earlier I used the printed book as an example of a medium with which we are manifestly familiar: the reason for our familiarity is that the structure and conventions of books have been evolving for centuries. On-line databases have been in use for little more than a decade, and it is only in the last two or three years that large numbers of untrained users have started accessing them. Consequently, the learning curve for everyone—system operators, information providers, and end users—is particularly steep. There is still much to be learned about how users interact with electronic information utilities, what kinds of displays are best, what accessing protocols and commands are most effective and easy to learn, and what information is most appropriate.


ENLARGING THE DATABASE

The electronic edition of the AAE is already quite different from its printed parent. Updated twice a year instead of annually, it has no physical growth limitations, unlike the printed work. We intend to use this essentially unlimited capacity for growth: to respond directly to users' needs; to reflect areas of strong current interest; to broaden the

(continued)



Through the Trap Door
March 1979—\$35



Breaking the Sound Barrier
September 1977—\$35

BYTE COVERS

The prints shown at left are beautiful Collector Edition Byte Covers, strictly limited to 750 prints each, and signed and numbered by the artist, Robert Tinney. Each print is 18 in. x 22 in., and is accompanied by its own Certificate of Authenticity. To order, use the coupon below. Visa and MasterCard orders may call 1-504-272-7266.

Please send _____ **Through the** Visa MasterCard
Trap Door prints (\$35), _____
Breaking the Sound Barrier Card No. _____
 prints (\$35), or _____ sets of both prints Expires: _____
 (\$55). I have included \$3 per order shipping Name: _____
 and handling (\$8 overseas). Address: _____
 I have enclosed check or money order. City: _____
 Please send me your color brochure. State: _____ Zip: _____

Robert Tinney Graphics • 1864 N. Pamela Dr. • Baton Rouge, LA 70815

THE MI-286 DUAL CPU BOARD IS AT LEAST TWICE AS FAST AS COMPUPRO'S 8085/88... AND IT'S A DIRECT REPLACEMENT!

The 20-second revolution. It only takes about 20 seconds to bring your S-100 system up to its ultimate speed/power potential. Just pull out the old fashioned 8085/88 board and plug the MI-286 in its place. That's all there is to it. You're off and running with more power than ever before.

The 80286 and Z-80H. The MI-286 is the first dual-CPU board using the new, high speed Intel 80286 coupled with a Z-80H. It is designed for use with a variety of operating systems, including MP/M 8-16. It will support all your current 8086/88 and Z-80/8085 software. It can accommodate an optional 80287 math co-processor. In short, it gives you the best of both worlds.

Add more users. The MI-286. It improves throughput so dramatically you can add those extra users you've always wanted. It carries S-100 technology to its logical limit. And it only costs \$1395!*


Upgrade your S-100. The MI-286 is only one of Macrotech's products designed to maximize the performance of your S-100 system. The MAX Dynamic Memory gives you up to 1 Mbyte of memory for your system memory and virtual disk applications. ADIT lets you control up to 16 different terminals, modems or printers from a single slot in your S-100 bus. And our static board is the S-100 world's first 1/2 Mbyte static memory. Call or write us today, and find out how easy it is to upgrade your S-100 system.




Macrotech International Corp.
9551 Irondale Avenue
Chatsworth, CA 91311
Phone: (818) 700-1501

Circle 193 on inquiry card.

Dealer/Distributors: Priority One Electronics, (800) 423-5922, (213) 709-5111 / John D. Owens Assoc., (212) 448-6298
In England: Fulcrum (Europe) (0621) 828-763 / MP/M is a registered trademark of Digital Research *Math co-processor extra.





Figures 1d and 1e: In the top screen, the outline started in figure 1c is continued. In the bottom screen, the user has chosen #19, the history section, and the first "page" is displayed.

database so it is more appropriate to different age and interest levels; and to develop satellite databases designed to interact with the encyclopedia.

Responding to users' needs: An electronic encyclopedia has a unique advantage over its print counterpart because it is possible to "capture" such key parts of the information transaction as search terms and usage time. Analyzing the captured data can reveal shortcomings, whether in the form of inadequate article headings or missing information. Such data also reveals areas of high and low interest—a useful guide for database growth.


Reflecting areas of strong current interest: Printed encyclopedias contain little information of transitory interest. It will be a long time before the *Britannica* has an article on Michael Jackson. This isn't necessarily because encyclopedia editors disdain popular culture. The physical limitations of the printed work make it difficult and costly to insert large numbers of new articles each year. Space has to be found for each new article, usually at the expense of other articles. Further, an article of fleeting interest may create a difficult hole to fill when its importance diminishes.

This is not the case with an electronic edition, in which articles can be added to and deleted from the database with considerable ease. For example, coverage of the Olympic Games and athletes can grow in anticipation of this year's meeting in Los Angeles. Next year the coverage can be reduced. An electronic encyclopedia can be a truly responsive, dynamic reference work.

(continued)

ULTRA-RES™ GRAPHICS

Available from stock



WHEN RESOLUTION COUNTS

ULTRA-RES, a family of graphic controllers for IBM-PC / XT and S-100 systems

Advanced feature display controllers for IBM-PC / XT and compatible systems. Features include NEC7220, programmable resolution to 1024X1024, slave controllers, transparent mode allows monochrome adapter and ULTRA-RES on same monitor. DMA compatible, light pen, externally powerable. Monitor protection circuits. Video outputs are TTL direct drive or analog. Software drivers

C.S.D. Incorporated
P.O. Box 253 SUDBURY, MA 01776

(617) 443-2750

ULTRA-RES Trademark CSD Inc
IBM-PC Trademark IBM

Prices from \$995



Reliable.

You can count on 3M diskettes. Day after day.

Just like the sun, you can rely on 3M diskettes every day. At 3M, reliability is built into every diskette. We've been in the computer media business for over 30 years. And we've never settled in. We're constantly improving and perfecting our product line, from computer tape and data cartridges to floppy disks.

3M diskettes are made at 3M. That way, we have complete control over the entire manufacturing process. And you can have complete confidence in the reliability of every 3M diskette you buy.

Look in the Yellow Pages under Computer Supplies and Parts for the 3M distributor nearest you. In Canada, write 3M Canada, Inc., London, Ontario. If it's worth remembering, it's worth 3M diskettes.



Circle 310 on inquiry card.

3M hears you...

3M




Figure 2a: On powerful on-line database systems such as BRS, every word in the encyclopedia is indexed and therefore can be searched. Here, the search term "Einstein" was located in 69 articles.




Figure 2b: Because of the large number of articles, the search was narrowed by using the Boolean operator "same." The new search term, "Einstein same Princeton," located only one article in which both words appear in the same paragraph.

THE USER INTERFACE

Regardless of what shape or direction a database takes, the key to its use and value is the user interface. The user interacts with the electronic encyclopedia on several distinct levels:

- entry level:* logging onto a system and getting to the database
- search level:* entering a search term to locate a specific article (or group of articles)
- retrieval level:* once the relevant article is located, finding and retrieving the required information
- manipulation level:* getting the information in the form of a printout, writing words down directly from the screen, or simply remembering the facts
- exit level:* leaving the database

The first and last levels are entirely the province of the system's operator and, in any event, are not an obstacle to most users. The search and retrieval levels, however, are areas of major concern because that is where the user works most closely with the system. The information-manipulation level will become increasingly important as software is written to take full advantage of encyclopedic databases.

The best way to analyze potential improvements at the search level is to return to the book metaphor. As an access device, a book is very forgiving. When you look something up in an index, you usually don't need to know the exact spelling to locate it. Likewise, you sometimes use a dictionary because you *can't* spell a word but have no problem locating it.

Databases are not so forgiving. A misspelled search term, no matter how close to the correct word, cannot be used to locate the required article. Some systems attempt to overcome this by providing a function called *truncation*. On Dow Jones News/Retrieval, for example, all you have to enter for an article on Zbigniew Brzezinski is "BRZ"—a nice feature, but not the complete solution. The problem isn't just misspelling; children in particular tend to use plurals for certain common nouns: cats, dogs, trees, dinosaurs, etc. This is not a problem in a printed reference work; however, when entered on a videotex system, the search terms will fail to match

(continued)


Expanding for a broader audience: In its present form, the AAE spans a wide range of age and interest levels. As stated in its preface, the AAE is "for students from junior high school, high school, or college and for the inquisitive adult." By expanding that base to include young children and advanced scholars, the resulting database will be several times larger than the printed encyclopedia and will be capable of responding appropriately to the user's age and

interests.

Satellite databases: Grolier has recently completed the first of a series of satellite database products designed to interact with, and be enhanced by, the electronic encyclopedia. Whiz-Quiz is a menu-driven educational game that directs the player to the AAE to find out more about a topic. We believe that children in particular will be compelled by this mechanism to explore the encyclopedia.

LOMAS DATA PRODUCTS PRESENTS:

THUNDER 186



THUNDER 186 offers the following standard features:

- 8 Mhz 80186 processor
- Floppy disk controller (controls both 5 1/4" and 8" drives simultaneously)
- Two RS232 ports with hand shaking
- Centronics compatible parallel port
- 256K bytes of RAM
- Full IEEE-696 COMPLIANCE
- One year warranty

THUNDER 186 provides the earth shanking performance you have come to expect from LOMAS DATA PRODUCTS. THUNDER 186 is a complete SIXTEEN BIT SINGLE BOARD COMPUTER on a standard size S100 bus board. THUNDER's low price includes Concurrent CP/M-86* version 3.1. This allows the user to run PC-DOS**** programs, as well as, CP/M-86* programs on the same system. And, for those users that prefer, MS-DOS*** is also available.

TEST: THUNDER 186 BENCHMARK.

In our April '84 advertisement, we compared the benchmarks of our other advanced CPU products, against the COMPUPRO CPU86/87 10 Mhz. The test consisted of assembling the example BIOS (BIOS, A86) distributed with standard CP/M-86. The operating system used was CP/M-86. Now, we put THUNDER 186 to the same test . . .

	LIGHTNING ONE* 10 MHZ	COMPUPRO CPU86/87 10 MHZ	LIGHTNING 286** 6 MHZ	THUNDER 186 8 MHZ
ASSEMBLY-TIME (SEC.)	47	55	41	48
RATIO TO 10 MHZ LIGHTNING ONE	1.00	1.17	.88	1.02
BOARD SET COST LIST PRICE AS TESTED	\$2545.00	\$3040.00	\$3290.00	\$1595.00
COST PERFORMANCE	\$2545.00	\$3556.80	\$2895.20	\$1629.00
RATIO	1.00	1.40	1.14	.64

RESULT: THUNDER 186 THE LEADER.

The benchmark comparisons clearly make THUNDER 186 the leader in the 16 bit price/performance race. Other THUNDER 186 advantages are too numerous to mention here. CALL US, and we'll be glad to discuss the other advantages with you.

S100 bus board products & support for the system integrator ...

■ **LIGHTNING ONE *** 8086/8088 CPU**
8086 or 8088, with 8087 and 8089 coprocessors. Up to 10 MHZ operation **PRICES start at \$425.00**

■ **HAZITALL SYSTEM SUPPORT BOARD**
2 serial, 2 parallel ports, battery protected clock/calendar, Hard disk controller host interface **PRICE \$325.00**

■ **LDP 128/256K DYNAMIC RAM**
Advanced dynamic RAM with LSI controller for failsafe operation, parity **PRICE 128K—\$495.00, 256K—\$795.00**

■ **RAM67 HIGH PERFORMANCE STATIC RAM**
High speed (100ns) low power CMOS static RAM. 128K bytes, extended addressing **PRICE \$995.00**

■ **LDP72 FLOPPY DISK CONTROLLER**
Single/double density, single/double sided disks, both 8" and 5 1/4" inch drives simultaneously **PRICE \$275.00**

■ **LIGHTNING 286—80286 CPU BOARD**
Offers 4 times the performance of a 5MHZ 8086 CPU while maintaining software compatibility. **PRICE \$1395.00**

■ **OCTAPORT 8 PORT SERIAL BOARD**
8 serial ports 0 to 19200 baud operation real time clock interrupt. Ideal for multi-user systems such as MP/M-86.* **PRICE \$395.00**

All of LDP boards are fully tested to exacting standards and carry a one year warranty. We specialize in 16-bit products & support the four major operating systems for 16-bit processors: CP/M-86*, MP/M-86, CONCURRENT CP/M-86*, and MS-DOS (PC-DOS).

Dealer inquiries invited.



LOMAS DATA PRODUCTS, INC. □ 66 Hopkinton Road, Westboro, MA 01581 □ (617) 366-6434 □ Telex: 4996272


*CP/M-86, MP/M-86 and CONCURRENT CP/M-86 are trademarks of Digital Research.
**MS-DOS is a trademark of Microsoft
***Lightning One is a trademark of Lomas Data Products, Inc.
****PC-DOS is a trademark of IBM



More speed, more memory workspace from the people who lifted the 64K limit.

In 1981, we introduced our famous Saturn RAM card to boost the Apple's memory by 32K. Now, there are 64K and 128K versions for added power.

Increased RAM lets you run bigger programs, and our VisiCalc® expansion software provides a dramatic expansion of workspace memory. Also, the extra memory can work as a pseudo disk for instant access. (No more 20-second searches!) The Saturn RAM board is a super aid for advanced word processing, data base management, spread sheet, and accounting applications. And perfect with PASCAL, CP/M®, and BASIC.



Use our easily installed cards in combination—and get a whopping 220K of VisiCalc workspace on the Apple IIe. Or sensational enhancements on Apple II, II+, Franklin, Basis and most Apple compatibles. We even have software that increases your Apple's memory in BASIC programming up to 4 megabytes!

This kind of performance requires sophisticated bank switching and supporting software that we originated, proved, and improved. Buy from the leader!

Let us help you expand your Apple's productivity. For information on our RAM boards and other Titan microcomputer products, see your computer dealer or contact: Titan Technologies, Inc., P.O. Box 8050, Ann Arbor, MI 48107; Telephone (313) 973-8422.

Sales and Marketing by The MARKETING RESOURCE GROUP, Costa Mesa, CA.



Apple is a registered trademark of Apple Computer, Inc.
VisiCalc is a registered trademark of VisiCorp, Inc.
CP/M is a registered trademark of Digital Research, Inc.

(2c)

TI Einstein, Albert

ARTICLE TITLE

TX

1 of 14. The German-American physicist Albert Einstein, b. Ulm, Germany, Mar. 14, 1879, d. Princeton, N.J., Apr. 18, 1955, contributed more than any other scientist to the 20th-century vision of physical reality. In the wake of World War I, Einstein's theories—especially his theory of relativity—seemed to many people to point to a pure quality of human thought, one far removed from the war and its aftermath. Seldom has a scientist received such public attention for having cultivated the fruit of pure learning.

ARTICLE CONTAINS 14 PARAGRAPHS: ONLY PARAGRAPHS 1 AND 4 CONTAIN "EINSTEIN" AND "PRINCETON"

4 of 14. By 1909, Einstein was recognized throughout German-speaking Europe as a leading scientific thinker. In quick succession he held professorships at the German University of Prague and at the Zurich Polytechnic. In 1914 he advanced to the most prestigious and best-paying post that a theoretical physicist could hold in central Europe: professor at the Kaiser Wilhelm Gesellschaft in Berlin. Although Einstein held a cross-appointment at the University of Berlin, from this time on he never again taught regular university courses. Einstein remained on the staff at Berlin until 1933, from which time until his death (1955) he held an analogous research position at the Institute for Advanced Study in Princeton, N.J.

END OF DOCUMENTS IN LIST

Figure 2c: Having located the one article in which both "Einstein" and "Princeton" appear in the same paragraph, a string of print commands displays the text of that paragraph on the screen.

the exact article titles, which are singular.

First-time users, especially children, make repeated errors when entering search terms. Analysis of the search terms for one of the videotex services reveals that about one-third of all terms failed to locate an article. In approximately 90 percent of those cases, the information existed but errors (misspellings, use of plurals, incorrect positioning of names) prevented the user from finding it, at least on the first try.

Clearly, the unforgiving nature of search-term entry on videotex systems is a frustrating inadequacy that can be improved by the system operators. At the same time, the information provider has a responsibility. Other aids to access are required. Current videotex systems allow only keyword access to article headings. There is no on-line index, and today's videotex systems do not have the full text-indexing capabilities of BRS and Dialog. Clearly, the specific entry headings need to be broadened so that the same information is available via several different search terms. An on-line index would broaden access still further, especially when combined with a thesaurus function.

Free text systems are not restricted to keyword access. Rather, the user can

focus his search language to a highly specific degree, examining the body of knowledge with precision. The price of that precision is a high degree of practice and skill.


In the long term, both keyword and free text access to large databases probably will give way to search languages with a high degree of artificial intelligence (AI). At present, when you search for information in an encyclopedia, particularly on videotex systems, you have to think about its likely location. You cannot interrogate the database, but this is exactly what you should be able to do, posing such questions as: Who wrote *The Grapes of Wrath*? How many Nobel Prize winners went to Harvard? Where do icebergs come from?

Answers to all these questions can be found eventually with current systems, but a fully developed database incorporating AI search techniques would take you directly to the sources.

Having located an article, the user begins to read it. The "window" into the encyclopedia's massive database is a television or monitor. The text display (depending on the service and the end-user's hardware) varies from 16 lines by 32 characters per line (approximately 85 words) to 25 lines by 80 characters per

(continued)

You don't need a computer to talk to another computer.



The new RCA APT (All Purpose Terminal) expands your data communications capabilities for a lot less money.

For business, professional and personal data communications, you'll find more user-friendly features and greater communications capabilities in the RCA APT than in other terminals selling for up to three times the price.

The new APT terminals are ideally suited to multi-data base time sharing and dedicated, direct computer-connected applications. They feature menu-controlled operation and a programmable "personality" to match specific communications requirements for your data bases.

A single keypress can dial a stored number, send the log-on sequence on the host computer, and return terminal control to the user. Password protection prevents unauthorized access to designated numbers. APT can also be used as an auto-dialer for voice communications.


OTHER FEATURES

RS232C port for direct computer connections at data rates to 9600 baud, or for connecting high speed modems and other accessories. Parallel printer port for hard copy. Numeric keypad, can dial phone numbers not in terminal directory. Built-in speaker with adjustable volume control for audio monitoring of phone line. Smooth scroll display. Automatic screen blanking to reduce possibility of burn. Briefcase size: 17" x 7" x 2". Weight: under 4 lbs.

Quite simply, matching features with price, there is no other professional quality terminal available today that can do as much at such low cost.

APT terminals list for \$498, in your choice of full stroke or membrane keyboard versions. Either style is also available with a display monitor for \$697 list. The data display monitor alone, VP3012D, \$199 list.

For more information—or to order—call 800-722-0094. In Penna., call 717-295-6922. Or write for fully descriptive brochure to RCA Data Communications Products, New Holland Avenue, Lancaster, PA 17604. OEM and dealer pricing available. The new RCA APT. Expansive. Not expensive.



RCA

An Ideal Video Peripheral

BY MARK DAHMKE

As a software consultant, my major complaint with most of the popular videodisc players is that they communicate with computers very poorly. Typically, the videodisc player is treated as a printer or a plotter; the user has to deal with commands that may or may not be ASCII (American National Standard Code for Information Interchange) format and may or may not be logical and consistent.

The Discovision (now Pioneer) model 7820 had a command set that looked like a selection of random numbers. The codes to send the numerals 0 through 9 were: 3F, 0F, 8F, 4F, 2F, AF, 6F, 1F, 9F, and 5F, in that order. In addition, the 7820 had an IEEE-488 external interface that wasn't compatible with most microcomputers. In an attempted remedy, Discovision built a serial converter box to change the IEEE-488 protocol to and from RS-232C levels. What they came up with was a protocol converter with a 1-byte buffer that could easily be overrun, erasing the last command before it could get to the player.

Even if the translation and protocol conversion problems are ironed out eventually, a programmer is still faced with a stiff challenge in trying to get the status and frame number back from the player. Some players won't give out this information at all. Ones that do return strangely encoded bytes that take many instructions to untangle. On some players the frame number comes back as a 2-byte integer, on another it comes back as four ASCII digits in hexadecimal, and on still another it shows up as five-decimal ASCII digits. Any software expected to run on more than one model of videodisc player has to account for all of these differences.

Timing seems to be the worst problem with interfaces. Data sent to the player at serial-port speeds just can't control a fast videodisc player in the manner required by modern interactive applications. Some new players offer parallel ports, but many computers (e.g., the IBM Personal Computer) don't support full bidirectional interfaces. IBM claims that its Centronics port is "parallel input and output." However, if you check the circuit

diagram, you will see that it isn't. It is wired so that reading the port returns only what was last sent.

Newer videodisc players operate at floppy-disk and, in some cases, hard-disk speeds. Some have worst-case access times of 2 to 3 seconds. Within a year or two, I expect to see write-once, multiple-read videodiscs with interfaces to let them be used as archives. (Some current videodiscs can hold gigabytes of data.) For this to work, however, the interface

will have to be smart enough to recover the stored data and fast enough to return it to main memory at magnetic-disk speeds. This technique can work, as shown by the fact that it is already being used in several hard-disk backup systems for videotape recording equipment. In these disk-to-tape systems, the data from the disk is recorded redundantly in the scan lines of a National Television System Committee (NTSC) signal, which is then recorded on videotape. While this prac-




Figure 1: The hardware configuration for an intelligent videodisc player.

ENCYCLOPEDIA




Figure 2: A second-generation interface built around digital television.

tice could easily be transferred to videodisc hardware, much of the videodisc would be wasted and not used to its full potential. The developing direct-digital recording techniques will remedy this problem by maximizing use of the disc recording surface.

Loading software into a personal computer from a videodisc as if it were a floppy disk would greatly enhance educational applications. For example, audiovisual and computer-graphics course material (all orchestrated by an authoring language) could be combined and loaded into a personal computer from the first part of a videodisc while just the audiovisual portion is stored separately on the remainder of the videodisc. A development system would consist of the videodisc player and other end-product hardware, but the graphics and curriculum-specific data, or "courseware," would be developed on attached floppy-disk or hard-disk systems.

Figure 1 shows one possible hardware configuration for a first-generation intelligent player. The main feature of the design is the videodisc interface adapter, which would plug into an expansion slot on the microcomputer. The interface adapter gives the programmer tight control over the timing of the player and also controls the video overlay circuit.

As digital television and audio reproduction become affordable and popular (I estimate that this will take five to seven years), we'll be able to define the formats that will let personal computers store and retrieve video images and sound. We'll then be able to play it back through digital television sets. Alternately, digital television images could be recorded from TV sets onto a videodisc and then retrieved, displayed, or processed on personal computers.

Figure 2 shows a second-generation interface built around digital television. As 32-bit processors become faster, and memory bandwidth greater, it will be possible to directly manipulate high-resolution images that come from the videodisc or are created directly by the microcomputer. The video output from the TV camera can be routed to a digital television for viewing, or the output can be held in the graphics frame buffer for further modification and processing.

Mark Dahmke, a contributing editor for BYTE, is a software consultant and heads MCD Consulting Inc. He can be contacted at POB 80266, Lincoln, NE 68501.

COMPU



FREE Printer Stand with System Order

★ indicates NEW LOWER PRICES

AD#786

PRICE WAR

★ IBM PC 64K, Two disk drives 360K each, Drive Controller and Keyboard \$2,199

WE CUSTOMIZE IBM PC SYSTEMS

★ IBM PC with 128K, one floppy Drive, Keyboard 10 MB Hard Disk with Controller \$3,199

TAVA PC	CALL
Computer Accessories Power Director	\$109
NEW QUADRAM Quadboard 0K	\$219
★ AST SIX PAK PLUS with 64K	\$266
AST I/O Plus with Clock & Serial Port	\$129
ORCHID TECH PCnetPLUS	CALL
TEAC 55B-slimline DSDD	\$179
TEAC 55F-slimline DSDD	\$249
CONTROL DATA - full height	\$219
TANDON 100-2	\$209
MAYNARD 10MB - WS-1 with EPROM	\$999
MAYNARD 10MB - WS-2 with EPROM	\$1,199
TALLGRASS TECH Hard Disk Systems	CALL
★ PGS HX-12	\$466
PGS MAX-12 Amber	\$179
PGS SR-12	\$599
AMDEK 300	\$149
SANTA CLARA SYSTEMS PCterminal	CALL
EPSON FX-80	\$529
★ EPSON FX-100	\$666
OKIDATA Microline 92 P	\$429
OKIDATA Microline 93 P	\$699
PLUG 'N PLAY for OKIDATA	\$49
Printer Stand Regular	\$25
Parallel Printer Cable	\$30
★ NEC SPINWRITER 2050	\$888
★ NEC SPINWRITER 3550	\$1,666
★ NEC SPINWRITER 7730	\$1,888
PERSYST Color Graphics Card	\$209
QUADRAM Quad Color I	\$209
QUADRAM Quad Color II Upgrade	\$209
MYLEX Multidisplay Card	\$499
STB GRAPHIX PLUS	\$399
TECMAR Graphics Master	\$499
AST MonoGraphPlus with Clock, Serial & PP	\$499
HERCULES Graphics Card	\$369
Tseng Labs UltraPAK	\$549
★ PLANTRONICS ColorPlus	\$366
PARADISE Multidisplay Card	\$379
MICROCOM ERA 2 Internal Modem w/Software	\$349
HAYES Smartmodem 1200 B	\$399
HAYES Smartmodem 1200	\$499
EVEREX Graphics Edge	\$399

MasterCard AMERICAN EXPRESS VISA

COD NO SURCHARGE VISA & MC 3%, AMEX 5%

COMPUMAIL

805-498-6635

2509 THOUSAND OAKS BLVD., THOUSAND OAKS, CA 91362

(2a)




Photo 2a: The "Bodydisc" is an experimental project designed to test the feasibility of delivering encyclopedia information via a laser disc. The disc incorporates several user aids and orientation features, such as this chapter on how to use the disc.

(2b)



Photo 2b: Another orientation feature of the "Bodydisc" is the inclusion of several strategically placed "You Are Here" screens.

easily.

But there is a need for other orientation tools, such as sequential numbering of article pages (which Dow Jones News/Retrieval has) as well as individual numbering of pages (which Compu-Serve has).

A recent study of a group of eighth-graders' use of the videotex AAE produced some interesting findings. While the students searched for articles and moved around in them with varying degrees of proficiency, they confined their activities to *finding* information rather than *using* it. They actually read and manipulated the information later as printouts, which could be studied at leisure, marked up, and incorporated into their research projects. In fact, I suspect that many of our users who have access to a printer do their serious reading in ink-on-paper form.

This doesn't mean that no one reads text from the screen. Graphics-oriented videotex systems, such as Viewtron, are based on the assumption that subscribers will read from the screen. This is fine for news summaries. But the real utility of an electronic encyclopedia won't be realized until people can access, manipulate, and reorganize significant amounts of information *electronically* using such powerful information tools as word processors, database managers, and graphics programs

ELECTRONIC KNOWLEDGE LAND

Grolier is working on some of the refinements I have been describing. We believe that, having freed encyclopedia information from the artificial constraints of the alphabet and the physical constraints of the book, we should be able to reshape and reorganize that information. We want to put it to new uses. We want to create a reference tool that can interact with other information tools. Additionally, we're trying to build a conceptual framework—an outline of knowledge—for intellectual pursuit and stimulation. At present, this new "knowledge land" is largely uncharted, although major landmarks are known. We hope that videotex systems will have the navigational tools to explore it fully, and that software producers will have

(continued)

line (approximately 330 words). By contrast, the printed AAE contains 1500 words per page, and pages can be viewed two at a time. Clearly, current video-display technologies are capable

of only the most myopic view of a large text database, which is why it is all the more important to be able to rapidly shift the view, to be able to browse and move around in an article quickly and



FEATURES INCLUDE:
 16 Bit CPU
 With 128K RAM Memory
 Expandable to 256K,
 Two 320KB Slimline
 Disk Drives,
 Floppy Disk Controller,
 Monochrome Monitor and
 Adapter, Parallel and
 Serial I/O's.

**BEST OF ALL!
 TEN DAYS FREE TRIAL!
 ALL YOU PAY IS
 SHIPPING!**

**FOR MORE DETAILS
 CALL OR WRITE
 TO: TAVA CORPORATION
 16861 Armstrong,
 Irvine, California 92714
 714/261-0200
 Headquarters/Telex: 181667
 Answer Back COMPDSHACK IRIN**



IBM® COMPATIBILITY AFFORDABLE PRICE TAVA PC

**THE SMART COMPUTER USER
 WANTS REAL VALUE WITH
 IBM COMPATIBILITY!** Circle 299 on inquiry card.

THE TAVA PC. The ultimate Personal Computer. It gives you IBM PC® Compatibility at a fraction of the cost. Choosing a personal computer is a difficult decision. But, when your decision is a TAVA PC, it's not hard at all! The TAVA PC runs under DOS 1.1, 2.0, CP/M86®, and p-System®. You can choose from a large library of all the most popular IBM PC software products such as dBasell®, Lotus 1-2-3®, Visicalc® and thousands more.

©TAVA CORPORATION 1983 †California residents add 6% sales tax. JBASE II is a registered trademark of ASHTON-TATE, Inc. CP/M86 is a registered trademark of Digital Research, Inc. IBM PC is a registered trademark of IBM Corp. LOTUS 1-2-3 is a registered trademark of Lotus Development. UCSDp is a registered trademark of Softech Microsystems. Visicalc is a registered trademark of Visicorp.

(2c)



Photo 2c: This photo shows one of the Help screens on the "Bodydisc." The user can get additional assistance when needed.

created the manipulation tools to exploit it fully.

A VIDEODISC ENCYCLOPEDIA

The videodisc is another interactive medium that we believe is applicable to encyclopedia information. The ability to randomly access any frame, combined with the disc's dense storage capacity (54,000 frames per side on a laser disc) and its inherent audiovisual properties, make it a particularly powerful publishing medium.

As part of a joint venture with Long-

man, a British publisher. Grolier recently produced a pilot disc. The pilot was developed as a test vehicle to determine how the organization, content, and audiovisual treatment of encyclopedia material might best be accomplished.

Long before the pilot went into production, we had concluded that we would need a lot of discs to encompass all the information contained in a general encyclopedia. This led us to ask ourselves how each disc should be organized so that it could be both a stand-alone information resource and a

part of an integrated series. We decided to organize each disc around a specific theme or subject area. The pilot is part of what will eventually be a two-sided disc devoted to the human body (see photos 2a through 2c).

Each thematic videodisc will be a self-contained information resource. The discs will not attempt to be the equivalent of a printed reference work. Rather, each disc will "illuminate" knowledge areas, conveying through audiovisual means only the essence of a subject.

Designed for use with a standard consumer laser videodisc player under normal keypad control, the discs will become considerably more versatile resources under microcomputer control. While the number of combined microcomputer/videodisc applications has increased substantially in the last two years—applications that include training, point of purchase, education, and games—there are few truly "generic" discs for which software can be written.

Grolier is developing two electronic databases, one in text form and one in audiovisual form. These two databases are being developed separately so that each can take advantage of the separately developing markets for on-line/videotex and videodisc products. But both databases will ultimately be brought together (although whether through telecommunications or local mass storage is yet to be determined). The result should be an innovative informational/educational resource: an encyclopedia that is appropriate to the media and appropriate to the times. ■

White 50/50 Adult Domestic T-shirts. To order fill out size & style. Enclose 9.95 per shirt, 2.50 postage & handling per order. Check or money order only.

MAKE CHECKS PAYABLE/SEND TO
PC Promotions
 P.O. Box 5236 • Pgh., PA. 15206

NAME: _____ AGE: _____
 ADDRESS: _____
 CITY: _____ STATE: _____ ZIP: _____
 STYLE: A-B-C OUAN. SIZE: S-M-L-XL

TOTAL @9.95 ea. _____
 Postage & Handling _____
 TOTAL ENCLOSED _____

presenting PC Humor T-Shirts

STYLE A-PC MAGIC
BLUE/GREEN-BLACK
IMPRINT

STYLE B-MENTAL GIANT
BLACK-RED IMPRINT

STYLE C-PC POWER
LT BLUE-BLACK
IMPRINT

TELEVISIONS AS MONITORS

BY KEN COACH

*An introduction to a new generation
of television receivers that double as monitors*

SOME HOME COMPUTERS will operate quite nicely with just a normal television set, as you probably know if you've usurped the family TV or dug out the old black-and-white set from the basement. But sooner or later, you'll probably want to upgrade to a monitor. If you are using your computer for word processing or 80-column applications, a television set just can't give you the same resolution that a monitor can.

If you are interested in using your computer only to display text or data, you'll need a monochrome monitor for an 80-column screen. You can choose green, amber, or black-on-white video displays to help reduce eyestrain.

If you use your computer for more varied tasks, however, and if you are interested in other television peripherals, such as a videocassette recorder (VCR) or videodisc, you probably will be considering an upgraded color system.

COMPUTER RESOLUTION

Resolution begins in your computer's ROM (read-only memory) and depends on how large a dot matrix the ROM character generator uses to produce letters or graphics. The matrix can vary from 35 dots, which produces a character 5 dots wide by 7 dots high, up to a matrix that contains more than 300 dots. The more dots, the higher the resolution and the more clearly defined

the characters. One of the most common arrays is a 63-dot matrix (7 by 9).

When the matrix for each character is displayed on a TV or monitor, its sharpness can depend on the following factors:

Bandwidth is the rate at which the screen is redrawn (or refreshed). It is measured in millions of cycles a second (MHz). Television sets normally have a bandwidth of about 4.5 MHz, while monitors can have bandwidths as high as 50 MHz. In fact, the actual bandwidth of most TV receivers is not more than about 3.8 MHz, which is adequate for the evening news but not really good enough for a computer display.

As a rule, you can expect to get about 80 horizontal lines of resolution for every MHz of bandwidth. Remember that a TV screen has 525 lines but that the viewed image amounts to only 343 lines.

TV producers make sure most of the action takes place in the center of the screen because TV manufacturers have a built-in "overscan" that compensates for the deterioration of some of your

 Ken Coach has been a newspaper and TV journalist for 14 years. A cofounder of OrcaVision Computer Software, he is now an independent computer writer and consultant. He can be reached at 228 East 131st St., #21, New York, NY 10003.

set's parts, which might make the picture smaller than the screen. Unfortunately, that further reduces the number of lines available for computer use.

Resolution can also depend on the way a TV or monitor interlaces its picture. The 525 horizontal lines on a TV screen (called the raster) are ideally broken down so that each "frame" on the screen is made up of two scans of 262½ lines each. In order for that to work, each of the two fields must be perfectly interlaced so that the lines of one fall exactly between the lines of the other. Thirty frames are drawn on the screen each second, and each one has two fields.

Not all TVs can accommodate an interlaced 525-line raster (nor can all computers, for that matter), so many units use a 260-line noninterlaced raster that lowers the quality of resolution.

A monitor with a high number of scan lines would still be limited by, for example, an Atari computer that sends out 191 visible scan lines.

If you use a 35-dot matrix (5 by 7), it will take at least 7 scan lines to draw the character. When you add space between lines and perhaps an underline option, it can take 10 or 12 lines to draw the character. That means that a 260-line raster can display only about 20

(continued)

lines of characters on the screen.

Color convergence is yet another aspect that can affect resolution. Convergence is the degree of accuracy with which each of the three color guns shoot the electron beam onto the screen. If you look closely at the screen and detect little color halos or rings around some characters, the convergence needs adjustment.

The other contributor to resolution is *dot pitch*, the space between the red, green, and blue phosphor dots on the screen.

Dot pitch is measured in millimeters (mm), and the smaller the pitch, the more dots are on the screen and the better the resolution. A high-resolution color monitor may have a dot pitch under 0.50 mm, but the dot pitch of an ordinary TV can be as much as twice that.

High resolution is obviously alluring, but don't be seduced by it. Make sure your computer can produce the resolution to take full advantage of the monitor you have in mind; otherwise, you may be throwing away money.

RGB VS. COMPOSITE

The letters "RGB" are kicked around quite a lot when people discuss monitors these days. They mean, of course, "red, green, blue," the basic colors that all TV sets use to produce a color picture.

The color signal standard known as "composite" video as defined by the National Television System Committee (NTSC) allows for the transmission of red, green, and blue together as one signal that is then split with a device known as a "comb filter." In early TV sets, the signal coming in was "chopped" and alternately diverted to red, green, or blue phosphor dots.

Some composite sets, such as the Sony Trinitron, use three separate electron guns to shoot the separate red, green, and blue signals, which is a great improvement, but there is still just one composite signal coming into the set. With an RGB monitor, however, each of the three colors has its own signal to control the electrons hitting the video screen. The result is a sharper image and more clearly defined color intensities.

Two types of RGB systems are currently in use: *analog* and *digital*. The analog

signal is delivered directly to the video gun, illuminating the phosphor screen dots in sync with the raster-scan pattern. This produces an almost unlimited variation in colors and brightness levels.

A digital RGB system is more restricted in its color range. Instead of sending the actual signal, a digital system works through a microprocessor and sends the instructions for the color scan.

To date, most home computers must be adapted to work with an RGB monitor. However, some computers, such as the IBM PCjr, are equipped with built-in RGB capability. As a result, some monitors and TVs are being produced with both composite and RGB inputs to allow the use of either system.

MONITORS VS. TELEVISIONS

Since monitors seem to do less than television receivers, you might wonder why they cost more. The reason is that a monitor is actually designed to do more than a normal TV set: it has been developed specifically to display signals from your computer or video recorder or videodisc player. In fact, some units let you integrate functions from one of those media to another. You can use your computer, for example, as a character generator to produce text that can be superimposed on a VCR image.

Monitors are likely to have a much greater bandwidth than receivers, which means better resolution. They are generally built to more exacting specifications, since there is not the automatic loss of quality inherent when a video signal is broadcast.

Another advantage is that monitors often have controls that TV sets lack or controls in more convenient locations for frequent adjustments. Some new color composite video monitors, for example, have color-kill switches to produce a monochrome display to make text reading easier or a reverse-video switch to produce a black-on-white display.

Brightness and contrast controls on monitors are generally located at the front of the unit, and some monitors have centering controls to adjust the picture.

Some new monitors, following the lead of the stereo industry, are being billed as "component" televisions. In fact, component TV will probably start

to take off when stereo TV broadcasting becomes more widespread.

Several manufacturers are working on stereo TV tuner/receivers that will be out late this year. Another approach is a TV tuner that would use a standard home stereo system to amplify the stereo signals.

Teletext and videotex services providing everything from banking to televised catalog shopping at home are expected to increase in the next few years as well. That will increase demand for higher-quality home monitors.

While an RGB monitor provides the best resolution and can operate with some computers, video players, and cable systems, composite video is still an option.

Picking up standard broadcast signals still requires a composite video system. As a result, many monitors are being made with the option of RGB or composite video to allow for a wider variety of use.

FUTURE TECHNOLOGY

One of the problems with any computer-related technology is that you can't tell if it will be obsolete within a year or two. Just as the mouse seems ready to change some of the basic concepts of home computing, a new technology will radically change our expectations for a computer monitor. Manufacturers of a flat-screen TV technology, for example, are about two years away from making serious inroads in the computer field. Although some portable computers have come out with flat displays, they provide only a few lines rather than a full screen.

One approach, the liquid-crystal display (LCD), works on the principle of varying the electric current applied to crystals, which makes them either clear or opaque. An LCD depends on light being reflected back from the crystals. It does not produce light on its own and therefore can be used only in a well-lit area.

A different sort of flat-screen application, the electroluminescent display, consists of a layer of zinc sulfide and manganese between two glass panels that have extremely thin, closely spaced wires imbedded in them. An electric current can produce pixels where a horizontal and vertical wire intersect.

(continued)



ORYX SYSTEMS, INC.

CRAFTSMEN OF THE NEW TECHNOLOGY.
BEST PRICES WITH QUALITY SUPPORT* ON SOFTWARE AND HARDWARE.

USI 1200A 12" HR Am . \$ 159

MODEMS

Hayes
Smartmodem 300 \$ Coll
Smartmodem 1200 \$ Coll

Navation
Apple-Cat II \$ 259
PC Cat (w/Crosstalk) ... \$ Coll

US Robotics
Auto-Dial 300/1200 ... \$ 459
Password 325

Microtek Dumping-GX \$ 89
Tymac Par 1/4 w/cable . \$ 79
Videx Display Enhancer \$ 99
Display Enhancer II 99
Videoterm VT-600 179
Ulterm 249

IBM / PC BOARDS

AST RESEARCH
Six Pak Plus (exp 384K,
Ser, Par, Clk) \$ 279

MegaPlus 64K, (CI/Col,
Ser Port, 512K capacity
w/Megapak) \$ 269

Extra parts available
for Megapack and I/O
Plus II (Game, P/S)..... \$ 40

Megapak 256K upgrade
for Megapack \$ Coll

I/O Plus II (CI/Col
and Ser Port) 115

MAYNARD
ELECTRONICS \$ Coll

QUADRAM \$ Coll

TECMAR \$ Coll

XEDEX/MICROLOG
Baby Blue \$ 325
Baby Blue II 525

We offer the following complete systems w/ full support on our technical line.*

- > Franklin 1000 & 1200
- > Corona
- > NEC APC & 8800
- > Columbio
- > Televideo
- > Hyperion

MONITORS

Amdak
300A Am \$ 149
Color II + 425

NEC JB1201-12" Gr ... \$ Coll
JB1260-12" Gr 119
JC1216-RGB Clr 435

PGS HX 12" RGB Clr .. \$ Coll
Max 12 \$ Coll

Sanya 8112 12" HR Gr \$ Coll

SONY

Profel 12" \$ Coll
Profel 19" \$ Coll
Profel 25" \$ Coll

Taxon
KG 12N-UY 12" HR Am \$ 139
KG 12N-12" HR Gr 132
RGB Vision 1 12" LR Clr 323
RGB Vision 3 12" HR Clr 459

DISK DRIVES

CDC 1800 \$ 229

Corona 5 MB Hard ... 1,395
Corona 10 MB Hard .. 1,795

Davang 10/15/20 MB .. \$ Coll

Tandon TM-100-2 \$ 209

HALF HIGHS

Matsushita \$ 199
Panasonic 199
Shugart 225
Super 5 (Apple) \$ Coll
Teac w/brackets \$ 210

PRINTERS

IDS/Data Products
Prism 80 (w/4 options) .. \$1,399
MicroPrism \$ Coll

Mannesmann Tally
MT160L \$ 569
MT180L \$ 810
Sprite \$ 315

NEC 3550 \$1,650

Siemens Ink Jet \$ Coll

Star Micronics \$ Coll

Teletex T1014 \$ 499

Transtar
T-130 P/S \$ 665
T-315 P Dot Matrix 489
T-120 P/S 475

JULY SPECIALS

PANASONIC -
CT160L monitor
(Dual mode, direct-etched
non-glare 10" screen,
built-in audio, clr. comp.
graphics or b/w data
display) \$ 249

OKIDATA - 93 Parallel
(Print text, charts, graphs
and illustrations on
variety of forms. Standard
roller platen accommodates
friction & tractor
feed forms up to 16" wide.
Long life head. \$ 699

Check May, 1984
BYTE ad for more
products, or call
toll free!

CP/M SOFTWARE

Please call — We carry an extensive inventory...

COMPUIVIEW
DIGITAL RESEARCH
ASHTON-TATE
HUMAN SOFT
FOX & GELLER
SOFTWARE BANC
ANDERSON-BELL
TYLOG SYSTEMS
LEXISOFT
MICROPRO
PEACHTREE
MICROSOFT
MICROSTUF
NORTHWEST ANALYTICAL
OASIS
ORGANIC SOFTWARE
PRO/TEM SOFTWARE
SORCIM
SUPERSOFT

IBM / PC

ALPHA SOFTWARE
Data Base Mgr. II \$ 179
Apple-IBM Connection 169

AUTODESK
Autocad \$ Coll

CENTRAL POINT
Copy II PC \$ 34

DIGITAL RESEARCH
Concurrent CP/M 86 .. \$ 225
DR Logo \$ Coll

DOW JONES
Market Analyzer \$ 215
Market Manager 189

ECO-SOFT
Microstat \$ Coll

GRAPHIC/MOSAIC
SOFTWARE
Super Chartman II \$ 299
Super Chartman IV ... 199

LIFETREE
Volkswriter Deluxe ... \$ 179

MDBS, INC.
Knowledge Man \$ 329

MICROPRO
Wordstar \$ 265
Infostar \$ 265
Pak (WS/MM/SS/INDX) \$ Coll

MICRORIM
R-Base \$ 299

MICROSOFT

Multiplan \$ 149
Basic Compiler 249

MICROSTUF
Crosstalk \$ 109

PEACHTREE
PeachText 5000 \$ 249

SORCIM
Supercalc III \$ Coll

STAR SOFTWARE
Accounting Partner ... \$ 289

SYSTEMS PLUS
Landlord (prop mgmt) \$ 375
Runtime Basic
(req'd for above) 45
... and many more.

MACINTOSH CORNER

Ashton-Tate
d-Base II \$ 479
Friday 199

Continental Software
Home Accountant ... \$ 75

Microsoft
Microsoft Basic \$ 99
Multiplan 159

Software Publishing
PFS: File-Report .. eo \$ 95

Davang Disk Drives .. \$ Coll

Kensington Microwave
Swivel \$ 29
Surge Suppressor ... 45
Modem 399

Maxell 3 1/2" diskettes \$ Coll
Memorex diskettes .. \$ 49

DISPLAY CARDS

Amdak MAI Card ... \$ 420

Fredericks/Plantronics
Colorplus \$ Coll

Hercules
Graphics Board \$ 359

Tecmar
Graphic Master \$ 499

Paradise/USI
Display Card
(clr/monochrome) ... \$ 399

APPLE / FRANKLIN BOARDS

ALS CP/M Card \$ 279
ALS Z-Card II 120
CCS 7710 Asynch Ser .. \$ 119

East Side Wild Card II \$ 117

Microsoft 16K Romcard \$ 69
Softcard 219
Premium Softcard (IIE) . 335

Microtek Dumping-16 . \$ 169

APPLE / FRANKLIN

ASHTON-TATE
d-Base II \$ 389

BEAGLE BROS.
Apple Mechanic \$ 22
DOS Boss 17
Utility City 22

BRODERBUND
Bank Street Writer ... \$ 45

CDEX Each Prog. \$ 45

CENTRAL POINT
Copy II + \$ 34

CONTINENTAL
SOFTWARE \$ Coll

DOW JONES \$ Coll

LOGO CORNER

Krell Logo \$ 75
Terrapin Logo \$ 99

MICROPRO
Wordstar (Sp. w/CP/M
Card, 70 col., 64K) ... \$ 329

MICROSOFT
Multiplan (DOS) \$ 139
Cobol-80 499
Fartran-80 145
Tasc Compiler 119
A.L.D.S. 79

PEACHTREE \$ Coll

SOFTWARE PUBLISHING
PFS: Series, each \$ 79

SYSTEMS PLUS (Z80 req.)
Landlord \$ 375

VISICORP \$ Coll

ENERTRONICS

Energraphics (3-D CAD
symbol generator, cursor
drawing, computer pro-
gramming, statistics/
surface drawing, electrical
circuit/mechanical/archi-
tectural design) ... \$ 265

ORDER TOLL FREE — OUTSIDE WISCONSIN — 1-800-826-1589

Please:

- > Wisconsin residents add 5% for sales tax.
- > Add \$4.00 for shipping, handling and insurance for software.
- > For multiple items, hardware or accessories add 2 1/2% for shipping, handling and insurance.
- > 1/2% discount for cash payments.
- > Foreign — add 15% handling & shipping for prepayment. (Int'l money order)
- > Prices are subject to change without notice.
- > All items subject to availability

*For technical information, order status and in Wisconsin, please call 715-848-1374.

Circle 240 an inquiry card.

We Welcome:

- > Visa, MasterCard & American Express. (No charge for credit cards.)
- > Corporate, government and educational accounts. (For additional discounting, please ask for special accounts desk.)
- > COD (Add \$2.00 per shipment. Cash or certified check required.)
- > Checks. (Allow 1-2 weeks for clearing.)

Working Hours: Monday-Friday 8:30-6:00
Saturday 10:00-2:00 • Central Time

ORYX SYSTEMS, INC.

CRAFTSMEN OF THE NEW TECHNOLOGY



425 First Street
P.O. Box 1961
Wausau, WI 54401

Int'l Telex: 260181
ORYX SYS WAU

So far, flat-screen displays are being used mainly for text. Their major disadvantages are limited resolution and high cost; problems manufacturers are working to solve.

Still another approach involves redesigning the video display rather than finding a replacement for it. The Sony Watchman was a significant development in the miniaturization of a screen, but more significant to computer applications may be the recently released pocket television from Sinclair Research in England.

The Sinclair pocket TV is not presently suitable for computer applications because of its size, but the technology holds promise for the future.

The Sinclair TV uses a cathode-ray tube with an electron gun on the side rather than the rear, as in conventional TV picture tubes. The company is now working on a color version of the pocket-size TV and is also developing larger flat-screen technology. The so-called "picture frame" display that's thin enough to hang on a wall may have great potential for computer applications.

A MONITOR SAMPLING

It would take a good-size book to compare the many monitors and television sets on the market today. Even a straight listing of specifications is deceiving, since our perception of color is highly subjective.

The best approach when shopping around is to look at as many different monitors as possible, preferably hooked up to your own computer or one like it. Monitor size, features, and price range are all personal decisions. What follows is a sampling of some of the monitors that are presently available.

PANASONIC

Panasonic has split itself into two companies: an industrial division aimed at business and high-end computer monitor use and a consumer division that makes televisions for the home (including computer, VCR, and cable use).

The newest product from the industrial division is the DF-H103 monitor, which became available in April at a suggested price of \$750. The 10-inch (diagonal) display is meant to be a desktop monitor for IBM, Apple II, NEC, or Panasonic's own "Sr. Partner"

computers.

The DF-H103 uses a high-resolution screen and can be used with either composite or RGB input. The monitor also has a reverse-video switch that allows black-on-white word processing and a centering lever to adjust the picture.

Picture quality is exceptional, and the monitor is appropriate for any mass-market computer now available. The 80-character, 25-line screen has a resolution of 760 by 570 pixels. An etched screen virtually eliminates reflected glare.

Some people will probably find the 10-inch screen too small for comfort. The company plans to release a 14-inch version this summer, but it will not have quite as good resolution. Panasonic officials say that increasing picture quality is expensive and that, since the demand is still not that high, the cost of an equivalent 14-inch unit would be prohibitive.

For someone with an inexpensive home computer, Panasonic offers a more modest monitor for about \$400. Though this unit has only a 40 by 25 character display, one feature will be welcomed by anyone who has tried to use a word-processing program on the Commodore 64—a color-kill switch that makes for a sharp black-and-white display for easier text reading.

For a complete home TV/VCR/computer system package, Panasonic's consumer division offers the Omni series. These sets are intended to compete with Sony's Profeel product line. The most interesting unit in the series is the CTF-1465R, which will retail for about \$680. It has a built-in TV tuner as well as VCR, cable, computer and even IBM interface connections. You can choose between composite and RGB signals. It also has remote control, an on-screen clock, and even a timer to turn off the late show after you nod off.

Meant as a multiuse receiver monitor, it has a very good picture with a 0.42 mm dot pitch and more than 350 lines of horizontal resolution in the composite mode.

You might prefer to wait until the 1495 monitor is released this summer. Although that unit is essentially the same as the CTF-1465R without a tuner, it also has the ability to display teletext and videotex.

SONY

Any discussion of top-of-the-line monitors for the home market must include the Sony Profeel series. Over the years, Sony has built a reputation of trustworthiness that results in many people buying its products without even considering anything else. Sony products have been among the best since the company's Trinitron series popularized a single-gun approach to composite video.

The latest models in the KX monitor series take advantage of the Trinitron technology and add both analog and digital RGB capability. In addition, the company has released an interface accessory so that the monitors can be used with an IBM PC.

The monitors, called "component TVs," are designed to provide access to computers, videodisc players, VCRs, cable TVs, and future stereo broadcasts.

Without tuner, interface, or stereo speakers, the 19-inch model costs about \$850 and the 25-inch set costs about \$1500.

The 19-inch monitor has an excellent picture with more than 350 lines of horizontal resolution on its composite input and more than 450 lines on the RGB input. The monitor will accept digital and analog RGB signals, which makes it capable of accepting teletext or videotex signals.


The unit has a built-in stereo amplifier with 5 watts per channel stereo output for external speakers. Picture contrast adjusts automatically to compensate for changes in the video signal.

The monitor is a good all-purpose unit for someone who might want it to display a spreadsheet program one day and the latest VCR program the next. If your taste is more to the VCR and videogames, though, you might prefer the 25-inch monitor. A larger screen, however, can be hard on the eyes if you plan to do a lot of programming or word processing.

TEKNIKA

One Japanese monitor manufacturer preparing to increase its impact on the American market is Teknika. The company presold all of its initial stock of the M1-22, which is a 13-inch RGB/composite monitor.

(continued)



STOP STRUGGLING WITH SPREADSHEETS!

THERE'S AN EASIER WAY TO DO YOUR BUSINESS PLANNING: PROFIN.

If you don't have days, or even hours, to do projections with a spreadsheet, consider this:

There is now a highly specialized software tool expressly for the business person who needs the answers more than the workout.

TIME-CONSUMING WORK ALREADY DONE FOR YOU

If you want to do forecasts and budgets, return on equity, discounted cashflows, net present values, capital expenditure analysis, interest calculations, depreciation comparisons or taxation scheduling without setting up the mathematical calculations or laying out a spreadsheet, you need Profin.

Profin is an easy-to-use (menu driven) program which leads you through your business analysis step by step. You simply answer the questions as they appear on the screen.

REPORTS AUTOMATICALLY LAID OUT

Once you've completed entry, you'll be able to see any or all of the following reports laid out for you:

- income statements
- tax schedules
- interest schedules
- returns on equity
- capital expenditures
- discounted cashflows
- and balance sheets.

You can then make any changes to any of the information already entered and look at revised reports.

And you can automatically load your Profin reports onto a Multiplan, VisiCalc, SuperCalc or Lotus 1-2-3 screen (or any other spreadsheet that reads D.I.F. files) to carry out further manipulations.

SPECIALIZED HELP FOR BUSY PEOPLE

Think of it this way: spreadsheets are great for the hobbyist who gains satisfaction from hours in front of the screen. But if you're a business person with little computer experience and even less spare time, you need the specialized tool: Profin.

Available under \$300 for CP/M-80, MS-DOS, and IBM PC-DOS from your local retailer.

Also available: PLANFIN. For sales, marketing and other executives who just want simple forecasts and budgets, Planfin gives you operating income statements plus net income and discounted cashflow reports in less than 15 minutes. Under \$200.

BUSINESS SOFTWARE™



Please send me more information about how Profin and Planfin beat the spreadsheets for budgets and forecasts.

Name _____

Address _____

City/State/Zip _____

Computer Brand Owned or Planned to Buy _____

Mail to: Business Software, Inc. BT7
12021 Wilshire Blvd., #194 Los Angeles, CA 90025

Two ways to show off your IBM PC.™



There's no better way to show off your IBM PC – or any other micro – than with the new line of Toshiba printers. They offer state-of-the-art features, high reliability and low price.

P1351

The new Toshiba P1351 printer has a unique high-density 24-pin dot-matrix print head. It lets you print crisp, clean letter copy at 100 cps, draft copy at 192 cps. And with the software-selectable downloading fonts, you get to pick from a variety of type styles.

The P1351 has more stuff to show. Like 180 x 180 dots-per-

inch high-resolution graphics, 132-column-width platen (great for spreadsheets and Lotus™ 1-2-3™ data processing and graphics), Qume SPRINT 5™ emulation, and a choice of either a forms tractor or automatic sheet feeder.

P1340

For considerably less, the new P1340 gives you just a little less. But it still has the same high-density 24-pin dot-matrix print head, the 180 x 180 dots-per-inch graphics resolution, and the Qume SPRINT 5 emulation. In addition to true proportional spacing and a

built-in forms tractor. Whichever printer you choose, nationwide service within 24 hours by Western Union technicians is available.

So the choice is yours. But when you choose Toshiba, you know you're putting on the best show possible.

For more information, call one of the distributors listed on the adjacent page.

IBM PC to P1340 and P1351 graphics utilizes PaperScreen and the IBM PC with color graphics adapter. IBM PC is a trademark of International Business Machines. Lotus and 1-2-3 are trademarks of Lotus Development Corporation. SPRINT 5 is a trademark of Qume Corporation.

© 1984 Toshiba America, Inc.

In Touch with Tomorrow

TOSHIBA

Information Systems Division, TOSHIBA AMERICA, INC.



THE PRINTER TO PICK WHEN THE PACE QUICKENS.

It's happening all over the PC and micro worlds.

You're getting hit with a ton of increased throughput requirements. Your applications are generating a deluge of paper. You need more printer speed. A lot more.

You're also looking for more professional-looking presentations so you need better print quality. A lot better.

Who's got the best of both worlds for you?

Okidata's Pacemark 2350 and 2410 dot matrix printers.

They'll not only help you *keep* pace with your world, they'll help you set new and exciting ones. In print speed. In print quality. And in vastly increased compatibility and capability.

Take throughput. The 2350 and 2410 can quickly get you out of the waiting game to where you're *really* cranking it out. And with flexibility, too: up to 5 pages per minute.

But wait. Cranking *what* out, you may ask? A single, restrictive printing mode? No way. The 2410 can give you DP, draft,

and a correspondence quality that truly rivals the daisywheel.

And the 2350 and 2410 can both print at up to 350 cps. While producing 120 to 420 lines a minute for you. With bidirectional printing and short line seeking logic. And both high speed horizontal and vertical slew.

PC COMPATIBILITY. SOFTWARE COMPATIBILITY.

The 2350 and 2410 use industry standard interfaces making them hardware compatible with most mini and microsystems on the market today. In addition, they are supported on the menus of most of the important software being offered to microsystem users like Visicalc, Lotus 1, 2, 3, DBASE 2, Peachtree 500 and General Ledger, Multi-Mate WP, Wordstar, etcetera.

But wait, there's more. Like an outstanding all points addressable graphics capability with 144 x 144 dots per inch resolution.

Two color printing for highlighting. Down line loadable font sets for flexibility.

Subscripts and superscripts so your scientific and technical usage won't bog down. Six-part forms handling. The capability to print 132 columns on eight-inch paper using 17.1 characters per inch to save paper costs and make output easier to handle.

And—so that you can depend on getting all that good stuff, all the time—a mean time between failure of 2200 hours. A mean time to repair of only 30 minutes. An average printhead life of 200,000,000 characters. And an industry low warranty claim rate of less than 2%.

No doubt about it, the quicker the pace at your place, the more you need Pacemark from our place. For more information, call toll free 1-800-OKIDATA. In New Jersey, 609-235-2600. Or write OKIDATA, Mt. Laurel, NJ 08054.



OKIDATA

an OKI AMERICA company

We're keeping pace with your business.

Circle 238 on inquiry card.

www.americanradiohistory.com

COMPUTER CONTROL OF A VIDEO RECORDER

BY CY TYMONY

*Extend the capabilities of a VCR
with any sound-generating computer*

SHORTLY AFTER I acquired a VCR (videocassette recorder), a Realistic Model 10 with one-event programmability, I became frustrated playing the morning "programming game." Should I record this show or that show? I felt somewhat limited having only one programming option, especially when I compared the capabilities of more expensive systems that can be programmed for multiple events on different channels. I decided I would control my VCR with my TRS-80 Color Computer.

This project is designed for VCRs that have *varactor* tuners. You can recognize this type of recorder by the way you change its channels. If you turn a dial to select a channel, then your VCR has a dial (or *turret*) tuner. If you use soft-touch control switches, a keyboard control, or an up/down-counter control, then your VCR has a varactor tuner. For our purpose of controlling a VCR's functioning via a computer, the varactor-tuned unit is required because it uses an electrical signal instead of physically moving switches to select channels. (For more information on VCR tuning techniques, see references 1 and 2.)

INTERFACE HARDWARE

By connecting external switches in parallel to the VCR's record, stop, and channel-selection switches (as shown in figure 1), you can control the VCR's functions with LM567 tone decoder ICs (integrated circuits). If your VCR has a remote control, then you can wire the switches to the remote control's switch contacts. The circuit shown in figure 2 uses the sound output from a TRS-80 Color Computer to activate the tone decoders, which turn on reed relays wired in parallel to the VCR's control switches. (Table 1 contains a list of parts you'll need to build the circuit.) The tone decoders and the reed relays provide total electrical isolation between the computer and the VCR. The tone decoders can be set to respond to any frequency from 0.01 Hz to 500 kHz. (For more information on 567 tone decoders, see
Cy Tymony (POB 2387, Beverly Hills, CA 90213) attended the University of Wisconsin and works as a technical writer. His latest book, 99 Fun-to-Make Electronic Projects, was published by Tab Books. He is currently developing projects for low-cost computer-controlled video editing and special effects.

reference 3.)

Inside the 567 tone decoder IC, a current-controlled oscillator operates at a frequency set by the values of the potentiometer connected between pins 5 and 6 and the value of the capacitor connected to pin 6 and ground. The input signal (in this case the computer's sound output) and the internal oscillator are fed to two phase detectors. When the internal oscillator frequency is within about 14 percent of the input signal, the output pin 8 sinks up to 100 milliamps to ground.

To tune the 567s, write a short program to make your computer produce a tone, and tune one of the tone decoders to this signal. Check the leads of all the other tone decoders used in the circuit to make sure they do not turn on to this tone. Repeat this procedure until every tone decoder in the circuit will turn on only to its own individual sound from the computer. For very low frequency tones under 800 Hz, the tone decoder may take a full second to lock on to a signal. Be sure that the duration of the sound command in your program is long enough for the tone decoder to

(continued)

lock on the signal and actuate the reed relay.

The tone decoder is fine-tuned by adjusting the potentiometer connected between pins 5 and 6. For high-frequency operation, you may substitute another value for the capacitor connected to pin 6 and ground; also, see the data sheet that comes with the 567 tone decoder IC for more information.

The reed relay uses a small reed switch that is surrounded by a coil of wire. When current is applied to the coil, the contacts in the reed switch close, which completes the circuit. Because there is no direct connection between the coil and the contact switch, complete electrical isolation is obtained. A power supply for this project is shown in figure 3. Table 2 lists the parts you'll need.

If your computer has an external sound output, then send the signal to the tone decoders with a 10- μ F (microfarad) bypass capacitor. If the computer's sound output is not externally available, you can tap the signal just before it enters the computer's RF (radio-frequency) modulator, if it has one. If the power level of the sound output is too low, you can increase it by using an LM386 amplifier IC to build it up to a usable level (see figure 4).

THE CONTROL PROGRAM

The control program, shown in listing 1, keeps track of time. When the "start" time matches the "present" time, the computer produces a tone that selects the programmed channel and also produces another tone that momentarily closes the record switch contacts to start the VCR recording the event. When the "end" time matches the present time, the computer closes the stop switch contacts with another tone. When in counting mode, most personal computers are between 1 and 5 percent accurate within a 24-hour period. This is good enough if you set the start and end times a few minutes before and after the scheduled times of the programs you want to record.

Lines 5 to 75 request input data about the event to be recorded (channel, start time, end time). Line 80 requests present time to start the computer clock. Line 90 produces a one-second delay for the clock. (This is based on the TRS-80 Color Computer's internal clock




Figure 1: An example of external switch connection.




Figure 2: The computer-VCR interface circuit.

Table 1: The parts needed to build the computer-VCR interface. The number of parts required depends on the number of channels you need to select.

Part	Radio Shack Catalog Number
567 tone decoder IC (as many as needed)	276-1721
25k-ohm potentiometer	271-335
1-F capacitor	272-996
2.2-F capacitor	272-135
10-F capacitor	272-1013
16-pin DMP jumper ribbon cable	276-1976
Reed relays	275-232
Perfboard	276-1394
IC sockets	276-1995

speed. Other computers would use a different delay sequence, which you can find through experimentation.) Line 100 compares the start time of event one with the present time; if they match, the computer selects a channel by adding the channel number to 100 and producing a tone. It also produces a different tone to actuate the record switch on the VCR. Line 110 compares the end time of event one with the present time; if they match, it produces a tone to actuate the stop switch on the VCR. Lines 130 to 180 are reserved for more event data. Lines 181 to 300 reset the clock.

COUNTER-TUNER VCR PROCEDURE

With this method, a reed relay is wired in parallel to the channel "up" switch on the VCR. A tone decoder IC is connected to the reed relay that can be turned on by a unique tone from the computer's sound output.

The computer selects the first event's channel by producing the number of tones needed to reach the desired channel. For example, if the VCR is set on channel 2 when it is first turned on, and the first event to be recorded is on channel 5, then the computer produces three tones with pauses of one-half second between the tones. For the next event, the computer sounds the number of tones equal to the difference between the present channel and the desired channel.

The program for selection of channel 5 could be:

```
IF AB=H AND AC=M THEN SOUND
100.1 : FOR I=1 TO 190: NEXT I:
SOUND 100.1 :FOR E=1 TO 190:
NEXT E : SOUND 100.1 : SOUND
150.1
```




Figure 3: The regulated power-supply circuit.

Table 2: Power-supply parts list.

Part	Radio Shack Catalog Number
3-amp transformer	273-1511
Full-wave bridge rectifier	276-1171
7805 5-volt regulator	276-1770
1000-µF capacitor	272-1018
Fuse holder	270-739
Fuse	(capacity depends on number of components)
Perfboard	276-1394
Cabinet	270-224
AC cord	278-1255

Note: A ready-made power supply is available from Radio Shack (22-127). You will still have to use the 7805 5-volt regulator to drop the power down to a constant 5 volts.




Figure 4: The sound-amplifier circuit.

KEYBOARD-TUNER VCR PROCEDURE

With this method, every number on the keyboard has a reed relay wired in parallel to it. A tone decoder IC is connected to each reed relay that can be turned on by a unique tone from the computer's sound output.

The computer produces two different tones (one-half second apart) that represent a channel selection. To program channel 4, the computer sounds a tone for tone decoder 0, pauses for one-half

(continued)

MEGABYTES FOR MICROBUCKS

In a field where so-called "break-throughs" are proclaimed nearly every day, SORD's new M68 is the genuine article. Incredible memory, processing speed and software flexibility at simply unbelievable prices. Ideal for your business, scientific and engineering applications.

DUAL PROCESSOR ARCHITECTURE

Not just any two processors, either. The state-of-the-art MC68000™ 16-bit main CPU runs at a blinding 10 MHz. A Z80A™ CPU runs thousands of 8-bit applications, and the AMP9511 Arithmetic Processing Unit can make them faster than ever before.

A MAINFRAME'S WORTH OF MEMORY

The base M68 model starts with 256K of parity-checked RAM and is expandable up to 3.2 megabytes. The M68-1M starts with a megabyte and can be expanded to an incredible four megabytes with available plug-in boards. Even large mainframes don't enjoy such power. Think of the number-crunching you can do with four megabytes on your desk.

ADVANCED GRAPHICS

High resolution graphics are standard on all M68's. 640 x 400 pixels in either monochrome or up to 16 colors, with a detailed 8 x 16 character grid for easy readability hour after hour, even in color. Special LSI circuitry and the super fast CPU make high speed drawing a reality.



EXPANDABILITY PLUS

M68's are now available with high-capacity 5¼-inch disks; 8-inch floppy disk and hard disk drives available this fall. Two serial ports, a Centronics-compatible printer port, a light pen port and a GPIB/IEEE-488 port are standard.

SOFTWARE VERSATILITY

The M68 can run more software than any machine in its class. Operating system choices include CP/M-68K™, RDOS, UCSD P-system™, CP/M-80™, KDOS and the PIPS software system that has revolutionized Japanese management and is now used by Citibank and other major corporations in over 45 countries. Choose from C, FORTRAN, Pascal, COBOL, BASIC and more. Supports mainframe communications links, graphics, and a wealth of applications software.

MIND-BOGGLING PRICING

If this kind of power sounds expensive, guess again. M68 systems start at less than \$5,000, and even four megabyte systems start at approximately \$13,000! Each 1MB plug-in board is \$2395, available separately as required.

FIND OUT MORE NOW

SORD may be the new guy in the U.S. market, but they're big news around the world. SORD, Japan's fastest growing company, and one of Japan's largest manufacturers of business microcomputers, is an international leader in both hardware and software.

GET STARTED NOW

Find out how you can benefit from the most powerful desktop systems available.

1-800-223-1796

IN NEW YORK: (212) 206-4045

SORD

THE NEXT GENERATION...NOW

SORD COMPUTER OF AMERICA, 723 West 7 Street, Los Angeles, CA 90017
645 Fifth Avenue, New York, NY 10022

CPM—Reg'd trademark of Digital Research UCSD Pascal: Reg'd trademark—Univ. of Calif. of San Diego MC68000—Reg'd trademark, Motorola Corp. Z80A—Reg'd trademark, Zilog, Inc.

Listing 1: The VCR control program.

```

5 PRINT "CHANNEL": INPUT AA
10 PRINT "START TIME H.M.S": INPUT AB.AC.AD
15 PRINT "END TIME H.M.S": INPUT AE.AF.AG
20 REM LINES 25 TO 75 ARE RESERVED FOR MORE EVENT DATA
80 PRINT "PRESENT TIME H.M.S": INPUT H.M.S
90 PRINT H.M.S: FOR T= 1 TO 800: NEXT T : S= S+1
100 IF AB = H AND AC = M AND AD = S THEN SOUND (AA+100),1: SOUND 150,1
110 IF AE = H AND AF = M AND AG = S THEN SOUND 200,1
130 REM LINES 130 TO 180 ARE RESERVED FOR MORE EVENT DATA
181 IF S> 59 THEN GOSUB 200
182 IF M> 59 THEN GOSUB 250
183 IF H> 23 THEN GOSUB 300
184 GOTO 90
200 S = 0 : M = M+1 : RETURN
250 M = 0 : H = H+1 : RETURN
300 H = 0 : RETURN
    
```

second, and then sounds a tone for tone decoder 4 (04).

The program for channel selection would be as follows:

```

IF AB=H AND AC=M THEN SOUND
80,1 : FOR Z=1 TO 390 : NEXT Z :
SOUND 90,1 : SOUND 150,1
    
```

OTHER INTERFACING METHODS

Sound output is just one of the many possible interfacing techniques that can be used to control a VCR with a micro-

computer. You can use a parallel port, a serial port, or a cassette output port to relay data to an interface device. Since the computer's only function is to count the time and momentarily send an output signal, even a portable or a pocket computer can be used to control a VCR with a phototransistor placed near its liquid-crystal display to sense screen changes.

You'll probably want to obtain an inexpensive personal computer for this purpose; many are available, including

the Timex/Sinclair 1000, the Texas Instruments 99/4A, the TRS-80 MC-10, and the Commodore VIC-20. (For more information on interfacing microcomputers to control external devices, see references 6 and 7.) After using the interface for a few days, the biggest problem you will be confronted with will probably be obtaining enough videotape to satisfy your programming needs. ■

REFERENCES

1. Spillane, John. *TV Field and Bench Servicer's Handbook*. Blue Ridge Summit, PA: Tab Books, 1979.
2. Goodman, Robert. *Maintaining and Repairing Videocassette Recorders*. Blue Ridge Summit, PA: Tab Books, 1983.
3. Mims, Forrest. *103 Projects for Electronics Experimenters*. Blue Ridge Summit, PA: Tab Books, 1981.
4. *Radio Shack Semiconductor Reference Guide*. Fort Worth, TX: Tandy Corporation, 1983.
5. Barden, William. *TRS-80 Models I, III, and Color Computer Interfacing Projects*. Indianapolis, IN: Howard W. Sams and Co., 1982.
6. Carr, Joseph. *Microcomputer Interfacing Handbook: A/D and D/A*. Blue Ridge Summit, PA: Tab Books, 1980.
7. Wolfe, Gordon. *Computer Peripherals That You Can Build*. Blue Ridge Summit, PA: Tab Books, 1982.

ACKNOWLEDGMENT

The author wishes to extend special thanks to Mario Gonzales for his contribution to this project.




HIGH PERFORMANCE LEADER

GANG MULTIPROGRAMMER™

- Programs over 400 devices
- Detachable keyboard (opt.)
- Stand Alone - RS232
- Bipolar • Microchips(opt.)
- 3 Voltage EPROMS (opt.)

\$15-G \$995



UV MULTIERASER™

- Built-in safety switch
- Removable anti-static UNITRAY™ (opt.)
- 1 Hour Timer (opt.)

\$67
BUV-3C

**CALL NOW or WRITE FOR BROCHURES
ON OTHER SYSTEMS UNDER \$600**

BYTEK® Computer Systems Corp.
4089 S Rogers Circle
Boca Raton FL 33431

(305) 994-3520
Telex: 5109527637
Distributor Inquiries Welcome



At long last, there is the business mind with the business system, effortlessly.

Software so totally different and uniquely intelligent that it can create and carry through complex projects by itself. Extraordinary software with the capacity to adapt to a range of users' abilities, and grow in sophistication as their needs expand.

Introducing Smart Software from Innovative Software.™ There's never been a software system like it before. Nor is there anything else like it today.

That's because no other software has the capability to complete and repeat complex projects—from start to finish—on its own. Not by memorizing keystrokes (like a macro), but by adjusting to your project changes; and open-endedly performing dedicated applications.

Entire projects—spreadsheet to data base to graphics to word processing—can be completed without supervision; freeing your time for running your business, rather than running your business software.

In addition, Smart Software puts to rest, once and for all, the *ease-of-use* versus *power* dilemma, because this unprecedented software is as workable for beginners, as it is powerful for experts.




For more information on the fully-integrated Smart Software System, call 800-GET-SMART or visit your local computer dealer for a demonstration.

Smart Software was created to work for you, relentlessly. Structured to integrate with its smart mates, automatically. And designed to communicate with not-so-smart software, brilliantly.

The one-of-a-kind Smart Software System. Undoubtedly the most productive tool ever conceived for the business mind.

INNOVATIVE
Software

software that links



Thinking of
buying a modem?
You owe it

to yourself to check out the Qubie' 212A modems.

Inside Outside

Just a few years ago, computers needed big air-conditioned rooms to operate in, balefuls of money to buy, and a team of wizards to keep them running. The constant march of technological progress has given more and more powerful machines which cost less and less. Desktop computers more powerful than the early mainframe computers are the result of the evolution. The Qubie' modems represent the latest extension of this progress. Because up until now, a 212A compatible modem cost at least \$500. Through the use of four low-cost, state of the art microprocessors, we can now offer two versions of our full featured 212A modem at prices the competition sells 300 baud modems for.

In The Beginning

In September of 1983 we introduced the first 212A modem card for the IBM PC available for under \$300. The PC212A/1200 is a complete communications package including PC-TALK III software, modular phone cable, card edge guide, and instruction manual. The modem is an auto-dial, auto-answer type, which uses all the Hayes software commands so it can be used with any of the popular software packages including Crosstalk,TM and Smartcom.TM We picked the best software package we could find based on it's ease of use and features, PC-TALK III. Our modem includes features the old industry standard missed out on. Like being able to fit in one slot in a Portable PC or PC/XT.

Or an optional connector to use the modem's serial port when not using the modem. Of course the topper is the \$299 price, hundreds less than the competition.

Now Available Outside

Our standalone modem, the 212E/1200 can be used with any computer or terminal with a RS-232C serial port. You can use any Hayes compatible communications software on anything from an Apple to a Zenith. Many owners of IBM PC's are using it because they lack available expansion slots, or have more than one computer they want to use their modem with.

It's attractive gold anodized case houses seven status lights (who says low prices means a shortage of features). It fits comfortably under a standard telephone. It is also a 212A compatible auto-dial, auto-answer modem which supports all Hayes software commands. Even the switch settings are the same, so any software giving recommended switch settings for a Hayes modem can be used, without knowing what the switches do. There is a volume control knob for easy adjustment of the speaker's output. Included in the package is modular phone cable, a cable to hook it to your computer or terminal, and instruction manual. Choose the communications package right for your needs, and you're ready to go!

Four Hearts

The heart of the Qubie' modems are four digital signal microprocessors. Two handle sending, and two do the receiving. Rather than attempt to filter all but the relevant tones used for modem communications, the

microprocessors measure the tones digitally. This allows them to overcome line noise and static better than analog filter based modems.

Why Buy From Qubie'

Because you will get a product as good or better than any available, pay less for it, and get factory direct help if you need it. If at any time during the one year warranty period your modem should require service, we will fix it or replace it within 48 hours. Notice also there are no hidden charges in our prices. No extra for freight, insurance, credit cards, or COD fees. In a hurry? UPS 2nd day air service is just \$5 extra. If you are like many who say, "Nah, it's too good to be true," just apply the acid test and find out. Then you will be asking yourself, "Why should I pay what these modems used to cost?"


The Acid Test

Qubie' gives you a 30 day satisfaction guarantee on your modem. If you are not completely satisfied we will refund the entire amount of your purchase including the postage to return it. If you can, get anyone selling another modem to give you the same guarantee. Buy both, and return the one you don't like. We know which one you will keep.

IBM is a trademark of International Business Machines Corporation.
Crosstalk is a registered trademark of Microstal Inc.
PC-Talk III is a registered trademark of The Roadlands Press Inc.



- **PC212A/1200** Includes: Modem Card, PC-TALK III software, card edge guide, modular phone cable, quick reference card, and instruction manual. **\$299**
- Optional external serial port connector **\$20.**
- **212E/1200** Includes: Standalone modem with cable (specify male or female), modular phone cable, and instruction manual. **\$329.**



Order Today, Shipped Tomorrow!

All prices include UPS surface freight and insurance. Add \$5 for two day air service. For fastest delivery send certified check or credit card. Personal checks take 18 days to clear. Calif. residents add 6% sales tax. Corporations and Institutions call for purchase order details.

(800) 821-4479

Toll Free Outside California

(805) 987-9741

Inside California

QUBIE'

4809 Calle Alto
Camarillo, Ca. 93010

Tempo House, 15 Falcon Road,
London SW11 2PH, United Kingdom

© Copyright Qubie' 1984

Circle 260 on inquiry card.

VIDEODISCS AND COMPUTERS

BY STAN JARVIS

Hardware, formats, and interfacing

THE EMERGENCE OF the home videodisc player as a storage medium for images has focused the attention of businesspeople and programmers alike on the advantages of fitting realistic video with computer graphics and programs.

The videodisc itself is not new. Its history begins in the early 1930s when Paul Godow received the first videodisc patents in Germany. About this time, Alexander Graham Bell produced optically recorded 12-inch audiodiscs using a solenopowered latent modulating device in Washington, DC. Bell licensed his audio-recording patents to Thomas Edison, who introduced wax-cylinder audio players. They were soon replaced in the marketplace by 12-inch audiodiscs developed by Deutsche Grammophon. Edison later founded Western to develop talking movies, matching the running length of a reel of movie film to a 12-inch audiodisc spun at 33 1/3 revolutions per minute (rpm).

England's late Logic Baird created a mechanical scanned video system in the late 1920s. The Baird television used 12-inch pressed-wax audiodiscs containing video test signals to assist in its daily adjustment. The NCR's Broadcasting Corporation (BBC) provided an even greater advance a few years later with the introduction of an electronic scanning television system, replacing Baird's technology.

By 1940, German radio stations were using innovative magnetic audio-recording technology in the United States. Ampex Corporation used parts carried into the country after World War II to develop its first magnetic-tape audio recorder. Later, Ampex turned its attention to developing the first successful videotape recorder, and Western developed the first stereo records.

The modern videodisc is a hybrid: the result of crossing a number of technologies. Special reception is due Ite Corporation, which funded the first working videodisc player in the early 1960s. The company used silver-halide media readoptively with a lightbulb illuminating source. Initially, the company's signal pickup system decoded considerable "noise" for interference from adjacent video tracks. However, because there is little difference between consecutive movie frames (except for the movement of people or objects), Ite reasoned that image noise would seem reduced by spinning a videodisc at an even number of frames per revolution, or 300 rpm. The company's patent on this concept is the

.....
See also: POG (1964), Set Lake City, UT 84415; a partner of USF Inc. He holds a *Los Angeles in video development and an M.S.A., and he uses an Ottome*

early 1950s immediately prompted industry leaders to view the videodisc as a potential video-image storage peripheral for a computer system.

The forces behind the development of video are distinct from influences that led to modern personal computers. Characteristics such as scan rates, interfaces, and data formats were all established long before the emergence of popular cathode-ray-tube computer systems. Video data can be sourced from broadcast transmissions, videotape, videodiscs, or from digital frame buffers. One need only consider the amount of RAM (random-access read/write memory) allocated to a typical screen control function in a personal computer to appreciate the difference between video requirements (in excess of 100K bytes for a single frame buffer) and computer display requirements. Developers of video systems usually avoid the need for massive amounts of screen memory by refreshing the cathode-ray tube directly from the video source's incoming data stream. Practical relationships between videodisc players and computers have been driven by two forces, broadcast applications and non-broadcast interactive-video uses.

Broadcast tele-video applications are usually introduced to eager buyers at the SMPTE (Society of Motion Picture

Continued

Printed On An Epson Printer

By The *Fancy Font*® System

Letter Quality

Say goodbye to correspondence quality and hello to *Fancy Font's* high-resolution, proportionally spaced, letter quality. *Fancy Font* provides fonts in sizes from 8 to 40 points; styles include Roman, Bold, Italic, Script, Old English, and more. All this on low-cost Epson (MX, RX, FX) and Gemini 10X printers. *Fancy Font* is an easy-to-use software package for CP/M and IBM PC compatible systems; no special hardware or installation is required.

Create Your Own Characters

You can use over 30 font sets in the *Fancy Font* package and furthermore, can create any new characters or logos you like, up to 1 inch by 1 inch. A database of over 1500 characters is included that makes it possible to print foreign languages and mathematical notations.

Font Style Samples

small medium large Bold Italic
 Sans Serif Script Old English

$$A = \int_0^a \sqrt{a^2 - x^2} dx$$

Φ Ψ Ω Β € 6 Д Ж ± ÷ ≠ ≤ ≥ φ @ § Ω 0 • # q b

Numerous Applications

Fancy Font customers, numbering in the thousands, are constantly discovering new applications.

- Business and personal letters
- Custom forms, invoices, labels, signs
- Foreign Languages
- Mathematical Notation, Greek
- Super- and Sub-scripts
- View Graphs
- Custom Letterheads
- Resumés
- Articles for publication
- Newsletters, brochures
- Complete manuals
- Advertisements
- Invitations, place cards

InfoWorld
Software Report Card

Fancy Font

	Poor	Fair	Good	Excellent
Performance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Documentation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ease of Use	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Error Handling	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Copyright, 1983 by Popular Computing, Inc., a subsidiary of CW Communications, Inc. Reprinted from InfoWorld, 6/2/83.

(This ad was printed on an Epson MX-80 printer. Call for an actual sample.)

Highlight: **IBM and CP/M-order now - (800) 351-0500 - M/C Visa**

"The quality of print is excellent, and the variety of type styles and sizes is even better."

Pat McKeague, InfoWorld, 5/2/83
 Available for: Epson FX, MX, RX, Gemini 10X, IBM Graphics Printer, Riteman Inforunner, TI 855/850, C/10h and NRC8023 (IBMPC only)

SoftCraft, Inc., 222 State St. Suite 400, Madison, WI 53703
 (We've moved from California) phone: (608) 257-3300

Fancy Font System \$180.00 _____
 Fancy Font Demo Disk \$ 10.00! _____
 Calif. and Wis. residents add sales tax _____
 Outside US add \$10 (only \$2 for demo) postage _____

Diskette Format:

8" CP/M Epson QX10 Osborne Kaypro
 IBM PC² Victor 9000² Apple CP/M³

¹ \$7.50 applicable towards purchase of Fancy Font
² PC/DOS/MSDOS systems require 128K memory IBM printer works
³ Fully transparent 8-bit printer interface required

and Television Engineers) and NAB (National Association of Broadcasters) shows. These are the video equivalents of the annual National Computer Convention. An excellent recent example of state-of-the-art commercial equipment is the VSP (Video Sequence Processor) from Picture Element Ltd. PEL's new offering can accept video signals from any of the international standard video formats and process signals recorded in 525-line and 625-line interlaced rasters, or even proposed 1125-line formats. It outputs finished video signals in the selected formats. Further, it can process computer-developed images such as 512-by 512-pixel, or 1024-by 1024-pixel resolutions and output them to standard video. It can also record and play up to 8 minutes of video in real time, slow motion, or one frame at a time.

Another broadcast device of potential interest is the Cox CVPI00 Computer Video Processor. This \$13,000 device accepts a wide range of computer video formats, different scanning rates and logic pulses and outputs standard NTSC (National Television System Committee) video. Shintron has a similar product to interface home computers to NTSC video outputs.

In nonbroadcast applications, computer/video developments have been driven by the interactive requirements of video recorders and players used as a video signal source. A few years ago, small computer/video systems tended to be home built or one of a kind. Today, many companies market excellent products that feature integrated computer/video capabilities.

INTERACTIVE TRAINING AND EDUCATIONAL SYSTEMS

Instruction and training is a widely accepted application and a strong impetus for integrating computers and video equipment. Many early CAI (computer-aided instruction) projects failed to reach their expected potential because they lacked audio and realistic video images. Some educators and developers concluded that the *addition* of video-disc peripherals to CAI programs could improve the success rates of users. This has proven to be the case.

Training systems incorporating video-discs are usually categorized in levels. Level 1 systems are the simplest, con-

(continued)

MicroAge®

"THEY GAVE US THE COMPETITIVE EDGE!"

"Since opening our Orland Park store in 1981, we've doubled our square footage and are opening a second store in Oak Lawn; it's MicroAge's 100th store. MicroAge showed us how to develop a professional atmosphere, build a knowledgeable sales force, and provide the technical assistance needed to reach small to mid-size businesses in the Chicago suburbs."

"MicroAge is the franchise organization you like to have supporting you because they maintain high professional standards. With MicroAge, we've gained the type of reputation that brings referrals from satisfied customers."

"If we had to do it all over again, we'd do it with MicroAge!"



Gary W. Voogt
Franchise Owner



Garrett N. Voogt
Franchise Owner

To build your own professional computer sales organization with MicroAge requires an initial investment of \$200,000 to \$350,000 which includes \$80,000 in liquid assets. Write to:

MicroAge® COMPUTER STORES "The Solution Store"®

1457 West Alameda • Tempe, Arizona 85282

(602) 968-3168



MicroAge franchisees Garrett and Gary Voogt shown with an IBM Portable Personal Computer.

Circle 210 on inquiry card.

sisting of a video player and a monitor. The player may just as easily be a videocassette player, if the material is to proceed linearly with user intervention. Home videodisc players have internal microprocessors to handle drive house-keeping functions. All except the least-expensive players have sufficient power to accept commands for search, auto

stop, chapter stop, and still-image display through either the player's keypad or via a CAT (computer-aided testing) plug. CAT is used to test machines under computer control at the end of the manufacturing process.

Table 1 lists four videodisc formats available today ranked in order of popularity. The majority of all videodisc

drives are of the CED format (capacitance electronic disc), but only top-of-the-line players have ports and capabilities needed for computer connection. Currently, the LV (laser video) format is the easiest to work with because of the number of player brands and videodisc-pressing sources now available.

The VHD (video high-density) format is a technically neat compromise, able to play NTSC or PAL (Phase Alternate Line) from the same disc, but currently it is not available in the U.S. Panasonic's OMDR (optical memory disc recorder) allows you to record your own videodiscs. Blanks run several hundred dollars each. The not-yet-available (and unlisted) McDonnell-Douglas format will have a player, recorder, and duplicator, using a photographic film medium. Readily available Level 1 players include Pioneer-manufactured machines sold under the Pioneer, Sony, Magnavox, and Sylvania brand names.

Level 2 systems consist of a videodisc player and a controller, either internal or external. Control data can be decoded from a videodisc with a limited command set to handle most of the requirements. Level 2 systems are best limited to simple, dedicated applications, although this is a constantly changing area. For example, printers have been driven by Pioneer industrial players. The Sony player can drive a still-frame audio adapter.

Level 3 systems consist of a computer, videodisc player, video monitor, and any number of related peripherals. At a minimum, the computer controls the sequence of image strings from the videodisc player based on input from the user and control data stored on the videodisc, floppy disk, or other magnetic storage device.

Applications increasingly require computer-generated graphics to overlay a videodisc image. The earliest Level 3 systems, Apple or TRS-80-driven units using home-brew interfaces, demonstrated how difficult good-quality video overlay could be (see the text box "The Difficulty of Computer-Graphic/Video Overlay" on page 192).

Since that time, a number of video computer systems have shown significant improvement.

Terak is a specialized manufacturer whose equipment is often found in uni-

(continued)

Table 1: Videodisc formats available today.

Type	Speed RPM	Capacity in minutes	NTSC Images	Speed RPM	Capacity in minutes	PAL Images	Technology	
							pickup	disc
CED	450	60	27,000	375	75	27,000	Capacitive	Grooved
LV	1,800	30	54,000	1,500	30	45,000	Optical	Reflective
VHD	900	60	54,000	750	60	45,000	Capacitive	Grooveless
OMDR	1,800	13	22,000				Optical	Recordable

Table 2: A list of manufacturers and contact numbers for many of the products mentioned.

Platter Pressers		
Laser Video	(714) 630-6700	Anaheim, CA
Pioneer	(201) 573-1122	New York, NY
Sony	(201) 930-6432	Park Ridge, NJ
Technidisc	(313) 352-5353	Troy, MI
3M	(612) 733-3906	St. Paul, MN
Players		
Hitachi	(312) 981-8989	Chicago, IL
Panasonic	(201) 348-7000	Secaucus, NJ
Phillips	(212) 697-3600	New York, NY
Pioneer	(201) 573-1122	Montvale, NJ
Sony	(201) 930-6432	Park Ridge, NJ
VHD	(714) 660-9294	Irvine, CA
Videodisc Recorders		
Dover Instruments	(617) 366-1456	Westborough, MA
Optical Disc Corp.	(714) 522-2370	Cerritos, CA
Panasonic	(201) 348-7000	Secaucus, NJ
Hardware and Systems		
Bell & Howell	(312) 328-5175	Chicago, IL
Compuvision	(212) 532-9113	Santa Cruz, CA
Digital Controls	(404) 441-3332	Norcross, GA
DEC	(617) 276-4111	Bedford, MA
Digital Techniques	(617) 273-3495	Burlington, MA
Hazeltine	(703) 827-2300	McLean, VA
IEV	(801) 531-0757	Salt Lake City, UT
Micro Ed	(800) 642-7633	Eden Prairie, MN
NCR	(305) 323-9250	Lake Mary, FL
New Media Graphics	(617) 272-8844	Burlington, MA
Sony	(201) 930-6432	Park Ridge, NJ
Terak	(602) 998-4800	Scottsdale, AZ
Video Vision	(201) 377-0302	Madison, NJ
Visage	(617) 655-1503	Natick, MA
Information Sources and Conferences		
Nebraska Videodisc Symposium, August 27-30, Lincoln, NE (402) 472-3611		
Optical Memory News, POB 14817, San Francisco, CA 94114. (415) 621-6220		
SALT 6th Annual Interactive Videodisc Conference, August 22-24, Washington, DC. (703) 347-0055		
Videodisc Monitor, POB 26, Falls Church, VA 22046. (703) 241-1799		

LIFEBOAT™ Associates:
The full support software
source.

Reach for the programming horizon of the 80's with Lattice C, the fastest C compiler.

Set the course of your next software project towards greater power and portability by selecting Lattice C, recognized as the finest and fastest 16-bit C compiler. Lattice C, the full implementation of Kernighan and Ritchie, continues to lead the way by announcing full memory management up to 1 Megabyte. Major software houses including Microsoft, MicroPro and Sorcim are using Lattice C to develop their programs.

Lifeboat offers Lattice C with a tested set of software tools to provide a complete development system including:

- HALO™
- PANEL™
- PMATE™
- PLINK™-86
- C-FOOD SMORGASBORD
- LATTICE WINDOW™
- FLOAT87™
- Color graphic primitives
- Screen design aid
- Customizable program editor
- Overlay linkage editor
- Screen and I/O utilities
- Multi-window functions
- 8087 floating point math

Lattice C is available for a wide variety of 16-bit personal computers including IBM, NCR, Telex Instruments, Victor Wang and other microcomputers running PC-DOS, MS™, DOS and CP/M86.

Call LIFEBOAT at 212-860-0300 for free information on the Lattice C family of software development tools.

LIFEBOAT Associates

LIFEBOAT
Associates

1651 Third Avenue
New York, NY 10028
212-860-0300

Please send me free information on:

- Lattice and development tools
- How to get your software published
- Corporate purchase program
- Dealer program
- OEM agreements

- Send me the complete LIFEBOAT software catalog. \$3.00 enclosed for postage and handling.

Name _____

Company _____

Address _____

City _____

State _____

Zip _____

Telephone _____

LATTICE, C-FOOD SMORGASBORD and LATTICE WINDOW, TM © Lattice, Inc.

Circle 182 on inquiry card.

LIFEBOAT, TM Lifeboat Associates
HALO, TM Media Cybernetics
PANEL, TM Roundhill Computer, Ltd
PMATE and PLINK, TM Phoenix Software

FLOAT87, TM MicroHoot
IBM and PC, © TM International Business Machines
MS, TM Microsoft
CP/M86, TM Digital Research

versities and in industry. (Table 2 lists the phone numbers and addresses of companies mentioned in this article.) Terak offers a PDP 11-23-based processor, 512K bytes of RAM, and a 10-megabyte Winchester hard disk integrated with a videodisc player. The graphic system provides 256 simultaneous colors, 640-by-480-pixel resolution, and full video overlay. The Terak color computer costs less than \$20,000.

The DEC IVIS (Interactive Video Information System) was announced last spring, based on Digital's top-of-the-line PRO-350 personal workstation. The IVIS includes most of the PRO-350 features

such as a PDP 11-23 processor, up to 512K bytes of RAM, a 10-megabyte Winchester hard disk, and a VR241 RGB (red-green-blue) color monitor. The IVIS module attaches to the back of a PRO-350 chassis and accepts analog video signals from a Sony disc player. These signals are converted to RGB for display, with overlays capable of 960-pixel by 240-line resolution with up to eight simultaneous colors. Options include a mouse, joysticks, and a graphics pad. An IVIS system costs \$18,600 with a membrane touch panel on the RGB monitor, and \$16,600 without the panel.

Converting NTSC signals directly to

RGB works well in the IVIS. The display is jitter-free and impressive. The RGB display approach is preferred by other manufacturers including Terak because overall resolution can be more easily optimized, eliminating the need to reconvert to NTSC. This is a case of adapting video to conform to the computer rather than adapting the computer to video. Early systems, such as TICCIT (Timesharing Interactive Computer Controlled Instructional Television—sponsored by the National Science Foundation) used standard analog television monitors, conforming the computer to the requirements of NTSC.

NCR (National Cash Register) introduced its first video/computer at the semiannual SALT (Society for Applied Learning Technology) conference on interactive systems. NCR has replaced the standard monochrome tube for an RGB color monitor in one of its personal office computers. Unlike the IVIS, the videodisc interface controller and RGB graphics-overlay boards are contained internally in the slots for expansion cards. The first model shown uses a Pioneer player and will retail for about \$8000. A lower-priced IBM PC-compatible model, scheduled for a summer introduction, will receive the same video treatment. That model's price is targeted at \$6500. This may indicate the start of a trend among office-computer manufacturers, where the video-enhanced models may be sold to a corporation as trainers for all the users of regular machines. Other companies are believed to be completing similar modifications, including Zenith. Some expect the forthcoming IBM "Vision Machine" to be a similar device.

Next year Sony should introduce its own videodisc recorder and a single box system with digital data decoding from the videodisc. Sony's VIPS (Visual Information Processing System) is based on the SMC-70 video-support microcomputer which controls its videodisc player(s), U-Matic, or Beta-format VCRs (videocassette recorders). The SMC-70 uses a 4-MHz Z80 with an optional 8086 Supercharger. Factory options include two types of graphic-image superimposers, still-frame audio, control of multiple players, touchscreen monitors, and a range of analog/RGB monitors. The VIPS has several graphic

(continued)

The Difficulty of Computer-Graphic/Video Overlay

To combine two NTSC signals to form a composite, both must be phase locked in the vertical, horizontal, and chroma, lest the image roll, flicker, or change color with time. Video sourced from videodiscs is usually more stable and accurate than that which comes from videotape, yet the signals still leave a great deal to be desired. There may be dropouts in the horizontal sync, vertical sync, or during the video. Some players turn off the video when they jump to relock on the start of the spiral at the end of each still frame.

Either the player can be locked to the overlay system or the system can be locked to the player. Sync locking often employs analog-phase looped systems to generate internal horizontal and vertical sync pulses. Locking the player and system to the vertical and horizontal syncs is relatively straightforward compared to locking to the chroma for two reasons.

First, as the size of single pixels on an overlay may be close to the same size as the chroma subcarrier, it is essential that a pixel clock not drift in relation to chroma lest its position or color change. For example, a single video line may contain about 256 color pixels. Out of some 50 usable microseconds per video line, each pixel's width would be about 200

nanoseconds, or a pixel frequency near 5 MHz. The 3.579545-MHz chroma subcarrier frequency has a period of 279 nanoseconds, close to the pixel frequency.

Second, NTSC specifies that the phase of the chroma signal will rotate 180 degrees every line and every black-and-white field (horizontal scanning frequency is 2/455th burst frequency or 227.5 cycles/line). With an odd number of lines (525) in every frame, the chroma will be out of phase 180 degrees with the chroma at the rising edge of the subsequent video frame. Because in every frame the phase rotates as well, it takes four fields for the chroma pulse to come back to zero-phase relationship. This presents little trouble when overlaying video-motion segments, or, for that matter, still-frame images from VHD or CED capacitance discs. (They record still-frame images as four and eight fields, respectively.) However, it is a problem when overlaying still frames from 1800 rpm videodiscs where a single two-field image is repeated continuously, so that chroma is out of phase 180 degrees every other frame. This problem can be resolved under master-computer control so that the overlay knows whether the disc is doing a still-frame or video-motion segment.

Announcing
the sudden obsolescence
of the floppy disk.

NEW HELIX PC BUBBLE DISK™



HALF-MEGABYTE MEMORY BOARD

The first bubble memory board for
IBM PC/XT and compatible computers.


- **NON-VOLATILE:** You don't lose data when there is no power.
 - Eight times faster than a floppy disk.
 - For fixed or portable use without need for back-up storage.
 - Impervious to dust, dirt, humidity, cold— as reliable in the North Sea, the Sahara, a Space Station, as in your office.
 - Mean time between failure (MTBF) more than 20 years.
 - Rugged enough to withstand vibration and shock up to 200Gs.
- For complete details contact:




Helix Laboratories, Inc., 8123 Remmet Ave.,
Canoga Park, CA 91304
(818) 710-0300—outside California, 800-468-0004
Dealer Inquiries Welcome

©1984, Helix Laboratories, Inc.


Prentice-Hall speaks an IBM language other publishers have forgotten. English.*




THE IBM PC/XT GRAPHICS BOOK by John Fowler, Ph.D. An example-packed IBM BASIC graphics tutorial. Covers both simple and advanced concepts for business and pleasure. \$16.95



TELECOMMUNICATIONS WITH THE IBM PCjr by David W. Carroll. How to use the new IBM PCjr as a home communications terminal for gaining access to data-bases, sending and receiving electronic mail, and communicating with other computers all over the world. \$15.95




GETTING THE MOST FROM WORDSTAR™ AND MAILMERGE™ Things Micropro Never Told You by M. David Stone. Exciting new ways to take full advantage of these two highly popular word-processing programs. \$14.95



CROSS REFERENCE UTILITY (CRF): A Programming Aid for the IBM PC by The Sumar Corporation. Provides a complete reference listing of variables in a BASIC program in order to review, analyze, and modify programs for maximum capability. \$29.95



IBM PC 8088 ASSEMBLY LANGUAGE TUTOR by Richard Haskell. Part of the leading series in assembly language tutorials, this edition covers 8088 arithmetic, branching instructions, graphics, addressing modes, and much more. Enables mid-level users to maximize machine potency. \$34.95



SCIENCE AND ENGINEERING PROGRAMS FOR THE IBM PC by Cass Lewart. With comprehensive prompting and error trapping, these programs cover problems in electrical engineering statistics, queuing theory, reliability, curve fitting, along with many other related technical disciplines. Book/disk available. \$9.95

PRENTICE-HALL BOOKWARE™/THE LEADER IN COMPUTER PUBLISHING

For more information about our computer books and software, write to us at the address below. Dealer inquiries welcome.
Prentice-Hall, General Publishing Division, Englewood Cliffs, N.J. 07632

* We guarantee that all our guides are easy to read and simple to apply without the aid of a reference library, a computer salesperson, or a niece who just graduated from M.I.T.

modes including a 400- by 240-pixel, eight-color overlay onto video. Costs for single systems run \$4000 to \$8000, depending on options.

Japan Victor, the leading developer of the VHS (Video Home System) VCR format and the VHD videodisc format, sells an integrated system aimed at the home user. The system consists of a video microcomputer, an RGB graphic-overlay interface, a VHD videodisc player, and an analog/RGB monitor. (Analog/RGB monitors are being offered for home and business by most Japanese TV manufacturers.) The company's HC-6 personal computer runs MSX Microsoft BASIC with a Z80 processor and 32K bytes of RAM. Program data is sourced from either audiocassettes or ROM (read-only memory) cartridges. Options include a printer, modem, joysticks, and other peripherals. The HC-6 provides a 16-color text and graphic overlay at a resolution of 256 by 192 pixels, with up to 32 sprite

planes. The visual performance is impressive, especially considering its retail price is well under \$2000.

Similar MSX systems are offered by other VHD-format manufacturers in Japan, and by Sony for use with Beta VCRs. I especially like Sharp's inclusion of television channel and audio controls in the keyboard unit of its X-7 model. Even though the manufacturers project dramatic price reductions for these integrated home-video computers next year, it's unlikely that MSX systems will be introduced in the U.S. because none of the companies that manufacture them have strong home computer marketing channels.

COMPONENTS AND INTERFACES

In addition to integrated solutions offered by major manufacturers, boards are available that allow you to hook up videodisc players to almost any computer. These boards enable you to overlay computer signals over video as

well. Over a dozen companies sell boards to connect Pioneer home videodisc players to Apple IIs. A similar number offer IBM boards. Here's a representative sample.

Starting again at the high end, New Media Graphics' \$9850 GraphOver 9500 features a 768- by 480- by 4-bit display window, control, and switching for two video players, and both RGB and NTSC output. Software routines provide pan, step zoom, and split screens. A 6809 display processor is used, together with an NEC 7220 graphics generator. This device connects to any computer with an RS-232C interface.

Visage is releasing its first product for the IBM PC—the VDC-1000 videodisc controller card. The \$1150 card features 15-color still and animated graphics with up to 32 sprites at a time. Four planes of overlays provide resolution of 190 by 256 pixels. The board also reads data

(continued)

UTAH PASCAL™

FOR MS-DOS™
Order Now!

All the elegant simplicity of Pascal is now affordable.

Diskette & Manual **\$39⁹⁵**

Requires 128K RAM IBM-compatible 8088 or 8086 system. You get 5 1/4" IBM-PC diskette and 134-page manual.

Advanced Features:

- 14-digit precision.
- BCD Math, no round-off errors.
- Floating point + 63 - 64
- TRACE style debugging.
- Arrays up to 8 dimensions.
- 64K strings.
- External procedures.
- Dynamic module auto-loading.

We Welcome C.O.D.'s




(415) 753-0186



SINCE 1977
Ellis Computing, Inc.
3917 Noriega Street
San Francisco, CA 94122

MS-DOS is a trademark of Microsoft Corp. IBM is a registered trademark of International Business Machines Corp. Utah Pascal is a trademark of Ellis Computing, Inc.

The only Project Planning System that gives you this flexibility:

Project Title Sample Project Data

Main Menu

```

1 --> INPUT
2 --> EDIT
3 --> RANK / PROCESS
4 --> DISPLAYS
5 --> REPORTS
6 --> VERSION
0 --> TO EXIT
                    
```

Enter selection: 7, . . .

Quick-Plan

The Executive Project Planning System

- Quick-Plan runs on MS DOS for: IBM PC, DEC RAINBOW+, WANG PC, HP 150, Data General DT
- Requires: 384" of core, graphics option- 132 wide printer



For more information call or write:
Mitchell Management Systems Inc.

FORMERLY STRUCTURAL PROGRAMMING INC.
Wesborough Office Park, 2000 West Park Drive, Westborough, Mass. 01581 U.S.A.
Telephone (817) 368-0800 TWX 710-347-1054



SAVE MORE THAN EVER ON...

3M Scotch® DISKETTES

AND OTHER COMPUTER NEEDS!

**LIFETIME WARRANTY!**

3M BULK DISKETTES AT TREMENDOUS SAVINGS!

These are *genuine* 3M diskettes with a lifetime warranty. But they are bulk packed in cartons of 50 with separate white Tyvec envelopes. **No identification labels, write protect tabs or cartons are provided!** A great buy for volume users.

\$160 ea. ← 5 1/4" SSDD Qty. 50 **\$202** ea. ← 5 1/4" DSDD Qty. 50

5 1/4" SSDD-96TPI \$2.20 5 1/4" DSDD-96TPI \$2.75

All have reinforced hub.
SOFT SECTOR ONLY!
(for IBM, APPLE, KAYPRO, DEC and about 99% of all computers.)
Must be ordered in multiples of 50!

BOXED 3M DISKETTES WITH ALL THE TRIMMINGS!

Factory-fresh 3M packaging with envelopes, 3M logo labels, ID labels and write-protect tabs.

\$185 ea. ← 5 1/4" SSDD Qty. 20 **\$235** ea. ← 5 1/4" DSDD Qty. 20

5 1/4" SSDD-96TPI \$2.60 8" SSDD \$2.05
5 1/4" DSDD-96TPI \$3.25 8" SSDD \$2.50
8" DSDD \$3.10

Minimum order of 20 diskettes. Additional diskettes in multiples of 10.

3M HEADCLEANING KITS

Stop swearing and start cleaning. This non-abrasive cleaning kit has everything you need for thirty applications.

\$23.00 + \$1.50 Shpng.

SAVE MONEY WITH A CLEAN COMPUTER! INTRODUCING MINI-VAC



Most computer malfunctions are caused by dust. MINI-VAC is ideal for cleaning keyboards, screens, drives and printers. (Great for photo equipment, too!) Equipped with an easy-empty bag, two directional wands and two fine-brush nozzles. Don't compute without it. (Requires 9-volt battery which is not included.)

\$21.95 + \$3.00 Shpng.

AT LAST: A DISK DRIVE DIAGNOSTICS SYSTEM THAT WORKS!

The Dymek Recording Interchange Diagnostic (RID) is a professional, but easy to use, drive diagnostic disk. It tests drive speed, radial position, hysteresis, write function, erase crosstalk, signal-to-noise and clamping. In short, it's a professional's system that will help you keep your machine in prime condition...and avoid the evils of data loss.



\$29.95 + \$1.50 Shpng.

MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE

Every once in a while, someone takes the simple...and makes it elegant. This unit holds 50 5 1/4" diskettes, has grooves for easy stacking, nipples to keep diskettes from slipping in the case and several other features. We like it.

\$10.95 + \$2.00 Shpng.



DISKETTE 70 STORAGE: STILL A GREAT BUY

Dust-free storage for 70 5 1/4" diskettes. Six dividers included. An excellent value.

\$14.95 + \$3.00 Shpng.

PRINTER RIBBONS AT BARGAIN PRICES.

EPSON MX-70/80 \$3.58 + 25 Shpng
EPSON MX-100 \$6.99 + 25 Shpng
Okidata Micro 84 \$3.66 + 25 Shpng
Diablo 630 Mylar \$2.60 + 25 Shpng
Diablo 630 Nylon \$2.93 + 25 Shpng

THE END TO RS-232

CABLE PROBLEMS: SMARTCABLE

Now interfacing almost any two RS-232 devices is simple and quick. Just plug in SMARTCABLE and flip two switches. The logic of both devices is figured out immediately and you can get to work.

\$79.95 + \$1.50 Shpng.

Shipping: 5 1/4" DISKETTES—Add \$3.00 per 100 or fewer diskettes. 8" DISKETTES—Add \$4.00 per 100 or fewer diskettes. OTHER ITEMS: Add shipping charges as shown in addition to diskette shipping charges. Payment: VISA and Mastercard accepted. COD orders only, add \$3.00 handling charges. Taxes: Illinois residents, please add 8% sales tax.

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

Nationwide: 1-800-621-6827

Illinois: 1-312-944-2788

Hours: 9AM - 5PM Central Time

Minimum Order: \$35.00

VIDEODISCS

that has been encoded on the videodisc. Visage is a well-financed start-up company with good field support.

IEV is another recent start-up, founded by engineering managers from a broadcast television character-generator company. IEV introduced a series of video boards for the IBM PC including a \$400 video-overlay board. The board accepts NTSC composite video from tape or disc sources and RGB from one of two companion bit-mapped graphics boards. The base-board provides a 16-color 640- by 400-pixel overlay for \$750.

For some time, the lowest-price videodisc interface solution consisted of a year's subscription to BYTE and parts to duplicate Steve Ciarcia's Circuit Cellar interface, all for around \$100. No commercially available interface is under the three-digit figure in the U.S., but some are coming close.

Micro-Ed has an interface connecting a Commodore 64 to Pioneer-manufactured consumer laser video players for \$199. Video Vision Associates offers its VAI-135 interface to connect the same videodisc players to Apple II and IIe computers for \$125. Neither offers video overlays. Coleco is rumored to have a videodisc interface for Adam in the works for home disc games.

Level 4 systems are at the esoteric end of interactive video. They are characterized by complexity, additional image post-processing, multichannel (up to 32) audio, windowing, digital-screen assembly, etc. Few are driven by single micro-computers. The cost of the videodisc hardware is rather insignificant to the overall price of Level 4 systems. Power and capabilities constantly change, so many features of developing Level 4 systems may be found in smaller systems in the near future.

COMMERCIAL AND POINT-OF-PURCHASE SYSTEMS

Whereas most of the training video/ computer applications tend to be used in companies or organizations, commercial uses are finding a broader audience. One emerging application is the point-of-purchase (POP) information presentation in retail stores.

POP computers and peripherals are similar to Level 2 and 3 training systems. A menu is presented on screen or on

(continued)

DISK WORLD!, Inc.
SUITE 4806
30 EAST HURON STREET
CHICAGO, ILLINOIS 60611

Authorized Distributor
Information Processing Products



Powerful CP/M[®] Software.

For Apple, Osborne, Kaypro, Rainbow, NEC, Epson, Heath, Xerox and others.

Now only **\$39⁹⁵** each!

NEVADA COBOL™

When we introduced Nevada COBOL in 1979, it was loaded with innovations. Today's, Edition 2.1 is even better!

- Extremely Compact. You can compile and execute up to 2500 statements in 32K RAM, 4000 statements in 48K, etc.
- It's based upon the ANSI-74 standards with level 2 features such as compound conditionals and full CALL CANCEL.
- You get a diskette, 165-page manual with lots of examples and 16 complete COBOL source code programs.

Also available: COBOL Application Packages, Book 1 \$9.95

NEVADA PASCAL™

This newest addition to the 8-bit Nevada product line has many advanced features:

- 14-digit precision, BCD Math, no round-off errors with decimal arithmetic for business and floating point + 63 - 64 for scientific.
- A very nice TRACE style debugging.
- Arrays up to 8 dimensions and 64K strings.
- External procedures and functions with dynamic auto-loading.
- One-step compile, no assembly or link required.
- No limits on size of procedure, nesting levels, recursion.
- Requires 60K RAM and one disk drive with at least 90K storage.
- You get a 184-page manual and diskette rev. 4.1.

NEVADA FORTRAN™

- FORTRAN IV based upon ANSI-66 standards with some 1977 level features.
- IF . . THEN . . ELSE constructs.
- A very nice TRACE style debugging.
- 150 English language error messages.
- You get a diskette, including an 8080 assembler and Nevada FORTRAN rev 3.2, 214-page manual and five sample programs. Requires 48K RAM.

NEVADA BASIC™

- This interpreter has a built-in full-screen editor.
- Single- and Multi-line functions.
- BCD Math—no round-off errors.
- Full Matrix operations.
- Requires 48K RAM.
- You get 220-page manual and diskette rev. 2.5.

NEVADA EDIT™

- A full-screen video display text editor rev. 3.1 designed specifically to create COBOL, PASCAL and FORTRAN programs.
- See the review in May 1983 Microcomputing.

NEVADA PILOT™

- See review in January 1983 MICROCOMPUTING.
- You get a diskette rev. 6.1, 131-page manual and ten useful sample programs.



This is a limited time offer, so order yours today!

ELLIS COMPUTING, INC.

3917 Noriega Street

SINCE 1977 San Francisco, CA 94122

Phone (415) 753-0186

The CP/M Operating System, an 8080, 8085 or Z-80 microprocessor, and 32K RAM are required, unless stated otherwise above.

Diskette format:

8" SSSD (Standard CP/M IBM 3740)

5 1/4" Diskette for:

Apple CP/M

DEC VT 180

DEC Rainbow

Epson QX-10

Heath Hard Sector (Z-89)

Heath Soft Sector (Z-90, Z-100)

IBM-PC (Requires Z-80, CP/M-80 card)

Kaypro Double Density (NCR)

Micropolis Mod II

NEC PC 8001

North Star Double Density

North Star Single Density

Osborne Single Density

Sanyo 1000, 1050

Superbrain DD DOS

3.X (512 byte sec)

Televideo

TRS-80 Model I Base

0 mapper

Xerox 820 Single Density

Satisfaction is guaranteed—or your money back. If for any reason you're not completely satisfied, just return the package—in good condition with the sealed diskette unopened—within 30 days and we'll refund your money.

Please send me: Software Packages

COBOL FORTRAN EDIT PASCAL BASIC PILOT

Send my order for _____ packages @ \$39.95 each Total _____

COBOL Applications Package @ \$9.95 each Total _____

California deliveries add 6% or 6.5% sales tax _____

Outside North America, add \$6.00 per package for _____

shipping. (Postage paid within North America.) _____

Checks must be in U.S. Dollars and drawn on a U.S. Bank.

Check enclosed

COD if COD add \$4.00

MasterCard

VISA

TOTAL _____

Card # _____ Exp. _____

Signature _____

Ship to: Name _____

Street _____

City/ST/Zip _____

CP/M is a registered trademark of Digital Research, Inc. Microsoft is a registered trademark of Microsoft Corp. TRS-80 is a registered trademark of Tandy Corp. Apple II is a trademark of Apple Computer, Inc. Osborne is a registered trademark of Osborne Computer Corp. Xerox 820 is a trademark of Xerox Corp. Kaypro is a trademark of Non-linear Sys. Heath/Zenith is a trademark of Heath Corp. IBM is a registered trademark of International Business Machines, Corp. Nevada BASIC, Nevada COBOL, Nevada FORTRAN, Nevada PILOT, Nevada EDIT, Nevada PASCAL, and Ellis Computing are trademarks of Ellis Computing, Inc. © 1984 Ellis Computing, Inc.

Sony should introduce its own videodisc recorder next year, and a single-box system with digital-data decoding from the videodisc.

a patterned graphic panel. Viewers punch in the required digits causing the videodisc drive to transfer to a motion segment. At its conclusion, either another menu is presented for your selection or the program defaults to the starting menu.

Such systems are satisfactory, but more interesting things are possible when you add computer control. By Video, a Nolan Bushnell startup, is sampling a hook with a videodisc player, touch-screen monitor, keyboard, and credit-card reader. The objective is to use interactive-video catalogs for shopping that is not assisted by human operators. Digital Techniques has introduced its similar Touchcom II intelligent POP/information terminal with options including a videodisc player and credit-card reader. A number of others are about to emerge as well.

Another market niche that rapidly is being filled with offerings is POP in computer stores. Compusion introduced a POP system at the last COMDEX trade show using an RCA interactive player driven by a Commodore 64 hidden within a stand-up cabinet. Compusion changes adjectives, whose product information the video player holds, for customers' viewing time in computer stores where the Compusion machines are located. With repeated usage fees, the machines are essentially free to the retailer. The computer keeps track of how often each "commercial" is selected by a customer and periodically transmits this information via modem to substantiate advertiser charges. Being a subsidiary of Softbit, a major software distributor, is a big plus for Compusion.

Digital Controls has another approach. This company, a manufacturer

of countertop video arcade games, has been producing integrated training systems with its own Apple interface cards for several years. Digital Controls essentially swapped out the coin mech as an option, its 5809-based game machine, added a keypad and is marketing it as the Learning Center. It creates videodisc training courses for popular software packages, as well as monthly POP demonstration videodiscs for a wide variety of products. Retailers can easily program out products not offered in their stores. Digital Controls claims retailers can pay for the Learning Center in under three months by selling time to train customers to use new software products.

LOCAL VIDEO RECORDING FOR COMPUTER SYSTEMS

One appeal of the integrated video/computer system is the practicality of creating custom video material. This is simple with videocassette integrations, because videocassette recording equipment is widely available. Discs present more of a problem. One can make custom laser videodiscs at Sony, Inc., Pioneer, Technidisc, Laser Video, Hitachi, or Sonopress. Expect to pay a \$2000 to \$3000 master cost plus a per-disc price of \$20 or more in low volume. In larger quantities you may pay less than \$10 apiece. Most factories require all video material to be submitted on 1-inch videotape.

If you need more confidentiality or security in making discs, or if you need only one disc, there are a number of alternatives. The Panasonic OADR format uses recordable, preformatted, 20-centimeter diameter, optical discs. Two-disc formats are available: 15,000 tracks for the low-end recorder/player, and 22,000 tracks for the new intermediate that also records in motion with stereo audio. The 15,000-track machines record one frame at a time and have variable playback speeds up to 30 frames per second, but they offer no audio. Panasonic's new 22,000 player is being introduced to accompany the recorder/player priced from \$20,000 to \$30,000.

Other Japanese companies are developing videodisc recorders that are compatible with existing laser videodisc players, but none will introduce products in the US before 1987.

Optical Disc Corporation (ODC) has announced a recorder using its own proprietary, unformatted recordable media. Recorded discs can be played on existing laser videodisc players. The ODC recorder has a base price of about \$150,000. ODC is a startup founded by former associates of DiscMotion.

Dover Instruments sells its master-maker for roughly the same price. It can be configured for any format including compact disc. Dover has supplied similar equipment or subcontracting capabilities to most of the optical-disc manufacturers in the world.

Note that all of the above are for making single master only. (You can make copies on the OADR using a recorder and a player for direct transfers.) If you expect to buy a recorder and go into business making any kind of disc, be aware that there are no real courses to sell you duplication equipment. Technically, making masters is easy when compared to the complexity and cost of making copies.

Vertically recorded magnetic videodiscs may be offered at affordable prices before optical videodisc recorders. One of my Japanese associates showed me a paper comparing the vertical-recording head design and performance of Sony, Matsushita, Sharp, and other videodisc recorders. All the manufacturers reported current data densities four times greater than current optical videodisc densities and claimed to be interested in standardization of recording format. Whether that means a useful floppy videodisc is imminent is speculative.

INTERACTIVE VIDEO COMPUTER SOFTWARE

Video-enhanced computer systems need good software to take advantage of the user interaction and possible visual capabilities. As with hardware, there has been a noticeable improvement in educational, training, and simulation software.

Authoring systems deal with the mechanical requirements of running courses on computers. Author software deals with display creation, response acceptance, analysis of constructed responses, and conditional branching. More sophisticated authoring systems deal with broader areas of

(Continued)

Announcing the Only 97 Function Key Detached Keyboard for Your Apple II/Apple II Plus




Enhance and Upgrade Your Apple II/Apple II Plus

The new detached keyboard from DATA SPEC™ offers you a convenient, cost-effective upgrade for your Apple II/Apple II Plus. Experience more versatility than ever before with 97 effortless pre-programmed functions. Functions include basic keywords, operating system commands, CP/M commands and much more. ❶ 20 of the most used functions are conveniently located on a separate keypad for handy access. And all four mathematical functions ❷ sit next to a 10-key numeric pad ❸ for added ease-of-use. Eliminate the need to enter commands manually. Find your programming time cut by 50% or more.

State-of-the-Art Design Keeps You in the Forefront

The new, sleek low-profile design on the DATA SPEC detached keyboard includes a convenient 3-position tilt adjustment ❹ to correspond to your ergonomic needs. Familiar "posi-touch", quality typewriter style keys give you "room to

work". Separate LED power-on ❺ and "cap" lock ❻ indicators add to your visual comfort. In addition, a handy 10 foot coiled cable ❼ lets you move your keyboard without the burden



of relocating your computer. And, durability is never compromised in this scientifically formatted design.

You Can Depend On DATA SPEC

The APL-KB-825 detached extension keyboard is brought to you by DATA SPEC, from Alliance Research Corporation where quality, service and reliability have been our primary concerns. See the 97 Function Keyboard at a DATA SPEC dealer in your area, or contact us today for a retailer near you.

- Suggested List Price: \$299.95
- Warranty-One Year, Parts/Labor
- Watch for our Apple IIe and IBM PC Detached Keyboards Available Soon.
- Dealer and Distributor Inquiries Welcome.

Apple is a trademark of Apple Computer, Inc.
CP/M is a trademark of Digital Research
IBM is a trademark of
International Business Machines Corporation

critical concepts and variables, curriculum design, production, and revision. Authoring software can be categorized in levels on the basis of power and sophistication.

Authoring Level 0 includes software that simply controls the operation of the delivery hardware. Usually written in machine language or general-pur-

pose language like BASIC or Pascal, this level is useful for single, unique applications where speed of delivery or size of produced code are the overriding factors.

Authoring Level 1 languages have commands and facilities expressly designed to support interactive video, but they require that you understand design

philosophy and programming languages. Examples of Level 1 authoring systems include the powerful Tutor language used in Plato. Originally designed in the early 1970s for Control Data Corporation's CDC 6000-series mainframes, succeeding versions have been developed for a number of other computers. The Simpler system running on Mod-comp equipment and DEC's recently announced DAL language for use on its VAX are direct descendants of the original Tutor language. Other examples include Coursewriter, used on the early IBM 1500 and now adapted for micro-computers and variations of the Pilot language that are used on home computers.

Authoring Level 2 provides a selection of elements or templates from which nonprogrammer authors can create lesson content. Some Level 2 authoring systems such as SMS support the structure of the courseware as well as the content. The earliest example of a Level 2 system was TICCIT, which merged video segments into instructional presentations. Other examples of the template approach are the Bell and Howell Pass system (for Apple II), Hazeltine's MicroTICCIT, and many others.

Authoring Level 3 is the most sophisticated type. Its metalanguage defines generic instructional elements that are grouped into sets of tools. It augments the instructional support available at Level 2 for nontechnical authors, where a specialist can design general instructional environments that are compatible with the hardware on which the produced courseware is to execute.

Most known authoring systems restrict users to a specific set of instructional components, yet it is not certain that these will be acceptable to the client or author who must use them. Level 3 systems provide a completely general facility so users can create their own instructional elements, if desired, to augment those supplied by the manufacturer.

An example of a Level 3 system is CDS (Courseware Design System), originally designed by Dr. James Schuyler in 1973-1975, provides a basic Level 1 language similar in many ways to Tutor, but additionally allows a lesson written in CDS to create or spawn another lesson. Electronic Information

(continued)

GET UP THE RAMP

WITH OUR **EE/EPROM PROGRAMMERS & UV ERASERS**

Reliability
Affordability
Maintainability
Program



Choose from our **Stand Alone, Intelligent, RS-232 units.**
COMPATIBLE WITH ANY COMPUTER OR TERMINAL.

GANGPRO-8 \$995.00

High throughput. Gang 8 EPROMs with the fast Algorithm. Optional 512K buffer. Programs ALL 24 pin & 28 pin EPROMs. Other units to gang 24 EPROMs.

PROMPRO-8 \$689.00

Powerful commands, easy communications. 128/256K buffer. Alpha Display, Simulation and Keypad option. Programs ALL EPROMS & MPU's.

PROMPRO-7 \$489.00

32K RAM buffer, ideal for programming 8748, 8749, other Intel MPU's and 16K-128K EPROMs.

BIPOLAR & PAL Programmers...Call!

UV ERASERS

ECONOMY MODEL QUV-T8/1 \$49.95
Erases over 15 EPROMs. Plastic case.

INDUSTRIAL QUV-T8/2N \$68.95
Metal case. UV indicator, tray, erases over 15 EPROMs in 15 minutes.

INDUSTRIAL QUV-T8/2T \$97.50
With 60 minute timer and safety switch.

INDUSTRIAL QUV-T8/Z \$124.95
Fast Eraser. 15 EPROMs in 7 minutes. 30 EPROMs in 15 minutes.

PRODUCTION UNIT \$149.95
Model: ULTRA-LITE*. Erases 50 EPROMs in 15 minutes.

TOLL FREE **1-800-EE1-EPROM**
(331-7766) · FLORIDA (305) 974-0967

AVAILABLE SOFTWARE DRIVERS

- | | | | |
|------------------|----------------|-----------------|---------|
| 1. IBM PC | 2. APPLE II | 3. Intel-MDS | 4. CPM |
| 5. TExTRONIX8002 | 6. COMMODORE64 | 7. TRS-80 COLOR | 8. FLEX |

LOGICAL DEVICES, INC.

DEPT. 6, 1321-E N.W. 65th PLACE · FT LAUDERDALE, FL 33309
DISTRIBUTORS INQUIRY WELCOME



FUJITSU PRINTERS

*You can't buy
more Performance
for the Price.*

Finally, there is a full line of quality printers available to meet a variety of needs. And all from a single manufacturer...

FUJITSU. From dependable dot matrix printing to advanced thermal printing, you can't buy more performance for the price.

Quality That's Built In: Fujitsu quality is built into every printer manufactured. That quality translates into high reliability (MTBF), versatile print capability, low maintenance, low noise,

and high speeds. And Fujitsu printers are serviced by TRW, a nationwide service organization.

A Complete Printer Line: Fujitsu's dot matrix printer, with its 24 wire head, offers letter quality printing at 80 CPS. With its ability to also produce draft quality, correspondence quality and high resolution graphics, the Fujitsu DPL24 leads dot matrix technology.

In daisy technology, Fujitsu's SP830 is the fastest letter quality printer in the industry at 80 CPS. Fujitsu's SP320 daisy-wheel printer also provides cost effective letter quality printing at medium speeds.

Fujitsu offers thermal printing with its TTP16 printer. The low-cost printer accepts a wide variety of papers and operates quietly at less than 50 dBA.

Call Us Today: Contact Fujitsu America, Inc., at 408-946-8777 for the printer distributor nearest you.

DISTRIBUTORS: Algoram Computer Products (415) 969-4533, (714) 535-3630, (206) 453-1136, (916) 481-3466; Allen Edwards Associates, Inc. (213) 328-9770, (714) 552-7850, (619) 273-4771, (805) 498-5413; Four Corners Technology (602) 998-4440, (505) 821-5185; Gentry Associates, Inc. (305) 859-7450, (305) 791-8405, (813) 886-0720, (404) 998-2828, (504) 367-3975, (205) 534-9771, (919) 227-3636, (803) 772-6786, (901) 683-8072, (615) 584-0281; Hopkins Associates, Inc. (215) 828-7191, (201) 273-2774; Inland Associates, Inc. (913) 764-7977, (612) 343-3123, (314) 391-6901; Lygon, Inc. (201) 646-9222; Luvory Computer Products, Inc. (313) 229-7200, (216) 398-9200, (614) 451-7494, (513) 435-7684, (616) 363-9839, (412) 922-5110, (502) 561-5629; MESA Technology Corp. (301) 948-4350; NACO Electronics Corp. (315) 699-2651, (518) 899-6246, (716) 233-4490; Peak Distributors, Inc., (An affiliate of Dytecl/Central) (312) 394-3380, (414) 784-9686, (317) 247-1316, (319) 363-9377; R² Distributing, Inc. (801) 298-2631, (303) 455-5360; S&S Electronics, (617) 458-4100, (802) 658-0000, (203) 878-6800, (800) 243-2776; USDATA (214) 680-9700, (512) 454-3579, (713) 681-0200, (918) 622-8740.



PERIPHERAL PRODUCTS DIVISION

Quality Lives



Circle 136 on Inquiry card.

"Thoughtware, How Can I Become A More Effective Leader?"



Thoughtware is new, easy-to-use software that will help you see and understand how to become a better manager. It's a unique series of personal, computer-based management diagnostic and training programs.

© Thoughtware is a registered trademark of the Institute for Management Improvement.

How can you become a more effective leader? Thoughtware Program 2.1, "Leading Effectively," will tell you. This four part program has been designed to help managers improve their effectiveness as leaders. It gives you an opportunity to assess your own management style and to compare your results to the self-assessments of other managers.

Unit 1 defines leadership and discusses its three key elements—style, situation and strategy. It stresses the importance of matching the leadership style to the situation and of getting and giving feedback.

Unit 2 is designed to improve your leadership style

and increase your ability to perform more effectively. You will see the difference between the kinds of power you exert and the importance of using your influence to affect the behavior of others. You'll also learn about three factors affecting your leadership style: the assumptions you make about people, the degree to which you are task- or people-oriented, and the attitudes you have about the competence of those you supervise.

Unit 3 asks you to analyze a leadership situation you currently face in order to determine what style

of leadership is appropriate for your particular situation.

Unit 4 offers guidance on how to use eight effective leadership conditions.

To take advantage of the incredible new technology that is Thoughtware, see the adjacent column.

Thoughtware Programs run on the following: IBM® PC and compatibles with color graphics card. Apple® II Plus and IIe.



Thoughtware®

Expanding The Universe Of Learning.

Thoughtware Is The Future.

It's a new way to learn, a logical and innovative approach to management training. It will revolutionize management training now, and in the future.

Thoughtware utilizes the latest research in management development from leaders in the field, and has been tested nationally.

For individuals and their organizations, the educational, economic and operational benefits of Thoughtware's computer-based learning programs are enormous. But Thoughtware isn't just the future.

Thoughtware Is The Present.

Some of the corporations and organizations who have purchased Thoughtware's Assessing Personal Management Skills Program include:

American Express	Ingersoll-Rand
American Mgt. Assoc.	IRS
Apple Computer	Johns Hopkins Univ.
AT&T	Levi Strauss
Avon	Marriott
Bankers Life	Marsh & McLennan
Blue Cross & Blue Shield	Mass. Mutual
Bank of Boston	McGraw-Hill
Bureau of the Census	MCI
Chevron USA	U.S. Navy
Ciba-Geigy	NCR
Citibank	NYU
City of Dallas	Owens-Illinois
Crown Zellerbach	Owens-Corning Fiberglas
Dow Jones	Royal Cup Coffee
Dun & Bradstreet	Sentry Insurance
Du Pont	Singapore Embassy
Ernst & Whinney	Stone & Webster
Exxon	St. Regis Paper
Federal Reserve Bank	Tampax
Fireman's Fund	The Nestle Co.
General Electric	The Rouse Co.
General Foods	3M Corporation
Georgia-Pacific	TRW
Gov't of Canada	Univ. of Illinois
Gulf Oil Corporation	United Parcel Service
Hewlett Packard	United Way
Horn & Hardart	Univ. of Mass.
Hughes Aircraft Co.	Westmoreland Coal
Husky Oil	Westinghouse Corp.
IBM	Xerox

And hundreds more. What they've learned, you can now discover.

You can reap the benefits of Thoughtware by visiting your local IBM Product Center, computer dealer, or call toll-free 1-800-THT-WARE for the dealer nearest you. Or write:

Thoughtware Inc.
Suite S, 2699 So. Bayshore Dr.
Coconut Grove, Florida 33133.

Thoughtware Programs include:
1.1 Assessing Personal Management Skills (\$350)
2.3 Defining Goals And Objectives (\$450)
2.6 Managing Time Effectively (\$450)

Circle 308 on inquiry card.

VIDEODISCS

Table 3: Videodisc players available in the U.S. that include computer interface capability.

Brand and model	Unit price	Worst case access time	Computer port type	special features
Hitachi				
8500	\$1200	6	RS-232C	
9500	\$1600	3	RS-232C	external sync and subcarrier
Magnavox				
8010	\$800	17	CAT plug	home model
Philips				
VP 832	\$1400	5	RS-232C	250-frame instant jump
Pioneer				
LD 1100	\$800	17	CAT plug	home, top loader
LD 700	\$800	12	serial 8-pin DIN	home: front loader
LD V1000	\$1200	3	parallel 24-pin	100-frame instant jump
LD V4000	\$900	12	serial 8-pin DIN	industrial, front load
PR 8210	\$950	17	CAT miniplug	low end industrial
LD V6000	\$1600	3	RS-232C	built-in microcomputer
Sony				
LDP 1000A	\$2500	3	RS-232C	ext. sync and subcarrier
Lasermax	\$800	12	serial	home front loader
Sylvania				
VP 7200	\$800	17	CAT plug	home model
Panasonic				
TQ 2020	\$18,900	0.5	RS-232C	still video recorder
TQ 2021	\$18,900	0.5	RS-232C	high-resolution black and white recorder
TQ 2022	\$24,900	0.5	RS-232C	videodisc recorder
TQ 2023	\$34,900	0.5	RS-232C	records motion and stereo
TQ 2024	\$2985	0.5	RS-232C	player only

Systems Inc. currently develops micro-computer versions of CDS. CDS is unique in that courseware written on one manufacturer's hardware may also be delivered on other equipment as well. Sony recently announced CDS for its VIPS. IBM, Zenith, Terak, and Macintosh versions are expected soon.

CONCLUSION

The interface between computer and video systems has come a long way over the last few years. There is a positive trend toward greater product commitment from traditional corporations, and better-quality products from well-financed new companies. (Table 3 lists videodisc players available in the U.S. that have computer-interface capability.) In this article I've tried to present a sample range of the developments in this area.

Upcoming developments will include improved performance or less-expensive versions of currently available products. This indicates an expanding market in the future. Further ahead are new areas of technological developments such as vertical-magnetic recording. Some labs are working on solid-

state, nonrotating videodiscs (not that farfetched when you consider that the marks on current videodiscs are about the size of the smallest elements in current silicon chips).

Another hotbed of development is multilayer optics used to bend and reflect X rays. Because X rays have shorter wavelengths than visible light, some envision vastly more compact memory devices, including videodiscs. Yet if any of these technological developments reach fruition by the end of the decade, their impact probably will be invisible to the user. The one near-term area of development that could be appreciated by users is the advent of high-resolution video hardware such as 1125-line HDTV (high-definition television). Users who have wanted more RAM in their computers can relate to those who want more resolution in their video.

There has yet to emerge a product that might have the same dynamic effect on the videodisc market that VisiCalc had on the microcomputer market. Yet it is fair to conclude that the quality and range of today's video/computer offerings can satisfy most of today's applications. ■

MICROPROCESSOR COMPONENTS

Digitalker™

Table with columns: Part No., Pins, Price. Lists various microprocessor components like SN7400, SN7401, etc.

Table with columns: Part No., Pins, Price. Lists various microprocessor components like SN7420, SN7421, etc.

Table with columns: Part No., Pins, Price. Lists various microprocessor components like SN7410, SN7411, etc.

Table with columns: Part No., Pins, Price. Lists MICROPROCESSOR CHIPS like CD1802, CD1803, etc.

Table with columns: Part No., Pins, Price. Lists MICROPROCESSOR RAMS like 1103, 1104, etc.

Table with columns: Part No., Pins, Price. Lists 6500/6800/68000 SERIES components like MC6502A, MC6501, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like 8080, 8085, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like 8080, 8085, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like 8080, 8085, etc.

DT1050 — Applications: Teaching aids, appliances, clocks, automotive, telecommunications, language translations, etc. The DT1050 is a standard DIGITAL KET™ encoded with 137 separate and useful words...

DT1050 Digitalker™ \$34.95 ea. MM54104 Processor Chip \$14.95 ea.

DT1057 — Expands the DT1050 vocabulary from 137 to over 260 words. Includes 2 ROMs and spacers. \$24.95 ea.

Table with columns: Part No., Pins, Price. Lists various ICs from the Digitalker series like 7405F, 7406EVK, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like 74LS00, 74LS01, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like 74LS10, 74LS11, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like 74LS12, 74LS13, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

30009 1983 INTERSIL High Speed CMOS 74HC High Speed CMOS

Table with columns: Part No., Pins, Price. Lists various CMOS ICs like 74HC00, 74HC01, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like 74S00, 74S01, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like 74S10, 74S11, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like 74S12, 74S13, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

Table with columns: Part No., Pins, Price. Lists 8080/8085/8088/8080A SERIES components like MC6502A, MC6501, etc.

74C-C/MOS

Table with columns: Part No., Pins, Price. Lists various CMOS ICs like 74C00, 74C01, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CA3010H, CA3010, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CA3010H, CA3010, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CA3010H, CA3010, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CA3010H, CA3010, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CD4001, CD4002, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CD4001, CD4002, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CD4001, CD4002, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CD4001, CD4002, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CD1222, CD1223, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like CD1222, CD1223, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like LM709P, LM709, etc.

Table with columns: Part No., Pins, Price. Lists various ICs like LM709P, LM709, etc.

AMERICAN ELECTRONICS VISA logo. 1355 SHOREWAY ROAD, BELMONT, CA 94002. 784 PHONE ORDERS WELCOME — (415) 592-8097 FAX: 176043. Includes a list of products and prices.

RS232 ADAPTER FOR VIC-20 AND COMMODORE 64

NEW!  **NEW!**

The JE232CM allows connection of standard RS232 printers, modems, etc. to your VIC-20 and C-64. A 4-pole switch allows the inversion of the 4 control lines. Complete installation and operation instructions included.

- Plugs into User Port
- Provides Standard RS232 signal levels
- Uses 6 signals (Transmit, Receive, Clear to Send, Request to Send, Data Terminal Ready, Data Set Ready)

JE232CM \$39.95

VOICE SYNTHESIZER FOR APPLE AND COMMODORE

NEW! 

JE520AP
JE520CM

Over 250 word vocabulary affixes allow the formation of more than 500 words. Built-in amplifier, speaker, volume control, and audio jack. Recreates a clear, natural male voice. Plug-in user ready with documentation and sample software. Class size: 7 1/4" L x 3 3/4" W x 1-3/8" H

APPLICATIONS:

- Security Warning
- Telemarketing
- Teaching
- Handicap Aid
- Instrumentation
- Games

The JE520 VOICE SYNTHESIZER will plug right into your computer and allow you to enhance almost any application. Utilizing National Semiconductor's DIGITALKER™ Speech Processor IC (with four custom memory chips), the JE520 compresses natural speech into digital memory, including the original inflections and emphases. The result is an extremely clear, natural vocalization.

Part No. Description Price

JE520CM For Commodore 64 & VIC-20 \$114.95
JE520AP For Apple II, II+, and IIe \$149.95



JE664 EPROM PROGRAMMER

8K to 64K EPROMS - 24 & 28 Pin Packages
Completely Self-Contained - Requires No Additional Systems for Operation

- Programs and validates EPROMs
- Checks for properly erased EPROMs
- Emulates EPROMs or EPROMs
- RS232C Computer interface for erasing and program loading
- Loads data into RAM by keyboard
- Changes data in RAM by keyboard
- Loads RAM from an EPROM
- Compares EPROMs for content differences
- Copies EPROMs
- Power Input: 115VAC, 60Hz, less than 10W power consumption
- Enclosure: Color-coordinated, light tan panels with milled end pieces in mocha brown
- Size: 15 1/2" L x 8 1/2" W x 3 1/4" H - Weight: 5 1/2 lbs.

The JE664 EPROM Programmer erases and programs various 8-Bit Word EPROMs (8098K to 64K bit memory capacity). Can operate either directly to JE664's internal RAM & Buffer Memory or via: (1) from a ROM EPROM (2) from an external computer via the optional JE665 RS232C BUS. (3) from its panel keyboard. The JE664's RAMs may be accessed for evaluation purposes from the parallel test socket to an external microprocessor. In programming and erasing, the JE664 allows for examination, change and validation of program content. The JE664's RAMs can be programmed in 16-bit or 8-bit words. JE664's RAMs are loaded with data from EPROMs to be programmed later without necessity of "UV" erasing. The JE664 displays DATA and ADDRESS in convenient hexadecimal (latch/unlatched) format. A "DISPLAY ADDRESS" button changes the DATA readout from RAM word to EPROM word and is displayed in both hexadecimal and binary. The panel features a color coordinated operating guide. The JE664 Programmer includes one JME64 Jumper Module (as listed below).

JE664-A EPROM Programmer \$995.00
Assembled & Tested (includes JME64 Module)

JE665 - RS232C INTERFACE OPTION - The RS232C Interface Option implements computer access to the JE664's RAM. This allows the computer to monitor, store, load, transfer EPROM data and from the JE664-A module program listing is supplied in MIBAS or CP/M compatible. Documentation is provided to adapt: (1) to various computer systems with an RS232C port, (2) to IBM PC compatible, (3) to various other computers with a serial port.

FOR A LIMITED TIME A SAMPLE OF SOFTWARE WRITTEN IN BASIC FOR THE TRS-80 MODEL II LEVEL II COMPUTER WILL ALSO BE PROVIDED.

JE664-A EPROM Prog. w/ JE665 Option \$1195.00
Assembled & Tested (includes JME64 Module)

EPROM JUMPER MODULES - The JE664's JUMPER MODULE (Personality Module) is a plug-in Module that sets the JE664 for the proper programming pulses to the EPROM and configures the EPROM's address connections for the appropriate EPROM.

JE664 EPROM Jumper Module No.	EPROM Model	Programmer Model	EPROM MANUFACTURER	PRICE
A204	256	25V	AMD, Motorola, Int. Tel. TI	\$13.95
JM16A	2716 1MS256/16	25V	Intel, Motorola, Int. Tel. TI	\$13.95
JM16B	1MS256/16	50V - 10V, 12V	Intel, Motorola, Int. Tel. TI	\$13.95
JM16C	1MS256/16	25V	Motorola, EL, Hitachi, Int. Tel. TI	\$13.95
JM17B	2732	25V	Intel, Toshiba, NEC, Hitachi, Int. Tel. TI, Motorola, National	\$13.95
JM22C	27128	25V	Fujitsu, Intel	\$13.95
JM24A	1M256/16	25V	Motorola	\$13.95
JM24B	2764	25V	Intel, Fairchild, ONI	\$13.95
JM24C	1MS256/16	25V	TI	\$13.95

HI-TEK 14-KEY NUMERIC KEYPAD

- Great keypad for many home and business computer applications
- SPST switching - Mounted on PC board - Size: 5" L x 3" W x 1 1/2" H
- Color: Grey - Weight: 1 lb. - Spec available

K-14 \$9.95

MICRO SWITCH ASCII Encoded Keyboards

- Large selection of keyboards - Hall effect switching - Some have parallel interfaces - Some have serial interfaces - All have status LEDs and a minimum of 66 keys - Some with numeric keypad capabilities, cursor controls, or both - Styles may vary - Weight: 2 lbs. - No specs available

KB-MISC \$9.95

Mitsumi 54-Key Unencoded Matrix All-Purpose Keyboard

- SPST keyswitches - 20 pin ribbon cable connection - Low profile keys - Features: cursor controls, control, caps lock, function, enter and shift keys - Color (keycaps): grey - Wt. 1 lb. - Pinout included

KB54 \$14.95

76-Key Serial ASCII Keyboard

- Simple serial interface - SPST mechanical switching - Operates in upper and lower case - Five user function keys: F1-F5 - Six finger edge card connection - Color (keys): tan - Weight: 2 lbs. - Data incl.

KB76 \$29.95

Nationally Known Manufacturer!

106-KEY 8-BIT SERIAL ASCII KEYBOARD

- The terminals were designed to be daisy chained around a central host computer and used as individual work stations - Hall effect switching - numeric and cursor keypad - 10 user definable keys - 50" interface cable with 9-pin sub-miniature connector - 7 LED function displays - Security lock - N-key rollover - Automatic key repeat function - Color: (case): white w/black panel (key caps): grey and blue - Weight: 6 1/2 lbs. - Data included.

KB139 \$59.95

68-Key Keyboard with Numeric Keypad for Apple II and II+

- Plugs directly into Apple II or II+ motherboard with 16-pin ribbon cable connector - 26 special functions - Color (keys): white/grey - Weight: 2 lbs.

KB-A68 \$99.95

POWER SUPPLIES

TRANSACTION TECHNOLOGY, INC.

5VDC @ 1 AMP Regulated Power Supply

- Output: +5VDC @ 1.0 amp (also +30VDC regulated) - Input: 115VAC, 60Hz
- Two-tone (black/beige) self-enclosed case - 6 foot, 3-conductor black power cord - Size: 6 1/2" L x 7" W x 2 1/4" H - Weight: 3 lbs.

PS51194 \$14.95

Power/Mate Corp. REGULATED POWER SUPPLY

- Input: 105-125/210-250 VAC at 47-63 Hz - Line regulation: ±0.05% - Three mounting surfaces - Overvoltage protection - UL recognized - CSA certified

Part No.	Output	Size	Weight	Price
EMAS/6B	5V@3A/6V@2.5A	4 1/4" L x 4" W x 2 1/4" H	2 lbs.	\$29.95
EMAS/6C	5V@6A/6V@5A	5 1/4" L x 4 7/8" W x 2 1/4" H	4 lbs.	\$39.95

ASTEC SWITCHING REGULATED POWER SUPPLY

- Apple III Power Supply - Multiple outputs for bench top uses and other applications - Input: 115VAC, 50-60Hz @ 3.0amps - Output: +5VDC @ 1.0 amp, +12VDC @ 1.0 amp, -12VDC @ 1.0 amp, +24VDC @ 2.5 amp, -24VDC @ 2.5 amp - Size: 15" L x 3 1/2" W x 2 1/4" H - Weight: 2 1/2 lbs.

AS1155 \$39.95

POWER SUPPLY +5VDC @ 7.6 AMP, 12VDC @ 1.5 AMP SWITCHING

- Input: 115VAC, 50-60Hz @ 3.0amp/230VAC, 50Hz @ 1.6 amp - Fan volt/power supply select switches 115/230VAC - Output: +5VDC @ 7.6 amp, 12VDC @ 1.5 amp, 8 foot long power cord - Size: 11 1/2" L x 10 1/2" W x 3 1/4" H - Weight: 6 lbs.

PS94VOS \$39.95

KEPCO/DTK 4-OUTPUT SWITCHING POWER SUPPLY

- Ideal for disk drive needs of CRT terminals, microcomputers and videogames - Input: 115/230VAC, 50/60Hz - Output: +5V @ 5 amp, +12V @ 1.8 amp, +12V @ 2 amp, -12V @ 0.5 amp - UL recognized - CSA certified - Size: 7 1/2" L x 6-3/16" W x 1 1/4" H - Weight: 2 lbs.

MRM 174KF \$59.95

4-CHANNEL SWITCHING POWER SUPPLY

- Microprocessor, mini-computer, terminal, medical equipment and process control applications - Input: 90-130VAC, 47-440Hz - Output: +5VDC @ 5A, -5VDC @ 1A, +12VDC @ 1A, -12VDC @ 1A - Line regulation: ±0.2% - Ripple: 30mV p-p - Load regulation: ±1% - Overcurrent protection - Adv: 5V main output - 10% - Size: 6 1/2" L x 1 1/2" W x 4-1/16" H - Weight: 1 1/2 lbs.

FCS-604A \$69.95 each

Switching Power Supply for APPLE II, II+ & IIe™

- Can drive four floppy disk drives and up to eight expansion cards
- Short circuit and overload protection - Fits inside Apple computer
- Fully regulated +5V @ 5A, +12V @ 1.5A, -5V @ 5A, -12V @ 5A
- Direct plug-in power cord included - Size: 9 1/2" L x 3 1/2" W x 2 1/4" H - weight: 2 lbs.

KHP4007 \$79.95

\$10.00 Minimum Order - U.S. Funds Only
California Residents Add 6 1/2% Sales Tax
Shipping - Add 5% plus \$1.50 Insurance
Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets - 30c each
Send \$1.00 Postage for your
FREE 1984 JAMECO CATALOG
Prices Subject to Change

MasterCard **Jameco ELECTRONICS** VISA

1355 SHOREWAY ROAD, BELMONT, CA 94002
7/84 PHONE ORDERS WELCOME - (415) 592-8097 Telex: 176043

NEW! 

- AMPM indicator
- Automatic display dimmer
- Bright 4-digit 0.5" high display - 10 minute snooze alarm

The JE750 Clock Kit is a versatile 12-hour digital clock with 24-hour alarm. The clock has a bright 0.5" high blue-green fluorescent display. The display will automatically dim with changing light conditions. The 24-hour alarm allows the user to disable the alarm and immediately re-enable the alarm to activate 24 hours later. The kit includes all documentation, components, case and wall transformer. Size: 6 1/2" L x 3 1/4" W x 1 3/4" D.

JE750 Alarm Clock Kit \$29.95

DISK DRIVES AND SUPPLIES

5 1/4" APPLE™ Direct Plug-In Compatible Disk Drive

- Uses Shugart SA990 mechanics - 143K formatted storage - 35 tracks - compatible with Apple controller - Complete with connector and cable - Just plug into your disk controller card - Size: 6 1/2" L x 3 1/2" W x 8 9/16" D - Weight: 4 lbs.

ADD-514... \$195.95

Microcomputer Power Inc. Regulated Power Supply

- Perfect for computer or disk drive systems - Supply has AMP connectors for direct connection to two 5 1/4" disk drives
- Cooling fan - Input: 100/115/200/230VAC, 47-63Hz - Output (above) - Weight: 9 lbs.

CP167 \$59.95

INDUSTRIES Protect Yourself... DATA SHIELD® Surge Protector

- Eliminates voltage spikes and EMI-RFI noise before it can damage your equipment or cause data loss - 6 month warranty - Power dissipation (100 microsecond) 1,000,000 watts - 6 sockets - 6 foot power cord - Normal line voltage indicator light - Brown out/black out reset switch - Weight: 2 lbs.

Model 100 \$69.95

Protect Yourself... DATA SHIELD® Back-Up Power Source

- Provides up to 30 minutes of continuous 120 VAC 60Hz power to your computer system (load dependent) when you have a black out or outage sag - Output rating: 200 watts - 3 1/2 month warranty - Weight: 24 lbs.

Model 200 (PC200) \$349.95

IBM MEMORY EXPANSION KIT COMPAQ COMPATIBILITY

SAVE HUNDREDS OF \$\$\$ BY UPGRADING MEMORY BOARDS YOURSELF!

Most of the popular memory boards allow you to add an additional 64K, 128K, 192K, or 256K. The IBM64K Kit will populate these boards in 64K bit increments. The kit is simple to install - Just insert the nine 64K RAM chips in the provided sockets and set the two groups of switches. Directions are included.

IBM64K (Nine 200ns 64K RAMs) \$49.95

TRS-80 MEMORY EXPANSION KIT

TRS-80 to 16K, 32K, or 48K

- Model 1 = From 4K to 16K Requires (1) One Kit
- Model 3 = From 4K to 48K Requires (3) Three Kits
- Color = From 4K to 36K Requires (1) One Kit

Model 1 equipped with Expansion Board up to 48K Two Kits Required - One Kit Required for each 16K Expansion -


TRS-16K3 *200ns for Color & Model III \$12.95
TRS-16K4 *250ns for Model I \$10.95

TRS-80 Color 32k or 64k Conversion Kit

Easy to install kits comes complete with 8 ea. 4164-2 (200ns) 64K dynamic RAMs and conversion documentation. Converts TRS-80 color computers with D, E, ET, F and NG circuit boards to 32K. Also converts TRS-80 color computer II to 64K. Flex DOS or OS-9 required to utilize full 64K RAM on all computers.

TRS-64K2 \$44.95

UV-EPROM Eraser

8 Chips - 51 Minutes  **1 Chip - 37 Minutes**

Erases 2708, 2716, 2732, 2764, 2516, 2532, 2564. Erases up to 8 chips within 51 minutes (1 chip in 37 minutes). Maintains consistent power distance of one inch. Special conductive foam lining minimizes static build-up. Built-in safety lock to prevent UV exposure. Compact - only 9.00" x 3.70" x 2.60". Complete with holding tray for 8 chips.

DE-4 UV-EPROM Eraser \$79.95
UVS-11EL Replacement Bulb \$19.95

COHERENT™ IS SUPERIOR TO UNIX* AND IT'S AVAILABLE TODAY ON THE IBM PC.

Mark Williams Company hasn't just taken a mini-computer operating system, like UNIX, and ported it to the PC. We wrote COHERENT ourselves. We were able to bring UNIX capability to the PC with the PC in mind, making it the most efficient personal computer work station available at an unbelievable price.

For the first time you get a multi-user, multitasking operating system on your IBM PC. Because COHERENT is UNIX-compatible, UNIX software will run on the PC under COHERENT.

The software system includes a C-compiler and over 100 utilities, all for \$500. Similar environments cost thousands more.

COHERENT on the IBM PC requires a hard disk and 256K memory. It's available on the IBM XT, and Tecmar, Davong and Corvus hard disks.

Available now. For additional information, call or write,

Mark Williams Company
1430 West Wrightwood, Chicago, Illinois 60614
312/472-6659



CONTROLLING VIDEODISCS WITH MICROS

BY ROD DAYNES AND STEVE HOLDER

A programming example in BASIC for the Sony SMC-70

SUPPOSE YOU WANT to control a laser videodisc player with a personal computer, perhaps to create a game. And suppose you happen to have a constant angular velocity (CAV) version of an adventure movie (there are some good candidates available in this category). [Editor's Note: In any instance in which you use a copyrighted videodisc you may have to obtain a license from the copyright owner.] This article will give you a few pointers on what to look for and how to get started. In addition, a sample listing is included to demonstrate a few strategies for actually coding your creation.

Listing 1 is written for Sony's SMC-70 (system monitor controller) system, which includes Sony's Z80A-based computer with two 3.5-inch microfloppy disk drives, CP/M (R) operating system, an overlay (SMI-7073 RGB [red-green-blue] Superimposer), and an RGB/NTSC (National Television System Committee) monitor (PVM 1270Q), serially interfaced to the Sony LDP-1000A videodisc player. You can also use the LDP-1000, version 1.7 and newer versions.

The listing was written in Sony's Disk BASIC, which links a videodisc utility called "VX.PAC" (video extension package). VX.PAC includes all of the video-

disc control commands designed specifically for the LDP-1000A disc player (an updated version of the utility just released also includes controls for Sony's still-frame audio unit and touchscreen). Sony also has a cache disk (disk emulator), which we did not have with our system.

VX.PAC has all of the commands you would expect for controlling a disc player. They include: LDPINIT, call videodisc initialize; LDPOUT, call videodisc commands out; LDPDSEG, call videodisc define segment (a segment can be one frame long); LDPXSEG, call videodisc execute segment; LDPSSSEG, call videodisc start playing segment; LDPSEARCH, call videodisc search; LDPFRM, call videodisc frame;

.....
Rod Daynes is vice president and principal of Interactive Technologies Corporation of San Diego, California. He is interested in videodisc-based games and simulations and is author of "The Videodisc Interfacing Primer," June 1982 BYTE, page 48.

Steve Holder is a programmer and author of two books, Elements of BASIC and Elements of COBOL.

Both authors may be contacted through ITC at 1131 G Street, San Diego, CA 92101.

LDPSTART, call videodisc start; LDPWAIT, call videodisc wait; LDPEND, call videodisc end; LDPSTAT, call videodisc status; and LDPDISCID, call videodisc identification.

Commands for controlling the superimposer (overlay) include: INTSET, call interlace mode set; ASW, call audio switch; and VSW, call video switch.

You control the graphics display (which supports Sony's graphics package in the superimpose mode) by invoking: GLOAD, call graphic load; SLFONT, call select font; and TEXT, call text.

Particularly useful commands resident in the VX.PAC utility are: LDPEND, which holds the execution of a program until a particular video sequence has been completed; LDPFRM, a frame status request that can be used for timed waits; LDPSTAT, which reads all kinds of status from the LDP-1000 (or LDP-1000A) videodisc player; and LDPWAIT, which holds execution of the BASIC program until the disc frame number comes up.

A nice feature of the SMC-70 is that it is totally integrated with the LDP-1000A player, which is entirely capable of dealing with commands. You can

(continued)



tell the player to do something, e.g., play to the end of a sequence, and go on about your business. You do not have to keep your eye on it all the time.

BEFORE YOU BEGIN

First of all, a CAV laser disc is required. Superior to constant linear velocity (CLV) laser discs for interactive video, CAV discs are frame addressable. Thus, they can use all the inherent functions of a laser disc, including fast frame accurate access, freeze frame, variable motion control, and frame step. In addition, they can handle data dumps from the second audio track, from the vertical interval, and from horizontally nested data. CLV discs, on the other hand, are not frame addressable, which eliminates the possibility for any meaningful external control.

However, CAV movie discs are harder to come by and more expensive. This is because CAV discs can only store about 30 minutes of linear footage per side. CLV discs can store roughly 60 minutes per side.

With CLV discs, less raw material is needed and movies can be pressed in less time, thus they are considered more economical by mastering facilities and distributors.

Until recently, CLV movie discs were a source of frustration for computer hobbyists and film buffs. Fortunately, several significant new releases are now available in both CLV and CAV formats, with more on the way.

Creating an interactive program from an existing movie can be almost impossible because some of the desired sequences are not on the disc. One de-

velopment strategy is to let the program (game) grow naturally from the movie itself. After you decide on an objective (to "get the waiter to notice you," for example), take some time to separately catalog the desired edits, both the "ins" and the "outs". Next, determine which of these edits can be reassembled into entirely new scenes. Flowchart these segments so you can visualize all the various outcomes. After that you can write your program.

Be aware that the pacing and style of your program is just as important in an interactive mode as it is in a linear mode. Do not become a slave to the logic of your flowcharts. Long search times and short choppy sequences can be deadly. So become a film editor and try several alternatives before you commit yourself to a particular strategy. The operative word here is "orchestrate."

THE DEMONSTRATION PROGRAM

There are nine modules in the demonstration program (eight programs and one subset). This is due to restricted memory space. When one program has been completed successfully, the computer calls the next program via the CHAIN statement, passing variable values, such as the score. We structured the programs so that any one of them could be run separately. For example, you can begin the program in the middle if you implement the command RUN "TURN2." Or you can skip the title sequence and use RUN "FIRSTSEQ."

Since we divided the demonstration into separate programs, we faced the problem of writing the same set of subroutines in every program, with the exception of the TITLE program, which did not use any of the subroutines. To solve this redundancy/overhead problem, we wrote the subroutines as a separate file. This file is called "SUBSET." Each program merges the SUBSET file as needed. (Note: In order to be merged, SUBSET must be saved in ASCII format.) In other words, once you go through the title sequence the first time, lines 1-145 of the TITLE program are filed away and play no further part in the game. After the first run, if your hero meets with a grim demise, one of your choices is to pop into the SUBSET file that does all of the preliminary setup to take you through the first

(continued)




Figure 1: Merging the subroutine set.




Figure 2: Chaining the demonstration modules.

Pascal-2

PROVING GROUNDS

Pascal-2 Performs in Medical Neuroscience Lab at Scripps Clinic and Research Foundation, Division of Preclinical Neuroscience and Endocrinology.



"Pascal-2 is the language of our computerized imaging system. We hope to increase scientific objectivity, reduce labor costs during neuroanatomical analysis, and increase the quality of scientific research. Pascal-2 is the language of choice."

Dr. Warren G. Young
Biosystems Analyst
Scripps Clinic and
Research Foundation
La Jolla, California

Dr. Young and his colleagues are investigating clinical disorders in the neural system. Pascal-2 is instrumental in maintaining a data base for the geometric attributes of neural cells.

Why is Pascal-2 Dr. Young's choice in software? "Structured programming, excellent records and file constructs, efficient coding, fast program execution, good documentation and customer support are some of the reasons why we chose Pascal-2."

To see how Pascal-2 meets your application needs call

1-800-874-8501.

Oregon Software

2340 S.W. Canyon Road
Portland, Oregon 97201
(503) 226-7760

The Pascal-2 system is available on Digital's PDP, VAX and Professional Computer systems running on the RSTS, RT-11, RSX and Unix Operating Systems.

Digital, PDP, VAX, RSTS, RT-11 and RSX are trademarks of Digital Equipment Corporation. Unix is a trademark of Bell Laboratories. Pascal-2 is a trademark of Oregon Software.




Figure 3: Two program entry points.




Figure 4: A typical game sequence, the third program entry point.

"play" sequence again.

The CHAIN/V/M statement (chain, variables, merge) merges the SUBSET file, preserving the value of all variables, then starts executing at the beginning of the newly merged program. The CHAIN/V/M statement is line 170 in every program other than TITLE. Since the same SUBSET file is merged into seven different programs, they had to be somewhat standardized. The lines in the SUBSET file are numbered 1-145, and every program is numbered from

line 150 upward. In this way, no line-number conflict occurs when the two files are merged. The main body of every program begins at line 190, and the first instruction in the SUBSET file is GOTO 190, effectively continuing the program after the merge (see figure 1). Each program enters the next one at line 170, where the SUBSET file is merged with the newly called program (see figure 2).

Since each action sequence was written as a separate program, we had to


allow for the possibility that one of them might be inadvertently run without the benefit of the original initialization. Therefore, the first lines of each program (lines 150-165) initialize arrays, screen, and disc player before the subset is merged. If the program is RUN instead of being merged, it will not crash (see figure 3).

Using scenes played from the videodisc, each program presents a problem (or two) that you must solve or overcome. If correct, you are rewarded with points and the game continues. If incorrect, play is interrupted with an appropriate "bad ending" scene played from the disc (whenever possible). You are then given the choice of quitting or trying again.

To preserve your score to this point, if you choose to try again, we chain the program back to itself. This presents the third entry point at line 155, reinitializing the disc player to repeat the scene (see figure 4).

To take advantage of the sound track (audio is defeated in the still and variable motion modes) and to maintain the feel of the original film, we let the motion run continuously wherever possible. This has the effect of luring you into the adventure. But you have to stay on your toes. Quick decisions, which can take you by surprise, are demanded at various points. You may be watching a sequence and suddenly there is a closeup of a waiter approaching and the chair being pulled back. You must make a choice: (1) drop your spoon, (2) use your fork, or (3) duck. The correct choice is to use your fork, which is acknowledged by a flashing score in the upper right corner as the disc continues to play. If you: (1) do not respond in time, or (2) choose the wrong option, the computer turns the NTSC video off and searches the disc for a short sequence with the sound of a sniff. Simultaneously, in the RGB mode, IGNORED is printed. After a short pause, the text is erased and another graphic appears while the disc searches for an appropriate reaction shot. The RGB is turned off, the NTSC is turned on, the motion sequence of the reaction shot is played, and at the completion of the motion sequence, an overlay is turned on that asks you if you would care to play again (see figure 5).

(continued)



```


540 FOR A = 1 TO 17
550 READ JDATA
560 D=SINH(4.23) * J
570 IF JDATA<0 GOTO 950
    ELSE JDATA = HBAL
580 DEFINT O1, O7
590 O1= HBAL ; O7= CBAL
600 NEXT A

--- TESTDATA SUBROUTINE

610 CO= HBAL: CQ= CBAL/365
620 IF CO = CQ GOSUB 1200
630 IF CO > CQ GOSUB 1300
    CO = CO/12
    CQ = CQ/12
640 PRINT "THE SUM IS", CO+CQ
650 RANDOM: O7= RND(99)
670 IF O7= HBAL GOTO 690
680 RETURN
  
```

Cost Breakthrough!

NOW YOU CAN MIX CAMERA VIDEO WITH YOUR PERSONAL COMPUTER DISPLAY FOR ONLY \$375.00!



Think of what you could do with this capability right now... mix live or recorded instruction with program code; computer graphics with camera video; provide a moving cursor over a live image for all types of medical and industrial uses; even tape the results on any home or professional type video recorder... the applications are only limited by your imagination.

FULL WINDOW CONTROL

The C-77™ Video Combiner features full window control, allowing you to place any size window anywhere you wish on the screen. It also allows a choice of combined or super'd images inside the window... allowing the moving-cursor-over-camera-image and other useful, exciting effects.


APPLICATIONS IN EDUCATION, MEDICINE, INDUSTRY, ETC.

Almost any video training session can be greatly enhanced with the C-77™. You can use it to scroll computer text alongside a live or taped presentation of the function, procedure or lesson being taught. Or you can prepare programming lessons in which the teacher appears right on the students' monitors, next to the code lines, giving instruction. As the lesson progresses the window may be enlarged to full screen for blackboard chalk-talks or other demonstrations, and then reduced to nothing to allow the students to use what they've just learned "on their own".

Medical CAT-scans and other video-displayed medical imaging can now have computer-accurate grids super'd over them for precise, repeatable location of lesions and other areas of interest. The moving cursor offers substantial benefits here too, especially for training sessions, as does the valuable text-scroll ability mentioned above.

Industrial imaging can also be enhanced via grids, cursors and text scroll, with substantial benefits accruing to training, research & development and CAD/CAM applications. Plus, the excitement and vitality that the C-77™ can lend to sales presentations will pay for the unit many times over in the form of increased sales!

The C-77™ Video Combiner lets you display camera video together with computer output, on your computer's composite monitor or television receiver.



Other applications in video, art, HamTV, trade show displays and commercial communications are being discovered daily. You can be one of the discoverers, if you take advantage of our no risk, ten day free trial. The price? Well, up to now, this kind of video mixing capability normally required a table full of gear costing thousands of dollars... but thanks to Rapitech's advances in LSI technology and miniaturization, the C-77™ comes in a mini-box chassis (only 6" x 6 1/2" x 2") with a mini price tag. Complete with all necessary cables and software allowing use as a character generator, it lists for only \$375.00 for the C-77™ standard model; \$399.00 for the C-77RF modulated RF video model which works with any TV receiver. And these prices include

handling & shipping via UPS within the continental U.S.!

Order now via our 24-hour, toll-free ordering hot line. Dial 1-800-227-3800 ext. 7700, and have your Visa or Mastercard ready. Or order by mail to the address below, enclosing check or money order with your letter. (Checks accepted upon clearance; NY residents add sales tax.)

Utility software on diskette for IBM PC, Apple or Atari is included, as well as printed listing upon request if you have another computer. Both units require camera with external sync capability, (cameras with lens available - order # SGM1348 @ \$385.00 plus tax for NY residents). IBM owners please note: requires IBM, TECMAR or comparable graphics board.


RAPID SOLUTIONS... FROM RAPITECH

565 Fifth Avenue, New York, N.Y. 10017

For More Information Call 212-687-6255, Monday-Friday, 9-5 EST

Circle 264 on inquiry card.

IBM is a registered trademark of IBM Corp.
APPLE is a registered trademark of Apple Corp.
ATARI is a registered trademark of Atari Corp.
Dealer inquiries invited.



GET ORGANIZED

With Our New Line Of Quality Products

PR#1
picturedPR#1 16 x 13 x 4 **\$29.95**PR#2 24 x 13 x 4 **\$39.95**

Both made of 1/4 inch smoked acrylic, featuring a bottom feed slot and non-skid feet. [other sizes available]

Sturdy Acrylic Copy Holder**\$19.95****Office Quality Gas Operated Ergonomic Computer Chair**Available in
blue
red
camel
brown
lt grey
charcoal

Retailers for \$179.95

**MIDAMERICA Priced At
only \$99.95
add \$45.95 for arms****MIDAMERICA
WHOLESALE, INC.
COMPUTER ACCESSORIES**

8135 215th St.



Lakeville, MN 55044

MN residents add 6% sales tax. Dealer inquiries invited. Add \$2.50 shipping for each item. **CALL FOR COMPETITIVE DISKETTE PRICES.****TO PLACE ORDERS CALL ANYTIME****1-800-328-2977**MN
residents**612-469-4666****VIDEODISC CONTROL**

Listing 1: The following action sequences, with appropriately chosen sound effects, dialogue, and screen prompts, show the personal computer's great range as a videodisc game creator and controller. Program 1, the "subset" file, is automatically invoked whenever your hero meets with a bad end. It returns you to the main program, gives you your score, and asks you whether or not you want to continue.

Program 1:

```

1  __INTSET (1.0): GOTO 190: ' Enter main program after merging
5  '
10  '
15  '           "SUBSET"
15  '           Standard Routines Merged to Each Module
20  EVAL INKEYS                               'TIMED WAIT
25  __LDPFRM (F#): AS= INKEYS                 'Subroutine
30  IF AS= "" THEN IF F# < LIMIT GOTO 25      '(Uses LIMIT)
35  RETURN
40  '
45  CCOLOR 4.2: LOCATE(19.0): PRINT "YOUR SCORE: " 'FLASHSCORE
50  CCOLOR 4.2.2: LOCATE(31.0): PRINT SCORE:  'Subroutine
55  CCOLOR 6.0.0: RETURN                       '(Uses SCORE)
60  '
65  GCLEAR 8: SCORE = SCORE + POINTS          'SCORE
70  GOSUB 45: FLASHSCORE                       'Subroutine
75  FOR K% = 1 TO 4: BEEP: PAUSE 2: NEXT K%: PAUSE 30 '(Uses POINTS)
80  CCOLOR 4.2: LOCATE(31.0): PRINT SCORE
85  CCOLOR 6.0.0: RETURN
90  '
95  LOCATE (20 - LEN(MSGS)/2, 20)             'BAD END
100 CCOLOR 6: PRINT MSGS                       'Routine
105 LOCATE (12.22): PRINT "PLAY AGAIN? (Y/N)" '(Uses MSGS.
110 GOSUB 45: EVAL INKEYS                     ' PRGMS)
115 AS = INKEYS: IF AS = "" THEN 115          "
120 CCLEAR: IF AS= "Y" OR AS= "y" THEN CHAIN /V PRGMS.155 'Restart module.
125 __VSW(0): CONSOLE 80: GCLEAR 8: GCOLOR .. 8: CCLEAR 'or reset screen.
130 DELETE 1-145: END                          'Deleting enables main
                                                module to be rerun.

135 '
140 __VSW(0): CONSOLE 80: GCLEAR 8: GCOLOR 8: CCLEAR 'ERROR
145 PRINT "ERROR ": ERR: " ON LINE ": ERL: GOTO 130 'Routine

```

Program 2:

```

1  '
5  ' Written in SONY SMC-70 Disk BASIC using VX.PAC utility commands.
10  CONSOLE 40: CURSOR OFF : GCOLOR ,4: GCLEAR 4 'Screen red.
15  CCLEAR: __LDPINIT: __INTSET(1.0)           'Set raster interlace
20  __LDPOUT (&H51): __LDPSTART (1000.1001)   'Start disc
25  DIM FONT%(1600): __SLFONT(FONT%(0), "ROM70") 'Load overlay font.
30  __VSW(2) : GCLEAR 8: GCOLOR 8.8.8: CCOLOR 0.1.0 'Set up screen.
35  __LDPWAIT (1002)                           'Wait for title.
40  __TEXT(129.56:"THE":FONT%(0),0.0.1)        'First in black.
45  __TEXT(128.55:"THE":FONT%(0),7.7.1)        'then overlay white
50  __TEXT(123.146:"GAME":FONT%(0),0.0.1)      'for drop shadow.
55  __TEXT(122.145:"GAME":FONT%(0),7.7.1)
60  __LDPWAIT(1003): GCLEAR: __LDPWAIT(1004)   'Wait, erase, wait.
70  LOCATE(4.16) :PRINT SPACES(32) :LOCATE(4.17) :PRINT SPACES(32)
75  LOCATE(4.18) :PRINT "           DEVELOPED BY "
80  LOCATE(4.19) :PRINT SPACES(32)             'Mask and overlay.
85  LOCATE(4.20) :PRINT "           ROD DAYNES "
90  LOCATE(4.21) :PRINT SPACES(32) :LOCATE(4.22) :PRINT SPACES(32)
95  __TEXT(58.80:"NIGHT OF THE":FONT%(0),0.6.1.1) 'Superimposed.
100 __TEXT(76.100, "BIG DINNER":FONT%(0),0.6.1.1)
105 __LDPWAIT(1005)                             'Wait original timing.
110 LOCATE(4.16) :PRINT SPACES(32) :LOCATE(4.17) :PRINT SPACES(32)
115 LOCATE(4.18) :PRINT "           PROGRAMMING BY "
120 LOCATE(4.19) :PRINT SPACES(32)
125 LOCATE(4.20) :PRINT "           STEVE HOLDER "
130 LOCATE(4.21) :PRINT SPACES(32) :LOCATE(4.22) :PRINT SPACES(32)

```

(continued)

THE FORTH SOURCE™

MVP-FORTH

Stable - iransportable - Public Domain - Tools
 You need two primary features in a software development package . . . a stable operating system and the ability to move programs easily and quickly to a variety of computers. MVP-FORTH gives you both these features and many extras. This public domain product includes an editor, FORTH assembler, tools, utilities and the vocabulary for the best selling book "Starting FORTH". The Programmer's Kit provides a complete FORTH for a number of computers. Other MVP-FORTH products will simplify the development of your applications.

MVP Books - A Series

- Volume 1, All about FORTH** by Haydon. MVP-FORTH glossary with cross references to fig-FORTH, *Starting FORTH* and FORTH-79 Standard. 2nd Ed. \$25
- Volume 2, MVP-FORTH Assembly Source Code.** Includes CP/M®, IBM-PC®, and APPLE® listing for kernel \$20
- Volume 3, Floating Point Glossary** by Springer \$10
- Volume 4, Expert System** with source code by Park \$25
- Volume 5, File Management System** with interrupt security by Moreton \$25

MVP-FORTH Software - A Transportable FORTH

- MVP-FORTH Programmer's Kit** including disk, documentation, Volumes 1 & 2 of MVP-FORTH Series (*All About FORTH*, 2nd Ed. & Assembly Source Code), and *Starting FORTH*. Specify CP/M, CP/M 86, CP/M+, APPLE, IBM PC, MS-DOS, Osborne, Kaypro, H89/Z89, Z100, TI-PC, MicroDecisions, Northstar, Compupro, Cromenco, DEC Rainbow, NEC 8201, TRS-80/100 \$150
- MVP-FORTH Cross Compiler** for CP/M Programmer's Kit. Generates headerless code for ROM or target CPU \$300
- MVP-FORTH Meta Compiler** for CP/M Programmer's kit. Use for applications on CP/M based computer. Includes public domain source \$150
- MVP-FORTH Fast Floating Point** Includes 9511 math chip on board with disks, documentation and enhanced virtual MVP-FORTH for Apple II, II+, and IIE. \$450
- MVP-FORTH Programming Aids** for CP/M, IBM or APPLE Programmer's Kit. Extremely useful tool for decompiling, callfinding, and translating. \$200
- MVP-FORTH PADS (Professional Application Development System)** for IBM PC, XT or PCjr or Apple II, II+ or IIE. An integrated system for customizing your FORTH programs and applications. The editor includes a bi-directional string search and is a word processor specially designed for fast development. PADS has almost triple the compile speed of most FORTH's and provides fast debugging techniques. Minimum size target systems are easy with or without heads. Virtual overlays can be compiled in object code. PADS is a true professional development system. Specify Computer. \$500
- MVP-FORTH Floating Point & Matrix Math** for IBM or Apple \$85
- MVP-FORTH Graphics Extension** for IBM or Apple \$65
- MVP-FORTH MS-DOS file interface** for IBM PC PADS \$80
- MVP-FORTH Expert System** for development of knowledge-based programs for Apple, IBM, or CP/M. \$100

FORTH CROSS COMPILERS Allow extending, modifying and compiling for speed and memory savings, can also produce ROMable code. Specify CP/M, 8086, 68000, IBM, Z80, or Apple II, II+ \$300

FORTH COMPUTER

- Jupiter Ace** \$150

Ordering Information: Check, Money Order (payable to MOUNTAIN VIEW PRESS, INC.), VISA, MasterCard, American Express. COD's \$5 extra. Minimum order \$15. No billing or unpaid PO's. California residents add sales tax. Shipping costs in US included in price. Foreign orders, pay in US funds on US bank, include for handling and shipping by Air: \$5 for each item under \$25, \$10 for each item between \$25 and \$99 and \$20 for each item over \$100. All prices and products subject to change or withdrawal without notice. Single system and/or single user license agreement required on some products.

FORTH DISKS

FORTH with editor, assembler, and manual.

- APPLE** by MM, 83 \$100
- APPLE** by Kuntze \$90
- ATARI®** valFORTH \$60
- CP/M®** by MM, 83 \$100
- HP-85** by Lange \$90
- HP-75** by Cassidy \$150
- IBM-PC®** by LM, 83 \$100
- NOVA** by CCI 8" DS/DD \$175
- Z80** by LM, 83 \$100
- 8086/88** by LM, 83 \$100
- 68000** by LM, 83 \$250
- VIC FORTH** by HES, VIC20 cartridge \$50
- C64** by HES Commodore 64 cartridge \$60
- Timex** by HW \$25

Enhanced FORTH with: F-Floating Point, G-Graphics, T-Tutorial, S-Stand Alone, M-Math Chip Support, MT-Multi-Tasking, X-Other Extras, 79-FORTH-79, 83-FORTH-83.

- APPLE** by MM, F, G, & 83 \$180
- ATARI** by PNS, F,G, & X \$90
- CP/M** by MM, F & 83 \$140
- Apple, GraFORTH** by I \$75
- Multi-Tasking FORTH** by SL, CP/M, X & 79 \$395
- TRS-80/1 or III** by MMS F, X, & 79 \$130
- Timex** by FD, tape G,X, & 79 \$45
- Victor 9000** by DE:G,X \$150
- C64** by ParSec. MVP, F, 79, G & X \$96
- FDOS** for Atari FORTH's \$40
- Extensions** for LM Specify IBM, Z80, or 8086
 - Software Floating Point \$100
 - 8087 Support (IBM-PC or 8086) \$100
 - 9511 Support (Z80 or 8086) \$100
 - Color Graphics (IBM-PC) \$100
 - Data Base Management \$200
- fig-FORTH Programming Aids** for decompiling, callfinding, and translating. CP/M, IBM-PC, Z80, or Apple \$200

FORTH MANUALS, GUIDES & DOCUMENTS

- ALL ABOUT FORTH** by Haydon. See above. \$25
- FORTH Encyclopedia** by Derick & Baker \$25
- The Complete FORTH** by Winfield \$16
- Understanding FORTH** by Reymann \$3
- FORTH Fundamentals, Vbl. I** by McCabe \$16
- FORTH Fundamentals, Vol. II** by McCabe \$13
- FORTH Tools, Vol.1** by Anderson & Tracy \$20
- Beginning FORTH** by Chirlian \$17
- FORTH Encyclopedia Pocket Guide** \$7
- And So FORTH** by Huang. A college level text. \$25
- FORTH Programming** by Scanlon \$17
- FORTH on the ATARI** by E. Floegel \$8
- Starting FORTH** by Brodie. Best instructional manual available. (soft cover) \$18
- Starting FORTH** (hard cover) \$23
- 68000 fig-Forth** with assembler \$20
- Jupiter ACE Manual** by Vickers \$15
- 1980 FORML Proc.** \$25
- 1981 FORML Proc 2 Vol** \$40
- 1982 FORML Proc.** \$25
- 1981 Rochester FORTH Proc.** \$25
- 1982 Rochester FORTH Proc.** \$25
- 1983 Rochester FORTH Proc.** \$25
- A Bibliography of FORTH References, 1st. Ed.** \$15
- The Journal of FORTH Application & Research**
 - Vol. 1, No. 1 \$20
 - Vol. 1, No. 2 \$20
- A FORTH Primer** \$25
- Threaded Interpretive Languages** \$23
- META FORTH** by Cassidy \$30
- Systems Guide to fig-FORTH** \$25
- Invitation to FORTH** \$20
- PDP-11 User Man.** \$20
- FORTH-83 Standard** \$15
- FORTH-79 Standard** \$15
- FORTH-79 Standard Conversion** \$10
- Tiny Pascal fig-FORTH** \$10
- NOVA fig-FORTH** by CCI Source Listing \$25
- NOVA** by CCI User's Manual \$25
- Installation Manual for fig-FORTH,** \$15

Source Listings of fig-FORTH, for specific CPU's and computers. The Installation Manual is required for implementation. Each \$15

- 1802 6502 6800 Alpha/Micro
- 8080 8086/88 9900 APPLE II
- PACE 6809 NOVA PDP-11/LSI-11
- 68000 Eclipse VAX Z80 IBM


MOUNTAIN VIEW PRESS, INC.

PO BOX 4656

MOUNTAIN VIEW, CA 94040

(415) 961-4103

VIDEODISC CONTROL



IBM-PC/XT or PC compatible
IEEE-488 INTERFACE BOARD



- Implements the entire IEEE-488 standard – transfer commands and data, perform serial and parallel polling.
- A resident firmware interpreter simplifies programming and accepts any ASCII string or code including Tektronix Standard Codes and Formats and IEEE-488 command mnemonics. Interpreter routines support BASIC, PASCAL, C and other languages.
- Supports the PrtSc (print screen) key, and all BASIC print statements for IEEE-488 printers and devices.
- Small size – see BYTE 11/83, p. 314
- Accepts a standard IEEE-488 cable.
- Uses only 16 bytes of RAM and no I/O ports.
- A 116 page Reference Manual provides a tutorial and programming examples for digitizing, interactive bus control, bus diagnostics, and many other applications.
- \$395 complete. There are no extra software or cabling charges.



CAPITAL EQUIPMENT CORP

10 Evergreen Avenue
Burlington, MA. 01803
(617) 273-1818

IBM is a trademark of International Business Machines Corp.

```

135  _LDPWAIT(1006)                                'Wait next credit.
140  LOCATE(3.15) :PRINT SPACES(34) :LOCATE(3.16) :PRINT SPACES(34)
145  LOCATE(3.17) :PRINT SPACES(34)                'Larger mask need here.
150  LOCATE(3.18) :PRINT "          PRODUCED BY          "
155  LOCATE(3.19) :PRINT SPACES(34)
160  LOCATE(3.20) :PRINT "          INTERACTIVE TECHNOLOGIES          "
165  LOCATE(3.21) :PRINT SPACES(34) :LOCATE(3.22) :PRINT SPACES(34)
170  LOCATE(3.23) :PRINT SPACES(34) :LOCATE(3.24) :PRINT SPACES(34):
175  CCOLOR 7,0,0: _LDPWAIT(1007)                  'Get ready to clear.
180  GCLEAR: CCLEAR: CCOLOR 4,1                    'Go.
185  FOR K%= 15 TO 22:LOCATE(3,K%) :PRINT SPACES(34) :NEXT
190  LOCATE(6.17): PRINT "THE OBJECT . . . ."      'Mask, then print
195  _LDPWAIT(1008)                                'first line.
200  LOCATE(5.19) :PRINT "GET THE WAITER TO NOTICE YOU" 'Wait for sound.
205  _LDPWAIT(1009)                                'Second line.
210  FOR K%= 16 TO 22:LOCATE(4,K%) :PRINT SPACES(32): NEXT
215  LOCATE(6.17) :PRINT "YOU ONLY HAVE ONE SHOT AT IT:" 'Wait for scene change.
220  _LDPWAIT(1010)                                'Smaller mask.
225  LOCATE(12.19) :PRINT "A WRONG DECISION . ."  'Wait for music.
230  _LDPWAIT(1011)                                'Second line.
235  LOCATE(5.21) :PRINT "AND IT'S ALL OVER FOR YOU, PAL!" 'Wait for music.
240  _LDPWAIT(1012)                                'Wait scene change.
245  FOR K%= 16 TO 22:LOCATE(3,K%) :PRINT SPACES(34):NEXT
250  LOCATE(5.17) :PRINT "YOU CAN EARN MUCH NEEDED POINTS" 'Remask.
255  _LDPWAIT(1013)                                'Wait scene change.
260  LOCATE(5.19) :PRINT "WITH YOUR POWERS OF OBSERVATION"
265  _LDPWAIT(1014): LOCATE(10.21)                'Wait for sound.
270  PRINT "AND QUICK REACTIONS:"
275  _LDPWAIT(1015)                                'Wait for next credit.
280  _VSW(3): CCOLOR 6,0,0: CCLEAR                'We're done.
285  CHAIN IV "FIRSTSEQ": 170                       'Warm entry. First
                                                    Sequence.
    
```

Program 3:

```

150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF      'Cold start (if RUN).
155 GCOLOR ..8: GCLEAR 8: CCOLOR 6,0,0: CCLEAR   'Restart entry point
160 _LDPINIT: _LDPDOUT (&H51): _INTSET(1,0)     'See line 120.
                                                    "SUBSET")
165 _LDPSTART (1016, 1017)
170 CHAIN IV/M "SUBSET"
175
180 "          "FIRSTSEQ"
185
190 _VSW(3): ON ERROR GOTO 140
195 _SLFONT(FONT%(0),"SSER70")
200 _TEXT(0,135:"QUICK!", FONT%(0),6,6,1)
205 _TEXT(5,150:"1 = DROP SPOON", FONT%(0),6,6,1) 'Warm start entry point
210 _TEXT(5,165:"2 = USE FORK", FONT%(0),6,6,1)   'After chain/merge.
215 _TEXT(5,180:"3 = BELCH", FONT%(0),6,6,1)      'execution begins at
220 _LDPWAIT(1018) :BEEP:_VSW(2)                  'first instruction.
225 LIMIT = (1019): GOSUB 20: TIMED WAIT          'line 1, "SUBSET"): a
230 IF AS = "2" THEN 285                           'jump to line 190.
235 GCOLOR ..1: GCLEAR 1                          'This prints off
240 _LDPSTART(1020,1021)                           'screen. We wait
245 _TEXT(105,80:"CLATTER", FONT%(0),4,5,10,4)   'for the right
250 PAUSE 5:GCLEAR 1                               'moment, then . . .
255 _TEXT(70,120:"AARRRRGGHH", FONT%(0),4,5,3,3) 'raise the curtain.
260 _LDPSTART(1022,1023)                           'Answer quick!
265 PAUSE 1: GCLEAR 8: GCOLOR ..8                 'Right answer?
270 MSGS = "TOO BAD, YOU LOSE:"                   'Screen blue (masked).
275 PRGMS = "FIRSTSEQ": GOTO 95                    'Let's hear gunshot
280 ~                                               'timed with graphic.
285 POINTS = 375: GOSUB 65                          'Notes: screen is
290 CHAIN IV "TURNI": 170                          'masked when gcolor.
                                                    'gclear not = 8.
                                                    'Pause for disc access.
                                                    'He falls down.
                                                    'BAD END
    
```

Program 4:


```

150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF      'Cold start.
155 GCOLOR ..8: GCLEAR 8: CCOLOR 6,0,0: CCLEAR   'Restart entry point.
160 _LDPINIT: _LDPDOUT (&H51): _INTSET(1,0)     'Out byte turns off
165 _LDPSTART (1024, 1025)                         'disc Index display.
    
```

(continued)

ARE YOU TIRED OF FLOPPY EXCUSES?

"EXCUSE ME, I REALLY HATE TO BOTHER YOU AT A TIME LIKE THIS BUT THIS DISK IS COMPLETELY FULL."



QuadDisk has all the answers

Quadram presents QuadDisk, the Winchester hard disk system that lets you leave all those floppy disks—and their excuses—behind. QuadDisk does everything that floppies do, only better. And faster.

A lot of storage in a little space

For starters, QuadDisk will take care of your storage problems—in more ways than one. QuadDisk comes in 5, 10, 16, 22 and 65 megabyte capacities for all the on-line storage space you need. That's anywhere from about 20 to 225 floppies worth of information. Or up to 36,000 pages of material—and then some.

What's even more amazing is that this powerful hard disk drive simply slips into your second 5¼" floppy drive space to become an integral part of your system.

Ready when you are

It takes just minutes to install and QuadDisk is there to stay. QuadDisk is always there when

you need it.

And it works fast. QuadDisk accesses information faster than a floppy. And can perform up to 9 tasks at once.

It comes complete with its own software. And a file utility that guides you when you want to run and manipulate files and programs. There's nothing hard about using this hard disk system. Just follow the simple commands on the screen.

Safety first

QuadDisk protects your work like no floppy can.

And for added data security, there's QuadDisk with removable cartridges for up to 5MB on-line mass storage and virtually unlimited off-line storage capacity. Just pop one in when you're ready. Pop it out when you're done.



Quadram Quality

You'll find that QuadDisk is backed by reliable Quadram

Quality. It's the mark of dependability and performance from the leader in microcomputer enhancements.

Visit your local computer retailer today and ask to see QuadDisk in action. When you compare



it to the floppies, there's no excuse not to buy QuadDisk.

QuadDisk™ by Quadram.™



QUADRAM™
An Intelligent Systems Company

4355 International Blvd. Norcross, GA 30093
(404) 923-6666/TWX 810-766-4915 (QUADRAM NCRS)

© Copyright 1984 Quadram Corporation. All rights reserved.


How HP business graphics



Enhance your reputation for being more professional, persuasive, credible and effective than your competition with the new HP 7475A Business Professional's Plotter.

Make a first impression that lasts

The vital importance of graphics to today's business professional cannot be overstated. In survey after survey, statistics prove graphics can help you spot trends and relationships quickly, analyze data accurately, and communicate your ideas with more



clarity and power than in any other way.

Even more important, graphics can actually increase personal and company productivity. And create a first impression of quality and professionalism that lasts and lasts.

Graphics: the end to meetings that go nowhere

In a fascinating research project conducted by The University of Pennsylvania, 123 MBA candidates were involved in a study designed to test the effectiveness of business graphics in meeting situations. The results were startling. In the group where visual aids were used:

- Meetings were shorter: The study showed a 28% reduction in meeting length when transparencies were used.
- Group consensus was faster: Agreement was reached by 79% of the group using transparencies, compared with only 8% among the control group using no visual aids.
- The decision process was accelerated: 64% of study participants said they made their business decisions *immediately after the visual presentation*. When overheads were not used, the control group said they delayed decision-making until *some time after the group*

discussion following the presentation.

- Presenters with visual aids were perceived as being more professional, persuasive, credible and effective than those not using visual aids.

Now, with the new HP 7475A Business Professional's Plotter, your meetings can have immediate and productive results like these.

How the quality look of HP graphics can help

The way you present your information can be equally as important as the actual information you're presenting. And that's where the new HP 7475A Business Professional's Plotter lets your professionalism shine through.

Standards unsurpassed in the plotter business

The technical standards of the HP 7475A have no equal for producing quality graphics. With a resolution of one-thousandth-of-an-inch, curved lines are smooth, not jagged, and straight lines are *consistently* straight. Its exceptional repeatability (the ability of a pen to return *precisely* to a given point) assures that intersecting lines and circular shapes will meet *exactly*. The result is *high-quality* charts and graphs you'll be proud to present.


Why 6 pens when experts say 4 will do?

Graphics industry experts maintain that good graphics contain four colors per chart. But Hewlett-Packard goes the experts two better by providing a six-pen carousel, so you can store and use pens of different widths—thick pens for bold headings and thin pens for details. And with six pens, you won't have to waste valuable time changing them. That's important when "the boss wants to see your presentation in twenty minutes!"

With the HP 7475A, you also get automatic pen capping to prevent pens from drying out between uses, and special "pen damping" (gently lowering the pen to the paper or transparency) to increase pen life and ensure better line quality... use after use after use. You also get a rainbow of 10 colors to choose from, in two line widths.

Your choice: 2 paper sizes and today's most popular graphics software packages

While most professional business applications will be satisfied with standard 8½ x 11" paper or transparencies, the HP 7475A adds the



can be the key to your success.



capability of plotting on larger 11 x 17" media, too. The larger plots are especially well-suited for time lines, PERT charts, schematics and engineering drawings.

Best of all, you don't have to be a programmer to produce quality graphics on the HP 7475A. It's supported by a variety of professional graphics software packages for both HP and non-HP desktop and personal computers.

Naturally, speaking of software compatibility leads us to hardware compatibility...

Compatible with almost any personal computer in the marketplace today

With two interfaces available, the HP 7475A quickly "makes friends" with most models of today's most popular personal computers, including IBM[®], Apple[™], Compaq[™], Osborne[®] and Commodore[™] -- as well as a host of HP computers.

The cost? Surprisingly affordable

The new HP 7475A Business Professional's Plotter is an amazingly affordable \$1895. When you consider that a typical fee for a single five-color transparency from a graphics service is \$50—and that the same transparency can be prepared for about \$1 in materials on the HP 7475A—the return on your investment is almost immediate.

Another choice: HP's low-cost, high performance Personal Computer Plotter

For the "business on a budget," you may also want a look at our 2-pen Personal Computer Plotter, the 7470A. Its low cost (only \$1095) is as remarkable as the quality of its plots. With many of the same features as the new HP 7475A, the HP 7470A plots on a single paper size (8½ x 11"). It stores and caps two pens,

and you can easily change the pens yourself for multi-color plotting. Best of all, the HP 7470A 2-pen plotter lets you turn your personal computer into a personal graphics workstation for only \$1095.

Send for your FREE "Better Presentations Package" today!

For a FREE sample plot, overhead transparency, and more details, mail the coupon below today. We'll also enclose a list of software packages you can use with the HP 7475A or HP 7470A.

For the name of your nearest Hewlett-Packard dealer call toll-free 800-547-3400.

1101303



YES! I'm ready to gain a reputation for being more professional, persuasive, credible and effective than my competition. Please send me your FREE "Better Presentations Package," so I can learn more about the new HP 7475A Business Professional's Plotter and the HP 7470A Personal Computer Plotter. I understand I will receive this valuable package without cost or obligation.

Name _____ Title _____

Company _____

Address _____

City/State & Zip _____

Phone Number (____) _____

My computer is _____

Send to: Hewlett-Packard
16399 W. Bernardo Drive, San Diego, CA 92127
Attn: Marketing Communications 11303 BT7

DeSmet

C

The fastest 8088 C Compiler available

FULL DEVELOPMENT PACKAGE

- C Compiler
- Assembler
- Linker and Librarian
- Full-Screen Editor
- Newsletter for bugs/updates

SYMBOLIC DEBUGGER

- Monitor and change variables by name using C expressions
- Multi-Screen support for debugging PC graphics and interactive systems
- Optionally display C source during execution
- Breakpoint by Function and Line #

COMPLETE IMPLEMENTATION

- Both 1.0 and 2.0 DOS support
- Everything in K&R (incl. STDIO)
- Intel assembler mnemonics
- Both 8087 and Software Floating Point

OUTSTANDING PERFORMANCE

Sieve Benchmark

COMPILE 4 Sec. RAM —
22 Sec. DISK
LINK 6 Sec. RAM —
34 Sec. DISK
RUN 12 Sec.
SIZE 8192 bytes

DeSmet C Development Package \$159

To Order Specify:

Machine _____

OS MS-DOS CP/M-86

Disk 8" 5 1/4 SS 5 1/4 DS

CWARE

CORPORATION

P.O. BOX 710097
San Jose, CA 95171-0097
(408) 736-6905

California residents add sales tax. Shipping: US: no charge. Canada add \$5, elsewhere add \$15. Checks must be on a US Bank and in US Dollars

VIDEODISC CONTROL

```

170 CHAIN /V/M "SUBSET"
175 '
180 '           "TURN1"
185 '
190 __VSW(3): ON ERROR GOTO 140
195 __SLFONT(FONT%(0),"SSER70")
200 __TEXT(100,20):"I = GO STRAIGHT". FONT%(0),6.6.1)
205 __TEXT(5,180,"2 = TURN RIGHT".FONT%(0),6.6.1)
210 CCLEAR: __LDPWAIT(1026): __VSW(2): BEEP
215 LIMIT = 1027: GOSUB 20: "TIMED WAIT
220 IF AS= "2" THEN 265
225 GCOLOR .4:GCLEAR 4
230 __LDPSTART(1028, 1029)
235 GCLEAR 8: GCOLOR .8: __LDPWAIT(1030)
240 LOCATE(2,19)
245 PRINT "YOUR WAITER REFUSES TO SEAT YOU."
250 PAUSE 20: PRGMS = "TURN1"

255 MSGS= "NOW YOU MUST PAY A BRIBE": GOTO 95
260 '
265 GCLEAR 8: POINTS = 490: GOSUB 65
270 CHAIN /V "TURN2": 170

Program 5:
150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF
155 GCOLOR .8: GCLEAR 8: CCOLOR 6.0.0: CCLEAR
160 __LDPINIT: __LDPDOUT (&H51): __INTSET(1,0)
165 __LDPSTART (1037, 1032)
170 CHAIN /V/M "SUBSET"
175 '
180 '           "TURN2"
185 '
190 __VSW(3): ON ERROR GOTO 140
195 __SLFONT(FONT%(0),"SSER70")
200 __TEXT(10,10):"I = GO STRAIGHT".FONT%(0),6.6.1)
205 __TEXT(10,180,"2 = TURN RIGHT". FONT%(0),6.6.1)
210 CCLEAR: __LDPWAIT(1033): __VSW(2): BEEP
215 LIMIT = 1034: GOSUB 20: "TIMED WAIT
220 IF AS= "1" THEN 255
225 GCOLOR .6: GCLEAR 6: __LDPSTART(1035,1036)
230 __TEXT(40,100:"DON'T STEP IN THE ..".FONT%(0),4.4.1)
235 PAUSE 11: GCLEAR 8: GCOLOR .8
240 __TEXT(120,100,"..GRAVY".FONT%(0),6.6.1)
245 MSGS= "DIDN'T MAKE IT!": PRGMS = "TURN2"
250 GOTO 95
255 POINTS = 615: GOSUB 65: PAUSE 10: CCLEAR
260 '           STICKY BUNS
265 __VSW(3): __TEXT(10,120:"HURRY!". FONT%(0),6.6.1)
270 __TEXT(10,135:"PICK ONE!". FONT%(0),6.6.1)
275 LOCATE(0,19): PRINT "1 = NAPKIN"
280 PRINT "2 = SHIRT": PRINT "3 = FINGER BOWL"
285 PRINT "4 = PANTS": PRINT "5 = HAIR"
290 __LDPWAIT(1037): __VSW(2): LIMIT = 1038: GOSUB 20
295 GCLEAR 8: CCLEAR: IF AS = "3" THEN 350
300 __LDPWAIT(1039): __LDPDOUT(&H4F): BEEP
305 LOCATE(10,18): PRINT "OH NO! STICKY BUNS!:"
310 PAUSE 30: PRINT : BEEP: BEEP
315 PRINT "WHEW! HE SURVIVES BUT HE DRAWS FLIES"
320 LOCATE(10,21): PRINT "YOU LOSE 290 POINTS."
325 PAUSE 30: POINTS = (-290): GOSUB 65
330 PAUSE 20: CCLEAR: GCOLOR .1: GCLEAR 1
335 __LDPSTART(1040,1041)
340 GCLEAR 8: GCOLOR .8: GOTO 375
345 '
350 LOCATE (2,22): CCOLOR 6: __LDPWAIT(1042)
355 PRINT "THE NAPKIN MAKES STICKY BUNS HARMLESS:"
360 POINTS = 960: GOSUB 65: PAUSE 20: CCLEAR
365 __LDPWAIT(1043)
370 '           Simon says
375 LOCATE(14,20): PRINT "PRESS ANY KEY"

```

'Warm start entry point.

'__ is abbrev. for 'call'.

'VideoSWtch(3) = disc
'video only.

'Print off screen
'and wait.

'Overlay on.

'Choose fast.

'Choice correct?

'Screen red.

'No. You lose.

'Wait for effect.

'He's arrogant.

'Pass this program's
name
'so it can be restarted.

'Yes. You score!

'Warm entry, next
module

'Cold start.

'Restart entry point.

'Warm start entry point.

'SelectFONT reads file
'of graphic data into
1600 element array.

'Off screen.

'Overlay on.

'Answer quick!

'Right way?

'Oops. Wrong way.

'Pause for timing.

'BAD END

'You score!

'Next test.

'List of tools.

'TIMED WAIT

'Right one?

'Freeze.

'No. Ouch!

'Lose points
'but game
'continues.

'Right tool.

'Wait next sequence.

'Instructions.

(continued)

CompuPro...

for Performance, Quality and Reliability

Anyone can sell you a box full of hardware. But is it too much computer? Too little? Will it run the appropriate software? What about service? If you need the right answers both before and after the sale, call your nearest **Full Service CompuPro System Center**. For product information, see pgs. 264-5.

ALABAMA

Birmingham
CPC Computers
(205) 879-5976

ARIZONA

Scottsdale
S-100
(602) 991-7870

CALIFORNIA

Bakersfield
Creative Computing
(805) 835-1118

Berkeley
American Computers
& Engineers
(415) 849-0177

Track Computer Center
(415) 845-6366

Burlingame
Mentzer Computer
Systems
(415) 340-9363

Canyon Country
Creative Computing
(805) 251-9877

Chatsworth
Priority One Electronics
(818) 709-6789

Hayward
Best Computers
(415) 886-4732

Irvine
Priority One Electronics
(714) 660-1411

Los Angeles
American Computers
& Engineers
(213) 477-6751

Gifford Computer
Systems
(213) 477-3921

Mountain View
ACC
(415) 969-4969

Oakland
Track Computer Center
(415) 444-8725

Pacific Palisades
System Interface
Consultants
(213) 454-2100

Pasadena
Omni Unlimited
(818) 795-6664

Petaluma
Advanced Information
Management
(707) 763-7283

Pleasanton
Best Computers
(415) 463-2233

Sacramento
Logic Systems
(916) 922-3377

San Leandro
Gifford Computer
Systems
(415) 895-0798

San Rafael
Computer House
(415) 453-0865

Santa Barbara
Data Bank
(805) 962-8489

Santa Cruz
Cochlin Computer
Systems
(408) 429-6278

Santa Maria
Data Bank
(805) 922-1333

Santa Rosa
Matrix Computers
(707) 542-0571

Simi Valley
Micro Power Unlimited
(805) 584-6789

Sunnyvale
Pragmatic Designs Inc.
(408) 736-8670

Sunnyvale
Pragmatic Designs Inc.
(408) 736-8670

COLORADO

Lakewood
Rocky Mountain
Microsystems
(303) 232-4545

FLORIDA

Gainesville
Online Computing
(904) 372-1712

Orlando
Data/Office
(305) 629-6776

Satellite Beach
Binary Magic, Inc.
(305) 777-7080

Tampa
Micro-Computer
Technology
(813) 985-0919

West Palm Beach
Steve's Computer
Works, Inc.
(305) 683-5900

HAWAII

Kahului Maui
Capacity Plus
Computers
(808) 871-7984

ILLINOIS

Athens
Computers Plus
(217) 636-8491

La Grange Park
Small Business
Systems, Inc.
(312) 579-3311

Skokie
Lillipute Computer
Mart, Inc.
(312) 674-1383

INDIANA

Terre Haute
General Software, Inc.
(812) 234-9421

KANSAS

Ellinwood
Genesys Systems, Inc.
(316) 564-3636

MARYLAND

Bethesda
JR Systems
(301) 657-3598

MASSACHUSETTS

Boston
New England
Electronic Exch.
(617) 491-3000

Chestnut Hill
Key Micro Systems
(617) 738-7306

MISSISSIPPI

Pascagoula
Automated Accountants
(601) 769-2937

MISSOURI

Kansas City
BBRL
(816) 753-5900

NEW YORK

Amherst
Gifford Computer
Systems
(716) 833-4758

Deer Park
Datapro Systems, Inc.
(516) 595-1311

New York
Park Plaza Computer
Center, Inc.
(212) 759-5820

Park Plaza Computer
Center, Inc.
(212) 505-8200

Park Plaza Computer
Center, Inc.
(212) 344-5151

Park Plaza Computer
Center, Inc.
(212) 595-5353

Staten Island
John D. Owens Assoc.
(212) 448-6283

NORTH CAROLINA

Greensboro
General Semantics
Computers
(919) 378-1500

OREGON

Portland
Microwest Computer
Products
(503) 238-6274

PENNSYLVANIA

Philadelphia
Forefront Technology
(215) 386-1500

Reading
Fraser Business
Equipment
(215) 378-0101

RHODE ISLAND

Coventry
Key Micro Systems
(401) 828-7270

TEXAS

Austin
CPA Systems, Inc.
(512) 458-9281

Informa, Inc.
(512) 459-4216

Omegax Systems
(512) 476-6069

Dallas
Dator Systems
(214) 521-0915

Ft. Worth
Datapro Computer
Systems
(817) 877-4041

Houston
Gifford Computer
Systems
(713) 680-1944

Informa, Inc.
(713) 861-7612

San Antonio
RFCanon, Inc.
(512) 657-0444

Seguin
CPA Systems, Inc.
(512) 379-0660

VIRGINIA

Woodbridge
Office Networks Corp.
(703) 690-3312

WASHINGTON

Bellevue
North Ridge Computer
Systems
(206) 453-0596

Seattle
American Computers
& Engineers
(206) 583-0130

WISCONSIN

Madison
Beam International
(608) 233-2326

Milwaukee
Byte Shop of Milwaukee
(414) 281-7004

AUSTRALIA

Bankstown
Automation Statham
Pty., Ltd.
(02) 709-4144

CANADA

Coquitlam, B.C.
CSC System Center Ltd.
(604) 941-0622

Vancouver, B.C.
Dynacomp Business
Computers, Ltd.
(604) 872-7737

THE PHILIPPINES

Quezon City
Corona International,
78-34-71

UNITED KINGDOM

Swansea
Comcen Technology, Ltd.
(0792) 796000

CompuPro®

A GODBOUT COMPANY

3506 Breakwater Court, Hayward, CA 94545

FREE SHIPPING

WEST OF MISSISSIPPI
EAST — ½ UPS CHARGES

CALL FREE
1-800-841-2748

COMPUTERS

ALTOS 580-20	\$3645
ALTOS 586-20	\$5565
ALTOS 986-40	SCALL
APPLE LOOK-A-LIKE	SCALL
SANYO 550-555	SCALL

TELEVIDEO

803	\$1769	1603	\$2019
PORTABLE	SCALL

NORTHSTAR

ADVANTAGE	\$2135
-----------	-------	-------	-------	--------

PRINTERS

ABATI	\$389
BROTHER HR15P	\$479
DAISYWRITER 48K	\$975
DATASOUTH DS220	\$1575
GEMINI	\$275
JUKI 6100	\$459
OKIDATA (LOW PRICES)	SCALL
QUME 1140+	\$1275
QUME 1155+	\$1475

CITOH

8510	\$339	1550	\$539
F10-40C PS	\$970	F1055	\$1299

DIABLO

620	\$799	630	\$1689
-----	-------	-----	-------	--------

NEC

3550	\$1535	3510	\$1235
7710	\$1655	2030	\$659

TERMINALS — MONITORS

ALTOS II	\$875
QUME 102G	\$529
TELEVIDEO 914	\$540
TELEVIDEO 924	\$689
TELEVIDEO 950	\$905
TELEVIDEO 970	\$965

AMDEK 300G	\$129
AMDEK 300A	\$145
AMDEK COLOR I+	\$275
AMDEK COLOR II+	\$429
B.M.C. GREEN	\$89
B M C. COLOR	\$235
PRINCESTON HX12	\$489

DISK DRIVES — MODEMS

INOUUS APPLE	\$259
MICRO SCI A2	\$229
ATARI 1050	\$365
INDUS ATARI	\$345
RANA 1000	\$310
PROMODEM	\$359
HAYS SMART MODEM	\$199
SMARTMODEM 1200	\$475
SMARTMODEM 1200B	\$415
MICROMODEM II E	\$235
RIXON 212A	\$449
U.S. ROBOTICS PASSWORD	\$325

1st PLACE

COMPUTER SYSTEMS
13422 N. CAVECREEK RD.
PHOENIX, AZ. 85022

OTHER INFORMATION: 602-867-9897



Free shipping is on UPS ground only.

Send cash or money order.... all other checks will delay shipping two weeks.

Prices & availability subject to change without notice.



VIDEODISC CONTROL

```

380 LOCATE(9.21): PRINT "WHEN NAME SAYS 'STOP,'"
385 LIMIT = 1044: GOSUB 20: _LDP0UT(16H4F): CCLEAR
390 IF F# > 1045 THEN 445:
395 IF F# < 1046 THEN 455:
400 SPD = INT((F# - 1047)/3)
405 ON SPD GOTO 415, 420, 425, 430
410 A$ = "EXCELLENT": POINTS = 2440: GOTO 435
415 A$ = "GREAT": POINTS = 2170: GOTO 435
420 A$ = "VERY GOOD": POINTS = 1950: GOTO 435
425 A$ = "GOOD": POINTS = 1640: GOTO 435
430 A$ = "O.K.": POINTS = 100
435 LOCATE(2.20): PRINT A$: "REACTION. SCORE "; POINTS: " POINTS."
440 GOTO 465
445 LOCATE(6.22): PRINT "TOO SLOW!" YOU LOSE 200 POINTS."
450 POINTS = (-200): GOTO 465
455 LOCATE(6.22): PRINT "YOU OVER-REACTED. LOSE 200 POINTS!"
460 POINTS = (-500)
465 GOSUB 65: PAUSE 20: _LDP0UT(16H3A): CCLEAR
470 _LDPWAIT(1048): _LDP0UT(16H4A): LOCATE(4.20)
475 PRINT "POOR GUY. HE DIDN'T GET DESSERT!"
480 PAUSE 25: LOCATE(11.21): PRINT "YOU MAY NOT, EITHER!"
485 PAUSE 25: GCOLOR ,1: CCLEAR I
490 CHAIN /V "GRAVY", 170
    
```

Program 6:

```

150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF
155 GCOLOR ,1: CCLEAR I: CCOLOR 6,0,0: CCLEAR
160 _LDPINIT: _LDP0UT (16H51): _INTSET(1,0)
165 '
170 _LDPSCRCH(1049): CHAIN /VM "SUBSET"
175 '
180 ' "GRAVY"
185 '
190 _VSW(2): ON ERROR GOTO 140: CCLEAR
195 _SLFONT(FONT%(0): "SSER70")
200 PAUSE 5: GCLEAR 8: GCOLOR ,8: LOCATE(3.22)
205 PRINT "YOU'LL HAVE TO AVOID THIS GRAVY STAIN."
210 PAUSE 50: CCLEAR: GCOLOR ,1: CCLEAR I
215 _LDPSCRCH(1050): PAUSE 5
220 GCLEAR 8: GCOLOR ,8: LOCATE(7.18)
225 PRINT "A LADLE STICKS OUT OF THE GRAVY:"
230 PAUSE 25: LOCATE(12.19): PRINT "CAN YOU AVOID IT?"
235 PAUSE 35: IF SCORE > 2100 THEN 295
240 ' Low score, little chance.
245 LOCATE(11.21): PRINT "YOU HAVE NO CHOICE."
250 LOCATE(2.22): PRINT "PRESS ANY KEY AND TAKE YOUR CHANCES."
255 CH = INT(SCORE/49 + .5): LOCATE(3.23)
260 PRINT "YOU HAVE A OUT OF 100 CHANCE!";
265 LOCATE(15.23): PRINT CH;
270 EVAL INKEYS
275 A$ = INKEYS: IF A$ = "" THEN 275
280 RANDOMIZE: K = RND(10): CCLEAR
285 IF K ( SCORE/4900 THEN 565 ELSE 485
290 ' Trivia, anyone?
295 CCLEAR: LOCATE(0.16)
300 PRINT " YOU'VE SCORED WELL SO FAR."
305 PRINT "THE MAITRE'D SMILES ON YOU AND WILL."
310 PRINT "GUARANTEE YOUR PASSAGE AROUND THE GRAVY. IF"
315 PRINT "YOU AGREE TO ANSWER A RANDOM QUESTION:"
320 PRINT "IF NOT, YOU TAKE YOUR CHANCES."
325 PRINT "IF YOU AGREE AND ANSWER WRONG..."
330 PRINT "IT'S DEATH! YOU WANT THE QUESTION? (Y/N)"
335 EVAL INKEYS
340 A$ = INKEYS: IF A$ = "" THEN 340
345 IF A$ = "N" OR A$ = "n" THEN CCLEAR: GOTO 250
350 IF A$ <> "Y" AND A$ <> "y" THEN 340
355 RANDOMIZE: Q = IRND(7)
360 ON Q GOTO 375, 385, 395, 405, 415, 425, 435
365 Q$ = "NAME THE WAITER WHO SEATED YOU IN THE
    KITCHEN."
    
```

'TIMED WAIT
'Too slow.
'Too fast.
'Reaction speed = ?
'Select score.
'(F# = frame #.
'from LDPFRM
'command in TIMED
'WAIT subroutine.)

'Play forward.
'Wait, then freeze.

'Warm entry, next
module.

'Cold start.
'Restart entry point.

'Warm start entry point.

'VideoSwitch(2) = super-
'imposer + computer
'screen overlaid on
'videodisc.

'Over still frame.

'Next still frame.

'Minimum score to qualify.

'Chance = % of 4900 pts.

'Wait until ready.
'Pick random #.
'High score, good odds.

'Trust the odds?
'Yes or No only.
'Pick random question.
'Go get Q & A.

'Save memory: load only
(continued)

GenTech

DEALERS
WE BUY
OVERSTOCKED
MERCHANDISE

COMPUTERS

ALTOS
586-20 (8086, 512K, 5 Users, XENIX/RT, 20 MB Hard Disk & 1 Floppy) \$Call
986-40 (9 Users, 42 MB) \$Call

COLUMBIA
1600-1 (128K, 2 Drives) \$Call
1600-4 (10 MB Hard Disk) \$Call
1600-VP (Portable) \$Call



COMPUPRO All Models \$Call
CORONA Desktop & Portable PC's \$Call

EAGLE
PC-Plus 2/PC-Plus XL \$Call
Spirit-2 (Portable, 128K, 2 Drives) \$2295
Spirit-XL (128K, 10 MB Hard Disk) \$3649

FRANKLIN
CX Series (NEW!) Apple DDS, MS-DDS, CP/M \$Call
ACE PRD PLUS System \$Call
ACE 1200 DMS (6502/Z80B, 2 Drives, WordStar, MailMerge, ACE Calc) \$Call

INTERTEC
HeadStart VPU 512 (Z80A/8086, 512K) \$Call
HeadStart VPU 1000 (1 MB RAM) \$Call

NEC
PC-8201A (w/16K RAM) \$479
PC-8801A (Z80A, 64K, 2 Drives, 12" Monitor, WordStar, MailMerge, Multiplan, NBASIC) \$1199
PC-8801-16 (Optional 8086 w/MS-DDS) \$Call
PC-8881 (Optional Dual 8" Drives) \$Call

SANYO
MBC 550 (8088, 128K, 1 SSD Drive (160K), WordStar, CalcStar, EasyWriter) \$Call
MBC 555 (550 Plus 1 Add. Drive, EasyWriter II, EasyMailer II, EasyPlanner) \$Call

Double-Sided Drive Systems Available Now!

SEEQUA Chameleon (IBM Compatible) \$Call
SWP Micro Computer Products
Co-Power-88 Board (8088 w/ 256K) \$Call
For **KAYPRO 2, 4 & 10** \$Call
For **MORROW DESIGNS** Micro Decision, \$Call
TAVA IBM Look-Alike (128K, 2 Drives) \$1945

TELEVIDEO
1605 (8088, 128K, 2 Drives, DDS 2.0) \$Call
TPC-II (Portable Version of Above) \$Call

TITAN TECHNOLOGIES
QX-PC (8088 w/ 192K) For **EPSON QX-10** \$Call
VISUAL Commuter (IBM Compatible Portable) \$Call

FOR IBM-PC

AST RESEARCH INC.
MEGA PLUS II (64K, Ser & Ck) \$269
MEGAPAK 256K Module \$289
SIX PACK PLUS (64K, Ser/Par, Ck) \$279
COMBO PLUS (64K, Ser/Par, Ck) \$279
I/D PLUS II (Serial Port, Clock/Cal) \$125

QUADRAM
EXPANDED QUADBOARD (S, P, Clock, Game) 64K \$279 384K \$529
QUAD 512+ (Serial Port, Maximum 512K) 64K \$239 512K \$599
QUADCDLDR I (Video Board) \$209
QUADLINK (6502 w/ 64K) \$489

MICROFAZER
Parallel/Parallel 16K \$139 64K \$185 128K \$239
Serial/Serial, Serial/Parl, Parl/Serial 8K \$145 16K \$155 64K \$209

AMDEK MAI Board (128K (640 x 400)) \$409
CCS SuperVision (132 Column) \$499
HERCULES Graphics Board (720 x 348) \$349

INTEL 8087 Math Co-Processor \$249
KEYTRONIC IBM Keyboard (5150) \$189
MA SYSTEMS PC Peacock (RGB & Composite, Parallel Port) \$279
MICROLOG Baby Blue II (Z80B, 64K, Parallel & Serial Ports, Clock/Calendar) \$539
PERSYST Color Graphics Board \$219
PLANTRONICS ColorPlus \$Call
RANA 5 MB Disk Drive w/ Controller \$Call

STB SYSTEMS Graphix Plus \$349
TANDEM TM 100-2 (DSDD Disk Drive) \$209
TEAC FD-55B (DSDD Thinline Drive) \$185
TECMAR Graphics Master (640 x 400 RGB) \$519
The Captain (w/ DK) \$259
1st Mate (w/ DK) \$229

FOR APPLE II/IIe, Franklin ACE

ALS CP/M Card \$289
Smarter II (80 Column Card) \$135
DIGITAL RESEARCH CP/M Gold Card \$349
FOURTH DIMENSION 16K RAM Card \$49
80 Column Card w/ 64K (IIe Only) \$159
Super Drive (143K) \$219
INTERACT STRU, PKASD Universal \$125
Shuffle Buffer (32K) \$225
KOALA TECH Koala Pad \$85
MICROSOFT Premium Softcard (IIe) \$289
Softcard (Apple/Franklin) \$229
MICROTEK Dumping-16 \$149
RV-61C (Parallel Interface) \$59
ORANGE MICRO Grappler+ \$119
Buffered Grappler+ (16K) \$169
PROMETHEUS Graphitti \$89
RANA Elite I \$235
Elite II/Elite III \$Call

HARD DISK

CORVUS
6 MB \$1649 External Mirror \$639
12 MB \$Call Disk Server \$789
18 MB \$Call Printer Server \$789
Transporter \$399 The Bank \$1749
Dmndrive (New!) \$Call
DAVONG (Universal External)
10 MB \$1925 15 MB \$2225
21 MB \$2645 32 MB \$3245



GREAT LAKES
10 MB Internal For IBM \$1059
10 MB External (w/ Controller) \$1219
23 MB External (w/ Controller) \$1799

QCS
10 MB w/ 5 MB Cartridge Back-Up \$2995
20 MB w/ 5 MB Cartridge Back-Up \$3495

TALLGRASS
12 MB External w/ Tape Back-Up \$2799
20 MB External w/ Tape Back-Up \$3199
TANDEM TM 5112 (10 MB External) \$1595

TECMAR
Remov. Cartridge Winchester in PC (5 MB) \$1479
10 MB w/ 5 MB Cartridge in Chassis \$2999
UNIVATION 11 MB w/ 192K For DEC \$1995
XCOMP 16 MB External (For IBM, Apple, Kaypro & Morrow Designs) \$1749

DOT MATRIX PRINTERS

ANADEX
DP 9625B (60 CPS NLQ) \$1199
DP 6500 (500 CPS, 15" Carriage) \$2375
C-ITDH Prowriter I 8510 AP \$329
DATASOUTH DS-180/DS-220 \$Call

EPSON
LQ-1500 \$1195 RX-100 \$519
RX-80 \$279 RX-80 FJT \$339
FX-80 \$469 FX-100 \$699



FLORIDA DATA (600 CPS, 4 Fonts) \$2995
INFO RUMNER Riteman Plus \$299
MANNESMANN TALLY
MT 160L \$599 MT 180L \$799
Spirit-80 \$299 1602 \$Call

NEC
P2 Pinwriter (180 CPS, 10" Carriage) \$649
P3 Pinwriter (180 CPS, 15" Carriage) \$879

OKIDATA
ML 92 \$Call ML 93 \$Call
ML 84(P) \$Call Pacemark \$Call

PANASONIC KX-P1090 \$299
SMITH CORONA D-200 \$459

STAR MICRONICS
Gemini 10X \$289 Gemini 15X \$389
Delta 10 \$409 Delta 15 \$549
Radix 10 \$589 Radix 15 \$699

TEXAS INSTRUMENTS
850 RD \$489 855 RD \$759

TOSHIBA
P1340 \$789 P1350/1351 \$Call
TRANSTAR T315 Color Printer \$459

LETTER QUALITY PRINTERS

BROTHER/DYNAX
DX-15 (13 CPS, Diablo Compat.) \$449
HR-25 (23 CPS, 3K Buffer) \$749
COMREX ComRiter II (5K Buffer) \$459

DAISYWRITER
2000 EXP (25 CPS, 48K Buffer) \$985

DIABLO
620 R-105 \$Call 630 ECS/IBM \$1995
630 ECS/API E-109 \$2195
JUKI 6100 (17 CPS, Diablo Compat.) \$Call

NEC
2010 \$699 2015 \$699
2030 \$699 2050 \$829
3510 \$1295 3515 \$1295
3530 \$1295 3550 \$1615
7710 \$1749 7730 \$1749

OLYMPIA
Compact RD \$459 Compact 2 \$429
DUME Sprint 1140/1155 \$1299/\$1479
LetterPro 20P \$Call

SILVER-REED
EXP 500(P) \$419 EXP 500 (S) \$449
EXP 550(P) \$519 EXP 770(P) \$899
STAR MICRONICS PowerType \$Call
TRANSTAR T120/T130 \$419/\$579

PLOTTERS

AMDEK
EXY-100 \$609 Amplot II \$899


DENTER COMPUTERS
Sweet-P \$Call Six Shooter \$Call

HOUSTON INSTRUMENTS
DMP-40 \$779 DMP-29 \$1849
DMP-41 \$2399 DMP-42 \$2399
MANNESMANN TALLY Pixy-3 \$599

ROLAND
DXY-101 \$559 DXY-800 \$739

STROBE
Model 200 \$529 Model 260 \$689

MONITORS



AMDEK
Video 300/300A/310A \$135/145/165
Color I+ \$Call Color II+ \$419
Color III+ \$379 Color IV \$719

GENTECH 9" / 12" Green \$85/\$95
PRINCETON GRAPHICS HX-12 \$489
SR-12 (690 x 480) \$639
Max-12 (12" Amber, TTL) \$189

QUADRAM Quadscreen (17" 968 x 512) \$1595

ROLAND
MB-122G \$169 MB-122A \$175
CB-141 \$289 CC-141 \$579
SAKATA SC-100/SC-300 \$265/\$3Call

TAXAN
XG-12N \$119 KG-12N/LY \$129
210 (380 x 262) \$269 420 (640 x 262) \$459
USI Pi-2/Pi-3 \$Call

TERMINALS

ESPRIT
Esprit I \$Call Esprit II \$Call
Esprit III \$Call ESP-6310 \$589
LIBERTY Freedom 110/200 \$Call

QUME 102/102A \$549/\$559
103/108 \$859/\$649
TELEVIDEO 914/924 \$Call
950/970 \$Call
Personal Terminal \$429
w/300 Baud Modem \$538



VISUAL 50/55 \$559/\$689

WYSE
WY-50 \$539 WY-75 \$625
WY-100 \$659 WY-300 \$995

ZENITH
Z-29 \$659 ZTX-10 \$329
ZTX-11 (w/ 300 Baud Modem) \$399

MODEMS

ANCHOR
Mark VI (IBM) \$189 Mark XII \$265

HAYES
Micromodem IIe (w/ SmartCom I) \$235
Smartmodem 300/1200 \$Call
Smartmodem 1200B (IBM) \$439

NOVATION
Access 1-2-3 \$419
J-Cat (Auto Drig/Answer, 300 Baud) \$105
Apple Cat II (300 Baud) \$225
212 Apple Cat II (1200 Baud) \$409
103 Smart Cat (300 Baud) \$169
103/212 Smart Cat (200 Baud) \$399

TRANSEND (Formerly SSM)
Modemcard w/ Source (For Apple) \$239
PC Modem Card 300 (For IBM) \$279

U.S. ROBOTICS
Password (1200 Baud) \$319
Auto Dial 212A \$459

SOFTWARE

BUSINESS SOLUTIONS Jack 2 \$349
LOTUS 1-2-3 \$329
MBSI, STAR Accounting Software \$Call
MICROPRO WordStar Pro Pack (IBM) \$399
MICRORIM R:Base 4000 \$319
PS WordPlus-PC w/ BDOSS \$349
SATELLITE SOFTWARE WordPerfect \$289
SOFTWARE SYSTEMS Multimate \$319
SORCIM SuperCalc 3 \$239

MISCELLANEOUS

SINGLE-SIDED DISKETTES
3M \$25 Dysan \$29
Maxell \$29 Verbatim \$26

DOUBLE-SIDED DISKETTES
3M \$31 Dysan \$38
Maxell \$38 Verbatim \$33

CARD CO Card7+ G \$69

HOUSTON INSTRUMENTS
DT-11 Digitizer (1-Button Cursor) \$699
DT-114 Digitizer (4-Button Cursor) \$779
ORANGE MICRO Grappler CD (For C-64) \$105
QUADRAM Quadjet (Ink Jet Printer) \$789
RANA 1000 Disk Drive w/ DDS (For Atari) \$309

CUSTOMER SERVICE

401-273-2420

ORDERS ONLY

800-843-4302

150 Broadway, Suite 2212, N.Y., NY 10038

Money Order, Cashier's Ck. Personal Ck (3 Weeks to Clear).
Add 3% MC/VISA, 5% AMEX Charge. Add 2% On COD Orders.
APO Orders Add 6%. Add 3% For Net Terms.
All Returned Non-Defective Merchandise Are Subject To
20% Restocking Charge.
GenTech Reserves the Right to Change Advertised Prices.



Circle 137 on inquiry card.

```

370 A$ = "CARBUNCLE": GOTO 445
375 Q$ = "NAME THE WAITER WHO BROUGHT YOU OUT:"
380 A$ = "INGEMAR": GOTO 445
385 Q$ = "WHO GOT TO THE TABLE FIRST?"
390 A$ = "MOOKY": GOTO 445
395 Q$ = "NAME THE KITCHEN DWELLERS:"
400 A$ = "FRED": GOTO 445
405 Q$ = "STAND-UP COMIC?"
410 A$ = "RASPUTIN": GOTO 445
415 Q$ = "WHAT IS THE SOUND OF ONE HAND CLAPPING?"
420 A$ = "YES": GOTO 445
425 Q$ = "WHAT GOES WITH CORNED BEEF?"
430 A$ = "CABBAGE": GOTO 445
435 Q$ = "CAN YOU KISS THE OUTSIDE OF YOUR ELBOW?"
440 A$ = "NOT DURING DINNER": GOTO 445
445 CCLEAR: LOCATE(0,1): PRINT Q$
450 PRINT "(UPPER CASE ONLY, PLEASE.)"
455 INPUT /L, RESP$: CCLEAR: Q$ = ""
460 __TEXT(40,80, "YOUR ANSWER IS...":FONT%(0),6,0,3,1): PAUSE 10
465 FOR K% = 1 TO LEN(RESPI)-LEN(A$) + 1
470 IF MID$(RESPI,K%,LEN(A$))= A$ THEN A$ = "RIGHT": GOTO 565
475 NEXT K%: A$ = "WRONG"
480 ' Doesn't quite get around
485 GCLEAR 8: __LDPSTART(1051,1052)
490 __LDPWAIT(1053): __LDPOUT(&H3C): D = 1
495 FOR K% = 5 TO 1 STEP -1: PAUSE K% * 6
500 __LDPOUT(&H44 + D * &H8)
505 D = D * (-1): NEXT K%
510 PAUSE 3: GCOLOR ..4: GCLEAR 4: CCOLOR 6
515 MSG$ = "AAAAIIIIYYYYEEEE": C% = 19 + IRND(2)
520 FOR L% = 1 TO 14
525 LOCATE(C%L% + 5): PRINT MID$(MSG$,L%,1)
530 C% = C% - 1 + IRND(2): PAUSE 1: NEXT L%
535 __LDPSTART(1054,1055,1056)
540 PAUSE 3: CCLEAR: GCOLOR 8: GCOLOR ..8
545 IF A$ = "WRONG" THEN __TEXT(110,140,"WRONG!":FONT%(0),4,4,1)
550 PAUSE 20: MSG$ = "THAT'S IT FOR YOU, PAL!"
555 PRGM$ = "GRAVY": GCLEAR 8: GOTO 95
560 ' Gets by
565 __LDPSTART(1057,1058)
570 GCLEAR 8: GCOLOR ..8: __LDPWAIT(1059)
575 IF A$ = "RIGHT" THEN __TEXT(90,150,"CORRECT!":FONT%(0),4,4,1)
580 PAUSE 20: POINTS = SCORE: GOSUB 65
585 PAUSE 10: CHAIN /V "TURN3": 170

Program 7:
150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF
155 GCOLOR ..8: GCLEAR 8: GCOLOR 6,0,0: CCLEAR
160 __LDPINIT: __LDPOUT (&H51): __INTSET(1,0)
165 __LDPSTART(1060,1061)
170 CHAIN /VM "SUBSET"
175 '
180 ' "TURN3"
185 '
190 __VSW(3): ON ERROR GOTO 140
195 __INTSET(1,0): __SLFONT(FONT%(0),"SSER70")
200 __TEXT(155,0,"1=TURN":FONT%(0),6,6,1)
205 __TEXT(180,0,"2=TURN":FONT%(0),6,6,1)
210 __TEXT(80,15,"RIGHT":FONT%(0),6,6,1)
215 __TEXT(210,15,"LEFT":FONT%(0),6,6,1)
220 __TEXT(160,180,"3 = GO STRAIGHT":FONT%(0),6,6,1)
225 CCLEAR: __LDPWAIT(1062): __VSW(2): BEEP
230 LIMIT = 1063: GOSUB 20
235 IF A$ = "1" THEN 350
240 GCOLOR ..4: GCLEAR 4: IF A$ = "3" THEN 300
245 IF A$ = "2" THEN 265
250 __TEXT(120,100,"? ?":FONT%(0),6,0,5,1)
255 GOTO 270
260 '
265 __TEXT(75,100,"TURN LEFT?":FONT%(0),6,0,3,1)
270 __LDPSTART(1064,1065):PAUSE 3

```

'O & A needed.
'Print question.
'Release memory.)
'Search resp for right ans.
'Didn't find it.
'Start him across.
'Slow motion.
'Decaying loop.
'Fwd or reverse
'depending on D's sign.
'Screen turns red.
Print msg in random
'pattern down screen.
'Slow motion of
'silverware falling.
'BAD END
Wait until he's around.
'Double the score.
'Next challenge.
'Cold start.
'Restart entry point.
'Warm start entry point.
'Print off screen.
Three choices.
>Show choices.
'Don't wait long.
'Not right: screen red.
'What's your choice.
'No selection.
'Scene of Helmlch


Enter CompuServe's Electronic Mall™ and shop at your convenience in these exciting departments.

- The Micro Mart
- The General Store
- The Travel Agent
- The Book Bazaar
- The Record Emporium
- The Photo Booth
- The Software Shop
- The Financial Market
- The Magazine Kiosk
- The Gardening Shed
- The Newsstand

A sample of the companies participating in CompuServe's Electronic Mall™ includes:

- Amdek
- American Airlines
- American Express
- AST Research
- Bank of America
- Bantam
- Big T Automotive
- Buick
- CBS Publishing
- CDEX
- Colonial Penn
- Commodore
- Computer World
- Digital Equipment
- dilithium Press
- 800 Software
- 47th Street photo
- Grolier
- Harvard Business Review
- Heath
- Heinold Commodities
- Hertz
- E.F. Hutton
- Inmac
- Innovative Software
- Knapp Press
- Magazine Entree
- Magazine Supply House
- Manufacturer's Hanover Trust
- Max Ule
- McGraw-Hill
- Metropolitan Life
- Microsoft
- Miracle Computing
- Misco
- Newsnet
- Novation
- Official Airline Guide
- Pan American Electronics
- Peachtree Software
- Practical Peripherals
- Program Store
- Professional Color Labs
- RCA Record Clubs
- Record World
- Sears
- Select Information Exchange
- Sim Computer Products
- Simon and Schuster
- Small Computer Book Club
- Software Advisor
- Stark Brothers
- Supersoft
- Vanguard
- VisiCorp
- Waldenbooks
- Woman's Day Books
- Ziff-Davis

Merchants and manufacturers who want to participate in the Electronic Mall™ may contact: Stephen A. Swanson, L.M. Berry & Co., P.O. Box 6000, Dayton, OH 45401, (513) 296-2015.



BY THE YEAR 2000, THE WORLD MAY CATCH UP WITH THE WAY COMPU SERVE'S NEW ELECTRONIC MALL LETS YOU SHOP TODAY.

Introducing the first computer shopping service that brings you convenience, savings and enjoyment.

Here's your chance to expand the practical uses of your personal computer.

Sign up for CompuServe and shop in our new Electronic Mall. It's easy to use. It tells you more about the products you're buying. It lets you order faster. And it's totally unique.

CompuServe's new Electronic Mall™ offers you all these shopping innovations.

– It's enormous! So it gives you in-depth information on thousands of goods and services, and lets you buy even hard-to-find merchandise. – Its unique "Feedback" service lets you ask the merchants themselves specific questions. – It's incredibly efficient in ordering the products and services you want

– Its special discount opportunities make it economical, purchase after purchase. – And its name-brand merchants assure you of top-quality merchandise.

Make the CompuServe Electronic Mall 15-Minute Comparison Test.

What you can do in 15 minutes shopping the Electronic Mall way.

- Call up on your computer screen full descriptions of the latest in computer printers, for instance.
- Pick one and enter the order command.
- Check complete descriptions of places to stay on your next vacation.
- Pick several and request travel brochures.
- Access a department store catalog and pick out a wine rack, tools, toys... any thing!
- Place your order.

What you can do in 15 minutes shopping the old way.

- Round up the family and get in the car.

The Electronic Mall, a valuable addition to the vast world of CompuServe.

CompuServe's Consumer Information Service brings you shopping information, entertainment, personal communications and more.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To receive your illustrated guide to CompuServe and learn how to subscribe, call or contact...

CompuServe

Consumer Information Service
P.O. Box 20212
5000 Arlington Centre Blvd.
Columbus, OH 43220

800-848-8199

In Ohio call 614-457-0802

Multi-function RS-232 Transfer Switches

MFJ-1240
\$79.95

Choice of
8 models



Multi-function RS-232 transfer switches let you switch your computer among printers, modems, terminals, any RS-232 peripherals; monitor data/line failure, protect data lines from surges, and use as null modem for less cost than a switch alone.

Switches 10 lines (2, 3, 4, 5, 6, 8, 11, 15, 17, 20). LED data/line indicators monitor lines 2, 3, 4, 5, 6, 8, 20. Metal oxide varistors protect data lines 2, 3 from voltage spikes and surges. Push button reverses transmit-receive lines (2, 3). PC board eliminates wiring, crosstalk, line interference. Connects any one input to any one output.

Model	Price	In	Out	Model	Price	In	Out
MFJ-1240	\$79.95	1	2	MFJ-1244	\$139.95	3	3
MFJ-1241	\$99.95	2	2	MFJ-1245	\$169.95	3	5
MFJ-1242	\$119.95	2	3	MFJ-1246	\$199.95	5	5
MFJ-1243	\$119.95	1	4	MFJ-1247	\$99.95	1	2

Switches 20 lines

AC Power Centers

MFJ-1108
\$99.95

MFJ-1108, \$99.95. Add convenience, prevent data loss, head bounce, equipment damage. Relay latches power off during power surges. Multi-filters isolate equipment, eliminate interaction, noise, hash. MOVs suppress spikes, surges. 3 isolated, switched socketpairs. One unswitched for clock, etc. Lighted power, reset switch. Pop-out fuse. 3 wire, 6 ft. cord. 15A, 125V, 1875 watts. Aluminum case. Black. 18x29x2 in. MFJ-1107, \$79.95. Like 1108 less relay. 8 sockets, 2 unswitched. MFJ-1109, \$129.95. Like 1107 but intelligent. Switch on device plugged into control socket and everything else turns on. Others available.



Acoustic/Direct Coupled Modem



Use with any
phone anywhere \$129.95

MFJ-1233 Acoustic/Direct Coupled 300 baud modem. Versatile. Use with virtually any phone, anywhere. Use battery or 110 VAC. **Direct connect mode:** Plug between handset and base. Use with single or multi-line phones. **Acoustic coupled mode:** Use with phones without modular plugs. Quality muffs give good acoustic coupling, isolates external noise for reliable data transfer. Originate/answer. Self test. Carrier detect, ON LEDs. RS-232, TTL compatible. Reliable single chip modem. Crystal controlled. Aluminum cabinet. 9x1 1/2x4 in. Other models available.

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping).

One year unconditional guarantee.

Order yours today. Call toll free 800-647-1800. Charge VISA, MC, or mail check, money order. Add \$4.00 each for shipping and handling.

CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 in MS, outside continental USA.

**MFJ ENTERPRISES
INCORPORATED**

921 Louisville Road, Starkville, MS 39759

VIDEODISC CONTROL

```

275 GCLEAR 8: GCOLOR .8: __LDPWAIT(1066)
280 __TEXT(65.120:"CRUNCH!":FONT%(0).4.0.10.3)
285 MSGS = "SORRY. NAME. WRONG WAY!"
290 PRGMS = "TURN3": GOTO 95
295 '
300 __TEXT(60.100:"GO STRAIGHT?":FONT%(0).6.0.3.1)
305 __LDPSTART(1067. 1068): PAUSE 2
310 GCLEAR 8: GCOLOR .8: __LDPWAIT(1069)
315 GCOLOR .4: GCLEAR 4
320 __LDPSTART(1070.1071)
325 __TEXT(45.100:"RUN. NAME. RUN!":FONT%(0).6.0.3.1)
330 PAUSE 14: GCLEAR 8: GCOLOR .8
335 __LDPWAIT(1072): MSGS = "THIS IS THE 'CHECK. NAME!'"
340 PRGMS = "TURN3": GOTO 95
345 '
350 GCLEAR 8: POINTS = 3490: GOSUB 65: CCLEAR
355 __LDPWAIT(1073)
360 LOCATE(15.20): CCOLOR 4.2.2: PRINT " WARNING "
365 LOCATE(6.21): CCOLOR 4.2.0
370 PRINT "TAKE POSITIVE ACTION OR DIE!"
375 LOCATE(9.22): PRINT "TYPE YOUR RESPONSE NOW:"
380 CCOLOR 4.0.0: C% = 15: L% = 23
385 RESPS = " ": EVAL INKEYS: CURSOR ON
390 __LDPFRM(F#): IF F# > 1074 THEN 450
395 LOCATE(C%.L%): AS = INKEYS: IF AS = " " THEN 390
400 IF AS = CHR$(13) THEN 450
405 IF AS <> CHR$(150) OR LEN(RESPS) = 0 THEN 425
410 RESPS = LEFTS(RESPS, LEN(RESPS) - 1): C% = C% - 1
415 IF C% < 0 THEN C% = 39: L% = L% - 1
420 LOCATE(C%. L%): PRINT " ": GOTO 390
425 IF AS < CHR$(32) OR AS > CHR$(122) THEN 390
430 IF LEN(RESPS) > 60 THEN 390
435 RESPS = RESPS + AS: LOCATE(C%. L%): PRINT AS
440 C% = C% + 1: IF C% > 39 THEN C% = 0: L% = L% + 1
445 GOTO 390
450 CURSOR OFF : CCLEAR
455 FOR K% = 1 TO LEN(RESPS) - 4
460 IF MID$(RESPS,K%,5) = "FLOOR" THEN 510
462 IF MID$(RESPS,K%,5) = "floor" THEN 510
465 NEXT K%: __LDPWAIT(1075)
470 GCOLOR .4: GCLEAR 4: __LDPSTART(1075.1076)
475 PAUSE 1: GCLEAR 8: GCOLOR .8
480 PAUSE 5: GCOLOR .4: GCLEAR 4: __LDPSTRCH(1078)
485 PAUSE 5: GCLEAR 8: GCOLOR .8
490 __TEXT(100.120:"LOST HAT CHECK STUB!":FONT%(0).4.0.5.2)
495 MSGS = "TOO BAD. NAME.": PRGMS = "TURN3"
500 SCORE = SCORE - 3490: GOTO 95
505 '
510 __LDPWAIT(1079)
515 __TEXT(115.170:"WISE!":FONT%(0).4.0.3.1)
520 PAUSE 30: CCLEAR: GCLEAR 8
525 CHAIN /V "WYSTEP": 170

Program 8:

150 DIM FONT%(600): CONSOLE 40: CURSOR OFF
155 GCOLOR .8: GCLEAR 8: CCOLOR 6.0.0: CCLEAR
160 __LDPINIT: __LDPDOUT (6H51): __INTSET(1.0)
165 __LDPSTART(1080.1081)
170 CHAIN /VM "SUBSET"
175 '
180 ' "WYSTEP"
185 '
190 __VSW(3): ON ERROR GOTO 140
195 __SLFONT(FONT%(0). "SSER70")
200 __TEXT(20.180:"I = WATCH YOUR STEP":FONT%(0).6.6.1)
205 __LDPWAIT(1082): __VSW(2): BEEP
210 __LDPWAIT(1083): LIMIT = 1084: GOSUB 20
215 IF AS = "I" THEN 230 ELSE __LDPWAIT(1085)
220 MSGS = "YOU DID'NT WATCH YOUR STEP.": GOTO 280
225 '

Maneuver
'BAD END
'Run between tables.
'Jump the gravy.
'Music behind graphic.
BAD END
'Print flashing.
'MIN-EDITOR:
'Set col & line.
'initialize.
'Is time up?
'Key pressed?
'Return key?
'Left arrow key?
'then back up.
'update cursor.
'erase character.
'Valid character?
'60 character limit?
'Add character typed.
'update cursor.
'Check the time.
'Time's up.
'Search response
'for right answer.
'lower case, too.
'Must be wrong.
'New threat!
'Looks grim.
'It's all over.
'Can't keep points if
'restarting this module.
'What's next?
'Cold start.
'Restart entry point.
'Warm start entry point.
'Only one choice.
'Question is 'when'.
'Pressed at right time?
    
```

(continued)

Two more great reasons to buy the Canon[®] AS-100 Microcomputer.

1. Incredibly low price.
2. Free software.



Now there's even more incentive to buy Canon's AS-100 Microcomputer.

Because not only will you get one of the most advanced, small business microcomputers you can buy, but with a price that's now dramatically reduced, you'll also get value that's just as far ahead of its time. Plus free business management programs.

That's an unprecedented saving on this elegantly compact, yet powerful microcomputer.

It has a high-speed, 16-bit microprocessor with standard 128K-bytes RAM expandable to 512K bytes.

A high-resolution, color display system for easy-to-read figures, charts and graphs (monochrome green display if you prefer).

The convenience and versatility of a lightweight keyboard that's adjustable for maximum comfort. Plus external storage capacity that includes 5¼-inch mini or 8-inch floppy disks, with hard disk drive

also available.

And if all this isn't reason enough, the AS-100 now comes fully equipped with a choice of popular business software packages. Software such as WordStar* for word processing, CalcStar* and SuperCalc 2*** for spreadsheet analysis and dBase II**, InfoStar* and Friday!*** for data base management. There's also a choice of Canon's exclusive software—Canowriter† and Canobrain II†.

Terrific savings and a choice of software packages.

Two more great reasons to buy the only microcomputer that comes with the assurance, reliability and technological quality of Canon.

The Canon AS-100.

For more information:
Call 1-800-323-1717, Ext. 302.
(In Illinois call 1-800-942-8881, Ext. 302.)
Or Write Canon U.S.A., Inc.,
Systems Division, P.O. Box CN 11250
Trenton, N.J. 08638.

*InfoStar, CalcStar and WordStar are trademarks of MicroPro. **Friday! is a trademark and dBase II is a registered trademark of Ashton-Tate. ***SuperCalc 2 is a trademark of Sorcim. †Canowriter and Canobrain II are trademarks of Canon, Inc.

Available through Canon authorized dealers.
Offer good through October 31, 1984.

© 1984 Canon U.S.A., Inc.

Canon Systems Division

ERG/68000 MINI-SYSTEMS

- Full IEEE 696/S100 Compatibility

HARDWARE OPTIONS

- 8MHz, 10 MHz, or 12 MHz
68000/68010 CPU
- 68451 Memory Management
- Hardware Floating Point
- Multiple Port Intelligent I/O
- 64K/128K Static RAM (70 nsec)
- 256K/512K/1MB Dynamic RAM (150 nsec)
- Graphics-Digital Graphics
CAT-1600
- DMA Disk Interface
- SMD Disk Interface
- ¼" or ½" Tape Backup
- 5¼" or 8" Floppy Disk Drives
- 5MB-474MB Hard Disk Drives
- 7/10/20 Slot Back Plane
- 20 or 30A Power Supply
- Desk Top or Rack Mount Encl.

SOFTWARE OPTIONS

- 68KFORTH¹ Systems Language
- CP/M-68K²O/S with C, 68K-BASIC¹,
68KFORTH¹, FORTRAN 77, EM80
Emulator, Whitesmiths³ C, PASCAL
- IDRIS³ O/S with C, PASCAL,
FORTRAN 77, 68K-BASIC¹, CIS
COBOL⁴, INFORMIX⁵ Relational
DBMS
- UNIX⁶ SYS V O/S with C, PASCAL,
FORTRAN 77, BASIC, RM COBOL⁷,
ADA⁸, INFORMIX⁵, Relational DBMS
- VED 68K Screen Editor
- Motorola's MACSBUG and FFP
Package

Trademark ¹ERG, ²Digital Research,
³Whitesmiths, ⁴Micro Focus, ⁵RDS,
Inc., ⁶Bell Labs, ⁷Ryan McFarland,
⁸U.S. DoD

30 Day Delivery - OEM Discounts



since 1974

Empirical Research Group, Inc.
P.O. Box 1176
Milton, WA 98354
(206) 872-7665

VIDEODISC CONTROL

```

230 SCORE = SCORE + 12380: GOSUB 45
235 LIMIT = 1086: GOSUB 20: GCLEAR 8
240 IF A$ = "I" THEN 260
245 MSG$ = "TOUGH LUCK. NAME."
250 SCORE = SCORE - 12380: GOTO 280
255 '
260 LOCATE(9,20): PRINT "YOU'RE NOW IN A POSITION"
265 LOCATE(12,21): PRINT "TO WIN THIS GAME..."
270 CHAIN /V "WEIGHT": 170
275 '
                STREET SCENE
280 GCOLOR ..4: GCLEAR 4: CCLEAR
285 __LDPSTART(1087, 1088)
288 PAUSE 1: GCLEAR 8: GCOLOR ..8
290 PAUSE 2: GCOLOR ..4: GCLEAR 4: PAUSE 1
295 __LDPSEARCH(1089): PAUSE 2: GCLEAR 8: GCOLOR ..8
300 __TEXT(105,130:"TAXI!":FONT%(0),4,0,5,2)
305 PRGMS$ = "WYSTEP": GOTO 95
    
```

Program 9:

```

150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF
155 GCOLOR ..8: GCLEAR 8: CCOLOR 6,0,0: CCLEAR
160 __LDPIN: __LDPOUT (&H51): __INTSET(1,0)
165 __LDPSTART(1090,1091)
170 CHAIN /M "SUBSET"
175 '
180 '
                "FARE"
185 '
190 __VSW(2): ON ERROR GOTO 140
195 __INTSET(1,0): __SLFONT(FONT%(0),"SSER70")
200 CCLEAR: LOCATE (6,20?)
202 PRINT "JUST ANSWER THIS ONE QUESTION. ."
205 __LDPWAIT(1092): CCLEAR: __LDPTWAIT(14077)
210 LOCATE(1,20)
212 PRINT "WHAT IS THE FARE FOR THE FIRST ¼ MILE?"
215 LOCATE(0,22)
217 PRINT "YOU HAVE 20 SECONDS TO TYPE YOUR ANSWER"
220 C% = 18: T = 15: EVAL INKEYS: CURSOR ON
225 __LDPFRM(F#): IF F# > 1093 THEN 290
230 NT = (1094 - F#) \ 32
232 IF T = NT THEN 245 ELSE T = NT
235 CURSOR OFF : CCOLOR 4, 2
240 LOCATE(9,22): PRINT SPACES(-(T < 10)):T:
242 CCOLOR 6,0: CURSOR ON
245 LOCATE(C%,23): A$ = INKEYS: IF A$ = "" THEN 225
250 IF A$ = CHR$(13) THEN 290
255 IF A$ < > CHR$(150) OR LEN(W$) = 0 THEN 270
260 W$ = LEFT$(W$) - 1): C% = C% - 1
265 LOCATE(C%,23): PRINT " ": GOTO 225
270 IF A$ < CHR$(32) OR A$ > CHR$(122) THEN 225
275 IF LEN(W$) > 20 THEN 225
280 W$ = W$ + A$: LOCATE(C%,23): PRINT A$:
285 C% = C% + 1: GOTO 225

290 CCLEAR: CURSOR OFF : __LDPWAIT(1095)
295 FOR K% = 30 TO 70 STEP 20: PAUSE 10
300 __TEXT(165 + K%/2, K%:"WRONG!":FONT%(0),4,0,5,2)
305 NEXT K%: __LDPWAIT(1096): GCLEAR 8
310 LOCATE(5,24): PRINT "P = PLAY AGAIN      E = END":
315 __LDPFRM(F#): IF F# > 1097 THEN 325
320 A$ = INKEYS: IF A$ = "" THEN 315
325 GCOLOR ..1: GCLEAR 1: CCLEAR: __VSW(0)
330 IF A$ < > "" THEN __LDPSTART(1098,1099)
335 __TEXT(50,40:"BETTER LUCK":FONT%(0),6,0,5,1)
340 __TEXT(65,60:"NEXT TIME":FONT%(0),6,0,5,1)
345 __TEXT(30,100:"TO PLAY AGAIN":FONT%(0),6,0,5,1)
350 __TEXT(70,120:"TYPE":FONT%(0),6,0,5,1)
355 __TEXT(150,120:"BIG DINNER":FONT%(0),4,6,5,1)
358 GOSUB 45
360 CCOLOR 4: LOCATE(18,22): INPUT /L, RESPS
365 IF RESPS = "BIG DINNER" OR RESPS = "big dinner" THEN RUN "FIRSTSEG"
370 GOTO 125
    
```

'Don't hold key down.
'It's a trap.
'Can't keep points if
'restarting this module.

'One more test.

'Wait for disc access.
'Show, then mask picture,
'but play the sound.
'Grim scene.
'BAD END

'Cold start.
'Restart entry point.

'Warm start entry point.

'MIN-EDITOR.
'Time up?
'New time remaining.
'Different from last time?
'Then print new
'time. flashing.

'Key press?
'Return key?
'Backing up?
'Take character away
'and erase it.
'Valid character?
'20 character limit?
'Add character typed.
'update cursor. check
time.
'Time's up.
'No right answer.

'Pothole gaping ahead.

'You can watch til end
'of segment or take
'shortcut out (P or E).
'Music behind graphic.
'(Actually, any key leads
'to this final frame.)

'Show final score

'Reset screen and end.

Now you don't have to sacrifice print quality for speed.

The Canon® Impact Matrix Series Printers.



High speed and high quality in one functional, compact unit. That's what Canon's Impact Matrix Printers offer you.

They print hard copy at a rapid 160 characters per second. While in the double pass mode you get an impressive, high-density 23 X18 dot matrix that gives near letter quality printing suitable for word processing.

Canon's unique technology has also dramatically reduced bothersome clatter down to a muted noise level of less than 60dB.

Even at high speed.

And that, unlike many other impact matrix printers, makes them a pleasure to work with.

Plus there's limitless flexibility with the optional down-loading function that lets you print

whatever character fonts your host computer can create. As well as a choice of four different character styles (all printable on the same line) that you can enlarge or condense.

The Impact Matrix Series Printers give you a convenient choice of special paper widths—the PW-1080A for 80-character column printout and the PW-1156A for 156-character column.

Exceptional quality and high speed.

The Canon® Impact Matrix Series Printers give you the best of both worlds.

For more information:
Call 1-800-323-1717, Ext. 300.
(In Illinois call 1-800-942-8881, Ext. 300.)
Or Write Canon U.S.A., Inc.,
Printer Division, P.O. Box CN 11250,
Trenton, N.J. 08638.

Canon Printer Division

© 1984 Canon U.S.A., Inc.

The combination of the overlay and RGB graphics makes it possible to add new elements to an existing program.

All of this happens very quickly, and without a "glitch." That is, the combination of the overlay and RGB graphics makes it possible to add new elements to an existing program, weaving them into the action so everything seems normal.

In writing these programs, we discovered that timing was critical. In some instances, we changed the sequence of the disc player and screen commands so that videodisc scenes, graphics, and screen-clearing functions coincided.

We found that the best way to lock in the timing was to use LDPWAIT: The LDPWAIT command suspends program execution until the computer spots the specified videodisc frame. In some cases, we detected as much as one-tenth of a second lag between the appearance of the desired frame and the execution of the command following LDPWAIT. So we "fudged" (prerolled) the frame numbers as needed to improve the timing.

We had to use the Sony Disk BASIC PAUSE statement several times as a fudge factor. PAUSE 10 is approximately one second.

We might add that in the GRAVY program, we developed a random-question generation sequence with our own (slightly ridiculous) questions and answers from lines 365-440. If you do not like ours you can add your own as long as you do not exceed 40 characters per line.

There are several other examples of how to use a personal computer to reformat an existing disc. Without going into further detail here, we suggest you refer to the listing for additional examples.

Conceptually, there is nothing new about using an existing disc to create a game. The exciting part is that two years ago integrated systems and soft-




Figure 5: A sample flowchart for the "FIRSTSEQ" program, one of eight programs in the listing.


ware support for them were generally unavailable. Today, systems like the SMC-70 are widely available. More importantly, with the kind of software that is also available, you do not need to be an expert to write a program like this. Everything you need is likely to be found in the manual that accompanies the videodisc interface.

For those of you with IBM PCs, Visage (12 Michigan Drive, Natick, MA 01760) has just released a universal videodisc controller card, the VDC-1000, which can run with either the consumer or industrial players. At the time of this writing the card was not yet available, thus

we had no chance to use it for this game. But we are impressed with the purported features. Some of them include: graphics overlay on any NTSC signal; 15 available colors (including "transparent"); full-sprite animation; data dump from disc to PC memory; frame status; and a keyed-to-frame (TM) feature that links graphics and animation to the video.

For those of you with Apple IIs and IIses, Video Associates Labs (3933 Steck Ave, Suite B109, Austin, TX 78759) has a similar overlay system that has been well received, particularly by the broadcast and industrial video businesses. ■

What's more incredible about Canon's color ink-jet printer? The quality... or the price?



Take a look at the beautiful clarity of the Canon® PJ-1080A's color ink-jet printing. Then discover that Canon's color printer actually costs well under a thousand dollars. You'll be hard-pressed to decide which is more amazing.

What makes the quality so incredible? Features like:

- The advanced drop-on-demand printing system. Canon's patented ink-jet technology gives a sharp 640 dot-per-line scan mode, for dazzling high-resolution color and exceptionally clean, crisp printouts.
- Whisper-quiet operation of less than 50dB and an impressive speed of 37 c.p.s.
- A choice of seven bold colors for bright, imaginative graphics.
- A special dual-ink cartridge system that gives cleaner

resolution on blacks and saves you money, because when black is used up only the black cartridge need be replaced.

- The ability to print high-fidelity characters and images on transparencies for overhead projection.

- Compatibility with most computers you can buy.

And how much does all this cost? Far less than a thousand dollars.

So what's more incredible about the PJ-1080A color ink-jet printer? There's only one way you'll really be able to find out.

And that's to buy one and decide for yourself.


For more information:
Call 1-800-323-1717, Ext. 300.
(In Illinois call 1-800-942-8881, Ext. 300.)
Or Write Canon U.S.A., Inc.,
Printer Division, P.O. Box CN 11250,
Trenton, N.J. 08638.

© 1984 Canon U.S.A., Inc.

Canon Printer Division

Circle 50 on Inquiry card.

www.americanradiohistory.com



Without software you're nowhere.

That's why the Corona PC runs virtually everything. Word Star,¹ dBASE II,² Lotus 1-2-3^{3*}. Thousands of packages in all. But we didn't stop there.


We give you 60% better graphics than IBM® (640x325 pixels). So your pie charts look tastier. We doubled the memory: 128K memory expandable to 512K on the main board. For power that won't quit. And we bundle software. For instant productivity right out of the box. All at a price about 20% less than IBM's.

The Corona PC. Once you can run the world, running your business looks easy. In North America, call 1-800-621-6746 for the Authorized Corona Dealer near you. In Holland, call 020-03240-18111. There are over 1600 dealers worldwide. And their job is to help. Service by Xerox.






THE CORONA PC


©Corona Data Systems 1984. 1. TM Micropro Corp. 2. TM Ashton-Tate. 3. TM Lotus Development Corp. *HTS driver needed for graphics only.




a



h



m




k



r




p



t



s



w

Reviews

THE SAGE II AND SAGE IV COMPUTERS
by Allen Munro..... 235

THE COMPAQ PLUS
by Mark Dahmke..... 247

XENIX FOR THE IBM PC XT
by Steven H. Barry and Randall Jacobson... 255

TURBO PASCAL
by Tom Wadlow..... 267

LISP FOR THE IBM PERSONAL COMPUTER
by Jordan Bortz and John Diamant..... 281

THE SMITH-CORONA L1000 PRINTER
by Richard S. Shuford..... 293

REVIEW FEEDBACK..... 301

REVIEWER'S NOTEBOOK

Business Solutions Inc., a software house located on Long Island, has been sponsoring contests for integrated software packages running on the IBM PC. Guess whose product usually wins? Business Solutions' Jack2, a descendant of its Apple II product called The Incredible Jack, has been the subject of some impressive claims.

For the most part, the claims about this \$495 program seem to stand up to scrutiny. Jack2 is a database-management program that can handle spreadsheet calculations, word processing, and graphics. All of these functions can be integrated fairly easily. For example, a letter, or database report, can include several different "blocks." One block could be a single record from a database; another block might be a small spreadsheet; a third, a bar graph. When one item of information changes, the spreadsheet and bar graph can change automatically. All this power is fairly easy to set up, too.

Jack2 has two problems, though. If you take any *one* of its four capabilities—database management, spreadsheet, word processing, or graphics—and look at it by itself, none is close to being as good as single-function programs such as pfs:Write or Multiplan. And second, the program runs on the p-System, not on PC-DOS. This means that you're going to have trouble transferring information from your spreadsheets, word processors, and databases running on MS-DOS. Business Solutions has announced the availability of a utility program that can transfer data from and to PC-DOS files, but we have not received it yet. A review of Jack2 will appear here soon.

Someday we'll have supersophisticated debugging programs that will allow us to customize our software exactly the way we want it. That day may not come too soon, but for now we are fortunate to have keyboard modification programs such as ProKey. The latest version of ProKey (version 3.0) for the IBM PC sells for \$130 and allows you to substitute any combination of keystrokes for almost any key on the IBM keyboard. For example, in WordStar, you can change the Delete and Backspace keys into *real* Delete and Backspace keys. Or one keystroke can be used to insert your return address into a letter. And in spreadsheet programs, ProKey's "macro" key sequences are easier to use than those of Lotus's 1-2-3.

And that's not all. Another program in the ProKey package called Layout lets you easily change the layout of the IBM keyboard. For example, you can change the dreaded Backslash key into a Shift key, just like it's supposed to be, or you can set up a Dvorak keyboard. One problem, though, is that while most of the ProKey programs run on most of the IBM compatible systems, the Layout program is one of the few programs I've found that seems to run only on the IBM.

This month Allen Munro looks at the Sage II and IV, a 68000-based family of machines that has received some good notices elsewhere in this magazine.

Mark Dahmke looks at the Compaq Plus, the hard-disk version of the successful portable IBM clone.

Speaking of the IBM PC, we ran an article last year about a 68000 board for the PC produced by a company called Sritek ("Modular Architecture," by Sudha Kavuru, June 1983, page 194). Since this board comes with the XENIX operating system, we had Steven H. Barry and Randall Jacobson, our UNIX experts, report on it.

One product that has received tremendous raves all over the industry is Turbo Pascal, a powerful, easy-to-use version of Pascal for the IBM PC and CP/M-based machines. Tom Wadlow checks out whether the praise is deserved.

While we're on the subject of languages, we have Jordan Bortz and John Diamant reviewing two LISP systems: muLISP and IQLISP. Messrs. Bortz and Diamant examine how much intelligence—artificial or otherwise—went into these products.

And Richard Shuford takes a look at the Smith-Corona L1000, a descendant of the TP-1, the first really affordable daisy-wheel printer. Richard reports on whether things have gotten better at Smith-Corona since the TP-1 came on the market.

—Rich Malloy, Product-Review Editor

\$675 GETS YOU THE WORKS.



For about half the price of anything like it, now there's a complete plotting system with all you need for creative and professional graphics.

Everything's included: The Pixy microplotter, its dedicated Pixygraph software, paper, mylar film for overheads, two 8-color pen sets and a concise, easy-to-follow manual.

Even if you've never used a plotter before, it's never been easier to turn numerical data into pie charts, bar comparisons and area graphs. Or use your imagination to create unique designs.



Just connect Pixy to your IBM®-PC, Apple® or IBM compatible computer and you'll be turning out colorful graphics in no time.

Everything shown is specially offered at the one low suggested retail price for a limited time only. So if you've ever wanted to make your point with graphics, the right time is right now.

See your Mannesmann Tally dealer today or call toll-free for more information: 800-447-4700.

**MANNESMANN
TALLY**

In Illinois, 800-322-4400

Apple is a registered trademark of Apple Computer, Inc. IBM is a registered trademark of International Business Machines, Inc.



The Sage II and Sage IV Computers

The Sage computers display the power of the p-System

BY ALLEN MUNRO

Some personal computer users like to claim that they have no need for greater computing power. They say that a Z80-based system with 64K bytes of RAM (random-access read/write memory) can handle all the tasks that most people would ever want to do on a computer. With all due respect, such users are letting their current systems set the limits of their imaginations.

Those who adopt a personal computer that uses the powerful 32-/16-bit Motorola MC68000 chip (32-bit internal data bus, 16-bit external data bus), such as the Sage II or Sage IV, are likely to discover new computing potential that they will soon decide they would rather not live without.

Does it make sense to put more than one user on a microcomputer? Probably so, if you are paying for the system but won't actually be using it. Probably not, if you want to use it yourself.

The Sage II and Sage IV let you go either way. The 68000 was originally designed as a minicomputer chip and can support multiple- or single-user systems. The standard operating system on the Sage is the UCSD p-System, a single-user computer system. Sage lets you optionally install a multiuser version of the operating system, in which multiple users have access to copies of the p-System, each in his or her own memory partition.

HARDWARE

The two Sage computer models are virtually identical machines from the viewpoint of the applications software and operating system. Sage Computer Technology offers a finely graded series of systems solutions ranging from a single floppy-disk Sage II with 256K bytes of RAM through a variety of dual floppy-disk Sage II systems, to a Sage IV system with one floppy disk, a 40-megabyte Winchester hard disk, and 1 megabyte of RAM.

The crucial difference between a Sage II and a Sage IV system is that a Sage II can be expanded up to 512K bytes of RAM and has only floppy-disk drives, while a Sage IV can have up to 1 megabyte of RAM and has at least one hard-disk drive. A Sage II has two serial ports, one for the terminal and another

for a modem or serial printer, and one parallel port. A Sage IV has these peripheral interfaces plus an IEEE 488 instrumentation bus and four serial interfaces for the connection of terminals in a multiple-user mode.

Both the Sage II and the Sage IV can be used as single-user or multiuser machines. The Sage II can support two users (with the modem port configured for a second terminal) and the Sage IV can support up to six users. As many as 15 tasks can be run, which means you can run some extra programs that don't require a terminal, such as printing. Running either machine in a multiuser mode requires the installation of the Sage multiuser environment, a task likely to daunt anyone unfamiliar with the p-System or microcomputer systems in general.

When the Sage II first arrived, I was impressed that the computer arrived in a packaging box not much larger than the one used for an Apple IIe. I was even more impressed when I opened the box and found that almost all the space was taken up by foam padding and documentation. The Sage II itself is smaller than an Apple IIe. Here is a computer with 512K bytes of memory installed, two dual-sided 5¼-inch 80-track disk drives, each with a 640K-byte capacity, and the whole thing weighs only 16 pounds. (The Sage IV weighs 20 pounds.)

The Sage has no bit-mapped graphics capability built in. It communicates to the user through a separate terminal, connected through an RS-232C serial port. If your applications require graphics, you can purchase a terminal with graphics capability. Sage's approach to graphics has the advantage that only those users who require the capability must pay for it. It also makes it possible for users to select exactly the graphics resolution and color they require and can afford. It has the disadvantage that there will be few applications available off the shelf for any particu-

(continued)

.....
Allen Munro is assistant director of the Behavioral Technology Laboratories at the University of Southern California, 1845 South Elena Ave., Redondo Beach, CA 90277.

lar combination of Sage plus graphics terminal. In fact, Sage's approach to graphics is probably reasonable only for those who are prepared to program their application themselves.

The Sage printer port supports Centronics-type parallel-printer interfaces. I had no trouble using my Epson MX-80 to print from the Sage, either by using the file-manipulation utility (the Filer) to transfer text to the printer, or from my own programs. To use any printer with the available applications, find out whether the printer is supported by the software vendor, and, if so, how the correct printer parameters can be installed for that software.

I had some trouble when I decided to hook up the Sage II to an NEC Spinwriter Model 5525 with a serial interface. Thanks to many previous experiences trying to get RS-232C devices to communicate, and to the use of a Carroll breakout box (the RS-232 Line Tester, available from Carroll Touch Technology, 1212 Hagan St., Champaign, IL 61820), a friend and I were able to drive the printer from the Sage's modem port after about two hours of work.

The fact that it took time to complete this hookup is not a criticism of Sage in particular. There simply are not enough constraints on how manufacturers can implement the RS-232C standard to assure compatibility.

Neither of the Sage computers is particularly noisy. Both have fans that seem to do a good job getting the warm air out of the beige-and-black cabinets that house the computers, and they aren't loud enough to interfere with normal conversation. You just notice the sound if you happen to think of it. The hard-disk-equipped Sage IV made a high-pitched whine for the first 20 hours of operation, but it's been quiet since then.

Both Sages seem to be reliable. When

the Sage IV first arrived, it had a dead hard-disk drive. The carton looked as though it had been handled pretty roughly, and Winchester drives just aren't built to be abused. A call to the Sage service department was promptly answered by someone who suggested some simple tests. Sure enough, there was something wrong with the drive. The Sage service department sent me the replacement unit at the same time I sent the defective unit to them.

The new Sage IV arrived in fine working order. The Winchester disk comes formatted and had been set up with all the necessary volumes (virtual disks) and floppy disks for p-System use. The system is set up to boot from the hard disk, but a simple back-panel switch setting change makes it possible to boot from a floppy disk, if you'd rather.

PERFORMANCE

The only really reliable way to compare the performance of two computer systems is to actually use them. Benchmark programs are too narrowly focused to fully reflect system performance in the real world.

That caveat stated, four benchmarks are reported in table 1. Although any single benchmark should be taken with a grain of salt, a group of benchmarks may reveal a consistent trend. For comparison, the benchmark results for the IBM PC XT and the Apple IIe are presented here as well.

Virtually the same operating systems were used for all of the tests. Three of the benchmarks—the Pascal version of the Sieve of Eratosthenes, the floating-point benchmark, and the disk-transfer rate test—were performed using versions of the UCSD p-System. Both the Sage and the IBM PC XT ran under version IV.1 of the p-System. The Sage's p-System was produced by SofTech Microsystems; the IBM's came from Net-

work Consulting Inc. (NCI). The Apple IIe ran under Apple Pascal version 1.1, an implementation of UCSD Pascal version II.0. (A version IV p-System is available from SofTech Microsystems for the Apple, but it is not widely used because it costs more and runs significantly more slowly.)

The Modula Sieve test for all three machines was done with the Modula operating system from Volition Systems of Del Mar, California. Volition uses a modified version of the UCSD Pascal Operating System, version II, as the basis for its operating system in support of Modula-2.

The first benchmark presented in table 1 is the Sieve, written in Pascal, as presented by Jim Gilbreath and Gary Gilbreath in "Eratosthenes Revisited: Once More through the Sieve" (January 1983 BYTE, page 283). This classic benchmark tests a computer system's speed at performing loops. As the results show, the IBM PC XT takes almost 2.5 times as long as the Sage machines, and the Apple IIe takes over 6.8 times as long.

The Modula version of the Sieve is also taken from the Gilbreaths' article. Here, running under a slightly different operating system, the Sage performs more than 3.5 times as fast as the IBM PC XT, and almost 6.7 times as fast as the Apple. This particular benchmark may actually be the fairest comparison of the speeds of the three machines because all were performed using the same operating system, based on UCSD Pascal version II.

This operating system may be a bit faster than SofTech's version IV.1. The Modula operating system includes a Pascal compiler as well as the Modula-2 compiler. When the Pascal version of the Sieve benchmark was compiled on the Sage in this operating system, it ran in 69.3 seconds, a little faster than it did under version IV.1.

The third set of benchmark figures in table 1 is the result of a Pascal floating-point benchmark adapted from a similar program written in C. The original program appeared in "Comparing C Compilers for CP/M-86" by Jerry Houston, Jim Brodrick, and Les Kent (August 1983 BYTE, page 82). The Pascal version used for this comparison appears in listing 1. Here the IBM PC XT took about 1.9

(continued)

Table 1: Speed (in seconds) for four benchmarks, using UCSD Pascal.

	Sage II/IV	IBM PC XT	Apple IIe
Pascal Sieve	74.8	184.6	512.1
Modula Sieve	66.7	246.0	444.6
Pascal Floating Point	73.6	139.4	506.8
Pascal Disk Transfer			
Floppy disk	42.9	44.6	53.5
Hard disk	7.9	8.7	75.6
RAM disk	0.6	2.1	

AT A GLANCE

Name

Sage II

Manufacturer

Sage Computer Technology
4905 Corporate Way
Reno, Nevada 89502
(702) 322-6868

Components

Size:

4 by 12.5 by 17 inches

Processor:

MC68000, 8-MHz

Memory:

256K bytes standard

512K bytes max

Mass Storage:

half-height floppy disk,
double-sided

40-track (IBM PC
compatible)

80-track (640K bytes each)

Interfaces:

parallel, serial, modem

Software

Operating system:

UCSD p-System

Included software:

Word/7 Text Processing
System

Teletalker Communications

Optional Hardware

Sage Terminal (Qume 102),

other terminals RAM

expansion units to above
maximums

Optional Software

Pascal compiler,

Timberline spreadsheet,

68000 assembly language,

and over 200 commercial

application packages from

a variety of software
vendors.

Operating Systems

10 available, including

CP/M-68K, IDRIS, Modula

Prices

1 floppy-disk drive,

256K bytes RAM \$3200

Options

additional floppy-disk

drive \$700

additional 256K bytes


RAM (to 1 megabyte on

Sage IV) \$500


Sage terminal (Qume) \$590




MEMORY SIZE




DISK STORAGE



BUNDLED SOFTWARE PACKAGE



PRICE




■ SAGE II/IV ■ IBM PC ■ APPLE II E

The memory graph shows the standard and optional memory available for the computers under comparison. The graph of disk-storage capacity shows the highest capacity of a single floppy-disk drive for each system. The bundled software packages graph shows the number of software packages included with each system. The price graph

shows the list price of a system with two high-capacity floppy disk drives, a monochrome monitor, graphics and color-display capability, a printer port and a serial port. 256K bytes of memory (64K bytes for 8-bit systems), the standard operating system for each system, and the standard BASIC interpreter for each system.




The rear panel of the Sage II/IV.




Top view of the Sage II/IV with the cover removed.


DISK ACCESS IN BASIC




BASIC PERFORMANCE



SYSTEM UTILITIES



SPREADSHEET (MULTIPLAN)



■ SAGE II
 ■ IBM PC
 ■ APPLE IIE

The graphs for disk access in BASIC show how long it takes to write a 64K-byte sequential text file to a blank floppy disk and how long it takes to read this file. (See the June BYTE, page 334.) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The calculation graph shows how long it takes to do 10,000 multiplication and division operations using single-precision numbers. The system utilities graphs show how long it takes to format and copy a disk (adjusted time for 40K bytes of disk data) and to transfer a 40K-byte file using the system utilities. The spreadsheet graph shows how long the computers take to load and recalculate a 25-by-25-cell spreadsheet where each cell equals 1.001 times the cell to its left.

All Sage benchmarks were executed on a Sage IV computer with an 8-MHz 68000 microprocessor, 512K bytes of memory, and two 5¼-inch disk drives containing 640K bytes each. The operating system was the UCSD p-System version IV.13.

*Note that a BASIC interpreter is not available for the Sage II/IV. The BASIC tests were executed using the Softech p-System BASIC Compiler, version IV b5-4. The compiled code was then interpreted by the p-System. The BASIC calculation test was run using 64-bit real arithmetic.

The format/disk-copy operation on the Sage involves three separate operations: format, zero directory, mirror-image copy. The Timberline spreadsheet, version 1.0, was used for the Sage spreadsheet tests.

times longer than the Sage and the Apple IIe took about 6.9 times longer.

Finally, I wrote a simple program, shown in listing 2, to test the disk-transfer rates of the three machines. The program opens a file for reading and another file for writing and then repeatedly reads 25K bytes (50 blocks in the p-System) and writes 25K bytes to the same device. The time it took all three computers to perform this action of a floppy disk was remarkably similar. The Sage was only slightly faster than the IBM PC XT, and only 1.25 times as fast as the Apple. Hard-disk speeds were also similar for the Sage and the IBM, but the Apple's Corvus 11-mega-byte hard disk was much slower—even slower than the Apple's floppy disks. This result was puzzling. I knew that the Corvus made working with disk-intensive programs a lot faster on the Apple. Why did the benchmark show exactly the opposite result? The answer, of course, is that disk-transfer speed is not an important part of disk performance for most personal computer applications. Disk-access time usually is much more important.

The last line of data for the disk-transfer benchmark compares the Sage and the IBM when a RAM disk (virtual disk in semiconductor memory) is used. Here the Sage again enjoys a 3 to 1 speed advantage. This result probably reflects the superiority of the MC68000's memory-addressing method over the 8086 family's.

SOFTWARE

The Sage II and IV, with the operating system and available applications software, are very much p-System machines. The UCSD p-System is provided with both computers. Also available are Pascal and FORTRAN compilers and a 68000 assembly language that produces linkable assembly code. This means that computation-intensive portions of programs can be written in assembly for speed, while the bulk of the programs are written in Pascal for readability and compactness.

A number of typical p-System utilities are included, such as a cross-reference program and a teletalk utility for transferring files over the RS-232C interface to another p-System computer. The most important utility is a BIOS (basic input/output system) manipulation util-

Listing 1: A simple floating-point benchmark.

```

program fpbench;
const const1 = 3.141597;
      const2 = 1783.9032;
      count = 10000;
var a, b, c: real;
    i: integer;
begin
  a := const1;
  b := const2;
  for i := 1 to count do
    begin
      c := a * b;
      c := c / a;
      c := a * b;
      c := c / a;
      c := a * b;
      c := c / a;
      c := a * b;
      c := c / a;
      c := a * b;
      c := c / a;
      c := a * b;
      c := c / a;
      c := a * b;
      c := c / a;
    end;
  writeln ('Done ', count)
end.

```

Listing 2: A disk-transfer speed benchmark.

```

program testdisk;
var fromblocks, toblocks, numblocks, i: integer;
    infile, outfile: file;
    anarray: packed array [0..25599] of char; (* 50 blocks worth *)
begin
  writeln ('test disk')
  from blocks := 0; toblocks := 0;
  reset (infile, 'test.text');
  rewrite (outfile, 'test.data');
  for i := 1 to 10 do
    begin
      numblocks := blockread (infile, anarray, 50, 0);
      fromblocks := fromblocks + numblocks;
      numblocks := blockwrite (outfile, anarray, 50, 0);
      toblocks := toblocks + numblocks;
    end;
  close (outfile, lock);
  writeln (fromblocks, ' blocks read; ', toblocks, ' blocks written.')
end.

```

ity called SAGE4UTIL. This program is the one that lets you change features such as bps (bits per second) rate and number of stop bits for the RS-232C interface or treat one of the floppy-disk drives as an IBM PC-format drive.

Also included is Word7, a word-processing program. Word7 creates and accesses p-System files of type text. The files are not given the ".TEXT" suffix that other p-System text editors assign to the names of files they access and create.

Instead, Word7 appends a "/D" to the name of the document. It is simple to use the Filer utility to change the names of files between the "/D" and ".TEXT" versions, making it possible to work on the same files.

Unlike other p-System editors, such as the standard editor and Volition's Advanced System Editor, Word7 provides filing and printing functions from within the program. Word7 is not as mode-

(continued)

Put great deals together with LetterPro.TM

Introducing the professional-quality printer for small business.

Now you can revise sales agreements in seconds. Print contracts at a page a minute. Even do your promotional mailings single-handedly.

It's all possible with LetterPro 20TM — the small business printer that costs no more than the leading office typewriter. LetterPro provides all the productivity and convenience of word processing, with better print quality than most typewriters.

LetterPro plugs right into most popular desktop computers and delivers your work as fast as three good typists. And because LetterPro comes from Qume, one of the world's largest manufacturers of letter-quality printers for large corporations, you can be sure it will



stand up to the everyday demands of your business. For years.

Remember, a word processing system can only be as good as its printer.

So choose the small business printer with big-time quality:

Qume's LetterPro 20. It may be the best deal you've closed in years.

Ask for LetterPro at your Qume distributor or computer dealer. Or write Qume Corporation, 2350 Qume Drive, San Jose, CA 95131.

LetterPro 20

from **Qume**
A Subsidiary of **ITT**



For your best investment in printers.

Call your nearest Qume distributor today.

United States:

- American Calculator & Computer (205) 933-2344—AL
- Almac Electronics (206) 643-9092—WA
- Anacomp (206) 881-1113—CA, UT, WA
- Anthem Systems (415) 342-9182—CA
- Bohlig & Associates (612) 922-7011—MN
- Butler Associates (617) 964-5270—CT, MA
- Byte Industries (800) 972-5948 (CA Only) (800) 227-2070 (Outside CA)
- David Jamison Carlyle (213) 410-9250—CA, CO, HI, IL, NJ, TX
- Computers & Peripherals Int. (315) 476-6664—NY
- The Datastore (609) 779-0200—NJ
- Equipment Resources (404) 955-0313—GA
- Future Information Systems (212) 732-3905—NYC
- Gentry Associates (305) 859-7450—FL, GA, LA, NC, SC, TN
- Inland Associates (913) 764-7977—KS
- InterACT Computer Systems (704) 254-1949—FL, GA, NC
- Kierulff Electronics (800) 338-8811—AZ, CA, CO, CT, FL, GA, MA MD, MN, MO, NC, NJ, OH, OK, TX, UT, WA, WI MA/COM-Alanhus Data (301) 770-1150—MD
- MicroAmerica Distributing (800) 431-7660 (MA Only) (800) 343-4411 (Outside MA)—CA, MA, TX
- Midwest Microcomputers (419) 782-1115—OH
- National Computers Syndicate (312) 459-6400—IL, MN
- Pacific Mountain States (800) 272-3222—CA, WA
- PAR Associates (308) 371-4140—CO, UT
- PCA Microsystems (512) 654-4711—TX
- PCS, Inc. (214) 247-9946—TX
- Pioneer Electronics (301) 921-0660—AL, FL, GA, MD, NC, PA
- Polygon Industries (504) 834-7658—LA
- Printer Warehouse (213) 829-5493—(CA Only) (800) 245-9812—(Outside CA)
- R.C. Data (408) 946-3800—CA
- Rudor Communications (212) 245-5509—NYC
- Schweber (800) 645-3040—AL, CA, CT, FL, GA, IA, IL, MA, MD, MI, MN, NJ, NY, OH, OK, PA, TX, WI
- Southern Microcomputer (305) 621-4237—FL
- Tek-Aids Industries (312) 870-7400—IL, PA, TX
- Terminal Rentals (714) 832-2414—CA
- Terminals Unlimited (800) 336-0423—24 Locations
- Tricom (516) 483-9700—NY
- Unico (512) 451-0251—TX
- Western New York Computer (716) 381-4120—NY

Canada:

- Abacus Data Services (416) 677-9555—Ontario
- Datamex (416) 781-9135—Ontario, Quebec
- DataTech Systems (604) 479-7117—Alberta, BC, Ontario
- Data Terminal Mart (416) 677-0184—Alberta, BC, Nova Scotia, Ontario, Quebec
- Future Electronics (416) 697-7710—Alberta, BC, Ontario, Quebec
- Micro Distributing (604) 941-0622—BC
- Printerm Data (416) 977-1711—Ontario



REVIEW: SAGE

Table 2: A comparison of Word7 on the Sage IV with WordStar 3.3 on the IBM PC. The tests measure (1) how long it takes to load a 4000-word document from a floppy disk, (2) how long it takes to save the document to a floppy disk, (3) how long it takes to find the last word in the document, and (4) how long it takes to scroll through the document to the end.

Test	Sage IV	IBM PC
	Word7	WordStar 3.3
1. Document load	7.7	9.9
2. Document save	13.1	24.2
3. Search	7.2	10.5
4. Scroll forward	58.5	41.2

oriented as other p-System editors, although it does have two basic modes, one for insertion and the other for exchanging or overstriking text, much like word-processing programs such as WordStar. Rather than presenting a one-line menu of available options, as the standard editors do, Word7 requires that the user know which keyboard function keys to use to accomplish tasks like deletion or centering of text.

Both the modeless and mode-type editors have adherents. There may be some advantage to a system such as Sage's that allows users to share the same text files even though they use different editors.

Table 2 shows a comparison of Word7 running on a Sage IV with WordStar running on an IBM PC. As you can see, Word7 is somewhat faster at loading a document and searching, quite a bit faster at saving a document, and somewhat slower at scrolling forward. It should be noted that the Sage IV was equipped with a 640K-byte floppy-disk drive, while the IBM PC had two 320K-byte floppy-disk drives, 512K bytes of RAM, a monochrome monitor and adapter, and DOS 2.0.

CONFIGURATION

The Sage is an excellent p-System development machine because it is faster than any other widely available p-System computer. Furthermore, its floppy-disk drives can be configured to read a large number of disk formats in addition to its own 1280-block (640K-byte) 80-track format. Other formats the Sage can read include IBM PC disks in several formats (double- and single-sided, standard 8-sector, or Network Consulting Inc.'s 10-sector) and the SofTech Microcomputing "universal"

medium—280-block disks in IBM PC format. Although Sage does not recommend that its 80-track drives be used for writing to 40-track disks, I found I could ignore the warning messages and safely transfer data from Sage disks to disks that had been formatted on an IBM PC in the standard 640-block (320K-byte) format. To do this, I simply chose the option in the Sage configuration utility program called SAGE4UTIL that let me make on-line changes to the system's BIOS.

The Sage can directly write to the disks of most p-System computer systems that use 5¼-inch floppy disks.

The Sage computers can directly write to the disks of most p-System computer systems that use 5¼-inch floppy disks. For those systems with disks that a Sage computer cannot write to directly, a standard utility program is provided for transfer of files over RS-232C lines.

Not every novice computer user would find it easy to configure a Sage system after unpacking it. In the best of all possible worlds, your friendly and competent computer dealer would be right there beside you, configuring the computer and giving you detailed training on its use. But in the real world, the computer dealer is all too likely to hand over the boxes and wish you luck. When a computer uses a built-in bit-mapped graphics display, it doesn't have to be

(continued)

Postscript

Shortly after this review was prepared, Sage released a new set of documentation for the Sage II and IV and unbundled (or rebundled) its software. The new manuals and packaging go a long way toward eliminating my concern for novice users who might buy a Sage, and make the Sage a good choice for computer users who need extra power or want an inexpensive multiuser system.

Currently, both Sage computers are shipped with the UCSD p-System, communications software, utilities, Word7 word-processing software, two manuals, and a book about using the UCSD p-System.

The new documentation is more attractively packaged than before. Each of the 6- by 8½-inch binders is separately boxed, in the same manner that IBM PC manuals are. The layout of text in the manuals is attractive, with examples from the screen shown against a light green background. Line drawings are used sparingly and with good effect.

The star among the included manuals is *Getting Started*, which is going to save new Sage owners a lot of time and aggravation. *Getting Started* helps you set up the computer and terminal. It tells you how to power up, boot, and back up the system disks, as well as how to execute a demonstration program. The manual also contains primers on the p-System and its disk-file management program, the Filer.

Chapter topics in *Getting Started* include: electronic information services, including Sage's own SageMail; configuring the sys-

tem for use on nonstandard terminals; setting up the system for use with a variety of printers; using the configuration control program; and setting up the system for multiple users. There is no question that novice Sage users are much better off with this new manual.

The same binder that contains *Getting Started* holds the manual for Word7. Another binder contains the p-System manual, which describes the Filer program and the standard p-System editor. In addition, it describes utility programs for printing files created with the standard editor, reducing a program's start-up time, maintaining the p-System code library, setting up the system for new terminals, and recovering lost files.

Also included is the 500-page *Sage Technical Manual*, which contains everything anyone might want to know about the Sage hardware and low-level operating system features.

Among the new, optional binders are *The p-System Program Development Manual* and manuals for the 68000 assembly language and the Sage debugging tool.

Software that is now available separately for the Sage II and IV includes Pascal and FORTRAN compilers and several spreadsheet programs.

Finally, the standard document set includes a copy of *Personal Computing with the UCSD p-System*, by Mark Overgaard and Stan Stringfellow (Prentice-Hall). Overgaard has been one of the principal forces behind the UCSD p-System since its inception, so this book is likely to contain a great deal of worthwhile information.

set up for use with a separate terminal. The Sage, however, does use an external terminal (or up to five of them if the multiuser system is employed), and it has to be configured to treat the terminals of different manufacturers correctly.

Configuring the terminal involves several steps. First, the terminal and the computer must be set to the same communication parameters, such as bps rate. The terminals I received from Sage for use with the machines were set for 9600 bps, while the terminal ports on the Sage were configured for 19,200 bps. To make the serial communications

ports compatible, I had to look up tables in two different documents to find the correct switch settings. Compatibility is not a matter of bps rate alone; it concerns the number of stop bits, parity, and length of characters as well. To find out how the terminal's switches should be set, I had to find the information in the documentation of the terminal and also in the Sage manual.

The second part of configuring the system concerns making the necessary software modifications to customize the operating system for your terminal. This requires transferring some files and changing file names to get the appro-

priate set of terminal parameters to load when the system boots. If you are using a terminal other than one of those for which Sage provides preconfigured files, you will have to first write a new cursor-positioning procedure (GOTOXY) and bind it into the operating system. Then you will have to run a program that lets you customize the terminal parameters. This program sets up a system file that records, for example, which ASCII (American National Standard Code for Information Interchange) character moves the cursor up a line.

The novice user is going to find it takes time and patience to make an unusual terminal work properly with the Sage. Fortunately, Sage does provide the required files for the terminals it sells with the system, as well as many other common terminals. When the Sage II arrived, it came with a terminal labeled Sage. A search of the preconfigured terminal parameter files did not reveal any Sage terminal information. Turning over the keyboard, I found a Liberty Electronics label that identified the terminal as a renamed Freedom 100. The set of terminal-parameter files included one called F100, and that proved to be the one I needed.

Even if the correct files are on your disk, there is no clearly labeled set of instructions describing how to perform the setup. When I began this review, Sage was waiting delivery of new documentation that is said to solve all of the novice user's configuration problems (see the text box "Postscript" on this page for a description of the new documentation), but I would suggest that prospective Sage purchasers who are not familiar with the p-System make sure that they have access to someone who is.

THE VERDICT

The Sage II and Sage IV computers are wonderful systems for p-System developers and serious p-System users. Sage is trying to appeal to a wider user base by making important types of business-software packages available and through improved user documentation.

If you are committed to the p-System, get one of these machines. If you aren't, but you're in the market for a system that has demonstrated powerful performance, you should check out the Sage II or IV. ■

PURE POWER CONTROL CENTER

Introducing a powerful new link for
your computer system:
The Power Directors
from Computer Accessories



Power Directors incorporate UL approved TranZorb[®] semiconductor technology and exceed the 1983 IEEE-587 Guide for surge voltages in low voltage AC power circuits. So you can protect your computer system from line surges and noise, giving it the pure power it needs. Voltage spikes are stopped in less than a nanosecond, EMI/RFI line noise is filtered out, and current overloads are prevented. Now your system can be truly integrated with

central power control like the Model P12 shown above. Instead of a haphazard maze of power lines and extension cords, each component plugs into the fully shielded Power Director. You can turn on each component individually, or power up the entire system with a single switch.

Look for the full line of Power Directors wherever personal computers are sold. *TranZorb is a product of General Semiconductor Industries of Tempe, Arizona.

ca
computer
accessories

Computer Accessories Corporation, 7696 Formula Place, San Diego, CA 92121 (619) 695-3773

© 1983 Computer Accessories Corp.


Formerly **Computer Exchange**

**DEALERS
WE BUY
EXCESS
INVENTORIES**

LOW PRICES TO PROFESSIONALS WHO KNOW WHAT THEY WANT AND KNOW HOW TO USE IT!

© 1984 by Conroy-LaPointe, Inc. All Rights Reserved

256K IBM-PC or XT
320/360K Disk Drives by CDC
90 Day Limited Warranty By Us
Call for Details



Coming soon—products for the PC Jr.
©1984, Service Mark of Conroy-LaPointe, Inc.

SUPPLY CENTER for IBM-PC or XT


AMDEK	MAI 4-in-1 Multiple Board, Color Graphics, Mono, 128K	\$ 599	\$ 519
AST	Large AST Inventory, CALL		
	ComboPlus, 64K, S/P/C	\$ 395	\$ 265
	ComboPlus, 256K, S/P/C	\$ 695	\$ 495
	MegaPlus II, 64K, S/P/C	\$ 495	\$ 345
	MegaPlus II, 256K, S/P/C	\$ 795	\$ 595
	256K MegaPlus II Expander	\$ 395	\$ 295
	SixPakPlus, 64K, S/P/C +S/W	\$ 395	\$ 265
	SixPakPlus, 256K S/P/C +S/W	\$ 695	\$ 495
	SixPakPlus, 384K S/P/C +S/W	\$ 895	\$ 595
	For SixPak w/ Game Port, add	\$ 50	\$ 39
	1/0 Plus II, S/P/C	\$ 215	\$ 150
	1/0 Plus II, S/P/C/G	\$ 265	\$ 185
	1/0 Plus II, S/P/C/G	\$ 315	\$ 215
	MonographPlus™ Card (for Lotus)		Call
	PCNet, Starter Kit, PC002	\$1095	
	PCNet, Circuit Board, PC001	\$495	
CCS	SuperVision, 132 col, mono, board	\$ 799	\$ 599
Chalkboard,	Power Pad, Req. Kit	\$ 100	\$ 73
*ComX	EconORAM™ 256K RAM Card w/Fastak™ RAM disk emulator and spooler software.	\$ 495	\$ 325
CURTIS	UNI-1, Monitor tilt & swivel base	\$ 50	\$ 39
	3 to 8 foot keyboard cable	\$ 40	\$ 30
	Vertical CPU "System Stand"	\$ 25	\$ 19
	Monochrome Ext. Cable Pair	\$ 50	\$ 35
HERCULES	Graphics Card, Mono	\$ 499	\$ 349
Key Tronic	KB5150, Std. keyboard	\$ 209	\$ 159
	KB5151, Std. keyboard NEW	\$ 255	\$ 189
	KB5151 ir, keyboard NEW	\$ 255	\$ 189
Koala	Koala Pad™ w/PC Design Programmer's Guide	\$ 150	\$ 109
		\$ 15	\$ 12
MAYNARD	Multifunction (G) Card, MFC	\$ 89	\$ 79
SANDSTAR	Memory Card no RAM	\$ 230	\$ 169
SERIES	HardCard 256K	\$ 499	\$ 395
	HardDisk 1/8 Module (HDM)	\$ 30	\$ 27
	HardDisk Cable	\$ 59	\$ 49
	Para Port Module (PPM)	\$ 95	\$ 79
	Serial Port Module (SPM)	\$ 55	\$ 48
	Dock Cal. Module (DCM)	\$ 49	\$ 43
	Game Adapter Module (GPM)	\$ 122	\$ 102
	Memory Module 256K (MM256)	\$ 422	\$ 357
	XT 10 meg Hard Disk & I/F	\$1395	\$1150

MICROSOFT	SystemCard 256K	\$ 625	\$ 469
	SystemCard 64K	\$ 395	\$ 295
	Mouse	\$ 195	\$ 145
MOUSE SYSTEMS,	PC Mouse w/software	\$ 295	\$ 195

PLANTRONICS	Color Board & Colormagic, 16 color, w/Para	\$ 559	\$ 395
	Color Board & Draftsman, 16 color, w/Para	\$ 559	\$ 395

QUADRAM			
* Quadlink	NEWEST VERSION	\$ 680	\$ 485
Quadboard, no RAM, expand to 384K		\$ 295	\$ 215
Quadboard 64K, expand to 384K		\$ 395	\$ 279
Quadboard 256K, expand to 384K		\$ 675	\$ 525
* Quadboard, 384K		\$ 795	\$ 625
Quadboard II, no RAM, expand to 256K		\$ 295	\$ 215
Quadboard II, 64K, expand to 256K/25/CC		\$ 395	\$ 265
Quadboard II, 256K, 25/CC		\$ 595	\$ 395
Quad 512 x 64K plus serial port		\$ 325	\$ 265
Quad 512 x 256K plus serial port		\$ 550	\$ 420
Quadcolor I, board, 16 colors		\$ 295	\$ 215
* Quadcolor II, board, use with Quadcolor I		\$ 275	\$ 199
Quadvue, board, Mono/S/P/CC		\$ 795	\$ 499
* Quadchrome, 12" RGB Monitor		\$ 1995	\$1595
Quadscreen, 17" 968 x 512 Monitor			

Tecmar	Graphics Master	\$ 695	\$ 545
	1st MATE, 64K, S/P/CC	\$ 389	\$ 275
	1st MATE, 256K, S/P/CC	\$ 589	\$ 399
	Captain, 64K/S/P/CC	\$ 424	\$ 324
	Captain, 384K/S/P/CC	\$ 795	\$ 595
	Wave, 256K (short brd)	\$ 499	\$ 369
	Bobun, S/P/CC (short brd)	\$ 195	\$ 145
Titan	Accelerator PC (8086 + 128K)	\$ 995	\$ 750
TG PRODUCTS	JoyStick	\$ 60	\$ 40
WICO,	IBM-PC Mouse	\$ 100	\$ 69



Prices and availability subject to change. Call.

\$55
★ 9 Each, 64K, 200ns, MEMORY CHIP KIT
90 Day Warranty by us

\$325 \$295 two or more.
★ ComX EconORAM™ 256K BOARD
Fully Compatible 1 Year Limited Warranty by ComX
With Fastak RAM Disk Emulator and Spooler Software
Works on DOS 1.1, 2.0 or 2.1

★ MEANS A BEST BUY

DRIVES AND ACCESSORIES



320K/360K DS/DD DISK DRIVES
With Detailed Installation Instructions
30 Day Limited Warranty by Factory Authorized Distributor

Same as now installed by IBM **\$199 FULL HEIGHT**
\$209 for One.

CDC HALF \$189 HEIGHT

AMDEK	Amdek V, 1/2 height, internal, 320/360K Cable, Amdek III to IBM PC interface	\$ 329	\$ 249
CDC,	1/2 H Dual Drive Install Kit	\$ 30	\$ 16
ComX	1" Desk Drive Power Cable	\$ 8	\$ 6
	* Internal 10 meg Hard Disk & I/F (same as PC to XT by Maynard below)	\$1395	\$895

MAYNARD

Poppy Drive Control Brd—up to 4 drives with Parallel Port \$ 300 \$ 239
PC to XT 10 meg CONVERSION KIT from MAYNARD internal 10 meg Hard Disk & I/F Card \$1395 \$1150
Quality engineered to work with DOS 2.0/2.1. Completely IBM XT compatible. All you need is your DOS Manual. Easy to install. Includes 10 Megabyte Hard Disk, Sandstar WS1 Multifunction Card and Hard Disk Controller Module. Card will accept up to three Sandstar Modules. Other configurations available.

TAVA-PC IBM COMPATIBLE

TAVA-PC, 256K, 2 Half Height CDC 360K Drives, Disk Controller, Color Graphics Card and:
• with no Monitor \$2345 \$1995
• with Amdek Amber Monitor 3104 \$2575 \$2139
• with Amdek Green Monitor 300G \$2545 \$2139
• with Amdek Color 14" Monitor \$2724 \$2279
• with 1 floppy, 10MB Hard Disk IBM-XT Compatible by ComX \$3995 \$2795
We find the TAVA-PC to be compatible with the IBM-PC as the Compaq, Eagle and Columbia. PC World (April 1984) says, "The TAVA-PC strongly resembles the IBM-PC in looks and operation."

SOFTWARE for IBM-PC or XT

BUSINESS & TRAINING			
ALPHA,	Database Manager II	\$ 295	\$ 185
ASHTON-TATE	Framework avail. July/Aug	NEW \$ 695	Call
	dBase II, req. PC-DOS & 128K	\$ 700	\$ 375
	dBase II User's Guide (Book)	\$ 10	\$ 20
	Everyman's DB Primer (Book)	\$ 15	\$ 12
	The Financial Planner	\$ 700	\$ 395
	Friday	\$ 295	\$ 199
APPLIED SOFT. TECH.,	Versaform	\$ 850	\$ 625
ASK MICRO,	GLAR, AP, INV or PR, each	\$ 595	\$ 295
ATL Training Programs—	Wade line in stock		Call
* BRODERBUND,	Bank Street Writer	\$ 80	\$ 56
	BPI, Cpl Acctg, AR, AP or PR, each	\$ 595	\$ 395
CDEX,	Training for... (Large inventory)	\$ 70	\$ 47
CHANG LABS,	Micro Plan	\$ 495	\$ 335
* CONTINENTAL,	Home Accountant	\$ 150	\$ 89
	Tax Advantage	\$ 70	\$ 45
	FCM (Filing, Cataloging, Mailing)	\$ 125	\$ 89
	Property Management	\$ 495	\$ 329
DOW JONES,	Market Analyzer	\$ 350	\$ 279
	Market Manager	\$ 300	\$ 239
	Market Microscope	\$ 700	\$ 525
FOX & GELLER	Quickcode dGraph, Graph or Cr, each	\$ 295	\$ 195
	dJib (MSDOS or CP/M/86, each)	\$ 99	\$ 59
HAYDEN,	IBM Pie Writer	\$ 200	\$ 135
	Pie Speller or Sargon III, each	\$ 50	\$ 34
HOWARD SOFT.	Tax Preparer, 1984 for 1983 year	\$ 295	\$ 220
HUMAN EDGE,	Management or Sales, ea.	\$ 250	\$ 169
IUS,	Easy Writer II System	\$ 300	\$ 259
	EasySpeller II	\$ 150	\$ 68
	Business System: GL+AR+AP	\$1495	\$995
	GL+AR+AP, or INV, each	\$ 595	\$ 395
* INSOFI,	Data Design (easy to use DBMS)	\$ 250	\$ 125
	Gr40TH (animated 3D graphics)	\$ 125	\$ 95
LIFETREE,	Volkswriter	\$ 285	\$ 195
* LOTUS,	1-2-3	\$ 495	\$ 309
	QUE, Using 1-2-3 (Book)	\$ 15	\$ 12
MICRO LAB,	Tax Manager for 1983	\$ 250	\$ 169
MICROPRO,	WordStar®	\$ 495	\$ 339
	MailMerge™	SPECIAL \$ 250	\$ 129
	ConnectStar™	NEW SPECIAL \$ 195	\$ 125
* WordStar Professional,	4 Pak	SPECIAL \$ 695	\$ 355
	Options Pak, SS/MM/S1	SPECIAL \$ 295	\$ 155
	StarIndex™	SPECIAL \$ 195	\$ 109
	IntSAs™	\$ 495	\$ 299
* MICROTRIM,	Rbase, Series 4000	\$ 195	\$ 129
MICROSOFT,	Multiplan	\$ 375	\$ 259
	Word	\$ 475	\$ 325
	Word with Mouse	\$ 100	\$ 65
	Financial Statement	\$ 150	\$ 99
	Budget		

BUSINESS & TRAINING			
MONOGRAM,	Dollars & Sense	\$ 165	\$ 110
MULTIMATE,	Multimate	\$ 495	\$ 295
OPEN SYS.,	GLAR, AP, INV or PO, each	\$ 695	\$ 429
* OSBORNE/COMK,	Book & Business, Statistics & Math Programs on DS/DD Disks	\$ 100	\$ 69
	Some Common Basic Programs (70 ea.)	\$ 100	\$ 69
	Practical Basic Programs (40 each)	\$ 100	\$ 69
PBI,	Personal Investor L1	\$ 145	\$ 99
PEACHTREE,	Peach Pak (GLAR&P)	\$ 395	\$ 239
	Peach Text 5000	\$ 395	\$ 239
PEARLSOFT,	Personal Pearl (DBMS & MIS)	\$ 295	\$ 195
* PERFECT,	Perfect Writer™	\$ 349	\$ 219
	Writer & Speller, 2 Pak	\$ 399	\$ 249
	Perfect Filer™ or Perfect Calc, each	\$ 249	\$ 149
	Perfect Writer, Speller, Filer, Calc (4)	\$ 699	\$ 499
SATELLITE,	Word Perfect	\$ 495	\$ 295
SOFTWARE ARTS,	TK Solver	\$ 399	\$ 299
SOFTWARE PUBLISHING,	PFS:File	\$ 140	\$ 94
	PFS:Report	\$ 125	\$ 84
	PFS:Write	\$ 140	\$ 95
	PFS:Graph	\$ 140	\$ 95
SORCIM,	SuperCalc 2	\$ 295	\$ 195
	SuperCalc 3	\$ 395	\$ 265
SSI/SAATELITE,	Word Perfect	\$ 495	\$ 375
	Personal WordPerfect	\$ 195	\$ 149
STC/SOFTec,	The Creator	\$ 300	\$ 195
STONEWARE,	Advanced DB, Master	\$ 595	\$ 395
SYNAPSE,	File Manager	\$ 100	\$ 67
SYNERGISTIC,	Data Reporter	\$ 250	\$ 169
T/MAKER,	T/Maker III	\$ 275	\$ 169
VISICORP,	VisCalc IV	\$ 250	\$ 179
	Symphony, avail. July/Aug	NEW \$ 695	Call
	VisFile or VisSchedule	\$ 300	\$ 219
	Desktop Plan I	\$ 300	\$ 219
	VisiWord with VisSpell (128K)	\$ 375	\$ 269

UTILITY & SYSTEM


DIGITAL RESEARCH,	Concurrent CP/M-86™	\$ 350	\$ 225
	Concurrent CP/M-86™ w/ windows	Call	
	CP/M-86™	\$ 60	\$ 40
	CBASIC 86™	\$ 200	\$ 135
	CBASIC Compiler (CP/M-86 or MSDOS, ea)	\$ 600	\$ 365
	Pascal/MT+ CP/M-86	\$ 400	\$ 269
	Pascal/MT+ (MSDOS)	\$ 600	\$ 399
	PL/1 (MSDOS) CP/M-86, each	\$ 750	\$ 499
	Access Mng. (MSDOS or CP/M-86, each)	\$ 400	\$ 269
	Display Mng. (MSDOS or CP/M-86, each)	\$ 500	\$ 339
	Speed Prog. Pkg. (CP/M-86)	\$ 200	\$ 135
	CIS COBOL-86	\$ 850	\$ 525
	DR LOGO-86	\$ 100	\$ 69
	HAYES, SmartMail II (Data Com.)	\$ 119	\$ 89
	INSOFT, Gr40TH (animated 3D graph)	\$ 125	\$ 95
	MICROSTUFF, Drassak XVI (Data Com.)	\$ 195	\$ 129
MICROSOFT,	multiMath/muSimp	\$ 300	\$ 199
	Business BASIC Comp.	\$ 600	\$ 399
	Pascal Compiler	\$ 300	\$ 199
	C Compiler	\$ 300	\$ 329
	BASIC Compiler	\$ 395	\$ 269
	FORTRAN Compiler	\$ 350	\$ 250
	COBOL Compiler	\$ 700	\$ 469
NORTON,	Utilities 2.0, 14 programs	\$ 80	\$ 65
ROSESOFT,	Prokey	\$ 130	\$ 89

HOME & EDUCATIONAL


ATARI,	Cenozoic, PacMan or Donkey, each	\$ 35	\$ 28
EPYX/Auto,	Shim, Temple of Apsnai	\$ 40	\$ 29
* ARMAND,	Executive Suite	\$ 40	\$ 27
BLUE CHIP,	Millionaire or Tycoon, each	\$ 60	\$ 39
BPI SYSTEMS,	Personal Accounting	\$ 195	\$ 139
* BRODERBUND,	Apple Panic (Color)	\$ 30	\$ 19
	Lode Runner or Serpentine, each	\$ 35	\$ 24
COMPREHENSIVE,	PC Tutor (I, II or 2.0), ea.	\$ 60	\$ 40
CONTINENTAL,	Home Accountant Plus	\$ 150	\$ 89
DAVIDSON,	The Speed Reader II	\$ 75	\$ 49
INFOCOM,	Deadline or Suspended, each	\$ 50	\$ 33
	Zork I or Zork II or Zork III, each	\$ 40	\$ 27
* INSOFI,	Mystris, Wordraze or Quobz, each	\$ 35	\$ 25
MICRO LAB,	Minor 2049	\$ 40	\$ 26
MICROSOFT,	Fight Simulator	\$ 50	\$ 33
	MONOGRAM, Dollars & Sense	\$ 165	\$ 110
	ORIGIN, Ultima III	\$ 60	\$ 40
PBI CORP.,	Personal Investor	\$ 145	\$ 99
SCARBOROUGH/LIGHTNING,	MasterType	\$ 50	\$ 34
SOFTWARE SYSTEMS	Multimate	\$ 495	\$ 295
SPINNACR,	Snooper Troops (I or 2)	\$ 45	\$ 35
	Story Machine or Face Maker	\$ 35	\$ 24
STRATEGIC,	The Warp Factor	\$ 40	\$ 30
SUBLOGIC,	Night Mission Pnbal	\$ 40	\$ 27

UTILITY & SYSTEM

ADD-INFINITUM



Add Diskette Storage When You Need It With The DiskBank® System.



No matter how large or small your diskette filing and storage requirements may be, the DiskBank System by Amaray is the most revolutionary, versatile and cost-effective approach available today.

Its unique modular interlocking design allows you to add new modules as your storage needs expand. Each impact-resistant module conveniently

Circle 18 on inquiry card.

organizes up to 10 diskettes in a safe, dust-free environment. When you need a diskette, simply open the DiskBank drawer and slide it out. Diskettes automatically come forward allowing you to select the one you need.

In addition, the System is portable. DiskBank modules are designed to go with you anywhere. Simply slide out the modules you need, put them in your briefcase, and go.


Available in three media format sizes, System 3 for 3¼"-3½" diskettes, System 5 for 5¼" diskettes, and System 8 for 8" diskettes, DiskBank System may be purchased individually or in money-saving volume packs.

Why settle for less? Give your valuable diskettes the protection they deserve. Buy a Bank. Buy a DiskBank. The DiskBank System.

DISKBANK®
AMARAY

AMARAY CORPORATION
2251 Grant Road, Los Altos, CA 94022
(415) 968-2840 Telex 171627 Amaray-Ltos





The Compaq Plus

A
transportable
computer
with fixed
disk

BY MARK DAHMKE

The original Compaq portable computer met its designer's goals of portability and IBM compatibility. The Compaq improved on the original IBM Personal Computer (PC) design by incorporating both the monochrome- and color-monitor adapters into one circuit card, and by designing a 120-watt power supply that would meet the needs of any future additions, such as a fixed disk. See my review of the Compaq (January 1983 BYTE, page 30) for more details.

At the time of my visit to Compaq in October 1982, one of the principals of the corporation explained that features like the heavy-duty power supply were added to make it easier to upgrade the unit to fixed-disk operation, but that other problems such as mechanical shock might make it impossible to put a fixed disk in a portable computer.

I am pleased to report on the company's new product, the Compaq Plus, which comes with a shock-mounted 10-megabyte fixed disk.

The Compaq Plus is identical to the original Compaq in every respect, except for the addition of the fixed disk in the right-hand disk drive location. It has a 9-inch green-phosphor display and a Key Tronic keyboard with the same key layout as the IBM PC. And like the original Compaq, the Plus can display true grays and high-quality text, features that are lacking on most graphics adapter cards for the IBM PC. MS-DOS (version 2.02) and Microsoft BASIC are included just as on the Compaq. The fixed-disk controller card occupies one adapter slot, leaving only two for user-installed hardware, such as memory or serial port add-ons. The Compaq Plus also comes with both the monochrome- and color-display adapters and a parallel printer port as standard features.

SOFTWARE

The MS-DOS 2.02 operating system is the same that is supplied with the IBM PC, so in theory, all DOS (disk operating system) functions should be identical. The only difference in the system software is the BIOS (basic input/output system) ROM (read-only memory) that was written by Compaq to duplicate the functions of the IBM PC's BIOS code. The

Compaq company seems to have accomplished the goal of maintaining functional compatibility without copying any of IBM's proprietary software. Over the past year I have done extensive assembly-language programming on both the IBM PC and the Compaq and can personally attest to the fact that the BIOS of the Compaq is written in an entirely different manner, yet performs all of the functions of the IBM BIOS.

Adding the fixed disk to the existing Compaq hardware required three steps: designing shock mountings that can be used to protect the fixed disk in a portable (and sometimes hostile) environment; designing a disk-controller card that emulates the functions of the IBM design in such a way that software functionality is maintained; and writing the software device drivers that allow the DOS to record and retrieve information from the fixed disk hardware.

At least two of these three steps are performed by any company that decides to build an add-on fixed disk to the IBM PC or any other computer. The important item to note is that below the operating-system level (the BIOS or other device-driver software), compatibility with application software should not be an issue. The purpose of an operating system is to isolate the user and the application program from the hardware.

In the case of floppy disks, the designers must pay close attention to the software and the hardware design to insure disk compatibility with other computers. However, a fixed disk (as the name implies) cannot be removed from its chassis and does not need to be compatible with any other hardware, at least at the circuit board level. This means that it doesn't matter how the information is stored on the surface of the fixed disk itself because only the hardware that wrote the information will ever read it back.

The exception to this rule occurs when you

(continued)

.....
Mark Dahmke (POB 80266, Lincoln, NE 68501) owns and operates a computer consulting business that specializes in computer graphics, operating systems, and videodisc hardware and software.

My Programs Always Compile the *FirstTime*[™]

Yours can too!

FirstTime is an intelligent editor that knows the rules of the language being programmed. It checks your statements as you enter them, and if it spots a mistake, it identifies it. *FirstTime* then positions the cursor over the error so you can correct it easily. *FirstTime* will identify all syntax errors, undefined variables, and even statements with mismatched variable types. In fact, any program developed with the *FirstTime* editor will compile on the first try.

Unprecedented

FirstTime has many unique features found in no other editor. These powerful capabilities include a zoom command that allows you to examine the structure of your program, automatic program formatting, and block transforms.

If you wish, you can work even faster by automatically generating program structures with a single key-stroke. This feature is especially useful to those learning a new language, or to those who often switch between different languages.

Other Features: Full screen editing, horizontal scrolling, function keys labeled on screen, help screens, inserts, deletes, appends, searches, and global replacing.

Programmers enjoy using *FirstTime*, because its powerful features allow them to concentrate on the program logic without having to worry about coding details. Debugging is reduced dramatically, and deadlines are more easily met.

The *Spruce FirstTime* editor is immediately available for PASCAL (\$245) and C (\$295) on the IBM Personal Computer and its compatibles. A demonstration disk is available for \$25. (N.J. residents please add 6% sales tax.)

For programs that compile the *FirstTime*.

To order, or for more information, contact:

Spruce
Technology Corporation
110 Whispering Pines Drive
Lincroft, N.J. 07738
(201) 741-8188 or (201) 663-0063

Dealer enquiries welcome. Custom versions for computer manufacturers and language developers are available.

FirstTime is a trademark of Spruce Technology Corporation.



REVIEW: COMPAQ

Compaq's new manuals are bound in book form so it is not possible to add inserts or revisions as was the case with 3-ring binders.

intend to run several different operating systems on the same fixed disk. The FDISK utility on the DOS disk enables you to partition or allocate the fixed disk to several different operating systems such as CP/M-86, Concurrent CP/M-86, or UCSD Pascal. The first sector of the fixed disk may contain the "boot record," which holds the machine code to load the selected operating system into memory. At the end of the boot record is a partition table that contains the starting and ending "cylinder" address of each of up to four partitions. The implementation of the boot record is the same for the Compaq as for the IBM PC.

As a test of the compatibility of the Compaq Plus, I installed and executed several programs that I have developed for the IBM PC that are written in FORTRAN 77 with extensive assembly-language support for special DOS functions that could not be performed from within FORTRAN. The DOS functions included disk file access, directory access, and direct BIOS calls to read and write characters on the monochrome and color adapter card. All of the code performed as anticipated. After thorough investigation, I can find no DOS- or BIOS-level functions that could create compatibility problems when used with a fixed disk.

Most IBM PC software should run on the Compaq Plus, and Compaq Computer Corporation supplies a list of commercially available software that has been tested on its computer. Regardless of what computer you buy, it is always wise to test the software you intend to use with the computer before writing a check.

DOCUMENTATION

The Compaq Plus (as well as the standard Compaq) comes with three

manuals: *Operations Guide*, *BASIC 2.0 Reference Guide*, and the *MS-DOS 2.0 Reference Guide*. They are very similar to what IBM supplies with the PC. I am pleased that Compaq is now supplying information on how to open the cabinet, install add-on cards, and set the memory-size switches. The new manual even shows how to remove the processor card to install additional memory (to upgrade the processor board from 128K bytes to 256K bytes). Instructions on adding the 8087 coprocessor are also included.

As someone who is interested in operating systems, I am somewhat concerned that both Compaq and IBM have decided to move the DOS programmer's sections to a separate manual that doesn't come with the computer. While I can understand that the list of DOS function calls and other technical programmer-level information is becoming voluminous with the latest release of MS-DOS/PC-DOS, they could at least include the other manual with the system so programmers don't have to pay extra for information that previously came with the machine.

The descriptions of the individual DOS commands (i.e., ERASE, RENAME, TYPE, CHKDSK) are adequate but not exceptional. It appears that Compaq attempted to write more helpful manuals, but sometimes the wording and imagery are clumsy or difficult to follow.

The new manuals are bound in book form so it is not possible to add inserts or revisions as was the case with three-ring binders. Compaq has also done away with the IBM-style slipcovers. The advantage of the new manuals is that they are slightly easier to handle than the comparable IBM manuals.

Quick-reference cards are included with all three manuals. The *Operations Guide* card includes the following topics: system reset, key-click volume adjust, print-screen procedure, installation of fixed-disk partitions, changing the logged disk drive, keyboard layout, and use of special function keys. The MS-DOS card includes batch commands, configuration commands, all utility commands and options, display options, and graphics commands. The BASIC quick-reference guide includes all BASIC commands and options.

Compaq's reference cards are much more informative than the IBM DOS

(continued)

AT A GLANCE

Name

The Compaq Plus

Manufacturer

Compaq Computer Corporation
20333 FM 149
Houston, TX 77070
(713) 370-7040

Components

Size: width 20 inches, depth 15.3 inches, height 8.5 inches
Weight: 28 pounds
Processor: Intel 8088 16-/8-bit microprocessor and socket for addition of the 8087 math coprocessor

Memory

128K bytes of RAM, expandable to 256K bytes on the processor board, expandable to 640K bytes with an add-on card

Display

9-inch high-resolution video display; 25 lines by 80 characters; IBM PC-compatible high-resolution graphics with RGB color monitor connection; adjustable viewing angle; composite video connector; optional RF modulator

Keyboard

detachable 83-key IBM PC-compatible layout on a 6-foot coiled cord, adjustable typing angle

Storage

360K-byte double-sided 5¼-inch floppy-disk drive; 10-megabyte fixed disk

Expansion

Two IBM PC-compatible expansion slots; parallel printer interface included

Software





MS-DOS 2.02 and Microsoft BASIC 2.0 included; FDISK fixed-disk management utility and diagnostics; MS-LINK linker program; runs most IBM PC-compatible programs

Price

\$4995 for the basic system with 128K bytes of RAM, one floppy disk, and the 10-megabyte fixed disk

Warranty


90-day limited




■ COMPAQ PLUS ■ IBM PC ■ APPLE II E

The Memory graph shows the standard and optional memory available for the computers under comparison. The graph of disk storage capacity shows the highest capacity of a single floppy-disk drive for each system. For the Compaq Plus, the 10-megabyte fixed-disk storage capacity also is shown. The bundled software packages graph shows the number of software packages included with each system. The price graph shows the Compaq Plus

price compared to systems with two high-capacity floppy-disk drives, a monochrome monitor, graphics and color-display capability, a printer port and a serial port. 256K bytes of memory (64K bytes for 8-bit systems), the standard operating system for each system, and the standard BASIC interpreter for each system. For details of the Compaq Plus specifications, see the configuration details in the At a Glance listing.




Sliding panel on right side covers serial port, video connectors, and three blank expansion slots.




Top view reveals fixed disk (upper left), with floppy disk to its right. Power supply is at right, expansion slots at bottom.


DISK ACCESS IN BASIC




BASIC PERFORMANCE



SYSTEM UTILITIES



SPREADSHEET (MULTIPLAN)



FIXED DISK
 FLOPPY DISK
 IBM PC
 APPLE IIe

The graphs for disk access in BASIC show how long it takes to write a 64K-byte sequential text file to a blank floppy disk and how long it takes to read this file. (For the program listings see "The Chameleon Plus," by Rich Krajewski, June *BYTE*, page 327) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The calculation graph shows how long it takes to do 10,000 multiplication and division operations using single-precision numbers. The system utilities graphs show how long it took to format and copy a disk (adjusted time for 40K bytes of

disk data) and to transfer a 40K-byte file using the system utilities. The spreadsheet graph shows how long the computers took to load and recalculate a 25-by-25-cell spreadsheet where each cell equals 1.001 times the cell to its left. The spreadsheet program used was Microsoft's MultiPlan.

These performance graphs include both floppy- and fixed-disk results where applicable. A format/disk-copy test was not performed on the Compaq Plus's single floppy-disk drive because the test is designed for a two-drive system.

REVIEW: COMPAQ

The company claims that the Compaq Plus can be dropped off a tabletop and will not be harmed.

reference card that simply lists the DOS commands and options without explaining what the options are for. The only misleading material I could find was in the *Operations Guide* card where the MS-DOS keyboard was listed as allowing the use of the PgUp, PgDn, Up, Down, Home, and other keys that MS-DOS does not respond to. These keys can only be used in BASIC or other programs, but the MS-DOS command mode does not make use of them. EDLIN, the MS-DOS line-oriented text editor, does use some of these keys, but the quick-reference guide doesn't make this clear and a first-time user easily could be confused.

TRANSPORTABILITY

Can a fixed disk stand up to the punishment of transportability? Compaq has gone to great lengths to make certain that the fixed disk will not receive any severe shocks while being moved from place to place. The company claims that the computer can be dropped off a tabletop and will not be harmed. While I didn't perform this drastic test of its claims, I did format the fixed disk and carry the unit around with me, giving it what I thought would be average treatment in daily life. Because a friend of mine owns a standard Compaq and I have borrowed it from time to time to work on software for him, I had a pretty good idea of what the Compaq Plus fixed disk should be able to withstand in normal use. Every test of the fixed disk (using the included diagnostic program) has shown no damaged sectors or lost information. Unless you plan to use the Compaq Plus while on an African safari, it should live up to its manufacturer's claims.

IN CONCLUSION

The Compaq Plus is an excellent transportable computer and its fixed disk operates reliably under normal conditions in daily life. ■

IBM PC & XT

IBM PC & XT Computers - Call

SOFTWARE FOR IBM PC

dBASE II	\$359
Lotus 1-2-3	CALL
Home Accountant Plus	\$99
Peach Pak Series 4 (A/R, A/P, G/L)	\$229
Peach Text 5000	\$237
PFS: File	\$89
PFS: Report	\$79
PFS: Graph	\$95
PFS: Write	\$89
SuperCalc II	\$165
SuperCalc III	\$259
TKI Solver	\$219
Versafont	\$249
Wordstar Professional	\$365
Word with Mouse	\$299
Microsoft Word with Mouse	\$295
Hayes Smartcom II	\$79
Multiplan	\$155

COMPAQ

Compaq 128K, 1 drive SCALL

Compaq 256K, 2 drives SCALL

CompaqPlus, 128K, 1 drive, 10MB hard disk SCALL

CompaqPlus, 256K, 1 drive, 10 MB hard disk SCALL

COLUMBIA COMPUTERS

Model 1600-1, Two drive system Call

Model 1600-4, One drive & one 12MB hard disk system Call

Model 1600-VP Portable unit with two drives, 9" monitor Call

SANYO

DESK-TOP BUSINESS COMPUTERS

MBC-550, 128K, 1 drive CALL

MBC-555, 128K, 2 drives CALL

Sanyo green monitor \$179

KAYPO CALL FOR PRICE!

MONITOR SALE
FREE inter ace cable included!
*** RGB COLOR ***

Princeton HX-12, 12" RGB Color, high resolution 600 dot, 16 colors, similar cabinet as IBM monitor. \$469

Amdex RGB Color II Plus, 640 dot hi resolution, 16 colors \$459

*** GREEN SCREEN ***

ELKA Green Monitor, 12", 1,000-dot high resolution, 20 MHz \$119

Dynax GM-120, 12" green, high resolution 600-dot, 20 MHz \$129

Roland DG MB-122G, 12" green, 18 MHz, hi-resolution 720x350 dots, fully compatible with IBM monochrome display card SCALL

USI Pi-2, 12" green, 1000 dot high resolution, 20 MHz \$129

Taxan KG-12N, 12" green, 800 dot hi resolution \$149

*** AMBER SCREEN ***

Dynax AM-121, 12" amber, 600-dot hi resolution, 20MHz \$139

Taxan KA12N, 12" amber, 800 dot hi resolution \$125

USI Pi-3, 12" amber, 1000-dot hi resolution, 20MHz \$145

Amdex 310A, 12" amber, 900-dot hi resolution, designed to run on IBM monochrome display card \$165

Princeton MAX-12, 12" amber, 720 x 350 dot, runs off IBM monochrome display adapter \$199

DAVONG HARD DISKS

INTERNAL EXTERNAL with controller without controller

10MB	\$1,675	\$1,795	\$1,895
15MB	\$2,155	\$2,135	\$2,235
21MB	\$2,475	\$2,535	\$2,635
32MB	\$2,955	\$3,095	\$3,195

18MB Tape Backup for DaVong hard-disk (w/o host controller) \$1,435

18MB Tape Backup w/controller \$1,595

Networking Kit to hook up a total of IBM PCs. Comes w/software \$1,899

System

TAPE BACKUP

An economical way to back up 10MB in 4 minutes on a single cassette. SCALL

5 1/4" DISK DRIVES

IBM compatible

Tandon TM-100-1, full hi, DSDD \$159

Tandon TM-100-2, full hi, DSDD \$195

Tandon TM-100-4, full hi, DSDD \$335

Control Data 9409, full hi, OSDD \$225

Control Data 9428, half hi, OSDD \$199

Fac-55B, half hi, OSDD \$169

National, half hi, OSDD \$169

Model 142, half hi, OSDD \$239

AST Multi-Function Cards for IBM PC and XT

(Each card now comes w/ SuperDrive & SuperSpool)

Memory installed on card

none 64K 128K 192K 256K 320K 384K

w/serial port & clock \$227 \$267 \$317 \$367 \$417 \$467 \$517

above plus game port \$262 \$302 \$352 \$402 \$452 \$502 \$552

SixPakPlus Cards

MegaPlus II Cards

Amount of memory installed on board

w/serial port No. 1 & clock none 64K 128K 192K 256K 320K 384K

w/serial port No. 2 \$274 \$316 \$366 \$416 \$466

w/both parallel & serial port No. 2 \$309 \$349 \$399 \$449 \$499

MegaPak - expands a fully populated MegaPlus card(256K) to 512K \$299

Optional Game Port add \$50

I/O Plus II Cards

Standard card w/one serial port (S1) and clock/calendar \$129

Additional Parallel (P1), Game (G), or Serial 2 (S2) port add \$35 ea.

QUADRAM

QUADMASTER II - 9-Function memory expansion card for IBM PC

- Up to 384K
- Up to LPT-1, 2 & 3
- Chronograph
- QuadRAM drive
- Parallel port
- Master spool
- Serial port
- I/O bracket

Amount of memory installed on board

w/parallel, serial, game port, clock \$235 64K 128K 192K 256K 320K 384K \$275 \$325 \$375 \$425 \$475 \$525

Add Multi-Tasking to your IBM-PC and XT now!

TASC MASTER software with **AddRam Elite** or **AddRam Plus** Ultimate (Parallel) Boards

AddRam Elite (Parallel & serial ports) AddRam Plus (Two serial ports)

Memory installed-----64K 128K 192K 256K 320K 384K 448K 512K

\$399 \$459 \$519 \$579 \$639 \$699 \$759 \$819

STB

Paradise Multi-Function Card - for IBM PC/XT, 64K-384K parity checked memory. Complete with parallel port, RS-232C serial port, game port, clock/calendar, print buffer/disk emulator software.

memory installed 64K 128K 192K 256K 320K 384K \$289 \$339 \$389 \$439 \$489 \$539

HERCULES GRAPHICS CARDS - Creates hi-resolution graphics on the IBM monochrome. \$349

Amdex MAI Board - for both monochrome & color monitor plus 96K user memory expansion \$459

Paradise Multi-Function Card - for both color and monochrome displays, w/parallel port. \$399

Vista Disk Master - Disk controller card for both 5 1/4" & 8" drives, IBM-PC/XT compatible \$169

PLANTRONIC ColorPlus - Offers more colors in hi resolution plus parallel port \$379

TECMAR GRAPHIC MASTER - Multi-function graphics board for both RGB color or monochrome displays and can do graphics on both. \$499

STB Color Graphics Board - The newest entry from STB. Operates RGB color or monochrome monitor. It can also do graphics on the monochrome display. \$389

QUADLINK - An Apple emulator card enables the IBM PC to run Apple II software. No discrete reformatting necessary. \$479

MULTIGRAPH Monochrome & Color Display Adapter - 720x350 line mono-color graphics, Lotus 1-2-3 compatible. Capable of running software designed for color graphics on monochrome display. 32-bit internal architecture, 32K on board memory \$499

Parallel Port option \$75

Hayes Smart Modem

300 \$199

1200 \$485

1200B \$429

Smartcom II software \$79

DYNAMIC RAM CHIPS

4116 (16K) 200 ms \$1.50 ea. 9/512

4164 (64K) 200 ms \$5.95 ea. 9/550

4164 (64K) 150 ms \$6.95 ea. 9/560

NEC SPINWRITER

3550 - 33 CPS, 201 col., proportional space, bi-directional, parallel. \$1,575

2050 - Similar to 3550 but 19 cps \$939

7730 - 55 CPS, 203 col., parallel. \$1,795

Above prices include ribbon & ribbon

CAUTION F-10

40 CPS daisywheel (parallel) \$995

55 CPS daisywheel (parallel) \$1,349

Tractor for F-10. \$225

ABATI LO-20

18cps Daisywheel printer. Gume compatible. 10, 12, 15-pitch, proportional spacing, uni-directional, incremental/bi-directional operation. Dual speed switch. Parallel and serial interfaces. \$435

Optional Tractor \$99

ROLAND DXY-800 Plotter

Open intelligent X-Y Plotter. Hi-speed 180mm/sec. IBM-PC compatible. 11" x 17" paper size. Horizontal or vertical operation. Dual speed switch. Parallel and serial interfaces. SCALL

THE POWER DIRECTORS

P2 - A unique control center and surge protector w/5 lighted and a master rocker switches for your computer & accessories. It also filters out EMI & RFI interferences. \$125

P12 - Similar to P2 but w/6 switches, a master switch & digital clock. \$189

EPSON

FX-80, 160 CPS, 80 Col., friction & tractor feed, parallel Call

FX-100, 160 CPS, 132 Col., friction & tractor feed, parallel Call

MX-80FT, 80 cps, 80 col., tractor and friction feed, parallel CALL

MX-100FT, 100 cps, 136 col., tractor/friction feed, parallel CALL

RX-80, 120 cps, 80 col., tractor feed only, parallel CALL

RX-80FT, same as RX-80 but includes friction feed CALL

STAR GEMINI

Gemini-10X, 120 CPS, 80 Col., friction & tractor feed, (parallel) SCALL

Gemini-15X, above w/15" platen CALL

Delta-10, 160 cps, 80 col., parallel. Call

Delta-15, above but 15" carriage Call

PowerType, 18 cps daisywheel CALL

Rada-10, 200 cps, 80 col., parallel CALL

Rada-15, 200 cps, 132 col., parallel CALL

CITOH

8510AP Prowriter, 120 cps, 80 col., graphics, parallel \$335

8510-SP, above but 180 cps SCALL

8510-SCF, above but w/3 color ribbon (red, yellow, blue), also capable of doing orange, green, purple, blk CALL

1550 Prowriter-II, 120 cps, 136 col., 2K buffer, graphics, parallel. \$525

1550-PT, above but 180 cps SCALL

1550-SCF, similar to 8510-SCF but w/15" carriage SCALL

IDS PRISM

IDS Prism 80, 200 cps, 80 col, graphic, tractor/friction feed, parallel \$1,159

IDS Prism 80C, above + 4 color \$1,299

IDS Prism 132, similar to Prism 80 but w/132 col. yellow, blue, also capable of doing orange, green, purple, blk CALL

IDS Prism 132C, above + 4 color \$1,495

MANNESMAN TALLY

160L - 160 CPS, 80 column, 8 fonts, friction & tractor feed, parallel and serial interfaces. \$1,395

180L - Like 160L but 136 col. \$799

OKIDATA

ML-82A, 120 CPS, 80 col, pin & friction feed, serial & parallel. \$319

ML-83A, 120 CPS, 136 col., tractor & friction feed, parallel/serial. \$595

ML-84P, 200 CPS, 136 col., friction & tractor feed, (parallel) \$995

ML-84S, above but serial. \$1,059

ML-92P, 160 CPS, 80 col., friction & tractor feed, (parallel) SCALL

ML-92S, above but serial. \$599

ML-93S, 160 CPS, 136 col., tractor & friction feed, (parallel) \$739

ML-93S, above but serial. \$799

2410P, 350 CPS, 136 col., friction & tractor, 2 color, (parallel) \$2,295

BROTHER HR-25

New! 23 CPS daisywheel printer w/ 2 color printing, 3K buffer, proportional spacing, etc. Parallel. CALL

Tractor for HR-25 \$119

Dot Sheet Feeder for HR-25 \$199

BROTHER HR-35

New! 35 CPS daisywheel printer. CALL

Letter quality daisywheel printer with 2-color printing. Bi-directional, proportional spacing & bold printing, superbust script, 13 CPS, 3K buffer. Parallel interface SCALL

Cut sheet feeder \$199

Tractor \$119

Keyboard \$179

DYNAX DX-15

18 CPS daisywheel, 13" platen, 2K buffer, 3-pitch, (parallel) \$435

Tractor for 6100 \$120

EASTERN ENTERPRISES, INC. TOLL-FREE (800)392-7081 (ORDERS ONLY)


Mass Merchandising Since 1969

2937 S. VAIL AVE., LOS ANGELES, CALIF. 90040

Hours: Monday-Friday 8:30am-4:30pm Pacific Time

Calif., Alaska, Hawaii & all info Call (213) 725-3080

"Excuse Me,



Make Way For Hayes' Please.

An advanced, easy-to-use data management system for the IBM® PC and compatibles.

Want to get your paperwork out of a clumsy file cabinet and onto your PC's screen, where you can manage it better? Frustrated with data base software that's either too limited or too difficult to use? Hayes offers you a simple word of kindness.

Please™. A powerful, yet easy-to-use, system for organizing and managing your information. *Please* is flexible enough to store any data you enter, and it'll return data to you in exactly the form you need. *Please* does more.

It does it all faster. And it's sure to please!

"The menu, Please?"

Menus list all your options and tell you exactly which keys to press for every *Please* feature.

That's to be expected. As the telecommu ng leader, Hayes built its reputation on quality design, relia-

bility and customer support. Now these same standards have been applied to a new data management system that is going to instantly change the way you do business!

Say you're looking for an efficient way to maintain sales data. *Please* leads you every step of the way in creating a sales database that might include names, addresses, dates and figures. These categories are called "fields" in database lingo, and they're the very heart of your database structure.

Want last month's total in a particular region? Press a few keys and it's yours! A few more keystrokes and you'll know who's moving product, and what's your biggest seller.

Please will supply you with labels for a mailing to selected customers. It can send customer information to your word processor for a promotional letter. And it can receive data from

your spreadsheet program. *Please* will even look up a name and company for you, your Hayes Smartmodem* will dial the phone number, and you're ready to talk!

Taking this same sales database, you might also want to define special

fields for a custom Output Plan.

With a defined field for "COMMISSIONS DUE,"

Please can automa-

tically compute each salesman's commissions, and print them out in a report of your own design. All this and more, just for saying "Please."


And if you ever change your mind and want to change the structure of your database, please feel free. Step-by-step instructions *show you how*.

You have the same flexibility with any database you and *Please* design. You can store up to 16 million records and 200 custom Output Plans for each database! More than you're likely ever to require. But isn't it nice

"Make it snappy, Please!"

Need a report fast? You and *Please* can put together a Quick List in a matter of seconds.

Please!



"Put it here, Please!"

Design a special screen format to position data in a particular place.

Just in case you ever need it?

Now you might think that a data management system that does all this must be difficult to use. Right? Rest assured. *Please* works hard so you don't have to. An easy-to-follow sample disk shows you everything you need to know to create your first database. Three *Please* menus show you which keys to press to access every feature. And whenever you need it, *Please* provides on-screen HELP messages, tailored to a specific task. So you needn't waste time reading through a list of unrelated instructions on your screen. Or stop what you're doing to consult a manual. In no time at all, and with no assistance at all, you'll be a *Please* database pro!

knowing all that storage power is there?

"Merge these, Please!"

Combine data from one database into another, without changing your original.

Everything about *Please* is designed to save you time and effort. So what could make data management even easier? *Please Application Templates*, that's what!

To help you get up-and-running immediately, we've developed a series of practical, pre-designed templates. You'll appreciate their well-thought-out structure, and "fill-in-the-blank" ease. Choose several! For business and personal use. Including *Mailing List*, for storing names and addresses and producing mailing lists. *Contacts*, for man-

aging facts and figures about your sales contacts. *Applicants*, for following applicants throughout the interviewing process. *Appointments*, for maintaining your calendar and tracking all of your business expenses. *Household Records*, a complete home management system. And more! Your dealer has details!

Buy *Please* now! Get a FREE *Mailing List* template from your dealer.

Second FREE template of your choice, direct from Hayes!

Help yourself. Please! And take advantage of these two valuable offers. See your dealer right away!



Hayes

Hayes Microcomputer Products, Inc.,
5923 Peachtree Industrial Blvd.,
Norcross, Georgia 30092. 404/441-1617.

Circle 147 on inquiry card.

**NEW INSIDER
SUB SYSTEMS**

\$895.00

#1518 SHOWN

- IS00**
- 10 Mega-Byte Winchester
 - Hard Disk Controller

UPGRADES FOR YOUR IBM[®] PC /PC COMPATIBLES

- IS01**
- 10 Mega-byte Winchester
 - Modular hard disk controller
- \$1095.00**

- IS02**
- 10 Mega-byte Winchester
 - Floppy/Hard disk controller
- \$1295.00**

- IS16**
- Half-high tape drive
 - XT-Power Supply
- \$ 995.00**

- IS17**
- Half-high tape drive
 - Half-high floppy drive
 - XT-Power Supply
- \$1265.00**

- IS18**
- Half-high tape drive
 - Half-high 10 Mega-byte Winchester
 - Hard disk controller
 - XT-Power Supply
- \$2095.00**

- IS20**
- 20 Mega-byte Winchester
 - Hard disk controller
- \$1595.00**

- IS24**
- Half-high tape drive
 - Half-high 20 Mega-byte Winchester
 - Hard disk controller
 - XT-Power Supply
- \$2495.00**

- IS40**
- 40 Mega-byte Winchester
 - Hard disk controller
 - XT-Power supply
- \$2895.00**

- IS41**
- Half-high tape drive
 - Half-high floppy drive
 - 40 Mega-byte Winchester
 - Hard disk controller
 - XT-Power Supply
- \$3795.00**

- ISPS**
- XT-Power Supply
- \$ 290.00**

TAPE FOR YOUR IBM[®] XT

- XT01**
- Half-high tape drive
 - Half-high floppy drive
- \$ 995.00**

Micro Design International Inc. has been serving the computer industry for over 7½ years, call us today for our complete catalog or to place your order.

**TO ORDER CALL COLLECT
(305) 677-8333**

Master Card/Visa/Check/or Money Order


**MICRO DESIGN
INTERNATIONAL INC.**

"Your internal solution"

6586 University Blvd. Suite 7
Winter Park, Florida 32792

* IBM is a registered trademark
of International Business Machines Corporation

Circle 214 on inquiry card.



XENIX

for the IBM PC XT

Sritek's 68000-based XENIX system

BY STEVEN H. BARRY
AND
RANDALL JACOBSON

Is Sritek hardware in an IBM chassis really a supersystem? The Sritek Company is a small firm from Cleveland, Ohio, that manufactures an add-in memory/microprocessor card for the IBM PC. Its advertisements claim that this add-in card provides the ultimate in performance for the price.

In this review we will look at Sritek's 68000-based multiuser XENIX system for the IBM PC XT. This consists of Sritek's VersaCard (256K bytes of memory) equipped with an extra 256K bytes of memory and Sritek's 68000 MicroCard. As for software, we will look at Microsoft's complete XENIX system, including the Software Development package, the Text Processing package, and the Multi-User package. The complete system we tested costs \$2995. A basic single-user system with only 256K bytes of memory is available for \$1995.

We will discuss how an early sample of this system worked, compare it with the Radio Shack and Fortune versions of UNIX that we have reviewed, and discuss the advantages and disadvantages of the three-way IBM-Sritek-Microsoft marriage on an IBM PC XT. First, let's point out that the add-ins being tested here are really used best in an IBM PC XT hard-disk system, not in the standard PC. The manuals get very conservative about using XENIX on a floppy-only configuration. The system is a fantastic performer, but, in the XENIX software version 2.3A, released in July 1983, it is definitely not one for UNIX novices.

Sritek's implementation of XENIX, and the 68000 coprocessor to run it, is based on a software-partitioned hard disk. This partition allows PC-DOS (the IBM operating system) and XENIX to coexist on the same device. Limited data-file interchange is available now, but more is promised in the future—along with an MS-DOS (the generic version of PC-DOS) emulator for XENIX. When this becomes available, the user's investment in IBM-style software will be compatible with the XENIX/68000 purchase. Now, however, there is no such compatibility.

HARDWARE INSTALLATION

The Sritek hardware is based on a Motorola 68000 processor running at 8 MHz. The pro-

cessor card, or MicroCard, is mounted on a Sritek VersaCard that has 256K bytes of dual-ported memory, a connector for an additional piggyback 256K-byte memory board, and a connector for the proprietary SRIBUS. The SRIBUS connector is used to interface one of the several Sritek MicroCard processor boards (e.g., National 16032, Zilog Z80, Intel 80286, Intel 8086).

Sritek assumes you have 128K bytes, 192K bytes, or a full 256K bytes of memory mounted on the IBM PC XT motherboard. In the current version of the IBM motherboard, any memory over 256K bytes must be located on expansion boards in the IBM chassis. All of this expansion-board memory must be disabled to use the Sritek memory. This is a disadvantage for owners who have multifunction boards that also supply inexpensive memory. On the other hand, Sritek's memory is available for use by PC-DOS if you set the IBM motherboard switches to reflect the total amount of memory in the system (IBM plus Sritek). We did not test this aspect of the Sritek hardware. Another disadvantage, according to Sritek, is that the IBM power-up memory diagnostics will take a long time to run through the extra memory. The hardware we tested was a complete 68000 system that implemented 512K bytes of Sritek memory (in a 128K-byte IBM chassis). The 68000 processor uses Sritek memory when it is installed and in control of the system (running XENIX or one of the other operating systems offered by Sritek). Sritek says it may be used by the IBM PC XT's 8088 processor as an expansion memory for PC-DOS when the 68000 is not in control of the system. In the dual-processor mode, the 68000 runs its operating system (e.g., Microsoft's XENIX, the University of

(continued)

.....
Steven H. Barry is a senior scientist with Systems Research Laboratories Inc., (Eastern Division, 7320-C Parkway Dr., Hanover, MD 21076). He holds a Ph.D. from the University of Rochester and an M.A. from California State University, Los Angeles.

Randall Jacobson is a software manager for Systems Research Laboratories. He was educated at the University of Maryland.

AT A GLANCE

Name
Sritek VersaCard/MicroCard

Manufacturer
Sritek
10230 Brecksville Rd.
Cleveland, OH 44141
(216) 526-9433

Price
Single user, \$1995
Multiuser, \$2995

Processor
Motorola 68000

Memory
256K bytes expandable to 512K

Hardware Needed
IBM PC XT

Software Supplied
Microsoft XENIX

Audience
Knowledgeable end users

California at San Diego's pseudocode p-System, Digital Research's CP/M-68K, and Ryan-McFarland's RM/COS while the XT's 8088 processor is used as an I/O (input/output) processor and the IBM memory is used as an I/O buffer.

The Sritek memory is based on 64K-byte chips and is ported to allow access by either the 8088 or the 68000 processor under control of the XENIX operating system by means of an arbitration scheme. The 68000 has a paged memory-management hardware system that allows access to 2 megabytes (MB) of physical memory and supports program relocation. Relocation is essential to a multiuser, multitask operating system such as XENIX. It allows programs and data to be mapped into the available chunks of physical memory.

The alternative (placing programs at predetermined contiguous places) would cause excessive program-execution delays. A program that had to be loaded at location x and was 8400 bytes long, for example, would have to wait until location x and the next 8399 bytes were vacated. Even if the first program were transferred to disk periodically, the heavy disk I/O would cause unacceptably low performance during "simultaneous" program runs.

All of this is avoided with a memory-management capability. The Sritek memory-management hardware allo-

cates memory in 1K-byte chunks and allows processes (i.e., programs) to be as big as 512K bytes.

Because Sritek's XENIX operating system (OS) and PC-DOS coexist in separate disk partitions, both are available to the user. A future XENIX release will reportedly allow you to execute a PC-DOS program on the IBM 8088 processor under XENIX. Sritek XENIX software also allows the console terminal to be used as a three-way split-screen terminal.

Based on their performance and our visual inspection, the Sritek boards we tested were all well designed and executed. However, they were early releases and did not include the usual metal mounting bracket found on IBM-compatible hardware, nor was a card-guide included. Thus, the heavy, two-board-thick assembled unit was held in the IBM bus by the mechanical properties of the bus connector alone—a "bad show." We called Sritek to confirm that current shipments include these necessary accessories. Due to the double thickness of the complete Sritek assembly, you need two empty adjacent card slots to install it. The XT has more space than the PC, so this requirement is not as bad as it might have been, even though card slots are very scarce commodities in the IBM chassis. You hate to lose one whole slot due to bulky cards. The hardware installation was




Photo 1: Sritek's 68000-based multiuser XENIX system for the IBM PC XT with VersaCard, extra memory, and MicroCard, and system software for development, text processing, and multiuser support.

easy and the documentation was fairly complete, although it was plagued by idiosyncratic writing and devoid of formatting features that could ease the installer's job.

The hardware installation was the easiest part of the Sritek test. The card was preassembled and the switches were preset at the factory. We rearranged the cards already on the IBM bus to make room for the slot wasted by the double-thick Sritek module. We then cannibalized another IBM PC for a double-sided floppy drive. The one supplied by IBM was only a single-sided drive and Sritek supplies the software on 20 double-sided disks. Still, things went well and the machine booted quite serenely after the major surgery.

COLD START

The first steps after the actual installation of the hardware are to verify that the hardware is not interfering with the IBM PC XT and that the Sritek board actually works. The first of these is done by booting the IBM in PC-DOS (version 2.0) in the usual manner. That is, a PC-DOS floppy disk is inserted in the drive, or the floppy-disk drive door is left open so that the ROM (read-only memory) defaults to the 10-MB hard disk (if it has been formatted and PC-DOS installed). The monitor (an IBM color unit in this case) is turned ON and then the main power of the XT is turned ON. The usual lengthy wait ensues while the boot ROMs lead the machine through the memory check and hardware diagnostic routines. Finally, the OS comes up.

On this "loaner" system, the color/graphics adapter was being handled as a 40-column device due, probably, to the presence of IBM's medium-resolution color monitor. Sritek's XENIX handles the screen as an 80-column device, and PC-DOS must preset this mode before XENIX is started. Thus, after power-up in PC-DOS and the usual date and *time entries*, the proper thing to do is type "mode 80 <return>". This causes the system to handle the video-display terminal as an 80-column device (pretty uncomfortable on this type of color video-display terminal). The 80-column mode also can be set as a power-up default setting. Sritek explicitly recommends the 80-column switch setting on the IBM motherboard for in-

(continued)



Complacency or curiosity?

Move your children away from the passive nature of TV and turn them on to the excitement and fun of interactive learning with Dow Jones News/Retrieval®.

You probably thought Dow Jones News/Retrieval only provided business and financial information. *Wrong.* We've got something of value for the whole family.

With our 20-volume, 30,000 article Academic American Encyclopedia, Dow Jones News/Retrieval will pique your children's curiosity about the world and help them develop new skills. The information they need for school is easy to access, always up-to-date, always ready. And kids love to use it!

There are timely news reports

from Washington, our nation and the world. You also get current schedules and rates from the Official Airline Guide;™ Comp-U-Store, a convenient shop-at-home service; Cineman Movie Reviews; sports highlights, weather reports and MCI Mail—the new electronic mail service that lets you send letters to anyone, *anywhere*, even if he or she doesn't own a terminal.

Overall, you'll find a wide variety of high-quality data bases accessible quickly and easily with most personal computers.



To get your children involved, excited and turned on to the fun of learning, turn them on to Dow Jones News/Retrieval.

DOW JONES
NEWS/RETRIEVAL®

Copyright © 1984 Dow Jones & Company, Inc. All Rights Reserved.
 Dow Jones News/Retrieval® is a registered trademark of Dow Jones & Company, Inc.

FOR FULL DETAILS, CALL 800-345-8500, EXT. 5

Alaska, Hawaii and foreign, call 1-215-789-7008, Ext. 5



All the C compiler support you need, from one place.

CROSS TO:

HOST:	CP/M-80	CP/M-68K	MS/PCDOS CP/M-86	P/OS-11
IBM370				
VAX VMS				
VAX UNIX (4.1 BSD)				
PDP-11 UNIX (V6, V7, III)				
IDRIS/R11				
RT-11				
RSX-11M/M+				
MC68000 UNIX (UNIPLUS+)				
IDRIS/S68K				
MS/PCDOS				
CP/M-86				

- C and Pascal for 6 machine architectures: PDP-11, 8080, 68000, 8086, VAX, 370
- Full C language implementation
- All of the most popular operating systems supported
- Optional cross support for: CP/M-80, CP/M-68K, CP/M-86, MS/PCDOS, P/OS-11
- Field-proven reliability since 1979
- New UNIX-compatible library for non-UNIX operating systems

HOST ONLY: CP/M-80*, CP/M-68K*,
VERSAdos, P/OS-11*
(*2.1 Cross Compilers
are Available)



Circle 326 on Inquiry card.

Whitesmiths, Ltd.

97 Lowell Road, Concord, MA 01742, (617) 369-8499, Telex 750246 SOFTWARE CNCM

UNIX is a trademark of Bell Laboratories; PDP-11, P/OS, RSX-11M, RT-11, VAX, VMS are trademarks of Digital Equipment Corporation; CP/M is a trademark of Digital Research Co.; MC68000 and VERSAdos are trademarks of Motorola Inc.; IBM, PCjr, MVS, VM/CMS and PCDOS are registered trademarks of International Business Machines Corporation; MS is a trademark of Microsoft; UNIPLUS+ is a trademark of Unisoft Systems of Berkeley; Idris is a trademark of Whitesmiths, Ltd.

It is visually interesting, like modern art, but not much like anything you've seen before.

staffions with the color graphics card, but it's easy to miss this recommendation in the current manual.

After a successful PC-DOS boot, the Sritek "SHRQUP" floppy is exchanged for the PC-DOS disk and the SHRES diagnostic is run. Everything ran fine in our case, and the manual said to skip the sections on installation for other manufacturers' hard-disk configurations.

The OS Configuration Procedures section of the technical manual occupies about 113 pages out of 130 (less appendix). The following ominous note appears at the end of the first page:

... You should be willing to follow the directions carefully. Here, follow the step-by-step procedure given in the first several pages to avoid mistakes. Do not skip any step or if off and in an upper XENIX user's manual. The whole process (hardware, software and disk set up) took about three hours. The procedure looked simple: insert a couple of disk partitions, follow a detailed example, and then let the Sritek batch file (really a "shell script") do the rest. First, a copy is made of the Sritek SHRQUP disk, then the PC-DOS partition is removed from the hard disk if it had been installed previously (a backup is made of the current hard-disk contents before the partition is removed). You are asked to decide on the amount of space on the hard disk to be allocated for XENIX (at least 1 MB) and whether you want a DOS partition. We chose 1 MB for XENIX and 1 MB for PC-DOS.

When you think about it, a 1-MB disk is pretty small—at least for a UNIX system. UNIX is large: The "kernel" is usually between 50K bytes and 120K bytes, and the utilities, on-line manuals, games, useful programs, required system files, and command take several megabytes of disk space. In size is the result of it being a very powerful operating system and also the consequence of having about 200 very useful utility programs in a completely developed system.

Other operating systems are smaller, but the consequences become obvious when a common UNIX-style facility is needed and not available. Thus, we have doubts about using a 10-MB disk for even one OS, let alone two, when one of them is UNIX.

ANTICIPATE

The SHRES utility on the SHRQUP disk was used to install the two-disk partitions we chose. This was where I should have noted the instruction to not change the number of sectors for XENIX, because the instruction appears as part of the example, or perhaps because we were having an off night and didn't read the screen message completely, we didn't record the number. This wasn't a disaster—just a little uncomfortable until we decided what to do to recover. Otherwise, partitioning the disk was not difficult.

At step 3 of the instructions, things began to get interesting. The "BOOTABLE" program is run from the SHRQUP disk. This installs a bootstrap loader in the Sritek memory for use by the SHRES. Then SHRQUP is typed. Here was where the number of sectors (blocks) was needed. The instruction manual does not warn you that you will be asked for this information at this point. After calculating the theoretical correct answer and entering edit, a long series of commands was executed in a batch-type environment. The result is that the XENIX kernel, bootstrap, swapper, and a portion of the "root" file system were installed within the 1-MB XENIX partition on the hard disk. Following this step, you are instructed to insert each of nine disks that contain the rest of the files to be installed in the "root" (i.e., the XENIX system) file system.

UNIX allows disk media to be divided into several named sections, called file systems. Sritek's implementation of XENIX uses two of these—the system's information is put in the root file system, while the user's information is put into a user file system. An unexpected question is displayed at this point: "Adevar contains data. Overwrite (y/n)?" The documentation has no guidance for you; the question is not even mentioned in the documentation. We guessed "y" on the grounds that we were doing a new thing on top of the PC-DOS data. We got

lucky—the system picked up on the prepared script above in the manual. After the nine "root" TAR (tape archive) disks are loaded in, you are asked to feed the 10 user-file TAR disks to the system. Loading disks takes about 31 minutes (think about the implications of this for making backups of the hard disks). After this is done, you are finally ready to log into XENIX.

BRINGING UP, BACKING UP, AND BACKING OUT

The backup copy of the SHRQUP disk is inserted in the floppy-disk drive, the IBM software Reset key-sequence is pressed (Ctrl-Alt-Del) and then the XT uses the AUTORECOVER file on the disk to execute the sequence of commands that invokes XENIX. All goes well—unless you have expanded on the Sritek instructions as we had. We decided not to let the hardware switches to indicate 80-column mode for the color monitor. Reading 80-column text is uncomfortable for us on a medium-resolution color monitor. We were given no modal choice by the XENIX OS since it only provides an 80-column terminal handler that talks in talking to a Teletype/VT1 terminal. Nevertheless, we wanted 40-column display in PC-DOS/40-column displays have other disadvantages. Thus, when we executed the IBM software Reset key-sequence, the display was automatically reset to 80-column mode as indicated by the hardware switches. The software, however, was expecting 80-column mode. So, while the XENIX bootstrap procedure went along just as planned, we found ourselves looking at an unreadable display. We were victims of our own attempt to preserve our display options. Forty-column hardware and a Teletype handler program yield an interesting pattern of unreadable data repeated, more or less, in each of the four quadrants on the screen. It is visually interesting, like modern art, but not much like anything you've seen before. The solution was to return to PC-DOS and reset the 80-column mode.

However, we first had to get into XENIX to shut down in an orderly way. UNIX users learn quickly that one does not just turn off a UNIX machine. The result, often, is a corrupted file system.

—G. H. HALL

No UNIX novice should attempt to learn the XENIX system while logged in as the superuser.

Now, this was not likely since the system was, according to the Sritek manual, at a log-in message. However, this was a new system and was installed with a manual already shown to have a few quirks. We were not happy about possibly losing several hours' work. Some people would think of this as a potential adventure. We just thought of it as a lot of potential messing around. There are no instructions of any worth in the installation manual on how to log into XENIX. You are told to do so, period.

A careful reading of three separate portions of the Microsoft XENIX manuals may tip you off, but maybe not if you're a XENIX novice. So the problem was, "How do we log into XENIX and provide for an orderly shutdown when we can't see what the system's doing?" Well, we "lucked out" again. Reasoning that XENIX should be standard across machines, we used the same startup and shutdown sequences as in the Radio Shack TRS-80 model 16B XENIX review we wrote last summer. Voilà! We were back in control without major consequences. However, we don't recommend this as a general practice. For one thing, randomly pressing keys in a UNIX system is a lot like looking into a strange tank of fluid with a match for light. In some cases nothing happens. In others, the results are quite explosive. In this case, however, all we had to do was type Ctrl-D (to allow the system to start up in "normal" mode—really multiuser mode), enter the date and time in YYMMDDHHMM format, and type "root" (the system managers' account) in response to the invisible "login:" invitation. Then, after the system invisibly gave us the "superuser" command prompt (a "#"), we typed "haltsys" to run the program that brought things to an orderly stop. This is another area where Sritek should have provided an explicit set of instructions. Even a careful reading of the Sritek and Microsoft XENIX manuals

does not yield a clear, concise explanation, in one place, of how to start the system from "cold;" how to log in for the first time, and how to establish less dangerous accounts than "root." The system is, as it comes from Sritek, easiest to log in on as "root." Root is, of course, the superuser (manager), who can read and write any file, can use any available command, and is responsible for system maintenance. No UNIX novice should attempt to learn the system while logged in as the superuser. In extreme cases, whole file systems can be lost irretrievably or critical system files or utilities can be damaged beyond use. In less drastic cases, files can be made inaccessible to regular system users.

Again, the problem is that the manuals are not very clear about getting into XENIX. In fact, the manuals don't even explain that typing <RETURN> at the first log-in prompt activates XENIX in single-user mode. Having made it into multiuser XENIX through information gleaned from another manufacturer's product, our next step was to shut it down so we could decide what to do about the display. We typed "haltsys" and halted the system.

Having extricated ourselves from the 40-column syndrome, we created a small AUTOEXEC.BAT file to set mode 80 and boot into XENIX. Our AUTOEXEC.BAT does this by using the XENIX.EXE utility provided on the BRINGUP disk. This strategy avoids the Ctrl+Alt+Del sequence that, in PC-DOS, resets the screen to 40-column mode and began all the trouble we just described. The procedure works well and the normal XENIX start-up screens are seen during the boot process. From there on, it is fairly normal XENIX. A lot of commands and programs that are extra with other companies' XENIX systems (e.g., Radio Shack) are included with Sritek's implementation at a cost of \$495 for the software. These include the C language, a host of development utilities, and the usual multiuser capabilities (although you supply your own hardware I/O ports). The software is all there to support a heavy development environment. It's just that the documentation is not up to the job.

Sritek reports that a number of flaws reported in this review have been corrected since we received our unit last summer.

First, the IBM can have more than 256K bytes of RAM (random-access read/write memory). But Sritek recommends that when you first bring up the XENIX system, you remove all but the first 256K bytes of memory. When the XENIX system is running correctly, you supposedly can replace your expansion memory boards up to 512K bytes of memory. A 64K-byte "widow" starting at 9000 hexadecimal must be left open to allow the 8088 to access the memory on the 68000 board.

DOCUMENTATION

Technical manuals have been the neglected stepchildren of the micro-computer industry. Sritek's manuals (including Microsoft's manuals) are actually examples of high quality, compared with most put out by the industry. In particular, the manuals are full of such advice as: "Ground yourself thoroughly before you touch any component on the board. (CAUTION: The MOS IC [metal-oxide semiconductor integrated circuits] components on the board are sensitive to static discharge. Static can damage MOS ICs.)" However, better organization is needed. The caution should have appeared before the instruction to unpack the boards. Complete instructions on ways to ground yourself safely should have followed. Then, and only then, should the user be instructed to unpack the boards. All of these should have been set off from installation instructions by clear document formatting conventions.

Warnings (possibility of injury), cautions (possibility of equipment damage), and notes (things to watch out for to assure proper installation) should each be formatted in a distinctive style. Doing so would draw the user's eye before attempting an improper action. The Sritek technical reference manual constantly refers to the IBM DOS manual for required details of procedures (e.g., making backup files before installing the XENIX software). Such actions, even if they are PC-DOS actions, should be explicitly described in the Sritek manual in each of the places where the material is relevant. Similarly, the manuals should not refer to earlier sections for instructions. Sritek illustrations are placed near their text references, but the quality of reproduction and the use of photos instead of drawings make them nearly

useless. In the sections on software installation, the manual fails to adequately distinguish between what is placed on the screen by the computer and what is required of the installer.

Cautions and notes (not labeled as such) routinely come after the text describing the action they are meant to modify. A few cautionary messages appear on the screen buried in text, rather than in the manuals. Screen formatting of information and instructions that belong in cautionary messages is lacking. For example, at one place in the installation instructions you are asked (in a long message on the screen) to record the number of disk blocks available to XENIX. This number is used later. The message is easy to miss. We missed it and it cost us several minutes of reading and calculation to reconstruct the number that we should have recorded.

Finally, the installation manual fails to follow an actual live installation sequence. There are several places where unexpected questions appear, where the sequence of events is not quite as stated in the manual, or where a full explanation of the range of possible user actions is missing. There are other places where known bugs in the IBM PC-DOS software should have been explained and the way to fix them presented. These comments on the Sritek manual cover only some of the issues that make a manual easy or hard, helpful or not. The point is that, while it is certainly possible to use much of the available documentation, a lot can be done to make it easier and faster (without necessarily shortchanging the user on valuable technical detail). The benefit to the user is less chance of dangerous, costly, or annoying foul-ups. We can all do with fewer of those.

The XENIX manuals are similar to the standard AT&T documents supplied by Western Electric in their version 7 release of UNIX, with some additional material to cover enhancements. A few changes, mostly cosmetic, have been made. The documents are fine for an experienced UNIX user but terrible for a newcomer. Commands and programs are documented in a peculiarly terse and unnecessarily technical style guaranteed to confuse even experienced users of other systems. UNIX hackers who begrudge every extra character in a document love this stuff. In

fairness, Sritek told us that the system is intended for use by system houses and by knowledgeable end users, and that the manuals were not the best and most current because, just as it was about to spend a bundle to typeset the real stuff, AT&T announced that the new System V manuals, which were to be available soon, would be great. We find it hard to have much patience with this when a bunch of users are getting some pretty raw stuff until "soon" rolls around.

Sritek has indicated that it has also upgraded the documentation since our review. It has added several addenda on such topics as how to log on to XENIX, how to access printers, and so forth. Information on the major device number has also been added to the manual.

LEGACY

UNIX is a great operating system, but it is hard to learn on your own without some good tutorial manuals. UNIX development began at a time (in the 1960s) when the only inexpensive and reliable terminal around was the Teletype model 33. This device was slow (10 characters per second) and the keys required several pounds of pressure to actuate. Thus, the user-system interaction is extremely terse. Users wanted to type as few characters as possible and were just as happy to have the result of a command be blissful silence. We are left with that legacy in the standard user interface for UNIX, the one Microsoft

uses in this version of the OS (Sritek says that the Microsoft "visual shell" is not far off). We think a company should compensate by including one of the three good commercially available introductions to UNIX in its \$500 software package when its own introductory material is unsatisfactory.

A more serious omission, however, was that the copy of XENIX we reviewed was undeveloped. Even Microsoft's (nontutorial) manuals were inaccurate in several critical details. Several important files for UNIX are placed in atypical (for UNIX) parts of the file system, while the manual calmly quotes AT&T chapter and verse on where they should be. The line-printer (serial or parallel) driver is not configured, and the usual UNIX-style procedures won't work. This, in turn, is due to insufficient information in the Sritek technical manual (the major device number is missing) about the oddly named or misplaced files. These are all indications that Microsoft rushed XENIX out the door. We hope that the long-awaited XENIX version 3.0 will arrive from Microsoft and most of these criticisms will be answered. Note that the Radio Shack version of XENIX we tested several months ago was much cleaner, much better documented, and much easier (still not easy) for a new UNIX user to grasp. All without waiting for AT&T's System V manuals. Also, this Microsoft XENIX was missing many

(continued)

Table 1: The machine tested had a 512K-byte memory and an 8-MHz 68000 chip. Each test was run twice, with the lowest time recorded. Entries in the Real column represent total elapsed time; entries in the User column represent time in the user process; and entries in the System column represent kernel time. Times are given in seconds.

Function	Command	Real	User	Sys
compile sieve	cc -O sieve.c -o sieve	27.0	3.3	5.4
execute sieve	sieve	1.0	0.5	0.1
simultaneous sieves	sieve&sieve&sieve&time sieve	1.0	0.5	0.1
compile terminal	cc -O terminal.c -o terminal	29.0	3.9	5.4
one terminal	terminal 1	19.0	0.4	5.0
two terminals	terminal 2			
three terminals	terminal 3			
compile disk	cc -O disk.c -o disk	30.0	4.0	5.6
one file	disk 1	2.0	1.2	0.3
two files	disk 2	5.0	2.3	0.6
four files	disk 4	12.0	4.9	1.1
eight files	disk 8	18.0	11.1	2.3
simultaneous sorts	sort f1 >f1s&sort f2 >f2s&sort f3 >f3s&time sort f4 >f4s	41.0	4.7	1.7
multifile sort	sort f1 f2 f3 f4 > sorted. file	67.0	24.5	9.1

Truly knowledgeable end users will have a fine time with the add-in memory and processor cards.

mature XENIX niceties. Installing a new user is a matter of editing several files as "root" instead of running a simple utility and typing the new user's name and password. Several other utilities that make life easier were also missing.

PERFORMANCE

Whatever Sritek lacks in glossy presentation, good manuals, and mature XENIX implementation, it is certainly not lacking in system performance. This system is clearly the fastest number-crunching UNIX-style microcomputer implementation we have ever tested. The MC68000 chip was only running at 8 MHz (10 MHz is a planned option) on our board, yet the benchmark times we found were outstanding. Other UNIX or XENIX systems using 6-MHz 68000s (e.g., Radio Shack TRS-80 model 16B and the Fortune 32:16 System 20—not an XP model) were several hundred percent slower on the sieve.c compute-bound benchmark reviewed in the Gilbreath and Gilbreath article and the Barry and Jacobson article (see references). These other systems are not particularly slow (they're right about where you would expect them to be, given their clock speed)—the Sritek is just very quick. The benchmark is shown in table 1. This is the same benchmark we used for the Radio Shack test. The compile time is longer for the Radio Shack (33 seconds) than for the Sritek (27 seconds), while the Fortune compiled sieve.c fastest of all (20 seconds). These long compile times occur because the process is primarily disk-bound. All three systems have relatively slow stepper-motor-type Winchester disks (average access time about 90 milliseconds or so). Note, however, that the Sritek and the Radio Shack both have separate I/O processors with their buffer memory (a 280 and 64K bytes in Radio Shack's), but both require more compile time than the Fortune. On ex-

ecution time for the benchmark program called Sieve of Eratosthenes, a compute-bound algorithm for finding 1899 prime numbers (see references), the Sritek used only one-tenth the time needed by the Radio Shack and did nearly as well against the Fortune. When four simultaneous sieves were executed, the execution time for the last one was the same as for a single sieve. The Radio Shack performance was nearly proportional (380 percent longer). The results are so good that we wonder if the XENIX time utility was really working (although the other times—compile, terminal I/O, disk, and sort—were also quick, but reasonable). In fact, two other sieve benchmarks we've seen, from other sources using Sritek hardware and XENIX software, have very different (and longer) execution times. According to our figures, the Sritek evidently uses the 8088 and its memory to good advantage in I/O-intensive situations but really shines in compute-bound tasks. This conclusion is valid for all of the diverse times that have been reported for the sieve benchmark on this product.

CONCLUSIONS

The Sritek add-in board provides a high-performance boost for the IBM PC XT in XENIX. The documentation is relatively poor, even in the realm of relatively poor UNIX documentation. Sritek does not have a national distribution or dealer network—all repair work is on a return-to-factory basis, and the installed base is not large. The full 512K-byte Sritek system will cost \$2,995 over what's already invested in the IBM PC XT system. All that money (about \$9,000 total) for a nearly raw system and the disadvantages of a multivendor maintenance situation is a little too much. For that kind of money, there are several good vendors out there with fine systems that are fully supported by both dealers and a national service organization. True, these systems are much slower at compute-bound tasks, but they often match, or exceed, Sritek's abilities on typical I/O-intensive business tasks.

We were not able to test any of the application program library mentioned in the technical reference manual. It is worth noting, however, that some good UNIX application software is on the

market (usually bundled with or available on a major manufacturer's hardware package) and that more will be out soon. Sritek mentions the usual business standards—a spreadsheet, a word processor, a database manager, a full accounting system, etc.—in its technical reference manual's specifications list. These packages seem to be drawn from those available in the general UNIX/XENIX market. It is not clear what level of support a business user would have from Sritek on such third-party software. Our guess is that if a bug cropped up you would go to the software vendor and hope that it was not due to some subtle interaction between the IBM hardware, the Sritek hardware, the Microsoft OS, and your application package. Sritek's intended market—advanced users and systems houses—should be able to handle these problems, but not quickly nor easily.

In summary, we can recommend the Sritek add-in memory and MC68000 processor cards as outstanding technical products. Truly knowledgeable end users will have a fine time with this hardware. The XENIX software and documentation can be expected to improve substantially in the near future; in fact, since our review Sritek has started offering Pascal and C compilers and the Unix database-manager program. Once some other hurdles are jumped (with little help from the current documentation), the operating environment is comfortably UNIX, version 7, with the Microsoft enhancements described in our Radio Shack article (see references). The product may gain broader appeal with better documentation, more mature OS software, easily available applications software with integrated support on the Sritek system, a strong dealer network, and national support. Sritek reports that the System V version of UNIX will be available this summer, along with a board based on the 68010 chip with enhanced memory-management capabilities. ■

REFERENCES

- Barry, Steven H. "The Fortune 32:16 Business Computer." BYTE, May 1983, page 82.
- Barry, Steven H., and Randall Jacobson. "The TRS-80 Model 16B with XENIX." BYTE, January 1984, page 288.
- Gilbreath, Jim and Gary Gilbreath. "Eratosthenes Revisited. Once More through the Sieve." BYTE, January 1983, page 283.

Don't buy Omninet just because it's the #1 network.


Buy it because it's the best buy.

At under \$500 per node, OMNINET has the lowest cost per station of any local area network.

Because an OMNINET Network uses simple, twisted pair wire. Which means that cabling costs one fifth of the coaxial alternatives, with none of the installation headaches.

Result? OMNINET is both easier and less expensive to install. Or expand.


Buy the system for unmatched flexibility.



From Apples to Zeniths, OMNINET handles more types of micros than any other network. So keep the DEC's in Data Processing and the PC's in Purchasing; OMNINET makes for great working relationships. And starting with

options like electronic mail, your people can choose from over 500 different programs according to their needs. Not their network's limitations.

What's more, CORVUS can handle all your hardware needs. From 6 to 45 MB hard disks through 200MB Random Access backup at an amazing \$11 per megabyte. Both, with OMNINET servers built right in.



Buy the OMNINET Network for the most expandability.


If you're just starting a network, consider OMNISHARE™ Software. It lets your regular PC's or PC-compatibles make full use of the disk space on an IBM PC XT.™

When you want to draw on the resources of your central computer, you'll want Corvus' SNA Gateway. It lets your network's micros tap into your mainframe's information.

Whether you have 2 computers or 2,000, OMNINET can get the most out of them.

Buy us for our experience.

We pioneered local area networking for micros. And we're constantly working on better ways to give you the system you need, with the versatility you want, at a price that makes sense.



With the result that 3 out of every 5 locally-networked micros in the world are connected to a CORVUS network.*

Give us a call at 800-4-CORVUS to find out more.

Because when it's all said and done, one of the best arguments for going with an OMNINET Network is really very simple.

Buy it for your peace of mind.

CORVUS

The Networking Company.

*59% of all locally-networked micros operate in a CORVUS network according to InfoCorp. CORVUS, THE NETWORKING COMPANY, OMNINET and OMNISHARE are trademarks of CORVUS SYSTEMS INC. IBM PC and PC XT are trademarks of International Business Machines. APPLE is a trademark of APPLE COMPUTER INC. DEC is a trademark of DIGITAL EQUIPMENT CORPORATION. Zenith is a trademark of Zenith Corporation. TI is a trademark of Texas Instruments.

Circle 87 on Inquiry card.


THE ESSENTIALS

CompuPro Disk Subsystems

When it comes to answering your data storage needs, CompuPro has the essential components. Like our Floppy and Hard Disk Subsystems with Disk 3™ and Disk 1A™ controllers. They're the IEEE 696/S-100 products that will keep you and your system on the cutting edge of computing for years to come. Each reflects the most advanced technology available. And that's what you've come to expect from CompuPro. Because we've built our reputation on quality components like these for more than a decade.

DISK 1A™: Our high-performance floppy disk controller handles any combination of up to four 8" or 5¼" drives. The Disk 1A is perfectly suited for the highest level single or multi-user microcomputer system. It features state-of-the-art LSI architecture, high-speed DMA interface, and complete compatibility with CP/M-80™, CP/M-86®, CP/M-68K™, CP/M®8-16™, MP/M™8-16™, and Concurrent CP/M™8-16™ operating systems.

DISK 3™: Our hard disk controller, which supports as many as four 5¼" Winchester drives, achieves new levels of performance for multi-tasking systems. The Disk 3's many features include transfer of each disk sector using high speed "burst mode" DMA, and a channel processor for independent seeking, reading and writing, as well as the capability to transfer large blocks of data between disk and memory with a single command. Compatible with the same operating systems as Disk 1A.



OF DATA STORAGE



FLOPPY/ HARD DISK SUBSYSTEMS:

Here's the essential peripheral for your micro-computer. Choose from a wide range of models to obtain the perfect disk subsystem for your application. We offer combinations of 20, 40 or 80Mb hard disks, with either a single 8" floppy drive or two 5 1/4" floppy drives to give you maximum flexibility in a single unit. Or you can have a unit containing two hard disks or two floppy drives. It's all up to you. Hard disks are manufactured by Quantum, and double-sided, double-density floppy drives by Qume and Mitsubishi . . . all are assembled in our famous disk enclosure. These packages can also be purchased without controllers and software for those upgrading their current system.

You can learn even more about making the most of your microcomputer by sending for our free catalog. In it, you'll find components and systems that can improve the way you work. And why CompuPro is essential to you.

The Essential Computer™

For Dealer Locations, see pg. 219.

CompuPro®


A GODBOUT COMPANY

3506 Breakwater Court, Hayward, CA 94545

(415) 786-0909

Circle 64 on inquiry card.

CP/M and CP/M-86 are registered trademarks and CP/M-80 and CP/M-68K are trademarks of Digital Research Inc. CP/M-8-16, MP/M-8-16 and Concurrent CP/M-8-16 are compound trademarks of Digital Research Inc. and CompuPro. Disk 1A, Disk 3 and The Essential Computer are trademarks of CompuPro. Specifications subject to change without notice. © 1984 CompuPro



That power cord may look innocent. But it could suddenly turn against your PC.

It could, for example, hurl a power spike from static or lightning into its delicate circuitry. Wiping out its memory. Or destroying a defenseless component.

Don't risk it. Get a 6-outlet Wire Tree Plus™ surge protector from NETWORKX™. It guards against spikes. Filters out RF interference. And it's the *only* device with two phone jacks to protect modems against surges.

Other unique features include separate switches for the CPU and peripherals and a bracket that

mounts under the front of the workstation. The illuminated switches are easy to reach, and yet recessed, so you can't accidentally shut down power and lose data.

If you don't need 6 outlets, pick up our 4-outlet Wire Tree™. Or our single-outlet Wire Cube™ that's ideal for portable computers.

That'll take care of power surges. But what if your foot gets tangled in a power cord? Prevent this potential disaster with the Wire Away™. It stores up to four 18-gauge wires and ends the hazardous mess of dangling cords.

All our products are backed by a 5-year warranty. So when you shop for a PC, ask for NETWORKX computer station accessories. And don't go home without them.

**LURKING
BEHIND EVERY
COMPUTER
IS THE POWER
TO DESTROY
ITSELF.**




NETWORKX™

Computer Station Accessories

Network, Brooklyn, NY 11237-4587 (212) 824-7555

Circle 233 on Inquiry card.



Turbo Pascal

A high-
performance,
low-cost
compiler

BY TOM WADLOW

Borland International's Turbo Pascal is a new language compiler that claims to combine the benefits of structured programming in Pascal, the interactive convenience of an interpreted language like BASIC, and the speed of a compiled language. All this is included in a package that retails for an amazingly low \$49.95.

Since Pascal is a compiled language, using it on a personal computer usually means you spend a lot of time cycling between compiler and editor, often shuffling disks in the process. What Borland International has done, however, is provide a souped-up compiler and a programming environment to use it in. The result is a high-level language that can be used for some kinds of serious program development but is easy and fast enough to be used for writing small applications as well. In other words, you shouldn't throw away that BASIC disk, but it will probably gather a lot of dust between uses.

In this review, I'll examine both versions of Turbo Pascal (CP/M and PC-DOS), describe its major features, and compare it to other "professional" compilers. (See also the text boxes "Turbo Pascal on CP/M" on page 268 and "Turbo Pascal on the IBM PC" on page 270.)

THE ENVIRONMENT

When you begin to run Turbo Pascal, the Turbo Main Menu comes up. From the menu you can select the files you will work with and the fashion in which they will be handled, and you can view some information about the resources at your disposal. Entering a single letter will execute one of the menu commands, but each menu item is displayed as a word or phrase, with the key letter highlighted on the screen.

From this menu you can edit or compile a program, change working drives, view a directory of the disk (or a subset of that directory), or change the parameters of compilation.

THE EDITOR

Turbo comes equipped with a built-in screen editor that is helpful when making small changes in a program. As supplied by Borland, the Turbo editor commands resemble a

subset of the WordStar word processor's command set. However, the editor can be configured during installation to look like, more or less, a wide variety of popular editors. I successfully configured the Turbo editor to accept a Mince-like set of commands, but it took several tries to get everything to behave properly.

This editor is very convenient. Errors occurring during program compilation automatically will put you back into the editing mode, with the cursor positioned on the line of code that caused the error. When you are executing a program that has been compiled into memory, some run-time errors such as a divide-by-0 will also drop you into the editor. This makes changing and recompiling fairly effortless compared to the traditional way of developing code on small systems.

The Turbo editor is not suitable for massive amounts of editing. There are several activities where the editor's inefficiencies will outweigh its convenience, and you will probably need to use another utility program. One example is the FIND and REPLACE functions, used for string substitution. A number of options are available to restrict or extend the type of searching and replacement that is done. However, for each iteration of the search, the program appears to start from the beginning of the file. This means that the replacement of each occurrence of a common string will take a long time.

Another strange feature of this editor is the definition of tabs. Most text editors have fixed or definable tab stops across a line. Many people are accustomed to formatting source code by indenting lines with the Tab key. The tabs in Turbo are a bit of a surprise, though. Tabs are set anew on each new line. This is done by automatically placing a tab stop at the start of each and every word on the previous line. Thus, a tab just after a carriage return will align the next line with the start of the previous line. There is some sense to this method, but I

(continued)

.....
Tom Wadlow is an engineer and freelance writer living in the San Francisco Bay area. He can be reached at POB 2755, Livermore, CA 94550.

Turbo Pascal on CP/M

BY AL PIERCE

Turbo Pascal allows in-line machine code and supports the full range of CP/M BDOS and BIOS functions as well as allowing user-written I/O drivers. Interrupts may be used but the programmer is responsible for preserving any registers used by the interrupt routines. Care must be taken because the standard I/O operations used by Turbo routines are not reentrant. This means that they will not work properly when called from within an interrupt handler. Likewise, the BDOS functions and most BIOS calls cannot be used. Interrupt enable and disable may be handled by the use of in-line statements.

In addition to the information on these features, the manual also contains system memory-management information. This includes memory maps of the system during the various compile and execute phases as well as the HEAP and STACKS. The operating-system specifics are covered in a thorough and concise manner with the programmer in mind. Ex-

amples pertaining to the use of each feature are given, many of which are short procedures that may be used as learning tools. I wouldn't have minded a bit more detail in some areas, such as the EXECUTE function, but on the whole I found it to be a good piece of documentation.

I found Turbo Pascal for CP/M to be an excellent product. The user interface is well done and the inclusion of terminal control functions is a nice touch. The ability to invoke other COM files from the main menu removes the tedium of switching back and forth to the operating system to copy files or check the directory. I only wish the Control-P printer toggle had been left intact but one can't have everything. Borland International deserves praise for this high-value product.

.....
Al Pierce (POB 2755, Livermore, CA 94550)
is an electronics technologist at the Lawrence Livermore National Laboratories.

found that the tabs did not do what I wanted more often than they did. There is, unfortunately, no way to perform traditional tab alignment.

The editor has several other features that may be a help or a hindrance to you, such as the software toggle for auto-indent and insert/overwrite, but the use of these is more a matter of personal choice than anything else. The fact that there is a convenient editor outweighs the small errors or design oversights that it may contain.

THE COMPILER

The compiler can be directed to compile *directly* into memory, where the program can then be executed, or you may compile onto the disk. The memory option is fast and useful for development. Compiling onto disk can be done in one of two ways. An executable file (i.e., a COM file under MS-DOS) can be created, which can then be run directly from the operating system. You

can also create special chain files (CHN), which are used only by Turbo programs and will be explained later.

The Turbo compiler is fast, but slightly peculiar. Turbo is not exactly the Jensen and Wirth definition of Pascal. If you are a Pascal purist, you may be irritated by the differences, especially if you bought it to run "standard" Pascal. But permit me a brief editorial comment: There is no such thing as standard Pascal. Yes, lots of people advertise that they sell it. I know about the Jensen and Wirth book that supposedly defines it. But standard Pascal doesn't really exist, because real Jensen and Wirth Pascal is not worth much as a programming language. It was never intended to be a development language, just a teaching tool. The real measure of Pascal compatibility is the similarity of dialects. For example, almost every Pascal worth using has defined a default clause for the CASE statement. This is not in the standard. When you compare

You can compile directly into memory, where the program can then be executed, or you can compile onto the disk.

Turbo Pascal to other versions of the language, you should examine Borland's extensions to the language and see if they are similar to your favorite version of Pascal.

I would describe Turbo as a Pascal-like language. The basic structure of Pascal is present, but in those places where changes are usually made, namely the CASE default clause, strings, I/O (input/output), structured constants, etc., the variations on a theme are often striking. Turbo is not really Pascal. But it's very useful.

DATA STRUCTURE

Turbo has all the standard types: integer, real, Boolean, and char. An integer is a 16-bit signed number. There are no long integer or unsigned integer types. There are also several new basic types:

- byte—essentially an 8-bit, unsigned integer
- strings—yet another implementation of strings in Pascal. These are done pretty well, though. A string is declared with its maximum length. Thus a string[80] can be less than or equal to 80 characters in length. A string[|] is essentially equivalent to type char.

There are also a whole slew of built-in routines to deal with strings such as:

- DELETE—delete a substring
- INSERT—insert a substring
- STR—convert integer to string
- VAL—convert string to integer or real
- COPY—return a substring
- CONCAT—concatenate two strings
- LENGTH—determine string length
- POS—search for a substring

In addition, adding strings can be done with the plus (+), which is the same as CONCAT.

Turbo also allows enumerated types, as in other Pascals. The difference in

Turbo comes with predefined data structures that enable you to perform the equivalent of BASIC's PEEK and POKE.

them lies with their I/O. In J&W Pascal, the code:

```
program test(output);

var
  foo: (alpha, beta, gamma);
begin
  foo:=beta;
  writeln(output,foo);
end.
```

should cause the text "BETA" to be written through output. In Turbo, this causes a compile error.

A new twist in Pascal data structures is the Turbo typed constant. This is a means of creating constants of any previously defined type, including arrays, strings, and records, even variant records. This capability is often found in more advanced programming languages than Pascal, and it is often useful. A typed constant might look like the one in listing 1. In this fashion, specialCommands becomes a read-only variable of type commandTable. Because you can do this for essentially any type, there are many possibilities for saving time and code-space initializing data structures.

Turbo comes with predefined data structures that map onto memory and I/O ports, so that you can perform the equivalent of BASIC's PEEK and POKE if you are so inclined. This is sometimes described as "being able to feel the bits between your toes."

FILE I/O

Borland has overhauled file I/O for Turbo Pascal. The way a file is referenced is by means of a file variable. The first operation on any file variable must be an ASSIGN, which binds the DOS name for a file to that file variable. Other operations that are only performed on file variables are:

(continued)

A Second Opinion Comments on Turbo Pascal

BY MARK BRIDGER

Since purchasing Turbo Pascal several weeks ago I have put it through its paces intensively; writing new programs and transferring old ones developed using Microsoft Pascal. I am teaching Pascal at Northeastern University this quarter and I write frequent illustrative programs to hand out to my students. It is truly a pleasure to create them using the Turbo editor and compile them to check for errors. What used to take several minutes of whirring disk drives now takes a few seconds; executable code files of 20K to 30K bytes are now reduced to 10K to 12K bytes. With this kind of performance, the difference in convenience between a compiled and an interpreted language is virtually nil.

In addition to schoolwork, I have developed several long scientific graphics programs. One of these, a surface drawing package, is about 2000 lines of source code. Making even minor changes in this program has hitherto been a time-consuming activity—even with 300K bytes of RAM disk. Thus, I was particularly anxious to see if it could be adapted to Turbo easily.

The first change was the graphics procedures: these were originally written in Pascal and assembly language and linked to the main body of the program. I first tried to use Turbo's "external" directive to call the machine-language routines. Unfortunately, this didn't work. The documentation of external procedure calls in the manual is confusing and contains several obvious errors. I tried many different rewrites of my assembly code to access the variables and return to Pascal: all to no avail. I could, it seems, call the routine, but I couldn't get back.

Finally I gave up and called Borland International for help. I eventually spoke to Mr. Phillippe Kahn, the president of the company. He discouraged me from trying this link-up and suggested that I either use the INLINE method of accessing machine code or, better yet, do the graphics

interrupts directly by using the INTR procedure. This procedure turned out to be ideal. You simply create a record REGISTERS (whose fields are the names of the 8088 registers), assign values to the appropriate fields, and then call INT(num, REGISTERS) where num is the number interrupt desired. It works like a charm, completely eliminating the entire machine-language linking.

Turbo does have a few quirks that require getting used to. For one, the input is not buffered the way that I'm used to in other Pascals. You can't look ahead by accessing INPUT. EOLN works a bit differently; you can't use IF NOT EOLN READLN(x) ELSE READLN to skip over a read with a return. However, you can get around this quite elegantly by reading input into a string and using the powerful string-handling routines. One of these, VAL, converts a string of digits into a real or integer—handy for bullet-proofing I/O. Also, strings are limited to 256 characters; it would be nice to have a full 64K bytes to use the string handling for large-scale byte manipulation.

Turbo has some truly wonderful memory-accessing tools such as the MEM array (all of memory becomes an array of bytes), the SEG and OFS functions, and the PTR function that allows you to create a pointer to any (absolute) memory address. If Turbo became the standard we might not have to program in C to play games.

Turbo is, without doubt, the best software value I have ever purchased. And, for the whipped cream on top, the latest version of Turbo contains access to all of the IBM PC's graphics modes, a line-drawing algorithm, multiple windowing, sound, and, for a small amount extra, 8087 support.

.....
Mark Bridger (21 Champa St., Newton Upper Falls, MA 22164) is an associate professor of mathematics at Northeastern University in Boston, Massachusetts.

REWRITE—open a file for writing
 RESET—open a file for reading
 READ—read a component of the file
 WRITE—write a component to the file
 SEEK—move to a location in file
 FLUSH—update the file
 CLOSE—stop using a file
 ERASE—erase a file from disk
 RENAME—give the file a different name
 EOF—detect end of file
 FILEPOS—return position in file
 FILESIZE—return size of file

In addition, there are the usual variations for text files, such as READLN, WRITELN, and EOLN.

Conspicuously absent are the Pascal GET and PUT functions. Borland has eliminated them from Turbo, and for good reason, as I know of no other concept (with the possible exception of pointers) in Pascal that has caused as much classroom confusion as GET and PUT. The Turbo READ and WRITE routines are sufficient to deal with the problems that GET and PUT were intended to solve.

LANGUAGE OPERATIONS

The first thing I look for in a new implementation of Pascal is the CASE statement. As I have said before, the default clause (i.e., the statement that is executed when the selector of the CASE

does not match any of the explicitly defined clauses) is a useful thing to have in a language. But there seem to be as many ways of implementing a default clause as there are designers of versions of Pascal. Borland has created yet another way—one that I don't care for much. An example of the Turbo CASE statement from the Turbo manual is shown in listing 2.

Notice that there is no BEGIN-END block surrounding the statements after the ELSE. Also notice that a semicolon precedes the ELSE. These irregularities are without precedent in the rest of the Pascal grammar. I think that Borland tried to make a CASE-ELSE that resembled the IF-THEN-ELSE statement. Unfortunately, what the company has done is create a statement that does not follow the grammatical conventions of the rest of Pascal.

This is not to complain that the ELSE is bad because it is nonstandard. My complaint is that the grammar of CASE-ELSE has a different flavor from anything else in Pascal. Turbo's typed constants are not standard, but they follow from the way types, variables, and constants are defined. This is a violation of standards but not a violation of spirit. The way the ELSE is defined for the CASE is a violation of both.

PROCEDURES AND FUNCTIONS

Pascal is known as a strongly typed lan-

Listing 1: An example of a typed constant.

```
type
  commandTable = array [1..5] of string[81]
const
  specialCommands: commandTable =
    ('RUN', 'STOP', 'LIST', 'COMPILE', 'QUIT');
```

Listing 2: An example of the Turbo CASE statement from the Turbo manual.

```
case Year of
  Min..1939: begin
    Time := PreWorldWar2;
    write('The world at peace..');
  end;
  1946..Max: begin
    Time := PostWorldWar2;
    write('Building a new world.'):
  end;
else
  Time := WorldWar2;
  write('We are at war!');
end;
```

guage, which means that the compiler tries hard to assure that the user declares exactly what kind of object each variable and parameter is and then enforces those decisions all the way through the program. Thus, if you declare a variable to be of type REAL, you cannot assign to it an INTEGER value.

Sometimes it is necessary to convert between types, however, and the standard Pascal solution has been to "wire-in" several conversion functions to the compiler and hope that they cover all possible cases. Examples of these converters might be FLOAT, which converts INTEGER to REAL, and TRUNC, which converts REAL to INTEGER.

In standard Pascal, it is not possible, save by exploiting holes in the language definition, to write your own FLOAT or TRUNC. They are "magic" routines provided by the author of the compiler. In Turbo, however, you can write conversion routines. Borland has provided a set of extensions to Pascal that allow you to relax type checking in a structured way. This permits you to do, in a consistent fashion, many of those things that Pascal programmers have been doing for years, by "cheating."

For example, imagine writing a routine to concatenate two strings. Ideally, it

Turbo Pascal on the IBM PC

With one small exception, the differences between Turbo on the IBM PC and Turbo on CP/M are all improvements. Most of the problems encountered with the CP/M version of Turbo have been corrected on the IBM PC version. There does not seem to be any difference between the execution of a program that has been compiled into memory and a program compiled into a COM file. There are a few restrictions, however. For example, it is not possible to use the CHAIN and EXECUTE routines from a memory-compiled program. These restrictions are well documented.

The editor on the IBM PC version of Turbo comes preinstalled, so little configuration is necessary. You must choose the display mode that the program will run (monochrome or one of the color display modes). If you wish, the installation program can be used to reconfigure the editor commands to taste.

The one missing feature in IBM Turbo is the EXECUTE command. The Turbo Main Menu lists a command that is advertised to execute a COM file directly. Unfortunately, this option has not yet been implemented for PC-DOS, as a message tells you when you try it.

AT A GLANCE

Name

Turbo Pascal

Use

Pascal compiler and development environment for MS-DOS and CP/M-80

Manufacturer

Borland International
4807 Scotts Valley Dr.
Scotts Valley, CA 95066

Size

Compiler and editor take approximately 35K bytes on MS-DOS

Features

Built-in screen editor and fast compilation to memory or disk; many language additions and special routines for performing systems programming

Documentation




A soft-bound 254-page manual, giving many examples and detailed explanations, is included

Price

\$49.95

Comments

A good development environment for small applications; similar to, but better than BASIC for many programs; not very compatible with other Pascal compilers



■ TURBO PASCAL COM FILE
■ IBM PASCAL EXE FILE

A comparison of Turbo Pascal and IBM Pascal running under PC-DOS on the IBM PC. Three programs, the Sieve, Puzzle, and Qsort (listings 3-5), are compared in terms of program size (top) and execution time (bottom). See the text box entitled "A Word About Benchmarks" for further details.

Modula-2

Volition Systems

Apple II \$295 Apple III \$395 IBM PC and XT \$395 Sage II and IV \$495

PO BOX 1236
Del Mar, CA 92014
(619) 481-2286

Sage™, Sage Computer Technology, Apple™, Apple Computer, Inc., IBM™, IBM Corp. Circle 324 on inquiry card.

A Word About Benchmarks

The comparison of any two compilers is a tricky thing. There are many variables and no one benchmarking program can cover all the bases. In addition, there are some intangibles, such as the convenience of use or the presence or absence of certain features, that may make one compiler "better" than another, even though the benchmarks may say otherwise.

Some notes on methodology: When making the measurements whose results are shown here, Al Pierce and I tried to measure what was important and discount what was not. For example, the measurements of compile speed were made from the issuing of the COMPILE command until the command prompt was displayed again. Thus, when compiling to COM files, the speed of the disk drives was an important factor. However, when executing a COM file, we measured from an initial message, discounting the time it took the operating system to load and start the program. The reasoning behind this was that the interesting part of the execution was the algorithm being tested and not the operating-system load routine. In addition, all measurements were done at least three times and the listed results are the average of those three (or more) runs. All times greater than 2 seconds are rounded to the nearest half-second. The results are shown in tables 1 and 2.

Compile times for IBM Pascal are not shown because the method of compilation was so drastically different (involving two separate programs and a linking phase to produce an executable program) that it would have been meaningless to try and compute a time for this process. Suffice to say that, in all cases, the process ran to several minutes for any of the three programs. In addition, it should be noted that IBM Pascal produces EXE files, a format that is slower to load and considerably larger, but more flexible, for large address space programs.

Two of the programs, Sieve (see listing 3) and Puzzle (see listing 4), are fairly well known as benchmarks for compilers. The third, Qsort (see listing 5), performs a Quick Sort on a worst-case array of 100 real numbers. This set of benchmarks is certainly not intended to fully measure the difference in performance for all features, but rather to give an indication of overall performance.

Also, the anomaly of the Puzzle benchmark, whose compile to a COM file is shorter (even with disk I/O) than a compile to memory, is not a mistake but actual measured performance. We did it eight times just to be sure.

Finally, just for the sake of a general comparison, a version of the Sieve benchmark was run under IBM BASICA. It took 33 minutes to complete.

Table 1: Benchmark results for Turbo Pascal running under PC-DOS 2.0. The benchmark programs were compiled on an IBM PC with 320K bytes of memory and two double-sided double-density disk drives. Compilation and execute times are shown in seconds; file sizes are to the nearest 1K byte.

Time for:	Sieve	Puzzle	Qsort
Turbo Pascal			
Compile to memory	0.8	5.7	3.4
Compile to COMFILE	2.0	3.6	4.0
Execute in memory	15.0	69.0	1.3
Execute COM file	15.0	69.0	1.1
IBM Pascal			
Execute EXE file	76.0	416.0	1.2

File Sizes:	9.000	13.000	11.000
Turbo COM file			
IBM EXE file	33.000	35.000	24.000

Table 2: Turbo Pascal benchmark results for CP/M 2.2. The computer system used had a Z80A processor running at 4 Mhz with no wait states, and two double-density 8-inch disk drives with a 3 millisecond step rate.

Time for:	Sieve	Puzzle	Qsort
Compile to memory	0.5	3.0	2.0
Compile to COM FILE	5.0	12.0	9.0
Execute in memory	23.0	77.0	1.0
Execute COM file	25.0	77.0	1.0
File sizes:			
COM	8.000	12.000	10.000

should work just as well for two strings of type string[5] as for two of type string[80]. In standard Pascal you would need to write a separate routine for each size of string used. In Turbo, you could easily write one routine to handle all of them.

There are dangers in doing this, though. There is no way of limiting type independence to a certain set of types. Thus, some unpredictable things could happen if you pass the wrong things to a type-independent routine. Relaxation

of type checking is not the default case in Turbo, so casual errors will probably be detected.

Incidentally, it is not only possible to write conversion routines in Turbo, but in the case of FLOAT, it is mandatory. Turbo comes equipped with a TRUNC, but not a FLOAT. Thus, there is no built-in way of converting integers to reals.

EXTERNAL ROUTINES

One important feature that Turbo lacks is the ability to create libraries of exter-

nal routines. This facility of separate compilation allows you to build a storehouse of procedures and functions whose code can be shared by many programs. In addition, the ability to compile and test portions of a program separately helps to speed up the development cycle of new applications.

Because Turbo compiles directly into executable files and no external linking is done, it is not possible to separately compile modules from a single applica-

(continued)

Sentinel Color Diskettes.



Introducing a practical new time-saving approach to help you organize data storage. Classify information by diskette color: for example, receivables in *green*, payables in *red*, inventory in *blue*, purchasing in *orange*, and so on...

Each Sentinel Color Diskette has a lifetime guarantee; 100% certified at levels which meet or exceed all criteria necessary for accurate, error-free read/write operations.

Phone toll-free for the name of the dealer nearest you:
1-800-323-5005 (in Massachusetts 1-800-323-5001).

Sentinel

TECHNOLOGIES

One Sentinel Plaza, Hyannis, MA 02601.

Circle 278 on inquiry card.

www.americanradiohistory.com

Listing 3: *The Sieve of Eratosthenes prime-number program.* It originally appeared in "Eratosthenes Revisited: Once More through the Sieve," by Jim Gilbreath and Gary Gilbreath, January 1983 BYTE, page 283.

```

const
  size = 8190;
var
  flags : array [0..size] of boolean;
  l,prime,k,count,iter : integer;
begin
  writeln('10 iterations. ');
  for iter:= 1 to 10 do
  begin
    count := 0;
    for l := 0 to size do
      flags[l] := true;
    for l := 0 to size do
      if flags[l] then
        begin
          prime := l + l + 3;
          (* writeln(prime); *)
          k := l + prime;
          while k <= size do
            begin
              flags[k] := false;
              k := k + prime;
            end;
          count := count + 1;
        end;
    writeln(count, ' primes. ');
  end.

```

Listing 4: *The Puzzle program, written by Forest Baskett, solves a simple puzzle.*

```

program puzzle;
(* A compute-bound program from Forest Baskett *)
(* This program solves a simple puzzle, and has been run on a very
wide variety of machines *)

```

```

const
  size = 511;
  classMax = 3;
  typeMax = 12;
  d = 8;
type
  pieceClass = 0..classMax;
  pieceType = 0..typeMax;
  position = 0..size;
var
  pieceCount : array [pieceClass] of 0..13;
  class : array [pieceType] of pieceClass;
  pieceMax : array [pieceType] of position;
  puzzle : array [position] of boolean;
  p : array [pieceType, position] of boolean;
  m,n : position;
  l,j,k : 0..13;
  kount : integer;
function fit (l : pieceType; j : position) : boolean;
label l;
var
  k : position;
begin fit := false; for k := 0 to pieceMax[l] do
  if p[l,k] then if puzzle[j+k] then goto l;
fit := true;
l;
end;

```

```

function place (l : pieceType; j : position) : position;
label l;
var
  k : position;
begin
  for k := 0 to pieceMax[l] do
    if p[l,k] then puzzle[j+k] := true;
    pieceCount[class[l]] := pieceCount[class[l]]-1;
    for k := j to size do
      if not puzzle[k] then begin
        place := k;
        goto l;
      end;
    writeln('Puzzle filled. ');
    place := 0;
  l;
end;
procedure remove (l : pieceType; j : position);
var k : position;
begin
  for k := 0 to pieceMax[l] do
    if p[l,k] then puzzle[j+k] := false;
    pieceCount[class[l]] := pieceCount[class[l]] + 1;
  end;
function trial (j : position) : boolean;
label l;
var
  l : pieceType;
  k : position;
begin
  for l := 0 to typeMax do
    if pieceCount[class[l]] <> 0 then
      if fit (l, j) then begin
        k := place (l, j);
        if trial[k] or (k = 0) then begin
          writeln ('Piece ', l + 1, ' at ', k + 1);
          trial := true;
          goto l;
        end else remove (l, j);
      end;
    trial := false;
  l : kount := kount + 1;
end;
begin
  writeln('Beginning PUZZLE');
  for m := 0 to size do puzzle[m] := true;
  for l := 1 to 5 do for j := 1 to 5 do for k := 1 to 5 do
    puzzle[l+d*(j+d*k)] := false;
  for l := 0 to typeMax do for m := 0 to size do p[l, m] := false;
  for l := 0 to 3 do for j := 0 to l do for k := 0 to 0 do
    p[0,l+d*(j+d*k)] := true;
  class[0] := 0;
  pieceMax[0] := 3+d*1+d*d*0;
  for l := 0 to 1 do for j := 0 to 0 do for k := 0 to 3 do
    p[1,l+d*(j+d*k)] := true;
  class[1] := 0;
  pieceMax[1] := 1+d*d+d*d*3;
  for l := 0 to 0 do for j := 0 to 3 do for k := 0 to 1 do
    p[2,l+d*(j+d*k)] := true;
  class[2] := 0;
  pieceMax[2] := 0+d*3+d*d*1;
  for l := 0 to 1 do for j := 0 to 3 do for k := 0 to 0 do
    p[3,l+d*(j+d*k)] := true;
  class[3] := 0;
  pieceMax[3] := 1+d*3+d*d*0;
  for l := 0 to 3 do for j := 0 to 0 do for k := 0 to 1 do
    p[4,l+d*(j+d*k)] := true;
  class[4] := 0;
  pieceMax[4] := 3+d*0+d*d*1;
  for l := 0 to 0 do for j := 0 to 1 do for k := 0 to 3 do
    p[5,l+d*(j+d*k)] := true;
  class[5] := 0;

```

```

pieceMax[5] := 0+d*1+d*d*3;
for i := 0 to 2 do for j := 0 to 0 do for k := 0 to 0 do
  p[6.i+d*(j+d*k)] := true;
class[6] := 1;
pieceMax[6] := 2+d*0+d*d*0;
for i := 0 to 0 do for j := 0 to 2 do for k := 0 to 0 do
  p[7.i+d*(j+d*k)] := true;
class[7] := 1;
pieceMax[7] := 0+d*2+d*d*0;
for i := 0 to 0 do for j := 0 to 0 do for k := 0 to 2 do
  p[8.i+d*(j+d*k)] := true;
class[8] := 1;
pieceMax[8] := 0+d*0+d*d*2;
for i := 0 to 1 do for j := 0 to 1 do for k := 0 to 0 do
  p[9.i+d*(j+d*k)] := true;
class[9] := 2;
pieceMax[9] := 1+d*1+d*d*0;
for i := 0 to 1 do for j := 0 to 0 do for k := 0 to 1 do
  p[10.i+d*(j+d*k)] := true;
class[10] := 2;
pieceMax[10] := 1+d*0+d*d*1;
for i := 0 to 0 do for j := 0 to 1 do for k := 0 to 1 do
  p[11.i+d*(j+d*k)] := true;
class[11] := 2;
pieceMax[11] := 0+d*1+d*d*1;
for i := 0 to 1 do for j := 0 to 1 do for k := 0 to 1 do
  p[12.i+d*(j+d*k)] := true;
class[12] := 3;
pieceMax[12] := 1+d*1+d*d*1;
pieceCount[0] := 13;
pieceCount[1] := 3;
pieceCount[2] := 1;
pieceCount[3] := 1;
m := i+d*(1+d*1);
kount := 0;
if fit(0, m) then n := place(0, m) else writeln('Error. ');
if trial(n) then writeln('Success in ', kount, ' trials. ')
else writeln('Failure. ');
end.

```

Listing 5: *The QuickSort program sorts a numeric array.*

```

program QuickSort(input,output);
(* Sort a numeric array using a quicksort algorithm.
Adapted from volume 3, 'Art of Computer Programming' by D.Knuth *)
(* Several things have been done to this QuickSort to use it as
a benchmark.
- The numbers to be sorted are REALS, which are a harder case than
16-bit INTEGERS.
- The input array is hard-wired in. In TURBO this is done by using a
typed constant. In the version used to benchmark IBM Pascal, the
array is initialized at run-time. Since TURBO does not have an
INTEGER to REAL conversion routine as IBM Pascal does, the two
could not be coded identically. However, the benchmark clocking is
done between the two -MARK-s, and initialization occurs before the
first mark, so the difference due to initialization methods should be
minimal. The input array is the worst case reverse order.
- For the actual bench-mark, the body of printArray is commented out
and replaced by a single writeln('-MARK-'). The reason for this is to
permit more accurate measurements of the code speed rather than
confuse the eye of the benchmarker. Benchmarks are taken between
the MARKs, so as to exclude program loading times. *)
(* global identifiers *)
const
  max = 100; (* maximum array size *)
type
  standardArray = array [0..max] of real;
var
  numbers: standardArray; (* array containing the numbers to be
sorted *)

```

```

last: integer;
procedure swap(var a, b : real);
(* Exchange the values of A and B *)
var
  t : real; (* Temporary variable *)
begin
  t := a;
  a := b;
  b := t;
end;
procedure printArray(top : integer);
(* Display the current contents of the array *)
(* Since this isn't the interesting part of the benchmark, this quick
and dirty print routine take advantage of the 80 column screen
with wraparound. Here is where you would put the more
sophisticated output routine in a usable sort routine. *)
var
  i : integer;
begin
  {for i := 0 to top (* Commented out during benchmarks *)
  do
    write(numbers[i]:8:2);
  writeln;
  writeln;
  writeln('-MARK-'); (* Used during benchmarks *)
  end;
  procedure getArray(var top: integer);
  (* Fill array from input *)
  (* In a real sort program, this would get the array to be sorted from
the standard input or a file or whatever. For the purposes of this
benchmark, we will initialize the array with a predeclared array
that is the worst case of a sort: an array in reverse order. Note
the use of TURBO typed constants. *)
  const
    worstCase: standardArray =
      (100.0, 99.0, 98.0, 97.0, 96.0, 95.0, 94.0, 93.0, 92.0, 91.0,
       90.0, 89.0, 88.0, 87.0, 86.0, 85.0, 84.0, 83.0, 82.0, 81.0,
       80.0, 79.0, 78.0, 77.0, 76.0, 75.0, 74.0, 73.0, 72.0, 71.0,
       70.0, 69.0, 68.0, 67.0, 66.0, 65.0, 64.0, 63.0, 62.0, 61.0,
       60.0, 59.0, 58.0, 57.0, 56.0, 55.0, 54.0, 53.0, 52.0, 51.0,
       50.0, 49.0, 48.0, 47.0, 46.0, 45.0, 44.0, 43.0, 42.0, 41.0,
       40.0, 39.0, 38.0, 37.0, 36.0, 35.0, 34.0, 33.0, 32.0, 31.0,
       30.0, 29.0, 28.0, 27.0, 26.0, 25.0, 24.0, 23.0, 22.0, 21.0,
       20.0, 19.0, 18.0, 17.0, 16.0, 15.0, 14.0, 13.0, 12.0, 11.0,
       10.0, 9.0, 8.0, 7.0, 6.0, 5.0, 4.0, 3.0, 2.0, 1.0,
       0.0);
  begin (* getArray *)
    top := 100;
    numbers := worstCase;
    printArray(top);
    end; (* getArray *)
  procedure bubbleSort(start,top: integer; var subArray: standardArray);
  (* Bubblesort procedure, sorts array from start to top inclusive *)
  var
    index: integer;
    switched: boolean; begin (* bubbleSort *) repeat
    begin
    switched := false;
    for index := start to top-1
    do
      begin
      if subArray[index] > subArray[index+1]
      then
        begin
        swap(subArray[index],subArray[index+1]);
        switched := true;
        end;
      end;
    until switched = false;
    end;
  end;

```

(continued)

```

procedure findMedian(start,top: integer; var subArray: standardArray);
  !* Find a good median value in array and place it at beginning of
  section to be sorted *)
var
  middle: integer;
  sorted: standardArray;
begin (* findMedian *)
  middle := (start+top)div 2;
  sorted[1] := subArray[start];
  sorted[2] := subArray[top];
  sorted[3] := subArray[middle];
  bubbleSort(1,3,sorted);
  if sorted[2] = subArray[middle]
  then
    swap(subArray[start],subArray[middle])
  else
    if sorted[2] = subArray[top]
    then
      swap(subArray[start],subArray[top]);
    end; (* findMedian *)
  procedure sortSection(start,top: integer);
    !* Sort a section of the main array, and then divide it into two
    partitions to be sorted *)
  var
    swapUp: boolean;
    s,e,m: integer;
  begin (* sortSection *)
    if top-start < 6
    then
      !* sort small sections with bubbleSort *)
      bubbleSort(start,top,numbers)
    else
      begin
        findMedian(start,top,numbers);
        swapUp := true;
        !* start scanning from array top *)
        s := start;
        e := top;
        m := start;
        !* lower comparision limit *)
        !* upper comparision limit *)
        !* location of comparison value *)
        while e > s
        do
          begin
            if swapUp = true
            then
              !* scan downward from partition top *)
              !* and exchange if smaller than median *)
              begin
                while (numbers[e] >= numbers[m]) and (e > m)
                do
                  e := e-1;
                if e > m
                then
                  begin
                    swap(numbers[e],numbers[m]);
                    m := e;
                  end;
                swapUp := false;
              end
            else
              !* scan upward from partition start *)
              !* and exchange if larger than median *)
              while (numbers[s] <= numbers[m]) and (s < m)
              do
                s := s+1;
              if s < m
              then
                begin
                  swap(numbers[s],numbers[m]);
                  m := s;
                end;
                swapUp := true;
              end;
            end;
            sortSection(start,m-1);
            !* sort lower half of partition *)
            sortSection(m+1,top);
            !* sort upper half of partition *)
          end;
        end; !* sortSection *)
        !* QuickSort main program *)
        begin
          getArray(last);
          sortSection(0,last);
          printArray(last);
        end;
        !* QuickSort main program *)
      end;
    end;
  end;
end;

```

tion. Borland has sacrificed separate compilation for speed of development, a trade that large applications developers won't care for, but I suspect that many casual users won't mind much.

There is a simple, fairly crude way of calling external routines, provided you know their address in memory, but it does not answer the problems raised above. Turbo provides two routines, EXECUTE and CHAIN, which can be used to run other p ograms.

EXECUTE will pass control to any program that you could run from the operating-system prompt. When that program terminates, control returns to the operating system, not the program that performed the EXECUTE.

CHAIN passes control to a specially compiled Turbo program. A normally compiled Turbo program contains the built-in Turbo library of standard routines. When you compile a chain program, this library is not included, making the code on disk a lot smaller. When

Turbo has a means of directly calling the operating-system service routines.

a program is run through CHAIN, the library, which is already resident in memory, is kept but the application program is replaced by the chain program. When that program terminates, control returns to the operating system.

It is also possible to include external source files during compilation. By doing this, two programs could share the same source code, though not the same compiled code.

OTHER TURBO FEATURES

Turbo contains a primitive facility for writing in-line machine code. The IN-

LINE statement accepts a series of numbers and places them directly into the code being compiled. Using this feature it is possible to write interrupt handlers or optimize specific routines for speed. Again, this is a nonstandard but useful feature.


Turbo also comes equipped with a means of directly calling the operating-system service routines. This lets you write applications that can manipulate the environment provided by your operating system. A good example of this might be a directory listing program.

DOCUMENTATION

Included in the Turbo package is a 254-page, softcover manual that is the documentation for Turbo Pascal. Almost everything that you might need to know about Turbo is in the manual, and I found it useful to run Turbo, compiling into memory, and then read the manual. Going through the book page by page,

(continued)

THE MOST IMPORTANT DATA SAVING DEVICE YOU'LL BUY.



It's not a disk drive or a cassette recorder, and it can't store a single kilobyte. But it could save an entire disk full of data, or a week of work.

Because this is the Personal Conditioner™ from RTE—an inexpensive version of the RTE Line Conditioners big computer systems use.

By now you probably know that a noisy AC line can make your computer lose data, drop entire files, even shut down completely.

But did you know that typical line protection devices just filter out the highest

surges and worst glitches? That means potentially harmful noise often passes right through. And none of them do anything at all about undervoltages, so a brownout can put you out of operation.

So if you're serious about saving data, you need an RTE Personal Conditioner™. It's much more than a surge suppressor or noise filter. It actually creates the smooth power your computer needs. Even if your AC power drops as low as 96 volts, the RTE Personal Conditioner™ will

keep supplying 120 volts of clean power.

You can add a Personal Conditioner™ to your system for less than \$200. Sure, you can save a few dollars by getting something less effective. But which would you rather save—a little money, or your data?

For the name of your local computer dealer carrying the Personal Conditioner™ call Toll Free 800-854-2658. In California, (619) 291-4211. RTE DELTEC Corporation.

RTE DELTEC

Formerly Gould Inc.. Power Conversion Division

5 1/4" DISK DRIVES



TANDON: TM 100-2
Double Sided, 40 TRK/Side **\$209**

TANDON: TM 100-1
Single Sided, 40 TRK **\$169**

CDC: 9409
Double Sided, 40 TRK/Side **\$219**

- 120 Day Warranty
- Free Shipping
- No Charge For Credit Cards
- Order Toll Free



1-800-531-5475 (Outside Of Texas)
(512) 250-1489 (In Texas)
Texas Residents Add 5% Sales Tax.

CompuAdd Corp

13010 Research Blvd., Suite 101
Austin, Texas 78750

Circle 62 on inquiry card.

computers for Less

Hayes Smartodem 1200 . \$469.00
Prometheus Pro-Modem \$339.00
Gemini 10X \$269.00
Brother HR-15 \$399.00
Okidata 92P \$409.00
Tava P.C. \$1895.00
IBM P.C. \$2395.00
Lotus 1-2-3 \$309.00
Maxell SS/DD \$20.00
Maxell DS/DD \$32.00

(619) 579-2730

3855 Avocado Blvd., Suite 140-227
La Mesa, California 92041

Prices reflect 2 1/2% Cash Discount • Quantities Limited



Circle 77 on inquiry card.

Maxell Floppy Disks

The Mini-Disks
with maximum quality.



Dealer inquiries
invited. C.O.D.'s
accepted. Call
FREE (800) 235-4137.



PACIFIC EXCHANGES
100 Foothill Blvd., San Luis
San Luis Obispo, CA 93401
In Cal. call (800) 592-5935 or
(805)543-1037

Circle 243 on inquiry card.

COMPUTER SUPPLIES

DISKETTES

WABASH 5 1/4" S/S DD
MIN. ORDER 50 **\$1 69** ea

RIBBONS

DEC LA 34 CARTRIDGE
MIN. ORDER 6 **\$3 60** ea

SOFTWARE

NEW PERSONAL PRODUCTIVITY
DECISION MGR. REG. 625⁰⁰ **495⁰⁰**

PeachText 5000 REG 425⁰⁰ **235⁰⁰**

complete line of

ACCOUNTING SOFTWARE

plus other major brands

• Terms: Visa, M.C. or C.O.D.

• Dealer Inquiries Invited



**COMPU-MEDIA
SUPPLIES, INC.**

159 Main St. S.I.N.Y. 10307
CALL TOLL FREE 1-800-248-2418
tm in N.Y. State 212-967-1700

Circle 330 on inquiry card.

SPECTACULAR

LOWEST PRICES
maxell. DISKS
LIFETIME WARRANTY

\$209 ea MD-1 5 1/4" (SS/DD) Qty 20
\$321 ea MD-2 5 1/4" (DS/DD) Qty 20

5 1/4" MD1-DDM SS/DD/96TPI .. \$2.88

5 1/4" MD2-DDM DS/DD/96TPI .. \$3.84

8" FD-1 SS/SD or DD \$3.17

8" FD-2 DS/DD \$3.66

1-800-328-3472

Dealer inquiries invited. COD's and charge
cards accepted. All orders shipped from
stock within 24 hrs.



North Hills Corporation
3564 Rolling View Dr.
White Bear Lake, MN 55110
MN Call Collect 1-612-770-0485

Circle 235 on inquiry card.

HOFACKER

Books • Software • Hardware Add Ons • for your ATARI 600XL/
800 XL, Commodore 64, VIC-20, Sinclair, Times, Apple II, Osborne-OSI

BLIZTEXT - More than just a word processor for the C64. More than 70 commands, screen-oriented, use any printer, terminal software included for electronic mail and networking. The best wordprocessor for the C64. \$89.00
Order No. 4965

MACROPIRE - Editor/Assembler for the C64. The best macroassembler you can buy! \$89.00
Order No. 4963

SUPERBOOKS for your C64. The Great Book of Games, Vol. 1. 45 programs for the Commodore 64. Order No. 182 \$89.95

Programs from this book on disk \$19.95

MORE ON THE SIXTYFOUR Tips, tricks, hints, very important sub routines. Order No. 183 \$9.95

Programs from this book on disk \$19.95

How to program in 6502 Machine Language on your C64. Order No. 184 \$12.95

Commodore 64 Turnup Vol. 1: How to expand your C64. Order No. 185 \$12.95

Small Business Programs for the C64. Order No. 186 \$12.95

HARDWARE ADD ONS for your C64 Paralle printer interface, KIT Order No. 4990 \$19.95

Universal Experiment Board Order No. 4970 \$9.95

Expansion Board KIT Holds up to 4 Exp. boards (see board). Order No. 4992 \$29.95

Universal Experiment Board Order No. 4970 \$9.95

Small Business Programs for the C64. Order No. 186 \$12.95

HACKERBOOK for your Atari computer. Instructions, Very important subroutines in 8502 machine language. How to make legible cassette, disks, and EPROMs. Combine computer language and software on how to build an EPROM burner. Order No. 172 \$9.95

How to program in 6502 Machine Language on your C64. Order No. 184 \$12.95

ALL Programs from book No. 170 on disk. Order No. 719 \$22.00 only

ELCOMP PUBLISHING, INC., 23 Redrock Lane, Pomona, CA 91766, Phone: (714) 623-8314, Telex: 298151

Circle 126 on inquiry card.

REVIEW: TURBO

it is easy to try out the examples while running Turbo or to write small test programs to see what a particular function does.

The manual is well written, as computer documentation goes. The first few pages have a flowchart of the manual structure and an explanation of the

*Turbo is well written,
fun to use at times,
and fast enough to
make up for its
few shortcomings.*

typography used. As far as I read, these standards were adhered to all the way through the book.

Typography is important in documentation and Borland has made good use of it in its manual. Normal text is printed in a sans serif font that is easy to read. Programming examples are all indented and shown in a typewriter-style font. Reserved words are shown in boldface, while identifiers are emphasized in the text by italics. These conventions make it simple to scan a page of the manual and pick out the points of interest.

CONCLUSIONS

Turbo Pascal will be compared to JRT Pascal and "professional" Pascal compilers. Both comparisons are somewhat unfair. Turbo most certainly is not a toy compiler, to be used until the real thing comes along. It is also not a good compiler for developing massive applications. (See the text box "A Second Opinion: Comments on Turbo Pascal" on page 269 for another author's estimation.) The real comparison that should be made is Turbo versus BASIC. There is very little need for a BASIC when you have Turbo Pascal. It is well written, fun to use at times, and fast enough to make up for its few shortcomings. (See the "At a Glance" page and the text box "A Word About Benchmarks" on page 272 for more information on Turbo Pascal.) It is easily worth its price, even if you use it to develop code that will be compiled on a "professional" compiler. But even by itself it is a bargain that shouldn't be passed up. ■

ENGINEERS

Some Of The Most Provocative Telecommunications Engineering Of The 80's Will Be Done Right Here With Hayes In Atlanta.



There's an energy level here at Hayes that fuels our confidence. An enthusiasm few engineering environments encourage or support. A unique blend of engineering and technological talents drawn together to move telecommunications technology further along. The projects... The programs and the confidence to roll our sleeves up — ask the questions that must be asked — and search out the answers.

If you're taking a closer look at your career, perhaps it's time to take an in-depth look at Hayes. There's a future in it.

- PROJECT MANAGER
- SENIOR SOFTWARE ENGINEER
- RESEARCH ENGINEER
- PRODUCT ENGINEER
- RELIABILITY/TESTABILITY ENGINEER
- SOFTWARE DEVELOPMENT PROGRAMMERS/ANALYSTS


Interested, qualified candidates should forward a confidential resume to: **Hayes Microcomputer Products, Inc., Dept. IS-684, 5923 Peachtree Industrial Blvd., Norcross, GA 30092.**
An Equal Opportunity Employer M/F.

Opportunity for
the here and now.



Hayes Microcomputer Products Inc.

JULY 1984 • BYTE 279



©1984 Cosmos Inc.

How long is an idea?

With Revelation[®] by Cosmos, it won't matter. Our variable length structure lets you think long or short without worrying about needing disk space you don't have, or squandering space you can't afford. Think of it. Relational Data Base Management Software that saves up to 40% of your PC's disk space.

As a powerful, enhanced version of the PICK[™] Operating System, Revelation uses plain English to create files, menus, entry screens, process information and generate reports. Plus, you can build,

customize and update your data base application without being an experienced programmer.

When you introduce your IBM[®] PC or compatible to Revelation, you'll see it change into a friendly brute that can communicate with other computers. Also featured is a hybrid full-structured programming language with an interactive debugging tool for serious development work.

Besides bringing the power, speed and flexibility of a minicomputer to your PC, Revelation works with

MS/DOS[™] so you can use all the popular microcomputer software packages with the applications you develop.

Indeed, Revelation is easy to get along with. A veritable gentle giant. But, you need to know more before you decide to buy what may become your most valuable business tool. So call us at (206) 824-9942 and let us arrange for you to see what we've got here.


MS/DOS[™] of Microsoft Corp. IBM PC Registered TM of International Business Machines Corp. PICK Operating System[™] of PICK SYSTEMS.

Cosmos Inc. 19530 Pacific Highway S.

COSMOS[™]

Circle 88 on Inquiry card.

Seattle, WA 98188, (206) 824-9942



LISP for the IBM Personal Computer

IQLISP and muLISP—two versions of a list-based language

BY JORDAN BORTZ
AND JOHN DIAMANT

People who own an IBM Personal Computer (PC) are probably glad that many of the greatest programming languages ever written are available for that machine. Now LISP (a list processing language) has joined that group, and LISP is to artificial intelligence as C is to systems programming. Many important applications, including theorem proving, natural language processing, symbolic mathematics, and knowledge-based expert systems, can be done most easily using a list-based language such as LISP.

Some of the better-known LISP programs include MACSYMA, a symbolic calculus program from MIT; Eliza, a simulation of a psychiatrist; and MYCIN, which diagnoses diseases.

LISP has traditionally required large amounts of memory and a fast processor. Most microcomputers are unable to run it. Further, most microcomputer owners are unaware of LISP's power. In this article, we will review two LISP systems for the IBM PC: muLISP from The Soft Warehouse and IQLISP from Integral Quality. To help readers who are unfamiliar with LISP, this article will be divided into two parts: an introduction to LISP and a comparison of these two products.

A BRIEF HISTORY

LISP was developed by John McCarthy from a powerful but hard-to-use language called IPL. McCarthy's LISP language quickly became popular, and people began modifying it for their own purposes. As a result, LISP is anything but a standardized language. At present, three major LISP dialects have emerged as de facto standards: MacLISP, InterLISP, and UCLISP. There is now a project at Carnegie-Mellon University to standardize a new version of LISP, known as Common LISP. Common LISP will be discussed more fully in the section on scoping rules.

AN OVERVIEW

As its name implies, LISP is centered around the notion of a list. A list is a sequence of atoms, other lists, or both. An atom has a single value and can hold a number, character string, or list. Atoms and lists make up symbolic expressions, also known as S-expressions or SEXPRs. As a

result, there is no distinction between programs and data as far as LISP is concerned. This means that LISP can write programs for itself to execute. This also means that you will be typing lots of parentheses, since they act as list delimiters. An example can show how all of these elements combine.

First, we assign to the atom 'L the list (THIS IS A LIST):

```
(SETQ L '(THIS IS A LIST))
```

SETQ binds the list (THIS IS A LIST) to the atom L. The single close quote (alternatively, the word QUOTE) is very important. It tells the LISP expression evaluator not to go to work on anything that follows. This is crucial; without it, LISP would think that THIS is a function and IS A LIST are its arguments. (The double quote is not interchangeable. It is used as a way of enclosing atom names so that they include technically illegal spaces.)

The two biggest list-manipulation commands are CAR and CDR (pronounced could-er). CAR returns the first SEXPR in a list, and CDR returns a list of everything but the first SEXPR. Unfortunately, the names CAR and CDR are horribly non-mnemonic. They originally stood for Contents of Address Register and Contents of Data Register, respectively, on the IBM 7040. The only reason for preserving these names instead of calling them FIRST and BUTFIRST is that you can get a composite called the CADR of X, which is the CAR of the CDR of X. This provides a valuable shorthand; it's easier to say (CADR X) instead of (CAR(CDR

(continued)

.....
Jordan Bortz is a recent graduate of Sycamore High School. He is currently designing relational database systems for Envisioneering Ltd. Bortz is interested in artificial intelligence and turtle graphics. He can be contacted at Envisioneering Ltd., 555 Metro Place North, Suite 300, Dublin, OH 43017.

John Diamant is currently majoring in computer engineering at Case Western Reserve University. He is interested in artificial intelligence and program verification. Diamant may be contacted at 6608 Michael Dr., Cincinnati, OH 45243 or at Michelson 330, 11896 Carlton Rd., Cleveland Heights, OH 44106.

Listing 1: An example of some simple LISP commands

```

-> (DEFUN L (X) (COND ((AND (NUMBERP X) (EQL 0))
  (DEFUN (AND (EQL 0) (NUMBERP X))
    only returns the list (X)
    (assigning
    to X, as in function
    (DEFUN (X)))

-> (CAR X)
X
-> (CADR X)
: pronounced cadare
: returns t-value
: and cadare

(DEFUN (X) (COND ((AND
-> (COND (X)
(AND (NUMBERP X)
(AND (EQL 0) (NUMBERP X))
-> (EVAL X) (X)
-> 0
-> 0
-> 1
-> 1
-> (DEFUN X)
NIL

```

(CAR X)). Listing 1 contains some more examples. User input is on the lines that begin with the prompt `->`. The LISP interpreter's responses are on the line below it. Figure 1 describes Listing 1 in graphic form.

Listing 1 also shows an important atom in LISP: NIL. We tried to take the CAR of a list with only one value, so LISP returned NIL, the "empty list." NIL can also be represented as (). The other special atoms in LISP are the LISP counterparts of true and false.

LISP assumes (unless told otherwise by the quoting mechanism) that the first atom in a list is a function to be evaluated and the rest of the list contains the arguments to the function. Once again, examples are clearer than rigorous definitions.

```

-> (PLUS 3 3)
6
-> (PLUS 3 (PLUS 4 2))
9

```

A predicate is a function that returns T or NIL, depending on whether its argument is true or not. The predicate called ZEROP (pronounced zero-p) asks if its argument is equal to 0. Another predicate is EQUAL, and it tests equality.

```

-> (ZEROP 0)
T

```

```

-> (ZEROP 0)
NIL
-> (EQUAL 1 (PLUS 1 2))
T

```

In addition to providing functions for taking lists apart (CAR and CDR), LISP also contains functions for putting them together, notably CONS (in COORDINATION), APPEND, and LIST.

```

-> (CONS (THIS IS A LIST)
(THIS IS A LIST))
-> (CONS (THIS IS) (A LIST))
(THIS IS) (A LIST)
-> (APPEND (THIS IS) (A LIST))
(THIS IS) (A LIST)
-> (LIST (THIS IS) (A LIST))
(THIS IS) (A LIST)

```

Earlier in this article, we mentioned the fact that with LISP there is no distinction between data and programs. The following example demonstrates this and hints at how LISP can be used to simplify algebraic expressions. EVAL is the LISP expression evaluator; it is the opposite of the CDRFC function. EVAL can be called just like any other function. As another effect, the driver loop for LISP (similar to a UNIX shell) is its simplest form is:

```
(PROMPT) (EVAL)
```

```

-> (EVAL (FOO (if 2)
if 2))
-> (EVAL (BAR (CONS (PLUS (FOO)
(PLUS 1 2))
-> (EVAL (BAR)
3

```

LISP AND RECURSION

Before we discuss defining functions in LISP, let's first delve into recursion. Recursion uses the definition in the definition. For example, we could define a factorial of n as n times the factorial of $n-1$. Of course, since this recursion could go on forever, we have to define a termination condition—something that ends the recursion. For the factorial, we define the factorial of 0 to be 1. Mathematically, we could express this definition as follows:

$$f(n) = \begin{cases} 1 & n = 0 \\ n \cdot f(n-1) & n > 0 \end{cases}$$

Let's pictorially trace through this function:

$$\begin{aligned} f(3) &= 3 \times f(2) \\ f(2) &= 2 \times f(1) \\ f(1) &= 1 \times f(0) \\ f(0) &= 1 \\ f(1) &= 1 \times 1 \\ f(2) &= 2 \times 1 \\ f(3) &= 3 \times 2 \times 1 \end{aligned}$$

The example may seem artificial. Simplifying algebraic expressions offers a better use. An expression may contain many subexpressions that need to be simplified. To accomplish this, we can write a function called EVAL which operates on all the subexpressions in the expression; it is given and assigns a simpler coded designation to each sub-expression. The expressions can be stored as a list of lists, and we can use CAR and CDR to traverse them. This all sounds good, but before we can write something like that, we have to write something as simple as the factorial function. Here it is:

```
(DEFUN FACT (X)
  (COND
    ((ZEROP X) 1)
    (T (CONS X (FACT (CDR X)))))

```

COND is the general-purpose IF, THEN, ELSE statement of LISP. Its general form is:

AT A GLANCE

Name
muLISP-83 4.05

Type
Programming language

Manufacturer
The Soft Warehouse
POB 11174
Honolulu, HI 96828
(808) 734-5801

Microsoft Inc.
10700 Northrup Way
Bellevue, WA 98004
(206) 838-8080

Price
\$250

Format
5¼-inch floppy disk, single- or
double-sided

Operating System
MS-DOS 1.25 or 2.0
PC-DOS 1.1 or 2.0

Computer System
Any MS-DOS-based computer with
128K memory

Documentation
150 pages

Audience
People interested in artificial
intelligence or symbolic mathematics

Name
IQLISP

Type
Programming language

Manufacturer
Integral Quality
POB 31970
Seattle, WA 98103
(206) 525-2985

Price
\$175

Format
5¼-inch floppy disk, single- or
double-sided

Operating System
PC-DOS 1.1 or 2.0

Computer System
IBM PC or compatible unit with at
least 128K bytes of memory (256K for
PC-DOS 2.0)

Documentation
300 pages

Audience
People interested in artificial
intelligence or symbolic mathematics

```
--> (PUT 'JORDAN 'LAST-NAME
      'BORTZ)
      BORTZ
```

```
--> (GET 'JORDAN 'LAST-NAME)
      BORTZ
```

LISP has several predefined data types: infinite-length integers, floating-point math, character strings, lists, and arrays. As we will discuss later, the two LISPs we are studying do not implement all of the above data types.

IQLISP VERSUS MULISP

The two LISP systems we are comparing are muLISP-83, from The Soft Warehouse, and IQLISP, from Integral Quality. muLISP-83, derived from earlier muLISPs that ran under CP/M-80, runs under any generic MS-DOS computer. It has terminal definition files to select which type of terminal is attached to the computer, enabling running of the muSTAR editor regardless of hardware. If there is no definition for your terminal, you can write your own. IQLISP, on the other hand, runs only on the IBM PC and comparable machines. Unfortunately, there is no clear-cut winner between the two LISPs.

Since LISP is interactive in nature, you spend most of your time under the LISP system. This is unlike a compiler-based environment where you edit the program with your favorite editor and compile it. You can effectively do this with these LISP systems also, but it is more efficient to make changes as you go along, i.e., changing your functions with the built-in LISP editors and testing and debugging them with test data. For that reason, the better the function trace facilities, editor, and debugger, the better for you.

As in any programming language, much of your time is spent editing. In this regard, muLISP wins out. It provides a WordStar-like editor that is screen oriented, and that also helps in matching parentheses by automatically indenting your current line. If the line is indented incorrectly, you know that you have mismatched the parentheses.

IQLISP's editor, on the other hand, is a LISP structure editor; all commands are in relation to an SEXPR's location in the list structure—not its location on the screen. Some people prefer structure editors, but we have found screen-

(continued)

```
(COND
  (< test 1 > ... <result 1 > )
  (< test 2 > ... <result 2 > )
  .
  .
  (< test n > ... <result n > ))
```

If <condition i> is true, COND evaluates <result i> and returns it. Otherwise, it attempts <test i+1 >. Since T is always true, the expression following it is evaluated "if all else fails."

A function returns the value of the expression following the parameter list; in

this case, the value returned by COND is returned to the function's caller. A simple function that subtracts 1 from any number is provided below:

```
(DEFUN SUB1 (X)
  (DIFFERENCE X 1))
```

Earlier, we said that every atom can have a value, a function, and a property list associated with (bound to) it. The following examples show the use of a property list.

```
--> (GET 'JORDAN 'LAST-NAME)
      NIL
```

LISP is relatively easy to debug because it's interpreted. Both muLISP and IQLISP have good debugging systems.

oriented editors to be more useful.

ERROR CHECKING

Since programming is very prone to errors, much of the time not spent editing is spent debugging your programs. LISP is relatively easy to debug because of its interpreted nature, but some systems facilitate debugging better than others.

Thanks to a new package for muLISP, both LISPs now have good debugging systems. They both give you roughly the same features, with the exception that IQLISP's debugging system is more oriented toward windows and cursor/control keys. At an error condition, you can ignore the error, escape back to the main read-eval-print loop, or substitute a new value for the expression that LISP was trying to evaluate.

Both LISPs provide good BREAK, TRACE, and BACKTRACE facilities. TRACE enables you to watch the arguments passed to, and the value returned from, whatever function you desire. BREAK causes the system to pause when it invokes the function you have chosen. A BACKTRACE has the system keep track of a TRACE for you and lets you step backward through it.

To facilitate faster execution, muLISP does not do much error checking on its built-in functions. For instance, atoms not bound to anything return themselves—they should cause an error, and they do in IQLISP. This means that if you accidentally misspell a variable in muLISP, you might get strange and undesirable results that are hard to trace. IQLISP, however, complains about the atom being unbound. Similarly, muLISP lets you take the CAR and CDR of atoms, which IQLISP forbids.

IQLISP provides function-key support and windows. Function-key support means you can program the function keys to do whatever you wish. IQLISP's

windows are not "true windows": if you put window A over window B and then remove A, B's contents will not reappear.

DATA TYPES

IQLISP also wins out in this category. Integral Quality's system provides all the data types previously mentioned, plus another data type, the short integer. The interpreter automatically stores integers between -32768 and 32767 in short-integer format, thereby saving space. IQLISP also provides floating-point math in two fashions. One is loaded in the software floating-point package and the other is provided through the 8087. Since we don't own an 8087 chip, we could not test this. IQLISP provides a good repertoire of trigonometric functions. muLISP, on the other hand, does not support arrays or floating-point math. Floating-point math will be provided in the next version of muLISP, but that may not be until November.

SPEED AND SPACE

While IQLISP needs at least 256K bytes of memory, muLISP runs comfortably in 128K bytes. The reason is twofold. IQLISP stores its programs in ASCII (American National Standard Code for Information Interchange) code, whereas muLISP stores them in a token-type format known as distilled code (D-Code). Distilled code is three times denser than ASCII code, and program execution is 20 percent faster.

As can be seen from the benchmarks (see the text box on page 288), muLISP is considerably faster than IQLISP. Also, IQLISP ran out of space faster when running the factorial program. This resulted in a garbage collection (GC). LISP produces a GC when it exhausts all of its free memory and attempts to reclaim wasted portions of it. One of the reasons IQLISP requires so much memory is that it uses 4-byte pointers while muLISP uses 3-byte pointers. This enables IQLISP to address more memory; however, unless you have more than 500K bytes, you will have less to work with because of the high 4-byte-pointer overhead. Furthermore, IQLISP pushes more information onto the stack, thereby limiting recursion. If you are going to use LISP for a real-time application, speed can be crucial. For this reason, and because of a greater availability of compatibility packages, we prefer muLISP to IQLISP.

EXTRA FUNCTIONS AND EXAMPLES

With both IQLISP and muLISP, the user is provided with the commented source code to all LISP functions that are non-intrinsically defined. This includes the editor. With muLISP, however, the user is provided with much more. muLISP comes with a tutorial package that leads the user through many of the muLISP functions and demonstrates graphics and methods of implementing features not included with muLISP. In addition, muLISP includes the Doctor program, an implementation of Eliza; Hanoi, a Tower of Hanoi puzzle solver; Animal, in which the computer tries to guess the animal you are thinking of; and Metamind, in which you and the computer play the game of Master Mind. In addition, muLISP provides an InterLISP and a MacLISP compatibility package.

COMPATIBILITY

By virtue of its nature, almost any feature that exists in one kind of LISP can be simulated in another. The price you pay, however, is speed. MacLISP and InterLISP are two of the three major LISPs for mainframe computers. To help convert from mainframe to PC, muLISP provides two compatibility packages that simulate many features of MacLISP and InterLISP.

One of the muLISP compatibility packages attempts to simulate macros (IQLISP's macros are real). It is beyond the scope of this article to describe the differences between "real" and "simulated" macros, but the distinction is important for transportability. The fact that the compatibility packages are included with muLISP is a definite plus. Unfortunately, the functions implemented in the two mainframe LISPs are not documented in the muLISP manual, but they are heavily documented in the source code. Although you can print out the source code to make your own

(continued)

Table 1: LISP load times.

Version	Time (seconds)
IQLISP	5.0
IQLISP with development system	37.5
muLISP	2.5
muLISP with muStar	9.0



Put Your Computer's Commands In Their Place. On Your Keyboard. And For Only \$14.95.

Now, you can command new computer productivity. Discover how much easier your personal computer is to use when the commands are at your fingertips. PC-DocuMate™ keyboard templates can save you time and frustration. You can recall needed commands, options and formats. Quickly.

Durable and guaranteed. PC-DocuMate templates are silk-screened onto durable, non-glare plastic to our exacting specifications. Each template is printed on both sides and color-coordinated to complement your PC. And your satisfaction is guaranteed. Fully. Or your money back.

Professionally designed and comprehensive. Each PC-DocuMate template has been designed by a software expert. Commands are logically and functionally organized so you can get the most from your software. And our templates are comprehensive reference aids which use both sides to document a product or a system. Completely.

Save time and enjoy greater productivity. Order your PC-DocuMate without delay. **Lower prices for better design.** With PC-DocuMates, you get two-sided templates for less than a single-sided template from other manufacturers. And you get a better designed template. Order direct or ask your local dealer.

PC-DocuMates now available... IBM PC/XT & COMPAQ — \$14.95

DOS/BASIC 2.0 & 2.1 • DOS/BASIC 1.1 • Lotus 1-2-3 • WordStar • dBASE II • MultiMate 3.20 • VisiCalc
Multiplan 1.00 or 1.06 • Volkswriter Deluxe • SuperCalc³ • PeachText 5000 • EasyWriter II • Turbo Pascal • WordPerfect • Do-It-Yourself

COMMODORE 64 — \$12.95

BASIC & more • Calc Result • EasyScript • Quick Brown Fox • Do-It-Yourself
(CBM 64 templates are printed on one side only)

IBM PCjr. — \$12.95

DOS/BASIC 2.1 • MultiMate • dBASE II • Do-It-Yourself

APPLE IIe — \$14.95

WordStar • VisiCalc • dBASE II • AppleWriter II • Quickfile • Do-It-Yourself

If your favorite software package is not shown here, you can order our "Do-It-Yourself" template (which includes a special pen and eraser) and develop your own custom keyboard template.

Our Guarantee. Use your template for 20 days. If you are not completely satisfied return it to us (undamaged) for a full refund.

HOW TO ORDER: Send personal check, money order or MasterCard/VISA credit card information. Please add \$1.50 for shipping and handling per order; foreign orders must add \$5.00 per unit (except Canada). US funds only. Sorry, but no COD's. NC residents add 4% sales tax. Corporate quantity discounts available. Dealer inquiries invited. And for faster service on credit card orders...

**Call Toll Free
1-800-762-7874
(In North Carolina) 919-787-7703**

SYSTEMS MANAGEMENT ASSOCIATES

3700 Computer Drive, Dept. Y-1
Raleigh, North Carolina 27609

Circle 295 on inquiry card.

The following trademarks are acknowledged... IBM Corp.; IBM, IBM PC/XT & PCjr; Ashton-Tate; dBASE II; Information Unlimited Software, Inc.; EasyWriter II; Lotus Development Corp.; Lotus 1-2-3; SoftWord Systems, Inc.; MultiMate; Microsoft Corp.; Multiplan; PeachTree Software, Inc.; PeachText 5000; Sorcim Corp.; SuperCalc; Liltree Software, Inc.; Volkswriter; MicroPro International Corp.; WordStar; QuickText; Quick Brown Fox; HandC Software, ab; Calc Result; Commodore Business Machines, Inc.; EasyScript; VisiCorp; VisiCalc; Apple Computer, Inc.; Apple IIe, AppleWriter II, Quickfile; Borland International, Inc.; Turbo Pascal; SateRite Software International, Inc.; WordPerfect.

PC-DocuMate is a trademark of Systems Management Associates. ©SMA 1984

Both packages let you write your own assembly-language interfaces. IQLISP has an interface to the DOS DEBUG facility.

manual, the functions are not in alphabetical order and are therefore hard to find. It would be better if The Soft Warehouse added a section to its muLISP manual summarizing function usage. IQLISP provides a function package called HELPLISP that interactively gives you a synopsis of a function's syntax. This is a nice feature, but it takes a long time to load and consumes valuable memory.

SCOPING

For those of you who will be transporting software from other machines, we will explain binding (or scoping). The two major types of binding are *dynamic* and *lexical*. Lexical binding is the type seen most often in other languages, such as Pascal and C. It binds a variable according to its location in the program (lexical location). Dynamic binding, on the other hand, binds according to when the function is invoked.

```
(DEFUN PLUGH (FROBOZZ)
  (XYZZY FROBOZZ))
```

```
(DEFUN XYZZY (KRUFT)
  (PRINT FROBOZZ))
```

If the scoping is lexical, FROBOZZ is undefined in XYZZY because it is local to PLUGH (just as in C). In dynamic scoping, FROBOZZ is still defined because FROBOZZ was bound by the invocation of the function PLUGH, and PLUGH invoked XYZZY. Instead of having just local and global variables, it is possible to have an infinite number of levels of variable declarations depending on what was invoked first.

On the one hand, dynamic scoping is a more powerful facility because some things simply cannot be simulated with lexical scoping. On the other hand, functions that act differently depending on where they are invoked violate the principles of lambda calculus (the theory

upon which LISP is based). In fact, under dynamic scoping, if the name of a formal parameter of a function is the same as one already defined by a function invoking it, the result could be wrong. Most of the major LISP interpreters use dynamic scoping (FranzLISP, MacLISP, UCI-LISP, and InterLISP). Be aware, however, that this is not necessarily true of LISP compilers. For instance, Liszt, the FranzLISP compiler, assumes lexical scoping unless told explicitly otherwise. Common LISP attempts to implement both dynamic and lexical scoping. What this boils down to is that programs that run under one scoping will not necessarily run under a LISP with a different type of scoping. Both IQLISP and muLISP are dynamically scoped, but the type of scoping is an important consideration when looking at other LISP systems.

DOCUMENTATION

The documentation that comes with IQLISP is very complete and goes to great lengths to explain the internals of the interpreter. Unfortunately, its indexes are hard to find, which makes it difficult, at best, to use as a reference. The muLISP manual, on the other hand, has a good index and is a handy reference. However, it does not explain the internals of the interpreter as completely as the IQLISP manual. It also neglects to document the compatibility packages.

I/O AND MS-DOS INTERFACES

Both IQLISP and muLISP support cursor positioning and simple graphics, such as plotting points and drawing lines. muLISP supports random-access file I/O

(input/output); IQLISP supports only sequential access. Both muLISP and IQLISP support the MKDIR, CHDIR, and RMDIR commands in MS-DOS version 2.0, although they both will run under DOS 1.1.

Only muLISP supports the EXEC call. With EXEC, you can spawn a new shell (command.com), run DOS (disk operating system) as a subprocess of LISP, and then return to LISP with your workspace intact. This lets you go into an editor, modify your code, and then read it back in. It also lets you just go to DOS to print a file. This is a very powerful feature that more applications should take advantage of. Although IQLISP doesn't support the EXEC call, it provides functions to create directories, delete files, and the like.

OTHER FEATURES

Both IQLISP and muLISP let you write your own assembly-language interfaces. IQLISP has an interface to the DOS DEBUG facility, which should aid in debugging assembly-language functions. (We did not test this.) It may be important if you must write many assembly-language functions. However, since IQLISP is so slow, you may have to code in assembly language more often in IQLISP than in muLISP.

Both versions enable you to create SYS files. A SYS file is a snapshot of the computer's LISP workspace. You can stop wherever you are and continue later. More important, a SYS file can be used as a storage area for all of your most commonly used functions. Loading a SYS file is several orders of magnitude faster than reloading the source code

(continued)




Figure 1: A list can be visualized as a tree; the terminal nodes are atoms, the nonterminal nodes are lists. The tree shown represents listing 1.



Presenting a marvelous case for packing-up all your accounting software cares and woes.

Attache Accounting Software has been flawlessly designed to provide you with effective financial solutions.

Thoroughly Tested

Developed for small to large companies, Attache Accounting Software has been extensively tested in the United States and Australia and is acknowledged to be bullet-proof. Yet, for all its power and versatility, it is easy to install and easy to use.

Programmed For Growth

Amazingly flexible, it is sensibly designed with "turn-on/turn-off" options to help meet your company's expanding needs.

Attache modules can be purchased separately or as an integrated system. Modules include: Accounts Receivable, Invoicing/



Sales Analysis, Inventory, Accounts Payable, General Ledger, and Payroll.

Software To Go

Everything you require to run your accounting system is packaged inside our attractive Attache Case.

CPA Support

Recognized by leading microcomputer manufacturers as

the ultimate in accounting software, Attache has also earned the recommendation and support of major CPA firms.

End User Training

"Hands-on" instruction is available from a nationwide network of community colleges.

For more details, visit your nearest Attache Software dealer or write: Attache Software Inc., 4251 Plymouth Road, Ann Arbor, Michigan 48105. (313) 663-1166.

Attaché

Attaché Software Inc.

Accounting software that carries you far into the future.

Circle 33 on inquiry card.



Benchmarking IQLISP and muLISP

One of our main benchmark procedures is a factorial program, both iterative and recursive (see listings 2 and 3 and tables 2 and 3). The recursive algorithm does about as much calculating as function invoking and is thus a good measure of overall performance. IQLISP was consistently slower by about 40 percent. We tried the iterative solution on IQLISP to see if the function invocation was slowing it down significantly (as the iterative solution avoids the overhead of reinvoking the function). In fact, it turned out that the recursive solution was faster, indicating that either the iterative constructs are inefficient or IQLISP has been optimized for recursion. We also learned that IQLISP has a very slow garbage collector, as was apparent from the wild time fluctuations for different runs of the same tests. When memory runs out (after a couple tests of the functions), the garbage collector is invoked and slows down the function that is running. In addition, we ran up against the limit of IQLISP's stack. IQLISP pushes more information onto the stack with each recursion, which reduces the stack's effective size.

The next test we attempted was a program to compute up to the seventeenth term in the Fibonacci series recursively (see table 5). The series is defined as follows:

$$\begin{aligned} F(x) &= 1 && \text{for } x < 2 \\ F(x) &= F(x-1) + F(x-2) && \text{for } x >= 2 \end{aligned}$$

This recursive algorithm is highly inefficient and takes considerable time even for low numbers in a series. Nevertheless, it is a good test of how much overhead function calling takes, because the function does very little computing or list manipulating. The time tests indicate that IQLISP again is slower, this time by a whopping 200 percent, leading us to believe that muLISP is much more efficient than IQLISP at function calling.

The third test we performed was based on the Sieve of Era-

tosthenes (see table 3 and listings 4 through 8). We attempted an iterative and a recursive solution in both LISPs. Since muLISP does not have arrays, they were simulated with lists—i.e., (1 2 3) represents the array having three elements; the first element is 1, and so forth. Due to the extensive amount of list manipulation, the Sieve benchmark shows which LISP handles list processing more efficiently. The tests were performed with an array size of 500, which yielded reasonable times for muLISP (on the order of 1 minute), but wouldn't even execute on IQLISP (memory ran out after about 3 minutes and the command prompt was redisplayed without the function running to completion). Each prime was calculated at about a rate of one every 5 seconds, indicating that if the program would have finished, it would have taken about 5×167 seconds, or 835 seconds. Apparently IQLISP is much slower than muLISP (by an order of magnitude) in list processing. However, IQLISP beats muLISP in the iterative Sieve because IQLISP provides arrays.

It is important to realize that even the faster LISP is considerably slower than an efficient compiled language like C, or even a not-so-efficient interpreted language like BASIC. The Sieve benchmark took one-twenty-fifth of the time in C (Computer Innovations' C-86) and one-eighth of the time in BASIC (of course, this was with simulated arrays). Comparable performance was shown when we compared the Fibonacci benchmark in C with the LISP versions. This type of performance is not surprising considering all the overhead necessary to support a LISP environment (garbage collection and pointer manipulation).

Overall, it seems that muLISP is quite a bit faster than IQLISP. However, IQLISP has 8087 support, which helps a great deal. Since we did not have an 8087 available, we could not test its performance; however, for most applications, muLISP would still probably be faster than IQLISP with an 8087.

Listing 2: A listing of the benchmark in table 2. Note that two slightly different programs had to be used for each LISP system.

```
For IQLISP:
(DEFUN FACT (LAMBDA (X)
  (COND
    ((LT X 2) 1)
    (T (* X (FACT (SUBI X))))))

For muLISP:
(DEFUN FACT(X)
  (COND
    ((LESSP X 2) 1)
    (T (TIMES X (FACT (SUBI X))))))
```

Listing 3: The listing for the benchmark summarized in table 3. The program ran on both systems unmodified. Note that REV is a slow version of the function called REVERSE, and that APP is a slow version of APPEND. They provide a good test of the speed of recursion of the two LISPs.

```
(DEFUN REV (LAMBDA (X)
  (COND
    ((NULL X) NIL)
    (T (APP (REV (CDR X)) (LIST (CAR X))) ) ) )

(DEFUN APP (LAMBDA (X Y)
  (COND
    ((NULL X) Y)
    (T (APP (REV (CDR (REV X))) (CONS (CAR (REV X)) Y))) )
  ) )

(APP '(A B C D E F G) '(A B C D E F G))
```

Listing 4: A recursive version of the Sieve of Eratosthenes written in muLISP.

```
(PUTD 'DEFUN '(NLAMBDA (NAMS EXP$) (PUTD NAMS EXP$) NAMS))

(DEFUN PRIMES (LAMBDA (MAX "%" Local Var: "%" NUMBERS COUNT)
  (SETQ NUMBERS (REVERSE (LISTNUMS MAX)))
  (SETQ COUNT 0)
  (PRIME-AUX NUMBERS)
  COUNT ))

(DEFUN PRIME-AUX (LAMBDA (NUMBERS "%" Local Var: "%" PRIME)
  (COND
    ((NULL NUMBERS) NIL)
    ((NULL (CAR NUMBERS))
     (PRIME-AUX (CDR NUMBERS)) )
    (T (SETQ PRIME (PLUS 3 (CAR NUMBERS) (CAR NUMBERS)))
      (SETQ COUNT (ADD1 COUNT))
      (ELIMINATE PRIME NUMBERS PRIME)
      (PRIME-AUX(CDR NUMBERS))) ) ))

(DEFUN ELIMINATE (LAMBDA (NUM NUMBERS FLAG)
  (COND
    ((NULL NUMBERS) NIL)
    ((ZEROP FLAG)
     (RPLACA NUMBERS NIL)
     (ELIMINATE NUM (CDR NUMBERS) (SUB1 NUM)) )
    (T (ELIMINATE NUM (CDR NUMBERS) (SUB1 FLAG)) ) ))

(DEFUN LISTNUMS (LAMBDA (NUM)
  (COND
    ((NOT (ZEROP NUM))
     (CONS NUM (LISTNUMS (SUB1 NUM)))) )
    (T (LIST NUM)) ) ))
```

Listing 5: An iterative version of the Sieve of Eratosthenes written in muLISP.

```
(PUTD 'DEFUN '(NLAMBDA (NAMS EXP$) (PUTD NAMS EXP$) NAMS))

(DEFUN PRIMES2 (LAMBDA (MAX "%" Local Var: "%" NUMBERS J K
  PRIME
  COUNT)
  (SETQ J MAX)
  (SETQ NUMBERS NIL)
  (SETQ COUNT 0)
  (LOOP
    ((EQUAL J - 1))
    (SETQ NUMBERS (CONS J NUMBERS))
    (SETQ J (SUB1 J)) )
  (SETQ J NUMBERS)
  (LOOP
    ((NULL J))
    (SETQ K J)
    (SETQ PRIME (PLUS 3 (CAR J) (CAR J)))
    (SETQ COUNT (ADD1 COUNT))
    (LOOP
      ((NULL K))
      (SETQ K (CDR K))
      (SETQ PRIME (SUB1 PRIME))
      (COND
        ((ZEROP PRIME)
         (RPLACA K NIL)
         (SETQ PRIME (PLUS 3 (CAR J) (CAR J))) ) ) )
    (SETQ J (CDR J))
    (LOOP
      ((OR
        (NULL J)
        (NOT (NULL (CAR J))) )
       (SETQ J (CDR J)) )
     COUNT ))
```

Listing 6: A recursive version of the Sieve of Eratosthenes written in IQLISP.

```
(DEFUN PRIMES (LAMBDA (MAX)
  (LET
    (NUMBERS (REVERSE (LISTNUMS MAX))
     COUNT 0)
    (PRIME-AUX NUMBERS)
    COUNT )))

(DEFUN PRIME-AUX (LAMBDA (NUMBERS)
  (LET (PRIME NIL)
    (COND
      ((NULL NUMBERS) NIL)
      ((NULL (CAR NUMBERS))
       (PRIME-AUX (CDR NUMBERS)) )
      (T (SETQ PRIME (+ 3 (+ (CAR NUMBERS) (CAR NUMBERS))))
        (SETQ COUNT (ADD1 COUNT))
        (ELIMINATE PRIME NUMBERS PRIME)
        (PRIME-AUX(CDR NUMBERS))) ) ))

(DEFUN ELIMINATE (LAMBDA (NUM NUMBERS FLAG)
  (COND
    ((NULL NUMBERS) NIL)
    ((ZEROP FLAG)
     (RPLACA NUMBERS NIL)
     (ELIMINATE NUM (CDR NUMBERS) (SUB1 NUM)) )
    (T (ELIMINATE NUM (CDR NUMBERS) (SUB1 FLAG)) ) ))

(DEFUN LISTNUMS (LAMBDA (NUM)
  (COND
    ((NOT (ZEROP NUM))
     (CONS NUM (LISTNUMS (SUB1 NUM)))) )
    (T (LIST NUM)) ) ))
```

Listing 7: An iterative version of the Sieve of Eratosthenes written in IQLISP.

```
(DEFUN PRIMES2 (LAMBDA (MAX)
  (LET
    (J MAX
     K NIL
     PRIME NIL
     COUNT 0)
    (SETQ NUMBERS (ARRAY 1 (+ 1 MAX) ) )
    (FOR J FROM 0 TO MAX
      (STORE (NUMBERS J) J))
    (FOR J FROM 0 TO MAX
      (COND ((EQUAL (NUMBERS J) J)
              (SETQ PRIME (+ 3 J + J)))
            (SETQ COUNT (ADD1 COUNT))
            (FOR K FROM (+ J PRIME) TO MAX BY PRIME
              (STORE (NUMBERS K) 0))))
    COUNT)))
```

Listing 8: The iterative Sieve program in BASIC.

```
10 SIZE = 500
20 DIM FLAG(SIZE + 1)
30 FOR J = 0 TO SIZE
40 FLAG(J) = 1
50 NEXT J
60 COUNT = 0
70 FOR J = 0 TO SIZE
80 IF FLAG(J) = 1 THEN PRIME = J + J + 3:COUNT = COUNT +
   1:FOR K = J + PRIME TO SIZE STEP PRIME:FLAG(K) = 0:NEXT K
90 NEXT J
100 PRINT COUNT: " PRIMES"
```

(continued)

Every option you'll ever need.

You're looking at ULTRAFRAME™, a powerful 8/16 bit multiprocessor you can configure to handle any application.

It's the one system that can tackle your toughest jobs today with the capacity to grow up to 32 users or tasks — within the same chassis.

Get 5" & 8" Winchester drives from 10-120MB (formatted). Also, 14" models from 145MB to 1,160MB. And backup systems appropriate to any system you design.

The super micro that almost configures itself.

Our version of TurboDOS™ is extremely easy to integrate thanks to the IBS TURBO-INTEGRATOR™ — a menu-driven utility that will help you


get the right system configuration into your customers hands in record time.

Save yourself hours of valuable time with the TURBO-INTEGRATOR, the fastest way to configure for peripherals and design multiuser system

security. Generate user-friendly shells with the IBS MenuMaster-T™

The industry's longest warranty.

We've built the ULTRAFRAME to last — and backed it with a full three year warranty. Plus, we give a level of old-fashioned factory support you won't get from anyone else. And on-site maintenance is available nationwide through 45 service centers.



ULTRAFRAME™

INDEPENDENT BUSINESS SYSTEMS

Call collect (415) 443-3131 TWX: 910-386-6003 IBSNET
5915 Graham Court, Livermore, CA 94550

A feast for OEM's and system integrators.

- **UP TO 32 USERS — IN PARALLEL.** Add 8 or 16 bit SLAVENET™ processor boards — each a complete Z80 or 80186 computer — to maintain fast, multi-user performance. Both 12 and 20 slot S-100 models available.
- **LOW COST PER USER.** Higher performance and lower cost per user than any micro network. True multi-user, multitasking operation plus shared resources.
- **MAINFRAME-LIKE CHASSIS & POWER SUPPLY ENGINEERING.** Continuous-duty cooling capacity. Solid state power supply circuitry for max. reliability.
- **FAST, HIGH CAPACITY HARD DISKS.** Full range of 5", 8" and 14" Winchester models from 10 to 1160 MB, including new high-capacity 5" drives.
- **CHOICE OF BACKUP SYSTEMS.** Integral 5" or 8" floppies to 1.2 MB. BACKSTOP™ video archiving; BACKSTOP II™ start/stop tape.
- **FAST, MULTIPROCESSOR OPERATING SYSTEMS.** IBS p-NET™ and TurboDOS — access to all UCSD Pascal™ and CP/M™ software.

TurboDOS™ is a registered trademark of Software 2000.

MenuMaster is a registered trademark of Borland International.

ULTRAFRAME and TURBO-INTEGRATOR are trademarks of IBS, Inc.

Listing 9: The Fibonacci benchmark program written in C.

```
#include <stdio.h>
main(argc, argv /* calculates fibonacci of parameters */
int argc;
char ** argv;
{
    printf("%d", fib(atoi(argv[1])));
}
fib(x) /* fibonacci */
{
    if (x < 2)
        return 1;
    else
        return (fib(x - 1) + fib(x - 2));
}
```

Listing 10: The Fibonacci program in muLISP.

```
(DEFUN FIB (X)
  (COND
    ((LESSP X 2) 1)
    (T (+ (FIB (SUBI X)) (FIB (DIFFERENCE X 2))))))
```

Listing 11: The Fibonacci program in IQLISP.

```
(DEFUN FIB (X)
  (COND
    ((LT X 2) 1)
    (T (+ (FIB (SUBI X)) (FIB (- X 2))))))
```

Table 2: The results of running benchmark 1 as shown in listing 2. The asterisk indicates that the test could not be run because of a lack of floating-point math or because it would take too long to execute.

Version	Time (seconds)		
	(FACT 30)	(FACT 30.3333)	(FACT 500)
IQLISP	.25	*	19.0
IQLISP with floating-point	1.35	13.0	*
muLISP	.25	*	14.5

Table 3: The results of running benchmark 2 shown in listing 3.

Version	Time (seconds)
IQLISP	240.0
muLISP	30.6

Table 4: The times it took to run the Sieve of Eratosthenes benchmark with an array size of 500.

Program	Time (seconds)	
	Iterative Algorithm	Recursive Algorithm
CI C-86	4 (more than 2 of which are spent loading the program from disk)	
BASIC	12.0	
muLISP	80.0	95
IQLISP	30.0	would be about 835 seconds if it didn't run out of space

Table 5: The times it took to run the Fibonacci series up to the seventeenth term recursively.

Program	Time (seconds)
CI C-86	4.0 (more than 2.0 of which are spent loading the program from disk)
muLISP	8.5
IQLISP	23.0

each time. muLISP goes one step further and lets you create a new LISP.com file instead of just the SYS file.

muLISP has the advantage that the programs you create with it are transportable to 8-bit machines. However, to retain this advantage, your code must not exceed a 64K-byte workspace.

CONCLUSIONS

Each of the LISP systems has its own advantages. muLISP is faster, has a better editor, and comes with tutorials and two compatibility packages. IQLISP has better debugging, floating-point math, and more error-checking capabilities. IQLISP

also has a friendlier environment and a lower price, but it lacks compatibility packages and is quite a bit slower than muLISP. Overall, we prefer muLISP because of its speed and because of its MacLISP compatibility package.

It may be easier for new LISP users to learn under muLISP because of its tutorial system and the MacLISP compatibility mode. One of the best LISP books on the market, *LISP*, by Patrick H. Winston and Berthold K. Horn (Reading, MA: Addison-Wesley, 1981), assumes a MacLISP environment.

We recommend that you carefully weigh the things you consider most im-

portant before choosing a system. Both versions we've discussed are adequate for learning LISP, but muLISP's speed gives it the edge for doing some types of useful work. ■

ACKNOWLEDGMENTS

The authors would like to thank Al Rich from The Soft Warehouse and Robert Rorschach from Integral Quality for providing review copies of their LISP systems. We thank Mr. Rich for adding some more "safety valves" to his LISP system so we couldn't accidentally lose our work. Ralph Hyre and Jon Christenson commented on early versions of the article. We are grateful to Mr. Christenson for the use of his computer when the electricity went out.


THE 8087 IS IN STOCK!

Micro Ware is the world's leading retailer of 8087s. We also have the most accurate statistics on chip reliability. They are: .01% infant mortality, .00% adult mortality and .02% 8088 incompatibility. As for ease of installation, we have never had a customer return a chip because of bent pins. We are so confident that you will be able to successfully install and use the chip that we offer a 180-day warranty with every chip we sell. That's 90 days more than anyone else!

To support the 8087 we stock the largest selection of 8087 software anywhere. This includes: three FORTRANs, three PASCALs, APL, Intel's ASM86, PL/M-86, several Cs, 87BASIC, 87MACRO and MATRIXPAK. For real time or multi-user applications we offer RTOS™ - our implementation of Intel's iRMX executive. Our new products include a professional debugger with 8087 support, an interface library which enables MS Fortran users to call the IBM Basic

Compiler Library, and a translator that converts object modules into readable assembly language files. If you have a question about which computer, language, compiler, operating system or application package is best suited to your problem, we can answer it. Just call:

Information and Orders—
617-746-7341
University, Corporate and Government Buyers—
617-746-7364



8087 Support from **Micro Ware**

87FORTRAN/RTOS™ - our adaptation of the Intel Fortran-86 Compiler generates in line 8087 code using all 8087 data types including 80-bit reals and 64-bit intergers. The compiler uses the Intel large memory model, allowing code/data structures of a full megabyte, and supports overlays. Includes RTOS and support for one year **\$1350**

87PASCAL/RTOS™ is Intel's ISO-Standard Pascal with 8087-8088 exceptions. These make it possible to use all the 8087 data types directly, while generating modules in one of the three Intel Memory Models. Includes RTOS and support for one year **\$1350**

RTOS DEVELOPMENT PACKAGE includes 87FORTRAN, 87PASCAL, PL/M-86, Utilities, TX Screen Editor and RTOS. ... **\$2500**

RTOS— REAL TIME MULTI-TASKING/ MULTI-USER EXECUTIVE

RTOS is a Micro Ware configured version of iRMX-86. Includes ASM-86, LINK-86, LOC-86, LIB-86, and the ROM Hex Loader **\$600**

MWS-286™ Configured to your specifications, our computer runs RTOS-286 or XENIX. Includes one Intel compiler, seven slot multibus chassis, hard disk, streaming tape backup and Intel Service Contract. Six to twenty times faster than your PC **CALL**

Micro Ware not only provides quality products but also the support to make them work. Our users receive newsletters, free software updates, and have access to a hotline for 8087 related advice. Micro Ware is your complete clearing house for 8087 related products. We sell the chips, compilers and applications programs you need at affordable prices. Call for our complete catalogue.

PC TECH JOURNAL REVIEW: "The Micro Ware package is preferable ... it executes the basic operations more rapidly and Micro Ware provides a free update service."

87BASIC™ includes patches to the IBM Basic Compiler and both runtime libraries for USER TRANSPARENT and COMPLETE 8087 support. Provides super fast performance for all numeric operations including trigonometrics, transcendentals, addition, subtraction, multiplication, and division **\$150**

87BASIC/INLINE™ generates inline 8087 code! Converts the IBM Basic Compiler output into an assembly language source listing which allows the user to make additional refinements to his program. Real expression evaluations run five times faster than in 87BASIC. **\$200**

87MACRO™ - our complete 8087 software development package. It contains a "Pre-processor," source code for a set of 8087 macros, and an object library of numeric functions including transcendentals, trigonometrics, hyperbolics, encoding, decoding and conversions. **\$150**

87DEBUG™ - a professional debugger with 8087 support, a sophisticated screen-oriented macro command processor, and trace features which include the ability to skip tracing through branches to calls and software and hardware interrupts. Breakpoints can be set in code or on guarded addresses in RAM **\$150**

FOR→BAS™ - a library of interface routines which allow MS Fortran programs to call the IBM Basic Compiler library and access features such as the RANDOM NUMBER GENERATOR, SOUND, PLAY, DRAW and SCREEN commands. **\$150**

8087-3 CHIP \$175

including DIAGNOSTICS and 180-day warranty

64K RAM Upgrade \$47.50

87/88GUIDE - an excellent tutorial on writing 8087 code and interfacing it with compilers. Full of code that runs! **\$30**

MATRIXPAK™ manages a **MEGABYTE!** Written in assembly language, our runtime package accurately manipulates large matrices at very fast speeds. Includes matrix inversion and the solution of simultaneous linear equations. Callable from MS Fortran 3.2, 87MACRO, 87BASIC, and RTOS. each **\$150**

MICROSOFT FORTRAN 3.2 or PASCAL 3.2 - These IEEE compatible compilers support double precision and the 8087 each **\$259**

MICROSOFT C COMPILER includes Lattice C and the MS Librarian. **\$350**

SCO XENIX. <small>TM/UNIX/OS/PT</small>	\$595
Unisource VENIX/86. <small>TM/Unisoft/Com, Inc.</small>	800
FLOAT87 for MS or LATTICE C.	125
SuperSoft Fortran 66	299
Computer Innovations C86	345
STSC APL ★PLUS/PC	500
TURBO PASCAL	45
TURBO PASCAL with 8087 Support	85
HALO GRAPHICS	CALL
GRAPHMATIC	125
ENERGRAPHICS	295
Professional BASIC	295
Kidger Optical Design Program	3000
COSMOS REVELATION	850
SuperCalc III with 8087 Support	CALL
MAYNARD WS1 HARD DISK	995
MAYNARD WS2 HARD DISK	1170
256K RAM CHIPS	CALL
MAYNARD ELECTRONICS Boards	CALL


**NO CHARGE FOR CREDIT CARDS
 ALL ITEMS IN STOCK**

Micro Ware

P.O. Box 79
 Kingston, MA
 02364
 (617) 746-7341

**You Can
 Talk To Us!**

IBM PC is a registered trademark of IBM Corp. 8087, iRMX-86, LINK-86, FORTRAN-86, ASM-86, LOC-86, PL/M-86 and LIB-86 are trademarks of Intel Corp. 87FORTRAN/RTOS, 87PASCAL/RTOS, 87BASIC, 87MACRO, FASTPAK, MATRIXPAK, 87/88GUIDE, RTOS, 87BASIC+ and Microway are trademarks of Micro Ware, Inc.



The Smith-Corona L-1000 Printer

A daisy-wheel
unit for light-
duty word
processing or
high-quality
program
listings

RICHARD S. SHUFORD

The Smith-Corona division of SCM Corporation, long known as a manufacturer of typewriters, created quite a stir when it announced its TP-I daisy-wheel computer printer in early 1982. Previously, no formed-character impact printers had been available at a list price of less than \$1500; the TP-I retailed for \$895 (see "The Microprocessor's Tenth Birthday" by Chris Morgan, March 1982 BYTE, page 6). Since then, many other manufacturers, most sporting addresses on the western side of the Pacific Ocean, have jumped into the formed-character printer market. The competition inspired product improvements. Smith-Corona first responded with an upgraded machine called the TP-II. A further improvement on the same basic design was marketed for a short time as the TP-II Plus; it featured bidirectional printing and three character pitches. In its latest incarnation, the TP-II Plus has been given a redesigned case and has been renamed the L-1000.

The L-1000 is fairly small as daisy-wheel printers go, taking up less room on a desktop than an average electric typewriter. At 21 pounds (9.4 kg), the L-1000 weighs about half again as much as a typical dot-matrix printer. It does not exactly have a multitude of fancy features: it lacks proportional spacing, single-pass double-striking, and the ability to print super- and subscript characters and graphics. But, in addition to the previously mentioned bidirectional printing and selectable pitch, it does have single-pass underlining and uses a standard print wheel with a character set suitable for computer-program printing as well as word processing.

The L-1000 prints slowly. Smith-Corona rates its speed at 12 cps (characters per second), but the measured speed in a representative Shannon-text benchmark test was slightly less: 11.2 cps. The L-1000 can skip relatively quickly across blank spaces, so sparse documents would show slightly better results.

The L-1000 is also noisy; you wouldn't want to hold a telephone conversation nearby during printing. But most other daisy-wheel printers are also loud enough to be an annoyance.

EXTERNAL CONTROLS

The front panel of the printer contains a power-on light and three rocker switches. One switch selects the printing pitch of 10, 12, or 15 characters per inch (cpi); the second selects the paper-handling mode (top-of-form or "normal"); and the third actuates formfeeds (or linefeeds) or selects the self-test mode. On the back of the case are the rocker power switch, the power connection, a 36-pin female Centronics-type parallel input/output (I/O) connector, and a female DB-25S serial RS-232C I/O connector. Behind a removable louver in the back are two sets of DIP (dual-inline pin) switches for selecting some printer control parameters that are infrequently changed; these parameters include the serial data rate, polarity of the serial handshaking signal, the response to carriage-return and linefeed characters, the use of different print-wheel character sets, and the length of the paper (either the North American 11 inches or the Deutsche Industrie Norm 29.7 centimeters).

Using the printing-pitch switch is simple enough—just set it to match the currently installed print wheel. The switch controlling the paper-handling mode requires explanation. The top-of-form mode is of use chiefly with continuous fanfolded paper, enabling the printer to automatically provide four-line top and bottom margins on 11-inch sheets (or five-line on 29.7-centimeter sheets). The other choice is called "normal" mode, in which vertical movement of the paper occurs only in increments of one line: a formfeed character causes the same behavior you'd expect from a linefeed character.

The normal mode is intended for use when you are feeding single sheets by hand. But even with continuous-form paper I had to use normal mode most of the time because the word-processing programs I use (The Final-Word and SuperWriter) keep track of the print position and do not expect the printer to skip lines by itself. (Few word-processing programs

(continued)

.....
Richard S. Shuford is BYTE's special projects editor. He can be contacted at POB 372, Hancock, NH 03449 or through Source account TCG847.

expect to receive much help from the printer in page formatting. You must be able to turn off the printer's formatting features to prevent strange results from two kinds of formatting being applied at once.)

The labeling on the mode switch is confusing. To get the normal mode you flip the switch to the position marked "CLEAR" and "-" (minus sign). The switch position for top-of-form mode is marked "SET" and "+" (plus sign). Neither label is self-explanatory.

The third front-panel switch, marked "Form Feed/Self Test," is a momentary-contact type. Its function is changed by the paper-handling mode. In top-of-form mode, pressing the switch causes the paper to advance to the top of the next form; in normal mode, the paper is fed by only one line. This function does not automatically repeat: when using the normal mode with continuous paper, I sometimes had to press the third rocker switch 50 times or so to get the page out.

PROGRAMMABLE CONTROLS

The L-1000's special print functions, as with most computer printers, are invoked mostly by means of programmed control sequences it receives along with the printable characters. The functions include changing pitch, setting the left, top, and bottom margins, setting up to 16 tab stops, and underscoring. All the special commands except one begin with the ASCII (American National Standard Code for Information Interchange) Escape character; the functions and their control sequences are shown in table 1. The exception to using the Escape character is the margin-release function, which disables for just one line the left margin set on the printer. A bare CAN (cancel) control character invokes the margin release.

The printer responds to a few other nonprinting ASCII control characters: the backspace (BS) character causes the print mechanism to back up, the horizontal-tab (HT) character causes the printer to quickly skip to the next tab stop, and the formfeed (FF) character causes a formfeed (but not in normal mode). The L-1000 contains no bell or buzzer, so BEL does nothing. When the printer is controlling receipt of characters from the computer via software

Table 1: Command codes used to invoke functions of the L-1000.

Command Code	Function
ESC US FF	set printing pitch at 10 cpl
ESC US LF	set pitch at 12 cpl
ESC US BS	set pitch at 15 cpl
ESC C	set top and bottom margins to edges of sheet
ESC E	begin underscoring all characters
ESC FF n	set page length at n lines
ESC L	set bottom margin
ESC R	stop underscoring
ESC S	set page length and margins at DIP-switch default
ESC T	set top margin
ESC Z	begin underscoring alphabetic characters
ESC 9	set left margin
ESC 1	set tab stop at current location
ESC 8	clear tab stop at current location
ESC 2	clear all tab stops
ESC /	begin bidirectional printing (default)
ESC \	stop bidirectional printing
HT	move right to next tab stop
CAN	margin release for printing current line

Abbreviations

ESC—Escape character
 US—unit-separator character
 FF—formfeed character
 LF—linefeed character
 BS—backspace character
 HT—horizontal tab character
 CAN—cancel character

Table 2: A comparison of printing speeds of three daisy-wheel printers. Printing was done bidirectionally; all times are in seconds.

Test	Smith-Corona L-1000	Diablo 630	Juki 6100
80-column Shannon text	51.0	15.2	33.9
60-column Shannon text	51.4	15.3	33.7
First-order English	87.3	27.8	58.8
Fourth-order Shakespeare	71.7	22.4	48.8
First-order UNIX manual	84.0	22.3	58.1
Spreadsheet simulation	95.8	28.6	68.6

handshaking, it sends the DC1 (X/ON) and DC3 (X/OFF) control characters to start and stop the flow of data.

The printer can be instructed via DIP-switch settings to recognize the linefeed character as a "newline" character and perform both a carriage return and a linefeed operation upon its receipt. Or the DIP switches can tell the printer to perform a linefeed automatically after every carriage return. The L-1000 comes from the factory set up to require ex-

PLICIT return and linefeed characters.

The L-1000's relative lack of special features can be considered an advantage in one way. Users of some printers capable of many functions commonly become frustrated trying to find commercially available software that can use all the cute tricks. For example, an owner of a Diablo 630 discovers that WordStar cannot issue commands for true proportional spacing, which the

(continued)

AT A GLANCE

Name

Smith-Corona L-1000

Type

Daisy-wheel printer

Manufacturer

Smith-Corona
65 Locust Ave.
New Canaan, CT 06840
(203) 972-1471

Price

\$545

Optional Equipment

Tractor feed, \$149
Extra print wheels

Documentation

28-page booklet

Advertised Print Speed


12 cps

Warranty

90 days

Audience

People who want a low-cost
formed-character printer for
light-duty work



This is the L-1000 (Tempo 10). This is the L-
This is the L-1000 (Pica 10). This is the L-
This is the Juki 6100. This is the Juki 6100
This is the Diablo 630. This is the Diablo 6

The Smith-Corona L-1000 printer is compared with the Juki 6100 printer (using a Courier 10 daisy wheel) and the Diablo 630 (using a Courier Legal 10 daisy wheel). The L-1000 is using the ASCII Tempo 10/12 and the Pica 10 print wheels. The pitch for all printers is 10 characters per inch. The

prices shown do not include tractor-feed mechanisms. The print speeds were determined by timing how long it took the printers to run the 60-column Shannon test (573 characters; see "The Art of Benchmarking Printers" by Sergio Mello-Grand, page 193 in the February BYTE).

630 is certainly capable of. People who buy the L-1000 will at least not have that particular difficulty.

The L-1000 is new enough that few prewritten programs explicitly support it. Software written to use the Smith-Corona TP-1 will probably work with the new model if the L-1000's default mode of bidirectional printing does not get in the way. The only means of turning this feature off is by sending the ESC\ (Escape-backslash) command, the ease of which depends on the application.

ROUTINE USE

The printing and paper-handling mechanisms reflect their typewriter heritage. If you've used a typewriter, you should have no trouble loading single sheets of paper into this printer. It has the familiar paper bail, guide, release, and platen knobs. The carriage accepts sheets 13 inches wide. It is difficult to print on the first inch of sheet-fed paper because the top edge must be tucked

under the paper bail for proper feeding. (This limitation is shared by many other printers and typewriters.) But small Rolodex cards can be inserted and printed on with little trouble.

The line-space selector can set the paper-feed linkage to print 6 lines per inch (lpi), 4½ lpi, or 3 lpi. This seems to be an heirloom from typewriter technology; I suspect that the 6-lpi setting will be appropriate in nearly all computer applications.

The optional tractor-feed attachment was not available for this review, but I tried printing on continuous fanfolded paper loaded into the unassisted friction-feed platen. It worked surprisingly well as long as I straightened the paper every 20 pages or so. However, Smith-Corona does not recommend operating the printer in this manner.

The L-1000 uses a ribbon contained in a rectangular cassette, which I found quite easy to remove and replace. A multistrike Mylar-film ribbon is standard

equipment, but fabric and single-strike film ribbons are available. An impression control can vary the force with which the print hammer strikes the print wheel.

Smith-Corona provides an adequate selection of optional print wheels for printing text in English and several other European languages; the L-1000's wheels have 93 character positions and are identified by a red ring. Because the handling knobs on the print wheels have sharp edges and removing the print wheel requires a fair amount of force, the process is slightly painful. The ribbon must be removed to change the print wheel. The front of the printer's case flips up on a hinge for access to the ribbon and print mechanism.

ANNOYANCES

A few things about the L-1000 annoy me. Often when first turned on, it fails to print the very first character sent to it. And the initialization routine it goes

SMÖRGGAS

1 CPU 8/16

- Dual processors: 4MHz NSC800 (executes full Z80 instruction set) and 8MHz Intel 8088.
- Onboard floppy controller with 24-bit DMA. Runs up to four 5¼" or 8" floppies in any combination at the same time.
- 8K PROM monitor.
- 2 serial ports (software selectable up to 19.2K Baud.)
- Interrupt controller with 8 vectored interrupts.
- Real time clock interrupt.
- \$895 (Manual only: \$25)

2 256K STATIC RAM/ TIME OF DAY

- Employs fully static CMOS memory chips.
- Accepts either 8-bit or 16-bit bus requests.
- Includes battery-backed-up time-of-day clock and calendar.
- IEEE-696/S-100 compatible.
- \$1850 (Manual only: \$25)

3 256K/512K/1MB/2MB DYNAMIC RAM

- Configurable as either dynamic RAM or as disk drive emulator.
- Accepts either 8-bit or 16-bit bus requests.
- Uses 256K chips for 1MB or 2MB configurations.
- 150ns. RAM chips.
- IEEE-696/S-100 compatible.
- Low as \$850 (Manual only: \$25)

4 SBC-300

- Single board computer able to perform as permanent bus master or slave processor.
- Z80* CPU: 4 or 6MHz.
- 64K of dual-ported RAM with parity.
- 2 to 16K bytes of PROM.
- System memory addressing to 16MB.
- Serial, parallel and counter/timer I/O.
- SASI port.
- Dual programmable serial full-duplex channels.
- Supports CPM* Plus, MP/M* and TURBODOS*.
- \$740 (Manual only: \$25)

through at power-up always performs a linefeed, throwing the paper registration off by one line. I observed some strange behavior in the bidirectional-printing logic, which sometimes brought the print mechanism back to the left margin only to tab it back to where it just came from.

I don't care for the type font of the standard print wheel, ASCII Tempo 10/12, although it certainly does contain almost all the special characters you need for printing computer programs. (Oddly, it lacks the accent grave.) The ASCII Tempo characters are rather square, as though they are meant to imitate the output of a dot-matrix printer, and the slashed zero seems out of place in formal correspondence. Smith-Corona suggests that the print wheel can be used at either 10 or 12 cpi (thus the "10/12"), but I think ASCII Tempo text looks sparse at 10 cpi.

Like many printers, the L-1000's RS-232C serial interface is set up in the

DTE (data-terminal equipment) configuration, receiving data on pin 3 and transmitting on pin 2. This is fine if you want to connect the printer to a modem, but it's not so fine if you want to connect it directly to a computer: most computers also receive on pin 3 and transmit on pin 2. You have to make or buy a special cable that crosses the connections between pins 2 and 3. The L-1000 uses both pin 4 (ready to send) and pin 20 (data terminal ready) of the RS-232C line to transmit its printer-busy status to the host computer. The printer comes from the factory set at 1200 bps (bits per second), with 8-bit data characters, even parity, and 1 stop bit; 7-bit data characters are more common.

CONCLUSIONS

The current list price of the L-1000 is \$545, with the tractor-feed option an extra \$149, but considerable discounts are available. (Some dealers would rather include the discount as part of

a complete system deal.)

Should you buy the L-1000? Maybe, if its limitations don't bother you, and if you can buy it at a good discount. But at \$545 its price/performance ratio is somewhat below that of other printers now on the market.

If you decide to buy the L-1000, make sure that you can obtain a properly wired serial cable. And check the dealer's supply of print wheels for fonts other than ASCII Tempo 10/12, unless you like square characters.

The Smith-Corona L-1000 is not packed with fancy features, but it performs the basic printing functions most people require. The tractor-feed option and the computer-type standard character set is satisfactory for printing program listings and for other technical uses. The L-1000 is most at home in light-duty applications, printing individually prepared letters and other short documents on single sheets of paper fed by hand. ■

SBOARDS



5 VFW-III

- Offers simultaneous control of up to three 5¼" Winchester drives (up to 16 heads) and four 5¼" and 8" floppy drives.
- Floppy drives may be single- or double-sided, single- or double-density.
- Data transfers under DMA or programmed I/O control.
- Phase lock loop data separator.
- 20-bit single and 4-bit double burst detection span on 256 byte sectors.
- \$895 (Manual only: \$25)



6 HARD DISK SUBSYSTEM

- 2 serial, 1 parallel port (IBM-PC* compatible).
- Supports up to four 5¼" Winchester drives.
- ECC/CRC plus PLL data separator.
- Full sector buffering. • Incl. CP/M 80* and CP/M 86* BIOS.
- Optional 20 MB disk w/pwr. supply & fan.
- Supports Octagon, Compupro, Northstar etc.
- \$2295 (Contr. board only: \$595. Manual \$25)

ETC. These are just some of the boards Syntech Data Systems has to offer. All IEEE-696/S-100 compatible. From the most powerful multi-processing CPU board you can buy to the most sophisticated hard disk subsystem available. Of course, all our CPU boards support Concurrent 3.1; UNIX; PC-DOS/MS-DOS and CP/M 86*. In our complete menu of S-100 products you'll find everything it takes to make a winner. We've combined two companies, Octagon and S/D Systems, so you can put together unbeatable systems from the single most knowledgeable source in the industry. Call us at 214/340-0303. Telex us at 6829016. Or write to the address below for complete information on even more products. We have everything you've hungered for.

*Manufacturers' trademarks



Something New In S-100

10111 Miller Road, Dallas, Texas 75238

**BASIC
COMPILER**

SuperSoft[®] Language Library

For PC DOS[®], MS DOS,
CP/M-86[®], and others



A programmer's most important software tool is the language compiler or interpreter he uses. He has to depend on it to work and work well.

At SuperSoft, we believe it. That's why we offer three fine compilers: SuperSoft FORTRAN, SuperSoft BASIC, and SuperSoft C, that answer the programmer's need for rock solid, dependable performance on 16 bit systems.



Compatible with Microsoft BASIC

The SuperSoft BASIC compiler, available under CP/M-86 and MS DOS, is compatible with Microsoft* BASIC and follows the ANSI standard.

Greater accuracy with BCD math routines

If you have used other languages without BCD math, you know how disconcerting decimal round off errors can be. For example:

**With IBM PC*
BASIC**

```
10 A=.99
20 PRINT A
30 END
Output: .9899999
```

**With SuperSoft
BASIC with
BCD math**

```
10 A=.99
20 PRINT A
30 END
Output: .99
```

As you can see, SuperSoft BASIC with BCD provides greater assurance in applications where accuracy is critical.

SuperSoft's BASIC is a true native code compiler, not an intermediate code interpreter. It is a superset of standard BASIC, supporting numerous extensions to the language. Important features include:

- Four variable types: Integer, String, and Single and Double Precision Floating Point (13 digit)
- Full PRINT USING for formatted output
- Long variable names
- Error trapping
- Matrices with up to 32 dimensions
- Boolean operators OR, AND, NOT, XOR, EQV, IMP
- Supports random and sequential disk files with a complete set of file manipulation statements
- IEEE floating point available soon as an option
- No run time license fee

Requires: 128K memory
BASIC compiler: \$300.00

For CP/M-86[®], MS DOS, and PC DOS

*SuperSoft BASIC is compatible with Microsoft BASIC interpreter and IBM PC BASIC. Due to version differences and inherent differences in compilers and interpreters some minor variations may be found. Machine dependent commands may not be supported. The vast majority of programs will run with no changes.

FORTRAN

SuperSoft FORTRAN is the answer to the growing need for a high quality FORTRAN compiler running under CP/M-86 and IBM PC DOS. It has major advantages over other FORTRAN compilers for the 8086. For example, consider the benchmark program used to test the IBM FORTRAN in *InfoWorld*, p. 44, Oct. 25, 1982. (While the differential listed will not be the same for all benchmark programs, we feel it is a good indication of the quality of our compiler.) Results are as follows:

IBM FORTRAN:	38.0 Seconds
SuperSoft FORTRAN	2.8 Seconds

In its first release SuperSoft FORTRAN offers the following outstanding features:

1. Full ANSI 66 standard FORTRAN with important extensions
2. Standard data types, double precision, varying string length, complex numbers
3. Free format input and free format string output
4. Compact object code and run time support
5. Special functions include string functions, dynamic allocation, time/date, and video access
6. Debug support: subscript checking, good runtime messages
7. Full IEEE floating point
8. Full 8087 support available as option (\$50.00).
9. Ratfor preprocessor available as option (\$100.00).

Program developers:

SuperSoft's family of FORTRAN compilers means you can write your programs once and they will run under CP/M-80, CP/M-86, and MS DOS. This lets you get your applications running fast no matter what the environment.

SuperSoft FORTRAN: available NOW and working great!

Requires: 128K with CP/M-86 or MS DOS,
32K with CP/M-80
FORTRAN: \$425.00 (in each environment)
8087 Support: \$ 50.00
Ratfor: \$100.00

For CP/M-86®, MS DOS, IBM PC DOS®, and CP/M-80®

In conjunction with SuperSoft, SuperSoft FORTRAN was developed by Small Systems Services, Urbana, IL, a leader in FORTRAN development.

Japanese Distributor:

ASR Corporation International, TEL Building, 7th Floor,
1-19-9 Toranomon, Minato-Ku, Tokyo 105, Japan
Tel 1031-5025550, Telex: 222-5650 ASRTYO J

European Distributor:

SuperSoft International Ltd, 51 The Pantiles,
Tunbridge Wells, Kent, England TN2 5TE
Tel 0892-45433, Telex 95441 Micro-G

C Compiler

In 1982 SuperSoft helped C programmers around the world move their applications from 8 to 16 bit operating systems with the first C compiler under CP/M-86®, PC DOS, and MS DOS.

Today there are several C compilers on the market, and you can look at them all. But if you want a C that's fully portable, syntactically compatible with UNIX version 7 C, rigorously tested, fast in both compilation and execution, packed with more library functions than any other, and produces a very highly optimized assembly code... then you'll find only one. The SuperSoft C compiler.

Professional Quality

SuperSoft started working on C over three years ago, and the work has never stopped. While others were struggling to put in features, SuperSoft was refining and polishing... adding the quality professionals depend on.

Thoroughly Tested

SuperSoft C has been tested with hundred of commercial application programs. And all this testing has paid off... with a compiler that's highly reliable in every phase of operation.

Portable

SuperSoft C is now available in most operating systems environments. Since we don't sell operating systems, we can support them all. And as new operating systems become popular, SuperSoft C will be there.

Packed with Library Functions

SuperSoft now has the most complete set of library functions available. All provided with source code.

Thorough User Manual

The new user manual is extensive—jammed with thorough explanations to help you every step of the way. And our technical hotline can help answer any additional questions.

SuperSoft C: \$350.00

SuperSoft®

FIRST IN SOFTWARE TECHNOLOGY

P.O. Box 1628 Champaign, IL 61820

(217) 359-2112 Telex 270365

Microsoft is a trademark of Microsoft Corporation
IBM PC is a trademark of International Business Machines Corporation
CP/M and CP/M-86 are registered trademarks of Digital Research
UNIX is a trademark of Bell Laboratories

Circle 292 on inquiry card.



Advancing the technology of data security

Introducing Data Sentry.[®] Computer security so advanced, even Mata Hari couldn't hack it.

Your most confidential files may be easy prey for the advances of an artful hacker.

That's why Lockheed used its years of experience with high-technology systems to create Data Sentry.

Protection for sensitive data

Its own internal computer gives you the telecommunications features of an intelligent modem. But unlike other modems, Data Sentry is smart enough to keep your secrets from the most persistent computer intruders.

Data Sentry puts an electronic wall around both large and small computers. And because its protection is external to your CPU, it can eliminate the expense of internal security software. It blocks the inquiries of would-be Mata Haris with a sophisticated security sequence.

Security for every situation

First, Data Sentry requests the phone number of a caller desiring access to your computer. Then it hangs up the phone and searches its list of authorized phone numbers. If the caller's number is authorized, Data Sentry dials the caller back and requests entry of a password. If the correct password isn't supplied within three tries, Data

Sentry disconnects and will not return further calls from that phone number.

Data Sentry also lets users select other lower levels of security if desired, including callback to any number with entry of password. And an option, Remote-ON[®], lets you turn your computer's power on and off from a remote terminal after security has been cleared.

Versatile and confidential

Data Sentry logs all attempted contacts for audit trails and analysis of users. Its security set-up is locally controlled by a master password that is accessible only to authorized personnel. And its design includes high-reliability components, the latest LSI circuitry, plus Autodial 300/1200 baud full-duplex communications, with auto ranging for incoming data.

Data Sentry will deal with your toughest security problems.

And it'll never fall for just a pretty face.

For a list of your nearest Data Sentry distributors, call toll-free 1-800-443-0100, Ext. 471. Or write: Lockheed GETEX, Suite 945, 1100 Circle 75 Parkway, Atlanta, Georgia 30339.



 **Lockheed-GETEX**
Leadership in Technology

Circle 184 on inquiry card.

STATISTICS REFIGURED

.....

"Statistical Software for Microcomputers" by James Carpenter, Dennis Deloria, and David Morganstein (April, page 234) was excellent. Thoughtful, competitive reviews like this are one of the main reasons I subscribe to BYTE. The authors should be commended.

BARRY GORDON, M.D., PH.D.
4340 Roland Springs Dr.
Baltimore, MD 21210

Thank you for including three of Dynacomp's packages in your recent survey. "Statistical Software for Microcomputers." We congratulate the authors on their time-consuming analysis.

On the whole we found what was said about Dynacomp's products to be fair and technical-ly objective. However, Dynacomp has received several calls from owners of these and other products who think that the review was unfair. In each case their objections related to what was *not* said in the review. I will briefly relay the comments we have heard.

1. The review states that the Dynacomp documentation is brief (only about 14 pages), whereas the competitive products have manuals of 100 pages or more. Out of context this apparently reads (it didn't to us) as a negative comment. However, the authors stated that they had no problems at all running the Dynacomp programs, whereas they did with some of the other products tested. The connection perhaps should have been made that the Dynacomp manuals served their purpose well and led to flawless program performance.

2. The review accurately states that the three Dynacomp products examined are limited in capability. There is absolutely no error here. Dynacomp feels that if you want to do nonlinear regression you should not be forced into buying a more comprehensive package costing ten times as much in order to use the one feature you want. The customers who called us pointed out that this was one of the strong features of the Dynacomp product selection.

3. Another complaint we heard was that none of the other 13 packages carried by Dynacomp were mentioned. Collectively, these cover almost all the features of the competitive products mentioned in the review and offer additional capabilities (e.g., sample planning, principal components, and others). They range in price from \$19.95 to \$249.95. The three Dynacomp packages reviewed were in the \$20 to \$30 range.

I realize it would be unfair to include all

of Dynacomp's statistics packages in a comparative review because Dynacomp would then dominate the list.

Having been in the position of a reviewer in the past, I appreciate the difficulty (sometimes impossibility) in presenting a balanced evaluation given the limitations of available magazine space. BYTE has high standards in this respect, and its reviews are generally very professionally done. All I offer in this note is a condensation of some customer responses.

DR. F. R. RUCKDESCHEL
Dynacomp Inc.
1427 Monroe Ave.
Rochester, NY 14618

The article "Statistical Software for Microcomputers" in your April issue provides a much needed service to the large community of professional data analysts.

Although we appreciate the reviewers' determination that our product, Statpro, is "far and away the most comprehensive package," we would like to respond to several inaccuracies concerning both Statpro and our company.

The Statpro IBM-PC version is available for sale at this time while our PC XT version will be released in August 1984. We also have both an Apple II and Apple III version of Statpro available, the latter of which operates in either a floppy- or hard-disk environment.

Lastly, our correct company name is Wadsworth Professional Software Inc. Interested readers can contact us at (800) 322-2208 for further product information including a Statpro demonstration package.

RICHARD J. DUNFEY
Wadsworth Professional Software Inc.
20 Park Plaza
Boston, MA 02116

MORE THAN MICRO-LOGIC

.....

We were interested by Rich Krajewski's objective review of Micro-Logic in April. It especially interested us because we sent a similar product to BYTE approximately two and a half years ago, and it only received coverage on page 441 in the Software Received section of the March 1982 issue.

Speaking from a biased point of view, we feel that we have a better product at a better price, the CDS Circuit Design System. Here is a partial list of the convenient features of CDS:

- Boolean minimization of up to seven variables
- User-oriented documentation with index, bibliography, and transparent overlays

- User-defined devices and graphics
- Complete on-screen circuit documentation
- On-screen circuit simulation
- Fast and easy interdevice connections
- Circuit cascading with virtual (disk drive) memory
- A price of only \$149

We feel that in order to do justice to your readers you should review other similar simulation/design packages.

TODD K. MOON
Smart Software
POB 1292
Orem, UT 84057

I read with great interest Rich Krajewski's software review, "Micro-Logic," in the April issue of BYTE (page 224). We have a somewhat similar product called Hard that differs from Micro-Logic mainly in the following aspects.

Hard costs \$45 rather than \$475. It is extremely easy to learn and use; in fact, it has been designed for education. It runs on any CP/M-based system and does not require graphics since its input is via a simple hardware description language. This does not preclude output comparable to that of Micro-Logic. And though it is, overall, slightly less sophisticated than Micro-Logic, it has a few extra features, such as simulation of random noise.

DR. IVAN TOMEK
Modular Systems
POB 1456
Wolfville, Nova Scotia
BOP 1X0, Canada

OVER THE RAINBOW—AGAIN

.....

David Suits's review of the Rainbow 100 is probably the most comprehensive description of this machine that I have read to date.

I can only reinforce his comments concerning the difficulty and expense of obtaining technical documentation, such as the BIOS listings, from DEC. However, a number of users groups are now springing up, and many provide basic technical libraries to their members.

Contrary to what is suggested in the review, the 96-track-per-inch format of the Rainbow disk drives gives the Rainbow hardware the ability to read virtually any single-sided, soft-sectored format. In fact, an inexpensive program called Media Master from MDG & Associates of Moorpark, California, allows the Rainbow to both read and write in over twenty different formats in both CP/M and MS-DOS.

More problematic is the VT100/VT102 screen
(continued)

handling. While Mark Siegel's article, "Toward Standard Video Terminals: ANSI X3.64 Device Control" (April, page 365), praises the ANSI standard, much CP/M software continues to be written for the Lear Siegler ADM-3 (or other proprietary screen formats) and hence is not easily transportable. As ANSI X3.64 gains its rightful acceptance, the virtue of the DEC Rainbow's VT-100 implementation will be truly appreciated.

For more of a flavor of the level of technical involvement of many Rainbow users, BYTE readers are encouraged to drop in on the Rainbow subarea of the VAXsig (special interest group) on CompuServe.

WILLIAM LEE ROBERTS
Fort Street Investment Corp.
Suite 2000
425 California St.
San Francisco, CA 94104

I am surprised. In spite of recent controversies over reviews versus previews, BYTE has always maintained a reputation of technical accuracy and objectivity. The benchmark report in "The Rainbow 100" (April, page 170) contains several errors and at least one missing piece of information.

The major error is one that I am sure many others caught—the comparison of execution time for the prime-number program using integer variables on the Rainbow versus use of floating-point (real) variables on the Victor 9000 and IBM PC. David Suits reports that he changed to use of integer variables because "using real variables, MBASIC-86 gave . . . an OUT OF MEMORY error when [he] tried to dimension the 7001 element array" in the program. How much memory was in his test system? Was it the same as in the Victor and IBM systems previously tested? Though Professor Suits notes that he "use[d] integer variables to conserve memory," why even proceed in this direction? Without considering the differential overhead in arithmetic operations for integer and real numbers, the fact that integers take up less memory indicates that a system has to do less work when dealing with them.

Professor Suits does not profess to be a com-

puter professional. To the contrary, his review is from the point of view of the average intelligent user of the system. But where was the review editor? I support the idea of using external reviewers, especially those who can contribute reactions from the user viewpoint. However, if this tact is taken, your editorial staff should take extra care in checking the information provided and the results of comparative tests. Here is a case of not only comparing performance using two different data types, but also comparing across operating systems (CP/M-80/86 versus MS-DOS) and versions of BASIC (MBASIC versus IBM-BASIC). I am glad that Professor Suits sensibly made only the general conclusion that the systems "seem fairly evenly matched."

By the way, the time for the prime-number program on a Rainbow 100 using floating-point variables is about 205 seconds, about 10 percent higher than the 183.5 seconds recorded when using integers.

One further point: it is the Delete key that acts like an old-style rub-out key in BASIC: the Backspace key performs as might be expected from other microcomputers. The catch is that, keeping with DEC standards, the Delete key is the normal correction key at the operating system level and in many other applications. It is easy to agree with David Suits that this is disappointing and confusing.

In closing, I simply request that the usual high standards observed in articles by your technical staff also be enforced for contributed reviews. If comparisons are going to be made between systems, make sure that the tests are equivalent and that any other information important to interpretation is provided.

LAWRENCE JONES
211 Northview Road
Ithaca, NY 14850

The purpose of our system review benchmark tests is not to compare operating systems or microprocessors, but to compare complete systems. We wanted to compare the DEC Rainbow as we received it (that is, with 64K bytes of RAM, its standard operating system [CP/M-86], and its BASIC interpreter) with the IBM PC and

Victor 9000 as we received them (that is, with 64K and 128K bytes of RAM, respectively, and their standard operating systems [MS-DOS] and BASIC interpreters). We used a group of simple tests. Our reviewer found that one, the Sieve of Eratosthenes prime-number program, would not run on the Rainbow. The reviewer modified the program to allow it to run on the Rainbow. He accurately reported his procedure and his results.—Rich Malloy

Finally, I've found a review of the DEC Rainbow. My father bought one of these machines several months ago, and ever since, I have been trying to do some serious programming with it. Since the documentation that came with the machine lacked any information concerning the BIOS or any aspects of architecture, the possibility of my doing any sort of "fancy" programming was limited.

After finding out that the DEC technical package had a price of \$275 on it, I decided to wait for the BYTE review hoping that some useful information might appear in that. As it turns out, Dr. Suits ran into the same problem I did. Refusing to believe that DEC would try to prevent programmers from obtaining information by pricing it out of the market, I decided to make a few phone calls.

The magic number turned out to be the DEC Part Number Information Line. They were able to give me the following part numbers: AA-X355A-TV, *The MS-DOS Programmer's Reference Guide*, and AA-X432A-TV, *The Rainbow BIOS Listing*. A quick call directly to DEC and I found out the prices: \$21.00 for the reference manual and \$14.00 for the BIOS listing.

I just ordered them today, so I don't know what exactly is in the reference guide, but according to the description in the *MS-DOS Advanced Users Guide*, the programmer's guide has information on architecture, device drivers, system calls, and interrupts. So the information crisis is apparently not as bad as it seems, and once again I am the proud user of a DEC Rainbow.

MARK D. ESSWEIN
1730 Court Petit
McLean, VA 22101 ■

IN LESS THAN 3 MINUTES

Your IBM Model 50, 60, 65, 75, 85 or 95 Electronic Typewriter can be an RS232 PRINTER or TERMINAL using our Model 5060 Interface. Our Model 300 Interface can even connect your IBM Electronic typewriter directly into a phone connector to send or receive ELECTRONIC MAIL.

Both Versions can be easily installed and require NO modifications to the typewriter.

CMC CALIFORNIA MICRO COMPUTER
9323 Warbler Ave., Fountain Valley, CA 92708 (714) 848-3947



Kernel

THIS MONTH the Kernel welcomes the first installments of **BYTE Japan**, written in Tokyo by Contributing Editor William Raike, and **Mathematical Recreations**, by Contributing Editor Michael W. Ecker. William Raike reports on his experiences with the Seiko wrist computer and tells us that 256K-bit RAM chips are now available in single-unit quantities in Akihabara. Michael W. Ecker closes the section with some insights into the phenomenon of invariance.

Jerry Pournelle opens the July Kernel with a far-ranging discussion that dwells on AT&T's 3B2 and Apple's Macintosh. In **BYTE West Coast**, John Markoff describes some recent trends in telecommunications.

The August issue will introduce a new column, **BYTE U.K.**, by Contributing Editor Dick Pountain. He is the former managing editor of *Personal Computer World* and editor in chief of *Soft*, two of England's top personal computer magazines. Dick will write for us regularly from London.

COMPUTING AT CHAOS MANOR: THE AT&T COMPUTERS <i>by Jerry Pournelle</i>	305
CHAOS MANOR MAIL <i>conducted by Jerry Pournelle</i>	328
BYTE WEST COAST: TRENDS IN TELECOMMUNICATIONS <i>by John Markoff</i>	341
BYTE JAPAN: START-UP <i>by William Raike</i>	361
MATHEMATICAL RECREATIONS: INVARIANCE <i>by Michael W. Ecker</i>	365

Self-dFENSETM for EDP managers.

The micro invasion has begun. And, chances are, you've now got a lot of different people in a lot of different departments using a lot of different micros.

Now there's a way for you to control and maximize the benefits of all the different micros in your domain.



Fight back with dBASE II.[®]

dBASE II is the relational database management system from Ashton-Tate that enables you to manage your micro-based corporate data resources with the high level of consistency and sophistication you've enjoyed with mainframe and minicomputer systems.

Armed with dBASE II and the dBASE II RunTime[™] program development module, you can write programs which will enable micro users in each department to "do their own thing" while creating complete database consistency throughout the company.


dBASE II is a powerful, flexible way for you to effectively manage the micro proliferation.

Help is here.

If you'd like to know more about how dBASE II and RunTime can help you win the micro management battle, contact Ashton-Tate today. 10150 West Jefferson Boulevard, Culver City, CA 90230. (800) 437-4329, ext. 212. In Colorado (303) 799-4900. In the U.K. (0908) 568866.

ASHTON · TATE  TM

dBASE II is a registered trademark and RunTime is a trademark of Ashton-Tate.
Suggested retail price for dBASE II is \$700.
©Ashton-Tate 1984



C·O·M·P·U·T·I·N·G A·T C·H·A·O·S M·A·N·O·R

The AT&T Computers

3B2/300 Computer

AT&T/IBM PC Link

Sage Computers

Macintosh

The Creator

PBASIC

Eureka!

Z-100 RAM Disk

Z80/iAPX286 Board

CompuPro 8/16

Printer Optimizer

Quickon

Disk Maker I

Calendar/I

Infocom Games

BY JERRY POURNELLE

I've just come back from COMDEX Winter in the Los Angeles Exposition Center, where I got to play with the new AT&T computers.

Like. Wow!

When AT&T announced a computer line, there was a bit of panic on Wall Street; after the prices were announced, the excitement died away. Too expensive. Who's worried about a computer line whose lowest-cost item is a \$9950 desktop? How can that affect the micro world? That's what many Wall Street analysts said, anyway.

Dream on.

I don't own any computer stock—the conflict of interest is obvious—but if I did, I'd give that analysis a lot of thought. People, that AT&T desktop computer is one hell of a machine.

True: just now, as I saw it, with little application software, it's not much of a threat to anyone; but give it time, and there'll be a different story. The AT&T 3B2/300 desktop provides an awful lot of bang for the buck. If I seriously wanted into the software business, I'd buy a 3B2 development system and get to work polishing up my skills in the C programming language; and I'd expect to get rich from it.

AT&T quotes a four-week delivery time on the 3B2/300. With half a megabyte of memory (plus 32K bytes of ROM [read-only memory] for bootstrapping and housekeeping), it costs \$9950 "with standard industry discounts available." What you get is the basic machine built around the WE 32000 microprocessor chip, one 5¼-inch floppy disk, a Quantum 10-megabyte hard disk, two RS-232C ports, the UNIX System V operating system extended with a number of popular UNIX utilities such as YALOE and YACC (Yet Another Line-Oriented Editor and Yet Another Compiler-Compiler), and the Vi editor from Berkeley UNIX.

The WE 32000 chip is a true 32-bit microprocessor: it corresponds somewhat to the National Semiconductor 32032 or the Motorola 68020. It's also capable of 8- and 16-bit operations. Moreover, AT&T is committed to heavy-duty silicon support of the system: at the moment, the WE 32000 system

has an external memory-management unit (MMU) and other external support chips. The whole system is designed to interface with UNIX. AT&T plans in the future to combine the microprocessor, MMU, and other support into a single chip, thus increasing both speed and reliability; AT&T's people say the new chips will be upward compatible with the present 32000 systems.

As I write this, memory for the 3B2 is \$2400 per megabyte. AT&T makes 256K-bit memory chips and bundles them in clusters to make 1-megabyte boards no larger than a paperback book. Alas, I didn't think to photograph one of the boards next to one of my paperbacks to illustrate the point, but a megabyte contains about 166,000 English words: the AT&T memory board could hold all the words in one of my novels and have room to spare.

You'd undoubtedly want a full megabyte of memory for a development system, and indeed, to handle full UNIX you'll probably need two; so the base price for a real-world development system is more like \$14,500. We'd also want to upgrade the disk to at least 40 megabytes; that's \$2000 more. Finally, AT&T will sell you a wonderful terminal with a bit-mapped screen and its own WE 32000 processor to run it; that's an additional \$5000, so our development system costs \$22,000; hardly cheap.

However: we now have all we need. For an additional \$500 per user (less if we want to use less expensive terminals), we can add up to 15 more users. The system is full multitasking, multiuser UNIX: we can let each of our terminals run more than one job. I saw 20 simultaneous jobs running on the 3B2/300, and that didn't seem to slow it down much.

THE DEATH STAR CONNECTION

One of the strangest sights I ever saw was the AT&T "Death Star" logo on an IBM PC; but there it was. You can use the PC as a terminal for the 3B2/300. AT&T, in conjunction with

(continued)

.....
Jerry Pournelle holds a doctorate in psychology and is a science-fiction writer who also earns a comfortable living writing about computers present and future.

EMPLOYMENT OPPORTUNITIES

RB Robot Corporation is seeking designers and developers of peripherals and software programs for the RB5X Intelligent Robot. Please send resume and receive full information on royalties and fees to:

RB ROBOT CORPORATION
18301 W. 10th Ave., Suite 310
Golden, Colorado 80401
Attention: Deborah Waldo

New EMPLOYMENT OPPORTUNITIES Section

BYTE will feature a special section for recruitment advertising in all future issues.

BYTE is the perfect place to look for those High Technology professionals you need—over 400,000 paid subscribers.

Or, if you're looking for a new position, this is the place to feature a **Position Wanted** ad.

The cost for any display ad in this new **EMPLOYMENT OPPORTUNITIES** section is only \$356 per inch. For quotes on all **EMPLOYMENT OPPORTUNITIES** ads, or any additional information on recruitment advertising, call our special recruitment telephone sales at 212/512-2556.

Or send in your order to:

BYTE
Recruitment Advertising
Center
P.O. Box 900
New York, NY 10020

CHAOS MANOR

Locus, a small but highly competent Santa Monica software house, has worked out the hardware and software to network the 3B2 with the PC. What we saw running at COMDEX used a 3-Com Ethernet board in the PC and the regular 3B2 Ethernet board; but the software will work just as well with Omninet or (at lower speed, of course) with a straight RS-232C connection. That means we could connect up a Corvus Concept or any other machine that supports Omninet; or, if we want to write the interface driver, any machine with an RS-232C interface.

This gives the 3B2 a lot of flexibility. Even with all terminals and the networking and throwing in a good printer, we're under \$30,000 for a 10-user system with full UNIX.

There's more, though.

OPENING WINDOWS

What I saw running on that 3B2 wasn't any ordinary UNIX: this UNIX had windows and a mouse, and while it didn't yet have icons, it had nearly all the capabilities you expect from Apple's Lisa, only this was loaded down with multiple users and was still *fast*. Yet more: using that marvelous bit-mapped screen you can run programs under the debugger and see the program output in one window, the debugger in another, and the source code in a third—while having one or two other application programs running along in still more windows. The debugger lets you insert breakpoints, step the program along line by line through the source code, and get the contents of the registers; i.e., it offers all the features you'd expect from a good debugging utility. I'm told it's an outgrowth of the BLIT windowing UNIX prototype, but it has a lot more capability.

The debugging system takes advantage of the speed and power of the WE 32000 in the terminal. Windowing is managed about the way you'd expect, with pull-down menus and the ability to change window size and shape and shuffle the windows to put the one you like on top; all this is done with the mouse in much the same way that Wirth's Modula-2 operating system works. I suppose I shouldn't be surprised, since most of these concepts have previously appeared at the Xerox Palo Alto Research Center (PARC); the

whole micro community owes Xerox a vote of thanks for acting as the software R&D center for the industry. I can't imagine why Xerox doesn't market some of the goodies that have been developed, instead of exporting them to competitors, but these discoveries sure helped us all.

In any event, if there's something more powerful than the 3B2/300 for software development at anything like the cost, I haven't seen it.

The 3B2/300 weighs about 30 pounds and is roughly the same size and shape as an IBM PC XT. Its innards are certainly no more complex than an XT's. If the introductory quantity one price is \$9950, what will the quantity one hundred price be a year from now? Ditto with memory; that \$2400/megabyte is quantity one today; I expect it to fall by half within two years.

DO THEY KNOW THE TERRITORY?

Every publication from computer magazines to the *Wall Street Journal* has speculated that AT&T knows a lot about computers but not a lot about marketing. How could The Phone Company learn that? This is, after all, the hated Ma Bell . . .

So, naturally, when I got a chance to interview John Scanlon, AT&T's vice-president of the Technology Division, even though it wasn't very original of me, I figured I'd get that one out of the way. "Great R&D," said I, "but can AT&T handle marketing?"

"We seem to have done a good job of creating a demand for UNIX," he said.

Which is true enough. Moreover, I notice that even IBM is supporting UNIX, both directly and through Intel, which is developing UNIX for the Intel iAPX286 chip.

"We already have UNIX for our machines. Just turn on the switch: it comes up in UNIX, with most of the features and utilities that programmers want. Who else can offer that at our prices?"

Maybe some others, particularly if you count UNIX clones such as UNOS from Charles River Data Systems, thought I, but I didn't want to argue with him.

"And we're not through. Right now a full UNIX system really needs 2 megabytes, but we're getting it smaller. We're 90 percent to getting UNIX tamed. After

(continued)

THE FILE CONNECTION

8" DISKETTE SYSTEM FOR THE IBM PC



Our "FILE CONNECTION" programs provide 8" diskette file exchange between the IBM PC and most Micro-Mini-Main Frame computer systems.

Our "WORD CONNECTION" programs provide 8" diskette text document exchange between the IBM PC and many word processing systems.

Our "DISPLAYWRITER CONNECTION" programs transform documents from Textpack, Wordstar, Multimate, etc. to the new DisplayWrite 2 format.

In addition to our hardware and program products, we also provide a conversion service for customer supplied diskettes. Please contact us for information about the hundreds of 5¼" and 8" diskette formats and systems which we currently support.

FLAGSTAFF ENGINEERING / 2820 West Darleen / Flagstaff, AZ 86001
Telephone 602-774-5188 / Telex 705609 FLAG-ENG-UD

Circle 343 on Inquiry card.



for 6809
8080, Z80
8088, 8086


Real-Time Multitasking Executive

- ROMable (< 3K)
- No royalties
- Source code included
- Language interfaces
- Low interrupt overhead
- Inter-task messages

Options:

- C, Pascal, PL/M, Fortran i/f
- Extended memory (> 64K)
- Configuration Builder Utility
- Resource (semaphore) Manager
- Buffer Manager
- Integer Math Library
- Real-Time C Library

AMX (for 8080) \$800 U.S.
manual only **\$ 75 U.S.**



AMX, Real-Time C are TM of KADAK Products Ltd.
Z80 is TM of Zilog Corp.

KADAK Products Ltd.



206-1847 W. Broadway Avenue
Vancouver, B.C., Canada V6J 1Y5
Telephone: (604) 734-2796
Telex: 04-55670

CHAOS MANOR

all, we've used UNIX inside Bell for years to provide turnkey systems for our internal use. We do accounting, telephone control, and billing, and we can develop new UNIX shells for each application."

There's a lot to that. If some outside company had been supplying Ma Bell with office computers for accounting, billing, word processing, and all the mundane tasks one uses computers for, we'd think it a highly experienced company. AT&T has in fact been using a lot of its own equipment for years; it just didn't show elsewhere. The company's got more user-service experience than has usually been realized.

"But," I asked, "have you really tamed UNIX? It takes a UNIX wizard to keep the system going—at least it does everywhere I know."

"We have to get the size down," Scanlon told me. "At \$4800 for 2 megabytes—and you need that now—UNIX is too expensive for the mass market. But we'll get it there, and when we do, we'll get it matched to silicon. Maybe in a few years we'll have UNIX on a chip."

Ridiculous, thought I.

Then I remembered where I was.

I was sitting in a carpeted office that looked much like an expensive executive suite. I'd reached it by going through expensively furnished lounge and reception areas. Of course; AT&T can afford lavish offices—except this wasn't any lavish office. This was in a bay of the Los Angeles Exposition Center. AT&T not only had the largest exhibit area I've ever seen at *any* computer show; the company had taken an even *larger* area, closed it to the public, and lavishly furnished it for the convenience of dealers, executives, and the press.

Out in the exhibit area were about 100—and I do not say this for exaggeration—young men and women in dark suits, the most neatly uniformed and well-groomed corps of show people in my memory. Many were extremely polite, with plenty of *social skills*, but they knew nothing whatever about computers.

If throwing money—or people—at a problem will solve it, AT&T will never have any difficulties. Of course, that doesn't often work—

But then it began to sink in. Along

(continued)

IF POWER FAILS, DATASAVER® TAKES OVER!

PROTECTION – saves data during power failures.
– saves hardware from overvoltage transients.

PORTABILITY – allows mobile or extended holdup time using auxiliary 12 volt battery.

FEATURES – internal battery provides 5 min. + operating time – AC line conditioning
– audible and visual alarms, interrupt signal – compact, desktop styling
– no installation required.

200 WATT – \$695 / 90 WATT – \$395
For special applications and product information, call 805-541-4160.

Instant power order line
(805) 541-4161

CUESTA SYSTEMS, INC.
3440 Roberto Court, San Luis Obispo, California 93401

INSTANT AC POWER

IBM PC/XT COMPATIBLE


10MB and 20MB WINCHESTER



Chrislin's 10MB & 20MB Hard Disks come with host interface adapter, controller, winchester drive, power supply and cable.

Enhance your system with a **CHRISLIN HARD DISK SUBSYSTEM** and **MEMORY**

256KB to 512KB MEMORY



Each Chrislin memory comes with an RS232C (serial) port, RAM disk emulator and 256KB-512KB of parity memory.

"DEALER INQUIRIES INVITED"

DEC LSI-11 COMPATIBLE

10MB to 140MB Q-BUS WINCHESTER

Each winchester comes with 2MB dual drive, double density (8") floppy backup. All systems include controller and cabling.


EMULATION RL02

10MB Winchester/Floppy (8") \$4495
20MB Winchester/Floppy (8") \$4995
40MB Winchester/Floppy (8") \$5995

EMULATION RK06/RK07

42MB Winchester/Floppy (8") \$6995
70MB Winchester/Floppy (8") \$7195
140MB Winchester/Floppy (8") \$8195

Call for pricing on RM02 emulation and / or tape backup.



256KB to 4MB Q-BUS MEMORIES

UP TO 4MB QUAD

- Control status register
 - On board parity
 - Block mode DMA
- SINGLE QTY. PRICE: 1MB \$1975

UP TO 2MB QUAD EDC

- Error detecting & correcting
 - Block mode DMA
 - Battery back-up mode
- SINGLE QTY. PRICE: 512K \$1495

UP TO 1MB DUAL

- Control Status Register (CSR)
 - On board parity generator checker
 - Battery back-up mode
- SINGLE QTY. PRICE: 256KB \$525

MICRO COMPUTER

CI-MICRO-11 SYSTEM FEATURES

- 11/23 PLUS CPU board which includes two serial lines diagnostics and boot or 11/73 CPU
- 22 bit addressing backplane and power supply
- 256KB - 4MB of parity memory (Block Move, CSR)
- RD51, 10MB, 20MB or 40MB 5¼" (13.3cm) mini winchester disk or a subsystem from 10-140MB
- RX50 1.6 MB 5¼" (13.3cm) dual mini-floppy disk or 2 MB RX02 floppy
- An eight slot quad LSI-11 BUS backplane

STANDARD CONFIGURATION

LSI 11/23 CPU, 256KB memory, 20MB winchester, 800KB dual floppy, 2 serial I/O, bootstrap, power supply, 4 x 8 backplane all in a rack mountable chassis. \$6850

"OFFERING QUALITY WITH AFFORDABLE PRICING"

See us at NCC '84,
Booths D3530 and D3532



Chrislin Industries, Inc.

31352 Via Colinas • Westlake Village, CA 91362
Telephone: 818-991-2254 • TWX 910-494-1253 CHRISLIN WKVG

RL02, RK06, RK07, QBUS, LSI, DEC are Trademarks of Digital Equipment Corporation. IBM is a Trademark of International Business Machines.

The Unshippable Sage



In my judgment, Sage computers have about the same place in the world of the Motorola 68000 and follow-ons that CompuPro's boat anchor has in the Intel 8086 and beyond world: they're very probably the best systems you can get for software development: they certainly have a lot of bang for the buck.

The Sage is also useful as a general-purpose computer: there's getting to be a lot of good software, including engineering applications stuff, for 68000 systems. Sage uses a number of Sage computers internally for everything from accounting to new systems design; and therein hangs a tale.

When I visited Sage at the Reno headquarters I was shown through the whole plant, including the inner offices where new research is done. Sage's people use quite a lot of modern equipment, including some fascinating stuff for computer-assisted drafting and for chip

design. I also saw the oddest computer I've ever seen in my life. I mean, I've seen plenty of desktop computers, but I never saw one bolted to the side of a desk before; yet there was a perfectly good Sage II in that situation (see photo 2). It was running, too. None of the Sage crew seemed to think that was odd at all. They were used to it. Finally, I had to ask.

It turns out that in the early days of Sage, when they first began to ship machines, they got more orders than they could fill; so that whenever Bob Needham, one of the cofounders (with Rod Coleman), would get a machine to help him with advanced system design, someone would see it and ship it off to a paying customer. Eventually Bob decided that enough was enough and bolted a new Sage II, sans case and fan, onto the side of his desk. The disk drives and power supply were in a drawer.

No one has shipped that one . . .

with all the well-scrubbed young women in stockings and heels and pinstripe suits and little neckties, and the young men in similar plumage—in among those were mixed real working software engineers and even a sprinkling of true wizards from Bell Labs. As a matter of

fact, it was easy to spot the real hackers: the programmers all read BYTE and knew exactly who I was, while the press-relations people had never heard of me but tried to pretend that they had.

I don't have to ask if Bell Labs understands transistors. For reasons too com-

plicated to explain, I have framed on my wall a dollar bill signed by Dr. William Shockley: it's a tiny part of the Nobel prize he received for inventing the transistor while he was at Bell Labs.

The Phone Company never did lack for scientists and engineers. AT&T won't have problems in that department. This is one of the few companies that plan for decades ahead.

IF THAT'S NOT ENOUGH

AT&T also has some brilliant management, beginning with Jack Scanlon, who understands this business pretty darned well. We sat in a lavish office suite surrounded by the trappings of corporate power: but Scanlon talks like any true hacker. He reminded me of a lot of the sharper micro people I know: there was that same breadth of knowledge about the field, familiarity with every intimate detail of his own product, obvious pride in the company's achievements.

He gets particularly excited about what can be done with silicon and the next generation of chips. "Every year we can double the number of transistors we can put on a chip. The guys who design those chips have to do something with all those transistors. We're seeing a whole new renaissance of silicon architecture. The difference between hardware and software is vanishing . . ."

And more. On software and computer languages: "Language is the wrong way to look at it. Move back a few steps. Watch that guy at his desk. What does he want the machine to do? He knows he can do more than one thing at a time. He has to worry about a lot of things at once. What I want is fundamental building blocks he can throw together fast. This guy wants spelling and maybe a spreadsheet, another fellow needs a database. Once we know the concepts, we don't have to worry about languages. We can even put them in silicon.

"Obviously, we're going to support the popular languages, C, and Pascal, and Ada, and Modula-2, but the real goal is to see what people want the machines to do for them."


That sounds a lot like marketing smarts to me.

Sure! AT&T will make marketing mistakes. The people there are used to figuring out what they think people

(continued)

Introducing the Most Powerful Business Software Ever!

TRS-80™ (Model I, II, III, or 16) • APPLE™ • IBM™ • OSBORNE™ • CP/M™ • XEROX™



The VERSABUSINESS™ Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

VERSAPAYABLES™ \$99.95

VERSAPAYABLES™ is a complete menu-driven accounts payable, invoicing, and monthly statement-generating system. It keeps track of all information related to who owes you or your company money, and can provide automatic billing for past due accounts. VERSAPAYABLES™ prints all necessary statements, invoices, and summary reports and can be linked with VERSALEDGER II™ and VERSAINVENTORY™.

VERSARECEIVABLES™ \$99.95

VERSARECEIVABLES™ is designed to keep track of current and aged payables, keeping you in touch with all information regarding how much money your company owes, and to whom. VERSARECEIVABLES™ maintains a complete record on each vendor, prints checks, check registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSARECEIVABLES™ you can even let your computer automatically select which vouchers are to be paid.

VERSAPAYROLL™ \$99.95

VERSAPAYROLL™ is a powerful and sophisticated, but easy to use payroll system that keeps track of all government-required payroll information. Complete employee records are maintained, and all necessary payroll calculations are performed automatically, with totals displayed on screen for operator approval. A payroll can be run totally, automatically, or the operator can intervene to prevent a check from being printed, or to alter information on it. If desired, totals may be posted to the VERSALEDGER II™ system.

VERSAINVENTORY™ \$99.95

VERSAINVENTORY™ is a complete inventory control system that gives you instant access to data on any item. VERSAINVENTORY™ keeps track of all information related to what items are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts you when an item falls below a preset reorder point, and allows you to enter and print invoices directly or to link with the VERSARECEIVABLES™ system. VERSAINVENTORY™ prints all needed inventory listings, reports of items below reorder point, inventory value reports, period and year-to-date sales reports, price lists, inventory checklists, etc.

VERSALEDGER II™ \$149.95

VERSALEDGER II™ is a complete accounting system that grows as your business grows. VERSALEDGER II™ can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large corporate general ledger system **without any additional software.**

- VERSALEDGER II™ gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),
- stores all check and general ledger information forever,
- prints tractor-feed checks,
- handles multiple checkbooks and general ledgers,
- prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account listings, etc.

VERSALEDGER II™ comes with a professionally-written 160 page manual designed for first-time users. The VERSALEDGER II™ manual will help you become quickly familiar with VERSALEDGER II™, using *complete sample data files* supplied on diskette and more than 50 pages of sample printouts.

SATISFACTION GUARANTEED!

Every VERSABUSINESS™ module is guaranteed to outperform all other competitive systems, and at a fraction of their cost. If you are not satisfied with any VERSABUSINESS™ module, you may return it within 30 days for a refund. Manuals for any VERSABUSINESS™ module may be purchased for \$25 each, credited toward a later purchase of that module.

To Order: Write or call Toll-free (800) 431-2818 (N.Y.S. residents call 914-425-1535)

- * add \$3 for shipping in UPS areas
- * add \$4 for C.O.D. or non-UPS areas

- * add \$5 to CANADA or MEXICO
- * add proper postage elsewhere



DEALER INQUIRIES WELCOME

All prices and specifications subject to change / Delivery subject to availability.

COMPUTRONICS

50 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • *APPLE is a trademark of Apple Corp. • *IBM is a trademark of IBM Corp. • *OSBORNE is a trademark of Osborne Corp. • *CP/M is a trademark of Digital Research • *XEROX is a trademark of Xerox Corp.

magnum p.c.

800-544-4354



GA Residents
404) 441-3112



4056 WETHERBURN WAY SUITE 205, ATLANTA, GA 30092

PRINTERS

RITEMAN 3" TALL - LIKE EPSON BUT FASTER	BEST PRICE
C. ITOH F10-40 CPS - LETTER QUALITY.....	1169
55 CPS.....	SAVE
OKIDATA ALL MODELS.....	CALL
NEG SPINWRITERS.....	CALL
EPSON MX. FX. RX.....	CALL
TOSHIBA P1350.....	CALL
SILVER-REED.....	SAVE
MICROFAZER PRINT SPOOLER.....	CALL

DISK DRIVES

TANDON TM100-2.....	CALL
10 MEG HARD.....	1395
QUADDISK 6 MEG REMOVABLE.....	CALL
TECMAR 5 MEG REMOVABLE.....	CALL
IDEADISK 5 MEG REMOVABLE.....	CALL
MICRO SCI XL (FOR APPLE).....	187
DAVONG.....	CALL CFX.....CALL

BOARDS

QUADRAM ALL PRODUCTS.....	CALL
AST LATEST BOARDS.....	CALL
IRMA 3278 EMULATOR.....	BEST PRICE
QUADLINK EMULATE APPLE ON IBM-PC.....	CALL
TECMAR ALL PRODUCTS.....	CALL
IDEASSOCIATES ALL PRODUCTS.....	CALL
MA SYSTEMS PC PEACOCK.....	CALL
IMAGE TECHNOLOGY FUNCTION PAK.....	CALL

MONITORS

TAXAN 105 AMBER / 100 GREEN.....	109/104
420 IBM RGB LOOK ALIKE.....	CALL
RGB-III SUPER HI RES.....	CALL
AMOEK 310 DIRECT IBM PLUG IN - A OR G.....	CALL
300 AMBER / GREEN.....	154/144
QUADRAM QUADCHROME.....	CALL

MODEMS

NOVATION - ACCESS 1-2-3 W/ CROSSTALK XVI.....	CALL
SMART CAT 300/1200.....	CALL
J-CAT 300.....	117
APPLE-CAT 300/1200.....	CALL
HAYES SMART MODEM 300/1200.....	212/499
1200B.....	CALL
ANCHOR VOLKSMODEM.....	CALL
SIGNALMAN MARK VII/XII.....	CALL
IDEA IDEACOMM 1200.....	CALL
IDEANET.....	CALL

SOFTWARE

MICROSOFT WORD.....	CALL	PEACHTEXT 5000 229
D-BASE.....	418	SUPERCALC 3.....253
WORDSTAR.....	CALL	EASYWRITER.....CALL
FRIDAY.....	194	MULTIPLAN.....CALL
LOTUS 1-2-3.....	SAVE	MULTIMATE.....CALL
GRAPH WRITER.....	CALL	CHART MASTER CALL

ACCESSORIES

STANDBY POWER SYSTEMS.....	BEST PRICE
SWITCH BOXES PARALLEL & SERIAL.....	SAVE
CHIPS 64K.....	55
COMPUCHART PLOTTER TRANSPARENCIES & PAPER.....	CALL
KOALA PAD W/ GRAPHICS ILLUSTRATOR.....	CALL
KOALAWARE FOR IBM.....	BEST PRICE
COMPUSERVE STARTER KIT.....	32

DISKETTES

	CASE 100	BOX 10
VERBATIM SS/DD	180	24
DS/DD	300	36
MAXELL SS/DD	220	27
DS/DD	330	39

AVAILABILITY AND PRICES SUBJECT TO CHANGE

APPROVED CORPORATE ACCOUNTS WELCOMED

CHAOS MANOR

need and providing it whether it's wanted or not. It will take considerable effort to modify that attitude.

Consider: here AT&T spent more than I've ever seen *any* company spend at *any* computer show: this to bring products to a dinky little COMDEX that I wouldn't have bothered to go across town to see if AT&T hadn't been there. The press corps was the smallest for any show I've been to since the 70s. Having brought the 3B2 to the tiniest pond available, AT&T still didn't have a good mechanism for getting people to a press conference. The COMDEX staff were even telling people it had been canceled; if I didn't have a nasty, suspicious nature so that I checked with AT&T myself, I'd have missed it.

Just before COMDEX, I received three phone calls, two letters, and a telegram reminding me that I could have an interview with John Scanlon. When I discovered I was missing the press conference—it was in the Bonaventure Hotel, a mile from the show—an AT&T expediting officer put me in a cab to get me there. AT&T sure paid attention to press relations: but with what result? Apple spent *far* less to get Macintosh on the cover of every magazine in the country. I've yet to see real coverage of the AT&T market entry.

On the other hand, AT&T can afford to make mistakes. When I said that at AT&T's lavish press luncheon, some of the computer press people said, "Yeah, and they got started early."

Maybe; but that 3B2 is one heck of a machine. It's state of the art, and it's available *now*. Of course, it's not a retail system. AT&T intends just now to sell to system developers and value adders who'll package it into full systems that will inevitably cost quite a lot. Retailers needn't worry just yet.

However: where else can you get a UNIX development system that you can also use for your general-purpose computing at that price? And certainly The Phone Company knows how to build rugged, reliable equipment. I wonder what the 3B2/300 will cost next year?

Of course, we haven't heard the last from the micro world either. AT&T's machines are still positioned for maximum effect in the minicomputer world, and if AT&T has a year of development time to impact micros, so do first-class microcomputer outfits like Sage and

CompuPro. The race isn't anywhere near decided.

Whatever happens, the micro industry had better think hard about AT&T's impact, which will be as big as IBM's. AT&T is big, is here to stay—and has got some damned impressive machinery.

Update: AT&T has also got some real marketing problems. It took me two days to find out the licensing fees for UNIX System V on 68000 systems, and when I finally did, I found the fee structure is set for minicomputers: the company doesn't know how to handle thousands of sales.

In fact, I found myself conducting a telephone seminar on the micro market. Maybe the people there learned something. More next time.

BIG MAC

I've been sitting here bringing up MacWrite, and while swapping disks back and forth on my Macintosh, I thought about the contrast with the AT&T system and UNIX. It takes a couple of minutes to get the Macintosh ready to run a simple text editor; for me that's far too big a waste of time, especially when the only editor available is MacWrite.

In other words: I'm nowhere near as impressed with the Macintosh as everyone else seems to be.


I know I'm in trouble for saying that. I've already experienced what happens when one is less than enthusiastic about Macintosh: the Mactribesmen descend in force with fire and sword. You must overlook all the Mac's faults, for after all, they're only temporary. Everything will be fixed . . .

If IBM or AT&T had come out with a machine that had a single disk drive, no Control or Escape keys, nonstandard interface between keyboard and system, proprietary operating system, limited memory, closed architecture with no possible access to the machine's innards, disk formats totally incompatible with anything else in the micro community, no languages except Microsoft BASIC (and plenty of bugs in *that*), and absolutely no application software, the micro community would have screamed bloody murder. Apple has done precisely that, and everyone applauds.

I'm sorry, but I don't. As I write this, the Macintosh is a wonderful toy; but it's not very much more.

(continued)

Last June,
we hatched.



**CBS
SOFTWARE**
Making you the best.

CBS Software A Unit of CBS Inc.

We've helped CBS fly,



PLATO
The face of quality
educational courseware.



Plato is a registered trademark of Control Data Publishing

Plato® courseware educate,

Thoughtware.
Expanding The Universe Of Learning.



Thoughtware

Thoughtware is a registered trademark of the Institute for Management Improvement

and Thoughtware® expand
the universe of learning.

If you don't know us, you probably should.

The world's leading producers of quality software trust their software duplication to us. We're Allenbach Industries. We created the diskette duplication industry. So it is no surprise that the most respected names in software turn to us for their duplicating needs. We understand that your reputation lives or dies with every package sold. So does ours. That's why every step of the duplication process — from copy protection to labeling to package design and assembly — is supported by a complete staff of professionals. When your product leaves our facility, whether it be a duplicated diskette or the entire market-ready package, it's ready for your name.

Give us a call at (800) 854-1515* and discover how we can help you fly.

*In California, call collect (619) 438-2258.


ALLENBACH
INDUSTRIES, INC.

2101 Las Palmas Drive • Carlsbad, California 92008 • 619-438-2258 • 800-854-1515

We Set the Standard in Software Duplication

Circle 16 on inquiry card.

© 1984 Allenbach Industries, Inc.

LIBERTY GROUP, Inc.

4221 N. Winfield Scott Plaza Scottsdale Arizona 85251

PRICE QUOTES & ORDERING
(602) 949-8218 1 (800) 328-8905

TOPAZ — Power Supplies
 For EMERGENCIES! Don't LOSE DATA!

TAXAN MONITORS
 Green & Amber — WAY BELOW COST!!

DEC -- AVAILABLE NOW!
LIBERTY FREEDOM TERMINALS
 IN STOCK — GREAT PRICES!!

MICOM ERA II
 READY FOR DELIVERY!!

NOVATION J-CATS
GREAT 300 Baud Modem INEXPENSIVE!!

U.D.S. MODEMS - MULTIPLEXERS
NEC APC Computers
 READY TO GO

AMERICAN EXPRESS Welcome

TAXAN STAR JUKI MICROLOG PANASONIC HAYES
 MANNESMAN TALLY IDS EPSON

DAISYWRIter NOVATION ALTOS EAGLE TELEVIDEO

ADDS DEC DATA SOUTH C. ROH OKDATA NORTHSTAR

CHAOS MANOR

Now, it certainly is fascinating. I know no one who has a Mac who wants to sell it. When it was my turn with the Mac that Dr. Hyson and I own between us, he parted with it reluctantly, and I can certainly see why. The machine is fun.

It just isn't very useful because there's no application software. Indeed, there's less than we thought, because Microsoft's Multiplan, which we bought with the Mac, is no longer being delivered; the dealers have just been told to take it off the shelf. We have not yet been told why or what Microsoft will do about our copy (which we paid full retail for, as we did with the Mac itself).

THE CREATOR

In fact, the *only* application software for Mac that's actually on the market is Bruce Tonkin's The Creator database. The Creator is a kind of personal filing system, and there are versions for nearly every microcomputer I know of. The data files created by it can be transferred among all these systems—except, of course, for the Macintosh, which sits in lonely isolation.

For the price—\$35 postpaid, 30-day money-back guarantee—The Creator is one of the best values in micro land. I recommend it for nearly any machine; but especially for the Macintosh, since it lets you do *something* useful with the machine.

The Macintosh version of The Creator is written in Microsoft BASIC. It doesn't use the Macmouse, because MacMicrosoftBASIC is too full of bugs to allow that. Instead, Bruce takes all input from the keyboard and formats it himself; of necessity, he has to treat the Mac as a glass Teletype, ignoring all its splendid Macfeatures such as Quickdraw, because there's no way to get at them.

Tonkin writes many of his programs in his PBASIC, which is a preprocessor for Microsoft BASIC that works somewhat as the RATFOR precompiler works for standard FORTRAN. PBASIC lets you do structured code and handles most of the housekeeping for you. I've reviewed it before, and I still recommend it. Bruce has written some impressive software in PBASIC. The output of the PBASIC "compiler" is legal Microsoft BASIC; you can then truly compile that with Microsoft's BASCOM to get tight, fast code that's very portable.

(continued)

OEM'S ONE-STOP SHOP

Sourcing the right products from the right people is the backbone of your organization. And these sourcing decisions are not only crucial, but all too often extremely complex. Not any more.

Jazzy can provide you with reliable manufacturing, strict quality control, and consistent delivery and lead times. And with a product line varying from plug-in boards to peripherals to industry-standard computers,

one stop is all you need to make. But that's not even the best part: Just wait until you see our prices!

So please, write, call or telex, because we're ready to roll 'em out!

IBM COMPATIBLE APPLE COMPATIBLE

TRACK BALL

JAZZY INDUSTRIAL CO., LTD.
 NO. 610 TUN-HWA S. RD., LINCOLN CENTER 1210 ROOM
 TAIPEI, TAIWAN, R. O. C. TEL: (02)7088587
 TELEX: 11750 JAZZY (02)7026121-639

ORDER DESK ONLY
(800) 292-3360
 TOLL FREE IN CALIFORNIA

"WHY PAY MORE"
COMPARE THESE PRICES

MC-P APPLICATIONS

Brings Software & Hardware At Unbeatable Prices

ORDER DESK ONLY
(800) 292-3360
 TOLL FREE OUTSIDE CALIF.

SOFTWARE

	LIST	OUR
APPLIED SOFTWARE TECHNOLOGY		
VersaForm	\$389	\$269
ASHTON TATE		
dBASE II	700	295
Friday	295	175
BPI ACCOUNTING SYSTEMS		
GL/AP/AR (Each)	395	285
CONTINENTAL		
Property Management	495	327
FOX & GELLER		
Quick Code	295	174
Quick Code DutilPack	—	195
FUNK SOFTWARE		
Sideways	60	45
HOWARD SOFT		
Real Estate Analyzer II Apple	199	135
HUMAN SOFT		
DB Plus	—	89
LATTICE C		
Compiler	500	325
LIFETREE		
Volkswriter Deluxe	—	175
LIVING VIDEOTEXT		
Think Tank	195	125
METASOFT		
Benchmark	499	295
MICROSTUFF		
Crosstalk	195	129
MICROPRO		
Spell Star	250	162
Word Star w/Applicard	495	349
Mail Merge	250	155
Super Sor	250	135
Calc Star	145	86
Info Star	495	320
Word Star Pro	695	325
MICRORIM		
R Base 4000	495	325
MICROSOFT		
Flight Simulator (IBM)	50	35
Flight Simulator (Apple) Sublogic	—	29
Multi Plan	250	159
Multitool Word W/Mouse	475	295
Pascal Compiler	350	245
C Compiler	500	325
PBL CORPORATION		
Personal Investor	145	98
PETER NORTON		
Peter Norton Utility	80	55
PEACHTREE		
Peach Pack (AR, AP, GL)	595	249
ROSESOFT		
Prokey	—	95
SOFTWARE DIMENSIONS		
Accounting Plus	—	—
GL, AR, AP, PR, INV - Each	495	295
SOFTWARE PRODUCTS INTERNATIONAL		
Open Access	575	369
SATELLITE SOFTWARE		
Word Perfect	495	325
SOFTWARE PUBLISHING		
Pfs: File	—	—
Apple	125	79
IBM	140	79
Pfs: Report	125	79
SOFTWORD SYSTEM		
Multimate	495	275
SORCIM		
SuperCalc II	295	185
SuperCalc III	395	275
STATE OF THE ART (FM Series)		
GL/AP/AR/INV/PR-Each	595	375
SYNPSE		
File Manager	150	97
WOLF		
Move-It	199	125
VISICORP		
Visicalc IV	250	175
Visifile (Apple)	250	187
Visifile (IBM)	300	195
VisiSchedule	300	195
VisiWord w/free VisiSpell	375	285
Visitrend/Plot	300	195

Monthly Specials

Tandon TM 100-2
\$205⁰⁰

AST SIX PAK (64K)
\$265⁰⁰

AMDEK 310A
\$169⁰⁰

MULTIMATE
\$275⁰⁰

IRMA 3270
\$1045⁰⁰

OPEN ACCESS
\$369⁰⁰

LOTUS 1-2-3
\$299⁰⁰

Value Paks

PLANTRONIC +
PRINCETON GRAPHIC
\$869⁰⁰

R:BASE 4000 +
MULTITOOL WORD
W/MOUSE
\$585⁰⁰

LOTUS 1-2-3 +
HERCULES CARD
\$669⁰⁰

ORDER STATUS &
TECHNICAL
SUPPORT — CALL
(408) 293-3360

Call for Hardware &
Software Prices Not
Listed This Ad

Used PC's & Apples
Bought & Sold

HARDWARE

	LIST	OUR
HAYES MICROCOMPUTER PRODUCTS		
Hayes 300 Baud	\$289	\$199
Smart Modem 1200B	599	429
Smart Modem 1200	699	495
ADVANCED LOGIC SYSTEM (Apple II)		
Z-Card	169	115
Printer Mate (Parallel)	99	55
CP/M Card (W/ CP/M 3.0)	399	315
MPC PERIPHERALS (Apple)		
Parallel Interface Card (w/Cable)	90	68
MOUSE SYSTEMS		
PC Mouse w/Software	295	219
NOVATION		
Apple - Cat II	389	275
212 Auto Cat	695	595
Smart-Cat 103/121	595	445
Smart-Cat 103	249	187
PEGASUS		
Hard Disk 10 mgb (internal)	—	1195
PERSONAL COMPUTER PRODUCTS		
Applicard 6 Mhz	375	280
KRAFT & TG Joystick		
IBM	70	35
Apple	65	35
STB Color Graphix Card		
—	—	375
TALL GRASS Hard Disk 10 mgb		
—	3495	2995
TEAC Half Height		
—	—	199
VERBATIM DISC		
S/S D/D 10 PK	49	24
D/S D/D 10 PK	71	38
AMDEK MAI BOARD		
—	599	435
ELECTRONICS PROTECTION DEVICES		
Orange	140	94
Peach	98	64
QUADRAM		
Quadboard II 64K	395	285
Quadcolor I	295	219
Quadlink	680	525
MEMORY CHIP SET (64K/9 chips)		
—	95	45
PRINTERS		
NEC 7730 RO Parallel	2595	2295
Qume 1140 Plus	1685	1349
MONITORS		
Amdek 12" 310A	230	169
Princeton RGB Hi Res	795	485

International
Dealer Inquiries
Welcomed

Circle 203 on inquiry card.

MC-P APPLICATIONS, Inc.
 1630 Oakland Road, Suite D114
 San Jose, CA 95131, USA Phone (408) 293-3360
 Telex: 821396 MCPA UD
 HOURS: 8:30 a.m. to 5:30 p.m. — Mon. - Sat.
 Call for Prices in Australia at 02-929-8468

TERMS: All prices subject to change. Cashier's check/MO/
 Bank Transfer. Allow time for company or personal checks to
 clear. Prices reflect cash prepaid discount. VISA/MASTER
 CARD/COD/PO's =3%. California residents add sales tax.
SHIPPING: \$4 per item for UPS surface (\$8 for Blue Label);
 Monitors \$20, Printers \$25, within continental USA.

Say goodbye to the Tower of Babel with...

XENO-DISK™

The disk production system for your PC!

Read, write, format and duplicate 70 disk formats on your IBM-PC or compatible under MS-DOS. Developed from our popular Xeno-Copy™ utilities. Now supports popular 8" and 96 TPI formats. **XENO-DISK..... \$379.50**

Also available:

- XENO COPY™ \$99.50
Read and transfer 70 formats to PC/MS-DOS (one way transfer)
- XENO-COPY PLUS™ \$149.50
Read and write 70 formats (bi-directional file transfer)
- ADVANCED™ Option add \$50.00
Supports 8", 96 TPI, parameter input for other formats. Included in XENO-DISK.

RUN CP/M-80 PROGRAMS ON YOUR PC \$99.50!

80MATE™, our CP/M emulator, will run almost any CP/M-80 program under MS-DOS. No need for expensive co-processor boards!

See your dealer or call for information.



Dept. B, 7950 W. Fourth Street
Los Angeles, CA 90048
(213) 938-0857



CHAOS MANOR

Alas, though, it won't work on the Macintosh, because MacWrite won't let you build large enough source-code files to make it worth porting PBASIC over to the Mac.

FOR THE REST OF US?

I've lived in Hollywood for some years, and I've grown familiar with the typical Tinseltown deal. A producer goes to a star and says: "I've got a great script and your favorite director. Sure would like to have you in the picture." Then he goes to the director. "I've got a star and a script, and the star sure wants you—" Then to the writer; and finally to the money people. When it's all finished, everything he's said is retroactively true.

Similarly: Macintosh is going to sell like hotcakes because of all that wonderful application software. Now you can't do much with software on the Mac, because there's too little memory, and it takes anywhere from 5 to as many as 40 disk swaps to copy a Macdisk; but it's all right, because there will be a second disk drive, and a hard disk, and other excellent hardware after-market add-ons to fit on the Mac's "virtual slot"; and after that the software will be easy to write. Software houses are going to work very hard to write application software for the Mac because there's such a huge market, since Apple's selling an awful lot of Macs. Hardware houses will do Macadd-ons because there's so much software. Etc.

It can certainly be made into retroactive truth. By the time this comes out, I expect it will be. Some of those Hollywood deals fall flat, though; it all depends on how quickly they can be put together before everyone in the industry catches on. Meanwhile, right now the Mac is mostly useful for people with special requirements, such as advertising layouts with text or producing memos with graphics.

It sure is fun, though.

CATALOGING

For some years now I've used Ward Christensen's public-domain disk-catalog program. Lately, though, I've been importuned to try a new one called Eureka! from Mendocino Software. Eureka! has a number of advantages, including the capability to include lots of comments in your disk catalog,

(continued)

Business as Usual?

Business as usual these days means a computer that's up and "humming." But if your computer were stolen or damaged, you wouldn't have business as usual. YOU'D HAVE TROUBLE!

You can get fast replacement for your entire system and be back in business in a hurry by protecting your computer with SAFEWARE Personal Computer Insurance. It's the only coverage designed specifically for personal computers used for business — in your office, shop or home.

SAFEWARE protects ALL hardware. ALL purchased software and ALL media against theft, damage or any other kind of loss, regardless of use, after a low \$50 deductible.


(Not without your computer it wouldn't be.)

Fast, courteous claims handling prevents your losing valuable business computing time.

Find the premium price for the coverage you need listed in the table below, available for as low as \$35 per year. Fill in the coupon today. Your coverage will begin as soon as your coupon application is received. Or for even faster coverage, call our toll free number:

1-800-848-3469

(In Ohio call 1-614-262-4159)
Phones open 8 a.m. to 8 p.m.,
Monday through Saturday



Mail to: SAFEWARE, P.O. Box 02211, Columbus, OH 43202

Before I'm out of business,

please issue my SAFEWARE Insurance Coverage.

Name _____

Street _____

City _____ State _____ Zip _____

System value \$ _____ Check Enclosed VISA MasterCard

Card # _____ Exp. Date _____

BYT

Total Hardware, Media & Software System Value	Annual Premium
Up to \$ 2,000	\$ 35
\$ 2,001-\$ 5,000	\$ 60
\$ 5,001-\$ 8,000	\$ 75
\$ 8,001-\$11,000	\$ 90
\$11,001-\$14,000	\$105

Call toll-free for rates on higher coverage. Coverage differs in Texas. It is an underwriting requirement that you insure your system for its full value.

Have we got an ear-full for you.

Votrax voice synthesizers let your computer talk to you in a world of sound.

Now your ears are as important as your eyes when working with your computer. With a **Votrax** voice synthesizer your computer talks, and it talks to you in a world of sound you never thought possible.

Votrax was one of the first pioneers in the field. The **Votrax 5C-01A** speech chip is state of the art, the one many other manufacturers use in their own equipment.

What it means to you is unparalleled speech capability. **Votrax** voice synthesizers pronounce words by using their basic building blocks rather than utilizing a vocabulary of a few hundred words. It assures you of an unlimited vocabulary. And an unlimited range of sounds: from jet planes to an advanced musical range.

Best of all, **Votrax** speech synthesizers are "smart," requiring no computer memory for operation. Your computing capacity stays free for other tasks. Small in size yet surprisingly economical, **Votrax** voice synthesizers are sophisticated pieces of equipment that hook-up in seconds.

Mix speech or sound, program sound frequencies or amplitude levels, or compose your own music with either the **Votrax Type 'N Talk™** or **Personal Speech System**.

Ideal for business, school, handicapped use or the home, **Votrax** voice synthesizers put a world of sound in your computer.


See your local computer retailer or call toll free for more product, warranty or ordering information: 1-800-521-1350 (in Michigan call 313-588-0341). Dealer inquiries welcome.



Votrax, INC.

1394 Rankin • Troy, Michigan • 48063-4074

Circle 359 on inquiry card.



WHAT WILL WE HAVE TO IMPORT NEXT, COLLEGE GRADUATES?

Ever since World War I, most of the rest of the world has come to the United States for the latest in technology. Now there's a real danger that the pendulum is swinging the other way. We're importing know-how in many fields instead of exporting it.

Unfortunately this situation will get progressively worse. Unless we

protect American colleges from inflation. For our colleges and universities supply most of the important basic research upon which technological progress is built.

So please give generously. If we keep the intellectual balance of trade in our favor the industrial balance most certainly will follow.

**HELP PRESERVE AMERICAN KNOW-HOW.
GIVE TO THE COLLEGE OF YOUR CHOICE.**

COUNCIL FOR FINANCIAL AID TO EDUCATION INC. 315 E. 42ND ST. NEW YORK, NY 10017

3M protects disks in sleeves of TYVEK.



Here's why.

Quality disks deserve a quality sleeve. Sleeves of TYVEK[®] spunbonded olefin provide unsurpassed data protection because

1. TYVEK is strong—won't tear like paper.
2. TYVEK does not lint.
3. TYVEK is smooth, non-abrasive.
4. TYVEK is chemically clean, has a neutral pH.
5. TYVEK reduces static problems.
6. TYVEK is unaffected by water.

Take the first step to maximum disk data protection. Call 800-44 TYVEK for the names of manufacturers who rely on sleeves of TYVEK.

*TYVEK is DuPont's trademark for spunbonded olefin. DuPont makes TYVEK, not sleeves.



so that you can figure out that "NASTYLETTXT" was sent to your mother-in-law rather than your lawyer, or whatever. It also lets you date things.

Until recently, though, I couldn't get Eureka! to work with my big CompuPro System 8/16, nor would it catalog the system's hard disk. The Mendocino people kept trying, though, and eventually sent their stuff to Tony Pietsch, and as of an hour ago Noor Singh delivered a copy with the note that this time it works.

It's about time I changed over, and the ability to add comments and dates makes Eureka! nearly irresistible. Full discussion next month, or Real Soon Now if too much flows into Chaos Manor in the next few weeks; meanwhile, Mendocino Software deserves some applause for plugging away until their people could make Eureka! work on my system. Thanks.

RAM DISK FOR THE Z-100

Some weeks ago I got a letter from David James at the University of Kansas. Zenith offered the faculty and students at UK one of those deals you can't refuse, a Z-100 at a really good price, and Mr. James bought one with a lot of memory. When he went looking for a RAM-disk program, though, he couldn't find one.

I had my assistants send copies of his letter to half a dozen places known for their RAM disks. We got only two answers.


Zenith recommends Standard Data of Fort Lauderdale, Florida. I've not used this company's boards, which come in 256K-byte sizes, but I suppose the hardware and software must work or Zenith's people wouldn't have sent me Standard's address in reply to my inquiry.

I'd suppose that CompuPro's M-Drive/H boards could be made to work, since they're IEEE-696 (S-100) standard; but I've never heard of an installation program that would get M-Drive/H running under Z-DOS. Someone would have to hack up a BIOS (basic input/output system) for that, and I don't know of anyone who's done it.

One other source I know of is Macrotech out in the San Fernando Valley, which has a full 1-megabyte board for the Z-100. It's been going for six months now with RAM-disk software.

(continued)

NOW AVAILABLE!



StorageMaster™ Fixed Disk builds stronger PCs three ways.

If you own an IBM PC, the new StorageMaster 500 Series Fixed Drives from Control Data give you three great advantages.

- Larger capacity than IBM's fixed disk drive. The StorageMaster 518 offers up to 18 megabytes of storage; the StorageMaster 530 capacity of 30 megabytes is the equivalent of 15,000

double-spaced typewritten pages.

- You can boot* (start up) from StorageMaster 500 Drives—no need to boot up from a flexible disk as with other drives.
- More byte for the buck. Dollar for dollar, StorageMaster gives you more bytes of storage than IBM's fixed disk drive.

There's more. The 500 Series Drives have an average seek time of only 45 milliseconds—about twice as fast as most other drives. They store your information in a sealed, contamination-free environment. They require no cleaning or preventive maintenance. And they

come ready to plug into your PC*

Look for the 500 Series Drives at your local computer store. Or give us a toll-free call at 800/232-6789 (in Minnesota, call 612/921-4400, ext. 41) and we'll tell you where you can find our whole family of StorageMaster products.

*This capability requires the use of a StorageMaster 301 Controller.

Circle 83 on inquiry card.



CD
CONTROL
DATA

Undo.Windows.


New Microsoft® Word. It makes your IBM Personal Computer think it's better than a \$10,000 word processor.

With Microsoft Word, what you see on the screen is what you get on the paper. So it's easy to spot mistakes. **Boldface**, underline, and *italics* look like this, not this: ^Bboldface^B, ^Sunderline^S, ^Iitalics^I.

And, when you make changes, paragraphs are automatically reformatted. Flush right, flush left, centered or justified. It even gives you several columns on a page, like a newspaper.

Word forgives and doesn't forget.

There's an "uh-oh" command called Undo. Make a mistake? Or just want to experiment? Hit Undo.




Mouse. Finally.

Word undoes your last change and remembers things the way they were.

Word does windows. Up to eight, to be exact. So you can transfer or edit between eight different documents. Or between eight different pieces of the same document.

Word travels fast.

Word has a Mouse, a handy little critter that lets you move copy, select commands and edit faster than you can say "cheese."



Word also lets you create your own style sheets, so you can standardize your documents, memos, files and letters.

It's not surprising that Microsoft has a way with Word. We designed the MS™-DOS operating system that tells the IBM® PC how to think. And we pioneered the first microcomputer BASIC, the language spoken by nine out of ten micros worldwide.

For a few final words, call 1-800-426-9400 (in Washington State call 206-828-8088) for a free Word brochure and the name of your nearest Microsoft dealer.

MICROSOFT
The High Performance Software

TOLL FREE
ORDERS ONLY! **800-631-0962**
(INSIDE CALIFORNIA) **800-521-6162**

Customer Service **HOTLINE**
(408) 293-3370

GUARANTEED the LOWEST!

OUR PRICE GUARANTEE - It's Simple! We'll beat any ad in this magazine - same terms - call TOLL FREE for details!

DCC DISCOUNT COMPUTER CENTERS
OUR CUSTOMER SATISFACTION GUARANTEE: If for any reason your DCC purchase fails to meet manufacturers specifications within 30 days of purchase, please return it to us for a full refund or exchange of your choice! Sorry, software excluded due to copyright laws.

LOTUS Symphony \$449
Place your order today and save!!!
1-2-3 \$296

IBM PC-2 only \$2099
256K, 2-360 Kb 1/2 Hidrives with 2 IBM 360 Kb drives
\$2199
256 K, 10 mg hard disk 1-360 Kb drive
IBM XT only \$4299

GEMINI 10X \$269
120 cps, graphics
\$475
160 cps, full graphics
EPSON FX80

COMPUTERS

IBM PC & XT... See special above!!!
COLUMBIA w/\$3000 retail software!
VP Portable - 256K... ridiculously low!!!
1600-1 2 drives... low!!!
1600-4 Hard Disk... please call!!!
VISION 128K Portable... NEW!!!

PRINTERS

EPSON RX 80 100 cps... 294
RX 80 FT 100 cps... 339
RX 100 100 cps, 132 col... 575
FX 80 160 cps... 475
FX 100 160 cps, 132 col... 675
LQ 1500 200 cps NEW!... 1180
OKIDATA 82A... ridiculously low!!!
92P... low!!!
93P... please call
2410... low!!!
GEMINI 10-X... 269
15-X... 359
C-10H PROWRITER... 329
BROTHER DAISY WHEEL
HR-15... 449
HR-25... 699
HR-35... \$call
JUKI 6100... 443
DTC 380 Z... 949
DIABLO 620... 829
35... 1276
630... 1799
TTX 1014 SER/PAR/TRACTOR... 499

MONITORS

IBM MONOCHROME... 315
COLOR... 610
AMDEK 300G... 129
300A... 145
310A... 169
TAXAN 12" GREEN... 109
12" AMBER... 115
420 RGB... 439
PRINCETON HX-12... 469
ZENITH 122 - 12" GREEN... 109
12" AMBER... 139
124 MONO - IBM... 169
133 RGB... 449
135 RGB/COMP... 475

MODEMS

HAYES 300... 199
1200... 479
1200B... 399
MICROMODEM II... 229
ANCHOR MARK XII... 269

DRIVES

IBM 360KB... 225
TANDON 100-2 360KB... 185
PANASONIC 1/2 HI-360KB... 159
TEAC 1/2 HI-360KB... 189
SHUGART 1/2 HI-360KB... 179
EVEREX 10 MEG HARD DISK W/CONTROLLERS... 899
ATARI INDUS GT... 349

BOARDS - IBM

HERCULES GRAPHICS... 305
AST SIX PAK W/64K... 249
MEGAPLUS... 259
STB RIO W/64K... 249
GRAPHIX PLUS... 309
OTHERS... \$call
QUADRAM QUADBOARD W/64K... 249
QUADBOARD I... 199
QUADLINK... \$call
IBM MONOCHROME... 310
COLOR GRAPHICS... 219
PLANTRONICS COLOR PLUS... 359
MA SYSTEMS PC PEACOCK GRAPHICS... 239
TECMAR GRAPHICS MASTER... 489
EVEREX ALL BOARDS... \$call

BOARDS - APPLE

ORANGE MICRO GRAPPLER... 115
BUFFERED... 185
MICROMAX GRAPHMAX... 139
VIEWMAX 80... 159
VIEWMAX 80E W/64K... 199
MICROSOFT 16 RAM CARD... 75
SOFTCARD... 239
SOFTCARD PREMIUM PAK... 475

IBM SOFTWARE

LOTUS 1-2-3... 296
SYMPHONY... 449
SUPERCALC 3... 239
MULTIPLAN... 159

IBM WORDPROCESSORS
WORDSTAR PRO PACK... 339
PFS WRITE... 89
MULTIMATE... 269
WORD W/MOUSE... 295
VOLKSWRITER DELUXE... 179
IBM DATA BASE
dBASE II... 364
PFS FILE... 89
CONDOR III... 340
R-BASE 4000... 340
FRIDAY... 189
IBM MISC
CROSSTALK... 105
COPY II PC... 29
MASTERTYPE... 45
PROKEY 3.0... 85
HARVARD PROJECT MGR... 249
SIDEWAYS... 49
NORTON UTILITIES... 55
PFS REPORT... 89
DOW JONES... 249
IBM GAMES
FLIGHT SIMULATOR... 34
PINBALL... 45
FROGGER... 39

ACCESSORIES

64K RAM chips 200ns... 46
KEYTRONICS KEYBOARD 5151 NEW... 199
VERBATIM SS/DD diskettes... 21
DS/DD diskettes... 28
DISK MINDER holds 75... 24
SURGE PROTECTOR Compugard... 69
PTI POWER BACK-UP 200 w... 329
PTI POWER BACK-UP 300 w... 549
FINGERPRINTS - EPSON... 48

dBASE II
IBM or APPLE
\$364

AST SIX PAK +
w/64K only **\$249**

WORDSTAR
Professional pack +
• Wordstar
• Correct star
• Star index
• Mail merge
\$339

HERCULES GRAPHICS CARD
\$305

DCC DISCOUNT COMPUTER CENTERS

an established mail order/retail distribution network

BUYER FRIENDLY TERMS! • DELIVERY Most orders delivered within 10 days or less. Add 3% (15% min) for UPS shipping, handling, insurance. Calif. residents add 6.5% sales tax. 2nd day UPS available at extra charge. • PAYMENT Visa, M/C, cashiers checks, money orders, personal checks accepted. (Allow 10 business days for personal/com-pany checks to clear). We never charge extra for credit cards! C.O.D.'s welcome (20% p/p deposit) with cash, certified check or money order. • WARRANTY All items shipped are new, include FACTORY WARRANTY and are GUARANTEED TO WORK. DCC is an AUTHORIZED DEALER and SERVICE CENTER for most major brands. • RETURNS Must be accompanied by RMA number (supplied by DEALER) and may be subject to a 20% restocking fee. Prices and availability subject to change without notice. All items limited to stock on hand. • Mail order prices not valid at retail outlets due to regional pricing restrictions. Minimum order \$50.

FREE - VISA/MC!

1213 LINCOLN AVE • SAN JOSE, CA 95125 • (408) 293-3350
1243 W. EL CAMINO • SUNNYVALE, CA 94081 • (415) 465-4494

VISIT OUR DISCOUNT SHOWROOMS!

Late addition: we have one. It works fine. More next month.

EAT YOUR HEART OUT

Macrotech had an impressive board running at COMDEX Winter: an 8-bit Z80 coupled with an Intel iAPX286 chip for 16-/32-bit processing.

It was installed in a CompuPro boat-anchor box much like mine. I admitted that I was impressed. To make sure there were no misunderstandings, Macrotech's people opened the box to show me that the board was wire-wrapped; a production model will be available sometime this summer or fall.

The rest of the boards in the box were CompuPro. They claim that sometime before next fall's COMDEX they'll come over here, open my Dual Processor, remove the CompuPro 8085/8088 board, and insert a Macrotech board; after which my system will continue to operate on CP/M-8/16 as before, except that it will be faster, will be able to run Z80 as well as 8080 software, and will accept iAPX286 commands. We'll see; my CP/M-8/16 isn't the common variety, since Tony Pietsch did some work with the command processor, and enabled interrupts, and generally did a spit-and-polish job. On the other hand, I never throw anything away. I can certainly boot up the old standard CP/M-8/16 if I have to.

PRINTER OPTIMIZER

Last month I mentioned Applied Creative Technology's Printer Optimizer, which is a box full of memory that sits between the Golem (CompuPro 8/16) and the NEC 7710 Spinwriter. Shortly after that, ACT recalled the machine in order to add even more memory to it.

And I discovered that I was hooked. No sooner was the little jewel gone than I missed it terribly. It's amazing how you can get used to the idea that printing is something that happens nearly instantaneously (well, at 9600 bps, which is the speed at which the computer ships data into the Optimizer). Waiting for the machine to print at normal speed (1200 bps) was just no fun at all.

Ten days later it came back. The first time it showed up I'd had Alex install it, but he wouldn't be back from UCSD for a couple of days, and I wanted the Optimizer now; so I tackled the installation myself.

I am no hardware genius. Like most Americans of my generation, I learned to solder and install electrical switches and such, but when I was in school electronics meant vacuum tubes and hook-up wire; not only didn't we have transistors, but printed-circuit boards were pretty rare. Thus, while I'm not afraid of the innards of my computers, I do tend to think of hardware jobs with a distinct sense of unease, not to say dismay. There was nothing for it, though: if I wanted my Optimizer—and I sure did—I was going to have to do it myself.

It turned out to be simple. Not as simple as it would have been had I wanted to connect it to a Centronics parallel port instead of through an RS-232C serial port, but simple enough. The ACT instructions are quite clear, with plenty of diagrams and examples and a good explanation of the theory of what's going on. It took me considerably less than an hour to hook things up, and *mirabile dictu*, everything worked first time.

Now, with 256K bytes of memory in the Optimizer, I can pack a great part of an entire novel into it. I can do that as one long file, or as a series of linked files, or even one file at a time if I want to fiddle with the last part while the beginning is printing out.

The Optimizer even has a way to program it so that the files aren't necessarily printed in the order you put them in: there's a way to shunt stuff off, as on a railway siding, so that something else can be printed first. It's not a feature I use very often, but it can be convenient, as for example when you don't have the fanfold tractor on because you want to print single sheets, but there's a convenient opportunity to load in a file that will need fanfold.

If you don't have a printer buffer, you don't know what you're missing. They come in a variety of styles with various features, and I haven't much experience with any of them except the ACT Optimizer. I sure love this one, and it's hard to imagine one easier to use. Given the wide variety of protocols and stop bits and other such stuff (the RS-232C, meaning Revised Standard-232C, is anything but standard; there are a bewildering complexity of ways to hook serial ports to computers), it would be difficult to write better hookup instructions.

Recommended.

SPEEDING UP YOUR PC

Another gadget I'd just got installed last month was the Quickon from Security Micro Systems. This little gizmo installs rather simply in your IBM PC: when it's all aboard, all you'll see is a small switch on the back.

Throw the switch one way, and the PC behaves normally. Throw it the other way, and the memory tests are disabled: the PC comes on nearly instantly. Now, I don't think you ought permanently to disable the memory tests; but I sure don't much care to wait for all that every time I have to turn the PC off to escape from some hang-up—and with no true hardware reset on the machine, that happens more often than I like.

We've had the Quickon working for five weeks now, with zero trouble; and Jim Baen reports that he's had his almost a year. If you like waiting for the PC, you won't need this, but if you're as impatient as I am you'll find it nearly indispensable.

DISK MAKER

New Generation Systems is a public benefactor.

Our Kaypro 4 will, courtesy of a program called Uniform—itself a lifesaver—read a number of 5¼-inch disk formats, but there are machines it has never heard of. However, when we get a disk that the Kaypro can't read, we no longer despair: we take it to the Disk Maker I.

I first heard about the Disk Maker at CP/M East when I stopped to talk with Leor Zolman. Leor was, naturally, demonstrating BDS C, the blindingly fast 8-bit C compiler he wrote while he was still an undergraduate at MIT; but he'd been so impressed by the Disk Maker that, although he owned no part of the company that makes it, he had one to show off at his BDS booth.

That was a pretty good recommendation by itself. I have considerable confidence in Leor's judgment. He introduced me to the box's inventor, and we arranged to get one shipped to Chaos Manor. The result has been as advertised. Disk Maker can read almost any conceivable 5¼-inch disk format.

The machine consists of one or two disk drives—mine has two, one 48 tracks per inch (tpi) like the IBM PC, the other 96 tpi like the Eagle 1600 series—and an S-100-bus disk-controller card. You

(continued)

ITEMS DISCUSSED

AT&T/IBM PC Interface.....NA Locus 3330 Ocean Park Blvd. Santa Monica, CA 90405 (213) 452-2435	Eureka! \$50 Mendocino Software POB 1564 Willits, CA 95490 (707) 459-9130	RAM Disk for Z-100.....\$995 Standard Data Corp. 1500 NW 62nd St., Suite 508 Fort Lauderdale, FL 33309 (800) 327-5567
Calendar/I NA Clear Systems 607 Ashland Ave., Suite A Santa Monica, CA 90401 (213) 394-7740	Macintosh \$2495 Apple Computer 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010	RAM Disk for Z-100...#896Z \$2250 Z80/286 Processor Board.....MI 286 \$1395 Macrotech International Corp. 9551 Irondale Ave. Chatsworth, CA 91311 (818) 700-1501
CompuPro 8/16 System.....\$5995 CompuPro 3506 Breakwater Court Hayward, CA 94545 (415) 786-0909	PBASIC \$39.95 The Creator.....\$35 TNT Software 34069 Hainesville Rd. Round Lake, IL 60073 (312) 223-0832	Sage II.....\$3900 Sage IV.....\$7300 Sage Computers 4905 Energy Way Reno, NV 89502 (702) 322-6868
Disk Maker I.....\$1500 96 tpi option.....\$385 New Generation Systems Inc. 1800 Michael Faraday Dr., Suite 206 Reston, VA 22090 (703) 471-5598	Printer Optimizer.....\$499 Applied Creative Technology Inc. 2156 West Northwest Hwy., Suite 303 Dallas, TX 75220 (214) 556-2916	3B2/300 Computer.....\$9950 AT&T 222 Broadway New York, NY 10038 (212) 669-2584
Enchanter\$49.95 Sorcerer\$49.95 Infocom Inc. 55 Wheeler St. Cambridge, MA 02138 (617) 492-1031	Quickon \$69.95 Security Microsystems Consultants 16 Flagg Place Staten Island, NY 10304 (212) 667-1019	

can install the Disk Maker card in your S-100 system and forget it's there until you need it; then, when you get a disk with a strange format, fire up the Disk Maker. Chances are very good that it will be able to read it, and you can use PIP to move files to and from your normal system's disks.

We have the Disk Maker installed in Zorro, the Zenith Z-100, who also runs 8-inch disks in addition to his normal 5¼-inch disks; thus, we can move files from any 5¼-inch format to 8-inch IBM standard, after which they can be brought in for Zeke and the Golem.

The Disk Maker will format disks, too; about 50 formats are supported. It's thus nearly ideal for a small software house that tries to support a wide spectrum of customers.

It's easy to install, easy to use, and darned near unique. If you need one, you need it bad.

RAVING ABOUT CALENDAR/I

Peter Flynn, our new assistant, sees a lot of software; alas, more than I do, since so much flows through Chaos

Manor that I have to let Peter and Alex screen it unless it's something I'm particularly interested in. Thus, he doesn't give many rave reviews.

Here's one item he liked a lot.

"Calendar/I puts date-related information into a calendar format. It is easy to use. The manual is good and organized in a straightforward manner. The preface states that the manual assumes you know how to use the various CP/M functions such as PIP and COPY and that you have and can use a text editor that can produce plain text files with no embedded control characters."

"The text editor is used to create one or more files that are the sources for the date-related information. This is the best approach I have ever seen for a calendar program; it is easy to input large numbers of notices, and it's very easy to update and modify into different calendars. This is by far the most useful and versatile program of its type I have ever seen. It is much better than the scheduler in Valdocs.

"Calendars are composed of notices that are stored in calendar files. Each

calendar file is composed of dates followed by notices pertaining to that date. The calendar files, which you create on a word processor, look like this:

%This is a comment.

@ 8/10/84

Meeting with Fred at 7:15 AM

7/29

First Moon Landing, 1969

8/10

Sally's Birthday

"The order of the dates does not matter, and you can enter the same date more than once. They can be organized under headings such as birthdays, meetings, notices, and social events. Under each date is a notice or group of notices. They will be printed in the box for the corresponding date on the calendar. Lines beginning with % are comments and are ignored by the Calendar/I program.

"A new calendar file can be for a month, a year, or many years. If a date

(continued)

WHOLESALE +8% PRICING OUR 400 PAGE CATALOG OF 20,000 COMPUTER PRODUCTS 12 TO 21 DAY SOFTWARE RENTALS, AT 20%[†] FOR NETWORK MEMBERS ONLY!

Listed below are just a few of the over 20,000 products available at our EVERYDAY LOW PRICES! All software below is priced in IBM-PC format. The NETWORK carries software for IBM, Apple, CP/M, Kaypro and over 50 other popular systems.

For as little as \$8 per year you can join the thousands of value wise buyers who have saved more than \$8,000,000 on 25,000 orders in just the last six months and received these 15 unique benefits:

GAMES & EDUCATIONAL SOFTWARE

(Please add \$1 shipping and handling for each title ordered from below.)

	Wholesale		Wholesale
Avant-Garde Air Traffic Controller	\$16.50*	Sierra On-Line Frogger	21.00*
Bluebus Chess (Your Toughest Opponent!)	34.00*	Sierra On-Line Crossfire	18.00*
Broderbund Lode Runner	19.75*	SubLogic Night Mission Pinball	24.00*
CBS Goren-Bridge Made Easy	48.00*	Spinnaker Alphabet Zoo	17.00*
Epyx Temple of Apshei	21.97*	Spinnaker Delta Drawing	29.00*
Intocom Zork I, II, or III	21.50*	Spinnaker FaceMaker	20.00*
Intocom Deadline, Witness or Suspended	27.00*	Spinnaker Hey Diddle Diddle	17.00*
Microsoft Flight Simulator	27.00*	Spinnaker KinderComp	17.00*
Orion JBird (Orion Look Alike)	22.00*	Spinnaker Rhythms & Riddles	17.00*
Orion PC Man (Great Pac Man)	21.00*	Spinnaker Story Machine	20.00*
Scarborough MasterType	27.00*	Spinnaker Most Amazing Thing	23.00*
Screenplay Asylum (works with mono card too)	15.50*	Virtual Combinatics Micro Cookbook	21.00*

BUSINESS SOFTWARE

(Please add \$2.50 shipping and handling for each title ordered from below.)

	Wholesale		Wholesale
ATI How to use MultiMate	\$44.00*	Microsoft Multiplan	105.00*
ATI How to use Microsoft Word	44.00*	Microstuff Crosstalk XVI	95.00*
ATI How to use Lotus 1-2-3	44.00*	Monogram Dollars & Sense	85.00*
Ashton-Tate Friday!	158.00*	Multimate Systems Multimate V3.2	250.00*
Central Point Copy II PC	23.00*	Oasis The Word Plus	90.00*
Conceptual Instruments Desk Organizer	150.00*	Peter Norton Norton Utilities	48.00*
Digital Research CP/M-86	30.00*	Rossoft Prokey Version 3	74.00*
Digital Research PL/II Compiler	399.00*	Satellite Software WordPerfect	210.00*
Funk Software Sideways	38.00*	Softcraft Fancy Fonts	125.00*
Harvard Harvard Project Manager	215.00*	Software Publishing PFS: File	74.00*
Hayes Smartcom II	68.00*	Software Publishing PFS: Write	74.00*
Lotus Development Lotus 1-2-3	CALL	Software Publishing PFS: Graph	74.00*
MicroRim RBase 4000	280.00*	Sorcim Supercalc 3	198.00*
Microsoft C Compiler	275.00*	SPI Open Access	335.00*
Microsoft Word with Mouse—Latest Version	280.00*	Verbatim Disk Drive Analyzer	25.00*

HARDWARE

(Please add shipping and handling charges found in Italics next to price.)

COMPLETE SYSTEMS		MULTIFUNCTION CARDS	
Apple Macintosh	CALL	Apparat 512K Memory Board with OK	85.00* (2.50)
Apple Apple //c	CALL	Apparat Combo II w/ser/par/game/clock/swr	123.00* (2.50)
Apple Apple //e	CALL	AST Six-Pack Plus with OK	205.00* (2.50)
Columbia Desktop & Portable Systems	CALL	AST MegaPlus II with OK	205.00* (2.50)
Eagle Desktop PC and Spirit Portables	CALL	AST I/O Plus II	105.00* (2.50)
IBM PC 2 DSDD Floppy Drives/Color Card/Mono Monitor	2,157.00* (48.00)	AST Serial/Parallel/Game Port options for any AST Card	33.00* (1.00)
IBM Hard Disk 1 Floppy/10Mb Hard Disk/128K/Color Card/Mono Monitor	2,902.00* (62.00)	Quadram Improved Quad board 384K with OK	197.00* (2.50)
Sanyo MBC 550 "Lowest Cost MS-DOS System"	710.00* (15.00)	Quadram QuadLink (Run Apple Code on IBM)	405.00* (2.50)
Tava Complete IBM compatible (128K/Color Card/Mono/2 drives)	1,710.00* (36.95)	Tecmar Captain Multifunction Card with OK	200.00* (2.50)
Texas Instruments Professional	CALL		

DISK DRIVES & CONTROLLERS

Cogito 1/2 HD Low Power 10MB	\$220.00* (18.00)
Winchester W/IBM Controller	
IBM Floppy Disk Controller	150.00* (2.50)
Maynard WS-1 10MB Internal Hard Disk with Sandstar Multi Function Card	860.00* (18.00)
Maynard WS-2 same as WS-1 but with Sandstar Floppy Controller (uses 1 slot)	960.00* (20.75)
Maynard Floppy Controller (Serial Port)	185.00* (2.50)
Panasonic Half Height DSDD Drive Pair	300.00* (6.92)
Qume Half Height DSDD Drive Pair (Same as used on IBM Portable)	350.00* (7.00)
Tandon TM100-2 Full Height DSDD Drive	178.00* (4.00)
Taligrass 20MB External Hard Disk with Tape Backup	2,800.00* (46.20)
Teac FD55-B Half Height DSDD Drive Pair	300.00* (7.00)

MEMORY CHIPS

All chips guaranteed for life.	
64K Memory Upgrade Kits (9 Chips)	43.20* (1.00)
64K Dynamic Ram Chips (Each)	4.80* (1.00)

MODEMS

Anchor Mark XII LOWEST PRICE 1200BPS HAYES COMPATIBLE EXTERNAL MODEM	230.00* (5.00)
Hayes Smartmodem 300	180.00* (3.60)
Hayes Smartmodem 1200B with Smartcom II	366.90* (2.50)
Hayes Smartmodem 1200B without software	299.00* (2.50)
Rixon R212A Stand Alone 1200BPS U.S. Robotics Password (Compact 1200BPS Extension)	335.00* (8.50)
	290.00* (6.50)

MONITORS

Amdek Video 300G Composite Green	110.00* (3.00)
Amdek Video 300A Composite Amber	120.00* (3.00)
Amdek Video 310A IBM Type Amber	130.00* (3.00)
Amdek Color II RGB Color	382.00* (6.00)
Princeton HX-12 RGB Monitor	CALL
Princeton MAX-12 IBM Mono	CALL
Princeton SR-12 Ultra High Res RGB	CALL
Taxan 210 Combo RGB/Composite	245.00* (6.00)
Taxan 420 Super High Res RGB Monitor	420.00* (9.30)
Zenith ZVM-123 Green High Res	76.00* (2.50)

VIDEO CARDS

Hercules Monochrome Graphics Card	300.00* (2.50)
Hercules Color Card with Parallel Port	CALL
Persyst Monochrome Display Card	206.00* (2.50)
Quadram Quadcolor I Color Card	175.00* (2.50)
STB Graphix Plus	240.00* (2.50)
STB Clock Option for Graphix Plus	30.00* (1.00)

ACCESSORIES AND SUPPLIES

Brand Name DSDD Diskettes	20.00* (1.00)
Guaranteed for Life!	
Curtis PC Pedestal II	54.00* (3.00)
KeyTronic KB5151 Deluxe IBM Keyboard	188.00* (4.00)
WP Printer Paper 2600 Sheets	17.00* (10.00)
MicroLine Perfs (Invisible when torn)	

*PC NETWORK Members pay just 8% above the wholesale price, plus shipping. All prices reflect a 3% cash discount. Wholesale prices fluctuate rapidly—all prices in this issue have been prepared 60 days in advance. Please call for latest prices. Minimum shipping 2.50 per order.

- Wholesale + 8% Pricing
- Our 400 Page Catalog—Over 20000 Products
- In-stock Delivery On Popular Products
- Experienced Sales Consultants
- Add-on Quantity Discounts
- Free Technical Support
- 12-21 Day Business Software Rentals (optional)
- 12-21 Day Game Software Rentals (optional)
- Special Savings Newsletters "The Printout"
- Discount Book Library—Over 1000 Titles
- Membership Referral Bonus
- Corporate Accounts
- Software Publishing Assistance
- Membership Refund Guarantee
- 10 Day Hardware Return Policy

CALL 1-800-621-S-A-V-E

In Illinois call (312) 280-0002

Your Membership Validation Number: B381

You can validate your membership number and, if you wish, place your first money-saving order over the phone by using your VISA, MASTERCARD or AMERICAN EXPRESS. Our knowledgeable service consultants are on duty Mon-Fri 8 AM to 7 PM, SAT 9 AM to 5 PM CST.



PERSONAL COMPUTER NETWORK
320 West Ohio
Chicago, Illinois 60610



Call now...Join the PC NETWORK and start saving today!

PC NETWORK • MEMBERSHIP APPLICATION

YES! Please enroll me as a member in the PC NETWORK™ and rush my catalog featuring thousands of computer products, all at just 8% above DEALER WHOLESALE PRICES. I will also periodically receive "THE PRINTOUT", a special up-date on merchandise at prices BELOW even those in my wholesale catalog, and all the other exclusive, money-saving services available to Members.

381

I am under no obligation to buy anything. My complete satisfaction is guaranteed. Please check (✓) all boxes that apply:

- | | |
|--|--|
| <input type="checkbox"/> Basic Membership | <input type="checkbox"/> Special V.I.P. Membership* |
| <input type="checkbox"/> One-year membership for \$8 | <input type="checkbox"/> One-year membership for \$15 |
| <input type="checkbox"/> Two-year membership for \$15 (SAVE \$1) | <input type="checkbox"/> Two-year membership for \$25 (SAVE \$5) |
| <input type="checkbox"/> Business Software Rental Library for \$25 add'l. per year—with 12 day rentals | <input type="checkbox"/> BOTH Business and Game Software Rental Libraries for \$30 add'l. per year—with 21 day rentals |
| <input type="checkbox"/> Games Software Rental Library for \$10 add'l per year | <input type="checkbox"/> *VIP members receive advance notice on limited quantity merchandise specials |

Bill my credit card: VISA MasterCard American Express

Account Number:

Exp. Date mo. year

Check or money order enclosed for \$

Name

Address Apt. No.

City State Zip

Telephone ()

My computer(s) is: IBM PC Apple II TRS-80 Kaypro

Other

Signature (Signature required to validate membership)

Copyright ©1984, PC NETWORK INC.

†RENT BEFORE YOU BUY—Members are eligible to join The NETWORK's Business and Game Software Rental Libraries and evaluate products for a full 12 (Regular) or 21 (VIP) days to see if it meets your needs. And The NETWORK's rental charges are far less than other software rental services—JUST 20% OF THE MEMBER WHOLESALE PRICE.

Circle 242 on inquiry card.

JULY 1984 • BYTE 325

C SOFTWARE DEVELOPMENT

MSDOS

FULL C COMPILER PER K&R

- Inline 8087 or Assembler Floating Point
 - Full 1MB Addressing for Code or Data
 - Transcendental Functions
- MSDOS 1.1/2.0 LIBRARY SUPPORT
- Program Chaining Using Exec
 - Environment Available to Main

c-window™ C SOURCE CODE DEBUGGER

- Variable Display & Alteration Using C Expression

COMBINED PACKAGE—\$199

Call or write:

c-systems Fullerton, CA 92634
P.O. Box 3253 714-637-5362
TM c-systems

FREE SOFTWARE

RENT THE PUBLIC DOMAIN!

User Group Software isn't copyrighted, so no fees to pay! 1000's of CP/M and IBM software programs in .COM and source code to copy yourself! Games, business, utilities! All FREE!

CP/M USERS GROUP LIBRARY

Volumes 1-92, 46 disks rental—\$45

SIG/M USERS GROUP LIBRARY

Volumes 1-90, 46 disks rental—\$40
Volumes 91-162, 30 disks rental—\$45
SPECIAL! Rent all SIG/M volumes for \$80

MOST FORMATS AVAILABLE! SPECIFY.

IBM PC-SIG (PC-DOS) LIBRARY

Volumes 1-135, 5 1/4" disks \$135

Public Domain User Group Catalog Disk \$5 pp. (CP/M only) (payment in advance, please)
Rental is for 7 days after receipt, 3 days grace to return. Use credit card, no disk deposit.

Shipping, handling & insurance—\$7.50 per library.

(619) 941-0925 information,

(619) 727-1015 anytime order machine

Have your credit card ready!

Public Domain Software Center



P.J.S. Co.
1062 Taylor St.
Vista, CA 92083

AM-EX



Circle 354 on inquiry card.

Videodisc Interface

LaserLink™ 100

Controls all videodisc player functions

Switches video source between computer and videodisc player

Compatible with Apple, Atari & Commodore computers

Interfaces to most videodisc players

Introductory Price

\$99.95 July Only

Software Available

For information call/write:

Orenda, Inc.

3754 Overland Ave., L.A., CA 90034

(213) 202-0770

Dealer Inquiries Invited

Circle 353 on inquiry card.

Need Low Cost I/O?

FOR: HP • COMMODORE
SAGE • OSBORNE



The 6450 General Purpose Parallel Interface will connect to your computer via the IEEE-488 Bus and give you:

8 Input Bits, 8 Output Bits, Clear and Trigger pulses, a Service Request Interrupt, and more.

All IEEE-488 Functions are supported. The 6450 also allows connecting Centronics type printers to the IEEE-488 Bus. Two versions are available: PC board and complete unit. Prices start at \$249. Application notes describing interfacing to A/D converters, UARTs, and multiple byte data are included.

Call or Write for Details:



Seitz Technical Products, Inc.
PO Box 76, New London, PA 19360
(215) 255-5111

Circle 355 on inquiry card.

TOP QUALITY APPLE COMPATIBLE PERIPHERALS

THOROUGHLY TESTED AND WARRANTED FOR 120 DAYS

Cooling Fan	\$22	Z-80 Card	\$33
16K Ram	\$28	80 Column Card	\$55
Eprom Writer	\$42	RS 232 Card	\$36
Parallel Printer Card	\$35	Switching Power Supply	\$46
Keyboard	\$55	Computer Case	\$45

PACE AP-50 Disk Drive
(Shugart SA 390 Mechanism) \$140


THE ABOVE PRICES ARE FOR DEALERS.
QUANTITY 25+, COD. FOB NAPERVILLE, IL 60540
END USER INQUIRIES ALSO WELCOME.

PACE SYSTEMS, INC.

24 W 500 MAPLE AVE., NAPERVILLE, IL 60540
(312) 355-9722

Circle 356 on inquiry card.

ZENITH/Heath Users



Double Your 5 1/4" disk storage capacity without adding a drive.

Get twice as much from your H88 or H89 microcomputer. Our FDC-880H floppy disk controller, in conjunction with your 5 1/4" drives, for example, expands memory capacity from 256 bytes to 512 bytes per sector.

And it handles single and double-sided, single and double-density, 8" and 5 1/4" drives — simultaneously.



C.D.R. Systems Inc.

Controlled Data Recording Systems Inc.
7210 Clairmont Mesa Blvd., San Diego, CA 92111
(619) 560-1272

Circle 52 on inquiry card.

CHAOS MANOR

ends in a year, such as 5/16/84, then it will be printed only in that year; if only a month and day are given, it prints the notice for every year. (Years can range between 1583 and 9999; if only two digits are given, the twentieth century is presumed.)

"Calendar files can be separated or combined: you can have a file of birthdays and another of meetings, print a calendar for each, and combine those with others to make one master calendar. Calendar/I comes with a number of prewritten calendar files, including holidays and historical dates of interest.

"Calendars can be printed on screen or the printer. You specify the length and width. If a notice won't fit, what will fit is printed, an asterisk is added, and the balance is printed as a note on an overflow page. The layout's good considering the space you have to work with.

"There are a number of other control features, all well documented.

"Calendar/I is useful for scheduling work; many people can be given identical copies for job control; it is also useful for travel scheduling."

We expect to make a lot of use of Calendar/I here at Chaos Manor. It's a well-conceived and useful program.

OUT OF SPACE AGAIN . . .

There's a ton of stuff on my list, and I'm out of space. At least let me mention the Infocom games, such as Sorcerer and Enchanter and the like. Not only do we at Chaos Manor love them, but I notice that my partner Larry Niven is hooked. For those few who don't know, Infocom games are script driven: there's no fancy graphics, no arcade action; only text adventures.

This kind of game grew out of the original Crowther and Woods Adventure of the Colossal Cave. The original Infocom implementers worked on Zork while at MIT; they later developed other software for role-playing games. Some of the work they've done parsing and interpreting English is remarkable.

Enough. My taxes are due, after which I'm on the road for two weeks; meanwhile, I just opened a letter from Judy-Lynne Del Rey, my long-suffering editor at Ballantine Books; she's expecting Larry and me to turn in *Footfall Right Away*: the letter said only, "Nag! Nag! Nag!"

I think that was a hint. ■

\$2,490

Great Lakes offers you add-on storage and tape back-up at an unforgettably attractive price

So you're about to outgrow the storage capacity of your IBM PC™ or compatible computer? And now you're biting your nails over the cost of adding more bytes.

No need! Consider the eminently memorable combination price of the Great Lakes Superior 10™ hard disk subsystem and the Great Lakes Quartermaster 23™ tape back-up module.

The Superior 10—\$1495

Not only is our \$1495 price considerably lower than the nearest 10-megabyte competitor, but we offer the best dollar-per-megabyte ratio for the 23mb and 40mb subsystems as well. The ratios? 10mb at \$149 per mb; 23mb at \$98 per mb (retail \$2249); 40mb at \$70 per mb (retail \$2795).

Quartermaster 23—\$995

This optional 23mb tape back-up module is simple to use and efficient as well. Take, for example, our remarkable Selecta-File™ feature. This ¼-inch tape drive module allows you to back up and restore data using selective file-by-file data transfer (or full streaming). And it masters all this for just \$43 per megabyte.

Complete and ready-to-use

When you buy a Superior hard disk subsystem, everything is there, ready to operate at high speed. This includes: high quality fixed hard disk, controller board, software that runs on DOS 1.1 and 2.0 (CP/M 86™ and other operating systems available), host adaptor board, integral power supply, cables, external custom chassis with additional space for our tape back-up, and documentation.

Our line is expansive, not expensive

Need even more storage for your IBM PC or compatible? We offer hard disk subsystems including 65, 110 and 140mb—all designed for superb quality at the very lowest possible prices. And we stand behind all our products with our 90-day warranty. That's because our quality lives up to our first name.

Available at leading dealers everywhere



 **GREAT LAKES™**
COMPUTER PERIPHERALS, INC.

We live up to our first name

2200 W. Higgins Road, Hoffman Estates, IL 60195
1-800-323-6836/1-312-884-7272

*IBM PC is a trademark of International Business Machines Corporation.

*Superior (10 through 140), Quartermaster 23, and Selecta-File are trademarks of Great Lakes Computer Peripherals, Inc.

*CP/M 86 is a trademark of Digital Research, Inc.

Circle 337 on inquiry card.

LICENSING AGREEMENTS

Dear Jerry,

Because you occasionally address software licenses and their idiosyncrasies in your column, I thought you might be interested in my company's experience with one software manufacturer—Sunburst Software.

In August 1983 we ordered an accounting package as ported to a Charles River Data Systems Universe computer. The software had a myriad of problems, not the least of which was inaccurate addition of account balances. After many frustrating months we requested a refund of our purchase price. Sunburst declined our refund on the grounds that its license did not guarantee "suitability." I would like to see the accounting environment in which 2 plus 2 equaling 5 was suitable.

Incidentally, we think the CRDS Universe is a lot of lightning in a little box. We were running multitasking benchmarks and wanted to keep the processor working hard in the background while we tested throughput in the foreground. To exercise the processor, we were using the C version of BYTE's Sieve of Eratosthenes prime-number program, but we discovered that finding the primes between 1 and 10,000 ten times required so little time as to be insignificant. Instead, we had the CRDS pick out the primes up to 200,000 ten times, which it does in less than 100 seconds real time. Not bad.

RALPH TILNEY
Austin, TX

Firms that give refunds on software report they don't have very many requests for same; possibly because such outfits take a bit more care?

My son Alex is a real fan of the Charles River Data Systems machines. They're a little out of the normal BYTE reader's price range, though.

I don't think the "BYTE Benchmark" is of much use any longer, though; aren't most compilers designed to optimize the Sieve of Eratosthenes? That's one reason I like "my" matrix benchmark: it's processor intensive and does "normal" arithmetic operations in tight loops.—Jerry

ELECTROSTATIC PRINTERS

Dear Jerry,

I enjoyed your comments on the nonavailability of low-cost laser printers for the micro-computer industry (March, page 354). Having just completed a search for low-cost, high-speed

printers, I can add some information. I am only a consultant, however, so I do not underwrite any of these products.

As regards the Canon LPB-PC, although it is true that this device can sell for about \$4000 to an end user, the fact is that Canon has elected to sell the device through dealers and systems integrators who have to add the proper interface. The companies that market it have decided that the biggest market is for complex graphics printing where special typefaces and pictures are being drawn. By the time the user pays for the interface, it is a \$10,000 printer. When I spoke to Imagen, it wasn't interested in developing an interface to emulate a daisy-wheel printer (or similar interface).

My client wanted to replace 60 dot-matrix printers with these Canon units, but no one seems to think that the plain printer market is very big. Why can't the printer manufacturers understand that most of the printing being done is straight alphanumeric with serial interfaces? Our reason for wanting the Canon system was that since the entire printing mechanism is in the cartridge, we could have an operator replace it instead of calling an engineer. If replacing the cartridge cures the problem, we save a \$150 service call. The cartridge is presently \$40, with projections to drop to \$20 with competition.

You should refer to this market as electrostatic printers because they do not always use lasers. The Philips Elpho-20 uses a cathode-ray tube to transfer a blue image to the drum through a lens. This printer does 20 pages per minute and sells for \$10,000 to the end user. Philips claims that the red lasers used in other printers are the hardest colors to sensitize the drum. The drum is most sensitive in blue, so it uses a CRT beamed through a lens. This technique increases the life of the drum and eliminates the moving mirror used to scan the laser across the drum.

I enjoy reading your column each month. Please keep up the good work.

BOB NOAKES
San Francisco, CA

Eventually someone will become wise, if not with the Canon then with a Xerox or other brand: there are just too many computer users who've tired of having a machine gun in the same room with them. The laser—or electrostatic—printer is obviously part of the wave of the future, and one day we'll be able to replace both the office copier and the printer with one device.

Until then I'll have to limp along with my Spinwriter for submission copy and the Printmate for fast dot-matrix copy. Thanks for the kind words.—Jerry

ILLEGAL COPYING

Dear Jerry,

We at H & H Scientific have recently introduced our Stock Option Analysis Program (SOAP) for the IBM PC and are using a new method to deter illegal copying that might interest your readers.

Whereas the Apple version of SOAP had been copy protected, the IBM version of SOAP is issued in an unprotected format and can be copied subject to the terms of our standard licensing agreement. However, in order to use the Dow Jones News/Retrieval Service and thus take full advantage of all the features of SOAP, the original program disk must be returned to us to have the purchaser's Dow Jones password encrypted onto the disk. This becomes a permanent part of the program disk and any copies will carry the password.

We think that few purchasers will be willing to give a copy of a program containing their password to a friend and thus risk incurring even modest usage charges by their friends. In effect, the user's password is held hostage (by the user) to guarantee the security of the personal program.

We think this will prove to be an effective deterrent to the problem of illegal copying and at the same time will give the legitimate user the maximum flexibility in selecting the optimum hardware environment, i.e., using SOAP with a hard disk, electronic disk, or combination thereof.

HERSCH PILLOFF
Fort Washington, MD

You have a novel approach to the piracy problem. I can see one difficulty: many users are likely to be wary of giving anyone, including software vendors, their passwords.—Jerry

TURBO CAUTION


Dear Jerry,

I am sure that the nitpickers will find problems with Turbo Pascal, but the program compiled your matrix program from the October 1982 BYTE with no complaints. The execution time was about 20 seconds. The compilation time was about 6 seconds. These times look very respectable to me.

I caution anyone installing this language to carefully check the definitions for the available terminals. The definitions supplied for the Osborne I were incorrect in two places. How-

(continued)

FRONTRUNNER



DynaxTM introduces 36 cps - THE HR-35 Daisy Wheel Printer

Always a step ahead of the competition, the HR-35, with letter-quality print speed of 36cps, offers the best price/performance ratio in its class. Add the optional Tractor Feeder and Auto Cut Sheet Feeder and you have the best value on the world market today.


Dynax has always been the frontrunner. The HR-35 is the frontrunner. And it's backed by the Dynax reputation for quality and service response.

We're Confident!

Circle 117 on Inquiry card.

Dynax, Inc.TM

HR-35 with optional Tractor Feeder



HR-35 with optional Auto Cut Sheet Feeder

Manufactured by
brother.

HEADQUARTERS

5698 Bandini Blvd.
Bell, CA 90201
(213) 260-7121

NEW JERSEY

One Madison St.
East Rutherford, NJ 07073
(201) 471-0100

TEXAS

6012 Campus Circle, Suite 250
Irving, TX 75062
(214) 257-1700

ILLINOIS

543 W. Algonquin Rd.
Arlington Heights, IL 60005
(312) 981-5633

MASSACHUSETTS

400 W. Cummings Park, Suite 5300
Woburn, MA 01801
(617) 933-8162

N. CALIFORNIA

1255 Oakmead Parkway
Sunnyvale, CA 94086
(408) 730-1712

ever, the Installation Appendix clearly states what is required to install a terminal. Thirty terminals are listed.

The two required changes were in the cursor positioning code: Borland International had the X and Y positioning order reversed, and the Erase to End Of Line code was actually Insert Character code. With these two changes, all test programs compiled and ran correctly. The spreadsheet demonstration program operated correctly and provided some useful examples of procedures that can be applied to other programs.

For the price, I believe that this is an adequate implementation of Pascal for the beginning user. I hope that Borland continues to provide a quality product.

LEO F. HOOD
West Lawn, PA

I have many good reports about Turbo Pascal, and those are certainly respectable times for an Osborne 1. I'm all for Borland: I hope other software companies decide to lower their prices, too.

Borland has an updated version of Turbo; you can get it by sending the original disk and \$29.95 (or buying a new copy, of course). It's worth the trade: the update has overlays and is very fast. There's source code for some nice utilities, too.—Jerry

CAN THE EAGLE FLY?

Dear Jerry,

I write for two reasons. A couple of months ago you mentioned Turbo Pascal, and I thought I would let you know what I think of it. What do I think? It's all right. However, floating point is slow. Slower than IBM Pascal by a factor of 8 to 10 is what my tests have shown. Integer arithmetic in Turbo is also slower than IBM Pascal's but only by about one-and-one-half times.

On the other hand, Turbo's screen I/O seems to be faster. Turbo also has some nifty screen-manipulation commands, but any shot at source-code portability is then lost. I see Turbo

as a nice development compiler because it compiles so quickly. As long as you are sure to write in plain Pascal, Turbo can be used for development and debugging. The source can then be compiled with the IBM compiler for the final product.

My other reason for writing is this: I actually own an Eagle PC-2, not an IBM PC. The PC-2, unlike the 1600 series, strives to emulate the IBM as much as it can. It does an acceptable job in my opinion, but things could be better. As you have observed, the documentation stinks. Trying to find out anything from the dealer is difficult, especially since he stopped carrying Eagle products. Calling Eagle in Los Gatos can be a frustrating experience. "Call your dealer," is what you get. Sigh. Do you know of a users group for the Eagle PC? I would appreciate any tidbit of information you might have.

PETER KLINE
Providence, RI

Dear Jerry,

You often refer to your Eagle 1600-series system with a great deal of enthusiasm, and I have visited the local dealer for a first look. However, Tom Wadlow ("The Eagle PC," March, page 236) is rather lukewarm in his praise. I can only assume that he must base his judgment on a rather short exposure to the Eagle, whereas you have had yours for some time. Do you have any comments?

I would buy a 5- or 10-megabyte hard disk with backup tape but might prefer Microsoft's Word or Rocky Mountain's NewWord/Merge-Print to the Eaglewriter, possibly with SoftCraft's Fancy Font system. The latter looks fantastic, and I have called for the promised "actual example." I only wish that I could get my system with the Corvus monitor that I have seen and like a lot.

ARNE R. LINDGREN
Culver City, CA

Sigh. I have mixed emotions about recommending Eagle computers. It's a good machine, but it sure has lousy documents.

Eagle's new documentation specialist keeps calling me to ask what I'd like to see in the up-

dates; I keep hoping the company will get them done and ship retrofits. I love that Eagle, but I have to warn people: if you don't know a good bit about computers, be sure the updated documents are out before buying one of the 1600-series machines. I've had no complaints about the Eagle from experienced computer people, but there have been wails from beginners, all with problems that would have been trivial had there been better technical documentation.

In the middle of the rush to new documents, Eagle was hit by an IBM lawsuit requiring it to stop selling machines until it changed the ROM chips; as I write this, Eagle has announced that's done and it's shipping machines again, but its stock has fallen to a critically low value.

That's what delayed the update to DOS 2.0 as well. I received a test version of the 2.0 update, but then I was warned not to use it: I should wait for a later version. It's been a couple of months, and the upgrade hasn't come. Without DOS 2.0 with its tree structure, a lot of the value of the hard disk is lost. Eagle promises the new one Real Soon Now.

It's a real pity: Eagle has some of the best PC hardware around, and the 1600 compiles Turbo Pascal like nothing you have ever, ever seen. (It's fairly speedy with MT+, too, compared to the IBM PC.) By the time you read this, Eagle swears it will have better documents, updated software, and will have survived its cash flow crunch. I sure hope so. I like the machines, but I have to be a bit less than wholehearted in recommending them until Eagle gets its act together.

As of April, Eagle seems to be making real progress; but check with your dealer before buying.—Jerry


NEVADA COBOL

Dear Jerry,

John DaMassa asked about the \$29.95 Nevada compilers and utilities in your March "User to User" column. I teach programming courses and use my Z80-equipped Apple II+ (continued)

DATA TRANSFER PROBLEMS?

Your Simple Solution is **REFORMATTER®** Diskette Conversion Software



- Avoids serial communication protocols.
- Needs only one system to transfer data.
- Converts source code and data files.
- Allows 2-way transfer.
- Quick, reliable, and inexpensive.



VERSIONS	
Runs On	Reads/Writes
CP/M	↔ IBM 3740
CP/M	↔ DEC RT-11
CP/M-86	↔ IBM 3740
CROMIX	↔ DEC RT-11
DEC RT-11	↔ CP/M
MS-DOS	↔ IBM 3740
TRSDOS II*	↔ CP/M
TRSDOS II	↔ DEC RT-11
PRICE:	\$350 *\$249


Requires 8" floppy drive.

(415) 324-9114 TWX: 910-370-7457

467 Hamilton Avenue, Suite 2, Palo Alto, Calif. 94301

ALL AT ONCE!

AND NEVER A "LOCKED OUT" USER!



DataFlex is the only application development database which **automatically** gives you true multi-user capabilities. Other systems can lock you out of records or entire files for the full time they are being used by someone else. DataFlex, however, locks only the data being changed, and **only** during the micro-seconds it takes to actually write it to the file! The updated record is then immediately available. The number of users who can access, and change, records at the same time is limited only by the number of terminals on your system or network. Call or write today for all the details on DataFlex... the true multi-user database.

DATA FLEX

DATA ACCESS CORPORATION
8525 SW 129 Terrace, Miami, FL 33156 (305) 238-0012
Telex 469021 DATA ACCESS CI

AUTHORIZED INTERNATIONAL DISTRIBUTORS

HOLLAND
ADINFO 020-644605

AUSTRALIA
Australian Business Solutions
03-699-8377

Australian Microcomputer Solutions
052-22-2099
Intelligence (Aust) Pty. Ltd.
02-267-1711

ENGLAND
Equinox Computers 01-729-4460

SWEDEN
Offensivt Datorstod AB 030-006-2626

JAPAN
SOFTEC 04808 (5) 6565

Compatible with CP/M-80, MSDOS networks, MP/M-86, Novell Sharenet, PC-Net, DMS Hi-net, Tur oDOS multi-user, Molecular N-Star, Televideo MmmOST, Action DPC/OS, IBM PC w/Corvus, OMNINET, 3Com EtherSeries and Micromation M/NET.
MSDOS is a trademark of Microsoft. CP/M and MP/M are trademarks of Digital Research.

Circle 98 on inquiry card.

for demonstrations and examples. I bought the Nevada COBOL compiler about a year ago and have since added Nevada EDIT, FORTRAN, and PIILOT to my program library. I also have JRT Pascal for comparison. I feel that I got my money's worth, but that's only one measure. For my purposes, I was also concerned about shortcomings of these packages and how they compared with standard language specifications and other implementations.

The COBOL compiler is a subset of the 1974 ANSI standard. It doesn't include some high-level modules described in the standard, such as the Table Handling and Sort features; some minicomputer COBOL compilers also don't have these. The language nucleus is complete, and subroutines in COBOL as well as assembly language are allowed. Documentation consists of a reference manual that adequately describes the language and how to get started. The user who doesn't know the language should buy a good textbook, such as Tyler Welburn's *Structured COBOL*. The negatives are minor: nonstandard 4-digit line numbers and minimal implementations of some I/O statements. For arithmetic, I'd much prefer the COMPUTE statement to the ADD, SUBTRACT, MULTIPLY, and DIVIDE verbs that are included.

The FORTRAN compiler would be the greatest bargain in microcomputer software if it were

based on the 1977 FORTRAN standard. It is a very good FORTRAN IV implementation and does include the IF...THEN...ELSE statement from the 1977 standard. A good selection of built-in functions are included, plus a number of subroutines that interface with CP/M. The compiler doesn't include character class data, which is another desirable 1977 feature. The 8-bit implementation can cause surprises: single-precision and double-precision variables have exactly the same number of significant digits. The manual is a complete and well-written reference. If you're not familiar with the language, you'll also need a good textbook.

Nevada EDIT may not be the best program editor around, but it's probably the best full-screen editor in the low-priced field. It's compatible with any editable CP/M file type. I use it with JRT Pascal files as well as Nevada COBOL and FORTRAN. Since it's a full-screen editor, the user can edit lines in place and move anywhere on the screen. On the negative side, the control codes are rather clumsy. A number of editing commands require two steps: Control-V followed by another command code. I haven't been able to get a couple of the control codes to work. Some control codes must be changed to suit specific hardware environments (such as the Apple with CP/M) by using a configuration routine that comes with the editor.

You'll note that I haven't said anything about benchmark results. As a computer science teacher, I'm more interested in completeness of features than in object-code efficiency. Besides: have you ever tried to write the Sieve of Eratosthenes in COBOL?

JIM ARCHIBALD
Geneseo, NY

Dear Jerry,

I have tried Nevada COBOL, and the experience was dismal. I would *not* recommend the product to anyone. It is a pseudocompiler, creating p-code that is then interpreted by the Nevada run-time program. I bought it because I am a COBOL programmer on IBM mainframes and wanted to see how this microcomputer compiler stacked up. I performed a number of tests and was severely disappointed.

The Sieve of Eratosthenes benchmark took 7 minutes to run (one iteration) as opposed to 4 minutes in Microsoft BASIC and 3.6 seconds in Pascal MT+. Since one reason you put up with the tedium of compiling is to get faster code, Nevada COBOL seemed a dismal failure in this department.

I wrote a simple file-to-file transfer and discovered that it transferred all but the last line of the file. A bug is revealed in the way it detects
(continued)

ALF COPY SERVICE

1315F Nelson Street

Denver, CO 80215

(303) 234-0871

FAST • RELIABLE • LOW COST

If you produce software, ALF's disk copying service is the quick, convenient answer to your duplication needs. Most orders are shipped in less than a week. Every disk we copy is verified bit by bit and guaranteed 100% flawless.

We can copy virtually any soft-sectored mini format. Standard formats: Apple II (including nibble-copy proof, double-boot, and fast load), Apple III, Atari, IBM PC, Kaypro, NEC PC8000, Osborne, TRS-80 I and III, Zenith Z-90 and Z-100, and more. Copy protection is available for most formats.

Our "no frills" pricing means you don't have to buy extras you don't need—set-up charges start at \$10, and copying charges are 30¢ to 40¢ per side. (See blank disk prices at right. Minimum: 50 copies.) Quantity discounts available for large orders.

Of course, we have the frills too: label application, 3-hole vinyl pages, printing of labels and sleeves, shrink packaging, heat sealing, and much more. We can put your product in a customized package—vinyl folder or IBM-style binder/slip case—for a low price in small or large quantities.

ALF is one of the oldest and most trusted names in the duplication business. ALF designs and manufactures copying machines that other copying services and software publishers around the world rely on every day. Our complete understanding of duplication technology assures you of the finest reproduction available.

We're eager to solve your duplication and packaging problems—whether you want one service or a total package. Give us a call today!

BLANK DISKS

ALF buys large quantities of disks for our disk copying service — and we can pass our savings on to you. If you're buying hundreds of disks, ALF is your ideal source for top quality disks at a reasonable price. We buy our disks in bulk packages, avoiding the expense of fancy printing and labeling.

The disks listed below are 5 1/4", soft sector, double density, unlabeled, with hub reinforcement ring. Other disks are available, call for details.

SINGLE SIDED

MEMOREX	\$160 per 100
NASHUA	\$160 per 100
VERBATIM	\$160 per 100

DOUBLE SIDED

MEMOREX	\$185 per 100
VERBATIM	\$195 per 100

OTHER BRANDS AVAILABLE.

Without sleeves: add \$2.50 shipping per 100.

With tyvek sleeves: add \$7 plus \$2.50 shipping per 100.


Packed in boxes of 10 with tyvek sleeves: add \$15 plus \$3.00 shipping per 100.

COMPUTER HUT™

COMPARE
OUR
SERVICE & PRICE!

SPECIAL OF THE MONTH

IBM-PC & XT
& PORTABLE
CALL FOR
PRICE



DISK DRIVES

Tandon TM100-2 DS/DD	\$199
MATSUSHITA JA 551	179
TEAC FD-55B Slimline	189
SHUGART SA-455 half-high	
AMDEK half-high	BEST
HITACHI half-high	PRICES

ME MAYNARD ELECTRONICS

Floppy Disk Controller	\$169
FDC w/Par. Port	\$219
FDC w/Ser Port	\$239
SANDSTAR SERIES	CALL
QUADRAM	
Quadboard-PP,SP,C/C,Mem + s/w	
Expandable to 384K	CALL
Quad 512 + SP,Mem w/64K	\$249
Quadcolor	CALL

AST RESEARCH

MegaPlus II 4-Funct 64K + s/w	\$279
6-Pack 5-Funct 64K + s/w	\$279
I/O Plus	\$129
STB	CALL
MICROLOG	
Baby Blue	\$359
Baby Blue II 64K	\$539

GRAPHICS BOARDS

TECMAR	
Graphics 720 x 400 16 colors	\$509
HERCULES	
Hi Res Mono Graphics 720 x 348	\$349
Color Graphics w/Par Port	CALL
PCI PRODUCTS	
COLORPLUS 640 x 200,	
16-Color w/Par Port + s/w	\$389
MA SYSTEMS	
PC Peacock w/Par Port	\$249
PARADISE	
Multidisplay	\$395
AST	
MonoGraphPlus	CALL

HARD DISK - IBM-PC & XT

MOUNTAIN — External Syst.	
10MB	\$1799
20MB	\$2549
27M Tape back up	\$1649
MAYNARD WS1/WS2/WS3	CALL
TALLGRASS	CALL

PRINTERS

EPSON	
FX80	CALL
FX100	CALL

brother

HR-15 Par	\$419	Ser	\$439
HR-25	\$699	HR-35	CALL

DYNAX

DX-15 Par	\$419	Ser	\$439
-----------	-------	-----	-------

C-ITOH

STARWRITER A-10	CALL
STARWRITER F-10 P	\$1095

star MICRONICS

Gemini 10X	\$289	15X	\$399
------------	-------	-----	-------

OKIDATA

84P	CALL	84S	CALL
92P	BEST	92S	BEST
93P	PRICES	93S	PRICES

NEC


3510	\$1375	7710	\$1895
3530	\$1375	7720	\$2495
3550	\$1695	7730	\$1895
2050	\$895	2030	\$749

TOSHIBA

P1351	\$1575
P1340	\$839

DAISYWRITER

2000 w/48K Buffer	\$995
IDS	CALL



MODEMS



Smartmodem 1200	\$489
Smartmodem 1200B	\$419
NOVATION, ANCHOR	CALL

COMPUTERS



COLUMBIA DATA PRODUCTS, INC.	CALL
TAVA PC	CALL
COMPAQ	CALL

MONITORS



Video 300G	\$145	300A	\$155
Video 310A			\$179
PGS			
HX12 Hi Res RGB monitor			BEST
			PRICES
MAX-12 Hi Res Mono.			
SR-12 Super Hi Res RGB			



SOFTWARE FOR IBM-PC

LOTUS	CALL
Word Perfect	\$279
WordStar	\$275
DBase III	CALL
VisiCalc	\$189
Multiplan	\$175
Multimate	\$299
MICROSOFT Word	\$269
FRAMEWORK	CALL
AND LOTS MORE	

CANADIAN COMPUTER HUT

AUTHORIZED DEALER

MICROCONTEXT INC.

5253 AVE DU PARC

MONTREAL

QUE H2V4P2.

(514) 279-7291

Published Prices are for U.S.A. Only
Please call for Canadian Prices

ANY PRODUCT NOT LISTED? CALL

COMPUTER HUT
OF NEW ENGLAND INC.
101 Elm St., Nashua, NH 03060

ORDERS & INFORMATION
(603) 889-0666

ORDER-LINE ONLY
PLEASE
(800) 525-5012

All products usually in stock for immediate shipment and carry full manufacturers' warranty. Price subject to change — this ad prepared two months in advance. You get the lowest price. We honor personal checks — allow 10 days to clear. COD up to \$300 add 2%. Visa, MasterCard add 2%. For shipping & insurance add 2% or \$5.00 min. for small items and \$10 min for monitors, printers, etc. We accept company checks and P.O.'s from Fortune 1000 Companies.

IBM is a trademark of IBM Corp.

Return authorization and order status (603) 889-7625

Circle 72 on inquiry card. 84

an "at end" condition.

I wrote a program to test the way it handled arithmetic with the various COBOL numeric data types and discovered a bug in handling IF-tests. The code in question follows:

```
IF AMT-4 IS GREATER THAN AMT-5
  DIVIDE AMT-5 INTO AMT-4
  GIVING AMT-6 ROUNDED
ELSE
  DIVIDE AMT-4 INTO AMT-5
  GIVING AMT-6 ROUNDED
```

When AMT-4 was 5 and AMT-5 was 25, the result returned in AMT-6 was 5, which is correct. When AMT-4 was 25 and AMT-5 was 5, however, the result returned in AMT-6 was 0.20. No matter what values I assigned to AMT-4 and AMT-5, it was always the instruction after the ELSE that executed.

I called these bugs to the attention of Ellis Computing and sent source code and all, but Ellis never responded. May I respectfully suggest that you amend your remarks, at least regarding the COBOL package?

WILLIAM MEACHAM
Austin, TX

Thanks for the reports. My problem is that I'm not about to evaluate Nevada COBOL: it's not a language I do anything with, and I'm not

about to learn it. I can only report what I'm told.

Of course, I don't recommend COBOL in the first place. Edsger Dijkstra, the Netherlands computer philosopher, once said that teaching COBOL ought to be regarded as a criminal offense. I don't necessarily agree, but I know people who do. As to writing the Sieve of Eratosthenes in COBOL, I'd rather have an appendectomy if it's all the same with you.—Jerry

COPY PROTECTION

Dear Jerry,

I fully support your stand against copy protection in software. It is bad for a number of reasons, and you have done a great deal for users in putting them forward. Some additional reasons need exposition.

One of the most significant things that copy protection does to software is that it alters the nature of the product. If I buy a piece of software, it is mine to keep as long as I own my system—provided it is not protected. If it is protected, then I have bought an entirely different product, a perishable one.

Copy protection also makes little sense economically to the manufacturer because the

shelf-life expectancy of most software is too short for there to be much to protect. The company making the software may go out of business before piracy eats into its profits.

I am trying to buy several copies of my favorite word-processing program because it is being taken off the market, and I don't want to learn a new system or transcribe files. I am going to get four separate copies and hope.

EDWARD SWAIM
Austin, TX

I hadn't thought of it that way, but you're right: copy protection makes a perishable good out of a durable good. I do have some sympathy for publishers, but I think the only real solution to software piracy is for the customer base to become sufficiently large. Then publishers can make a profit selling at such low prices that it isn't worth pirating the software.

Of course, high price plus piracy is the equivalent of a low average price, except that the publisher has fewer legitimate customers to support.—Jerry

Dear Jerry,

I've been reading with considerable interest your views on copy protection of software. Until
(continued)

NOVA Computer Inc.

(A Subsidiary of ELECTRADE CORP.)

780 Trimble Rd. Suites 605/304

San Jose, CA 95131


Tel: (408)946-8841

TELEX: 171608 "ELECTRADE"

!WANTED

DISTRICT SALES REPS., DISTRIBUTORS AND LOCAL DEALERS
(End-user inquiries are also welcome!)

WANTED!



NOVA PC/XT MAIN BOARD
\$395⁰⁰ Quantity Price

- FEATURES:**
- * 8088 16 bit Micro-Processor w/8087
 - * 128K D RAM on board (expandable to 256K) with parity
 - * 4 channel DMA
 - * 64K EPROM
 - * 8 channel interrupt
 - * 8 I/O slots
 - * External sound
 - * External reset
 - * Run with any TTL or HCT, no 74S series required
 - * NOVA BIOS supports double & quad density floppy disk & hard disk



NOVA PC/XT 64K BASIC SYSTEM
\$695⁰⁰ Quantity Price

- FEATURES:**
- * Fully IBM compatible
 - * 64K on board (Expandable to 256K)
 - * 96-key detachable keyboard
 - * 100 watt switching power supply w/fan (130 watt Optional)

NOVA PC 128K SYSTEM

- * 128K on board
- * 2-360KB floppy disks
- * NOVA DYNA-ADAPTOR
- * Color graphic or monochrome board
- * Monochrome monitor

\$1495⁰⁰ Quantity Price

NOVA XT 128K SYSTEM

- * 128K on board
- * 1-360KB floppy disk
- * NOVA DYNA-ADAPTOR
- * 1-MOMB hard disk
- * Hard disk controller
- * Color graphic or monochrome board
- * Monochrome monitor

\$2295⁰⁰ Quantity Price



NOVA DYNA-ADAPTOR

- * Controller for 4 internal floppy disks
- * 1 serial port
- * 1 parallel port
- * 1 game port

\$185⁰⁰ Quantity Price



NOVA COLOR GRAPHIC BOARD \$165⁰⁰

- * Fully IBM compatible
- * Operates in B/W or 16-color mode
- * Two operating modes (Alphanumeric & Graphic)
- * Four video interface (Composite, RGB, RF modulator & Light Pen)



Data Technology Hard Disk Controller

- * Control 2 5 1/4" hard disks
- * Selectable sector size
- * Supports IBM BIOS & DOS

\$250⁰⁰ Quantity Price



NOVA MONOCHROME CARD \$165⁰⁰

- * Fully IBM compatible
- * 4K Bytes memory
- * Two video interface (Composite & IBM monochrome)

BEST WHOLESALE PRICES IN THE WORLD

	Quantity	Order	Each	Month
	25	50	100 & up	
Shugart SA455 DS/DD 360KB floppy disk	\$140.	\$137.80	CALL	
Tandon TM100-2 DS/DD 360KB floppy disk	\$160.	\$157.80	CALL	
Shugart SA712 10MB slimline hard disk	\$800.	\$488.00	CALL	
Apple compatible disk drive	\$138.	\$132.80	CALL	
IBM compatible 66W power supply W/fan	\$ 98.	\$ 90.00	CALL	
IBM compatible 100W power supply W/fan	\$158.	\$130.00	CALL	
IBM compatible 130W power supply W/fan	\$158.	\$180.00	CALL	

*IBM is a trademark of IBM Corp.
*Apple is a trademark of Apple Computer, Inc.


"My IBM® PC XT" writes monthly billings and statements to Maxwell & Sons' 1,893 customers, and tells me who owes what."

When you work with a lot of information, you can't afford to re-enter every file when your hard disk fails. And no hard disk is fail-safe.



"My Sysgen Image" backs up the whole lot in less than five minutes. 10 megabytes on a single cassette..."

The Sysgen Image backs up the hard disk in your IBM PC XT. So you can protect your files in minutes—instead of spending hours re-entering them.



"For just \$995. That's cheap insurance. It lets me sleep at night."

The Sysgen Image for just \$995. It's the most affordable insurance you can buy for your two most important assets: Your information. And your time.



Sysgen. Because a hard disk without tape just doesn't make sense.

Sysgen products for the IBM® PC, PC XT, and other personal computers: Economical, 10- and 20-Megabyte hard disk systems with tape back-up. Or 10-Megabyte


tape back-up for the IBM PC XT.

Go to your local computer dealer. Ask for a demonstration of Sysgen back-up systems. And find out how to make sense of your storage.

47853 Warm Springs Blvd., Fremont, CA 94539
(415) 490-6770 Telex 4990843

Circle 294 on inquiry card.

SYSGEN
INCORPORATED



IBM is a registered trademark and PC XT is a trademark of International Business Machines Corporation. Sysgen Image is a trademark of Sysgen, Incorporated.

recently, however, it was of only passing interest to me, having purchased an Osborne Executive, which has no such silly schemes. The Executive was then sold, a Macintosh bought, and along with it a copy of Multiplan.

Multiplan has a ridiculous copy-protection scheme. Microsoft supplies one master disk that it says the user can copy to save wear and tear on the master. However, in order to be able to use the copy, the user first has to insert the master disk, which apparently has a code that tells the copy it's okay to start working. Then you eject the master, put in the copy, and you're free to continue. As long as you don't turn off the power after inserting the master, the copy can still be used, no matter how many other applications you use in between.

This is my first exposure to copy protection, and I'm angry. Now I have to worry about two application disks instead of one, and if the one master disk is damaged, I'm out of luck until I can get a replacement. What *really* strips my threads is that a friend just bought a Model 4P from Tandy, also with Multiplan, and there's no copy protection at all on his version of the program!

So what gives? Does Microsoft feel that Macintosh owners are more prone to a little unauthorized profit than Tandy owners? Is this what I have to look forward to from Microsoft? It could at least provide two masters, à la Lotus 1-2-3. Anyway, I wrote Microsoft, asking for a second master, but I haven't gotten an answer yet. If this is common to the rest of its Macintosh programs, I think I'll hold off buying Word and make do with short letters using MacWrite. I'll let you know what happens; maybe Microsoft will listen to you.

RICHARD B. THOMAS
Tacoma, WA

I have terribly mixed Macfeelings about the Macintosh. At the moment there's so little soft-

ware for it, and because there's only one drive, it's so hard to copy a disk (about 40 disk swaps for a complete copy, and God help you if you get confused in the middle of doing it) that I can't think the machine more than a pretty expensive toy; certainly it's not much use in business.

Of course, that could change when a second drive becomes available (I wonder at what price?) and all this software is actually published. Alas, if the Microsoft copy protection becomes standard for all business software, Macintosh will remain Macuseless for business; I sure wouldn't bet my career that one of those small disks was eternal.—Jerry

PROBLEMS WITH OTRONA

Dear Jerry,

I bought an Otrona Attache last year, partly because of your enthusiastic comments. Indeed, it is a fine 8-bit machine, probably the best CP/M machine available. Several months ago, I had the machine upgraded to become "IBM compatible."

Otrona claims that the machine will run nearly all IBM programs, but many programs will not run. It seems to be impossible to tell whether a program will work or not, as Otrona apparently hasn't tested many of them. For example, I have tried to find a good word processor. Microsoft Word will not run; PC-Write will not run; Multimate appears to run, but parts are exceedingly slow; WordStar will run but again very slow, much slower than the CP/M version.

BASIC is the most common language used with IBM computers, and it comes with PC-DOS and most versions of MS-DOS. No BASIC comes with the Otrona MS-DOS, and IBM and Compaq versions will not run. Furthermore, compiled BASIC programs will not run on the Otrona. Otrona says that it will have a BASIC

interpreter "soon"; I haven't been able to find out what it will cost.

The Otrona 8:16 is *not* very IBM compatible. As an upgrade for existing Attache owners, the MS-DOS system has marginal value, although frustration should be considered part of the price.

Getting any answers out of Otrona is difficult. The company answers few letters, and I no longer can get hold of anyone there by phone.

Another quick point. The Turbo Pascal compiler is fantastic. The IBM version does run on the Otrona, and it is fast and easy to use. And the price is reasonable.

HARVEY MOTULSKY
La Jolla, CA

Adeline, our Otrona, recently returned from the "upgrade"; I wish I hadn't sent her in. Something was done to the screen intensity and contrast, so that the software brightness controls will no longer eliminate flash lines and such. In addition, as you say, many IBM PC programs will not run, and some are slower than the corresponding programs on the Z80.

I do not recommend the 8086 conversion for the Otrona. On the other hand, it remains the BMW of the 8-bit small machines. We have the large amber screen, which we like a lot, and the hard disk. With those additions, the Otrona is an excellent base station: leave them behind and you have a true portable. There is, after all, a lot of Z80 software (including my favorite editor, WRITE). The Otrona Attache is still the machine I carry on all my trips.—Jerry

AGAIN, OTRONA

Dear Jerry,

Your continuing fondness for your Otrona Attache, along with my positive first impressions

(continued)

a message to our subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Publications Inc
Attn: Circulation Department
70 Main St
Peterborough NH
03458

A printer should complement your computer, not compromise it.



It's a simple fact that your small computer can compute a lot faster than your printer can print. A problem that becomes even more frustrating in business, when your computer is tied up with your printer while you're ready to move on to other work.

Of course, the only thing more frustrating than waiting on a slow printer is waiting on a printer that's down. Unfortunately, chances are the initial printer you purchased with your computer system just isn't designed to work on continuous cycle high volume printing.

More than likely, you've already experienced one, if not both of these frustrations. But now, you can turn printer frustration into printing satisfaction with the new Genicom 3014, 3024, 3184, 3304 or 3404. Professional printers for personal computers...price/performance matched for small business systems.

Designed and built to increase productivity and maximize the value of your personal computer, the range of 3000 PC printers offers 160-400 cps draft, 80-200 cps memo, and 32-100 cps NLQ printing...performance for both high productivity and high quality printing.

The 3014/3024 models print 132 columns. The 3184, 3304

and 3404 models give you a full 136 column width, and offer color printing as well.

Each printer is easy to use, lightweight, functionally styled and attractive. And you can choose options from pedestals and paper racks to document inserters, sheet feeders and 8K character buffer expansion, plus more.

Genicom 3000 PC printers feature switch selectable hardware, dual connectors and dual parallel or serial interfaces. Plus the 3014 and 3024 emulate popular protocols for both Epson MX with GRAFTRAX-PLUS™ and Okidata Microline 84 Step 2™, while the 3184, 3304 and 3404 emulate popular protocols for Epson MX with GRAFTRAX-PLUS™. So your current system is most likely already capable of working with these Genicom printers without modification.

Most important, the Genicom 3000 PC printers are quality-built, highly durable printers designed for rapid, continuous duty cycle printing.

So why wait? And wait. And wait. Get a Genicom 3000 PC printer now.

Genicom Corporation, One General Electric Drive, Dept. C411, Waynesboro, VA 22980. In Virginia, call 1-703-949-1170.

GENICOM

The New Printer Company.

For the solution to your printing needs call

TOLL FREE 1-800-437-7468

In Virginia, call 1-703-949-1170.

See us at
NCC
Booth 3308

of the machine at a show when it was first introduced some years back, made it an easy choice when it was time to replace my S-100 system with something more portable (I write everywhere), 16-bit (and the 8:16 meant I could cling to the 8-bit software I love while making a transition to the 16-bit world), and at least as reliable.

I was disappointed and returned the machine. Here's why.

The Attache keyboard has a nasty characteristic that makes it impossible for the machine to register any keypress while another key is still down or partially depressed.

At first glance this may not seem a problem, and certainly it hasn't affected your affinity for the machine. But I'm a fast typist, and though I learned on manual equipment, I've been using electric or electronic keyboards since 1961. Electronic keyboards with n-key rollover allow you to go into really high gear when typing familiar combinations such as "tion" and "ing." In the fastest execution of "tion," it's likely that the left-hand "t" will still be down while the right hand hits the "i." And because "io" can be typed with a rolling motion of the right hand, it's likely the "i" will still be down while the "o" is struck.

Furthermore, the machine's every-key-auto-repeat feature interacts with this one-key-at-a-time characteristic. If when typing "tion," you leave the "t" down, it will start to repeat even though another key has been struck.

For me, the effect is that the machine forced me to type as though it were a manual typewriter. It defeats the library of macros my hands have learned over years of typing. No other nonmanual keyboard I've used has these problems. Unfortunately, not every writer looking for a machine with the Attache's specifications will buy one on terms allowing its return, and even those who do may not discover until too late that the typos they're experiencing are happening because the keyboard wants to retrain them to type as though on a manual. It's a design flaw that potential buyers should know about before they buy. If, knowing of it, they try the machine and find they're unbothered, the machine is otherwise quite marvelous.

DICK LUTZ
Ocala, FL

You know, I thought you'd been sold a lemon when I got your letter: I simply didn't believe that Adeline had that flaw until I took her out of the case and fired her up.

You're right. You must release each key before pressing the next.

The funny part is that I'd probably have condemned the machine out of hand if I'd known that before I started to use it: but the fact is that I've done tens of thousands of words on my Attache, and I never noticed the "problem" until you called attention to it. For that matter, my colleague Norman Spinrad had no trouble with the Otrona, and neither does Larry Niven; and we're all touch-typists.

It's obviously software, and I expect a real Otrona wizard could rewrite the BIOS to change this feature: I wonder why Otrona doesn't offer some options? Alas, it has promised me the

source code to the BIOS for months, but I still don't have it. Maybe I'll get it Real Soon Now, and I can look for a way to change the keyboard response.

Thanks.—Jerry

WILL I WAIT FOREVER?

Dear Jerry,

As a regular reader of your column, I have come to appreciate the point of view you advocate—on the side of the user of computer hardware and software. I fully agree with your stand on software protection, on the quality (or lack thereof) of most microcomputer documentation, and on the general chaos in the industry. But I do have a complaint.

Primarily on your recommendation, I sent a check to Workman Associates asking for a copy of WRITE for my Otrona. I've been using WordStar for some time but wanted something a little more free-form when writing something longer than a memo. WRITE seemed just the thing. I sent the order in early December 1983 and have yet to receive a voluntary response.

In the middle of January I called Workman to inquire about my order. A pleasant woman assured me that it had the order. She said that Tony Pietsch was finishing up the latest bugs, the documentation was being updated, and shipments for the Otrona would resume in 10 days.

That sounded reasonable. I looked forward to having WRITE with me when I took my Otrona on a three-week trip to Dallas. When it didn't arrive, I decided that I would look forward to spending some time with it when I returned. Now I'm just hoping I get the package before you get around to reading this letter.

This reminds me of your cases about the extremely long delays in shipments of JRT Pascal. True enough. Workman has not yet cashed my check; JRT cashed it immediately. But I ordered Vedit at the same time that I ordered WRITE. I received Vedit in less than a week. Incidentally, I am delighted with it, both the CP/M version and the MS-DOS version, both of which run on the Otrona.

I wonder if perhaps this is not another case of promoting a product before its time. I assume the people at Workman are your friends (why else would they write an editor just for you?). And I am sure they're very good at what they do. I'm in the software industry myself, and I know the pressure to get the product out before it's ready. You might, however, consider applying your own published standards to products in which you have a specific interest.

By the way, I'm writing this letter using the VM/CMS XEDIT editor, formatted using Waterloo Script. I was going to use my Otrona with a different editor, but . . .

TED BREWSTER
New Market, MD

What should I say? At the time I wrote the review, I had a version of WRITE on my Otrona. It worked fine, but there was indeed a later version in the works, and Barry didn't want to ship

the old one when the new one was coming Real Soon.

Then when it was finished, it took Noor Singh some time to do the Otrona installation; Workman has WRITE going on about 100 different machines now, but alas, the only Otrona available was mine, and I had it with me on a trip.

WRITE 1.78 is done now and works fine: I use that version on all my machines. It has a wonderful update: even if you reset the machine, you can recover your text.

Indeed, the Workman family are friends, and my son works there as well, so I am not unbiased; but I do think they live up to fairly high standards. Workman's policy is not to cash checks until he can ship the product; that way, anyone can cancel an order without having tied up any money. He isn't making venture capitalists out of his customers. Alas, this time it took considerably longer than anyone expected.

I checked: your copy has been shipped, I hope you'll like it. I certainly do.

Glad you liked Vedit, too. I've never tried the MS-DOS version on the Otrona. Thanks for letting me know it works.—Jerry

COMPUPRO DOINGS

Dear Jerry,

You should razz Bill Godbout about CompuPro's new easy-as-pie manuals.

As Jan Wilson, our local computer genius, puts it, "This stuff defines a new standard for the term 'computer unfriendly.'"

You'll be sick when you add the hard disk. The 8-inch Fujitsu we are running (Pragmatic) has a transfer rate of roughly a million bytes/sec and is so fast we might as well not even have bought our three M-Drive/H boards.

Is there a CompuPro users group?

WILLIAM F. BURKE
Baton Rouge, LA

Let me repeat Pournelle's First Law: If You Don't Know What You're Doing, Deal With Someone Who Does. CompuPro equipment bought through a Systems Center will always be thoroughly integrated and do everything you expect. In your case, there being no nearby Systems Center, you may need a local wizard: fortunately, you seem to have found one.

I do razz Bill Godbout about manuals all the time. Think of the improvement: before I started on him, the folks at CompuPro used to put out a single sheet with each board, and their idea of support was to read the spec sheet over the phone! Fortunately, that has all ceased. I do agree the systems integration manuals for the boat anchor (S-100 box) could be improved.

I agree about the hard disk: I seldom use my M-Drive/H any more, except for big jobs like posting my books from journals. Last time, it took over an hour with the hard disk versus 10 minutes with the M-Drive/H, so there's still some reason to keep the memory-drive boards.

The address of the CompuPro users group is CPRO Users Group, POB 1474, Woodbridge, VA 22193.—Jerry ■



What if your PC suddenly became faster, smarter and easier to use?

You're going to be hearing a lot about our new productivity software, Framework™. You'll see business magazine ads and even TV commercials. But those aren't for you. They're directed at the first time PC buyers.

Right here is where you'll get the inside story on Framework.

Framework introduces a new generation of software. It's the logical step beyond spreadsheet-based integrated software like 1-2-3™.

Framework is for thinkers. It's an idea processor that's equally comfortable with words and numbers. Novices can learn Framework's unique outlining feature, word processing, spreadsheet, graphics, and database in a matter of hours. But what's really in Framework for you?

You can run PC DOS compatible programs like dBASE II® or 1-2-3 within Framework. You can write macros easier and faster than ever.

Framework has a full applications language named Fred™, which is going to make it the hottest ticket for third-party developers since dBASE II.

And you can ignore all of Framework's friendly menus and HELP features for beginners, because Framework works even better and faster with power commands.

The more you know about software, the more amazed you're going to be when you see Framework.

ASHTON · TATE™



Framework. For Thinkers.™

©1984 Ashton-Tate. All Rights Reserved. Framework, Fred, and Ashton-Tate are trademarks of Ashton-Tate. dBASE II is a registered trademark of Ashton-Tate. 1-2-3 is a trademark of Lotus Development Corp.

(213) 204-5570

Circle 31 on inquiry card.

COMPUTER WAREHOUSE

CALL TOLL FREE **1-800-528-1054**

PRINTERS

Blue Chip	
M120/10 W/Commodore Interface	\$279
M120/15 W/Commodore Interface	\$349
C-Itch	
A10-20	\$459
F-10 Parallel or Serial	\$915
55 CPS Serial or Parallel	\$1199
8510 Parallel (Prowriter)	\$319
8510 SP	\$439
8510 SCP	\$509
8510 BPI	\$389
Computer International	
Daisywriter 2000 W/48K	\$985
Comrex	
CR-2 Parallel or Serial	\$439
CR-2 Keyboard	\$150
Datasouth	
DS180	\$1155
DS220	\$1469
Diablo	
620	\$739
630 API	\$1699
630 ECS	Call
630 ECS/IBM	\$1995
Series 36	Call
Epson	
All Models	Call
Inforunner	
Riteman	\$249
IDS	
Microprism 480	\$375
Prism 132 Color	\$1499
Juki	
6100	Call
NEC	
2010	\$645
2015	\$645
2030	\$645
2050	\$789
3510	\$1219
3515	\$1219
3530	\$1219
3550	\$1519
7710	\$1649
7715	\$1649
7730	\$1649
Okidata	
All Printer Models	Call
Panasonic	
1090	Call
1091	Call
1092	Call
Qume	
Letter Pro 20 Parallel or Serial	\$629
11/40 W/Interface	\$1369
11/55 W/Interface	\$1569
Silver Reed	
EXP400	Call
EXP500 Parallel	\$385
EXP500 Serial	\$419
EXP550 Parallel	\$479
EXP550 Serial	\$494
EXP770	Call
Star Micronics	
All Printer Models	Call
Tally	
MT 160L	\$559
MT 180L	\$779
Spirit 80	\$289
Toshiba	
P1340 Parallel or Serial	\$749
P1350 Parallel or Serial	\$1445
P1351 Parallel or Serial	\$1459
Transtar	
120 Parallel or Serial	\$395
130 Parallel or Serial	\$549
T315	\$449

MODEMS

Hayes	
Smartmodem 300 Baud	\$199
Smartmodem 1200 Baud	\$485
Smartmodem 1200B Baud (IBM)	\$430
Micromodem II E (Apple)	\$235
US Robotics	
212 A Autodial	\$420
Password 1200	\$310
IBM PC Modem	\$320

SANYO * EPSON SYSTEMS

DUAL DRIVE SYSTEMS SANYO COMPUTER * EPSON RX-80
SANYO CRT-36 HI-RES GREEN MONITOR • WordStar • CalcStar • Mailmerge
• InfoStar • SpellStar • MS-DOS (2.11) • Sanyo Basic

555 System with
Dual 160K Drives **\$1499**

555-2 System with
Dual 320K Drives **\$1799**

SINGLE DRIVE SYSTEMS SANYO COMPUTER * EPSON RX-80

SANYO CRT-36 HI-RES GREEN MONITOR • WordStar • CalcStar • MS-DOS (2.11)
• Sanyo Basic

550-2 System with
Single 320K Drive **\$1399**

550 System with
Single 160K Drive **\$1199**

VIDEO TERMINALS

ADDS	
A-2 Green	\$475
A-3	\$475
Viewpoint 60	\$619
Viewpoint 90	\$859
Altos	
Smart II	\$849
Hazeltine	
Esprit I	\$445
Esprit II	\$435
Esprit III	\$575
Esprit III Color	\$845
ESP 6310	\$509
Qume	
OVT 102 Green	\$535
OVT 102 Amber	\$545
OVT 103 Green	\$840
OVT 103 Amber	\$850
OVT 108 Green	\$620
OVT 108 Amber	\$639
Televideo	
910	\$445
910+	\$519
914	\$515
924	\$639
925	\$700
950	\$909
970	\$989
800A (User Station)	\$989
Personal Terminal	\$385
Wyse	
50	\$495
75	\$565
100 W/14 Inch Screen	\$679
300	\$999
Zenith	
Z-29	\$644

MONITORS

Amdek	
300 Green	\$130
300 Amber	\$145
310 Amber	\$160
Color 1+	\$270
Princeton Graphic	
HX-12	\$499
Sanyo	
CRT-36	Call
CRT-70	Call
Taxan	
12" Amber	\$125
Zenith	
ZVM-122 Amber	\$95
ZVM-123 Green	\$95
ZVM-124	\$129
ZVM-133 Color/RGB	\$410
ZVM-135 Color/RGB W/Audio	\$459

DISK DRIVES

Rana	
Elite I	\$215
Elite II	\$345
Elite III	\$410
Controller (W/Drive Only)	\$65
1000 W/DOS for Atari	\$305

DISKETTES

Maxell	
MD-1 (Qty 100)	\$185
MD-2 (Qty 100)	\$275
Scotch	
5K SS/DD (Qty 100)	\$200
5K DS/DD (Qty 100)	\$245
Elephant	
5K SS/DD (Qty 100)	\$155
5K DS/DD (Qty 100)	\$218

COMPUTERS

Altos	
All Computer Models	Call
Eagle	
PC+2 W/Eagle Monitor & Adapter	Call
Spirit 2 Portable	Call
Spirit XL Portable	Call
NEC	
PC-8201 Computer	\$465
PC-8201A-90 Battery Pack	\$17
PC-8206A3 2K Ram	\$299
PC-8271A-01 AC Adapter	\$17
PC-8271A-02 AC Adapter	\$17
PC-8281A Recorder	\$89
Sanyo	
MBC-550 System	\$1199
MBC-555 System	\$1499
MBC-550-2 System	\$1399
MBC-555-2 System	\$1799
1150 System W/5000 Printer	\$1599
Televideo	
802H	\$4285
803	\$1765
803H	\$2850
806/20	\$4640
TPC-1	\$1539
Zenith	
Z-100 Low Profile	\$2650
Z-100 All-In-One Amber 128K	\$2800
Z-100 All-In-One Green 192K	\$2919
Z-150 Single Drive	Call
Z-150 Dual Drive	Call
Z-150 W/10 Megabyte	Call
Z-160 Single Drive	Call
Z-160 Dual Drive	Call
COMMODORE	
64	\$227
1541 Disk Drive	\$239
1702 Monitor	\$239
1526 Printer	\$274
1530 Datasette (only w/64)	\$60

QUADRAM

Quadlink	\$449
Quadboard 256K (Expands to 384K)	\$449
Quadboard II 256K (Expands to 384K)	\$449

Order Line: 1-800-528-1054

Order Processing & Other Information: 602-954-6109



2222 E. Indian School Rd.
Phoenix, Arizona 85016

Store Hours: Mon-Fri 10-5:30 Saturday 9-1
Order Line Hours: Mon-Fri 8:30-5:30 Saturday 9-1



Prices reflect 3% to 5% cash discount. Product shipped in factory cartons with manufacturer's warranty. Please add \$8.00 per order for UPS shipping. Prices & availability subject to change without notice. Send cashier's check or money order...all other checks will delay shipping two weeks.



Trends in Telecommunications

On-line search software and faster modems for PCs

BY JOHN MARKOFF

Now that the personal computer (PC) has won the battle for office desktop space, software developers are turning their attention toward programs that combine the storage capacity of mainframe computers with the local processing power of PCs. Although mainframes offer PC users access to huge on-line databases of specialized information, how to get to the information and bring it to the PC in a usable form is another question entirely.

In recent months, a new class of PC software has emerged that facilitates the redistribution of tasks between mainframes and PCs. It is called "on-line search" or "database-access" software, and these programs give us a glimpse of how radically PCs will alter the traditional mainframe database-access model based on one central processor and hundreds of remote dumb terminals.

In contrast, on-line search software uses the processing power of the PC to mediate between the researcher and the mainframe database and can offer potentially both a simpler user interface for novices and a more powerful searching tool for experts.

During the past decade there has been an explosion of new sources of electronic information. Several mainframe electronic-information providers such as The Source, CompuServe, and Newsnet have designed their systems specifically for novice users, but most on-line database services require special training to be used effectively. These include databases such as Dialog Information Retrieval Service, Nexis and Lexis, and Data Resources Incorporated.

The high cost of on-line information is also a deterrent to new users. Some databases on Dialog cost more than \$100 an hour. This has meant that users generally must undergo extensive training to learn how to develop search strategies to minimize connect time.

REDUCING COSTS

PC-based on-line search software will be beneficial to database users because it will simplify complex user interfaces now found on many mainframe databases and it will permit extensive off-line preprocessing of searches, there-

by reducing the cost of information retrieval.

On-line search software introduced to date can be placed in two distinct categories. The first category is composed of programs that are "loosely coupled" to a specific mainframe database. These programs are extensions of intelligent communications software programs and generally permit automatic log-on, query, and downloading from a host mainframe computer.

The second category includes software that has been "tightly coupled" to one or more particular databases. By tailoring programs for interaction with a host computer, software designers are able to create user interfaces that require little knowledge on the part of the user of either micro-to-mainframe communications or the formal database query process.

The emergence of new communication network standards and standards in the on-line information industry will tighten this coupling to the point where the relationship between the mainframe database system and PC software will approximate the current relationship between operating systems and application programs.

Dialog, a subsidiary of the Lockheed Corporation, is the largest collection of public on-line databases. It has more than 75 million records of information including articles from over 60,000 journals. These records are contained in more than 200 separate databases ranging from biographic databases such as *American Men & Women of Science* to statistical databases such as *U.S. Exports*.

Most Dialog reference records are currently available as abstracts that require you to go to a library to obtain the entire article or source (articles can be ordered on line for an extra fee). However, there is a trend toward making the full text of documents available on line. One Dialog database provider, Information Access Corporation, recently introduced two such databases, called *Magazine ASAP* and *Trade & Industry ASAP*, that will cover

(continued)

.....
John Markoff is a BYTE senior technical editor. He can be contacted at 1000 Elwell Court, Palo Alto, CA 94303.




Photo 1: After installing the proper Dialog password and Telenet, Tymnet, or Uninet network phone numbers, In-Search will automatically connect to Dialog and execute a search in a selected database. Dialing and automatic log-on are done by pressing the F5 function key on the IBM PC. During the dialing and log-on sequence, In-Search opens a window on the display to show current connect status information. If one network dial-up is busy, In-Search will automatically try other network numbers if they have been installed.

If a search has been prepared in the query editor, In-Search will automatically execute the search after it is connected to Dialog.




Photo 2: This is the initial In-Search display shown when you first enter the program. The category and subject windows on the left side of the screen aid in focusing a search. The file-card windows in the center of the screen give a brief overview of each of the more than 200 databases available in Dialog. When the designed database is highlighted, you can search it by entering the query editor and preparing a search request while either on line or off line. More detailed on-line information is available on any database. The window at the bottom of the screen serves as a context-sensitive command menu.

120 different popular magazines and publications ranging from *Scientific American* to *Playboy*.

IN-SEARCH

In-Search is an example of an on-line search program that has been tightly coupled with the Dialog databases.

In-Search, initially designed to be used on the IBM PC or PC XT, was introduced recently by the Menlo Corporation of Santa Clara, California. This

program costs \$399. It differs from other database-communication programs both in its scope (the program and its assorted reference files occupy more than one megabyte of disk space) and in the sophistication of its user interface, which offers a window-based display environment and "unhooks" the control of the database query process from the Dialog mainframe computer. "Unhooking" means that you're able to prepare your query in a screen-oriented

editor while either on or off line. The process takes place with little interaction with the Dialog mainframe computer.

If the query has been prepared off line, you can log on to Dialog and have the query sent automatically. When Dialog responds with abstracts, they appear specially formatted in an overlapping window display.

Here, again, the user interaction is not
(continued)

CONDOR jr.

Data Management Software



Condor's IBM™ PC-compatible file management software is one of the easiest and most complete MENU assisted file managers today, and for just \$195.

Would you buy a file manager that can't add two numbers? Of course you wouldn't. PFS FILE™ contains no arithmetic capability and can't even balance a checkbook!

Condor jr. offers all the benefits of PFS FILE™ **plus** the ability to easily balance your checkbook, total your purchase orders, average grades and even monitor your tax deductible expenses. This is in addition to your normal mailing list and other file management tasks. Unlike PFS FILE™, Condor jr. also offers **report writing** at no additional cost.

Condor jr. allows you to upgrade to Condor3 and save money as your needs grow. You can move to a fully relational database without redoing your system. A \$195 discount off Condor3 also makes it easier.

Since Condor has years of data management experience — we have a proven growth path for you. Condor jr. has been especially designed for the first time user. Not surprisingly, it is designed directly from Condor 3 — a fully relational database that is being used in over 100,000 businesses today.

To find out more about Condor jr. and the demonstration-pack software, see your personal computer dealer, or call **1-800-221-8479** (in Michigan call

0-313-769-3992 collect) for the dealer nearest you.

IBM is the registered trademark of International Business Machines Corp.
PFS File is the registered trademark of Software Publishing Corp.

Circle 78 on inquiry card.

 **condor**
2051 South State Street Ann Arbor, MI. 48104 313-769-3988

The second in the series of new **BYTE** GUIDES.

Special
APPLE Guide

BYTE

THE SMALL SYSTEMS JOURNAL

\$4.00 IN USA/
\$4.50 IN CANADA
DISPLAY UNTIL
JANUARY 3, 1985



uide
to the **APPLE**
Personal
Computers

Apple IIe

▶ Apple III

Apple IIc

Macintosh

Lisa 2

APPLE and APPLE Logo are registered trademarks of APPLE Computers, Inc.



BYTE on the APPLE!

This is not a regular edition of BYTE. The BYTE GUIDE to the Apple Personal Computers is your opportunity for exposure to *the most select* micro audience.

Apple owners and users read BYTE more than *any other* micro-publication. They rely on BYTE for *objective* reporting and state-of-the-art analysis of the entire family of Apple micros and compatibles.

438,000 paid BYTE readers influence purchasing decisions for *hundreds of millions of dollars* in micro products. And they are buying Apple:

- 36% of our subscribers who own micros own Apple PCs for business and personal use.
- 28% of our subscribers who plan to buy personal computers plan to buy Apple for business and personal use.

Every month BYTE draws over 500,000 inquiries to advertised products. The only way to reach this responsive, influential and well-salaried audience is to showcase your product in the BYTE GUIDE to the Apple Personal Computers.

To reserve your advertising space, call your local BYTE advertising salesperson or Pete Huestis, Adv. Sales Mgr., at (603) 924-9281.

Closing date
for space reservations: **8/21/84.**

On-sale date: **10/24/84.**


BYTE GUIDES. The One Source.

On TWA, the fastest way to fly free just got faster.



Now TWA rewards Frequent Flyers with Bonus Miles from Hertz and Marriott. So it's even easier to earn free tickets to almost anywhere on earth.

TWA makes the world seem a little smaller. Because now, every time you take off in a Hertz car or land in a Marriott hotel, you can earn 500 Bonus Miles (1,000 overseas) as long as it's within 24 hours of your arrival on a TWA flight. Of course, TWA already offers Bonus Miles when you stay at Hilton International. And all those extra miles can make a world of difference.



**Together with Eastern and Qantas,
we give you the world.**

TWA also counts the miles you fly on Eastern* and Qantas. That's why TWA's Frequent Flight BonusSM program is the fastest way** to earn free tickets to almost anywhere. Like the Caribbean, Mexico, South America. Or any of 17 TWA cities in Europe and the Middle East.

In fact, you can even earn a free trip around the world.

And you can start earning awards with as little as 10,000 miles.

So call TWA and sign up with the fastest frequent flyer program anywhere.

And we'll put the world at your feet.

You're going to like us



*Excluding Eastern flights that begin or end in Kansas City, and unlimited mileage tickets.

**Together TWA and Eastern have more flights and fly more people within the U.S. and across the Atlantic than any other airline.




Photo 3: At any time during a search session, In-Search will extract information on the cost of the current search from Dialog. When you first log on to Dialog, you are automatically placed in the Educational Resources Information Center (ERIC) database. This database is priced at \$25 an hour, less expensive than many other databases in Dialog, which occasionally are priced in excess of \$100 an hour. Dialog automatically places you in a more expensive database only during the time actually spent searching and downloading information from that database. Currently, In-Search does not supply you with information on the total cost at the conclusion of each session.




Photo 4: An example of a Dialog database search. The current database is the Congressional Information Service (CIS) that provides access to abstracts of publications produced by the committees and subcommittees of the U.S. Congress. This display screen is the query editor. You can enter keywords or phrases on each line. Lines S6 through S8 are examples of how In-Search will direct a particular search to locate references that contain several words or phrases. After determining how many references exist, In-Search will retrieve them from Dialog and format them for display or output to a printer. When they are displayed on the screen, an overlapping window appears over the query editor for text display.

dependent on the control of a remote mainframe computer. If you wish to interrupt the flow of information from the Dialog mainframe, you can do so simply by paging backward or forward through the information in much the same way that you can scroll through a text document in word-processing software. Because information from Dialog can be captured in a buffer (In-Search tailors the size of the buffer to the available memory level of an indi-

vidual computer) on your PC, it's possible to selectively mark records for later printing. You also can store retrievals to disk as ASCII (American National Standard Code for Information Interchange) text that can be edited by a word processor or called up for viewing by In-Search.

In designing the In-Search user interface, Menlo Corporation has attempted to take concepts from other popular types of PC software. For example,

when working in the query editor, you can edit and change lines of text exactly as though you were working with a document text editor. In-Search has even supplied users with the option of the familiar WordStar command-key sequences for cursor control and word and character deletions (the cursor-control keypad is functional as well). The basic In-Search display also contains a menu of command options that are ar-

(continued)

KNOWLEDGE SYSTEMS INC.

Information Processing Components, Selected for Performance and Value.

FREE SHIPPING — NO EXTRA CHARGE FOR MASTER CARD AND VISA
PREPAID PRICES INCLUDE SHIPPING AND INSURANCE, UPS Ground Continental USA only

MONITORS

Amdek	
300A	143
300C	133
310A	175
Dynax	
12" Green	127
12" Amber	138
Taxan	
RGB III	446
RGB 420	534
PGS	
PGS HX12	473
MAX 12	196
SR 12	Call
USI	
Pi 2 12" Green	125
Pi 3 12" Amber	142
Sanyo	
8112 Hi/Res	195
NEC	
JB 1201	162
JB 1205A	172
JC 1410	817

MODEMS

Hayes	
300	207
1200	493
1200B	432
Micromodem IIe W/T	242
US Robotics	
Password	307
Autodial 212A	460
Novation	
Access 1,2,3	454
Apple Cat II	277
Prometheus Products	
Promodem 1200	365
Options Processor	78
Memory \$30 per 16K up to 64K	
Alphanumeric Display	78
Procom Software-Apple, IBM	78
Rixon	
PC212A	415
P212A	415

IBM ACCESSORIES

Ast Research	
6-Pack	225
Combo Plus	225
Mega Plus	225
64 K Ram Set	55
Plantronics	
Color Plus	375
Hercules Computer	
Hercules Graphics Card	350
Amdek	
MAI	477
Koala	
Koala Graphic Tablet	Call
Everex	
Dual Display	Call
Number 9	
Number 9 1448X1448	Call

PRINTERS


C. Itoh	
Prowriter 8510P	120 cps 340
Prowriter 8510SP	180 cps 477
Prowriter 8510SPC	180 cps color 552
Prowriter 1550P	120 cps 552
Prowriter 1550SP	180 cps 685
Prowriter 1550SPC	180 cps color 777
New CX4800 plotter	518
New A10 18 cps Daisy Wheel	510
Starwriter F10 40 cps Daisy Wheel	915
Printmaster F10 55 cps Daisy Wheel	1265
We Know How to Make Your Prowriter IBM Compatible	
Okidata	
92p	160 cps 427
93p	160 cps 705
IBM Printer Rom	45
2350	350 cps 2000
2410	2380
Star Micronics	
Gemini 10X	120 cps 285
Gemini 15X	120 cps 423
Delta 10	160 cps 448
Delta 15	160 cps 633
NEC	
3550	40 cps 1698
7710	55 cps 1899
Brother	
HRI	16 cps 569
HR25	23 cps 765
HR35	34 cps 935
Dynax	
DX15	14 cps 477
Keyboard	149
IDS	
Prism 132 color	1535
Prism 80 color	1419
315 color	450
Transtar	
Silver Reed	
550	595
500	431
Juki	
6100	18 cps 450
Teletex	
1014	12 cps 455
Mansman Tally	
Spirit	80 cps 315
160	160 cps 641

DISK DRIVES

For IBM	
Tandon TM100-2	180
Teac 55B 1/2 Height	175
Pan/Shug 1/2 Height	165
CDC	220
For Apple	
Super 5 1/2 Height	203
Quentin Ap 100-Y	242
Quentin Ap 105-Y 1/2 Height	213
Quentin Controller	48
Rana 1	255
Rana 1 with Controller	325
Hard Disks	
	Call

HAVE IT YOUR WAY

18 Slot Chassis
 125 Watt Power
 and
 IBM Compatible CPU



IMP SYSTEM — \$1,300

The S-100 Concept for IBM Compatible Systems

You want a computer. You like the flexibility and options of the IBM PC. EXCEPT there are some things that you want your way. YOU:

- Don't like the funny keyboard.
- Want 1/2 height drives so you can add a hard disk later.
- Want a powerful supply that is adequate for disk expansion.
- Want more than three additional slots.
- Want a faster or different CPU.
- Want higher resolution graphics.
- Want Dvorak or other keyboard layout.

TIME SPECTRUM	395	List	Our
APSTEK	369	Call	
CRAMBO	359	Call	
BIG BLUE	600	Call	
EASIBOARD + 15 functions	350	Call	
Maynard Sandstar	230	Call	
PC CT 80186 8MHz	1195	Call	
Scion	1595	Call	
Halo-Intlght High Res Graphics	150	Call	
PROTIUM	1195	Call	
Keytronics Keyboard QWERTY	169	Call	
Keytronics Keyboard DVORAK	169	Call	
Keytronics Keyboard 5151	255	Call	
Lotus 1-2-3 users, you need this keyboard.			

COMPUTERS

Franklin OMS 1200	1709
Columbia 1600-1	2600
TAVA PC	1900
Eagle I	1650
Eagle II	2050
Eagle III	2270
Eagle IV	3500
Eagle PC-2	2730
Eagle 1620	3400
Eagle 1630	5270
Eagle 1640	6400

TERMINALS

Televideo	
914	563
925	717
950	914
Wyse	
50	569
Teletex	
3000	460

SOFTWARE

Ashton Tate	
dBase II	389
Friday	184
Software Arts	
TK Solver	215
Solver Pac	88
Seasoned Systems	
Sure Stroke Dvorak Tutor	48
Sorcim	
Super Calc III	189
Micro Pro	
Wordstar	258
Mail Merge	131
Spellstar	131
Pro Pack	475
MBSI	
Realworld GI	533
Realworld AR	533
ATI	
For Most Software Programs	69
Hayes	
Smart Com	72
Micro Stuff	
Crosstalk	134
Micro Rim	
RBase	344
UNIX	
QNX System 5	Call
"C"	Call

Circle 174 on inquiry card.

(213) 344-4455

Knowledge Systems Inc.
 19707 Ventura Blvd.
 Woodland Hills, CA 91364

www.americanradiohistory.com

ORDERING TERMS

Prepaid: Money Orders, Cashier's Checks, Certified Checks, Bank Wire Transfers, Master Card, Visa, AMEX (add .3% for AMEX) and Personal Checks (allow 15 banking days for all personal checks). Please include Valid Driver's License and Major Credit Card for Identification.

California Residents add 6.5% State Sales Tax

Shipping extra for outside USA, FPO and APO

Please include an address reachable by UPS, no P.O. boxes, and your phone number where you can be reached during the day.

OLYMPIC SPECIALS

<p>PROMETHEUS Promodem 1200 \$365</p> <p>Options Processor \$78 Memory \$30 per 16k up to 64k Alpha Numeric Display \$78 Procom Software-Apple or IBM .. \$99</p>	<p>Megabyte Floppy TEAC 55F \$195</p> <p>For those who need more drive space & have less than infinite resources. These drives will run off your already existing controller, up to four drives. Use J Format so you can read standard density diskettes and use to back up your small hard disk.</p> <p>J Format \$60</p>	<p>384 K IMP SYSTEMS Configured 18 Slot 125 Watt Supply</p> <p>Parallel serial clock game port, Hercules graphics card, 2 ea. 1/2 high drives, Maynard sand star controller, Keytronics 5151 keyboard, Amdek monitor, amber</p> <p>\$2995 Installed 10 MB Hard disk \$1100</p>	<p>KEYTRONICS 5151 \$199</p> <p>Spread Sheet, Data Base, Touch Typists and Star Ship operators, you need this keyboard to avoid the deadly Terminal Numlock syndrome.</p> <p>New Dvorak 5151 \$199 Sure Stroke. Dvorak tutor \$48 Apple "Drive a real keyboard" KB200.....\$240</p>			
<p>TSENG LABS 132 X 44 VIDEO</p> <p>ULTRAPAK \$585 ULTRAPAK RAM 64K \$200 ULTRAPAK Disk Controller \$187</p> <p>Combines the features of a multi function card with that of a super spread sheet video card 132 X 44, with serial parrell ports & clock, either RAM module or floppy controller.</p>	<p>DATASHIELD UPS UNITERRUPTABLE POWER SUPPLY</p> <p>Some know that it takes much less than a nuclear bomb to ruin your whole day. Blackouts, brownouts, surges, spikes and line noise name a few.</p> <p>200 Watt for 5 minutes. 50% Load for 20 minutes \$310 300 Watt for 5 minutes. 50% load for 20 minutes \$420</p>	<p>dimension™</p>  <p>68000 AUTHORIZED DEALER</p> <p>YES! We have them in stock Local Sales</p> <p>Runs almost anything now and will run 68000. CPM 68K. UNIX and 'C' in the future.</p>	<p>SPACE TABLETS and ADVANCED SPACE GRAPHICS SYSTEMS</p> <p>Interactive 3-D Graphic design for micros. Plugs into your game port to give the most productive design. An aid for architects, designers, inventors, space habitat engineers, and other leading edge technonogists.</p>			
<p>APSTEK MULTI FUNCTION CARD</p> <ul style="list-style-type: none"> • Parallel Port • Serial Port • Clock • Calendar • Game Port • Print Spooler & Diagnostics • Up to 38K <p>64K \$275</p>	<p>ALLOY TAPE BACK-UP 17 MEGABYTES</p> <p>Using a 3M data cassette. File oriented back up system allows infinite back up for any sized drive.</p> <p>\$1680 External drive and controller.</p>	<p>SURGE FREE</p> <p>Surge protectors with noise suppression.</p> <p>SF 600 M \$26 6 outlets direct plug into wall socket.</p> <p>SF 1000 \$60 10 outlets switched with circuit breaker and 6 foot cord.</p>	<p>HARD DISKS</p> <p>33 Megabytes formatted \$2280 External drive with controller & cable.</p> <p>15 Megabytes formatted \$1440 External drive with controller & cable</p>			
<p>STARWRITER C ITOH F 10-40 \$915</p>	<p>QNX NEW: Multi-user systems for IBM PC. Up to 16 users per system. \$580</p>	<p>VERBATIM DATALIFE</p> <p>Single Side, Double Density 100..... \$225</p>	<p>8 Serial Ports on a Single Card. Control Systems 8 Port IO ... \$690</p> <p>Take 1 IBM PC add 1 ONX operating system 1-2 of these cards and stir for a multi-user system of up to 16 users.</p>			
<p style="text-align: center;">TAVA</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td data-bbox="18 1508 521 1721" style="width: 33%; padding: 10px;"> <p>STANDARD SYSTEMS 256K RAM, 2 each 320K Drives and Controller, Hi-Res Monitor & Video Card, 2 Serial and 1 Parallel ports. COLOR: add \$100. \$2001</p> </td> <td data-bbox="521 1508 882 1721" style="width: 33%; padding: 10px; text-align: center;"> <p>NUDE 256K CPU \$1175</p> </td> <td data-bbox="882 1508 1394 1721" style="width: 33%; padding: 10px;"> <p>I WISH Same as the Standard. PLUS 10 MB Hard Disk and 10 MB Tape back-up. COLOR: add \$100. \$4001</p> </td> </tr> </tbody> </table>				<p>STANDARD SYSTEMS 256K RAM, 2 each 320K Drives and Controller, Hi-Res Monitor & Video Card, 2 Serial and 1 Parallel ports. COLOR: add \$100. \$2001</p>	<p>NUDE 256K CPU \$1175</p>	<p>I WISH Same as the Standard. PLUS 10 MB Hard Disk and 10 MB Tape back-up. COLOR: add \$100. \$4001</p>
<p>STANDARD SYSTEMS 256K RAM, 2 each 320K Drives and Controller, Hi-Res Monitor & Video Card, 2 Serial and 1 Parallel ports. COLOR: add \$100. \$2001</p>	<p>NUDE 256K CPU \$1175</p>	<p>I WISH Same as the Standard. PLUS 10 MB Hard Disk and 10 MB Tape back-up. COLOR: add \$100. \$4001</p>				

California Residents add 6.5% States Sales Tax
Shipping extra for outside USA, FPO and APO
Please include an address reachable by UPS, no P.O. boxes, and your phone number where you can be reached during the day.

(213) 344-4455

Knowledge Systems Inc.
19707 Ventura Blvd.
Woodland Hills
CA 91364

ORDERING TERMS
Prepaid: Money Orders, Cashier's Checks, Certified Checks, Bank Wire Transfers, Master Card, Visa, AMEX (add 3% for AMEX) and Personal Checks (allow 15 banking days for all personal checks). Please include Valid Driver's License # and Major Credit Card for Identification.

ranged similarly to those provided by electronic spreadsheet programs. By pressing a function key, you can enter a command mode and select a command that will cause In-Search either to send a particular command to the Dialog system or to retrieve information from its own local database.

Although it is possible to first prepare a particular search strategy off line and then retrieve references quickly to minimize connect-time charges, In-Search is based on a different, more interactive philosophy of on-line database use.

Menlo's president, Lloyd Kreuzer, argues that In-Search is designed to function in a highly interactive manner. This sets it apart from other PC front-end software packages that assume you know what you want before going on line.

In contrast, Kreuzer believes that the most effective way to use a database like Dialog is to be able to alter a search strategy depending on the nature of the

data revealed on a search. "Interactive searching is less precise and therefore more likely to turn up things," he says. "The keyboard is never dead and [in fact] it is uncoupled from the Dialog process."

When using In-Search on a fixed disk, the program provides local on-line detailed information on each individual database. This information, traditionally provided as printed textual documentation by Dialog (on forms called "blue sheets"), allows you to obtain information on the scope of an individual database as well as information on specific database indexes that aid in refining searches.

In-Search also supplies you with local context-sensitive on-line help both for using Dialog and In-Search. If you have an IBM PC without a fixed disk, you must insert one of four separate floppy disks that represent major database categories: arts, education, and social sciences; biology and medicine; busi-

ness, government, and news; and engineering, mathematics, and physical science. On a fixed-disk PC, these files are directly accessible by the program and in the future it may be possible for the Menlo Corporation to use Dialog to download updates both to the on-line reference sheets and to the In-Search program itself.

The search process begins with selection of a database to search in. The first In-Search display shows three windows. Two small windows on the left side of the screen allow you to select one of the four major categories and to select further specific subject areas within each category. After you select category and subject you can select a specific database. At this point you are placed in the query editor (In-Search calls this the Search Keywords and Phrases screen) to formalize a search.

After In-Search sends the query to Dialog, the references yielded by each

(continued)

Peripheral Networking Now



Buy ASCII Intelligent Port Expanders

- Eliminate Manual Switching by Remote Control
- Improve Productivity and Reliability
- Share Printers, Modems or Plotters
- Expand Computers or Terminals
- Use Matrix Switching for Multiple Transmission or Security
- Supports Polling and Queuing

INSTANT COMPATIBILITY with new computer devices and MAJOR OEM PRODUCTS:

Altos — Burroughs — Data General — DEC
H.P. — IBM — NCR — Northstar — Victor
and other key manufacturers.

Call 213-793-8979 to EXPAND YOUR SYSTEMS TODAY.



Advanced Systems Concepts Inc.
435 N. Lake Ave., Dept. B7
Pasadena, CA 91101
800-824-7080 Telex: 701 215

spectraLIGHT™ CNC

PERSONAL COMPUTER CONTROLLED LATHE WITH FULL CNC CAPABILITY

\$2995.

- Compatible with APPLE II+, IIe
- Turn steel, aluminum, brass, plastic
- Create prototypes and replacement parts to perfect fit
- Make one or a thousand perfect turnings
- Update and automate your small machining operations
- Fully train new CNC operators

Swing over bed is 3.5", with 8" between centers. Ball bearing spindle and precision gib slides give positioning precision to under $\pm .0005"$. Program the lathe in conventional CNC code, with linear and circular interpolation and store up to 200 different patterns on one diskette. With the most popular personal computer you can get:

LATHE AUTOMATION FOR \$2995.

Call (603) 625-8600.

*IBM PC COMPATIBILITY SEPT. 1, 1984



LIGHT MACHINES CORPORATION

649 East Industrial Drive, Manchester, NH 03103

A few smart reasons to buy our smart modem:

Features

1200 and 300 baud, auto-dial, auto-answer
 Compatible with "AT" command set
 Can be used with CROSSTALK-XVI or Smartcom II software
 Regulated DC power pack for cool, reliable operation
 Eight indicator lights to display modem status
 Speaker to monitor call progress
 Attractive, compact aluminum case
 Two built-in phone connectors
 Compatible with The Source and Dow Jones News Retrieval
 Unattended remote test capability
 Phone cable included
 Availability

Ven-Tel 1200 PLUS

Hayes

Yes	Yes
Yes	Yes
Yes	Yes
Yes	No
Yes	Yes
Yes	Yes
Yes	Yes
Yes	No
Yes	Yes
Yes	No
Yes	Yes
Now	

Price

\$499

\$699



The Ven-Tel 1200 PLUS offers high speed, reliable telecommunications for your personal computer or terminal. Whether you use information services or transfer data from computer to computer, the Ven-Tel 1200 PLUS is the best product around. Available at leading computer dealers and distributors nationwide.

Also from Ven-Tel: internal modems for the IBM and HP-150 Personal Computers with all of the features of the 1200 PLUS.

You choose. The Ven-Tel 1200 PLUS—the smartest choice in modems.

Ven-Tel Inc.

2342 Walsh Avenue
 Santa Clara, CA 95051
 (408) 727-5721



Crosstalk is a trademark of Microstuff; Hayes and Smartcom II are trademarks of Hayes Microcomputer Products.

Circle 319 on inquiry card.

search are displayed in a separate window referred to as a reference text display. Any search words that you entered in the query editor appear as highlighted text as they are scrolled on the reference text screen.

At the same time, information on modem status is given in a small window in the lower-right corner of the display. When Dialog is sending records, the window indicates Phone-Working. The status changes to Phone-Online after the records have been retrieved or when you interrupt the retrieval process.

For a simple search to answer the question "Are there any books currently available that describe bicycle tours of the California wine-growing region?" You would first select the Books in Print database and then enter the words "bicycle," "wine," and "California" in the query editor. You enter each of these words on a separate line. The first three lines of the editor are labeled S1, S2, and S3. On line S4, you enter the phrase "S1 AND S2 AND S3" to insure that any reference in Books in Print that contains the first three words in its abstract will be located. (Running this query with In-Search located one book: *Grape Expeditions: Bicycle Tours of the California Wine Country*.)

In-Search documents the AND, OR, and NOT logical operators, which are subsets of Dialog's complete range. However, expert users can implement all the other search operators that Dialog permits.

Effective searching of the Dialog database, even with In-Search, is frequently complicated. Since Dialog is generally a collection of document abstracts, it is

heavily indexed, and it is important to understand the structure of the indexes to conduct a complete search.

A Dialog database is broken into records that are composed of fields. A typical record might include fields such as title, author, journal, abstract, descriptors, and identifiers. (Descriptors and identifiers are standard and non-standard terms used by the database publisher to identify the subject matter of a record.) Each field is indexed either as a word index or as a phrase index.

In-Search gives you on-line access to specific indexes for each database. You can select an index for any term or phrase entered on the query editor screen. You also can send the Dialog database an "Expand" command that shows a listing of indexed words around the particular search word for a particular field in the database. This often will aid in narrowing down the focus of a search. (It is possible to search only one Dialog database at a time, however, some preselection is possible by searching the subject index first with a special command.)

The importance of indexed searching was exemplified when I searched for my last name in The Computer Database. No references were found; however, when the author index was specified, Dialog located 106 references.

Possibly the most intriguing aspect of this new class of software is the change that it portends in the realm of micro-computer-to-mainframe communications. The analogy that casts the mainframe database in the role of an operating system, linked simultaneously to many remote application programs,

brings many possibilities into view. In this model, interaction between micro-computers and mainframe computers would be similar to program calls to an operating system.

Menlo's Kreuzer has called upon on-line database providers to develop an open-architecture, machine-to-machine interface standard that would permit third-party software developers to create a new generation of applications programs.

"(What is needed is) a universal set of calls to create an open standard for the on-line community that will let us, or anyone, write applications programs," he says. "The information industry literally will explode once we have a machine interface to all the data."


Such an architecture would move in a philosophically different direction than the one currently being followed by some on-line information providers who have been setting up systems based on hierarchical "user-friendly" menus for novice users.

Instead, Kreuzer is aiming at fundamentally changing the division of labor between mainframes and PCs. While it is logical that the data searching and sorting algorithms will remain on the mainframe computer, the PC can be expected to handle the user interface, on-line help, and preprocessing of the search request more efficiently.

FURTHER BENEFITS

Tighter coupling of the communications process between mainframe host and remote PC potentially can yield other dividends as well. Higher data-commu-

(continued)




Good reading

Order free IRS Publications on deductions, exemptions, tax credits, depreciation — over 90 topics in all. Available by using the handy order form in your tax package.

A public service message from the Internal Revenue Service.

THE LIBRARY OF COMPUTER AND INFORMATION SCIENCES

—the oldest, largest and most respected book club for the computer professional



Take any 3 books for only \$1.00 each (values to \$89.85)

You simply agree to buy 3 more books—at handsome discounts—within the next 12 months.

(Publishers' Prices shown.)

37377. **CDP REVIEW MANUAL: A Data Processing Handbook.** Third Edition. *Kenniston W. Lord, Jr.* In-depth coverage of equipment, management, mathematics and statistics, and more. Softbound. \$29.95
37970. **CICS/VS COMMAND LEVEL WITH ANS COBOL EXAMPLES.** *Pacifico Pisinger L.* An excellent guide to on-line (teleprocessing) concepts. \$29.95
- 41618-2. **DATABASE DESIGN.** Second Edition. *Gio Wiederhold.* Completely revised edition of the comprehensive and authoritative work. Counts as 2 choices. \$32.00
42013. **THE DESIGN AND CONSTRUCTION OF COMPILERS.** *Robin Hunter.* Lexical analysis, storage allocation, code generation, syntax analysis, symbol table handling, and more. \$27.50
42036. **THE DESIGN OF COMPLEX INFORMATION SYSTEMS.** *Grace A. Booth.* Hard-won design techniques and methods. \$29.95
- 49428-2. **FUNDAMENTALS OF INTERACTIVE COMPUTER GRAPHICS.** *Foley and Van Dam.* The representation of 3D shapes, shading models, intensity and color, creating realistic synthetic images, and more. Counts as 2 choices. \$36.95
49476. **FUNDAMENTALS OF PROGRAMMING LANGUAGES.** *Ellis Horowitz.* What they are, how they perform, and how superior language designs will arise in the future. \$23.95
62614. **MICROBOOK: Database Management for the Apple II.** *Ted Lewis.* Fully-worked out programs written in Pascal, with sample screens. Softbound. \$19.95
64728. **1984 PROGRAMMER'S MARKET.** Edited by *Bruce McGehee.* More than 500 listings of software publishers who use freemance material. Softbound. \$16.95
70723. **THE PROGRAMMER'S CP/M HANDBOOK.** *Andy Johnson-Laird.* A technically-oriented guide for the small computer user. \$27.95
- 42000-2. **DESIGN AND STRATEGY FOR DISTRIBUTED DATA PROCESSING.** *James Martin.* The basics, potentials and impact of DDP decisions. Counts as 2 choices. \$37.50


40430. **CONTROLLING SOFTWARE PROJECTS: Management, Measurement & Estimation.** *Tom DeMarco.* \$28.50
- 40072-2. **COMPUTER VISION.** *Ballard and Brown.* From image scanning to frame theory. Includes: optical flow, templates and image geometry, and more. Counts as 2 choices. \$39.95
70748. **PROGRAMMING A PERSONAL COMPUTER.** *P. Hansen.* The fundamentals of the Edison System. Softbound. \$18.95
73625. **REAL-TIME SOFTWARE.** *Robert L. Glass.* A compendium of outstanding articles on real-time design. \$24.95
- 88012-2. **WRITINGS OF THE REVOLUTION: Selected Readings on Software Engineering.** Edited by *Edward Yourdon.* A collection of 25 hard-to-find articles. Softbound. Counts as 2 choices. \$33.00
32152. **ADA FOR PROGRAMMERS.** *Olsen and Whithell.* A practical working guide. \$18.95
43965. **8086/8088 16-BIT MICROPROCESSOR PRIMER.** *Morgan and Waite.* Featuring Intel's 8088 as used in the IBM Personal Computer. Softbound. \$18.95
51923. **A GUIDE FOR SOFTWARE ENTREPRENEURS.** *A. L. Frank.* \$29.00
- 52 00. **HIGH LEVEL COBOL PROGRAMMING.** *Heinberg et al.* The classic handbook. Softbound edition. \$24.95
53860. **HOW TO SOLVE IT BY COMPUTER.** *R. G. Droney.* \$19.95
54447. **THE IBM COBOL ENVIRONMENT.** *Robert T. Grauer.* A guide to the most widely used commercial language. \$21.95
54565. **THE ICON PROGRAMMING LANGUAGE.** *R. and M. Griswold.* A general-purpose language with unique abilities to handle nonnumeric data. \$18.95
55098. **INFORMATION SYSTEMS IN THE 80's: Products, Markets, and Vendors.** *Ulric Weil.* \$29.95
55350. **INFORMATION INTEGRITY: A Structure For Its Definition and Management.** *Hal B. Becker.* \$26.95

55845. **INTERACTIVE COMPUTER GRAPHICS.** *Wiffrang K. Giloi.* Comprehensive, practical guide for generating effective graphic displays, picture representation and transformation, and more. \$28.95
58104. **LEGAL CARE FOR YOUR SOFTWARE: A Step-by-Step Guide for Computer Software Writers.** *Daniel Remer.* Copyrights, trademarks, and more. Softbound. \$19.95
58811. **LOGICAL CONSTRUCTION OF SYSTEMS.** *Jean-Dominique Warnier.* Every aspect of system design. \$22.95
- 59937-2. **MANAGEMENT OF COMPUTER OPERATIONS.** *Israel Borowitz.* How to develop, implement, and monitor data processing policies. Counts as 2 choices. \$34.95
- 60326-2. **MANAGING THE DATA-BASE ENVIRONMENT.** *James Martin.* "The computer industry's most widely read author, best attended lecturer and foremost authority on the social and commercial impact of computers."—*Computer World.* Counts as 2 choices. \$35.00
82558. **TECHNIQUES OF PROGRAM AND SYSTEM MAINTENANCE.** *G. Purikh.* How to keep our systems running. \$24.95
86596. **OFFICE AUTOMATION & WORD PROCESSING GUIDE.** *Tony Webster.* An overview of the "electronic office." Softbound. \$19.95
49353. **FUNDAMENTALS OF DATA STRUCTURES IN PASCAL.** *Horowitz and Sahni.* Evaluation of algorithm and data structure development. \$26.95
60365. **MANAGING SYSTEMS MAINTENANCE.** *William E. Perry.* A down-to-earth handbook with easy-to-follow forms, checklists, and charts. Softbound. \$29.50
62638. **MICROPROCESSOR SYSTEMS.** *M. Aumiaux.* How to make reliable evaluations, define overall structure, evaluate characteristics, and more. \$26.00
67042. **PASCAL FOR PROGRAMMERS.** *Lecarme and Nehut.* Packed with examples, diagrams, and sample codes. \$22.95
69923. **PRACTICAL ASPECTS OF DATA COMMUNICATIONS.** *Paul Kreaiger.* Practical information culled from on-the-job situations. \$29.95
70206. **PRINCIPLES OF DATABASE SYSTEMS.** Second Edition. *Jeffrey D. Ullman.* \$24.95
70684. **PROGRAM DESIGN CONCEPTS WITH APPLICATIONS IN COBOL.** *Philippakis and Kazmier.* Packed with sample programs, and basic techniques. \$24.95
70747. **PROGRAMMING IN MODULA-2.** Second Edition. *Niklaus Wirth.* "A worthy successor to Pascal."—*BYTE.* \$16.95
77651. **SELECTED WRITINGS ON COMPUTING.** *Edsger W. Dijkstra.* Articles and papers by a founding father of modern programming. \$28.00
80823. **STRUCTURED COMPUTER ORGANIZATION.** Second Edition. *Andrew S. Tanenbaum.* Computer architecture and its design. \$28.95
- 80820-2. **A STRUCTURED APPROACH TO SYSTEMS TESTING.** *William E. Perry.* How to deliver accurate, reliable, and user-satisfactory software. Counts as 2 choices. \$34.50

If the reply card has been removed, please write to:
The Library of Computer and Information Sciences
Dept. 7-CD6, Riverside, N.J. 08075
to obtain membership information and an application.
Byte 7/84

EXTRAORDINARY VALUE!

ENCYCLOPEDIA OF COMPUTER SCIENCE AND ENGINEERING. Second Edition. *Ralston and Reilly, Eds.* Thoroughly revised, updated and reorganized. 550 articles. Over 1,670 pages on virtually every aspect of the computer sciences. More than 750 illustrations. Counts as 3 choices. \$87.50



4 Good Reasons to Join

- The Finest Books.** Of the hundreds and hundreds of books submitted to us each year, only the very finest are selected and offered. Moreover, our books are always of equal quality to publishers' editions—never economy editions.
- Big Savings.** In addition to getting either the Encyclopedia of Computer Science and Engineering for \$3.00 or 3 books for only \$1.00 each when you join, you keep saving substantially—up to 30% and occasionally even more. (For example, your total savings as a trial member—including the introductory offer—can easily be over 50%. That's like getting every other book free!)
- Bonus Books.** Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings up to 70% off the publishers' prices.
- Convenient Service.** At 3-4 week intervals (16 times per year) you will receive the Book Club News, describing the Main Selection and Alternate Selections, together with a dated reply card. If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the card, and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage.

In-Search uses a significant amount of data compression on the large on-line reference files that are stored on the PC to reduce their size by almost 40 percent.

communications speeds is one obvious possibility. In-Search already uses a significant amount of data compression on the large on-line reference files that are stored on the PC to reduce their size by almost 40 percent. There are a series of simple strategies for increasing the data-communications bandwidth as well. If the applications program can be coupled more tightly to the host computer, it is possible to employ a variety of data-compression strategies to go beyond the current 1200-bps (bit-per-second) limitation over phone lines.

Post-processing is another significant area. While In-Search currently formats only downloaded information and stores it to disk or outputs it to a printer, several other on-line search programs permit later manipulation of information as well. SciMate, from the Institute for Scientific Information (ISI) in Philadelphia, is an on-line search program that is priced at \$880 and designed for IBM PC, Apple II, and CP/M computers. It provides for automatic log-on and query of four different database

systems and includes a local database manager that makes it possible to store downloaded information. The database component of SciMate is called Personal Data Manager. It will take advantage of the record and field structure of information from a host computer or permit you to create your own structure for a local database. Although there are limitations on field and record size, Personal Data Manager permits you to link records to store longer textual documents. You also can move files to word-processing programs or merge locally created notes or documents into the database.

In a smaller fashion, Informatics General Corporation and VisiCorp have developed two complementary programs, Answer/DB and VisiAnswer, that permit the transfer of quantitative data from a corporate mainframe computer to an IBM PC where it can then be loaded into a VisiCalc spreadsheet program for local analysis.

.....
FASTER MODEMS FOR PCs

Today there are a series of barriers confronting high-speed PC data communications. Most of these barriers fall within the realm of the voice-grade telecommunication network and into existing modem technologies designed to send data over this network.

Yet, while digital technologies are promising dramatically higher communication speeds, a series of new modem designs is being introduced that will bring PC-to-PC data rates up to 9600 bps and, with additional data compres-

sion, may push speeds higher.

The new technology wasn't originally developed for personal computer users, but rather for digital-facsimile transmission systems. Now that the technology has been moved to PCs, it raises a number of possibilities, including using facsimile machines as remote input-output devices for PCs.


Gamma Technology, a Palo Alto, California, data-communications corporation, recently introduced the FAXT-96, a half-duplex 9600-bps synchronous modem board for the IBM PC and PC XT.

Priced initially at \$1995 and designed to be used with a synchronous adapter card, the FAXT-96 plugs directly into a card slot in an IBM PC or PC compatible and permits 9600-bps communication over ordinary dial-up telephone lines. The modem includes auto-dial, auto-answer, and multiple-speed features. It connects directly to a phone line and to a synchronous adapter.

The use of dial-up 9600-bps communications is new. It has been made possible because of improvements in modem technology and improvements in the method of encoding digital data on bandwidth-limited voice-grade lines. Control of the FAXT-96 is handled in software from a "master control panel" screen on the IBM PC.

Previous high-speed synchronous modems have been stand-alone units that have been intended for either remote-terminal or micro-to-mainframe communication. The Gamma Technology modem differs in that, although it can be used as a high-speed micro-

(continued)



McGraw-Hill Bookstore

Please print clearly.

Provides end users, DP staff, and senior and top management with a strategy and direction on how to change and manage the dramatically changing environment of information systems and data processing.

An Information Systems MANIFESTO

by James Martin

The first part of this book describes action which must be taken to improve the use of computers, for example, by placing the end user in the driver's seat and by automating the process of automation.

The second part examines the future, particularly the Japanese and the essential need for entrepreneurs.
 300 pp. \$37.95

McGraw-Hill Bookstore
 1221 Ave. of the Americas
 N.Y., N.Y. 10020



Please send me _____ copies of An Information Systems MANIFESTO by James Martin at \$37.95 each.

Check, money order or credit card only.

BankAmer. _____ Amer Exp. _____ Master Chg. _____

Acct. No. _____ Expires _____

Name _____

Address _____

City _____ State _____ Zip _____

Add applicable sales tax, plus \$2.50 postage and handling.

Professional Software for the Software Professional

DMA products operate on
the full range of
Z80, 8086, 8088 processors,
including the IBM-PC

Here's what you can do!

Application Creation

FORMULA II™

The Application Creator

The first and only Application Creator—a do-it-yourself concept for office automation. FORMULA II lets you define your files, forms, menus, and reports—FORMULA II then creates your program. FORMULA II includes a Database manager with an English Query language and a Form/Report Creator with word processing features.

Communications

ASCOM™

ASCOM™ is the most versatile asynchronous communication package for microcomputers on the market. It features interactive, menu-driven, and batch operations; supports auto-answer and auto-dial modems; includes most popular protocols; provides network simulation; and many other options. Xerox Corporation, NCR, Monroe Systems for Business, and the big 8 accounting firms use ASCOM™.

SYNC/COM™—A bisynchronous communication package that will be configurable for a variety of systems and includes a flexible interface to the operating system. 2780/3780/3270 protocols available on microcomputers with appropriate hardware.

TERMCOM™—A configurable terminal emulator allowing any personal computer to emulate most conversational and selected block mode terminals with asynchronous communications. Available December 1983.

Utilities

EM80/86™

This software emulator lets you use eight bit software on sixteen bit microcomputers without hardware modifications.

The 8086 O.S. Converter™

CP to MS—Permits execution of Digital Research's CP/M-86 programs under Microsoft's MSDOS (or PCDOS).

MS to CP—Permits execution of MSDOS programs under CP/M-86.

UT-86™

This package of user-friendly utilities for the IBM Personal Computer and similar systems includes copying, directory sorting, patching, and a general purpose file print utility.

Coming Soon

DMA."C"™—A "C" language compiler which will generate either Z80 or 8086 assembly language code. Due to a unique optimization routine which is based upon a functional "P-code" model, the efficiency of DMA."C" will far exceed that of existing compilers.



WE SPEAK YOUR LANGUAGE WE SPEAK YOUR LANGUAGE WE SPEAK YOUR LANGUAGE

DYNAMIC MICROPROCESSOR ASSOCIATES, INC.

545 FIFTH AVENUE, NY, NY 10017

Dealer Inquiries only • (212) 687-7115

to-mainframe communications link, a software package also is being offered that permits error-checked PC-to-PC file transmission at 9600 bps.

The shift from asynchronous to synchronous transmission protocols at higher data rates frees the communication process from the start-stop bit overhead, a difference that automatically yields about a 20 percent increase in transmission efficiency.

The significance of higher data communications rates has grown with the deregulation of the communications industry because communication costs are expected to rise. Gamma Technology is claiming that an eightfold increase in data rate (from 1200 bps to 9600 bps) will save several thousand dollars a year if 160K bytes of information are transmitted daily across the United States. Savings would be even greater if data were transmitted overseas.

The FAXT-96 can be programmed to

meet several international modem standards set by the CCITT (International Consultant Committee for Telegraph and Telephone). The standards include CCITT V.29 at 9600, 7200, and 4800 bps and CCITT V.27 at 4800 and 2400 bps. Until now, U.S. modem signaling standards have been dominated by AT&T-developed standards. That's changing, both because of the global need for communications and because AT&T has less influence in an area of deregulation.

There are some limitations. Because sending data at 9600 bps is pressing to the limit what currently is possible with voice-grade lines, poor line quality can make it impossible to send data at that speed. To cope with line-quality problems, the Gamma Technology modem automatically tests line quality during an initial handshaking phase and then sets transmission speed at the highest data rate the line will support, ranging from 9600 bps down to 2400 bps. The line test is done by having one system send

a known signal to the receiving system. The receiving system knows what it is supposed to get and can make adjustments to make the closest fit.

A recent study by Xerox of facsimile-system performance showed that the same modem technology that Gamma is using would support 9600-bps data transmission worldwide approximately 75 percent of the time over voice-grade lines. Over domestic long-distance lines the 7200-bps rate had to be selected only 27 percent of the time.

In addition to cutting communications costs, higher-speed data communications opens up new applications. Facsimile-to-PC connections would make the transmission of the textual information possible for bit-mapped display on the IBM PC. At 9600 bps the facsimile-transmission time for an 8½-by 11-inch piece of paper is 30 seconds. Another possibility is for the transmission of specialized database information that includes diagrams or other images. ■

BYTE Back issues for sale

	1976	1977	1978	1979	1980	1981	1982	1983	1984
Jan.				\$2.75	\$3.25	\$3.25		\$3.70	\$4.25
Feb.			\$2.75	\$2.75	\$3.25	\$3.25		\$3.70	\$4.25
March			\$2.75		\$3.25		\$3.70	\$3.70	\$4.25
April			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$3.70	\$4.25
May		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25
June		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25
July	\$2.00	\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	
Aug.		\$2.00	\$2.75	\$2.75		\$3.25	\$3.70	\$4.25	
Sept.		\$2.75	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	
Oct.			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$4.25	
Nov.				\$3.25		\$3.25	\$3.70	\$4.25	
Dec.		\$2.75	\$2.75	\$3.25	\$3.25	\$3.25	\$3.70	\$4.25	

Prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery).

Check enclosed

Payments from foreign countries must be made in US funds payable at a US bank.

VISA

Master Card

Card # _____

Exp. _____

Signature _____

Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.

NAME _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____

Circle and send requests with payments to:
BYTE Back Issues
P.O. Box 328
Hancock, NH 03449



Before Johann Sebastian Bach developed a new method of tuning, you had to change instruments practically every time you wanted to change keys. Very difficult.

Before Avocet introduced its family of cross-assemblers, developing micro-processor software was much the same. You needed a separate development system for practically every type of processor. Very difficult and very expensive.

But with Avocet's cross-assemblers, a single computer can develop software for virtually any microprocessor! Does that put us in a league with Bach? You decide.

The Well-Tempered Cross-Assembler

Development Tools That Work

Avocet cross-assemblers are fast, reliable and user-proven in over 3 years of actual use. Ask NASA, IBM, XEROX or the hundreds of other organizations that use them. Every time you see a new microprocessor-based product, there's a good chance it was developed with Avocet cross-assemblers.

Avocet cross-assemblers are easy to use. They run on any computer with CP/M* and process assembly language for the most popular microprocessor families.

5 1/4" disk formats available at no extra cost include Osborne, Xerox, H-P, IBM PC, Kaypro, North Star, Zenith, Televideo, Otrona, DEC.

Turn Your Computer Into A Complete Development System

Of course, there's more. Avocet has the tools you need from start to finish to enter, assemble and test your software and finally cast it in EPROM:

Text Editor VEDIT -- full-screen text editor by CompuView. Makes source code entry a snap. Full-screen text editing, plus TECO-like macro facility for repetitive tasks. Pre-configured for over 40 terminals and personal computers as well as in user-configurable form.

CP/M-80 version \$150
 CP/M-86 or MDOS version \$195
 (when ordered with any Avocet product)

EPROM Programmer -- Model 7128 EPROM Programmer by GTek programs most EPROMS without the need for personality modules. Self-contained power supply ... accepts ASCII commands and data from any computer through RS 232 serial interface. Cross-assembler hex object files can be down-loaded directly. Commands include verify and read, as well as partial programming.

PROM types supported: 2508, 2758, 2516, 2716, 2532, 2732, 2732A, 27C32, MCM8766, 2564, 2764, 27C64, 27128, 8748, 8741, 8749, 8742, 8751, 8755, plus Seeq and Xicor EEPROMS.

Circle 34 on inquiry card.

Avocet Cross-assembler	Target Microprocessor	CP/M-80 Version	CP/M-86 IBM PC, MSDOS** Versions
XASMZ80	Z-80	\$200.00 each	\$250.00 each
XASM85	8085		
XASM05	6805		
XASM09	6809		
XASM18	1802		
XASM48	8048/8041		
XASM51	8051		
XASM65	6502		
XASM68	6800/01		
XASMZ8	Z8		
XASMF8	F8/3870		
XASM400	COP400		\$300.00 each
XASM75	NEC 7500		
Coming soon: XASM68K...68000			\$500.00

(Upgrade kits will be available for new PROM types as they are introduced.)

Programmer \$429
 Options include:
 Software Driver Package -- enhanced features, no installation required.
 CP/M-80 Version \$ 75
 IBM PC Version \$ 95
 RS 232 Cable \$ 30
 8748 family socket adaptor ... \$ 98
 8751 family socket adaptor ... \$174
 8755 family socket adaptor ... \$135

G7228 Programmer by GTek -- baud to 2400 ... superfast, adaptive programming algorithms ... programs 2764 in one minute.

Programmer \$549

Ask us about Gang and PAL programmers.

HEXTRAN Universal HEX File Converter -- Converts to and from Intel, Motorola, MOS Technology, Mostek, RCA, Fairchild, Tektronix, Texas Instruments and Binary formats.

Converter, each version \$250

Call Us

If you're thinking about development systems, call us for some straight talk. If we don't have what you need, we'll help you find out who does. If you like, we'll even talk about Bach.

CALL TOLL FREE 1-800-448-8500
 (In the U.S. except Alaska and Hawaii)

VISA and Mastercard accepted. All popular disc formats now available -- please specify. Prices do not include shipping and handling -- call for exact quotes. OEM INQUIRIES INVITED.

*Trademark of Digital Research **Trademark of Microsoft



AVOCET SYSTEMS INC.™

DEPT. 784-B
 804 SOUTH STATE STREET
 DOVER, DELAWARE 19901
 302-734-0151 TELEX 467210

MICROMART™ STRICTLY BUSINESS AT A DISCOUNT

floppy disk drives

TANDON TM 100-2 FULLY IBM PC COMPATIBLE
CALL FOR QUANTITY PRICING **\$209**

1/2 HT. DISK DRIVES TOP NAMES
SOUTH'S LARGEST SUPPLY • DEALER INQUIRIES INVITED . . . **\$179**

networking/protocol conversion

PC Turbo by ORCHID IBM
80186 Co-processor Board • Speeds Up PC 5 Times
PC Blossom IBM 64-386K Multifunction Board
W/Opt. PCnet Interface
IRMA "STILL A BEAUTY"
REPLACES 3278's WITH PC's /IRMA LINE
BLUE LYNX 5251/3276 EMULATOR
PCterminal LOW-COST Terminal W/Built-in LAN & Processors
Serial and Parallel Ports • Four Extra Open Slots

SNA & BISYNC • 3780, 5251, 3274
FORTE DATA IBM 3278/3279 Emulator w/SIIIIG,
Plus Graphics Capability

printers



AMDEK AMPLLOT II Supports LOTUS 1-2-3 Graphics **\$799**
Houst. Inst. Plotters & Digitizer CALL!

DOT MATRIX

EPSON FX 80 & 100 (160 cps) Best Price!
EPSON RX 80 & 100 Best Price!
EPSON LQ 1500 NEW! Letter Quality in a Dot Matrix Best Price!
Mannesman Tally Spirit 80 **\$289**
RAYDEX Series New Low Cost High Quality Dot Matrix by StarMicrotronics CALL!
Prism Color IBM's Choice for LESS, 132 Col (200) cps) Color Graphics **\$1495**
OKIDATA 92&93 Opt IBM Proms 160 cps Best Price!
OKIDATA ML84 200 cps Best Price!
OKIDATA 2410 Pacemark (350 cps) Best Price!
TOSHIBA P-1351 & 1340 Best Price!
GEMINI 10X & 15X **\$279/\$399**
T.I. 855 24 WIRE PIN HEAD Best Price!
NEC P2 & P3 180 cps Best Price!
DIABLO P38 (400 CPS) **\$1695**

LETTER QUALITY

NEC SPINWRITERS 2050, 3550 & 7730 Best Price!
DIABLO 620, 630 Best Price!
DIABLO 630 ECS **\$1845**
C-ITOH Starwriter (40 cps) Printmaster (55 cps) **\$1055/\$1455**
QUME SPRINT 11/40 PLUS Best Price!
SPRINT 11/55 PLUS
LQ Feeders Great Cut Sheet Feeders for NEC 3550 & C-ITOH StarWriter, Diablo NOW AVAILABLE **SAVE!**

micro modems

HAYES SMARTMODEM 300, 1200 & 1200B Starting at **\$205**
Ventel 1200 BAUD W/CrossTalk, H&H Card Internal Modem for IBM Portable CALL!
HAYES MicroModem IIe W/SmartCom I CALL!
Access 1-2-3 Novation's PC 1200B, Crosstalk XVI, Cables plus "Great Bug" • Full 2 Year Warranty CALL!
RIXON 1200 4800 BAUD • IBM PC Compatible CALL!
Signalman Mark XII 300 1200 Direct Connect Quality at a Low, Low Price **\$259**

hard disks

Peachtree Peripherals P-10 Industry's Best Buy • 10 Meg/F. Auto Boot • Runs W/Out Ext. Power Internal or External Installation

SYSGEN 10 & 20 MEG/F W/Streamer Tape CALL!
IOMEGA Bernoulli Box • 10 MEG Removable Cartridges • Double Drive **\$2695**
DAVONG 10 MEG/F 15, 21, 35 Available • Ext. **\$1595**
SYSGEN IMAGE Streamer Tape Back Up For Your IBM XT CALL!

ALL NAME BRANDS AVAILABLE NOW! BEST PRICES!!
IF YOU DON'T SEE IT— **CALL!**

multi-cards

#1-384K 64-384K • Clock Ser & Par Pts Ram Disk • Spooler • Opt Game Pt Best Price!
#1 MultiCard Max: 8 Func (64-512K) Best Price!
#1 I/O Card Ser. Clk. Spooler Ram Disk (Opt. 2nd Ser. Par & Game) Best Price!
QUADBOARD New Version 64-384K **\$279/\$549**
CAPTAIN 64-384K **\$269**
SEATTLE RAM + 3 0 256K • Ser • Par FlashDisk • Clk • Spooler **\$179**
J-RAM II 512K Multifunction CALL!
PROFIT Systems 64-512K RAM Plus & Elite **\$299/\$680**
BABY BLUE II 64-256K • Z80B • Par • 2 Ser • Clk RAM disk • Spooler • Extra Software Best Price!
PC Blossom ORCHID'S 6-Pak Clone with Optional PCnet Piggy Back **\$275**
MAYNARD SANDSTAR Floppy & Hard Disk Controller Cards Best Price!

graphic cards

HERCULES Monochrome Graphics Supports LOTUS 1-2-3 CALL!
PLANTRONICS Color+ Biplaner, Super HiRes With Color Magic CALL!
Graphics Master Tecmar Color & Mono Graphics Supporting Lotus Low Price!
QUADCOLOR I & II CALL!
Paradise Sys. Color Graphics Monochrome Parallel Printer Port **\$379**
STB Graphix Plus Color & Mono Graphics • Par Port RAM Disk • Spooler • Lite Pen Port • Opt Clk Cal CALL!
Multigraph 132 Col in Mono W Graphics 720h x 350v Color Graphics to 640h x 400v • Opt Par Port **\$375**

Grappler Parallel Interface CALL!
Quadram eRAM80 80 Col 64K RAM Card CALL!
Microtek Apple Dumping & Parallel Interface CALL!
Premium Softcard IIe CALL!

Apple and the Apple logo are registered trademarks of Apple Computer, Inc.
IBM and the IBM logo are registered trademarks of International Business Machines Corporation.
Advertised cash prices subject to change without notice.



software

Infoscope New Data Base!! Critically Acclaimed! ... **CALL!**

- OPEN ACCESS** Spreadsheet, 3D Graphics, Word Proc., Time Mgr., & Comm. in 1 Pkg. **\$299**
- JACK 2** IBM Integrated Word Processing Spread Sheet, Data Base Management Chart on One Screen **\$325**
- Decision Manager** IBM All New Integrated Software by Peachtree **CALL!**
- KEY II 1-2-3** IBM Outstanding Utility for LOTUS Unlocks Information Management **\$159**
- MultiPlan** IBM Microsoft's Super Spreadsheet At A Low, Low Price **CALL!**
- SuperCalc³** IBM World's most usable spreadsheet now has Superior Graphics than LOTUS **\$225**
- Lattice C-Compiler** IBM Version 2.0 Supports One Meg RAM on PC **\$299**
- MICROSOFT COMPILERS** IBM **CALL!**
- DIGITAL RESEARCH COMPILERS** **CALL!**
- Norton Utilities** A Must for Every IBM PC **\$59**
- ProKey 3.0** IBM Adds Muscle to Your Keyboard by RoseSoft **\$95**
- CROSSTALK XVI** IBM No. 1 Communications Software from MICRSTUF **CALL!**
- SMARTCOM II** IBM Communications Software from Hayes The No. 1 Modem Manufacturer **\$89**
- Dow Jones** IBM Mkt. Analyzer/Mkt. Manager Call for Price on Mkt. Microscope **\$249/\$219**
- IUS** IBM A.R., A.P., G.L., Inventory, Order Entry, Payroll **\$299**
- Peachtree Accounting** IBM Peachtree Software **CALL!**
- Open Systems** IBM A.R., A.P., G.L., Payroll, Job Cost Inventory, Order Processing **CALL!**
- Multilink** IBM Multi User, Multi Tasking Package Supports Up to 8 Dumb Terminals off IBM PC **\$249**
- Sideways** IBM Utility that Inverts Printout for Longer Spreadsheets **\$49**
- ATI Training** IBM Critics Choice! Software Tutorials **\$59**
- BPS Business Graphics** IBM SMC **\$149**
- Chart-Master/Sign-Master** **CALL!**
- "CAD Systems"** IBM Best Selection Available of Computer Aided Design Graphics. **CALL!**
- PC Paint Brush** IBM Amazing Mouse Drive Graphics W/Screen Dump Utility **\$99**

- HARVARD PROJECT MANAGER** IBM NEW CALL!
R:base 4000 or 6000 Report Writer & Clout Micromim Starts at **\$329**
- Power-base** IBM GMS Systems • Combination of Relational & Hierarchical Data Models **CALL!**
- Knowledge Man** IBM Ver. 1.06 Now Available for this Highly Acclaimed Data Base **\$295**
- dBase II** IBM Best Selling Data Base from Ashton Tate **\$389**
- dBase III** IBM Ashton Tate's Newest Best Selling Data Base **CALL!**
- PFS** IBM Write, File, Report, Graph, Solutions, Access. **\$99**
- MultiMate** IBM 3.2 "WANG" Style Word Processor With Spelling Checker **\$279**
- Microsoft Word** IBM WIMouse • Fourth Generation Word Processor • Use Up to 8 Windows **CALL!**
- VOLKSWRITER DELUXE** IBM **\$189**
- WordStar ProPak** IBM Now W/FREE Tutor! CorrectStar, MailMerge, **CALL!**
- DayFlo** Super New Data Base **CALL!**
- WordPerfect** IBM SSI • Available Now by Popular Demand **\$299**
- Easy Writer II** IBM System Includes Speller & Mailer **\$219**
- Peach Text 5000** IBM **\$179**
- FRIDAY!** Ashton Tate **\$195**
- QUICKCODE/dGraph/dUtil** IBM 50% OFF **CALL!**
- CopyII PC** IBM **\$35**

- Habadex** IBM New Style Data Base for Macintosh **CALL!**
- Microsoft Chart** IBM Graphics For MacIntosh **CALL!**
- Microsoft File** IBM New for MacIntosh **CALL!**
- Microsoft Basic** IBM New for MacIntosh **CALL!**

IBM & Apple **miscellaneous**

- Keytronics 5151** New Improved **CALL!**
- MOUSE** Optical Type LOTUS & VisiOn Compatible By Mouse Systems **\$209**
- CURTIS** Monitor Pedestal Keyboard Extension Cable, Monitor Extension Cable **CALL!**
- MICROFAZER** IBM (8K 12BK) Stack Spooler Starting At **\$139**
- BACK UP Power Supply** 200 & 425 Watts **CALL!**
- MICRO MART Diskettes** 7 Year Warranty Box of 10 **\$24**
- ISOBAR** Surge Protectors • With Great Filtering Via Isolated Outlet Pairing • 4 & 8 Plug Starting At **\$59**

ORDERS ONLY
1-800-241-8149
Monday Friday 9 00 AM 7 00 PM Saturday 9 00 AM 5 00 PM

MICRO MART™
TECHNOLOGY CORPORATE CAMPUS
3159 Campus Drive • Norcross, GA 30071

For Information **1-404-449-8089**
Technical Support **1-404-446-3836**
Telex **880497**

IBM **chips**

- INTEL 8087** High Speed Math Coprocessor **CALL!**
 - 64K RAMCHIPS** **\$55/\$159**
- (64K-9 Chip/Upgrade Kit) (192K-27 Chip/Upgrade Kit)
CALL FOR QUOTE ON QUANTITY CHIP PURCHASES

IBM & Apple **monitors**

- PGS-MAX 12** Amber • Runs off IBM Mono Card • 720h x 350v **Best Price**
- PGS SR-12** 690x480 • Non-Interlaced Mode RGB W/HiRes Text. **Best Price**
- PGS-HX 12** Hi Res 690 Dot RGB **Best Price**
- QUADCHROME** Hi Res RGB **Best Price**
- AMDEK Color II+** **\$399**
- AMDEK Color IV** 720 Dot **\$549**
- AMDEK 300A/300G** IBM 12" **\$149/\$139**
- AMDEK 310A** Amber 12" Improved Alternate to IBM Green Screen **\$185**

Micro Mart is a registered trademark of Micro Mart Inc.

Circle 217 on Inquiry card.

The Micromint Collection

Micromint. Supporting the varied projects that appear in Steve Ciarcia's monthly article in *BYTE Magazine*. "Ciarcia's Circuit Cellar." Offering a wide range of computers and peripherals designed to meet the exacting demands of the hobbyist as well as worldwide corporate clients.

TERM-MITE ST SMART TERMINAL BOARD

As featured in *Ciarcia's Circuit Cellar* *BYTE Magazine*, January & February 1984
All you need to build a Smart Video Terminal equivalent to the types advertised for \$1,000.00 or more is a Term-Mite ST circuit board, scanned or parallel key-board, video monitor and power supply.

- Uses brand new Nat'l Semi NS455A Terminal Processor.
 - 24 lines by 80 characters. 25th reverse-video status.
 - Upper & lowercase. Line (block) graphics.
 - Selectable data rate, parity & display options.
 - Reverse video, half intensity, double height & width, underlined, blinking and/or blank character.
 - Separate sync or composite video output. Self Test.
- Term-Mite ST Video Display Terminal Board
BCC22 Assembled & Tested \$284.
BCC23 Complete Kit 244.

Z8 BASIC SYSTEM CONTROLLER NEW!!!



As featured in *Ciarcia's Circuit Cellar*, *BYTE Magazine*, July & August 1981
The Z8 Basic System Controller is an updated version of our popular BCC01. The price has been reduced and features added. The entire computer is 4" by 4 1/2" and includes a tiny BASIC interpreter, up to 6K bytes of RAM and EPROM, one RS-232C serial port with switchable baud rates and two parallel ports. BASIC or machine language programming is accomplished simply by connecting a CRT terminal. Programs can be transferred to 2732 EPROMs with an optional EPROM programmer for auto start applications. Additional Z8 peripheral boards include memory expansion, serial and parallel I/O, real time clock, an A/D Converter and an EPROM programmer.

- Uses Zilog Z8 single chip microprocessor.
- Data and address buses available for 124K memory.
- Can be battery operated.
- Cross assemblers for various computers.

BCC11 Assembled & Tested \$149.
New Low Price

COMING SOON! FORTH LANGUAGE VERSION OF THE Z8

With the new Z8 with on board 4K FORTH you can program high speed control functions in a few simple high level language commands. Perfect for data reduction, process control and high speed control applications.

8CC20 Z8F FORTH Microprocessor chip \$150.
BCC21 Z8F FORTH System Controller
(This board is a BCC11 with a BCC20 installed)
Assembled & Tested 280.

Z8 CROSS ASSEMBLERS

From *Micro Resources*
IBM PC, APPLE, 6502 Systems 5V4;
CP/M 2.2 B" \$ 75.
From *Allen Ashley*
TRS-80 Model I, III, Northstar 5V4 75.
CP/M 2.2 B" 150.

Z8 FIVE SLOT MOTHER BOARD

- Expand your Z8 BASIC System with minimum effort.
- Contains five slots complete w/44 pin connectors.

MB02 Assembled & Tested \$69.

TRIPLE VOLTAGE POWER SUPPLIES

+5V @ 300 ma. +/- 12V @ 25 ma.
UPS01 Assembled & Tested \$35.
UPS02 Complete Kit 27.
+5V @ 1 Amp. +12V @ .5 Amp. -12V @ 50 ma.
UPS03 Assembled & Tested 60.
UPS04 Complete Kit 50.

SPEECH SYNTHESIZERS

MICROVOX TEXT-TO-SPEECH SYNTHESIZER



As featured in *Ciarcia's Circuit Cellar* *BYTE Magazine* September, October 1982
Microvox is a second generation professional voice quality text-to-speech synthesizer that is easily interfaced to any computer, modem, RS-232C serial or parallel output device and provides speech of unbelievable clarity.

- Unlimited vocabulary.
- 64 programmable inflection levels.
- 6K text-to-speech algorithm.
- Full ASCII character set recognition and echo.
- RS232C and parallel output.
- 1000 character buffer. 3000 optional.
- Adjustable baud rates (75-9600).
- Spelling output mode.
- 7 octave music and sound effects.
- On board audio amplifier & power supply.
- X-On-X-Off handshaking.

MV01 Assembled with 1K buffer \$299.
MV02 Complete Kit with 1K buffer 219.
Add \$15.00 for 3K buffer option.

VOTRAX SC-01A PHONETIC SPEECH SYNTHESIZER IC

The SC-01A Speech Synthesizer is a completely self-contained solid state device that phonetically synthesizes continuous speech of unlimited vocabulary. Used in our Microvox and Sweet-Talker.

SC01A Quantity 1-99 \$44. ea.
100+ 32. ea.
1000+ 24. ea.

MICRO D-CAM DIGITAL TV CAMERA



As featured in *Ciarcia's Circuit Cellar* *BYTE Magazine*, September & October 1983
GIVE YOUR COMPUTER THE DIMENSION OF SIGHT

- Interprets, enhances and stores images.
- 256 x 128 digital image sensor.
- Plug-in boards for the IBM-PC, APPLE II+ or e.
- Software includes utilities for auto exposure, multi-level greyscale, screen dump and image enhancement.
- Includes interface card, 4 foot extension cable, camera assembly, manual, and software on diskette.

DC01 IBM PC Assembled & Tested \$299.
DC02 IBM PC Complete Kit 264.
DC03 APPLE II Assembled & Tested 299.
DC04 APPLE II Complete Kit 264.

300 BAUD ANSWER/ ORIGINATE MODEM KIT



As featured in *Ciarcia's Circuit Cellar* *BYTE Magazine*, March 1983
Micromint's latest 300 Baud Modem Kit is crystal controlled, uses the T1 TMS99532 IC, contains just 25 parts and requires no calibration or adjustments. Use with acoustic coupler or in direct connect mode.

MD04 Complete Kit as shown \$60.
MD05 Transformer for Direct Connect Mode 9.
AC01 Acoustic Coupler Kit 20.

E-Z COLOR GRAPHIC INTERFACE WITH SPRITES

APPLE II E-Z Color plug-in board with Graphics Editor on 3.3 disk
EZ01 Assembled & Tested \$150.
EZ02 Complete Kit 125.


APPLE II E-Z Color Plus
• Allows the use of a single monitor or TV set
EZ11 Assembled & Tested w/Graphics Editor \$200.

KRELL LOGO for E-Z Color and E-Z Color Plus Supports Sprite Graphics
EZ21 Krell LOGO w/full documentation \$89.

Animation Software for E-Z Color Plus
• Draw with Sprites using joystick or Koala Pad.
• Animate Sprites from your own BASIC program
EZ21 Animation Software \$49.

ST100 E-Z Color Graphics Board
• With sound generator & joystick interface.
• MBASIC Graphics Editor on 8" diskette.
EZ04 Assembled & Tested \$289.

MICROMINT INC. 561 Willow Avenue, Cedarhurst, NY 11516
To Order: Call Toll Free 1-800-645-3479
For Information Call: 1-516-374-6793
Call: Monday-Friday, 9-5 PM



MPX-16 MICROCOMPUTER IBM PC COMPATIBLE



As featured on the cover of *BYTE Magazine*. Also featured in *Ciarcia's Circuit Cellar* November, December 1982 & January 1983
The Computer With A Split Personality.
—Use it as an IBM PC look alike that directly boots PC DOS 1.1 and accepts all expansion boards designed for the IBM PC.
—Use it as a powerful 8088 single board computer for all your OEM applications. Just add serial terminal, disk drive and power supply. Directly boots CP/M-86.

Buy the MPX-16 in the form that best meets your needs or budget. As a bare board, as a wave soldered board that contains all components less ICs, as an assembled and tested circuit board or as a complete system.

- Directly boots PC DOS 1.1 and CP/M-86.
- Most IBM PC software executes with no modifications.
- IBM PC bus compatible + 9 expansion slots.
- Intel 8088 16-bit microprocessor.
- Optional Intel 8087 math coprocessor.
- 256K bytes on board memory.
- Up to one megabyte of system memory.
- Up to 64K bytes of system ROM/EPROM.
- 2 RS-232C Serial & 3 Parallel I/O ports.
- Disk controller for 5 1/4" or 8" drives.
- Sixteen levels of vectored interrupts.

MPX-16 Circuit Board Assembled
w/64K RAM \$1,200.
OEM 100 quantity price 900.
MPX-16 Circuit Board Assembled
w/256K RAM 1,400.
MPX-16 Semi-Kit (wave soldered circuit board w/all components) Less ICs 595.
Complete Kit of ICs w/256K RAM 595.
MPX-16 Unpopulated (bare) PC Board 300.
CP/M-86 Operating System + Manuals 80.
MPX-16 Switching Power Supply 300.
MPX-16 Technical Reference Manual 50.
MPX-16 Metal Enclosure with Fan 300.
Tandon TM 100-2 Double Sided/Density Drive 300.
IBM PC Keyboard Interface Adapter 100.

Shipping & handling additional on all MPX-16 orders.

Z8 MEMORY, I/O EXPANSION, CASSETTE INTERFACE

- 8K bytes of additional RAM or EPROM.
- Three additional 8 bit parallel ports.
- Cassette interface—300 baud K.C. Standard.
- Software real time clock.

BCC03 w/4K RAM Assembled & Tested \$150.
BCC04 w/8K RAM Assembled & Tested 180.

Z8 EPROM PROGRAMMER

- Transfer BASIC or Assembly Language application programs from RAM to 2716 or 2732 EPROM.
- Comes with programming & utility routines on EPROM
- Requires BCC03 Z8 Expansion Board for operation.

BCC07 Assembled & Tested \$145.

Z8 ANALOG TO DIGITAL CONVERTER

- Uses Analog Devices 7581 IC, 8-channel 8-bit.
- Adds process control capability to the Z8 system
- Over 1,000 conversions per channel per second.
- Monitors 8 analog signals, in one of two 10v ranges.

BCC13 Assembled & Tested \$140.

Z8 SERIAL EXPANSION BOARD

- Adds additional RS-232C and opto-isolated 20 ma. current loop serial port to the Z8 System.
- Runs at 175 to 19,200 baud in all protocols.
- Comes with listings of sample serial I/O routines.

BCC08 Assembled & Tested \$160.

Z8 16K MEMORY EXPANSION BOARD

- Add up to 16K of additional memory, RAM or EPROM, to your Z8 System Controller in any multiple.
- Accepts 2016, 6116, 2716, or 2732 memory types.
- Four 16K cards may be installed on the Z8 System bringing the total memory to 64K.

BCC14 Assembled & Tested w/8K RAM \$120.
BCC16 Assembled & Tested w/16K RAM 155.

IBM PC is a trademark of International Business Machines Inc.
CP/M-86 is a trademark of Digital Research Inc.
Z8 is a trademark of Zilog Inc.

Circle 218 on inquiry card.

バイト

Start-Up

Wrist computer
Akihabara
RAM chips
Counting words

BY WILLIAM RAIKE

This is my first column as BYTE's Tokyo correspondent. In the coming months I'll be bringing you news about developments in personal computers in Japan, an idea of what kinds of hardware and software are on the market here (and, for you software entrepreneurs, what isn't), and periodic stories about what people use their computers for. When computer shows happen, you'll read about them; when there is interesting hardware progress to be reported on, you'll hear about that, too. And living here in Japan, 10,000 miles or so from Peterborough, offers a unique perspective on the computer explosion in the United States; you'll read my fearless observations and predictions about that as well. If you would like to contact me, I can be reached at BYTE, POB 372, Hancock, NH 03449.

SEIKO'S WRIST COMPUTER

For this month's new product preview, I discovered the wrist computer system from Seiko. I couldn't resist it: I went right out and bought one. Not really a "wristwatch computer," this item is actually a system of components. The watch itself, or more properly, the "wrist unit," besides being a normal-size digital watch with alarm and stopwatch features, contains storage space for 2000 characters organized into two pages, or "memos," of 1000 characters each. The watch also has a liquid-crystal display (LCD) with four lines of 10 characters each. Each character is 5 by 7 dots. Buttons (it has only four) at the bottom of the dark-brown bezel allow you to select either Memo A or Memo B and scroll upward or downward, in addition to using the conventional watch, alarm, and stopwatch functions. You can begin scrolling at either the beginning or end of a memo and proceed either one line at a time or, by holding a scrolling button down, four lines at a time.

The legibility of the display is quite good. The characters are typewriter-size (about 12 per inch), except the time-display digits, which are one-and-a-half characters high for better readability. It has no light; after all, the case has to hold five CMOS (complementary metal-oxide semiconductor) LSI (large-scale integra-

tion) chips and one bipolar IC (integrated circuit) in addition to the display and a battery. The display has no shadows and the viewing angle is sufficiently wide. Display contrast, remarkably, is adjustable via a separate keyboard unit.

Data entry is accomplished with the separate keyboard unit, which is about the size of a Hershey bar and weighs a little over 2 ounces. The left side contains a square indentation into which you press the watch either to store data in it or to use the watch as a display for the calculator function. It has a QWERTY-style keyboard with 50 keys, plus a Return key and space bar, 4 cursor keys, 4 mode-selection keys, and 2 Shift keys. In the units sold here in Japan, the second Shift key enables each character key to enter a *katakana* character (one of the two sets of Japanese phonetic characters—the other is *hiragana*) in addition to upper- and lowercase alphanumeric entry. One feature I found slightly annoying was that the normal mode is uppercase instead of lowercase, with no shift-lock function. Other than that, the watch and keyboard units work like a charm and are easy to learn and operate.

In order to store data in the watch, you snap the watch into the keyboard unit and press the Transmit button on the watch; then select a memo page by pressing either the Memo A or Memo B key on the keyboard. You enter data (or do editing) simply by positioning the cursor and typing the desired text. When you press the Transmit button again, the process ends. The watch becomes a display for the calculator function by pressing CAL instead of Memo A or Memo B and then using the numeric keys and arithmetic operation keys on

(continued)

.....
William Raïke, who holds a Ph.D. in applied mathematics from Northwestern University, has taught operations research and computer science in Austin, Texas, and Monterey, California. He holds a patent on a voice Scrambler and was formerly an officer of Cryptext Corporation in the United States. In 1980, he went to Japan looking for 64K-bit RAMs. He has been there ever since as a technical translator and a software developer.

they keyboard using the CAL function has no effect on the data stored in the watch.

You may wonder how data is transferred between the watch and the keyboard, particularly because they have absolutely no connectors. The answer: a combination of electromagnetic coupling and serial transmission at 2000 bits per second.

In addition to the wristwatch and keyboard units, other devices are available: a "controller" which is the size of a small desk calculator and contains a small printer, and an interface adapter for interfacing between the watch and a personal computer.

The controller, according to the instruction manual, is programmable in Microsoft BASIC using the wristwatch as its display; in addition to duplicating the data entry and calculator functions of the small keyboard unit, ROM read-only memory pads for games are also available. Unfortunately, the controller that was demonstrated to me was not working properly, so it was impossible to correctly evaluate it.

One of the Japanese computer magazines has reported briefly on the interface adapter, but dealers will only say that it will be available "Any Day Now" (Editor's Note: "Any Day Now" is the generic slogan of any hardware "Any Day Now").

Being the first on your block to own one of these is sure to elicit oohs and aahs from your friends, so doubt there are multitudes out there for the thing. The amazing thing to me is not the technology, it's that the combined price for the watch and keyboard unit is less than \$100.

ARIZAKURA

A whole city district in Tokyo, called Arizakura, is the center of the consumer electronics explosion in future columns. It report on the progress there in the personal computer field and on new products. Upcoming topics will include the latest on two 15-bit machines from Sharp and Fujitsu, and some features of the upcoming Japanese language personal word processors now appearing on the market.

TECHNOLOGY FRONTIER

The personal computer market in the next few years will be deeply affected

not only by the new generation of 10-bit microprocessors, whose development is being processed in the United States, but also by advances in memory technology, such as the 21-bit-bit RAM random-access, read-write memory chips now available in ample quantities from Japanese suppliers. And prototypes of 1-megabit static chips exist. Over the longer term, Tokyo-area university research groups are already pressing for development of a 100-megabit RAM by the 1990s.

In the immediate future, and of direct relevance to large computer systems, are extremely high-speed memory packages. Hitachi has just announced a bipolar memory module μ -1, although its capacity has an access time of 6.5 nanoseconds. Hitachi claims that the density of circuit integration in the new module is the highest in the world.

Its bipolar LSI chips are bonded to a multilayer silicon substrate in a total area of one square centimeter to provide 60 bits of memory. The 100-pin quad package has a hefty heat sink because power consumption is approximately 5 watts. But Hitachi says the basic technology can be used to develop modules for other IC families, including CMOS.

C ACROSS THE SEA

Computers have been a part of my life for more than 20 years now. While more computing power is on my desk now than used to be available in the whole room it took to hold the title. For that first grabbed my interest, I still have a sense of wonder about these quiet beasts. And I still get enthusiastic about developing a new piece of software that helps me or another user, sophisticated or not, get some job done more easily, quickly, or conveniently. So this column will contain descriptions and listings of programs that do that, along with programming hints that may help you write better programs.

Besides being a columnist, I do technical translation and/or in-house software development, and sometimes consulting. That means I get to use my computer as a word processor nearly every day for between 20 and 40 pages of text. With that kind of motivation I have good reasons for developing programs that help me get more out of my word processor. I use WordStar, while it may

not be everything the heart could desire, it does just about everything a word processor should do, and simple word processor programs can do a lot to make it (or any word processor) more useful.

One example is something as elementary as word-counting. Translations and other documents are often paid for on a per-word basis. Believe it or not, many translation agencies in Tokyo employ people to count words manually; in each document they handle, but you lose a sense of amazement at such things in Tokyo, where every major department store has "greenies" to cheerfully and respectfully meet everyone coming into the store with a bow and a smile.

Word-counting is simple, even though WordStar imposes certain additional tasks, like ignoring "dot commands" lines that begin with a period, and/or document formatting and coping with bytes that have the high-order bit set and therefore don't look like the characters they're supposed to be. Of any system, if you use CIM to TYPE a WordStar document file, you'll probably see all kinds of graphic characters where the last letter in a word should be, or make 1 get hiragana characters. Written in C, the program shown in listing 1 is a straightforward software tool that does the job and also provides a foundation for more ambitious programs for processing WordStar files.

If you haven't yet gotten up the energy (or courage, or whatever) to start using the C language, you really should. It's an easy language to learn if you have some experience with at least one other programming language (even BASIC, to which it is not very alien).

C has replaced assembly language for perhaps 90 percent of my programming work. Programs get written faster and debugged faster, and they're portable (mostly). Most important, they're readable and maintainable.

Lots of C compilers are available these days (see the August 1983 BYTE), but I have only good things to say about Citifront from Software Technology, the compile-plus-assembler package sells for less than \$300 (the optional NetPak, which implements the float and long data types, is about \$300 extra an option to have). The compiler can also generate code suitable for a relocating assem-

Listing 1: A program in C to count words in WordStar files.

```
#define EOF -1
#define MAXLEN 4000
#include TPRINTF.C
main () /* Count words in input. */
/* For use with WordStar. Ignores hi bits set. */
/* Ignores lines beginning with periods. (Dot commands.) */
{
    char *wptr;
    char line[MAXLEN];
    int wl, nw;
    nw = 0;
    while (getline(line, MAXLEN) != 0)
        {
            if (dotcmd(line)) continue;
            for (wptr = line; (wl = getword(&wptr)) != -1;)
                if (wl) nw++;
        }
    printf("%d\n", nw);
}
dotcmd(ptr) /* Returns 1 if char at ptr is '.', 0 otherwise. */
char *ptr;
{
    return (*ptr == '.' ? 1 : 0);
}
getword(ptradd) /* Searches for a word starting at *ptradd */
/* This function returns -1 if no word is found */
/* (e.g., end of line), 0 if word is to be ignored, */
/* and a positive integer which is the length of */
/* the word otherwise */
char *ptradd[];
{
    char *ptr; int len;
    ptr = *ptradd; /* *ptradd is a pointer (ptr); *ptr is a char */
    len = 0
    while (!isspace(*ptr)) ptr++;
    *ptradd = ptr;
    if (*ptr == '\0' return -1;
    while (!isspace(*ptr) && *ptr != '\0') ptr++;
    len = ptr - *ptradd;
    if (len == 1)
        {if (!isalpha(**ptradd) && !isdigit(**ptradd)) len = 0;
        }
    *ptradd = ptr;
    return len;
}
getline(s,lim) /* Gets a string (including newline) from std. input. */
/* 0 terminated. Returns the length of the string. */
/* Zaps hi bits to 0 in all bytes */
char *s; int lim;
{
    char *t;
    t = s;
    while (--lim > 0 && ((t = getchar()) != '\n') && t != EOF)
        *t++ &= '\177'; /*zap hi bit*/
    if (t == '\n') t++;
    *t = '\0';
    return t - s;
}
isspace(c) /* Checks only for blanks and newlines, not tabs */
char c;
/* if (c == ' ') return 1; if (c == '\n') return 1; return 0; */
{
    #asm
        LXI    H,2
        DAD    SP
        MOV    A,M
        LXI    H,1
        CPI    ..
        RZ
        CPI    OAH
        RZ
        DCR    L
    #endasm
}
#include stdlib.c
```

bler, if you wish, and comes closer than other more expensive C compilers to the full C standard. And the dealer is extremely helpful and responsive to inquiries, which means a lot when you're as far away as I am.

The word-counting program in listing 1 was compiled using The Software Toolworks C/80 compiler. In C, #include is a preprocessor directive that tells the compiler to insert a particular file from the disk into the source file at that point. This particular compiler requires the file TPRINTF.C or a similar file to be included when formatted output (e.g., a printf() statement) is used, such as for displaying the result (the word count) on the console. The #include STDLIB.C function at the end of the program includes the standard library routines, such as isalpha() and isdigit(), within the source file prior to compilation. (The library routines are preceded by #ifneed compiler directives, so that only the library routines that are actually required are compiled; this feature is useful when using the absolute assembler supplied with C/80 instead of a relocating assembler and linker.)

The structure of the main routine is as simple as it is short: successive text lines are read into a character array called line[], using the getline() function. If the line begins with a period (i.e., is a WordStar dot command), it is ignored and another line is read. The line is then scanned for individual words with the getword() function.

The getword() function does what its name implies: starting at the position in line[] that is pointed to by the pointer wptr, it scans subsequent characters in the line, advances wptr to point to the blank or newline character following the first word, and returns the length of the word as its value. (A "word" here is simply any contiguous sequence of characters terminated by a blank or newline character.) The function returns a value of -1 if no word is found, meaning that the end of the line has been encountered. A value of 0 is returned if the word is to be ignored; in this version, getword() ignores any word only one character long that is not a letter or a digit (i.e., any isolated punctuation).

The getline() function uses getchar() to read a line of characters from the

(continued)

NEW Mini-Tester Monitors
7 Most Important RS-232 Lines



A compact version of our popular standard RS-232 Tester. LED's clearly display status of: TD, RD, CTS, DSR, CD, DTR. Requires no power; may be left in permanently. Satisfaction guaranteed.

ORDER NOW. Only \$49.95. Optional 2-color LED's indicate low, high, or open. \$59.95. Add \$1.75 for shipping (IL Res. add 6% tax) MC, Visa accepted. Ask for Free Catalog. Phone: (815) 434-0846. Make checks payable to

B & B electronics
MANUFACTURING COMPANY
P.O. Box 1008B, OTTAWA, IL 61350

Circle 35 on inquiry card.

EPROM PROGRAMMER



APPROTEK 1000
ONLY
\$249.95

COMPLETE WITH
PERSONALITY
MODULE

117 AC POWER-RS232
-6 BAUD RATES - HANDSHAKE TO HOST
ALLOWS READ, WRITE, VERIFY & COPY
Comes complete with CPM & BASIC Driver
Program Listings for most small micros

Full 1 Year Warranty

Programs the following, 5 Volt 24 or 28 pin devices: 27xx series through 27256, 28xx series, 68766 plus others. Specify Personality Module desired with order. Additional Personality Modules only \$15.00 ea.

TO ORDER: CALL OR WRITE

APROPOS TECHNOLOGY
1071-A AVENIDA ACASO Add
CAMARILLO, CA 93010 **\$4.00 Shipping-USA**
(805) 482-3804 **VISA or MC Add 3%**

Circle 27 on inquiry card.

HARMONY 800-221-8927
or 800-441-1144
In New York 212-627-1000
2357 Coney Island Ave., Brooklyn, N.Y. 11223

IBM-PC
\$1699.95
OKIDATA 92
\$379.95




PRINTERS	APPLE	IBM
OKIDATA92 379	MACINTOSH 2219	PCXT 4324
OKIDATA93 514	IMAGEWRITER 489	ADDTL61K 59
GEMINI 10X 244	PRINTERCARD 89	ADDTLDRIVE 199
GEMINI 339	GRAPHPLER 114	MONOCARD 209
RADIX 10 530	HGBCARD 93	COLDCARD 199
SLVREC2550 479	EXT80CDL 129	PRINTERCARD 79
JUKI 6100 384	APPLECZC 889	TALLORESS 12
PROWRITER 314	APPLCZE 649	HERCULES MASTER 299
STARWRITER 899	MONITORS 249	AS16PACK94K1 238
EPSON RX80 289	MODEMS 199	QUADCARD 209
EPSON RX80P/T 314	MODEMS 124	
EPSON RX100 509	HAYES300 180	
EPSON RX80 439	HAYES1200 449	
BROHEA 15 374	HAYES1200B 394	
BROTHERS 619	MACROMODEM2E 224	
NEC3550 1479		
QUADJET 624		
PAIVA 1090KIP 284		
	SANYO 559	COMPAG 2059
	555 969	1 DRIVE 128K 2059
EAGLE PC2 2219		2 DRIVE 256K 2379
PCXL 3079		
SPIRIT 3384	FRANKLIN 1255	KAYPRO 1129
	1200 OMS 899	4E 1699
	1000PRO 10	2359

WE ALSO CARRY A FULL LINE OF COMMOORE AND ATARI PRODUCTS
PRICES & AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE

Circle 145 on inquiry card.

Verbatim
flexible disks

Call Free (800) 235-4137 for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted.



VISA

PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA 93401. In Cal. call (800) 592-5935 or (805) 543-1037.

Circle 243 on inquiry card.



New Sensibly-Priced Paper Tape Reader

A new, smaller, less expensive Stand-Alone Paper Tape Reader Model 605 reads at 150 CPS, has a parallel TTL output and is bidirectional. It stops on character, is completely self-contained and has automatic taut-tape sensing.

The new reader has 5 volt DC and 24 volt DC output power available and an optional internal clock. The desk-top model is priced at \$495 for one unit, a saving of about 25% of the price of the larger Model 612.

Contact Louis Doshay, Addmaster Corporation, 416 Junipero Serra Drive, San Gabriel 91776; telephone (213) 285-1121

Circle 9 on inquiry card.

NOW INCLUDES
TINY BASIC
IBM PC DEVELOPMENT
KIT AVAILABLE



SIBEC 51

8051-Based Single-Board Computer with Monitor/Debugger

- 4 28-pin byte-wide sockets; monitor will program EEPROMS.
- Perfect for System Development and Educational Applications



\$335



Binary Technology

P.O. BOX A-59 • HANOVER NH 03755 • 603 643-2881

Circle 41 on inquiry card.

BYTE JAPAN

"standard input" into the array called line `||`. It differs from the usual C function with the same name (and probably ought to have been called something different, like `getWSIn`) in that an AND operation is performed with each character and a mask (octal 177 or hexadecimal 7F) whose high-order bit is 0, in order to set the high bit in the character to 0. This task is accomplished in C with the statement `*t++ &= \177'`, which is a compact way to write both `*t = *t & \177'` and `t = t + 1`. The local variable `t` is a pointer to the current character, so that `*t` is the current character itself. Reading stops when either the end of the line (a newline character) or the end of file is encountered, and the line is terminated with a zero byte, as is normal in C. (In C, strings are simply arrays of characters that are explicitly terminated with a zero byte.) The function returns the length of the line, or a value of 0 if no characters were read, in which case the end of file is indicated.

The `isspace()` function, normally present in the standard C library, is coded here in assembly language both to illustrate how easy it is to include in-line assembly language in a C/80 program and for efficiency reasons.

Reflecting the origin of the C language, all programs written in C/80 accomplish I/O (input/output) redirection. This capability means that a C program such as this one, which reads its input from the "standard input" and outputs to the "standard output" (normally the console), can obtain its input from a file instead, simply by indicating the filename in the command line when the program is run. Thus, if the program shown in listing 1 is compiled and assembled to produce a program called `WCOUNT.COM` (to be run under CPM), for example, it can be used to count words in a WordStar file called `TEXT` by typing `WCOUNT < TEXT` followed by a carriage return.

COMING UP

In future issues, look for a C program that allows you to implement "pipes," UNIX-style, and multiple-command lines under CPM; dealing with the file directory yourself instead of using the operating system's `DIR` command; yet another sort program; more postprocessors for WordStar; and more. ■



Invariance

A computer card trick and a look at number narcissism

BY MICHAEL W. ECKER

Welcome to the world of mathematical recreation. The theme this month is invariance. In point of fact, there are several tricks in mathematics based on some kind of invariance. Some tricks, such as casting out nines, may be more familiar to you than others. Let's look at some of the lesser known ones.

A COMPUTER CARD TRICK

One of my personal favorites is one that you may have seen commercially available with special card decks. One player mentally picks a positive integer, say, from 0 to 63. The other player—the "guesser"—then shows six cards, each containing some of these 64 numbers, and asks whether the chosen number appears on each card. The first player indicates "yes" or "no." At the conclusion, the guesser is able to tell which of the 64 numbers was selected.

You might enjoy trying this game with your computer instead, letting it ask you the questions and give you the feedback. While I could have written the program (see listing 1) without the data statements, I would have given away all too quickly how this trick works. Figure 1 shows how the "cards" are presented. Because I work with a TRS-80 Model III and also a Sanyo MBC-555 (an IBM PC compatible), those of you with other compatible machines can probably run the programs I provide as is. If you have another machine, you will need to make some modifications to clear the screen, display a printout, and so on. In this case, CLS clears the screen, and the PRINT statements use commas afterward to keep the numbers in columns, the leftmost edges of which are 16 characters apart. You may replace the commas with tab statements to accommodate smaller or larger screens, or use semicolons and then print blanks.

Why does the trick work, mathematically speaking? If you analyze the program, you'll see that this program presents the cards, or screens, and adds a power of two if and only if the player replies "yes" (Y). Essentially, you are exploiting the following mathematical principle: Every positive integer can be represented in one and only one way as a sum of powers of two in which each power of two

is used at most once. This concept may be considered the underpinning for base two, which in itself is interesting and certainly related to computers.

To illustrate, let's take the number 25. It can be represented as such a sum (with the restriction stated—each power of two used at most once) as $1 + 8 + 16$, and in no other way, apart from the order of specifying 1, 8, and 16. Let's call this breakdown into a sum of powers of two the base-two decomposition. Now look at the cards again (see figure 1). Note that all the numbers on the first screen (a), which corresponds to card 1, require a 1 in their base-two decomposition. Note that 24, for instance, doesn't appear on the first screen precisely because its decomposition, $8 + 16$, doesn't require or allow a 1 in it. For 25, you answer "yes," and the program adds 1 (2 to the power 0). It does not do this for 24.

This process repeats with the second card of choices (b). All the integers on it require a 2 in their representation. Because 25 does not require or allow a 2, the number 25 does not appear. You would answer "no" (N) for this screen if you chose 25. In a similar vein, all numbers in the third screen (c) contain a 4 in their base-two representation. Those in the fourth (d) contain 8, the ones in the fifth (e) have 16, and in the sixth (f), 32.

If you determine which screens contain 25, you will note that it is precisely the ones corresponding to 1, 8, and 16. The program adds them together to reform the original 25. Furthermore, this pattern is easy to read, as the appropriate powers of two are precisely the first numbers (in the upper left) of each card.

An alternate way of viewing the screens is to treat each "yes" response as a 1 and each "no" as a 0. Now look at the yes/no sequence as zeros and ones, but in reverse order. For 25, corresponding to 32, 16, 8, 4, 2, and 1, we have 011001. Because we generally omit leading zeros, this truncates to 11001, which is the base-two representation of 25.

(continued)

.....
Dr. Michael W. Ecker is a mathematics professor at Pennsylvania State University, Worthington Scranton Campus.

NUMBER NARCISSISM

Numerical curiosities can be fascinating. For instance, if you write the fraction $\frac{16}{64}$ and incorrectly cancel the sixes—most assuredly nonsensical—you get $\frac{1}{4}$, which just happens to be correct. Another example would be $\frac{15}{65}$ with the nines going out.

If you write the fraction $\frac{16}{64}$ and incorrectly cancel the sixes, you get $\frac{1}{4}$, which just happens to be correct.

I want to focus on a different question though. Suppose you take a positive integer—greater than 1 to avoid trivialities—and cube each digit. Take, for instance, the number 123. The cubes of the digits are 1, 8, and 27, respectively, for a sum of 36. Hmm . . . nothing exciting there. Now try it with 153. The digit cubes are 1, 125, and 27, for a sum of . . . 153, the original number! Now *that's* interesting. Mathematicians call such numbers narcissistic (of order 3, or power 3). Some books also call them Armstrong numbers. Two books that describe this phenomenon and are worth taking a look at are by Donald D. Spencer, *Sixty Challenging Problems with BASIC Solutions* (Hasbrouck Heights, NJ: Hayden Book Co., 1979) and *Computers in Number Theory* (Rockville, MD: Computer Science Press, 1982).

The program in listing 2 grinds out narcissistic numbers. Note the iterated multiplication used instead of exponentiation. In this way, you accommodate the vagaries of computer and calculator arithmetic and avoid the consequent errors that sometimes appear. Another solution might be to declare integer variables, which might also speed things up compared to using floating-point real numbers. Also note the use of string functions. You may have to adapt this program to suit your machine. For in-




Figure 1: (a through f) Sequence of screen displays generated using the program in listing 1.

MATHEMATICAL RECREATIONS

Listing 1: BASIC program for a computer card trick.

```

1 CLEAR 1000
5 DIM A(6,32)
20 CLS
30 PRINT " PLEASE THINK OF A WHOLE NUMBER FROM 0 to 63"
40 PRINT:FOR Z=1 TO 1000:NEXT Z:REM TIME STALLER
45 PRINT:PRINT
50 PRINT " PRESS <ENTER> WHEN YOU ARE READY TO CONTINUE"
60 PRINT:INPUT X$
70 CLS
80 FOR J=1 TO 6
90 FOR K=1 TO 32
100 READ A(J,K)
105 IF A(J,K)< 10 THEN PRINT " ";
110 PRINT A(J,K).
120 NEXT K
125 PRINT:PRINT:PRINT
130 INPUT "DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)";N$
140 IF N$="Y" THEN S=S+2[(J-1):REM "I" IS EXPONENTIATION
150 IF N$<>"N" AND N$<>"Y" THEN 130
153 N$=" "
155 CLS
160 NEXT J
170 CLS
173 For Z=1 to 300:NEXT Z
175 PRINT " OKAY. CONCENTRATE VERY HARD NOW. . ."
180 PRINT " I AM READING YOUR MIND. . ."
183 FOR Z=1 TO 700:NEXT
185 PRINT:PRINT
186 FOR K=1 TO 2
188 PRINT " :STRINGS(57:)="
189 PRINT
190 NEXT K
193 FOR Z=1 TO 300:NEXT Z
194 PRINT " AHA! YOU PICKED THE NUMBER":PRINT S
196 FOR Z=1 TO 2500:NEXT
198 PRINT:PRINT
200 DATA 1,3,5,7,9,11,13,15,17,19,21,23,25,27,29,31,33,35
210 DATA 37,39,41,43,45,47,49,51,53,55,57,59,61,63
230 DATA 2,3,6,7,10,11,14,15,18,19,22,23,26,27,30,31,34,35
240 DATA 38,39,42,43,46,47,50,51,54,55,58,59,62,63
260 DATA 4,5,6,7,12,13,14,15,20,21,22,23,28,29,30,31,36,37
290 DATA 8,9,10,11,12,13,14,15,24,25,26,27,28,29,30,31,40,41
300 DATA 42,43,44,45,46,47,56,57,58,59,60,61,62,63
320 DATA 16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,48,49
330 DATA 50,51,52,53,54,55,56,57,58,59,60,61,62,63
350 DATA 32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49
360 DATA 50,51,52,53,54,55,56,57,58,59,60,61,62,63
    
```

stance. Texas Instruments computers use SEG\$ in place of MID\$. You can circumvent this translation if you are willing to settle for only looking up to a pre-specified level, such as 1000, as shown in listing 3, or by judicious and clever use of the INT function. You also can investigate higher-order narcissism using powers greater than 3.

By the way, 153 has another interesting property. Start with any number that is a multiple of 3, say, the 123 we used earlier. Take the sum of the cubes of the digits; in this case, $1+8+27=36$. Now

iterate the procedure with 36 to get the sum of the cubes of its digits: $27+216=243$. Repeating with 243 gives 99, which in turn gives 1458, then 702, then 351, then 153. Once you hit 153, because it is narcissistic of order 3, you keep getting 153. Hence, no matter with which multiple of 3 you initialize the algorithm, you keep getting pulled inexorably to 153. Try this with other multiples of 3 to see this "black-hole" effect using the program in listing 4.

To gain a glimmer of insight into why
(continued)

ORDER NOW!

**FREE SHIPPING
WHOLESALE PRICE**

BEST BUY!

LOCK!
Keeps up to 100 5 1/4" Diskettes in a protective, steel, smoke acrylic cover, ABS beige plastic bottom and 9 Plastic Dividers. Don't lose this chance to get a convenient, elegant, top quality organizer. Fast delivery and lower price on your LOCKING Diskette File, LA-90



No: LA-90
6 7/8" x 7 1/4" x 1 1/4"
WT: 2.6 lbs.

— WAREHOUSE DIRECT SALE —

<p>UPS shipping charge is prepaid (continental U.S. only). Cashier check, money order or cash with ship within 24 hours. Personal company check allow 10 days to clear.</p>	<p>YOUR NET PRICE</p> <table border="0"> <tr> <td>QTY</td> <td>1</td> <td>2-5</td> <td>6-10</td> </tr> <tr> <td></td> <td>\$ 19.90</td> <td>18.90</td> <td>17.90</td> </tr> </table>	QTY	1	2-5	6-10		\$ 19.90	18.90	17.90
QTY	1	2-5	6-10						
	\$ 19.90	18.90	17.90						

JUST MAIL YOUR ORDER WITH CHECK, TODAY!
DEALER / DEM WELCOME — DISCOUNT WITH QUANTITY ORDER
(714) 892-6229 • (714) 895-6186
LONG-LIFE ACCESSORIES CO.
 P.O. BOX 2925 • SEAL BEACH, CA 90740

Circle 190 on inquiry card.

Marymac
INDUSTRIES

800-231-3680

Pan American
ELECTRONICS

800-531-7466

Radio Shack TRS-80's

People you Trust to give you the very best!





- Lowest Price
- Reliable Service
- Quality Products





22511 Katy Fwy., Katy (Houston) Texas 77450
 (713) 392-0747 Telex 774132

Circle 200 on inquiry card.

Scotch Diskettes

Rely on Scotch® diskettes to keep your valuable data safe. Dependable Scotch diskettes are tested and guaranteed error-free. The low abrasivity saves your read/write heads. They're compatible with most diskette drives.



(800)235-4137



PACIFIC EXCHANGES
 1181 Franklin Blvd
 San Luis Obispo, CA
 93401 In Cal call
 (805) 542-5915 or
 (805) 542-1117

Dealer Inquiries Invited

Circle 243 on inquiry card.

Listing 2: Narcissistic-number-generating program using iterated multiplication.

```

10 CLS
12 INPUT "HOW LOW DO YOU WISH TO TEST FROM":MIN
15 INPUT "HOW HIGH DO YOU WISH TO TEST UP TO":MAX
20 FOR N=MIN TO MAX
30 NS=STR$(N)
40 FOR L=2 TO LEN(NS):REM START AT 2 DUE TO UNDERSTOOD +
50 D(L)=VAL(MIDS(NS,L,1))
60 C(L)=D(L)*D(L)*D(L)
70 SUM=SUM+C(L)
80 NEXT
90 IF SUM=N THEN PRINT "A NARCISSISTIC NUMBER IS":N
100 SUM=0
110 NEXT
    
```

Listing 3: Simplified narcissistic-number-generating program for numbers to 1000.

```

10 CLS
20 FOR H=0 TO 9
30 FOR T=0 TO 9
40 FOR U=0 TO 9
50 N=100*H+10*T+U
60 IF N=H*H*H+T*T*T+U*U*U THEN PRINT N: "IS NARCISSISTIC"
70 NEXT U
80 NEXT T
90 NEXT H
    
```

Listing 4: Regardless of which multiple-of-three number you select, this algorithm always produces the number 153, as explained in the text.

```

200 DIM A(15)
210 CLS
220 PRINT "IN THIS TRICK, I WILL ASK YOU TO GIVE ME A WHOLE NUMBER"
230 PRINT "WHICH IS A MULTIPLE OF 3. THE COMPUTER WILL THEN TAKE EACH"
240 PRINT "OF THE DIGITS AND CALCULATE THE CUBE OF EACH DIGIT:"
250 PRINT:PRINT "THEN THE SUM OF THESE WILL BE DISPLAYED, THE PROCESS WILL"
260 PRINT "THEN BE REPEATED WITH THAT NUMBER. AS NEEDED, UNTIL"
270 PRINT "WE START GETTING THE SAME NUMBER. AMAZINGLY, THIS"
280 PRINT "MUST ALWAYS HAPPEN, AND ONE ALWAYS GETS THE SAME ANSWER!"
290 PRINT:INPUT "PRESS <ENTER> TO CONTINUE":XX
300 CLS:INPUT "GIVE ME A WHOLE NUMBER WHICH IS A MULTIPLE OF 3":N
310 PRINT
320 NS=STR$(N):L=LEN(NS)
330 IF ABS(N-INT(N))>.00001 THEN PRINT "A WHOLE NUMBER PLEASE!":FOR Z=1 TO 700:NEXT:GOTO 300
340 IF ABS(N/3-INT(N/3))>.01 THEN PRINT "A MULTIPLE OF 3 PLEASE!":FOR Z=1 TO 700:NEXT:GOTO 300
350 S=0
360 FOR I=1 TO L
370 A(I)=(VAL(MIDS(NS,I,1))):A(I)=A(I)*A(I)*A(I)
380 S=S+A(I)
390 NEXT I
400 PRINT "THE SUM OF THE CUBES OF THE DIGITS OF LAST NUMBER IS":S
410 IF S=N THEN PRINT:PRINT "PROCESS IS COMPLETE."
415 IF S=N THEN PRINT "TO START AGAIN, HIT <ENTER>":INPUT XS:GOTO 300
420 IF S <> N THEN N=S:S=0:GOTO 320
    
```

we get this interesting property, note that a number of four digits or more will have the sum of the cubes of its digits being smaller than itself. Hence, iteration continually "pulls down" large numbers into a small range of numbers, namely those with at most four digits. Then, for numbers from 1 to 9999, consider the number obtained by taking the sum of the cubes of the digits, repeated

It just so happens that if you start with a multiple of 3, the first number you hit that begins a cycle is 153.

as needed. You eventually hit all or some of the numbers and so must get a cycle. For instance, starting with 55, you get 250, then 133, then 55 again, at which point you will keep getting the 55-250-133-55 ... cycle. If you hit one of the narcissistic numbers, the cycle is of length one and keeps looping you back to that same narcissistic number the very next step. In either case, every number may be perceived as leading eventually to the beginning of exactly one such cycle. It just so happens that if you start with a multiple of 3, the first number you hit that is the beginning of some cycle is the number 153. Said in another way, all the multiples of 3 feed into the one cycle ... 153-153 ... I am not aware, off-hand, of a more profound explanation for this phenomenon. (An uncanny coincidence was that this article's original manuscript was 153 lines long.)

We plan more installments of "Mathematical Recreations" on a rotating basis with other Kernel articles. Your comments, questions, suggestions, improvements, superior programs, and the like, as well as your indications of interest in this feature, will be most appreciated. Please write to BYTE or me, Dr. Michael W. Ecker, c/o BYTE, 70 Main St., Peterborough, NH 03458. Tell us what you think. ■


Announcing 4 New Collector Edition

BYTE COVERS

The 4 Byte covers shown below are the newest additions to the Collector Edition Byte Cover series. Each full color print is 11" x 14", including a 1 1/2" border, and is part of an edition strictly limited to 500 prints. Each print is a faithful reproduction of the original Byte painting, printed on museum quality acid free paper, and is personally inspected, signed and numbered by the artist, Robert Tinney. A Certificate of Authenticity accompanies each print.

Collector Edition Prints are carefully packaged flat to avoid bending, and are shipped first class within one week of receipt of order. The price of each print is \$25. All 4 prints are available as a set (Set 21-24) for only \$80.

Other Collector Edition Byte Covers are also available from Robert Tinney Graphics. For a color brochure, or to order one or more of the prints shown, please check the appropriate box in the coupon below.




#21 The Wall Street Terminal \$25



#22 "Opening Files..." \$25



#23 The Stacks \$25



#24 Inside IBM \$25

Please send me the following Prints (\$25), or Sets (\$80).

QTY.	TITLE & PRINT NO.	AMOUNT
_____	_____	\$ _____
_____	_____	\$ _____
_____	_____	\$ _____
postage & handling \$3.00 (Overseas \$8.00)		\$ _____
TOTAL		\$ _____


Please send me your color brochure.

I have enclosed check or money order.
 Visa MasterCard
 Card No. _____
 Exp. Date: _____

SHIP MY PRINTS (OR BROCHURE) TO:
 Name: _____
 Address: _____
 City: _____
 State: _____ Zip: _____

Mail this coupon to:
robert tinney graphics
 1864 N. Pamela Drive
 Baton Rouge, LA
 70815

FOR VISA OR MASTERCARD ORDERS
 or for more information
CALL 1-504-272-7266
 Daytime or Evenings



This one sloppy floppy can

THE SLOPPY FLOPPY

Most companies seal their discs with a spot here, a spot there. Leaving most of each seam not sealed at all.

Sooner or later, the seams might do what comes naturally: they bulge. Warp. Pucker. Open up.

You can prove it to yourself. Just take a floppy and twist it.


See those wide open spaces?

That's sloppy. And dangerous. Because if you put a sloppy floppy into your disc drive, it can jam the drive. Lose your data. Or ruin the drive head.

And there goes \$400.

Memorex is a registered trademark
of Memorex Corporation.
©1984 Memorex Corporation
A Burroughs Company





ruin your \$400 disc drive.

THE MEMOREX® SOLID-SEAM BONDED FLOPPY

Memorex seals its floppy discs with a process it developed, called Solid-Seam Bonding.

Solid-Seam Bonding seals shut every inch of every seam of every Memorex floppy disc. Tight as a drum. That makes the Memorex floppy stiffer. Stronger. And your data safer.

You can prove it yourself. Just take a Memorex floppy and twist it. You'll see no wide open spaces.

No wide open spaces that can jam your drive. Lose your data. Or ruin your drive head.

Which could cost you \$400.

Sowhy risk it?

Protect your drive. And your data. Ask for Memorex floppy discs, with Solid-Seam Bonding.

It's always better to be safe than sloppy.

For more information on the full line of Memorex quality computer media products, including computer tape, call toll-free: 800-222-1150. In Alaska and Hawaii call collect:

408-987-2961.



Your Data. When it matters, make it Memorex.™

MEMOREX

Circle 205 on inquiry card.



(continued from page 123)

Are you ready for string arithmetic? Symphony includes some long-awaited string functions (see listing 1).

A valuable indexing function has been added enabling use of subscripted variables. The @INDEX(RANGE,COL,ROW) returns the value in RANGE at the COL and ROW specified. With this command, you can set up a matrix of values and easily access one particular value by specifying two variables (for example, age and salary). A RANGE-TRANSPPOSE command is included that serves to switch rows and columns as it copies.

All the other features of Lotus 1-2-3 are alive and well in Symphony. All models developed with Lotus 1-2-3 are compatible with Symphony.

THE DATABASE ENVIRONMENT

Symphony provides you with a forms-oriented database with rows as records and columns as fields. A data-entry form, including error checks, can be created in the process of defining the database. You can create a custom data-

base from scratch or use single command and default values. The latter and easier way is to specify the field headings down a column. One command and several keystrokes later you have a form ready for data entry. Symphony prepares a Setting sheet describing the database, which you can later edit. The database environment is fully integrated with the other four Symphony work environments.

A database form can be attached to a window using the FORM environment for easy data entry. For error checking, you can require that each entry be a number, label, date, or time of day. You might have each entry pass a test before Symphony stores it.

All the database features of Lotus 1-2-3 are present. Records can be sorted ascending or descending quickly using three keys. Numerical or string calculations can be performed using individual records or the entire database. You can even add new records to the database by receiving them from a remote computer over the telephone.

As with Lotus 1-2-3, you still need to

specify criteria and output ranges for record selection. Statistical analyses can be performed on entire databases or on groups of records found in a search. The functions include average, count, max, min, standard deviation, sum, and variance of items in a range.

Graphs can be created using raw data in the database or using the results of statistical analysis. A variety of printouts can be made from databases including standard reports, invoices, mailing labels, and form letters—yes, you can get the database and word processor working together.

THE GRAPHICS ENVIRONMENT

If pictures are worth a thousand words, Symphony is not ignoring the fact. An impressive variety of printers and plotters are supported and a strong configuration program lets you make good use of them. However, as with Lotus 1-2-3, you still need to dump pictures to disk and exit to a separate utility to plot them.

All the graphics capability of Lotus 1-2-3 is present. Seven color graphs can be defined in Setting sheets, which, like the other environments, can be freely viewed, edited, and stored in a Setting catalog for later use. You can even browse through the catalog of defined graphs. Both spreadsheet and database numbers can be graphed.

The graphs can be attached to GRAPH environment windows where they become automatically updated during data editing at your option. You can then manipulate the size and position of the graph windows on the screen. They can be freely paged through and stored away at your discretion—there's great potential here for a slide show that uses macro files. Any active graph window can be expanded to full screen at any time using the Zoom command.

THE WORD-PROCESSING ENVIRONMENT

In Symphony you can write, edit, format, and print a document without leaving the word-processing environment. You can create a document window, then blow it up to full-screen size by pressing the Zoom key. The top border of the screen will be marked by margin and tab indicators—and behold, you have a word processor.

Listing 1: String functions included in Symphony.

@ASCII (STRING)	Returns ASCII (American National Standard Code for Information Interchange) code for the first character in STRING
@CHR(X)	Returns ASCII character represented by number x
@FIND(STR1,STR2,x)	Returns start of STR1 in STR2 starting at character x
@LEFT(STRING,x)	Returns x leftmost characters in STRING
@LENGTH(STRING)	Returns length of STRING
@LOWER(STRING)	Changes STRING to lowercase
@MID(STRING,x,y)	Creates string from x to y characters of STRING
@PROPER(STRING)	Changes STRING to initial caps
@REPEAT(STRING,x)	Adds STRING to itself x times
@REPLACE(STR1,OFFSET,x,STR2)	Deletes x characters from OFFSET in STR1; replaces with STR2
@RIGHT(STRING,x)	Returns x rightmost characters in STRING
@STRING(x,y)	Converts number x to string in fixed format with y decimal places
@TRIM(STRING)	Removes leading/trailing blanks from STRING
@UPPER(STRING)	Changes STRING to uppercase
@VALUE(NUM_STRING)	Converts NUM_STRING to numeric value
@DATEVALUE(DATESTING)	Serial number of DATESTING
@TIMEVALUE(TIMESTRING)	Serial number of TIMESTRING
@ISSTRING(TEST)	TRUE if TEST is a string
	NOTES: 1) x,y, and OFFSET are single-cell numeric values
	(cell address/range name of single cell, or a number)
	2) STRING, STR1, STR2 are single-cell strings (cell address/range name of single cell, or string enclosed in double quotes)
	3) NUM_STRING is a single-cell numeric label (i.e., number being used as a label)

COMPOSE	WHERE	F1	F2
HELP	EDIT JUSTIFY		
SPLIT	CENTER	F3	F4
ABS	CAPTURE		
INDENT	ERASE	F5	F6
LEARN	ZOOM		
GOTO	WINDOW	F7	F8
STEP	DRAW		
USER	CALC	F9	F10
SWIICH	TYPE		
SERVICES	MENU		

Symphony™ from Lotus™ Alt + key

Figure 1: The Symphony function-key template.

Standard word-processing commands are available. Word-wrap is the default, but optional. Paragraphs only or the entire text can be justified right, left, or centered. You can move by character, word, line, paragraph, page, or markers inserted in the text. Ranges can be specified for Move, Erase, and Copy commands much like the spreadsheet. This is a very powerful feature.

Search and replace of word and phrases is supported with lowercase ignored and multiple replace and skip. Page breaks can be inserted in a document with a single keystroke. Individual lines or whole sections of the text can be independently formatted and the format definitions saved for later use.

The word processor appears adequate for generating reports. It is available to any window. Calculated spreadsheet cells can even be mixed in with text created with the word-processing environment.

THE COMMUNICATIONS ENVIRONMENT

The communications (COMM) environment lets you transfer files to and from

another computer via hardwire connection or modem. You can even capture data during a communications session and send it to disk as an ASCII print file or send it to the worksheet to be edited in the document environment. Data can also be downloaded and inserted into spreadsheet models. The communications features available rival those of specialized communications software, especially considering the macro capability of Symphony to fully automate communications and integrate with other environments in the same program.

As with the other environments, Setting sheets can be created to configure Symphony for each computer system you want to call, and any setting can be loaded automatically with a model. A variety of configuration options are available.

For each Setting sheet you can specify the bits-per-second rate, parity, word length, and stop bits. The phone you use can be pulse or rotary dial with the called phone number specified for auto-dialing. Auto-log-in sequences can be defined in a log-in Setting sheet.

You can set the screen width for receiving data, set duplex, and even control character-set translation during a terminal session. To aid in talking to temperamental systems, the software gives you control over end-of-line characters to send, characters to handshake on, and delays after each line is transmitted. These features come in handy when trying to communicate with a variety of systems.

You can set the break-key duration and allow or disallow suspension of output for inbound and/or outbound transmissions. In the Install program, I noticed the default error-checking protocol used was XMODEM. This is a popular protocol. Error checking is imperative for the integrity of data transfer. After all, you want to be confident that all those numbers and formulas got through error-free. A missing 0 or character in a formula can be devastating.

THE PROGRAMMING LANGUAGE

Strong features of Symphony are its macros, command language, and Learn facility. You can teach Symphony to perform tasks automatically. Macros (sometimes called script files or command

files) consist of a column of label entries and/or string-valued formulas. The range of cells holding the macro can then be given an English name. Pressing one key and entering the English name executes all the commands in the macro.

The Learn feature of Symphony lets you switch ON a Learn key that remembers subsequent keystrokes and stores them automatically in a user-specified range within a column. Toggling the Learn feature OFF ends the macro, which can then be invoked to execute the same sequence of keystrokes. These macros can remember simple labels or headings to a complex sequence of events you would normally enter from the keyboard.

In addition to remembering and executing your keystrokes, a command language is available to extend the macro capability. You can declare argument types, create macro subroutines, pass arguments to subroutines, pause for operator entry, create menus, conditionally branch, iterate, and use GOTO. In short, you can program seriously with Symphony.


SUMMARY AND CONCLUSION

Lotus has taken the time to research and develop a good user interface to a very complex and powerful program. Although there is a bit of a learning curve using Symphony, the Help files respond precisely to the task you are performing and are designed better than ever. An on-line tutorial is also provided. The Symphony manuals include a glossary of terms.

Use of windows, the focused menu structure and Setting sheets all help to minimize confusion. Creative use of macro files and the command language can serve to further minimize user confusion. The ability to password-lock the worksheet ties everything up in a nice secure knot and prevents unpleasant overwrites and tampering with valuable formulas.

The potential Symphony provides for turnkey model building is profound—I must admit, now I'm less of a skeptic toward integrated software. I don't think much power was lost through integration. The program will vastly improve the quality of modeling on microcomputers. Now, excuse me while I don my tuxedo and slip away to spend a few weeks with Symphony. ■

To communicate voice the ordinary modem



and data simultaneously, leaves a lot to be desired.

Introducing the Tel-A-Modem.

Now you and your personal computer can talk on the same phone at the same time.

Let's say, for example, certain data you were transmitting via your personal computer to a remote computer user needed some verbal explanation to go along with it. With the ordinary modem it couldn't be done. Not simultaneously.

You'd have to first call the user to inform them that data was coming. Hang up. Redial in order to connect modems. Transmit the data. Hang up. And then call back with your explanation. If you had additional input to transmit and discuss, you'd have to begin the whole process again. Talk about frustration.

Code-A-Phone's solution to this problem is the Tel-A-Modem. An innovative two-line desk telephone integrated with an intelligent modem capable of transmitting voice and data simultaneously.

Of course, the genius of Tel-A-Modem doesn't end with its unique communication capabilities and state-of-the-art convenience.

Specially designed for use with RS-232C compatible computers and terminals, it offers a full spectrum of both telephone and modem cost effective features, including: single button selector for voice or data on either line; full-duplex mode; automatic answer/origi-

nate modes; 300 and 1200 baud data transmission rates; automatic selection of baud rates; switch dialing for tone-dial or pulse-dial systems; memory autodial; and modem status LEDs.

So much for words.

For more information and the name of your nearest Tel-A-Modem dealer, call 1-800-547-4683. That is, just as soon as your computer gets off the phone.

In Oregon, Alaska and Hawaii, call 1-503-655-8940.

Code-A-Phone®
A SUBSIDIARY OF CONRAC CORPORATION



Circle 55 on Inquiry card.

(continued from page 137)

crowds. Borland's president, Phillippe Kahn, was there to demonstrate his product and to talk with anyone who'd listen. He's planning a whole line of products, all to be sold at under \$70. Unlike most software publishers, Kahn tries to see how *much* he can include in his packages. For example, the PC version of Turbo Pascal comes with a nifty spreadsheet program—complete with source code. The source contains a number of screen-handling procedures I'd have been willing to pay separately for.

I'm pleased to say Turbo was selling like mad. In case anyone has any lingering doubts, let me repeat: Turbo Pa^scal is as good a Pascal compiler as can be found on the micro market regardless of price. The new Turbo 2.0 for the PC has overlays, allowing you to write big programs. The integrated editor is a feature found only in really expensive compiler systems. Turbo Pascal is, as I write this, the *only* Pascal compiler that will work with the IBM PCjr. Not even IBM Pascal will do that! Besides, Turbo is much better than the Pascal IBM sells.

Incidentally, Phillippe Kahn tells me that he tried to get IBM to market Turbo, but IBM wouldn't do it unless he raised the price to at least \$200. For reasons he doesn't understand, he hasn't been able to find anyone at Apple who'll talk to him at all about getting it out on the Macintosh. (Borland doesn't yet have a Macintosh Turbo. Pity.)

Turbo Pascal is an example of where I see this industry heading: an excellent product, well documented and well supported, sold at a fair price.

BLAISE

One reason many of us like Pascal as a programming language is that you can build up a whole raft of utilities—a box of software tools, if you like—and make use of them in many different programs.

Blaise Computing—I suppose the name is derived from Blaise Pascal?—offers a set of functions and procedures for writing programs in either Microsoft or IBM Pascal. They include both string handling and screen handling. There's a distinct possibility that using these could save a lot of time; it would depend on just how well done the tools are.

They don't support Turbo, alas, but

source code comes with the tools, so it shouldn't be that hard to adapt. I haven't actually looked at what they offer, so I can't tell how much they go beyond the routines given in Peter Norton's book.

FRIENDS AND BOOKS

One reason I like the West Coast Faire is that I meet a lot of old friends and make new ones. This year I met Doug Clapp, who has been, uh, kind enough to mention me in his columns. Clapp's book *Macintosh! Complete* was, I think, the first one on the Macintosh to be published; alas, it reads as if it were rushed into print, and most of what's in it is either elementary or full of goshwow! breathless awe of the machine. It wouldn't be a bad beginning book, except for the price, which is pretty steep for what's actually covered.

A better Macintosh book is Cary Lu's *The Apple Macintosh Book*, which goes into heavy technical detail but also covers a lot of elementary essentials. Like Clapp's book, it assumes there's going to be a lot of software for the Mac and that many of its problems will be solved. If you have to get your book out the same month that the computer appears, you'll always have this problem, of course. Eventually there will be books written by people who have used the mature system; until then, Lu's is certainly the best reference I've seen, and I recommend it to anyone who either has a Mac or is thinking of getting one. Alas, Clapp has a really bad case of Macworship; you won't get an objective assessment from his book.

Robert Tinney, the genius who does the BYTE covers, was at the BYTE booth with Susan, his wife. He was selling posters made from his old covers, and doing a pretty good business. He also took some photographs of me; he'll be doing the cover to my collection of columns and reminiscences that comes out this October from Jim Baen Associates.

While I was talking with Robert and Susan, I met Peter Norton, whose *Inside the IBM PC* is just plain excellent. The book gives lots of examples, in BASIC, Pascal, and even assembly language, but it's written in a clear and intelligent style that neither talks down to the reader nor leaves out important information. Highly recommended for anyone with a PC or close PC clone.

Infoworld, as usual, held a big blowout party; this year it was in City Hall. I ran into John Dvorak there and couldn't resist asking him to rate the party, but he wouldn't do it. Adam Osborne was also there. He'd just announced his new software development and publishing venture. He seemed happy enough. Alas, I couldn't stay long; the party featured a rock band and was held under the City Hall dome. Great acoustics if you want to be deafened. . .

DIMENSION

One of the most interesting hardware items was Micro Craft's Dimension 68000 "Professional Personal Computer." At CP/M East in Boston these folks had only one copy of the machine in their booth; now there were half a dozen, and they were selling them right there at the show; I noticed a couple of software companies buying, and Chris Rutkowski's Rising Star, which is overhauling the Epson QX-10 software, seemed decidedly interested.

The Dimension is supposed to run software written for nearly any 8-bit or 16-bit machine, including Apple, IBM PC, Kaypro, TRS-80, UNIX, and Osborne. The idea is that Dimension owners won't have to worry about software compatibility; one machine runs everything.

I've had no chance to examine the machine, so I merely report the company's claims. Micro Craft had one set up with transparent cover, and it looked well constructed, but that kind of inspection isn't worth much. It's certainly an intriguing concept.

THE BIG MAC

The most spectacular display at the Faire was Apple's giant-size model of a Macintosh. This big Mac is large enough to walk into! The Screen is a projection image of a nearby normal size Macintosh, so that crowds of people can watch Macdemonstrations, and it certainly drew the crowd.

There were also several dozen Macintosh computers upstairs; those interested could make an appointment to go play with one for half an hour. Many people took Apple up on the offer, and they all seemed to come away with smiles. There's no doubting it: the Macintosh is *fun*. I haven't seen so much excitement since the very earliest days.

In spite of all the Macexcitement, there was essentially zero applications software for the Mac. No one had any hardware to hang on the Mac's I/O port (called a "virtual slot" in Macsales literature). There was a MacForth to be available Real Soon Now, and the FORTH people had a second disk drive—without a case—attached to the Mac. They'd apparently cobbled that up themselves: Apple wasn't supplying second drives. Or perhaps they were blessed.

Macintosh comes with Macwrite, a limited text editor, and Macpaint graphics-support packages. Apple expects outsiders to develop software for the machine. So far there isn't much. Except for Microsoft's Multiplan—which is copy protected on the Macintosh although the IBM PC version is not; presumably Macintosh users are less honest than IBM customers?—I saw only one other applications program for the Mac.

That was at the Workman and Associates booth: Bruce Tonkin, software author, shared Barry's booth. Bruce writes really complex programs in Microsoft BASIC (MBASIC). Actually, he writes in P-BASIC, which is a structured BASIC precompiler that compiles to, of all things, legal MBASIC. The P-BASIC compiler is written in Microsoft BASIC, so it wasn't very difficult for Bruce to get it onto the Mac.

He used it to write a highly complex database program called the Creator for the Macintosh. Guy Kawasaki, Apple's Macproject head, was quite impressed when he saw it running. It's a good program, not up to dBASE II, but good enough for a lot of serious business work, and it's fast (even in interpretive Microsoft BASIC).

That was all we found for the Mac. The machine has some limits, especially for serious business users. Lack of applications software is one major difficulty. A full discussion of this machine and what

it means to the micro world will take more space than I have here and appears in this month's column.

MORE NETWORKS

Bill Godbout's CompuPro company was proudly showing off the four-user Shirley; you'll recall CompuPro had a mock-up of it at the last Faire. Shirley puts four computers in a single box and internally networks them; each user has a central processor and memory banks.

The CompuPro folks announced that they'll be using Datapoint's Arcnet system to tie their multiuser machines together. This includes not only the Shirley machine (officially known as the "10") but also the new machine based on the iAPX20286 chip. The 286s are pretty expensive just now, but they are available to software developers.

CompuPro also had Concurrent CP/M 3.0 running on an 8/16 8085/8088 Dual Processor system much like mine. With *(continued)*

WANTED

"Buyers," & We'll pay the shippin'

• CALL FREE (800) 654-4058 •

"Call For Reduced Prices At Various Quantities"

<p>Verbatim</p> <p>5 1/4" sin-side dbi-den. 2.40</p> <p>5 1/4" dbi-side dbi-den. 3.45</p> <p>5 1/4" sin-side quad 3.20</p> <p>5 1/4" dbi-side quad 4.40</p> <p>8" sin-side sin-den. 2.75</p> <p>8" sin-side dbi-den. 3.05</p> <p>8" dbi-side dbi-den. 3.40</p> <p>Head Cleaning Kits... 5.20</p> <p>Refills 9.55</p>	<p>Dysan CORPORATION</p> <p>5 1/4" sin-side dbi-den. 3.20</p> <p>5 1/4" dbi-side dbi-den. 4.20</p> <p>5 1/4" sin-side quad 4.45</p> <p>5 1/4" dbi-side quad 4.95</p> <p>8" sin-side sin-den. 3.45</p> <p>8" sin-side dbi-den. 4.45</p> <p>8" dbi-side dbi-den. 4.95</p> <p style="text-align: center;">We Stock "Bulk-Packed" Diskettes</p>	<p>3M Scotch</p> <p>5 1/4" sin-side dbi-den. 2.20</p> <p>5 1/4" dbi-side dbi-den. 3.20</p> <p>8" sin-side sin-den. 2.35</p> <p>8" sin-side dbi-den. 2.95</p> <p>8" dbi-side dbi-den. 3.90</p> <p style="text-align: center;">Disk Minder</p> <p>• Smoked Plastic</p> <p>• Holds 75 Disks</p> <p style="text-align: center;">16.75 ea</p>
--	--	--

Prices per ea. 10 per box

Dealer Inquiries Welcomed

the Diskette Connection™

P.O. Box 1674
Berryville, Ok. 73008

VISA

MEASURE THE REAL WORLD WITH OUR **SAV 10** MULTI CHANNEL

SERIAL ASCII VOLTMETER

The new voltage monitor with SERIAL ASCII output messages compatible with computers, data terminals and other devices with standard RS232C input interface.

FEATURES:

- STAND-ALONE operation, no control messages from a host computer.
- 4 ANALOG VOLTAGE INPUTS at 0 - 2.55V, measured simultaneously at 8 bit resolution.
- SIMPLE INSTALLATION directly connects to a data display terminal.
- SELECTABLE OUTPUT DATA RATE.
- LOW POWER CONSUMPTION suitable for battery operation.
- RUGGED, COMPACT PACKAGE ideal for portable applications.
- NUMEROUS APPLICATIONS Remote data monitoring, Data logging and processing, Security systems, etc.

\$149.95

Introductory price
60 days money-back guarantee

Dealer and OEM inquiries invited

MARON PRODUCTION INC.
DISCOVERY PARK, 105 - 3700 GILMORE WAY,
BURNABY, B.C. CANADA V5G-4M1. Phone: (604)435-6211.

Please send me _____ SAV10 SERIAL ASCII VOLTMETERS at US\$149.95 each + shipping

Enclosed is money order for US\$ _____ or charge VISA MASTERCARD

Card No. _____ Exp. _____

Name _____ Signature _____

Address _____

City _____ State _____ Zip _____

four users and eight tasks, it worked, at night, but it was pretty slow. I'm much looking forward to getting Concurrent QW with windows running here but I'll never put multibuses on a single micro-processor. One user, at least one central processor, that's the rule these days.

OVER THE RAINBOW

Digital Equipment Corporation had a large booth just next to Apple, but the people there seemed to have trouble generating any excitement.

DEC is a company that has learned fast. When the people at DEC first brought out their Rainbow PC, they seemed determined to isolate their users from the rest of the micro world. The Rainbow wouldn't even format its own disks! You had to buy them preformatted.

No more Rainbow now reads lots of disk formats and runs all manner of outside software. DEC never tires of bragging about just how much. Like the P/Pro, the DEC Rainbow has both 8-bit I80 and 16-bit 8088 microprocessors and can run QW-10, QW-16, and MS-DOS software. It's a pretty machine, with a good display—and very nearly the same switched keyboard as the IBM PC. Since the IBM designers have said it improves that they just sort of "made up" the IBM PC keyboard, I wonder why DEC's salespeople insist there is some kind of European standard?

The Rainbow deserves more attention than it got here next to the over-crowded Big Mac display must have been pretty grim for the DEC booth people.

CONVITS

As I've reported in previous columns, we have a Convix Concept computer. It implements Convix's Convixnet system which lets us link up an Apple, IBM PC, Zenith 2400, 9 PC, and Compaq 3400 bus system so that they can all share the Concept's large hard disk.

The only person I "hook" at Convix is a software engineer named David Ramsey, and I've never actually met him; we've corresponded and talked many times on the phone. When I spotted the Convix booth at the Faire, I headed right for it. A rather pretty young lady with blue eyes was the only person visible.

"Is David Ramsey here?" I asked. She didn't hesitate a second. "Oh, no. We don't let him come to the Faire. We keep him chained to his desk."

Alex was later told the same thing. This makes me more anxious than ever to meet him.

Convix has made some changes in its system. For example, our Concept's hard-disk unit is very large, about 19 inches as wide as an 8-inch disk drive and a little taller. This size is a hangover from the days when they shipped 8-inch hard-disk drives some years ago, since the drive made is a 40-megabyte 19-inch drive. Convix showed off a new hard-disk drive at the Faire. It's only a little larger than the 19-inch hard-disk it contains.

The new model has the Convixnet interface built in—ours has a separate unit, about 20 inches as high as a full-height 19-inch disk drive to connect it to the Convixnet. Believe me, the amount of space taken by these drives is large, so I was happy to see these improvements. Mr. Ramsey swears he's coming down to Chaco Manor to oversee installation of the new and improved system, run twisted pairs of Convixnet wires around, and to general improve on communications here. I'm much impressed by the Convix. I keep hoping the company will make that big bit-mapped screen to the Modula operating system, but Convix says it has something even better, or at least as good, which Ramsey will show us when he comes. I'm prepared to be impressed.

I just hope they take the chairs off before they let him come.

PC-WRITE

PC-Write is a full-screen text editor that makes use of many special features of the IBM PC. I haven't tested PC-Write, but I've seen enough of it to know it's a pretty good editor—especially for the price. You can get it for \$30, or even for free.

PC-Write is distributed as "Shareware." What this means is that you can buy a copy from the publisher for \$30, but that's not the principal means of distribution. Anyone who has a copy is encouraged to give copies to all his friends. The program and its documents are all on disk, so this is quite feasible.

People who get the program and like it are expected to send \$75 to Quix

soft, the program publisher. When you send in the money, you get a printed copy of the document—a marginal improvement over what's on the disk—and an "official registration number." Purdle registration number into your copy file, when you give copies away. If anyone you've given it to sends in the \$75, you'll get a 50% sales commission.

Quixsoft's Bob Wallace says the company's not doing too badly. A number of people have liked the program enough to register it. He's meanwhile writing new programs to distribute this way.

I don't know whether the "share-aw" concept will catch on. I encourage the trend.

TUTSIM

One program I'm likely to use often has the oddname of Tutim and comes with a picture of an Egyptian pharaoh. I presume it's King Tut. I have a copy, and when I get a chance I'll write it out, meanwhile, I saw it work at the Faire, and it was impressive.

Tutim solves differential equations. It does this by turning your computer into a kind of analog device; that is, you can simulate the various kinds of operational amplifiers, some of us older types remember from days long ago. Once you have the analog model set up, Tutim solves the equations and produces the graphical results.

This probably makes little sense to some readers. Don't worry about it. I'll have a lot more in upcoming columns. Tutim looks to be a very practical engineer's toolset, and anyone who has to work with, or teach, differential equations should write Applied I for more information. It might be exactly what you're looking for; certainly it was one of the most unusual items I saw at the Faire.

RAISA SYSTEMS

I could recall Raisia Systems being at the Faire before, but I may simply have missed it. Since the last show, I've met Fran Mulvaska, Raisia's director of communications, and we have installed his systems, so I tend to notice the company more.

Anyway, the Raisia folks were out in force this year with a variety of products. Their flagship item remains the 23-megabyte floppy disk that im-

pressed me last year at NCC. They also make a full line of disk drives for Atari and Apple computers. I've used them, and they're faster and more reliable than the ones Apple and Atari supply.

Rana's monster floppy-disk controller goes into a standard IBM PC slot. It can control standard floppy disks as well as 2.5-megabyte drives (good for an overcrowded PC). I've been using 1.1-megabyte 8-inch floppy disks for some time now, and every time I have to work with smaller disks I miss the big storage capacity. *It would* be a weird experience to have 5¼-inch disks with a greater capacity than my 8-inch disks!

Rana will shortly have the 2.5-megabyte disks for Apple IIe systems as well. We expect to get one pretty soon. Full report then.

OSBORNE

Suddenly a lot of people were wearing buttons that said "Osborne is back!" However, if you read the fine print it wasn't so certain.

The people at Osborne had a booth, not as large as the ones they had in the salad days, but large enough and complete with balloons. (Interestingly enough, Kaypro, which is the entry-level system I most often recommend, was in the booth Osborne occupied last year.) The Osborne people had videotapes of Adam Osborne himself telling how wonderful the Osborne computer is. They even had a bunch of computers that looked like the old Executive, until you got close to them.

What they didn't have was order books. No computers were for sale, and no price for the new Osborne PC has been established. This Osborne is different enough from the ill-starred Executive to warrant calling it a new machine. They say it is definitely PC compatible: I saw it run Flight Simulator, which is the program people often use to test PC compatibility. Otherwise, the machine looked a lot like the older Executive.

There are a lot of differences, though. There's an RGB (red-green-blue) color board adapter, an expansion chassis, and a socket for the 8087 math chip.

At last year's Faire, Osborne had patches with the big "barred O" symbol and the words "Osborne—teaching others to be humble." There weren't any of those patches this year.

ZENITH'S FRIENDS

As usual, Zenith took one of the largest booth areas of the Faire. It doesn't look all that big, because the folks at Zenith always invite certain people to share it with them. For example, Jim Hudson, whose 8087 math board greatly increases 8086 machine capabilities, was there. Jim was showing off his 8087 boards for the Z-100 and the CompuPro. The Z-100 board is especially ingenious: it's an S-100 board with 256K bytes of RAM (random-access read/write memory) and the 8087 both aboard. The 8088 goes on his board, and a header plugs into the motherboard where the 8088 went: the memory connects to the S-100 connector and gets all the decoding and so on there. The Hudson board has a lot of bang for the buck.

Walt Bilofsky's Software Toolworks also shared quarters with Zenith. The Toolworks has changed a bit. Instead of Insta-press flyers, Walt has a big color catalog printed on slick paper. The logo of the blacksmith forging a floppy disk on an anvil is gone, too. For nostalgia buffs, he still distributes software in Ziploc sandwich bags though.

The Software Toolworks used to specialize in Heath/Zenith software, and the company still has a lot for those machines, but most of what I got from Walt this trip is for the IBM PC. I'll report in a later column; meanwhile, those who don't know about the Toolworks ought to get a catalog. Bilofsky sells good stuff at remarkably low prices.

The MPI printer people were also in the Zenith area. Zenith now sells MPI printers. So does Heath in its catalog. The printers say "Zenith" on the outside, but the catalog lists them as MPIs. Pretty honest. I've written about the line before: we have four MPI printers, and we're happy with them all.

HEATH/ZENITH'S NEW Z-150

The Zenith Z-150 ZPC is its entry into the IBM-compatible arena, and it's an impressive one, so much so that my first thought is that this is probably the PC clone to buy if you want one. We'll be getting one shortly—full report then. It sure has a lot of nice features.

The Z-150 is a desktop, smaller than the IBM. It seems to run everything that the IBM will, right out of the box. We watched Bruce Tonkin put his MyWord

word-processing program in the Zenith and run every feature. Rachel Klau, a programmer for Heath, said that people came by through the entire show and ran all their favorite IBM programs without fuss, muss, or bother. While she was saying this, a group of people came over and ran their newfangled 2-D structural modeling program on it. They all applauded when it ran and went away saying that it worked better than on the IBM PC. After Rachel had relaxed (they were still batting 1.000 on IBM compatibility), she told me that the Z-150 was designed from the start to run Microsoft's Flight Simulator, which is in some ways the very best test of IBM compatibility.

It's certainly the only IBM compatible that you can build yourself. If you're skillful with tools and soldering iron, you could save yourself a lot of money. The folks at Zenith showed a prototype of their "portable" (33 pounds!). Alex says it's one of the funkiest machines ever built. It's portable in about the same sense that a 19-inch TV with a handle is portable—with great care you can get it from room to room. To be fair, the Compaq weighs 32 pounds and the IBM portable 30.

Both the table model and the "portable" have eight IBM-type slots and an 8087 socket, and both run at the same speed as the IBM PC. Given the company's quest for absolute compatibility, that's no surprise, but there is no speed-up switch or anything to let the Z-150 cut loose on its own, and that's a bit sad. Still, the machines seem to run absolutely everything that people tried, including MS-BASCOM (Bruce wrote MyWord in BASCOM). The Z-150 uses two half-height 5¼-inch drives.

You can get it with a hard disk, which takes the place of one of the floppy disks. Since it's a full-height hard-disk drive, it sticks down into the cabinet below where the lower half-height drive would normally go. Very slick. The detached keyboard doesn't have quite as nice a touch as the Z-100's keyboard, but it's better than most. The keyboard has moved all the "wrong" position keys on the IBM PC to more reasonable places. It has lighted LEDs (light-emitting diodes) for Caps-Lock, Num-Lock, and Shift-Lock keys.

This is definitely a "Heath/Zenith"
(continued)

machine, in that order. It was developed in St. Joseph, Michigan (Heath's headquarters) by Heath employees. The Zenith Z-100 was developed by Zenith, though of course Heath is famous for its kit versions of computers—including the Z-150 ZPCs. Kit versions usually bear the Heath name and fully assembled ones the Zenith name.

The Z-150's main claim to fame is its color board. It seems 100 percent compatible with IBM color programs and is by far the best PC clone color board I've ever seen. If the folks at Zenith want to sell this board to IBM owners, they'll make a mint. Unlike the IBM, which blinks horribly every time a line is scrolled, Zenith's has (settable!) smooth scrolling that looks good with both graphics and text. In addition, I heard rumors of high-resolution color boards in development. Don't be surprised if the first one looks a great deal like the Z-100's color palette.

One other twist: there's a built-in debugging tracer in ROM that you can access at any time. It shows you what

code is being run, what's on the stack, and what's in the registers. You can get to it as long as the machine is listening for interrupts; if not, you'll have to turn it off and on. The lack of a real reset switch, one that *always* works, is the major blemish on an otherwise nearly perfect machine.

Incidentally, don't expect Zenith to suddenly phase out the Z-100 in favor of the Z-150. This is the same Heath that will sell you a knob for a 25-year-old kit tuner out of its warehouse stock. If the company's reputation won't convince you, the sales of the Z-100 should: GSA, the Army, Navy, Air Force, and UPI have all bought more than 5000 each of these machines. It's likely to be *the* machine at the Air Force Academy. The Z-150 is to get Zenith an entry into the market of PC clones, not because Zenith wants to dump the Z-100. A small company looking for a machine to develop PC software on could do a lot worse than buy the H-150 kit.

Speaking of the Navy, I talked to two sailors, one from the *Enterprise*, the other

in an LHA helicopter carrier (or Large Hotel, Afloat). Both had Z-100s onboard—there are 23 on the *Enterprise*. Both complained that the power supplies tended to burn out on the Z-100s because of the spikes in shipboard power. Otherwise, they are extremely happy with their Z-100s. Considering that most big shipboard navigation and fire-control computers have just been upgraded to 64K-byte core (!) memory, I can see why! It isn't generally known, but the *BB New Jersey* still uses big mechanical analog integrators for fire control. A Z-100 with a good power filter would be a lot more machine. . . .

BOTTOM LINES

There was a great deal more to see, including a Japanese import color system using a light pen to do in 265 shades of color what Macpaint does in black and white. The FORTH people handed me a thick stack of books and program disks that are supposed to produce the brand of FORTH described in Leo

(continued)

IBM's "Channel Arrangement"

I'm not much impressed with the IBM PCjr, so I would have ignored the IBM booth, but the folks there had big signs proclaiming their new "network." This looked interesting, and I sent my son Alex off to investigate. Here's his report:

"IBM showed off a new product to tie the PC, PC XT, PCjr, and Portable PC together. It's not a network. It's a 'channel arrangement.' I'm not sure what that is. I can tell you what it is not: a real network. With a raw communication speed of 375K bits per second (bps) and only 64 users maximum, it's not going to compete with Ethernet, Omninet, or Arcnet. To compare, Arcnet and Omninet run at about 1 million bps and Ethernet at about 10 million bps. Those are raw speeds, not equal to the amount of data that can really be sent. Nonetheless, I think the low speed alone means it won't do well, even with the IBM name on it.

"Data is carried on a 75-ohm coaxial (TV) cable. You put a Tee in for every station; that Tee cable can be about 16 feet (5 meters) long. The distance between the

farthest stations can be only 1000 meters at most, so IBM's 'channel arrangement' is good only for pretty local communications to start with.

"There are some other problems. IBM doesn't even support all of its own machines: I specifically asked, and no, the company doesn't support the PC XT/370 on this net. Nope, no way to hook up to its own mainframes or non-PCs. Only 10 megabytes can be shared on line; the folks at IBM don't even support multiple hard disks! They said you cannot put a second XT hard drive on the channel.

"There's no true file sharing or record locking (goodbye, shared databases). No DMA (direct memory access), which means that each byte must go through a register (rather than being transferred directly into the receiving machine's memory). This omission is ostensibly because the PCjr doesn't support DMA. (I think that last point is a nail in the coffin of both the jr and the channel arrangement.)

"The IBM employees I talked with stressed how you could run the PCjr with

no disk drives by doing an 'IPL'—an old IBM mainframe term meaning Initial Program Load—from the net, making the PCjr a diskless workstation. Perhaps they are attempting to crack the school market with this? This might work if it didn't require a hard disk, but in fact the 'channel arrangement' does require one. I could see a bunch of PCjrs being fed by a single PC XT, but I see no cost savings over PCjrs with a disk. First, you must buy IBM's board and software (\$400 in quantity), then you must buy a central PC XT (\$5000 and up). A PCjr's extra memory and disk drive are only \$600; that's an awful lot of PCjrs to buy to get a cost savings—and there's very little school software for the PCjr right now.

"But: IBM knows all these things. Rumors have it that this isn't IBM's network, but merely an aberration (er, stop-gap) to fill in at the moment. All those deficiencies lead me to believe that the folks at IBM are using their customers as paying test sites to de-kink their ideas of what a network should be."

—Alex Pournelle

What business does a handsome dog like me have with a top cat like you?



My name's McGruff™, and it's my business to help prevent crime. I think it should be your business, too—to teach your employees how to protect themselves. Just send for my business kit —it'll help you develop a program that teaches your employees how to make their homes burglar-proof, make their neighborhoods safer, even how not to get mugged. And, while you're at it, get in touch with the cops—they can help you out. So now you're probably wondering (like a top cat businessman should), what's in it for you. That's easy. When your company works harder for your people, your people work harder for your company.

So take the time, and...

TAKE A BITE OUT OF CRIME

McGruff, Crime Prevention Coalition,
20 Banta Place, Hackensack, NJ 07601
Please send me lots of information on
Crime Prevention.

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Ad
Council

A message from the Crime Prevention Coalition,
this publication and The Ad Council.
©1980 The Advertising Council, Inc.

PRODUCTS REVIEWED

Apple Computer.....Macintosh Computer
20525 Mariani Ave.
Cupertino. CA 95014
(408) 996-1010

Applied i.....Tutsim
200 California Ave., Suite 214
Palo Alto. CA 94306
(415) 325-4800

Blaise Company.....Blaise Pascal utilities
1609 Acton St.
Berkeley. CA 94702
(415) 524-6603

Borland International.....Turbo Pascal
4807 Scotts Valley Dr.
Scotts Valley. CA 95066
(800) 227-2400

CompuPro.....CompuPro 10 multiuser
3506 Breakwater Court computers
Hayward. CA 94545
(415) 786-0909

Corvus Systems.....Concept and Omninet network
2029 O'Toole Ave.
San Jose. CA 95131
(408) 946-7700

Digital Equipment Corp.....Rainbow Computer
146 Main St.
Maynard. MA 01754
(617) 897-5111

Hudson and Associates.....8087 Math Board
Box 2957
Santa Clara. CA 95055-2957
(408) 554-1316

IBM.....Channel Arrangement
1615 South Congress
Del Rey Beach. FL 33432
(305) 998-2000

Micro Craft Corp.....Dimension 68000 Computer
9995 Monroe Dr.
Dallas. TX 75220
(214) 350-6008

Modula Computers.....American Lilith Computers
950 North University Ave.
Provo. UT 84604
(801) 377-3598

Modula Research Institute...Public-domain Modula
950 North University Ave. compiler
Provo. UT 84604
(801) 377-3598

Osborne Computers.....Computers
26538 Danti Court
Hayward. CA 94545
(800) 227-1617

Quicksort.....PC-Write
219 First North #224
Seattle. WA 98109
(206) 282-0452

Rana Systems.....Disk drives
21300 Superior St.
Chatsworth. CA 91403
(213) 709-5484

Software Toolworks.....Many IBM PC and
15233 Ventura Blvd. Zenith Z-100 programs
Suite 1118
Sherman Oaks. CA 91403
(818) 986-4885

Tinney. Robert.....BYTE cover posters
1864 N. Pamela Dr.
Baton Rouge. LA 70815
(504) 272-7266

Workman and Associates....WRITE
112 Marion Ave.
Pasadena. CA 91106
(818) 796-4401

Zenith Data Systems.....Zenith Computers
1000 Milwaukee Ave.
Glenview. IL 60025
(312) 391-8865

BOOKS REVIEWED

Clapp. Douglas. *Macintosh Complete*
North Hollywood. CA: Softalk Books. 1984. \$19.95

Lu. Cary. *The Apple Macintosh Book*
Bellevue. WA: Microsoft Books. 1984. \$18.95

Norton. Peter. *Inside the IBM PC*
Bowie. MD: Brady, 1983. \$19.95

Brodie's excellent introduction. *Starting FORTH*. MicroPro has a new 16-bit spelling-correction system called CorrectStar. It has more features than The Word Plus, which I use at present, and I liked it quite a lot: I'll go into more

detail on that in my next column.

There were a lot of good speeches and seminars, all well organized. Despite a few glitches, the new Faire management team kept things running far more smoothly than I would have

believed they could. Final attendance was a bit over 40,000, down from the 48,000 of last year, but good enough, especially since so many people bought merchandise.

It's still my favorite computer show. ■

If they can make it here, they'll make it anywhere.



When's the last time you saw "digging a well" or "installing bio-gas digesters" on someone's résumé? Working in the Peace Corps is not your average everyday job. But it sure has trained volunteers to cope with the unexpected—including any company's everyday problems, once the volunteers have come home.

Whatever it takes to be Peace Corps volunteers, it's a way of working that develops a resourcefulness and a degree of self-reliance that volunteers use long after they've come home. Anyplace they work. On any job they're given. And they all have a unique understanding of different cultures in developing countries.



Hire a former Peace Corps volunteer, and put that experience to work on your "toughest job." Call Peace Corps toll-free, 800-424-8580 (ext. 76) to tell them about job possibilities for returned volunteers. Or if you know of those who might like to volunteer, use the same phone number (ext. 93) to put their experience to work where it can do a world of good.

Peace Corps

The toughest job you'll ever love.

A Public Service of This Publication 

JULY 1984 • BYTE 383

Byte Book Club™

DATABASE DESIGN. By G. Wiederhold. 2nd Ed., 704 pp. The expanded second edition of this widely acclaimed book presents the methods, the criteria for choices between alternatives, and the principles and concepts that are relevant to the practice of database design.

701/326B \$33.00
(Counts as 2 of your 3 books)

MICROCOMPUTER GRAPHICS AND PROGRAMMING TECHNIQUES. By H. Katzan, Jr. 240 pp., 100 illus. and tables. Here's a stimulating introduction to computer graphics for small computers. It covers all the advances to date in color coding and computer graphics technology and—best of all—it's written for information professionals who can't draw! Includes actual graphics programs worth hundreds of dollars!

582576-7 \$22.50

COMPUTER PERIPHERALS FOR MINICOMPUTERS, MICROPROCESSORS, AND PERSONAL COMPUTERS By C. L. Hohenstein \$29.95
294/518B
(Counts as 2 of your 3 books)

PROGRAMMING LANGUAGES: DESIGN AND IMPLEMENTATION. By T. W. Pratt, 2nd Ed., 624 pp., 93 illus. This book identifies and discusses the key concepts in programming languages... explains their hands-on implementation... and covers semantic structures, run-time representations, and the effect of syntax on language structures.

582879-0B \$29.95
(Counts as 2 of your 3 books)

PROGRAMMING WITH ADA: An Introduction By Means of Graded Examples By P. Wegner
789/24XB \$25.00
(Counts as 2 of your 3 books)

OPERATING SYSTEMS By H. Lorin & H. M. Dietel
582354-3B \$25.95
(Counts as 2 of your 3 books)

CP/M® BIBLE: THE AUTHORITATIVE REFERENCE GUIDE TO CP/M®. By M. Waite and J. Angermeyer. 429 pp., illus. This all-inclusive, easy-to-use reference offers a complete description of all the built-in commands, transient commands, and operating procedures you need to make your particular version of CP/M work harder—and more efficiently—for you.

582917-7B \$29.95
(Counts as 2 of your 3 books)

ASSEMBLERS, COMPILERS, AND PROGRAM TRANSLATION By P. Calingaert
582110-9B \$25.95
(Counts as 2 of your 3 books)

DATA STRUCTURES AND PROGRAM DESIGN By R. L. Kruse
583036-1B \$28.95
(Counts as 2 of your 3 books)

TROUBLESHOOTING & REPAIRING PERSONAL COMPUTERS By A. Margolis
582890-1 \$19.95

AN INTRODUCTION TO VISICALC® MATRIXING FOR APPLE® AND IBM®. By H. Anbarlian. 252 pp., illus., softcover. Enables you to use VisiCalc matrixes—also known as templates and models—to put your Apple or IBM personal computer to productive use almost immediately. It describes the actual process of developing matrixes for such applications as expense vouchers, price/earnings ratios, payrolls, stock portfolios, and more.

016/054 \$22.95

THE BUSINESS GUIDE TO SMALL COMPUTERS By L. Calmus
096/627 \$21.95

INTERFACE PROJECTS FOR THE TRS-80 By R. C. Hallgren
582466-3 \$18.95

POWERFUL TOOLS! POWERFUL SAVINGS!

New Members take any **\$1.00**
3 books for only **each***
Values up to **\$79.50**



APPLE PASCAL GAMES By D. Herget & J. T. Kalash
582521-X \$19.95

MATHEMATICS FOR THE ANALYSIS OF ALGORITHMS. By D. H. Greene and D. E. Knuth. 107 pp. Gives you a clear picture of both the structure and the power of algorithms—and their intimate relationship to the world of the computer programmer.

582707-7 \$10.00

THE BOWKER BANTAN 1984 COMPLETE SOURCEBOOK OF PERSONAL COMPUTING. By R. R. Bowker Co. 700 pp., illus. This dynamic reference provides seven product directories that cover hardware (with full specs and prices), peripheral hardware, software, books, magazines, computer association publications (many of them free!), and consumer databases.

582915-0 \$24.95

REAL-TIME COMPUTING With Applications to Data Acquisition and Control. Edited by D. A. Mellichamp. 552 pp., 260 illus. This comprehensive guide helps you specify the type of real-time computing system you need, start it up, and keep it running smoothly and productively.

582844-8B \$39.50
(Counts as 2 of your 3 books)

GUIDE TO THE IBM PERSONAL COMPUTER: Features DOS 2.0 and BASIC 2.0 for the IBM PC and XT. By W. Sikonowicz. 352 pp., illus. Going far beyond the manufacturer's manuals, this guide gives you the invaluable hands-on experience necessary to make the most of your machine.

574/847 \$19.95

LEARNING WITH LOGO By D. H. Watt
685/703 \$14.95

COMPUTER PROGRAMMING FOR GRAPHICAL DISPLAYS. By D. L. Ryan. 337 pp., 148 illus., outsized 11 x 8½ format, softbound. Let this easy-to-follow guide show you how to produce displays with a variety of applications—from animation to engineering drawings and documents. It describes and illustrates how to produce program... how to select and use such devices as pen plotters, joysticks, and light pens... and how to use simple graphic entities.

582931-2B \$26.95
(Counts as 2 of your 3 books)

INTRODUCTION TO THE UCSD p-SYSTEM™. By C. W. Grant and J. Butah. 330 pp., illus. This book takes you through the whole process of implementing the UCSD p-System—and gives you hands-on programming experience in Pascal.

582767-0 \$24.95


MICROPROCESSOR AND MICROCOMPUTER DATA DIGEST. By W. H. Buchsbaum and G. Weissenberg. 336 pp., 199 diagrams. Containing all the detailed technical data for every microprocessor integrated circuit that is currently listed as a "standard," off-the-shelf item, this book presents the critical pin configurations, voltages, operating parameters, descriptions of each IC.

582835-9B \$29.95
(Counts as 2 of your 3 books)

BASIC: Getting Started. By W. S. Davis. 152 pp., illus., softbound. Step by step, this manual guides you through your first programs until you're "over the hump" and feel comfortable with the computer. It takes you from defining the problem through branching and looping right up to arrays and data statements.

582355-1 \$6.95

ANNOUNCING: The Most Important Computer Handbook Ever Published!



This Remarkable Reference
—a \$79.50 value—
Is Yours for only
\$3.00

The McGRAW-HILL COMPUTER HANDBOOK, 992 pp., 475 illus., edited by Harry L. Helms, with over 24 world-reknown contributors, is by far the most useful and comprehensive reference yet designed for today's computer user. Crammed with easy to get at information, ranging from design concepts to programming techniques, from data bases to interfacing, networking, speech synthesis and recognition to mention just a few of hundreds of entries, this one volume reference does it all—in language and presentation everyone can understand. Invaluable for home, office, and school use, The Computer Handbook "can be helpful to users in solving many mysteries, while opening new doors for exploration and serving as a continuing reference," writes Thomas C. Bartee of Harvard University.

279/721A

\$79.50

(Counts as 3 of your 3 books)

* 3 books for only \$1.00 each . . . if you join now for a trial period and agree to purchase three more books—at handsome discounts—during your first year of membership. (Publishers' prices shown)

SYSTEMS PROGRAMMING FOR SMALL COMPUTERS. By D. H. Marcellus. 432 pp., 154 illus. From designing a user-interface dialogue to give instructions right up to parsing TINY BASIC, the author shows you how to make your machine more responsive to your needs. Coverage ranges from ROM monitors, assembler languages, and text editors to some larger micro-computer systems with hard disks and multi-tasking capabilities. 582937-1B \$26.95
(Counts as 2 of your 3 books)

THE SMALL COMPUTER CONNECTION: Networks for the Home and Office. By N. L. Shapiro. 256 pp. Shows you how to use existing hardware and software to link your small computer to other computers—large and small—and to a vast universe of databases. 564/124 \$15.95

ELECTRONICS ENGINEERS' HANDBOOK, 2/e By D. G. Fink & D. Christiansen 209/812A \$79.90
(Counts as 3 of your 3 books)

Z80 USERS MANUAL. By J. Carr. 326 pp., with diagrams, charts, and tables. Takes you through every opportunity the ZAP can offer! It covers Z80 pin definitions, CPU control signals, support chips, interfacing peripherals, and much more. 582336-5 \$21.95

INTRODUCING THE UNIX SYSTEM. By H. McGilton & R. Morgan. 256 pp., 50 illus. soft. This book helps you over the initial hurdles of learning this new and powerful computertool—even if you have never used the Unix system or penetrated any of its literature. 450/013 \$18.95

HANDS-ON BASIC For the IBM® Personal Computer By H. Peckham. 308 pp., spiral-bound, softcover. Learn BASIC programming right at the computer! Step by step, this manual gives you hands-on experience with BASIC through a series of guided activities. Each of the 12 chapters requires at least one hour at the computer and at least one hour studying the text. 491/78X \$19.95

HANDS-ON BASIC FOR THE Atari 400/800/12XL By H. Peckham 491/941 \$22.00

THE C PRIMER. By L. Hancock & M. Kreider. 256 pp., 25 illus., soft-bound. This is the only book on the market that describes the C language clearly and simply from the novice's point of view. 259/81X \$16.95

ELECTRONICS DICTIONARY, 4/e By J. Markus 404/313B \$32.95
(Counts as 2 of your 3 books)

APPLE PASCAL: A Hands-On Approach. By A. Luehrmann and H. Peckham, 426 pp., spiralbound. Finally—a how-to-use-PASCAL book for Apple computer users that makes a complete language as easy as (forgive us!) applesauce. Takes you from "total ignorance" all the way up to a very impressive competence in the use of that rather complex language, PASCAL. 491/712 \$20.00

PRINCIPLES OF INTERACTIVE COMPUTER GRAPHICS. By W. M. Newman and R. Sproull. 2nd Ed., 544 pp., illus. Now in a revised, updated Second Edition, this volume has long been THE standard source of information for designers! Now, as before, it is utterly comprehensive and up to the minute in its coverage. 463/387B \$36.95
(Counts as 2 of your 3 books)

Consider these Byte Books as well!

MICROCOMPUTER OPERATING SYSTEMS By M. Dahmke 150/710 \$16.95

TRS-80 GRAPHICS FOR THE MODEL I AND MODEL III By D. Kater & S. Thomas 333/033 \$14.95

THREADED INTERPRETIVE LANGUAGES By R. G. Loeliger 383/60X \$22.95

THE BRAINS OF MEN AND MACHINES By E. W. Kent 341/230 \$20.95

BASIC SCIENTIFIC SUBROUTINES, Vol. II By Dr. F. R. Ruckdeschel 542/023B \$26.95
(Counts as 2 of your 3 books)

CIARCIA'S CIRCUIT CELLAR, Vol. 2 By S. Ciarcia 109/63X \$18.95

BYTE BOOK OF PASCAL By B. W. Liffick 789/673B \$27.50
(Counts as 2 of your 3 books)

BASIC SCIENTIFIC SUBROUTINES, Vol. I By Dr. F. R. Ruckdeschel 542/015B \$27.95
(Counts as 2 of your 3 books)

CIARCIA'S CIRCUIT CELLAR, Vol. III By S. Ciarcia 109/656 \$15.95

MICROCOMPUTER DISK TECHNIQUES By P. Swanson 625/824 \$15.95

BUILD YOUR OWN Z-80 COMPUTER By S. Ciarcia 109/621 \$18.95

Why YOU should join the Byte Book Club™ now!

- **Best and newest books from ALL publishers!** Books are selected from a wide range of publishers by expert editors and consultants to give you continuing access to the best and latest books in your field.
- **Big savings!** Build your library and save money too! Savings range up to 30% or more off publishers' list prices—usually 20% to 25%.
- **Bonus books!** You will immediately begin to participate in our Bonus Book Plan that allows you savings up to 70% off the publishers' prices of many professional and general interest books!
- **Convenience!** 14-16 times a year (about once every 3-4 weeks) you receive the Club Bulletin FREE. It fully describes the Main Selection

and alternate selections. A dated Reply Card is included. If you want the Main Selection, you simply do nothing—it will be shipped automatically. If you want an alternate selection—or no book at all—you simply indicate it on the Reply Card and return it by the date specified. You will have at least 10 days to decide. If, because of late delivery of the Bulletin you receive a Main Selection you do not want, you may return it for credit at the Club's expense.

As a Club member you agree only to the purchase of three additional books during your first year of membership. Membership may be discontinued by either you or the Club at any time after you have purchased the three additional books.



Fill out the card and mail today! If the card is missing, write to:

BYTE BOOK CLUB™, P.O. Box 582, Hightstown, New Jersey 08520

(continued from page 141)

Ada Compilers for Microcomputers

One of the partial Ada compilers, called Janus Ada, is sold by R&R Software for Z80- and 8088-based machines. I have the 8088 version that operates under MS-DOS. Although the developers of Janus Ada have not developed a full Ada compiler to date, they plan to do so with this compiler. As it stands, the compiler is a powerful tool that can be used to learn some of the features of Ada, but remember that it is not a true implementation of Ada.

To see how a partial compiler differs from a full compiler, I submitted the examples from parts 1 and 2 of this primer to the Janus Ada compiler. In order for these examples to run, I had to make some modifications. In most cases the changes were cosmetic, but in one major aspect the changes were significant because Janus Ada does not support subprograms that can be separately compiled. Each subprogram must be placed in a package and compiled as a package. In Janus Ada, the concept of the main program is more like that of a main package; that is, what Ada's designers considered to be the initialization part of a package becomes the main program. This is not such a bad way to start; it would have been far worse if Janus Ada had only a single procedure as the main program. As it is, Janus Ada supports separate compilation of package specifications and package bodies. A package can also contain several subprograms; all the examples that follow contain only one subprogram per package, however.

The smallest Janus Ada program is

```
--tiny.pkg
--package name must be same
--as file name in Janus
--smallest Janus Ada program
package body tiny is
--main program
begin
--do nothing in main program
  null;
end tiny;
```

To invoke the compiler, the source program was placed on disk B and the compiler on disk A. The command was given on disk A as `A>janus b:tiny`.

Only a compiler writer could understand the information presented, but the mes-

sage provides a warm feeling that something is going on. Finally this message is displayed:

```
Thank You For Using JANUS/Ada
A>
```

After this, the linker disk is put in disk A, and you type the command `A>jlink b:tiny`, which causes the program to be linked and stored on disk B as `tiny.com`. To execute the program, give the command `A>B:tiny`.

I strongly recommend that the compiler (or at least its scratch files) be put on an electronic disk to speed up the process. If the linker can be left in disk A, it's convenient to create a batch file to make a command sequence that compiles, links, and executes.

The other significant difference is that the name of a package has to match the name of the file where the package is stored. Under MS-DOS, this limits package names to eight characters.

The smallest Janus Ada program with a subprogram is

```
-- example.lib
-- Smallest Ada program with
-- a subprogram in a package
```

```
--Specification in Janus Ada
--is in .lib file
package example is
  --subprogram specification
  procedure do_nothing;
end example;
```

```
-- example.pkg
-- Smallest Ada program with
-- a subprogram in a package
package body example is
  --subprogram implementation
  procedure do_nothing is
  begin
    null;
  end do_nothing;
end example;
```

```
-- small.pkg
-- Main program
with example;
--main program uses subprograms in package
package body small is --main program
  --use must be in declaration part
  use example;
```

```
--executable part of main program
begin
  do_nothing;
end small;
```

This program is split across three files: `example.lib` for the package specification of the subprogram, `example.pkg` for the package body of the subprogram, and `small.pkg` for the main program.

Altogether, the packages do not appear very different from standard Ada. Requiring that separate units be in separate files is probably not a bad idea for small computers. It isolates changes to small units of code and keeps compilation times shorter.

Both of the programs to display a message look very much like standard Ada and both display the correct message. Note that Janus Ada does not use the `text_io` package. Instead, various forms of `get` and `put` are built into the compiler.

```
-- hello1.pkg
-- Greet the world
-- Introduce output in Ada
package body hello1 is
begin
  put ("Hello, world!");
  new_line;
end hello1;
```

This version of the program also displays `Hello, world!`

```
-- hello2.pkg
-- Greet the world
-- In another version
package body hello2 is
begin
  put ("Hello");
  put (" ");
  put (" ");
  put ("world");
  put ("!");
  new_line;
end hello2;
```

Janus Ada requires that all variables be declared and have predefined types. The main difference between the following program and the standard Ada example is that the input and output routines do not require instantiation.

(continued)

```

put (" a                               the Ada compiler ");
new_line;
put (" s                               the Ada syntax checker ");
new_line;
put (" l                               the Ada library manager ");
new_line;
put (" Your request? ");
new_line;
end greet;
--receive response
--filtering out tabs, blanks, and carriage returns
procedure get_response (c : out character) is
begin
  c := "";
  while c = " or c = ascii.ht loop
    get (c);
  end loop;
exception
  when end_error =>
    c := ascii.eot;
end get_response;
procedure help (help_topic : help_topic_type) is
begin
  case help_topic is
    when ada_help =>
      put (" The ADA command compiles and executes
the program.");
      new_line;
    when syntax_help =>
      put (" The ADAP command parses an Ada
program.");
      new_line;
    when library_help =>
      put (" The /LIBFILE=[file] option uses a library.");
      new_line;
    when error_help =>
      put (" Did not understand that. Please rerun the
program.");
      new_line;
  end case;
end help;
end help_package;

with help_package; use help_package
procedure main is
  c : character;
begin
  greet;
  get_response (c);
  case c is
    when ascii.eot => null;
    when 'a'|'A' => help (ada_help);
    when 's'|'S' => help (syntax_help);
    when 'l'|'L' => help (library_help);
    when others => help (error_help);
  end case;
end main;

```

First, we establish a package that contains three procedures:
(continued)

*Custom
Computer
Systems*

1616 W. Jefferson, Joliet, IL 60435

TERMS: We accept VISA/MC, money order, check or money order. Please allow checks two weeks to clear before shipment. \$5.00 handling charge on all orders under \$50.00. 15% resourcing fee. All orders shipped via UPS unless otherwise specified. All C.O.D. orders require a Cashiers Check. OUR products carry a full ONE YEAR parts and labor warranty, excluding drives, printers and terminals which carry the full OEM factory warranty. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



CCS 2300 System, A & T . . . \$1349.00
 * Includes CP/M 2.2 * New 2066 64K Memory
 * 2300 Mainframe 10 Stot M/B * 2422 Disk Controller
 * 2810 Z-80A CPU @ 4MHz * Complete A+T
 * 2719 2 SER - 2 PAR

CCS Add On Boards
 * 2710 4 Port Serial RS-232 . . . \$245.00
 * 2719 2 Serial - 2 Parallel Centronics . . . 219.00
 * 2810 CPU 2-80 at 4 MHz In Stock . . . Only-199.00
 * 2422 Disk Controller with CP/M 2.2 . . . Only-299.00
 * 2066 64K Dynamic Memory . . . Only-280.00
 * 2300A Mainframe Assem + Tested . . . Only-455.00

DISK DRIVE SPECIALS

8" Siemens 100-8 SS/DD	\$164.50 +	* WINCHESTER HARD DISK *	
8" Shugart 851R DS/DD 1.2 Meg	\$157.00 +		
8" Shugart 801R SS/DD	\$135.00 +		
8" Oume Datatrak-8 DS/DD	\$178.00 +		
* Matsushita FullHeight DS	\$44.00 +		
* Mitsubishi ThinMedia DS/DD	\$65.00 +		
5-1/4" Mitsubishi 96TP1 DS/DD	\$295.00 +	5-1/4" Miniscrpe Hard Disk	
5-1/4" Tandem DS/DD 481PI	\$259.00 +	8 Meg \$849	10 Meg \$849
5-1/4" Tandem DS/DD 961PI	\$369.00 +	8" Quantum 40 Meg 4-Pratt	\$2,250.00
		8" Quantum 85 Megabyte	3,450.00

6 Ft. Centronics Any Configuration	\$25.00
6 Ft. RS232 Any Configuration	25.00

ORDER TOLL FREE 1-800-435-9357
 Illinois Residents Call (815) 485-0006

DUAL DRIVE SUBSYSTEMS



HORIZONTAL OR VERTICAL
 Fully Assembled and Tested Units
ONE YEAR P + L WARRANTY
 On Shugart and Miteubishi Subsystems

w/Two Mitsubishi DS/DD Assem + Tested 2 1/2 Meg	\$114.99
w/Two Shugart 851R SS/DD Assem. + Tested 1.2 Meg	\$75.00
w/Two Shugart 851R DS/DD Assem. + Tested 2 1/2 Meg	1,225.00
w/Two Shugart 120 8 SS/DD Assem + Tested 1.2 Meg	\$75.00
w/Two Oume DT 8 DS/DD Assem + Tested 2 1/2 Meg	1,250.00
Cabinet Assem. & Tested w/Power Supply and Accs	238.00
Cabinet Top and Bottom with Mounting Hardware	Only 69.50
All Cabinets A & T and subsystems include an AC/DC power and 50 pin data cables, cabinet heat sink/mount which includes the internal 50 pin connector, requires an external 50 pin cable	\$ 25.00

SOFTWARE
 REPORT MANAGER
 ENERGRAPHICS
 AMERICAN INTEGRITY
 SPELBINDER
 MICRO PRO
 Call for Fantastic Prices!

6 Ft. 50 Pin Data Cable	
2-Card Edge 1-Dual Row	\$33.00
1-Card Edge 1-Dual Row	25.00
1-Card Edge 1-Card Edge	27.50

ASK FOR OTHER CABLE ASSEMBLIES

**THE IBM* COMPATIBLE
16 BIT COMPUTER**

- *5 Expansion Ports
- *100 Watt, Fan Cooled Power Supply
- *Intel 8088, 16 Bit, 4.77 Mhz.
- Optional 8087 Math Co-Processor
- *RAM 64KB to 512 KB

ONLY BASIC UNIT \$995.00

MS-DOS \$65.00

THE XPC

- *83 Key Low Profile Detachable Keyboard
- 20 Key Type Head Buffering, 10 Functional (Keys) 10 Digit Numeric Pad
- *2 DS/DD Floppy Drives
- Hard Disk Add-On Optional
- *RS232 Port, Parallel Port
- *3270 Emulator

COMPLETE SYSTEM \$1,995.00

CP/M 86 \$65.00

CUSTOMER SERVICE NUMBER (815) 485-0006

PRINTERS

"EPSON"	"GEMINI"	"OKIDATA"
FX 80 \$599.10	\$299.82A	\$995
FX 100 750.10X	279.92A	599
RX80FT 449.15X	499.93A	699

"MANNESMAN TALLY"
 MT160 \$660 MT180 \$995 SPIRIT \$375

"BROTHER"
 HR15 \$439 HR25 \$850
 Tractor 130 Cut Sheet 240 Keyboard 190

"JUKI 6100" \$439.00
 (Letter Quality)

"PRINTEK 920" \$1,895.00
 (340 CPS)

IBM* Add On Boards:

AS16-P.M. C.S.P.64K	\$355.00	2.800 CPU	\$875.00
AS11-P.D.P. US C.S.	145.00	VIDEO BRD 4x1232	
AS11/OPLUS.C.S.P	180.00	* GRAPHICS	860.00
QUADBOARD 1S 1P.64K	515.00		

APPLE* Add On Boards:

7114-01 Rom/Rom	\$115.00	7712-01 Ser Synch.	\$115.00
7424-01 Clock	95.00	7720-01 Par	90.00
7440-01 Timer	85.00	7729-01 Prt/Centra	70.00
7470-01 A/DConv	95.00	7811-01 Arith/Prv-DSK	360.00
7710-01 Ser (Par)	99.00	7811-02 Arith Prv-RCM	360.00
7710-02 Ser (Midi)	99.00		

*Apple is a registered trademark of Apple Corp.
 *IBM is a registered trademark of International Business Machines

S-100-4 \$1,995.00
 * 4 Stot S-100 Bus * Includes CP/M 2.2 and Mail
 * Two Separate Power Supplies * As Cables Provided
 * XORS-100 Br-05 et Label * Omnipos only 9 x 9 x 18 1/2

S-100-12 \$1,450.00
 * White XORS-100 MDD * XORS-100 Br-05 et Label
 * 12 Stot Mainboard and Manual * Includes CP/M 2.2 Software
 * 8V x 30A @ ±16V x 6A * All Cables Provided
 * DC Power to Run up to 4 Drives * Complete Manual Set

XOR BOARD SETS

CPU	\$255
DSK CONT	275
64K BOARD	249

ADVANCED DIGITAL
 The First Complete S-100 System on a Single Board
 *Super Quad 64K. DSK CNT. 2S. 2P @ 4MHz. 649
 *Super 6-64 64K. DSK CNT. 2S. 2P @ 8MHz. 789

-var1.pkg
-Introduce variables
package body var1 is

-declaration for integer variable
age : integer;

```
begin
  age := 40;

  put ("This year Sam is ");
  put (age,2);
  put(" years old. ");
  new_line;
```

end var1;

Janus Ada also has subtypes so that the second version of the program appears as

-var2.pkg
-Introduce variables and subtypes
package body var2 is

subtype age__type is integer range 0..99;
-declaration for age__type variable
age : age__type;

```
begin
  age := 40;

  put ("This year Sam is ");
  put (age,2);
  put(" years old. ");
  new_line;
```

end var2;

The control structures for Janus Ada are faithful to standard Ada. The following examples required only minor changes. Since each was a separate program, it was merely a matter of making each into a package body and eliminating the `text_io` setups.

The first program demonstrates the while loop construct.

-while1.ada
-The while construct
package body while1 is

subtype count__type is integer range 1..5;
count : count__type;

```
begin
  count := 1;
  while count <= 4 loop
    put (count * 10, 2);
    new_line;
    count := count + 1;
  end loop;
```

end while1;

The second program is another version of the while loop construct using the succ operation to perform incrementing of the control variable.

-while2.pkg
-The while construct
package body while2 is

subtype count__type is integer range 1..5;
count : count__type;

begin

```
  count := 1;
  while count <= 4 loop
    put (count * 10, 2);
    new_line;
    count :=
      count__type'succ(count);
  end loop;
```

end while2;

The following program demonstrates the for loop construct.

-for1.pkg
-The for construct
package body for1 is

```
begin
  for count in 1..4 loop
    put (count * 10, 2);
    new_line;
  end loop;
```

end for1;

In Janus Ada, `get` and `put` do differ in the semantics for how input and output are performed. `get` reads the end-of-line character, which makes the copy program easier to understand. The strange construction `end_of__file(standard__input())` is left over from a version of Ada before it became standardized. I was not able to use Control-Z as an end-of-file, but Control-C stopped the program. Janus Ada does not have exceptions, so the other version of the program is not possible.

-copy1.ada
-Copy input to output
with io,util;
package body copy1 is
 use io,util;
 c : character;

begin

while not end_of__file(standard__input())
loop

get(c);
 put(c);

end loop;

end copy1;

The `io` and `util` packages brought into this program have the `end_of__file` and `end_of__line` functions. Other useful input and output functions and procedures in these two packages are provided with the Janus Ada compiler.

The `if` statement is no different from standard Ada, as can be seen in the following examples.

-if1.pkg
-Illustrate the if
-and else statements

package body if1 is
 answer : character;
begin

```
  put (" Do you like Ada so far? ");
  new_line;
  put (" Type y for yes, or n for no: ");
  new_line;
```

get (answer);

```
  if answer = 'y' or answer = 'Y' then
    put (" Glad to hear it!");
  else
    put (" Hope it changes.");
  end if;
end if;
```

The only major difference in the next example is the fact that the program was in three files because of the separate package for `greet`.

-greeting.lib
-greeting for elsif example

```
package greeting is
  procedure greet;
end greeting;
-greeting.pkg
-greeting for elsif example
package body greeting is
```

```
  procedure greet is
  begin
    put (" Do you like Ada so far?");
    new_line;
    put (" Type y for yes, or n for no: ");
```

(continued)

ADA PRIMER

greet, get_response, and help. The procedure greet presents information on the display as to what the program does in response to user inputs. This is always a good practice, even for more complex programs.

The procedure get_response contains some additional code to make it more user-friendly. Some users of interactive programs type a space (or even an enter or carriage-return symbol) before entering a response, just as someone about to give a talk may blow into the microphone before speaking. Ada refers to the tab character as *asci:ht* (ht stands for horizontal tab). Since the carriage-return symbol is not returned by get, there is no test for the carriage return. The *exception* is used to denote the end of a transmission (*ascii:eot*).

After returning from get_response, the value of the character c is tested in a case statement. If it is an end_of_file, the program exits from the case statement doing nothing, and then it exits the program at the bottom of the procedure. This is the usual way of terminating an Ada program. The other calls result in the display of some of Ada's on-line help features or display a message to the user. Although you could use a put at the point of the call to the help procedure, the example illustrates the use of the case statement calling another program.

The case statement evaluates the expression following the keyword case. The expression must evaluate to one of the enumerated types, such as character. After evaluation, the statement transfers to the when clause that matches the case value, resuming execution with the statement following the symbol =>. For example, if c contains an a or an A, it matches the first case, and the call will be to display the help information for the Ada compiler. The bar symbol (|) can be read as an or between values such as a or A. If none of the when clauses that contain character values match the value in c, then the others clause is taken.

Ada requires that a when clause be listed for each possible value of the expression in the case statement or that a when others clause be used. This is to help prevent a common programming mistake called *missing logic*.

POINTERS

Pointers, often a source of difficult bugs in programs, are sometimes considered mysterious or tricky. Ada eliminates many of the problems associated with pointers by providing protection against some of the common bugs arising from the misuse of pointers. Ada does not even call its pointers by the name pointers. Instead it calls them *access types*. Nevertheless, variables of an access type contain addresses as their value just as integer type variables contain integers as legal values. The following example is a version of the Hello, world! program (from part I) rewritten to introduce access types.

```
--access.ada
--To introduce access types
with text_io; use text_io;
procedure main is
  type message__access is access string;
  message : message__access;
begin
```

(continued)

- COMPETITIVE EDGE -

P.O. Box 556 • Plymouth, MI 48187 • 313-451-0665

LOMAS DATA PRODUCTS INC.

NEW LOWER PRICES

THUNDER 186TM, 256K, CCP/M-86TM	\$1179	LIGHTNING 286TM	\$1032
286/287	\$1450	LDP72	204
RAM 67TM	725	LDP128K DRAM	369
DCTAPORT	292	S-100 PC SYSTEM	2695
		S-100 PC W/286	3370

CompuPro® Components

CPU 286TM A&T	\$1053	DISK 1ATM A&T	459	DISK 3TM A&T	525
CPU 85/88TM	327	CPU 2TM A&T	215	12 SLOT MB	121
CPU 68KTM A&T	425	CPU 68K CSC	525	20 SLOT MB	183
MP/MP® 8-16TM	399	ENCLOSURE 2D	599	ENCLOSURE 2 RACK	635
INTERFACER 3-8TM	459	SYS SUPPT 1TM	297	RAM 17TM A&T	329
RAM 22TM A&T	1155	RAM 21TM A&T	657	16TM A&T	359

TELETEK Components

SYSTEMASTER® SINGLE BOARD COMPUTER Z80A, 64K	557	
HD/CTC HARD DISK/TAPE CONTROLLER ANY Z80A/S100 SYS	499	
SBC-2 DUAL SLAVE \$995	SBC-1 6MHZ 128K SLAVE	733
TURBODOS™ MULTIUSR 650	CP/M® 2.2 FOR SYSTEMASTER	135
COMPLETE SYSTEMASTER SYSTEM WITH 2-8" 2MB FLOPPYS	2095	

COMPLETE SYSTEMS

FASTEST 286/Z80B SYSTEM, 1024K RAM, 1-8" FLOPPY	8395
1-40MB HARD DISK, 12 SERIAL & 1 CENTRONICS PORT	
RUNNING UNDER MP/MP® 8-16TM, ENCLOSURE 2TM DESK	
LDP 286 CPU, 256K STATIC, LDP72, HAZITALL, CCP/M-86	4795
DRI PERSONAL BASIC, LDPCOM, CPM223M, MSDOSTM EM, 2-8"	
THUNDER 186TM, 2-5" DRIVES, 4 SLOT CABINET, 256K	1995
READY TO RUN. (TERMINAL REQUIRED) CCP/PM-86 3.1	
LIGHTNING 1 (8086), 256K DRAM, LDP72, HAZITALL,	3195
CC/PM-86 3.1, 2-8" 2MB FLOPPYS, & 10 SLOT CABINET	
85/88, DISK 1, I/O4, RAM 17, ENCLOSURE 2D, 2-8" 2.4MB	3095
CPU Z, DISK 1, I/O 4, RAM 17, ENCLOSURE 2D, 2-8" 2.4MB	2995
10MHz 8086, DISK 1, I/O4, RAM 21, CP/M-86, E2D, 2-8"	3695
85/88, DISK 1, I/O4, RAM 22, E2D, MP/MP-8-16, 2-8", SS1	4695

Above are sample systems. Many possibilities all systems require terminals. All prices subject to change and subject to stock on hand. CP/M, CP/M-86, MP/MP, MS, CCP/M-86 are either trademarks or registered trademarks of Digital Research. MP/MP 816, Disk 1, CPU 2, CPU 286, Interface 4, Interface 3, Enclosure 2, RAM 17, RAM 18, RAM 21, RAM 22 System Support 1, Disk 1A, Disk 3, CPU 68K are trademarks of CompuPro, a division of CompuPro. MSDOS is a trademark of Microsoft. Lightning 1, Lightning 286, Thunder 186, LDP 72, RAM 67 are trademarks of Lomas Data Products Inc. Systemaster is a registered trademark of Teletek Enterprises. Many terminals, printers, and software packages available. Turbodos is a trademark of Software 2000 Inc.

IBM P.C. \$1995 !!

SYSTEM INCLUDES CPU W/64K, CONTROLLER, 1 DS/DD DRIVE

COLUMBIA 1600-1... \$2595

INCLUDES CPU W/128K, CONTROLLER, 2 DS/DD DRIVES
COLOR CARD, KEYBOARD, AND INTEGRATED SOFTWARE PACKAGE

SYMPHONY... \$495 !!!

UPGRADE FOR LOTUS 123 OWNERS... \$149

TOSHIBA P1340..... \$799 !!!

LETTER QUALITY 24 PIN PRINTHEAD DOT MATRIX PRINTER

EPSON FX-80... \$519

160 CPS, GRAPHICS, ITALICS, "THE I.B.M. PRINTER"

BROTHER HR-25... \$695

OUR HOTTEST LETTER QUALITY DAISSWHEEL PRINTER


SOFTWARE, HARDWARE, WE HAVE IT ALL!!
WE CARRY ALMOST EVERY LINE AVAILABLE
TO PLACE ORDERS OR FOR OUR CATALOG
CALL 1(800)841-6414

~~MAIL-BY-NET-BROKER~~

P. O. BOX 1048 SLC, UT 84110

PRICES FOR PREPAID ORDERS ONLY & SUBJECT TO CHANGE
MINIMUM SHIPPING \$4.00 WE ACCEPT VISA & MASTERCARD

WHILE EVERYONE IS TALKING ABOUT INTERACTIVE VIDEO YOU COULD BE LEARNING ABOUT IT.



Now you can take an active interest in interactive video thanks to Sony's unique introductory workshop. An affordable one-day seminar that's offered throughout the country.

Taught by the creators of interactive, you will receive intensive instruction in the latest uses of training, point-of-sales and communications innovations, spanning both video disc and computer technology.

To find out when this workshop will be in your area or to make reservations, call Sony Video Utilization Services at the number below.

1-800-662-SONY

In California, (213) 462-1984. Visa/MasterCard accepted. © 1984 Sony Corp. of America. Sony is a registered trademark of Sony Corp.

SONY.

MORE POWER... MORE SPEED...



C86, the leading C compiler for PC-DOS and MS-DOS is better than ever. **50% faster execution, highest portability, floating point math, strong support, and much more. Still only \$395.**

FOR MORE INFORMATION OR TO ORDER CALL:

800-922-0169

Technical Support: (201) 542-5920



COMPUTER INNOVATIONS

980 Shrewsbury Avenue, Suite B
Tinton Falls, NJ 07724

C86 is a trademark of Computer Innovations, Inc. MS-DOS is a trademark of Microsoft. PC-DOS is a trademark of International Business Machines.

ADA PRIMER

```
message := new string(" Hello, world! ");           --C
put (message.all);                                  --D
end main;
```

The declaration in line A states that `message__access` is an access type that can point to strings. Then in line B, a declaration is made that `message` is an access variable; hence, `message` can point to a string. In line C, the `message` pointer is assigned to the string created by the `new string` (" Hello, world! "). To picture this operation, consider it as represented in figure 1. Line D then displays the message with `message.all`, which indicates that everything pointed to by `message` is to be used.

```
--message.ada
--Copy from access string to string
with text_io; use text_io;
procedure main is
  type message__access is access string;
  small : constant := 20;
  original : message__access;
  copy : string (1..small);
procedure string__copy
  (from__string : message__access;
  to__string : out string) is
begin
  to__string := (1..to__string'length = > ");
  for i in from__string.all'range loop
    to__string(i) := from__string.all(i);
  end loop;
end string__copy;
begin
  original := new string(" This will repeat. ");
  string__copy (original, copy);
  put (original.all);
  put (copy);
end main;
```

The `string__copy` procedure shows that strings can be operated on by pointers and can be stored in arrays. In fact, the string type is predefined in Ada to be `type string is array (positive range <>) of character;`

In line A, the procedure sets `to__string` to all blanks with an aggregate expression. It specifies that as many blanks as designated in the aggregate are to be assigned to `to__string`. In line B, a for loop is set to address every element in the string by the use of the `range` attribute. The loop parameter `i` picks out the individual characters in line C, transferring them from the string pointed to by `original` into the string `copy`.

In the body of the main program, `original` is set to point to a string. Then the procedure `string__copy` is called. Finally, in lines D and E, the `original` and the `copy` are displayed.

The following example performs the same operations without a loop. In Ada, assignment statements between strings of the same length are possible.

```
--message2.ada
--Copy from access string to string
with text_io; use text_io;
```

ADA PRIMER

```

procedure main is
  type message__access is access string;
  small : constant := 20;
  original : message__access;
  copy : string (1..small);
  procedure string__copy
    (from__string : message__access;
     to__string : out string) is
    length : integer;
  begin
    length := to__string'length;
    to__string := (1..length => "");
    length := from__string.all'length;
    to__string (1..length) := from__string.all;
  end string__copy;
begin
  original := new string(" This will repeat. ");
  string__copy (original, copy);
  put (original.all);
  put (copy);
end main;

```

-A
-B
-C
-D

The assignments in lines A and B blank out the copy string. The length of the destination string is determined in line C. The assignment in line D copies the entire string in a single assignment statement to the copy string. Of course, Ada will detect an error if the original string is longer than the space set aside for the copy. We can test the lengths of the two strings to prevent an error.

Let us now look at the program *weekday*, in which a function returns a character string given an integer. In line A, *day_type* is declared to be an array that is 8 long, having the index values 0 to 7. Note that indices can start with 0, 1, or any other enumeration value. Each element in the array saves a string. It could also save a pointer to a string but, in this example, it is better to work directly with the strings.

```

--weekday.ada
--return name of weekday
with text_io; use text_io;
procedure main is
  type day__type is
    array (integer range 0..7)
      of string (1..9);
  day : day__type :=
    ("Oppsday ",
     "Monday ",
     "Tuesday ",
     "Wednesday",
     "Thursday ");

```

-A
-B

(continued)




Figure 1: A pictorial representation of the "Hello, world!" program on page 389.

ENHANCE WordStar

with

P-r-o-p-o-r-t-i-o-n-a-l Spacing on WordStar

You are reading text printed by WordStar in proportional spacing, providing a professional, easy to read, typeset appearance, direct from the print command on any version of WordStar. Also print two or more columns on a page, underline spaces between words, and much more. Works with most letter quality printers (Diablo, Qume, NEC, Juki, Brother, C. Itoh, Silver Reed, others).

"The best and least expensive method of dramatically improving the appearance of any WordStar text" - LIST Disk version (CP/M, MS/PC-DOS) automatically modifies WordStar \$75 including manual. Manual only (100 pages - with full details for implementing PS using Install) \$25. No technical skill is needed. Text can be right justified. Printer does not require PS logic. Prices include shipping in U.S. NYS add tax. Okay! My check is enclosed for \$..... (or charge my VISA/MC acct # exp).


Writing Consultants

Suite 238, 11 Creek Bend Drive - Fairport, NY 14450
1-800-828-6293 (in NYS 1-716-377-0130)
phones open 24 hours - dealers please call or write

The Little Board®

Quantity One... \$349*

The world's simplest and least expensive single board computer



*Substantial Quantity discounts available

- 4MHz Z80A[†] CPU, 64K RAM
- Two RS232 serial ports
- Mini floppy controller
- Parallel printer port
- On-board -12V converter
- Only 5.75 x 7.75 inches
- Power Requirement: +5VDC @ .75A; +12VDC @ .05A
- Screws directly onto a mini floppy drive

All this... and CP/M^{††} 2.2 also!



[†] Z80A is a registered trademark of Zilog, Inc.
^{††} CP/M is a registered trademark of Digital Research.

67 East Evelyn Ave. • Mountain View, CA 94041 • (415) 962-0230

```

new_line;
end greet;
end greeting;

```

```

--elsif1.pkg
-- Illustrate use of elsif
with greeting;
package body elsif1 is
-- Illustrate use of if
-- and elsif and else
use greeting;

```

```

answer : character;

begin
--greet the user
greet;
get (answer);

```

```

if answer = 'y' or answer = 'Y' then
put (" Glad to hear it! ");
new_line;
elsif answer = 'n' or answer = 'N' then put
(" Sorry to hear that. Hope it changes. ");
new_line;
else
put(" I don't understand ");
put (answer);
put(" . ");
new_line;
end if;

end elsif1;

```

The exit statement is also the same as in standard Ada. The version that follows makes use of the end_of_file construct to exit the program. I am not sure if Control-C is the right end-of-file command, but it gets you out of the program.

```

--greet.lib
--greeting specification
package greets is
procedure greet;
end greets;

```

```

--greets.pkg
--greeting implementation
package body greets is
procedure greet is
begin
put(" If you type a certain letter ");
new_line;
put(" I'll congratulate you for guessing
it. ");
new_line;
put(" If you get bored, type control-c
instead. ");
new_line;
end greet;
end greets;

```

```

--exit1.pkg

```

```

--Illustrate the if and exit statements
with io, util, greets;
package body exit1 is
use io, util, greets;
c: character;
begin
greet; --display a greeting to the user
while not end_of_file(Standard_input())
loop
get(c);
if c = 'e' then
put(" ^-You guessed it! Congratula-
tions! ");
new_line;
exit;
end if;
end loop;
end exit1;

```

The other version of the exit example program uses the same packages as before.

```

--exit2.pkg
--Show how to eliminate
--an exit statement

```

```

with greets, io, util;
package body exit2 is
use greets, io, util;
--initialize c to blank
c: character := ' ';
begin
--display a greeting to the user
greet;
while c /= 'e' and not end_of_file
(standard_input()) loop
get(c);
if c = 'e' then
put(" ^-You guessed it! Congratula-
tions! ");
new_line;
end if;
end loop;
end exit2;

```

This version of Janus Ada does not support exceptions or aggregates and requires the use of packages for the main program and for any subprograms. This is an appropriate structure for subprograms that in most cases should be placed in packages.

The following program copies characters until an end-of-file marker is reached. end_of_file is defined in a package named io; the input and output functions get and put are built into the compiler. The standard_input function is in the package util. The program is in three files: copy.lib for the package specification that names the subprogram in a procedure specification. copy.pkg for the package implementa-

tion that defines the subprogram, and copies.pkg for the main program that calls the subprogram copy.

The subprogram copy_in_out actually makes more sense than in the full Ada example, which needs special handling to store the carriage return and seems to require an exception to handle the end-of-file. A simple while loop continues until an end-of-file condition is reached.

```

--copy.lib
--Copy input to output
package copy is
procedure copy_in_out;
end copy;

```

```

--copy.pkg
--Copy input to output
with io, util;
package body copy is
procedure copy_in_out is
use io, util;
c: character;
begin
while not end_of_file(standard_input())
loop
get(c);
put(c);
end loop;
end copy_in_out;
end copy;

```

```

--copies.pkg
__main program to call copy_in_out
with copy;
package body copies is
use copy;
begin
copy_in_out;
end copies;

```

The following set of packages reads in a line until it reads either an end-of-file marker or a carriage return. The line read in is then displayed. The main program is in lines.pkg; the subprograms are get_my_line and put_my_line, packaged in myline.

```

--myline.lib
--read a line and display a line

```

```

package myline is

limit : constant := 80;

type string_type is array (1..limit)
of character;
subtype index_type is integer range 0..limit;

procedure get_my_line (line : out
string_type;
length : out index_type);

```

(continued)

ADA PRIMER

```

"Friday " ,
"Saturday " ,
"Sunday ");
function weekday (number : integer)
return string is
d : string (1..9);
begin
if number < 1 or number > 7 then
d := day (0);
else
d := day (number);
end if;
return d;
end weekday;
begin
put (" I was born on a " & weekday(4));
end main;

```

In line B, the variable `day` is declared to be of type `day_type`; all eight elements of the array are set by an aggregate. `Day (0)` is "Oppsday" and `day (7)` is "Sunday".

The function `weekday` inputs an integer number and returns a string. If the value of the parameter falls between 1 and 7, the returned value is the string that names the appropriate day. If the number falls outside the bounds, the value for "Oppsday" is returned.

The main program causes the program to display I was born on a Thursday. The `&` in the `put` statement is an operator that joins the two strings together.

If you don't mind giving up lowercase letters in your output, Ada has a way of displaying strings directly from integers.

```

--weekday2.ada
--display weekday value using image attribute
with text_io; use text_io;
procedure main is
type day_type is
(Monday, Tuesday, Wednesday, Thursday,
Friday, Saturday, Sunday);
week_day : day_type;
begin
week_day := day_type'val(3);
put (" I was born on a " &
day_type'image(week_day));
end main;

```

Line A defines `day_type` to have a set of 7 values, Monday through Sunday. Line B defines `week_day` to be of the type `day_type`. This enables `week_day` to take on any of the seven names of the days of the week.

In line C, `week_day` is set to an attribute of the type `day_type`. This attribute, `'val`, returns the name of the value in the specified position. In this case, the value of 3 yields Thursday. Line D displays the result that combines the message string with another useful attribute of `day_type`. This attribute, `'image`, returns a string representing the name of `week_day` so it can be displayed. The output from this program is I was born on a THURSDAY.

Note that `image` provides only an uppercase representa-

(continued)

MANAGEMENT SOFTWARE FROM WILEY

BY SOFTWARE PROJECTIONS, INC.

Project Planning and Scheduling	THE PROJECT MANAGER Critical Path Analysis on the IBM PC 5 1/4" disk with documentation for IBM PC or PC/XT with 128K memory. (0 471-88196-1) \$495.00 Demo disk: (0 471-80364-2) \$30.00
Transparencies for Presentation	SLIDE-PRO 5 1/4" disk with documentation for the IBM PC or PC/XT with 96K memory. (0 471-80554-8) \$125.00
3-D Color Computer Graphics	GRAPH-PRO 5 1/4" disk with documentation for IBM PC or PC/XT with 192K memory. (0 471-80711-7) \$295.00 Demo package for Graph-Pro and Slide-Pro: (0 471-80716-8) \$30.00

Call TOLL FREE 1 800-526-5368
TO ORDER YOUR DEMONSTRATION DISK.
Order Code #5-1175

For further information, call (212) 850-6009 or write to:



WILEY PROFESSIONAL SOFTWARE
Attn: Peter Clifton
JOHN WILEY & SONS, Inc.
605 Third Avenue, New York, N.Y. 10158

DUMP/RESTORE-XT Can Help You Avoid Disaster!



When's the last time you backed up your hard disk? Are you flirting with disaster? The School of Hard Knocks proves that when you're least expecting it, head crashes, electrical outages, and system failures occur when sufficient backups have not been made.

Up until now, you've had to buy add-on hardware to accomplish this necessary task, outlaying hundreds of dollars. But now, there's **DUMP/RESTORE-XT**! Using your own floppy disk drive and our backup program, you can backup your hard disk in about 30 minutes*.

DUMP/RESTORE-XT spans diskettes, too! So, if your *diskette runs out of room*, don't panic... just insert another diskette and press ESC to continue. Full positive and negative wildcard selections are supported.

DUMP/RESTORE-XT is modeled after **FAST DUMP/RESTORE**, which was designed for CP/M systems. We have over 1,500 copies of this program in use world-wide. Our track record speaks for itself. Our hundreds of satisfied users speak for us.

*Depending on volume of data.

Suggested retail: \$90. MasterCard and Visa accepted. Dealer inquiries welcome.

COGITATE

24000 Telegraph Road
Southfield, Michigan 48034 USA
(313) 352-2345

```

procedure put_my_line (line : in
string_type;
length : in index_type);

end myline;

```

```

--myline.pkg
with io, util;
package body myline is
use io, util;
procedure get_my_line (line : out
string_type;
length : out index_type) is
c : character;
begin
for i in 1..limit loop
get (c);
line (i) := c;
length := i;
exit when end_of_line (standard_
input());
exit when end_of_file (standard_
input());
end loop;
end get_my_line;
procedure put_my_line (line : in
string_type;
length : in index_type) is
begin
for i in 1..length loop
put (line(i));
end loop;
new_line;
end put_my_line;
end myline;

```

```

--lines.pkg
--line functions test
with myline;
package body lines is
use myline;
my_line : string_type;
my_length : index_type;

begin

get_my_line ( my_line, my_length );
put_my_line ( my_line, my_length );

end lines;

```

In compiling this program, the compiler was invoked as A>janus b:myline.lib to first compile the package specification for the myline package. Then the compiler was invoked a second time with A>janus b:myline.pkg to compile the package body for the myline package. The third invocation of the compiler, A>janus b:lines.pkg, compiled the main program. After the message Thank You For Using JANUSAda, the command A>jlink b: lines caused the program to be linked and stored on disk B as

lines.com. The program was executed with the command sequence

```

A>time
A>b:lines
This is some normal data.
A>time

```

to give some indication of the time taken to load and execute the program (including the time taken to type the sentence). It took less than 20 seconds, most of which was spent loading the program and typing the message. The program appeared to operate instantaneously, as it should for such a simple program.

The example that shows the case statement was also rewritten in Janus Ada. It could filter out blanks only. When I tried to establish a loop with end_of_line, I had to type the character I wanted twice. It appeared that the end_of_line function swallowed a character. Otherwise, the program is not much different than the full Ada version.

```

--help.lib
--Demonstrate case statement
with io, util;
package help is
--send instructions to display
use io, util;
--make up for missing ascii character
package
eof : constant character :=
character'val(26);
procedure greet;
--receive response
--filtering out tabs, blanks, and
--carriage returns
procedure get_response (c : out character);
--show help messages
type help_topic_type is (ada_help,
syntax_help, library_help, error_help);
procedure get_help (help_topic :
help_topic_type);
end help;
--help.pkg
with io, util;
package body help is
use io, util;
--send instructions to display
procedure greet is
begin
put (" On line help for Ada
programmers ");
new_line; new_line;
put (" Type For help about ");
new_line;
put (" _____ ");
new_line;
put (" a the Ada compiler "

```

```

new_line;
put (" s the Ada syntax checker ");
new_line;
put (" 1 the Ada library manager ");
new_line;
put (" Your request? ");
new_line;
end greet;
--receive response
--filtering out blanks
procedure get_response (c : out character) is
begin
c := ' ';
while c = ' ' loop
get(c);
if end_of_file (standard_input())
then
c := eof;
exit;
end if;
end loop;
end get_response;
procedure get_help (help_topic : help_
topic_type) is
begin
case help_topic is
when ada_help = >
put (" The ADA command com-
piles and executes the program.");
new_line;
when syntax_help = >
put (" The ADAP command parses
an Ada program. ");
new_line;
when library_help = >
put (" The /LIBFILE=[file] option
uses a library. ");
new_line;
when error_help = >
put (" Did not understand that.
Please rerun the program.");
new_line;
end case;
end get_help;
end help;
--main.pkg
with help;
package body main is
use help;
c : character;
begin
greet;
get_response (c);
case c is
when eof => null;
when 'a'|'A' => get_help (ada_help);
when 's'|'S' => get_help (syntax_
help);
when 'l'|'L' => get_help (library_
help);
when others => get_help (error_help);
end case;
end main;

```

Janus Ada also has access types, as demonstrated in the following program. The main difference between this program and the full Ada version is the Janus compiler won't allow allocation of an object at the same time as setting the object. This restriction is very common in partial compilers. As a result, it requires two statements, whereas one is sufficient in full Ada. Another difference not obvious in this program is that strings in Janus Ada are not fixed-length strings but variable-length strings. In the previous examples, I declared a type called `ada_string`, which is more like a true string. But I could not use the type in this example and set it to a string literal, so I used Janus strings.

```
--point.pkg
--To introduce access types
package body point is
  type message__access is access string;
  message : message__access;
begin
  message := new string;
  message.all := " Hello, world! ";
  put (message.all);
end point;
```

It's possible to gain access to individual characters in a string pointed to by an access type variable through such notation as `from_string.all(i)`. However, with Janus's dynamic strings, it is not possible to refer to an element of the string until it is there. Hence, I did just the second version of the program, which eliminates the `for` loop. Since the `string_copy` subprogram is just one statement, it does not seem very worthwhile as a subprogram.

```
--message.pkg
--Copy from access string to string
with strlib;
package body message is
  use strlib;
  type message__access is access string;
  original : message__access;
  copy : string(20);
  procedure string_copy
    (from_string : in message__access;
     to_string : out string) is
  begin
    to_string := from_string.all;
  end string_copy;
begin
```

```
original := new string;
original.all := " This will repeat. ";
string_copy (original, copy);
put (original.all);
put (copy);
end message;
```

The original version of the `weekday` program uses aggregates to initialize the array `day`. These were changed to assignment statements that assigned the elements of the array individually. The second version of the full Ada program uses the `image` attribute, and the third version uses an exception handler. Equivalent versions could not be written in Janus Ada because these features are not part of Janus Ada.

```
--week.pkg
--return name of weekday
package body week is
  type day__type is
    array (integer range 0..7) of
      string (9);
  day : day__type;

  function weekday (number : integer)
    return string is
    d : string(9);
  begin
    if number < 1 or number > 7 then
      d := day (0);
    else
      d := day (number);
    end if;
    return d;
  end weekday;
begin
  day(0) := "Oppsday ";
  day(1) := "Monday ";
  day(2) := "Tuesday ";
  day(3) := "Wednesday ";
  day(4) := "Thursday ";
  day(5) := "Friday ";
  day(6) := "Saturday ";
  day(7) := "Sunday ";

  put (" I was born on a " &
        weekday(4));
end week;
```

The output from the program is I was born on a Thursday. Janus Ada provides for records, as shown in the following program. It makes you appreciate the use of aggregates in full Ada.

The missing 'range' attribute requires that the loop be changed if the number of items in the list is increased. The output from the program is the same with the full Ada program.

```
--list.pkg
--Show an array of records
package body list is

  type list__type is
    record
      name : string (12);
      number: string (12);
    end record;
  type phone__list__type is
    array (1..3) of list__type;
  phones : phone__list__type;
begin
  phones(1).name := "Sabina Saib ";
  phones(1).number := "805-964-7724 ";

  phones(2).name := "Weather ";
  phones(2).number := "805-962-6878 ";

  phones(3).name := "Time ";
  phones(3).number := "805-966-0611 ";

  for i in 1..3 loop
    put (phones(i).name);
    put (phones(i).number);
    new_line;
  end loop;
end list;
```

These simple examples show that Janus Ada, while not a full Ada, bears a close resemblance to Ada. I leave you to judge how close the resemblance is. We can hope that future versions will come closer to Ada.

What these examples do not show are the nice error messages and diagnostics that Janus Ada provides. At one point in testing the examples, I omitted a semicolon and the compiler asked me if I wanted it to insert one and continue. I let it continue; it compiled and executed correctly. In another instance, I was in violation of a constraint and the run-time system told me which line in which subprogram caused the error. It also told me which parent program called the subprogram and at which line the call was made. These features make me hope that this compiler will become a full Ada compiler.

tion of the name. If you use a value outside the range 0 to 6, Ada causes an error, called an *exception*, to occur. You can refine this example by handling the exception.


```
--weekday3.ada
--display weekday value using image attribute
```

```
--contains exception handler
with text_io; use text_io;
procedure main is
  type day__type is
    (Monday, Tuesday, Wednesday, Thursday, Friday, Saturday,
```

(continued)

U S C Proudly introduces Our New "PROFESSIONAL COMPUTER CHASSIS/ POWER SUPPLY" for IBM PC/XT & Compatibles

Designed to enable easy, straight-forward conversion of IBM PC/XT & compatibles board-level products into complete microcomputer-based systems meeting specific performance and installation requirements.



- Features:
- More than just another pretty face
 - Sturdy to withstand the vigors of use in the intended environment.
 - Good RF attenuation to eliminate interference with adjacent electronic equipment.
 - High efficient switching power supply, with all DC cables-plug right in.
 - Built in fan, 2 additional AC sockets plus card racks with plastic guides.
 - Assembled & Tested

- Professional PC-Chassis (65W)\$199.00
- Professional XT-Chassis (130W)\$259.00

Dealers & OEM inquiries invited.

U S Components

1055 Sunnyvale - Saratoga Rd.
Sunnyvale, CA 94086
TEL (408) 730-1399

Midwest Distributor:
Macrotron Systems Inc.
8147 Dalmar Blvd.
St. Louis, MO 63130
(314) 721-3356

Terms: Prepaid check or money order, Mastercard or Visa.
Shipping Charges: U.S. FREE, Canada \$2.00, COD \$5.00 (No COD's to Canada)

ADA PRIMER

```
Sunday);
week_day : day_type;
begin
week_day := day_type'va(3);
put (" I was born on a " &
    day_type'image(week_day));
exception
when others = >
    put (" Opps, something was wrong! ");
end main;
--A
```

The program, down to the exception in line A, is the same as before. If something goes wrong, the statement following the => causes the message Opps, something was wrong! to be displayed.

RECORDS

Ada records are very much like Pascal records. In the example that follows, line A defines list_type to be a record with two fields: name and number. Each record is a string. Both name and number are 12 characters long.

Line B defines a type that is an array of three records. Line C defines an object that can be used to store up to three names and numbers. The object is initialized with an aggregate giving the three names and numbers.

The main program simply lists the information stored in the record. The for loop in line D uses a valuable attribute of arrays 'range. If the array was changed to 25 or 100 instead of 3, the loop would not need to be changed.

The put statements in lines E and F show how individual elements in the array, and then individual fields in the record, are referred to with a dot notation.

```
--Show an array of records
with text_io; use text_io;
procedure main is
type list_type is
    record
        name : string (1..12);
        number : string (1..12);
    end record;
type phone_list_type is
array (1..3) of list_type;
phones : phone_list_type :=
    ("Sabina Saib ", "805-964-7724"),
    ("Weather ", "805-962-6878"),
    ("Time ", "805-966-0611");
begin
for i in phones'range loop
    put (phones(i).name);
    put (phones(i).number);
    new_line;
end loop;
end main;
--B
--C
--D
--E
--F
```

When run, the preceding program displays:

Begin Ada execution

Sabina Saib 805-964-7724

DEALERS ONLY!

IBM PC™Compatible  **SANYO**
Business Computer System

STANDARD FEATURES:

- MS DOS
- 16 Bit 8088 CPU
- SANYO BASIC
- 128K Internal Memory
- Centronics Printer Port
- Color Graphic Capabilities
- Diagnostics, Utilities, Speaker & Joystick Port



MBC 550

- 1 single sided/double density disk drive (160K)
- WordStar & CalcStar included

RETAIL \$999.00

MBC 555

- 2 single sided/double density disk drives (320K)
- 128K memory expandable to 256K
- WordStar, CalcStar, DataStar, InfoStar, & MailMerge included

Also available in double sided drives



**MICRO EQUIPMENT
CORPORATION**

245 West Wieuca Rd.
Suite 210
Atlanta, Ga. 30342

404/843-3128

Weather 805-962-6878
Time 805-966-0611

Execution complete
Execution time: 12 seconds
I-code statements executed: 44

GOING FURTHER IN ADA

Although you have seen some complete Ada examples and should be able to write your own Ada programs, you can learn much more about the language from the numerous textbooks on the language. Some of these texts are listed in the bibliography.

You will also need access to an Ada compiler. The most comprehensive compilers are on large machines, such as the NYU Ada/Ed on VAX 11/780 computers. There are also some promising microcomputer compilers, such as Janus Ada from R&R Software (see the text box beginning on page 386). Whatever compiler you use, try some of the simple examples from this article and then add your own applications with help from a textbook.

Eventually you will want to have your own *Ada Language Reference Manual*, available from the U.S. Government Printing Office, as well as from several commercial publishers. Be sure to get the 1983 ANSI standard version of the manual instead of a preliminary version. ■

BIBLIOGRAPHY

- Barnes, John. *Programming in Ada*. Reading, MA: Addison-Wesley, 1983.
 Booch, Grady. *Software Engineering with Ada*. Reading, MA: Addison-Wesley, 1983.
 Buhr, R. I. A. *System Design with Ada*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 Cherry, George. *Parallel Programming ANSI Standard Ada*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 Downes, V. A. *Programming Embedded Systems with Ada*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 Gehani, Narain. *Ada: An Advanced Introduction*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 Gehani, Narain. *Ada: Concurrent Programming*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 Habermann, A. Nico, and Dewayne Perry. *Ada for Experienced Programmers*. Reading, MA: Addison-Wesley, 1984.
 Hibbard, P. *Studies in Ada Style*. New York: Springer-Verlag, 1983.
 Leathrum, J. *Ada Software Designer's Primer*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 Lewis, William. *Problem-Solving Designer's Primer*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 McDermid, John A., and Knut Ripken. *Life Cycle Support in the Ada Environment*. New Rochelle, NY: Cambridge University Press, 1984.
 McGettrick, A. D. *Program Verification Using Ada*. New Rochelle, NY: Cambridge University Press, 1982.
 Olsen, Eric. *Ada for Programmers*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
 Pyle, Ian. *Ada Programming Language*. Englewood Cliffs, NJ: Prentice-Hall, 1982.
 Saib, Sabina, and Robert Fritz. *The Ada Programming Language: A Tutorial*. Los Alamitos, CA: IEEE Computer Society Press, 1983.
 Saxon, James, and Robert Fritz. *Beginning Programming with Ada*. Englewood Cliffs, NJ: Prentice-Hall, 1983.
 Stratford-Collins, M. J. *Ada: Programmer's Conversion Course*. New York: Wiley, 1982.
 Wiener, Richard, and Richard Sincovec. *Programming in Ada*. New York: Wiley, 1982.
 Young, S. J. *An Introduction to Ada*. New York: Wiley, 1982.

Could you pass this Red Cross swimming test?

SWIM:

1. Breaststroke — 100 Yds.
2. Sidestroke — 100 Yds.
3. Crawl stroke — 100 Yds.
4. Back crawl — 50 Yds.
5. On back (legs only) — 50 Yds.
6. Turns (on front, back, side).
7. Surface dive — underwater swim — 20 Ft.
8. Disrobe — float with clothes — 5 mins.
9. Long shallow dive.
10. Running front dive.
11. 10-minute swim.

Anybody who's taken a Red Cross swim course knows how tough it can be. There's a good reason.

We believe drowning is a serious business.

Last year alone, we taught 2,589,203 Americans not to drown—in the seven different swim courses we offer all across the country. (Incidentally, most of the teaching—as with almost everything American Red Cross does—is done by dedicated volunteers.)

A good many of the youngsters not only are learning to keep *themselves* safe. Thousands upon thousands of them are learning to become lifesavers.

And the life they save—may be your own.



A Public Service of This Magazine & The Advertising Council



It all adds up...

HOME COMPUTERS



600XL..... \$149
800XL..... \$229
WHILE SUPPLY LASTS

850 Interface.....	\$159.00
1010 Recorder.....	\$71.99
1020 Color Printer.....	\$219.00
1028 Dot Matrix Printer.....	\$299.00
1027 Letter Quality Printer.....	\$269.00
1030 Direct Connect Modem.....	\$99.99
1050 Disk Drive.....	\$349.00
1064 Memory Module.....	\$125.00
Touch Tablet/Software.....	\$64.99
Light Pen/Software.....	\$72.99
CX22 Track Ball.....	\$39.99
7097 Atari Logo.....	\$74.99
4016 Pilot (Home).....	\$57.99
408 Pilot (Educ.).....	\$99.99
8036 Atari Pilot.....	\$77.99
8049 VisiCalc.....	\$149.99
488 Communicator II.....	\$119.99

1200XL..... CALL	
1480XL..... CALL	
CX30 Paddles.....	\$11.99
CX40 Joystick.....	\$7.99
4011 Star Raiders.....	\$31.99
4022 Pac Man.....	\$31.99
4025 Defender.....	\$31.99
8026 Dig Dug.....	\$31.99
8031 Donkey Kong.....	\$35.99
8034 Pole Position.....	\$37.99
8040 Donkey Kong Jr.....	\$33.99
8043 Ms Pacman.....	\$37.99
8044 Joust.....	\$37.99
8045 Pengo.....	\$33.99
8062 Moon Patrol.....	\$33.99
4003 Assembler.....	\$44.99
8126 Microsoft Basic I or II.....	\$64.99

DISK DRIVES FOR ATARI

AT 88-S1.....	\$279.00	1000.....	\$299.00
AT 88-S1 PD.....	\$299.00		
GT Drive.....	\$379.00		

MEMORY BOARDS

Axon 32K.....	\$59.99	Axon 128K.....	\$299.00
Axon 48K.....	\$99.99	Axon 320K.....	\$849.00
Axon 128K.....	\$299.00		

ALIEN VOICE BOX

Atari.....	\$119.00	Apple.....	\$149.00
------------	----------	------------	----------

DISKETTES

5 1/4" MD-1.....	\$24.99	5 1/4" SS/SD.....	\$18.49
5 1/4" MD-2.....	\$34.99	5 1/4" SS/DD.....	\$21.99
8" FD-1.....	\$39.99	5 1/4" DS/DD.....	\$26.99
8" FD-2.....	\$49.99		
3 1/4" SE/DD.....	\$22.99	Flip-n-File 10.....	\$3.99
3 1/4" DS/DD.....	\$29.99	Flip-n-File 50.....	\$17.99
5 1/4" Disk Head Cleaner.....	\$14.99	Flip-n-File 50 w/lock.....	\$24.99
		Flip-n-File (400/800 ROM).....	\$17.99

CONTROLLERS & JOYSTICKS

Joystick.....	\$21.99	Joystick.....	\$41.99
3-way Joystick.....	\$22.99	Atari Single Fire.....	\$12.99
Power Grip.....	\$21.99	Atari Switch Hitter.....	\$15.99
BOSS Joystick.....	\$17.99	Apple Paddles.....	\$34.99
ATARI/VIC Trak Ball.....	\$34.99	IBM Paddles.....	\$34.99
Apple Trak Ball.....	\$54.99	IBM Joystick.....	\$46.99
Apple Analog.....	\$37.99		
		Koala	
Atari (ROM).....	\$79.99	IBM.....	\$99.99
C-64 (ROM).....	\$79.99	Apple/Franklin.....	\$85.99

AXIOM PRINTERS

AT-100 Atari Interface Printer.....	\$239.00
GP-100 Parallel Interface.....	\$199.00
GP-550 Atari Bidirectional.....	\$319.00
GP-700 Atari Color Printer.....	\$489.00
GP-550 Parallel Printer.....	\$269.00

BMC	
401 Letter Quality.....	\$589.00
BX 80 Dot Matrix.....	\$269.00

CITOH	
Gorilla Banana.....	\$209.00
Prowriter 8510P.....	\$379.00
Prowriter 1550P.....	\$599.00
A10 (18 cps).....	\$569.00
Hot Dot Matrix.....	CALL
F10-40.....	\$999.00
F10-55.....	\$1349.00

COMREX	
ComWriter II Letter Quality.....	\$499.00

DIABLO	
620 Letter Quality.....	\$949.00
630 Letter Quality.....	\$1749.00

DAISY WRITER	
2000.....	\$999.00
Tractor Feed.....	\$109.00

EPSON	
RX-80. RX-80FT. RX-100.....	CALL
FX-80. FX-100.....	CALL
LQ 1500.....	CALL

IDS	
Prism 80...For Configuration.....	CALL
Prism 32...For Configuration.....	CALL

JUKI	
6100.....	\$499.00

MANHESMAN TALLY

160L.....	\$589.00
180L.....	\$799.00
Spirit 80.....	\$309.00

NEC	
8023 Dot Matrix.....	\$389.00
8025 Dot Matrix.....	\$669.00
210/15/30.....	\$749.00
3510/15/30.....	\$1369.00
7710/15/30.....	\$1799.00

OKIDATA	
82, 83, 84, 92, 93, 2350, 2410...CALL	

OLYMPIA	
Compact 2.....	\$479.00
Compact R0.....	\$509.00
ESW 3000.....	\$1449.00

SMITH CORONA	
TP-1000.....	\$449.00
Tractor Feed.....	\$119.00

SILVER REED	
500 Letter Quality.....	\$449.00
550 Letter Quality.....	\$549.00
770 Letter Quality.....	\$899.00

STAR	
Gemini 10X.....	\$299.00
Gemini 15X.....	\$399.00
Serial Board.....	\$75.00
Radix 10.....	\$599.00
Radix 15.....	\$699.00

TOSHIBA	
1340.....	\$869.00
1351.....	\$1699.00

TRANSTAR	
120P.....	\$469.00
130P.....	\$649.00
315 Color.....	\$459.00

MODEMS

ANCHOR		NOVATION	
Volkmodem.....	\$59.99	J-Cat.....	\$99.99
Mark II Serial.....	\$79.99	Cat.....	\$139.00
Mark VII (Auto Ans/Auto Dial).....	\$99.99	Smart Cat 103.....	\$179.00
Mark XII (1200 Baud).....	\$299.99	Smart Cat 103/212.....	\$399.00
Mark TES-80.....	\$99.99	AutoCat.....	\$219.00
9 Volt Power Supply.....	\$9.99	212 AutoCat.....	\$549.00

HAYES		APPLE CAT II	
Smartmodem 300.....	\$209.00	212 Apple Cat.....	\$449.00
Smartmodem 1200.....	\$499.00	Apple Cat 212 Upgrade.....	\$259.00
Smartmodem 1200B.....	\$449.00	PC Cat Access 1 2 3.....	\$399.00
Micromodem IIe.....	\$269.00		
Micromodem 100.....	\$299.00	ZENITH	
Smart Com II.....	\$89.99	ZT1.....	\$339.00
Chronograph.....	\$199.00	ZT-10.....	\$309.00
		ZT-11.....	\$369.00

MONITORS

AMDEK		SAKATA	
300 Green.....	\$149.00	SC-100 Color.....	\$269.00
300 Amber.....	\$159.00	SG-1000 Green.....	\$129.00
310 Amber.....	\$169.00	SA-1000 Amber.....	\$139.00
Color 1.....	\$279.00		
Color 1 Plus.....	\$299.00	TAXAN	
Color 2 Plus.....	\$419.00	210 Color RGB.....	\$299.00
Color 3.....	\$349.00	400 Med-Res RGB.....	\$319.00
Color 4T IBM.....	\$699.00	415 Hi-Res RGB.....	\$439.00
		420 Hi-Res RGB (IBM).....	\$489.00
BMC		100 12" Green.....	\$125.00
1201 (12" Green).....	\$88.99	105 12" Amber.....	\$135.00
1201 Plus (12" Green Hi-Res).....	\$92.99		
9191 Plus.....	\$249.00	USI	
		P1 1, 9" Green.....	\$99.99
GORILLA		P1 2, 12" Green.....	\$119.99
12" Green.....	\$88.99	P1 3, 12" Amber.....	\$129.99
12" Amber.....	\$95.99	P1 4, 9" Amber.....	\$119.99
		1400 Color.....	\$269.99
NEC			
JB 1260 Green.....	\$109.00	QUADRAM	
JB 1201 Green.....	\$149.99	Quadchrome 8400 Color.....	\$619.00
JB 1205 Amber.....	\$159.99		
JB 1215 Color.....	\$259.00	ZENITH	
JC 1216 RGB.....	\$429.00	ZVM122 Amber.....	\$99.99
JC 1460 Color.....	\$359.00	ZVM123 Green.....	\$89.99
		ZVM124 IBM-Amber.....	\$149.00
PRINCETON GRAPHICS		ZVM131 Color.....	\$309.00
MAX-12 Amber.....	\$199.00	ZVM133 RGB.....	\$429.00
HX-12 RGB.....	\$539.00	ZVM135 RGB/Composite.....	\$469.00
SRT-2 RGB.....	\$649.00		

COMPUTER MAIL ORDER

west

800-648-3311

In NV call (702)588-6654, Dept. 100
 Order Status Number: 588-6654
 P.O.Box 6689
 Stateline, NV 89449

canada

Ontario/Quebec 800-268-3974
 Other Provinces 800-268-4559

In Toronto call
 (416)828-0866, Dept. 100
 Order Status Number: 828-0866
 2508 Dunwin Drive, Unit 3B
 Mississauga, Ontario, Canada L5L1T1

east

800-233-8950

In PA call (717)327-9575, Dept. 100
 Order Status Number: 327-9576
 Customer Service Number: 327-1450
 477 E. 3rd St., Williamsport, PA 17701



No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. Call today for our catalog.

the best prices

APPLE/FRANKLIN DISK DRIVES MICRO-SCI


A2.....	\$219.00
A40.....	\$299.00
A70.....	\$319.00
C2 Controller.....	\$79.99
C47 Controller.....	\$89.99

RANA

Elite 1.....	\$279.00
Elite 2.....	\$389.00
Elite 3.....	\$569.00

APPLE IIe STARTER PACK

64K Apple IIe, Disk Drive & Controller,
80 Column Card, Monitor II & DOS 3.3
COMPLETE.....CALL
Call on all other Apple Models



ACE 1000 Color Computer.....CALL
ACE PRO PLUS System.....CALL
ACE 1200 Office Mgmt. System.....CALL
ACE PORTABLES.....CALL

MBC 880.....CALL
MBC 886.....CALL
MBC 888-2.....CALL

MBC 1100.....	\$1499.00
MBC 1150.....	\$1899.00
MBC 1200.....	\$1849.00
MBC 1250.....	\$2099.00
PR 5500 Printer.....	\$599.00

SANYO



HP 11C.....\$62.99
HP 12C.....\$92.99
HP 15C.....\$92.99
HP 16C.....\$92.99
HP 75D.....\$879.99
HPIL Module.....\$98.99
HPIL Cassette or Printer.....\$359.99
Card Reader.....\$143.99
Extended Function Module.....\$63.99
Time Module.....\$63.99

HP HEWLETT PACKARD



HP 71B.....\$419.99
41CV.....\$189.99
41CX.....\$249.99



PC-1800A.....\$168.99
PC-1280A.....\$88.99
CE-125 Printer/Cassette.....\$128.99
CE-150 Color Printer/Cassette.....\$171.99
CE-155 8K RAM.....\$93.99
CE-161 16K RAM.....\$134.99



PC-8221A Thermal Printer.....\$149.99
PC-8281A Data Recorder.....\$99.99
PC-8201-06 8K RAM Chips.....\$105.00
PC-8208A 32K RAM Cartridge.....\$329.00

commodore

CBM 8032.....\$899
CBM 8096.....\$869.00
CBM 9000.....\$999.00
B128-80.....\$769.00
8032 to 9000 Upgrade.....\$499.00
2031 LP Disk Drive.....\$299.00
8050 Disk Drive.....\$949.00
8250 Disk Drive.....\$1199.00
4025 Printer.....\$379.00
8023 Printer.....\$669.00
6400 Printer.....\$1399.00
2-RAM.....\$499.00
Silicon Office.....\$699.00
The Manager.....\$199.00
SoftROM.....\$125.00
VisiCalc.....\$169.00
PROFESSIONAL SOFTWARE
Word Pro 2 Plus.....\$159.00
Word Pro 3 Plus.....\$189.00
Word Pro 4 Plus/5 Plus each.....\$279.00
InfoPro.....\$179.00
Administrator.....\$399.00
Power.....\$79.99

8X-64 Portable.....\$859

CBM 84.....\$199
C1541 Disk Drive.....\$249.00
C1530 Datasette.....\$69.99
C1520 Color Printer/Plotter.....\$129.00
M-801 Dot Matrix Printer.....\$219.00
C1526 Dot Matrix/Serial.....\$299.00
C1702 Color Monitor.....\$289.00
C1311 Joystick.....\$4.99
C1312 Paddles.....\$11.99
C1600 VIC Modem.....\$59.99
C1650 Auto Mdoem.....\$89.99
Logo 64.....\$49.99
Pilot 64.....\$39.99
Word Pro 64 Plus.....\$59.99
Calc Result 64.....\$65.99
Calc Result Easy.....\$39.99
Codewriter 64.....\$75.99
MCS 801 Color Printer.....\$499.00
DPS 1101 Daisy Printer.....\$459.00
Magic Voice Speech Module.....\$54.99
Desk Organizer Lock.....\$49.99
Vidtex Telecommunications.....\$34.95

MSD
SD1 Disk Drive.....\$349.00
SD2 Disk Drive.....\$599.00

NEC PRINTERS

NEC 2050.....\$899.00
NEC 3550.....\$1869.00

PERCOM/TANDEM DISK DRIVES

5 1/4" 320K Floppy.....\$219.00
5 Meg Hard w/Controller.....\$1049.00
10 Meg Hard w/Controller.....\$1349.00
20 Meg Hard w/Controller.....\$1899.00

VISICORP

VisiCalc IV.....\$159.00
VisiWord +.....\$249.00
Visi-on Application Manager.....\$79.99
Visi-on Calc.....\$269.00
Visi-on Graph.....\$179.00
Visi-on Word.....\$249.99
Optical Mouse.....\$189.99

AST RESEARCH

Six Pak Plus.....from \$279.00
Combo Plus II.....from \$279.00
Mega Plus.....from \$309.00
I/O Plus.....from \$139.00

QUADRAM

Quadlink.....\$479.00
Quadboard.....as low as \$289.00
Quad 512 Plus.....as low as \$249.00
Quadcolor.....as low as \$219.00
Chronograph.....\$89.99
Parallel Interface Board.....\$89.99
64K RAM Chips Kit.....\$59.99

IBM

MICROPRO

WordStar Professional Pack.....\$389.00
InfoStar.....\$299.00
SpellStar.....\$159.00
CalcStar.....\$99.99

MICROSTUF

Crosstalk.....\$105.00

MICROSOFT

MultiPlan.....\$159.00

ASHTON-TATE

dBASE II.....\$339.00
dBASE III.....\$449.00
Friday!.....\$185.00

IUS

EasyWriter II.....\$249.00
EasySpeller.....\$119.00
EasyFiler.....\$229.00

CONTINENTAL SOFTWARE

1st Class Mail/Form Letter.....\$79.99
Home Accountant Plus.....\$88.99

LOTUS

Symphony.....\$549.00
1-2-3.....\$339.00

PROFESSIONAL SOFTWARE

PC Plus/The Boss.....\$329.00

SYNAPSE

File Manager.....\$89.99

ZENITH data systems

PC COMPATIBLE 16 BIT SYSTEMS

Z-150 PC.....Z-160 PC

Call for price and configurations

SOFTWARE

	C-64	Atari	IBM	Apple
Electronic Arts				
One on One.....	\$29.99	\$29.99	\$29.99	\$29.99
Music Construction.....	\$29.99	\$29.99	\$29.99	\$29.99
Pinball Construction.....	\$29.99	\$29.99	\$29.99	\$29.99
Cut & Paste.....	\$39.99	\$39.99	\$39.99	\$39.99
Hard Hat Mack.....	\$27.99	\$27.99	\$27.99	\$27.99
InfoCom				
Witness.....	\$29.99	\$29.99	\$29.99	\$29.99
Infidel.....	\$29.99	\$29.99	\$29.99	\$29.99
Deadline.....	\$29.99	\$29.99	\$29.99	\$29.99
Planetfall.....	\$29.99	\$29.99	\$29.99	\$29.99
Enchanter.....	\$29.99	\$29.99	\$29.99	\$29.99
Zork! 2.3 ea.....	\$27.99	\$27.99	\$27.99	\$27.99
Suspended.....	\$29.99	\$29.99	\$29.99	\$29.99
Sorcerer.....	\$29.99	\$29.99	\$29.99	\$29.99
AtariSoft				
Joust.....	\$35.99	N/A	\$28.99	\$28.99
Moon Patrol.....	\$35.99	N/A	\$28.99	\$28.99
Ms PacMan.....	\$35.99	N/A	\$28.99	\$28.99
PacMan.....	\$35.99	N/A	\$28.99	\$28.99
Donkey Kong.....	\$35.99	N/A	\$28.99	\$28.99
Pole Position.....	\$35.99	N/A	\$28.99	\$28.99
Spinnaker				
Aerobics.....	\$28.99	\$28.99	\$28.99	\$28.99
Trians.....	\$24.99	\$24.99	\$24.99	\$24.99
Adventure Creature.....	\$24.99	\$24.99	\$24.99	\$24.99
Aegean Voyage.....	\$24.99	\$24.99	\$24.99	\$24.99
Snooper Troops 12 ea.....	\$28.99	\$28.99	\$28.99	\$28.99
Traction Fever.....	\$22.99	\$22.99	\$22.99	\$22.99
Alphabet Zoo.....	\$22.99	\$22.99	\$22.99	\$22.99
In Search of.....	\$24.99	\$24.99	\$24.99	\$24.99
Facemaker.....	\$22.99	\$22.99	\$22.99	\$22.99
Kinder Comp.....	\$17.99	\$17.99	\$17.99	\$17.99
Dynatech				
Code Writer.....	\$79.99	\$79.99	\$175.99	\$155.99
VisiCorp				
VisiCalc.....	\$159.99	\$149.99	\$159.99	\$159.99
VisiCalc Advanced.....	N/A	N/A	N/A	\$269.99
pfs:				
Write.....	N/A	N/A	\$89.99	\$89.99
Graph.....	N/A	N/A	\$89.99	\$79.99
Report.....	N/A	N/A	\$79.99	\$79.99
File.....	N/A	N/A	\$63.99	\$79.99
Solutions:* as low as.....	N/A	N/A	\$16.99	\$16.99

COMPUTER MAIL ORDER

west

800-648-3311

In NV call (702)588-5654, Dept. 100
Order Status Number: 588-5654
P.O. Box 6689
Stateline, NV 89449

canada

Ontario/Quebec 800-268-3974
Other Provinces 800-268-4559

In Toronto call

(416)828-0866 Dept. 100
Order Status Number: 828-0866
2505 Dunwin Drive, Unit 3B
Mississauga, Ontario, Canada L5L1T1

east

800-233-8950

In PA call (717)327-9575, Dept. 100
Order Status Number: 327-9575
Customer Service Number: 327-1450
477 E. 3rd St., Williamsport, PA 17701



CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada. INTERNATIONAL ORDERS: All orders placed with U.S. offices for delivery outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$5) shipping and handling. EDUCATIONAL DISCOUNTS: Additional discounts are available to qualified Educational Institutions. APO & FPO: Add 3% (minimum \$5) shipping and handling.

Circle 74 on Inquiry card.

JULY 1984 • BYTE 399

(continued from page 145)

tively acknowledge the expected command. The potential problem occurs in either the Receive Init state or when a Kermit server is waiting for a command. In either case, Kermit won't know whether communication has begun if the other side's initial packet was lost. Kermit can't assume the other side will time out and retransmit, so it must check periodically by sending a NAK for packet zero. If Kermit gets no response, it assumes nothing has happened yet and goes back to sleep for a while.

But sending periodic NAKs opens the door to the buffering problem. Some systems buffer input for a device; when a program isn't looking for input, some or all the input is saved by the computer for future requests. This can cause problems when talking to a Kermit server or sending a file to a Kermit in receive wait. If some time has elapsed since activating the remote Kermit sending the file and escaping back and starting up the local Kermit, a number of NAKs may have accumulated in the local Kermit's input buffer, so clear the input buffer at the beginning of a transfer.

If the input buffer is not cleared, the local Kermit will think the remote side is having trouble receiving the first packet. In an effort to get the packet through, it will be sent again; this repeats for every NAK waiting in the input buffer. By the time the first ACK is finally encountered in the buffer, a number of duplicates of the first packet will

have been sent out. If this number exceeds the NAK threshold, the connection will be broken. If not, however, the second packet will be retransmitted once for each of the extra ACKs the remote Kermit correctly sent for the duplicate first packets. This can continue throughout the file transfer, causing each packet to be sent many times. So, clear the input buffer after reading each packet. Any computer that buffers its input should clear its input buffer before the transfer and after each packet that arrives successfully. But since not all systems provide a clear-buffer function, we may add our last rule: discard redundant ACKs.

In the situation just described, the first packet would be sent out multiple times, once for each buffered NAK. Upon receipt of the first ACK, the second packet would go out, but the next response would be another ACK for the first packet; by the last rule, Kermit would simply take in the redundant ACK, ignore it, and look for the next ACK, until it got the desired one, in violation of the spirit of the first rule.

If we allowed ourselves to violate the first rule, we could add another rule, an ACK for packet *n* also acknowledges all previous packets, as is done in some network protocols, allowing data packets to be sent in a continuous stream. Kermit cannot use this rule for many reasons: sequence-number wraparound, buffer overflows, and locking out half-duplex systems (how can you negatively acknowledge a bad packet if you can't get

control of the line?). Thus, if we violate the first rule, it must be only in a very minor way.

AN EXAMPLE

A sequence of packets from a real file transfer is shown in listing 1. Each packet starts with Control-A, shown as ^A. In the first packet, we see following the Control-A the packet length "J" (41 less 32, or 9) followed by the packet type, S (Send Init), and then by the appropriate parameter declarations: maximum packet length is H (72 - 32 = 40), time-out is "(" (40 - 32 = 8), number of padding characters is 0 (space = 32 - 32 = 0), the padding character is 0, end-of-line is "-" (45 - 32 = 13, the ASCII value of a carriage return), the control-quote character is "#", and the remaining fields are omitted, defaulting to appropriate values. The final character ("^^") is the single-character checksum, computed as follows (all numbers and computations are in octal, and "sp" represents a space):

```

) sp S H ( sp
51 + 40 + 123 + 110 + 50 + 40 +
@ - #
100 + 55 + 43 = 674
674 + (674/300) = 676
676 AND 77 = 76;
char(76) = 76 + 40 = 136 = "^^"

```

The receiver acknowledges with its own parameters, which are the same. Then comes the file header, the file, EOF, and EOT. One data packet was corrupted by a burst of "%" characters, negatively acknowledged, and retransmitted.

PERFORMANCE

For text files (documents or program source), assuming an average line length of 40 characters with lines separated by a carriage return/linefeed pair, the only control characters normally found in the text file, we see about 5 percent overhead for prefixing of control characters. Assuming no line terminators for packets (although one or both sides may require them), no retransmissions or time-outs, and no time wasted for the line to turn around between packet and response, for an average packet length *p*, using a single-character checksum, the Kermit protocol overhead consists of five control-field characters in the data packet, five characters in the acknowledgment

Listing 1: A sequence of packets from an actual file transfer. Comments are on the right side or in parentheses.

*A) SH(@-#^	Send Init
*A) YH(@-#%	ACK for Send Init
*A+!FMOON.DOC2	File header
*A#!Y?	ACK for file header
*AE'D No celestial body has required J	First data packet
*A#"Y@	ACK for first data packet
*AE#Das m%%%uch labor for the study of Its#	Second data packet, bad
*A##N8	NAK for second data packet
*AE#Das much labor for the study of Its#	Second data packet again
*A##YA	ACK for second data packet
*AESD#M#]moton as the moon. Since ClaA	etc. . .
*A#SYB	
(many packets omitted here)	
*AD"Dout 300 terms are sufficient.#M#]U	Last data packet
*A#"Y@	ACK for last data packet
*A##ZB	EOF
*A##YA	ACK for EOF
*A#SB+	EOT
*A#SYB	ACK for EOT

packet, and $0.05p$ for control-character quoting.

This gives $10/p + 0.05$ overhead. A packet length of 40 gives 30 percent overhead. If p is 96 (the maximum), there is about 15 percent. These figures will vary with the average line length and the frequency of other control characters (like tabs and formfeeds) in the file and will go up with immediate re-transmissions—and way up with delayed re-transmissions. For binary files, the quoting overhead will be higher. But transmission overhead can also go down dramatically if prefix encoding is used for repeated characters, depending on the nature of the data (binary data containing many zeros, highly indented or columnar data, or program text will tend to benefit). Each file transfer also gets a fixed overhead for the preliminary (Send Init, File Header) and terminating (EOF, EOT) packets.

If the mainframe end of a connection is heavily loaded, it may take considerable time to digest and process incoming characters before replying. On half-duplex mainframes, a pause may occur between sending and receiving, even if the load is light; this might be used to advantage by preparing the next packet in advance while waiting for the current ACK. Another problem may occur on heavily loaded mainframes—undesirable time-outs. Time-outs are intended to detect lost packets. A heavily loaded system may take longer than the time-out interval to send a packet. For this reason, mainframe Kermits should take the requested time-out interval only as a minimum and should adjust it for each packet based on the current system load, up to a reasonable maximum.

A noisy line has a greater likelihood of corrupted packets and therefore of retransmission overhead. Performance can be improved by reducing the packet length (and thus the corruption probability of any particular packet) and the amount of time required to retransmit it. A Kermit program can unilaterally adjust the packet length according to the number of retransmissions that are occurring. Short packets cut down on retransmission overhead; long packets cut down on character overhead.

THE USER INTERFACE

Kermit was designed from a mainframe perspective. Like many mainframe pro-

grams, Kermit issues a prompt, the user types a command, Kermit executes the command and issues another prompt, and so on until the user exits from the program. Much care is devoted to the command parser, even on microcomputer versions. The goal is to provide English-like commands composed of sequences of keywords or operands, with abbreviations possible for any keyword in any field down to the minimum unique length and with "?" help available at any point in a command. Not all implementations need follow this model, but most do.

The basic commands are SEND and RECEIVE. These allow most Kermits to exchange files. Operands can be the name of a single file or a file-group designator (e.g., with wildcards) to transmit multiple files in a single operation. Although some systems may not provide wildcard file processing, the Kermit protocol allows it.

The CONNECT command provides the mechanism for logging in and typing commands at the remote host, which is necessary in order to start the Kermit on that side. The CONNECT facility provides character-at-a-time transmission, parity selection, remote or local echoing, and the ability to send any character, including the escape character that must be used to get back to the local Kermit. However, no error detection or correction occurs during CONNECT, just as none normally occurs between an ordinary terminal and a host.

When two systems are dissimilar, a SET command is provided to allow them to accommodate each other's peculiarities, for instance, SET PARITY ODD to add odd parity to all outbound characters or SET LOCAL ECHO to do local echoing when connected as a terminal to a half-duplex system. The SET command must sometimes be used to supply information to the target system on how to store an incoming file with respect to block size, byte size, record format, and record length.

Most Kermit implementations take special care to reassure the user during file transfer. The names of the files being transferred are shown, and a dynamic display is made of the packet traffic, showing successful transmission of packets as well as time-outs and re-

(continued)



Dysan
CORPORATION

Solve your disc problems, buy 100% surface tested Dysan diskettes. All orders shipped from stock, within 24 hours. Call toll FREE (800) 235-4137 for prices and information. Visa and MasterCard accepted.



PACIFIC EXCHANGES
100 Foothill Blvd
San Luis Obispo, CA
93401. (In Cal call
(805) 543-1037.)

Circle 243 on inquiry card.

SAVE MORE THAN EVER ON 3M Scotch® DISKETTES

LIFETIME WARRANTY!

\$185	ea. 5 1/4" 5SD0 --(744)	\$235	ea. 5 1/4" DSDD (745)--
Qty. 20		Qty. 20	

5 1/4" SSDD—96TP1 (746) \$2.80 ea.
5 1/4" DSDD—96TP1 (747) \$3.25 ea.
8" SSDD (740) \$2.05 ea.
8" SSDD (741) \$2.50 ea.
8" DSDD (743) \$3.10 ea.

Shipping: 5 1/4" DISKETTES—Add \$3.00 per 100 or fraction thereof. 8" DISKETTES—Add \$4.00 per 100 or fraction thereof. OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges. Payment: VISA or MasterCard. COD orders only, add \$3.00. Taxes: In-state customers, please add 8%.

Hours: 9 AM-5 PM Central Time
For fast service call
Nationwide: 1-800-621-6827
In Illinois: 312-944-2788

DISK WORLD!
Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

Authorized Distributor
Information Processing Products **3M**

Circle 109 on inquiry card.

PROGRAMMABLE COMMUNICATIONS TRANSLATOR

THE PCT-100 IS A CONFIGURABLE IN-LINE RS-232C PROTOCOL AND DATA TRANSLATOR. THE PCT-100 CAN PROVIDE:

- TERMINAL OR PRINTER EMULATION
- DEC OR IBM SYSTEM COMPATIBILITY
- MACRO-FUNCTION KEYS
- TYPE-AHEAD AND DATA BUFFERING
- BAUD RATE CONVERSION
- HANDSHAKE PROTOCOL TRANSLATION (E.G. CTS/RTS, XON/XOFF)

THE PCT-100 IS CONFIGURED USING A BUILT-IN COMMUNICATIONS TRANSLATION LANGUAGE. PROGRAMS CAN BE EASILY ENTERED & EDITED FROM ANY ASCII DEVICE.

PCT-100-PCB (PCB ONLY).....\$ 289
PCT-100-ASM (PCB W/ CASE)..\$ 339
PCT-512-MOD (POWER SUPPLY)..\$ 59

METHOD SYSTEMS INCORPORATED
19751 SOUTH LAKESHORE BOULEVARD
EUCLID, OHIO 44119
(216) 531-0484

Circle 207 on inquiry card.

transmissions. Messages are issued when the user connects to the remote system or escapes back from it, and Kermit prompts identify the implementation. Helpful error messages are displayed when necessary; these may emanate from either the local or the remote system. The final disposition of the transfer is clearly stated: complete or failed.

The actions required of the Kermit user depend upon the degree to which the Kermit programs involved have implemented the specification. Minimal implementations require that the user connect to the remote host, start Kermit there, issue a SEND (or RECEIVE) command, escape back to the local machine, and issue the complementary RECEIVE (or SEND) command. All this must be done for each transfer. More advanced implementations allow the remote side to run as a server and to take all its instructions in special command packets from the local Kermit; all the user

has to do on the remote end is make the initial connection to start the server. The server will even log itself out upon command from the local Kermit. A minimal server can process commands to send files, receive files, and shut down.

See listing 2 for an example of a session in which the user of an IBM PC transfers files from a DECSYSTEM-20. The actions shown are required for minimal Kermit implementations.

The session is somewhat simpler when the remote Kermit is being run as a server. The user must still use CONNECT, log in, and start Kermit on the remote end but need never again use CONNECT to issue subsequent SEND, RECEIVE, EXIT, or LOGOUT commands, even though many transactions may take place. All actions can be initiated from the PC.

ADVANCED FEATURES

An optional feature of the Kermit protocol is a special packet designed to ex-

press the attributes of a file in a compact and generic manner. The receiver may either attempt to use the attributes to store the incoming file, or archive them for later use. Attributes include not only file characteristics but also the intended disposition—store, print, submit for batch processing, send as mail, etc. Other optional features include mechanisms for gracefully interrupting, delaying, or suspending operations in progress; alternate forms of packet-data encoding; filename conversion; local file management; raw-data transmission and capture; command-macro definition; etc.

Although Kermit was never intended to fulfill the role of a general-purpose network server, its design has made it simple to add new functions. A Kermit server can accept commands in packets from a remote Kermit. The basic commands are for sending or fetching files and for shutting down the server. Other commands may require the display of text at the user's terminal, which is controlled by the local Kermit. For example, a directory listing could be requested; the resulting text is sent back to the local Kermit exactly as if a file were being transferred, except the destination is the user's screen rather than a disk file. With this ability in place, it is possible to implement all sorts of commands, for instance, to delete a file, show who's logged in, inquire about disk space, verify access to a directory, submit batch jobs, send messages, and so forth.

The ability of the Kermit server to perform host functions can be added very simply under certain operating systems. For instance, under UNIX, Kermit can "fork" a shell with commands to perform any function possible under UNIX, redirecting the standard output through a process (Kermit itself) that encapsulates it into Kermit packets and sends it along.

A server with these capabilities could provide convenient access to a time-sharing system by users at personal workstations, without requiring the users to be directly involved with the host. If, for instance, workstations had dedicated connections to a host, and the host had dedicated Kermit servers for each such line, users could get access to and manage their host files completely by commands typed at the workstation. Taking this idea one step further,

Listing 2: A sample session that transfers a file between an IBM Personal Computer and a DEC mainframe. The parts the user types are in *italic* and comments appear on the right or in parentheses. Everything else is system typeout.

```
A> kermit                ! Run Kermit on the PC.
Kermit V1.20

Kermit-86 >              ! This is the Kermit prompt for the PC.
Kermit-86 > connect      ! Connect to the DEC-20.
[Connecting to host. Type CTRL-C to return to PC.]

                          ! You are now connected to the DEC-20.
Columbia University CU20B ! The system prints its herald.
@terminal vt52           ! Set your terminal type (optional).
@login my-id password    ! Login using the normal login method.

(The DEC-20 prints various messages.)

@kermit                  ! Run Kermit on the DEC-20.
Kermit-20 >             ! This is Kermit-20's prompt.
Kermit-20 > send *.for   ! Send all FORTRAN files.
^|c                      ! Type the escape sequence to return to the PC.
[Back at PC.]
Kermit-86 > receive      ! Tell the PC that files are coming.

(The progress of the transfer is shown continuously on the screen.)

Transfer Complete.
Kermit-86 > conned      ! Get back to the DEC-20.
[Connecting to host. Type CTRL-C to return to PC.]
Kermit-20 > exit         ! Get out of Kermit-20.
@logout                  ! Logout from the DEC-20.

Logged out Job 55, User MY-ID, Account MY-ACCOUNT, TTY 146.
at 24-Apr-84 15:18:56. Used 0:00:17 in 01:21:55

^|c                      ! Now, escape back to the PC
[Back at PC.]
Kermit-86 > exit        ! and exit from the PC's Kermit.
```

the workstation system software could be modified to make the whole process transparent by incorporating the Kermit protocol in its file access logic—fetching and updating host files as necessary behind the user's back. Since the demands placed on a host by Kermit are relatively modest, many simultaneous users could probably be serviced in this way. This approach could be a relatively painless entry into the distributed, networked environment of tomorrow; when local-area-network protocols become mature and the hardware economical and widespread, Kermit can be replaced by the real thing. But for the ordinary computer user for whom dedicated connections are impractical, do-it-yourself Kermit, or some similar facility, will be a valuable tool for years.

CONCLUSIONS

The need for a cheap, convenient file-transfer capability among diverse systems is pressing, and many efforts similar to ours are under way at many places. We hope that this article may contribute to those efforts; we don't claim to have the last word on any of the issues raised here and expect that this article may uncover some other approaches. We have billed Kermit as a simple protocol; anyone who has read this far will appreciate what must go into the more complicated protocols used in real networks or when integration of microcomputer and mainframe is a major goal—demand paging of remote files, remote database queries, distributed editing, and computation.

Meanwhile, the Kermit protocol has proven successful and continues to grow in popularity. As of this writing, implementations exist for over 50 computer systems; the major ones are listed in table 1. Some have been contributed or enhanced by the institutions listed in the acknowledgments. No single implementation necessarily includes all features mentioned in this article, but all are able to communicate at least at base level. Additional implementations are in preparation, and present ones are being enhanced.

Columbia University is willing to provide all Kermit programs, sources, manuals, and other documentation to computing centers, academic or corporate, in return for a modest fee to cover costs for media, printing, postage, labor,

Table 1: The computers and operating systems that the Kermit protocol is available on and the computer language the program is written in.

Machine	Operating System	Language
DECsystem-10	TOPS-10	MACRO-10
DECSYSTEM-20	TOPS-20	MACRO-20
IBM 370 Series	VM/CMS	IBM Assembler
VAX-11	VMS	Bliss-32
VAX, SUN, PDP-11, etc.	UNIX	C
PDP-11	RT-11, RSX, RSTS	MACRO-11
8080, 8085, or Z80	CP/M-80	8080 ASM
8086, 8088	MS-DOS, CP/M-86	MASM, ASM86
Apple II 6502	Apple DOS	DEC-10/20 CROSS

and computing resources. Only magnetic tape and listings can be shipped. We cannot produce floppy disks; instructions are included for bootstrapping the microcomputer implementations from the mainframe computers. Details will be provided on request. Write to

Kermit Distribution
Columbia University Center for
Computing Activities
7th Floor, Watson Laboratory
612 West 115th St.
New York, NY 10025

The protocol specification supplemented by examples of existing Kermit implementations allows new implementations to be created with relative ease. In the past, Kermit implementers have shared their work with other Kermit users by contributing it to the Columbia Kermit library. We hope that this practice will continue until Kermit has spread throughout the known world. ■

ACKNOWLEDGMENTS

In designing the initial Kermit protocol, we studied several models, primarily the ANSI recommendation. Others included the Stanford University DIALNET project, the University of Utah "Small FTP" project, and the Stanford University Medical Center TTYFTP project. And we examined some real networks, such as ARPANET and DECnet.

Acknowledgments are also due to the many sites that have contributed new Kermit implementations or enhanced old ones: Stevens Institute of Technology, Digital Equipment Corporation, the National Institutes of Health, Cornell University, the University of Toronto, the University of Tennessee, University of Toledo, Pima Community College, Cerritos College, and others. Thanks to Dr. Howard Eskin for help with this article and to Henson and Associates for permission to use Kermit.

REFERENCES

1. ANSI X3.15-1976. *Bit Sequencing of ASCII in Serial-By-Bit Data Transmission*. New York: American National Standards Institute, 1976.
2. ANSI 3.16-1976. *Character Structure and Character Parity Sense for Serial-By-Bit Data Communication in ASCII*. New York: American National Standards Institute, 1976.
3. ANSI X3.28-1976. *Procedures for the Use of Control Characters of ASCII in Specified Data Communications Links*. New York: American National Standards Institute, 1976.
4. ANSI X3.4-1977. *Code for Information Interchange*. New York: American National Standards Institute, 1977.
5. *DNA Data Access Protocol (DAP) Functional Specification*. AA-K177ATK. Marlborough, MA: Digital Equipment Corporation, 1980.
6. *DNA Digital Data Communications Message Protocol (DDCMP) Functional Specification*. AA-K175ATK. Marlborough, MA: Digital Equipment Corporation, 1980.
7. *EIA Standard RS-232C*. Washington, DC: Electronic Industries Association, 1969, 1981.
8. Hamming, R. W. "Error Detecting and Error Correcting Codes." *Bell System Technical Journal*, April 1950, page 147.
9. *ISO Reference Model for Open Systems Interconnection (OSI)*. Draft Proposal 7498. International Organization for Standardization, 1982.
10. Knuth, D. E. *The Art of Computer Programming, Volume 1: Fundamental Algorithms*. Reading, MA: Addison-Wesley, 1973.
11. Mackenzie, C. E. *Coded-Character Sets: History and Development*. Reading, MA: Addison-Wesley, 1980.
12. McNamara, J. E. *Technical Aspects of Data Communication*. Bedford, MA: Digital Press, 1982.
13. Martin, James. *Teleprocessing Network Organization*. Englewood Cliffs, NJ: Prentice-Hall, 1970.
14. Neigus, N. J. *File Transfer Protocol for the ARPA Network*. RFC 542, NIC 17759. Cambridge, MA: Bolt Beranek and Newman Inc., 1973. (Available in the *ARPANET Protocol Handbook*. NTIS AD/A-052 594.)
15. Perez, Aram. "Byte-wise CRC Calculations." *IEEE MICRO*, June 1983, page 40.
16. Pierce, J. R., and E. C. Posner. *Applications of Communications Theory: Introduction to Communication Science and Systems*. New York: Plenum Press, 1980.
17. Thomas, R., and J. Yates. *A User Guide to the UNIX System*. Berkeley, CA: Osborne/McGraw-Hill, 1982.

Diskette Users...

When you've heard from all the animals in the diskette zoo, but you need fast delivery and high quality diskettes...



Call Communications Electronics

Diskette order desk

800-USA-DISK

In Canada 800-CA1-DISK

Choose your brand

Choose your price



Super Disk
diskettes for as low as
\$0.99 each



Wabash
diskettes for as low as
\$1.14 each



BASF
diskettes for as low as
\$1.54 each



3M
diskettes for as low as
\$1.59 each

Product Description	Super Disk		Wabash		BASF		3M	
	Part #	CE quot. 100 price per disk (\$)	Part #	CE quot. 100 price per disk (\$)	Part #	CE quot. 100 price per disk (\$)	Part #	CE quot. 100 price per disk (\$)
8" SSSD IBM Compatible 128B/S, 26 Sector	_____	_____	F11-H	1.89	_____	_____	888D-H	1.94
8" SSSD Shugart Compatible, 32 Hard Sector	_____	_____	F31A-H	1.89	_____	_____	_____	_____
8" SSSD IBM Compatible (128 B/S, 26 Sectors)	_____	_____	F131-H	2.29	_____	_____	888D-H	2.39
8" DSDD Soft Sector (Unformatted)	_____	_____	F14A-H	2.69	_____	_____	888D-H	2.89
8" DSDD Soft Sector (256 B/S, 26 Sectors)	_____	_____	F144-H	2.69	_____	_____	_____	_____
8" DSDD Soft Sector (512 B/S, 15 Sectors)	_____	_____	F145-H	2.69	_____	_____	_____	_____
8" DSDD Soft Sector (1 024 B/S, 8 Sectors)	_____	_____	F147-H	2.69	_____	_____	808DD-1024-H	2.89
5 1/4" SSSD Soft Sector w/Hub Ring	6431-H	1.19	M11A-H	1.34	_____	_____	_____	_____
5 1/4" SSSD Same as above but bulk product	6437-H	0.99	M11AB-H	1.14	_____	_____	_____	_____
5 1/4" SSSD 10 Hard Sector w/Hub Ring	_____	_____	M41A-H	1.34	_____	_____	_____	_____
5 1/4" SSDD Soft Sector w/Hub Ring	6481-H	1.44	M13A-H	1.59	54974-H	1.54	588DD-RH-H	1.79
5 1/4" SSDD Same as above, but bulk product	6487-H	1.24	M13AB-H	1.39	_____	_____	588DD-BL-H	1.59
5 1/4" SSDD Soft Sector Flippy (use both sides)	_____	_____	M18A-H	2.59	_____	_____	_____	_____
5 1/4" SSDD 10 Hard Sector w/Hub Ring	_____	_____	M43A-H	1.59	_____	_____	_____	_____
5 1/4" DSDD Soft Sector w/Hub Ring	6491-H	1.94	M14A-H	2.09	54980-H	2.04	508DD-RH-H	2.24
5 1/4" DSDD Same as above, but bulk product	6497-H	1.74	M14AB-H	1.89	_____	_____	_____	_____
5 1/4" DSDD 10 Hard Sector w/Hub Ring	_____	_____	M44A-H	2.09	_____	_____	_____	_____
5 1/4" DSDD 16 Hard Sector w/Hub Ring	_____	_____	M54A-H	2.09	_____	_____	_____	_____
5 1/4" DSDD Soft Sector w/Hub Ring (96 TPI)	6501-H	2.84	M16A-H	2.99	54992-H	3.14	508DD-98RH-H	3.14
3 1/2" SSDD Soft Sector micro-floppy	_____	_____	_____	_____	54112-H	2.74	388MD-H	3.74

For more information about this brand call:

Lifetime warranty
For more info on Super Disk call
800-USA-DISK
In Michigan 313-873-1111

6 year warranty
For more info on Wabash call
800-323-9868
In Illinois 312-583-8383

Lifetime warranty
For more info on BASF call
800-343-4600
In Massachusetts 617-271-4000

Lifetime warranty
For more info on 3M call
800-328-9438
In Minnesota 612-736-9674

CE...your best source for diskettes

For you the diskette buyer, it's a jungle out there. There are so many different brands to choose from, you need to go on a safari to find a good brand at a reasonable cost. Fortunately, CE has already hunted for the best diskettes and offers you an excellent choice at a CE price. To save you even more, CE also offers bulk product where 100 diskettes are packed in the same box without envelopes or labels. Since we save packaging costs, these savings are passed on to you. Diskette envelopes are also available from CE. These super strong and tear resistant Tyvek® envelopes are only \$15.00 per 100 pack. Use order # TE-5 for a 100 pack of 5 1/4" diskette envelopes.

Quantity Discounts Available

Our diskettes are packed 10 disks to a carton and 5 or 10 cartons to a case. The economy bulk pack is packaged 100 disks to a case without envelopes or labels. Please order only in increments of 100 units for quantity 100 pricing. With the exception of bulk pack, we are also willing to accommodate your smaller orders. Quantities less than 100 units are available in increments of 10 units at a 20% surcharge above our 100 unit price. **Quantity discounts** are also available. Order 300 or more disks at the same time and deduct 1%; 500 or more saves you 2%; 1,000 or more saves 3%; 2,000 or more saves 4%; 5,000 or more saves 5%; 10,000 or more saves 6%; 50,000 or more saves 7%; 100,000 or more saves 8%; 500,000 or more saves 9% and 1,000,000 or more disks earns you a 10% discount off our super low quantity 100 price. Almost all our diskettes are immediately available from CE. Our efficient warehouse facilities are equipped to help us get you the quality product you need, when you need it. If you need further assistance to find the flexible diskette that's right for you, call the appropriate manufacturers compatibility hotline telephone number listed at the bottom of this ad. Dealer inquiries invited.

Buy your diskettes from CE with confidence

To get the fastest delivery of your diskettes, phone your order directly to our order desk and charge it to your credit card. Written purchase orders are accepted from approved government agencies and most well rated firms at a 10% surcharge for net 10 billing. For maximum savings, your order should be prepaid. All sales are subject to availability, acceptance and verification. All sales are final. All prices are in U.S. dollars. Prices, terms and specifications are subject to change without notice. Out of stock items will be placed on backorder or substituted for equivalent product at no extra cost to you unless CE is instructed differently. A \$5.00 additional handling fee will be charged for all orders with a merchandise total under \$50.00. All shipments are F.O.B. CE warehouse in Ann Arbor, Michigan. COD terms are available, in U.S. UPS areas for \$5.00 extra, and are payable with cash or certified check.

For shipping charges add \$8.00 per 100 diskettes and/or any fraction of 100 8-inch diskettes, or \$6.00 per 100 diskettes and/or any fraction of 100 5 1/4-inch or 3 1/2-inch diskettes for U.P.S. ground shipping and handling in the continental U.S. UPS 2nd day air rates are three times continental U.S. rates. For Canada, Puerto Rico, Hawaii, Alaska, or APO/FPO delivery, shipping is three times the continental U.S. rate.

Mail orders to: Communications Electronics, Box 1045, Ann Arbor, Michigan 48106 U.S.A. If you have a Visa or Master Card, you may call and place a credit card order. Order toll-free in the U.S. Dial 800-USA-DISK. In Canada, order toll-free by calling 800-CA1-DISK. If you are outside the U.S. or in Michigan dial 313-973-8888. WUI telex anytime 671-0155. Order today. Copyright ©1984 Communications Electronics Inc. Ad #062184




Computer Products Division

Box 1045 □ Ann Arbor, Michigan 48106-1045 U.S.A.
Call toll-free 800-USA-DISK or outside U.S.A. 313-973-8888




Verbatim
diskettes 100 price
\$1.79 each



Memorex
diskettes 100 price
\$1.84 each




Ultra
diskettes 100 price
\$1.89 each



TDK
diskettes 100 price
\$2.09 each



Fuji
diskettes 100 price
\$2.14 each



Dysan
diskettes 100 price
\$2.49 each

Verbatim Part #	CE quant 100 price per disk (\$)	Memorex Part #	CE quant 100 price per disk (\$)	Ultra Part #	CE quant 100 price per disk (\$)	TDK Part #	CE quant 100 price per disk (\$)	Fuji Part #	CE quant 100 price per disk (\$)	Dysan Part #	CE quant 100 price per disk (\$)
_____	_____	3062-H	1.94	81726-H	1.99	F1-S-H	2.69	FBI S-120N-H	2.79	800501-H	2.79
_____	_____	3015-H	1.94	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	3090-H	2.39	_____	_____	_____	_____	_____	_____	800605-H	3.19
_____	_____	3102-H	2.89	82701-H	2.94	F20-S-H	3.29	FD20-H	3.59	800803-H	3.59
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	3104-H	2.89	82708-H	2.94	F20-S1024-H	3.29	FD20-1024-H	3.59	800839-H	3.59
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
28820-H	1.79	3481-H	1.84	51401-H	1.89	M1 D-S-H	2.09	MD1 D-H	2.14	801187-H	2.49
_____	_____	_____	_____	52402-H	2.69	_____	_____	_____	_____	_____	_____
28821-H	2.54	3491-H	2.59	52401-H	2.64	M20-S-H	2.84	M020-H	2.89	802060-H	3.49
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
28823-H	3.44	3501-H	3.49	52801-H	3.54	M20X-S-H	3.89	MD20-96TP1-H	3.94	802067-H	4.29
_____	_____	6100-H	3.74	_____	_____	_____	_____	_____	_____	_____	_____

Lifetime warranty
For more info on Verbatim call
800-538-8589
In California 408-245-4400

5 year warranty
For more info on Memorex call
800-448-1422
Monday-Friday 9am-4pm ET

Lifetime warranty
For more info on Ultra call
408-728-7777
Monday-Friday 9 am-4 pm PT

Lifetime warranty
For more info on TDK call
800-645-6571
In New York 516-825-0100

Lifetime warranty
For more info on Fuji call
800-223-6535
In New York 212-736-3335

1 year warranty
For more info on Dysan call
800-552-2211
In California 408-970-6096

B·O·O·K·S R·E·C·E·I·V·E·D

THE ABCS OF THE IBM PC. Joan Lasselle and Carol Ramsay. Berkeley, CA: Sybex, 1984; 160 pages, 17.5 by 22.8 cm, softcover. ISBN 0-89588-102-0, \$12.95.

ADVANCED PASCAL PROGRAMMING TECHNIQUES. Paul A. Sand. Berkeley, CA: Osborne/McGraw-Hill, 1984; 380 pages, 18.5 by 23.3 cm, softcover, ISBN 0-88134-105-3, \$19.95.

ALL ABOUT HAND-HELD AND BRIEFCASE-PORTABLE COMPUTERS. C. Louis Hohenstein. New York: McGraw-Hill, 1984; 380 pages, 15 by 22.8 cm, softcover. ISBN 0-07-029452-6, \$9.95.

APL: AN INTERACTIVE APPROACH. 3rd ed. Leonard Gilman and Allen J. Rose. New York: John Wiley & Sons, 1984; 380 pages, 21.3 by 27.8 cm, softcover. ISBN 0-471-09304-1, \$22.95.

AN APPLE BUSINESS USER'S GUIDE: BUSINESS DECISION MAKING FOR HIGHER PROFITS. William R. Osgood and James F. Molloy Jr. Somerville, MA: Curtin & London, 1983; 160 pages, 21.5 by 27.8 cm, softcover. ISBN 0-930764-66-8, \$15.50.

APPLESTAT. Peter Rob. Englewood Cliffs, NJ: Prentice-Hall, 1984; 84 pages, 20 by 24.8 cm, hardcover. ISBN 0-13-038951-X, \$49.95. Includes floppy disk.

THE APPLE II BASIC HANDBOOK. Douglas Hergert. Berkeley, CA: Sybex, 1983; 270 pages, 15 by 22.8 cm, softcover. ISBN 0-89588-115-2, \$13.95.

APPLIED CONCEPTS IN MICROCOMPUTER GRAPHICS. Bruce A. Artwick. Englewood Cliffs, NJ: Prentice-Hall, 1984; 384 pages, 18.5 by 24.3 cm, hardcover. ISBN 0-13-039322-3, \$27.95.

ASSEMBLER FOR THE IBM PC AND PC-XT. Peter Abel. Reston, VA: Reston Publishing Co., 1984; 432 pages, 17.5 by 23.3 cm, softcover. ISBN 0-8359-0153-X, \$16.95.

ATARI BASIC TUTORIAL. Robert

A. Peck. Indianapolis, IN: Howard W. Sams & Co., 1983; 224 pages, 13.8 by 21.5 cm, spiral-bound. ISBN 0-672-22066-0, \$12.95.

ATARI PLAYER-MISSILE GRAPHICS IN BASIC. Philip C. Seyer. Reston, VA: Reston Publishing, 1984; 188 pages, 14.8 by 22.8 cm, spiral-bound. ISBN 0-8359-0112-2, \$14.95.

BASIC PROGRAMMING. Donald D. Spencer. New York: Charles Scribner's Sons, 1984; 224 pages, 15.3 by 22.8 cm, softcover. ISBN 0-684-18039-1, \$9.95.

CAAP '83. G. Ausiello and M. Protasi, eds. Lecture Notes in Computer Science #159. New York: Springer-Verlag, 1983; 423 pages, 13 by 19 cm, softcover. ISBN 0-387-12727-5, \$18.

COBOL FOR MICROCOMPUTERS. Ruth Ashley and Judi N. Fernandez. New York: John Wiley & Sons, 1983; 336 pages, 17 by 25.3 cm, softcover. ISBN 0-471-87241-5, \$15.95.

COMMODORE 64. John A. Heil and Jack Martin. Wayne, PA: Banbury Books, 1983; 208 pages, 18 by 23.5 cm, spiral-bound. ISBN 0-88693-067-7, \$14.95.

COMMODORE 64 EXPOSED. Bruce Bayley. Nashville, TN: Melbourne House Software Inc., 1983; 206 pages, 14 by 20.8 cm, softcover. ISBN 0-86759-144-7, \$14.95.

COMMODORE 64 FUN AND GAMES. Ron Jeffries, Glen Fisher, and Brian Sawyer. Berkeley, CA: Osborne/McGraw-Hill, 1984; 192 pages, 21.3 by 27.5 cm, softcover. ISBN 0-88134-116-9, \$11.95.

COMMODORE 64 VIC 20 BASIC. Richard Haskell and Thomas

Windeknecht. Englewood Cliffs, NJ: Prentice-Hall, 1983; 192 pages, 21.5 by 27.8 cm, softcover. ISBN 0-13-152281-7, \$13.95.

THE COMMODORE 64/VIC-20 BASIC HANDBOOK. Douglas Hergert. Berkeley, CA: Sybex, 1983; 208 pages, 15.3 by 22.8 cm, softcover. ISBN 0-89588-116-0, \$14.95.

THE COMPLEAT KAYPRO. Steven Frankel. Reston, VA: Reston Publishing Co., Inc., 1984; 240 pages, 17.5 by 23.3 cm, softcover. ISBN 0-8359-0802-X, \$16.95.

COMPUTER BASICS FOR STUDENT PROGRAMMERS. Dominick Sodano, Harry Klaff, and Susan White. Freeport, NY: Educational Activities Inc., 1983; 128 pages, 15 by 23 cm, spiral-bound. ISBN 0-9611246, \$6.95.

COMPUTER BUYER'S PROTECTION GUIDE. L. J. Kuttner. Englewood Cliffs, NJ: Prentice-Hall, 1984; 160 pages, 15.3 by 22.8 cm, softcover. ISBN 0-13-164187-5, \$12.95.

COMPUTER SCIENCE WITH STRUCTURED BASIC. James Poirot, David Groves, and Charles Hammons. Austin, TX: Sterling Swift Publishing, 1983; 348 pages, 19.5 by 25 cm, softcover. ISBN 0-88408-279-2, \$18.95.

COMPUTERS IN CHESS. English ed. M. M. Botvinnik. New York: Springer-Verlag, 1984; 176 pages, 16 by 24.3 cm, hardcover. ISBN 0-387-90869-2, \$22.

COMPUTERS AND YOUR CHILD. Ray Hammond. New York: Ticknor & Fields, 1984; 286 pages, 14.5 by 22 cm, hardcover. ISBN 0-89919-210-6, \$15.95.

THE COMPUTHINK GUIDE TO WORD PROCESSING. Jesse Berst. Indianapolis, IN: Howard W. Sams

& Co., 1983; 192 pages, 20 by 23.5 cm, ISBN 0-672-22069-5, \$12.95.

CREATIVE DESIGN WITH MICROCOMPUTERS. Steven K. Roberts. Englewood Cliffs, NJ: Prentice-Hall, 1984; 400 pages, 17.5 by 23.3 cm, softcover. ISBN 0-13-189317-3, \$14.95.

DATABASE MANAGER IN MICROSOFT BASIC. Greg Greene. Blue Ridge Summit, PA: Tab Books, 1983; 176 pages, 19.5 by 23.5 cm, softcover. ISBN 0-8306-0567-3, \$12.50.

DATABASE. A PRIMER. C. J. Date. Reading, MA: Addison-Wesley, 1983; 288 pages, 18.3 by 23.3 cm, softcover. ISBN 0-201-11358-9, \$12.95.

DIGITAL CONTROL SYSTEM ANALYSIS AND DESIGN. Charles L. Phillips and H. Troy Nagle Jr. Englewood Cliffs, NJ: Prentice-Hall, 1984; 576 pages, 18.3 by 24.3 cm, hardcover. ISBN 0-13-212043-7, \$36.95.

THE EASY GUIDE TO YOUR COMMODORE 64. Joseph Kascser. Berkeley, CA: Sybex, 1983; 144 pages, 15.3 by 22.8 cm, softcover. ISBN 0-89588-126-8, \$7.95.

8-BIT & 16-BIT MICROPROCESSOR COOKBOOK. Joseph J. Carr. Blue Ridge Summit, PA: Tab Books, 1983; 302 pages, 13.5 by 21.5 cm, hardcover. ISBN 0-8306-0643-2, \$19.95.

ELEMENTS OF COMPUTER PROCESS CONTROL. Pradeep B. Deshpande and Raymond H. Ash. Englewood Cliffs, NJ: Prentice-Hall, 1983; 400 pages, 16 by 24 cm, hardcover. ISBN 0-13-264093-7, \$47.95.

THE EVOLUTION OF PROGRAMS. Nachum Dershowitz. Cambridge, MA: Birkhäuser Boston Inc., 1983; 366 pages, 14.5 by 22.8 cm, softcover. ISBN 0-8176-3171-2, \$16.95.

THE FIFTH GENERATION. Edward A. Fiegenbaum and Pamela McCorduck. Reading, MA: Addison-Wesley, 1983; 288

.....
THIS IS A LIST of books recently received at BYTE Publications. The list is not meant to be exhaustive, its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.

64K S100 STATIC RAM

\$199⁰⁰ KIT

NEW!



LOW POWER!
RAM OR EPROM!

**BLANK PC BOARD
WITH DOCUMENTATION**
\$55

SUPPORT ICs + CAPS
\$17.50

FULL SOCKET SET
\$14.50

**FULLY SUPPORTS THE
NEW IEEE 696 S100
STANDARD
(AS PROPOSED)**
FOR 56K KIT \$185

**ASSEMBLED AND
TESTED ADD \$50**

FEATURES:

- Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs.
- Fully supports IEEE 696 24 BIT Extended Addressing.
- 64K draws only approximately 500 MA.
- 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
- SUPPORTS PHANTOM (BOTH LOWER 32K AND ENTIRE BOARD).
- 2716 EPROMs may be installed in any of top 48K.
- Any of the top 8K (E000 H AND ABOVE) may be disabled to provide windows to eliminate any possible conflicts with your system monitor, disk controller, etc.
- Perfect for small systems since BOTH RAM and EPROM may co-exist on the same board.
- BOARD may be partially populated as 56K.

pages. 16.5 by 24 cm. hardcover. ISBN 0-201-11519-0. \$15.55.

FIRST COURSE IN DATA PROCESSING WITH BASIC. 2nd ed. J. Daniel Couger and Fred R. McFadden. New York: John Wiley & Sons. 1984; 620 pages. 21.3 by 27.8 cm. softcover. ISBN 0-471-86945-7. \$25.95.

FIRST COURSE IN DATA PROCESSING WITH BASIC, COBOL, FORTRAN, AND RPG. 3rd ed. J. Daniel Couger and Fred R. McFadden. New York: John Wiley & Sons. 1984; 702 pages. 21.3 by 27.8 cm. softcover. ISBN 0-471-86946-5. \$26.95.

FUNDAMENTALS OF PROGRAMMING LANGUAGES. 2nd ed. Ellis Horowitz. Rockville, MD: Computer Science Press. 1984; 464 pages. 15.5 by 23.5 cm. hardcover. ISBN 0-88175-004-2. \$26.95.

GAMES COMPUTERS PLAY. Keith S. Reid-Green. Bedford, MA: Digital Press. 1984; 256 pages. 21.5 by 25.5 cm. softcover. ISBN 0-932376-29-0. \$16.

GETTING THE MOST FROM WORD-STAR AND MAILMERGE. M. David Stone. Englewood Cliffs, NJ: 1984; 256 pages. 17.5 by 23.5 cm. softcover. ISBN 0-13-354382-X. \$14.95.

GETTING THE MOST FROM YOUR VIC 20. Hank Librach. Englewood Cliffs, NJ: Prentice-Hall. 1983; 144 pages. 15 by 22.8 cm. softcover. ISBN 0-13-354357-9. \$9.95.

A GUIDE TO THE BEST BUSINESS SOFTWARE FOR THE IBM PC. Richard C. Dorf. Reading, MA: Addison-Wesley. 1983; 224 pages. 18.5 by 23.5 cm. softcover. ISBN 0-201-10256-0. \$12.95.

How to Buy Software. Alfred Glossbrenner. New York: St. Martin's Press. 1984; 672 pages. 15.5 by 23.5 cm. softcover. ISBN 0-312-39551-5. \$14.95.

How to Create Your Own Computer Bulletin Board. Lary L.

Myers. Blue Ridge Summit, PA: Tab Books. 1983; 224 pages. 19.5 by 23.5 cm. softcover. ISBN 0-8306-1633-0. \$12.50.

HOW TO GET INTIMATE WITH YOUR COMPUTER. Fred D'Ignazio. New York: McGraw-Hill. 1984; 168 pages. 13.5 by 20.3 cm. softcover. ISBN 0-07-016901-2. \$6.95.

HOW TO PROGRAM YOUR COMMODORE 64. Carl Shipman. Tucson, AZ: HP Books. 1983; 336 pages. 21.5 by 27.5 cm. softcover. ISBN 0-89586-310-3. \$9.95.

THE IBM/PC & BUSINESS SOFTWARE. James E. Kelley Jr. Wayne, PA: Banbury Books. 1983; 254 pages. 17.8 by 23.5 cm. spiral-bound. ISBN 0-88693-000-6. \$39.95. Includes two floppy disks.

IBM PC EXPANSION & SOFTWARE GUIDE. 3rd ed. Staff of Que Corp. Indianapolis, IN: Que Corp. 1983; 672 pages. 20.5 by 27.5 cm. softcover. ISBN 0-88022-057-0. \$19.95.

THE IBM PC USER'S GUIDE. Michael Bane with Mark Andrews. New York: Macmillan Publishing Co. 1983; 128 pages. 13.5 by 20.8 cm. softcover. ISBN 0-02-008710-1. \$5.95.

INTERACTIVE PROGRAMMING ENVIRONMENTS. David R. Barstow, Howard E. Shrobe, and Erik Sandewall. New York: McGraw-Hill. 1984; 224 pages. 15.8 by 23.5 cm. hardcover. ISBN 0-07-003885-6. \$34.95.

INTERFACING TEST CIRCUITS WITH SINGLE-BOARD COMPUTERS. Robert H. Luetzow. Blue Ridge Summit, PA: Tab Books. 1983; 256 pages. 19.5 by 23.5 cm. softcover. ISBN 0-8306-0583-5. \$13.50.

INTEGRATED-CIRCUIT OPERATIONAL AMPLIFIERS. 2nd ed. George B. Rutkowski. Englewood Cliffs, NJ: Prentice-Hall. 1984; 334 pages. 15.5 by 23.8 cm. hardcover. ISBN 0-13-469007-9. \$26.95.

(continued)


ALL SALES SUBJECT TO THE TERMS OF OUR 90 DAY LIMITED WARRANTY. FREE COPY UPON REQUEST.

256K S-100 SOLID STATE DISK SIMULATOR!

WE CALL THIS BOARD THE "LIGHT-SPEED-100" BECAUSE IT OFFERS AN ASTOUNDING INCREASE IN YOUR COMPUTER'S PERFORMANCE WHEN COMPARED TO A MECHANICAL FLOPPY DISK DRIVE.

FEATURES:

- 256K on board, using + 5V 64K DRAMS.
- Uses new Intel 8203-1 LSI Memory Controller.
- Requires only 4 Dip Switch Selectable I/O Ports.
- Runs on 8080 or Z80 S100 machines.
- Up to 8 LS-100 boards can be run together for 2 Meg. of On Line Solid State Disk Storage.
- Provisions for Battery back-up.
- Software to mate the LS-100 to your CP/M* 2.2 DOS is supplied.
- The LS-100 provides an increase in speed of up to 7 to 10 times on Disk Intensive Software.
- Compare our price! You could pay up to 3 times as much for similar boards.



**BLANK PCB
(WITH CP/M* 2.2
PATCHES AND INSTALL
PROGRAM ON DISKETTE)**

\$69⁹⁵

\$349⁰⁰


#LS-100 (FULL 256K KIT)

THE NEW ZRT-80 CRT TERMINAL BOARD!

A LOW COST Z-80 BASED SINGLE BOARD THAT ONLY NEEDS AN ASCII KEYBOARD, POWER SUPPLY, AND VIDEO MONITOR TO MAKE A COMPLETE CRT TERMINAL. USE AS A COMPUTER CONSOLE, OR WITH A MODEM FOR USE WITH ANY OF THE PHONE-LINE COMPUTER SERVICES.

FEATURES:

- Uses a Z80A and 6845 CRT Controller for powerful video capabilities.
- RS232 at 16 BAUD Rates from 75 to 19,200.
- 24 x 80 standard format (60 Hz).
- Optional formats from 24 x 80 (50 Hz) to 64 lines x 96 characters (60 Hz).
- Higher density formats require up to 3 additional 2K x 8 6116 RAMS.
- Uses N.S. INS 8250 BAUD Rate Gen. and USART combo IC.
- 3 Terminal Emulation Modes which are Dip Switch selectable. These include the LSI-ADM3A, the Heath H-19, and the Beehive.
- Composite or Split Video.
- Any polarity of video or sync.
- Inverse Video Capability.
- Small Size: 6.5 x 9 inches.
- Upper & lower case with descenders.
- 7 x 9 Character Matrix.
- Requires Par. ASCII keyboard.



**BLANK PCB WITH 2716
CHAR. ROM, 2732 MON. ROM**
\$59⁹⁵

SOURCE DISKETTE - ADD \$10
SET OF 2 CRYSTALS - ADD \$7.50

WITH 8 IN.
SOURCE DISK!
(CP/M COMPATIBLE)


\$129⁹⁵ (COMPLETE KIT,
ZRT-80 2K VIDEO RAM)

Digital Research Computers

P. O. BOX 461565 • GARLAND, TEXAS 75046 • (214) 271-3538

TERMS: Add \$3.00 postage. We pay balance. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa and MasterCard. Texas Res. add 5% Tax. Foreign orders (except Canada) add 20% P & H. Orders over \$50 add 85¢ for insurance.

BEFORE YOU BUY CABLE ASSEMBLIES,



CHECK UNDER THE HOOD!

DATA SPEC™ cable assemblies are the very best. Each cable is fully shielded to exceed FCC EMI/RFI emission requirements. Furthermore, the unique P.D.T. technique is employed beneath the hood shield for maximum integrity under the most adverse conditions. DATA SPEC™ was the first to use the P.D.T. process, and cable assemblies constructed with P.D.T. carry a lifetime warranty. DATA SPEC™ has interface cables for all your requirements: Modems, Monitors, Disk Drives, and much more. Insist on DATA SPEC™ cables in the bright orange package. Available at better computer dealers everywhere. For more information, call or write:

DATA SPEC™

A Division of Alliance Research Corporation

18215 Parthenia Street, Northridge, CA 91325 (818) 701-5853



A NEW STANDARD IN PROFESSIONAL VOICE QUALITY

The new INTEX-TALKER features unlimited vocabulary, automatic inflection control and has an unmatched pronunciation accuracy. An optional, new 16K vocabulary module and the built-in text-to-phoneme algorithm enable the INTEX-TALKER to pronounce the 5000 most commonly used words with approx. 100 percent accuracy. INTEX-TALKER can speak or spell any ASCII text-including punctuation. Other available options are an 8 K byte user programmable memory and a 2.7 K character buffer for text storage or down loading user programs. Additional features include:

- 64 inflection levels (automatic or manual control)
- RS232C and Parallel connectors
- Spelling and phoneme access modes
- Adjustable baud rates (75-9600)
- 5 octaves of music
- 6502 Microprocessor
- Completely self-contained (requires no overhead)
- Built-in speaker option
- Available at board level (Standard or CMOS version)

For More Information

Write or call us at (313) 540-7601 to order, request our product brochure or to discuss your requirements. Prices start at \$295. (plus shipping)

Intex Micro Systems Corporation
725 S. Adams Rd. - Suite L-8
Birmingham, Michigan 48011

BOOKS RECEIVED

- INTRODUCING THE IBM PCjr. Andrew M. Seybold. Indianapolis, IN: Howard W. Sams & Co., 1983; 160 pages, 20 by 23.5 cm, softcover. ISBN 0-672-22317-1, \$12.95.
- INTRODUCTION TO BUSINESS PROGRAMMING & SYSTEMS ANALYSIS. Keith Lohmuller. Blue Ridge Summit, PA: Tab Books, 1983; 240 pages, 13 by 21 cm, softcover. ISBN 0-8306-1437-0, \$13.50.
- THE IOTA PROGRAMMING SYSTEM. R. Nakajima and T. Yuasa, eds. Lecture Notes in Computer Science #160. New York: Springer-Verlag, 1982; 228 pages, 16.5 by 24 cm, softcover. ISBN 0-387-12693-7, \$11.50.
- THE JOY OF COMPUTERS. Peter Laurie. Boston, MA: Little, Brown and Company, 1983; 193 pages, 21.5 by 28.5 cm, hardcover. ISBN 0-316-51636-8, \$19.95.
- A KID'S MANUAL FOR PROGRAMMING THE SINCLAIR/TIMEX COMPUTERS. Ed Hoornaert. Blue Ridge Summit, PA: Tab Books, 1983; 168 pages, 13 by 21 cm, softcover. ISBN 0-8306-0608-4, \$7.25.
- LEARNING LISP. Gnosis. Englewood Cliffs, NJ: Prentice-Hall, 1984; 208 pages, 17.3 by 23.8 cm, softcover. ISBN 0-13-527839-2, \$29.95.
- THE MBASIC HANDBOOK. Walter A. Ettlin and Gregory Solberg. Berkeley, CA: Osborne/McGraw-Hill, 1983; 478 pages, 16.3 by 23.3 cm, softcover. ISBN 0-88134-102-9, \$17.95.
- MICROCHIP TECHNOLOGY. Charles Kerridge. New York: John Wiley & Sons, 1983; 192 pages, 15.3 by 22.8 cm, softcover. ISBN 0-471-90240-3, \$16.95.
- MICROCOMPUTER PROGRAMMING WITH MICROSOFT BASIC. Robert G. Crawford and David T. Barnard. Reston, VA: Reston Publishing Co., 1984; 432 pages, 17.5 by 23.5 cm, softcover. ISBN 0-8359-4356-9, \$15.95.
- MICROCOMPUTER SYSTEMS: THE 8086/8088 FAMILY. Yu-cheng Liu and Glenn A. Gibson. Englewood Cliffs, NJ: Prentice-Hall, 1984; 560 pages, 18.5 by 24 cm, ISBN 0-13-580944-4, \$32.95.
- MICROCOMPUTING IN AGRICULTURE. James Legacy, Tom Stitt, and Fred Reneau. Reston, VA: Reston Publishing Co., 1984; 272 pages, 18 by 24 cm, hardcover. ISBN 0-8359-4353-4, \$19.95.
- MINICOMPUTERS IN INDUSTRIAL CONTROL. Thomas J. Harrison, ed. Englewood Cliffs, NJ: Prentice-Hall, 1983; 384 pages, 18.5 by 26.3 cm, hardcover. ISBN 0-13-584235-2, \$39.95.
- NOTES ON INTRODUCTORY COMBINATORICS. George Pólya. Robert E. Tarjan, and Donald R. Woods. Boston, MA: Birkhäuser Boston Inc., 1983; 208 pages, 14.5 by 22.8 cm, softcover. ISBN 0-8176-3170-4, \$9.95.
- THE OSBORNE/MCGRAW-HILL GUIDE TO YOUR APPLE III. Stanley M. Miastkowski. Berkeley, CA: Osborne/McGraw-Hill, 1983; 288 pages, 16.3 by 23.5 cm, softcover. ISBN 0-88134-101-0, \$17.95.
- THE OSBORNE/MCGRAW-HILL HOME COMPUTER SOFTWARE GUIDE. Steve Ditlea. Berkeley, CA: Osborne/McGraw-Hill, 1984; 206 pages, 15.8 by 23.3 cm, softcover. ISBN 0-88134-107-X, \$11.95.
- PROBLEM SOLVING WITH BASIC. Donald D. Spencer. New York: Charles Scribner's Sons, 1984; 160 pages, 13.8 by 20.8 cm, softcover. ISBN 0-684-18036-7, \$7.95.
- PROGRAMMING IN C. Robert J. Traister. Englewood Cliffs, NJ: Prentice-Hall, 1984; 206 pages, 15.3 by 22.8 cm, softcover. ISBN 0-13-729641-X, \$16.95.
- PROGRAMS FOR YOUR TIMEX/SINCLAIR 1000. Melbourne House. Englewood Cliffs, NJ: Prentice-Hall, 1983; 112 pages, 14 by 20.3 cm, softcover. ISBN 0-13-729780-7, \$5.95.
- PROPER BASIC. Brian C. Walsh. New York: John Wiley & Sons, 1983; 416 pages, 15.3 by 23.5 cm, hardcover. ISBN 0-471-90081-8, \$27.95.
- REAL MANAGERS USE PERSONAL COMPUTERS!. Dick Heiser. Indianapolis, IN: Que Corp., 1983; 224 pages, 18.5 by 23.5 cm, softcover. ISBN 0-88022-031-7, \$14.95.
- REINVENTING MAN. THE ROBOT BECOMES REALITY. Igor Aleksander and Piers Burnett. New York: Holt, Rinehart and Winston, 1984; 304 pages, 15.5 by 23.5 cm, hardcover. ISBN 0-03-063857-7, \$17.95.

BOOKS RECEIVED

SECURITY. IFIP/SEC '83, V. A. Fak, ed. Amsterdam and New York: North-Holland Publishing Co., 1983; 366 pages, 15.5 by 23 cm, hardcover. ISBN 0-444-86669-8. \$39.

SOFTWARE SOLUTIONS FOR THE IBM PC. Thomas H. Willmott. Englewood Cliffs, NJ: Prentice-Hall, 1983; 240 pages, 17.5 by 24.3 cm, softcover. ISBN 0-13-822387-4. \$14.95.

SPRITE GRAPHICS FOR THE COMMODORE 64. Sally Greenwood Larsen. Englewood Cliffs, NJ: Micro Text/Prentice-Hall, 1983; 192 pages, 15 by 22.8 cm, softcover. ISBN 0-13-838136-4. \$15.95.

TELECOMMUNICATIONS IN THE INFORMATION AGE. Loy A. Singleton. Cambridge, MA: Ballinger Publishing Co., 1984; 256 pages, 15.5 by 23.5 cm, hardcover. ISBN 0-88410-428-1. \$19.95.

THROUGH THE MICROMAZE.

Wayne Creekmore. Culver City, CA: Ashton-Iate, 1984; 64 pages, 21.5 by 25.3 cm, softcover. ISBN 912677-02-3. \$9.95.

THE TI 99/4A USER'S GUIDE. Bill Brewer with Mark Andrews. New York: Macmillan Publishing Co., 1983; 128 pages, 13.5 by 20.8 cm, softcover. ISBN 0-02-008720-9. \$5.95.

TIMEX SINCLAIR 1000/ZX81 USER'S HANDBOOK. Trevor J. Terrell and Robert J. Simpson. Indianapolis, IN: Howard W. Sams & Co., 1983; 160 pages, 13.5 by 21.5 cm, spiral-bound. ISBN 0-672-22012-1. \$5.95.

UNDERSTANDING THE APPLE II. James Fielding Sather. Chatsworth, CA: Quality Software, 1983; 356 pages, 21.5 by 27.5 cm, softcover. ISBN 0-912985-01-1. \$22.95.

UNDERSTANDING COMPUTERS. Donald D. Spencer. New York: Charles Scribner's Sons, 1984; 400 pages, 15.3 by 22.8 cm,

softcover. ISBN 0-684-18038-3. \$13.95.

UNDERSTANDING UNIX. James R. Groff and Paul N. Weinberg. Indianapolis, IN: Que Corp., 1983; 256 pages, 18.3 by 23.3 cm, softcover. ISBN 0-88022-064-3. \$17.95.

UNLEASH YOUR POCKET COMPUTER. David P. Sumner. Reston, VA: Reston Publishing Co., 1984; 176 pages, 15.3 by 22.8 cm, softcover. ISBN 0-8359-8072-3. \$14.95.

USING dBASE II. Carl Townsend. Berkeley, CA: Osborne/McGraw-Hill, 1984; 240 pages, 18.5 by 23.3 cm, softcover. ISBN 0-88134-108-8. \$18.95.

USING & PROGRAMMING THE ZX81/TSI000. Albert N. Sickler. Blue Ridge Summit, PA: Tab Books, 1983; 176 pages, 13 by 21 cm, softcover. ISBN 0-8306-0617-3. \$8.25.

VIC 20 EXPOSED. John Vander Reyden. Nashville, TN: Mel-

bourne House Software Inc., 1983; 174 pages, 14 by 20.8 cm, softcover. ISBN 0-86759-123-4. \$14.95.

VISICALC FOR APPLE II, II+, IIe. John S. Craver. Tucson, AZ: HP Books, 1983; 224 pages, 21.5 by 28 cm, 3-ring binder. ISBN 0-89586-274-3. \$14.95.

WHAT COMPUTERS CAN DO, 2nd ed. Donald D. Spencer. New York: Charles Scribner's Sons, 1984; 368 pages, 15.3 by 22.8 cm, softcover. ISBN 0-684-18037-5. \$12.95.

YOUR FIRST VIC 20 PROGRAM. Rodney Zaks. Berkeley, CA: Sybex, 1983; 208 pages, 17.3 by 27.8 cm, softcover. ISBN 0-89588-129-2. \$9.95.

YOUR PERSONAL COMPUTER CAN MAKE YOU RICH IN STOCKS AND COMMODITIES. Curtis M. Arnold. West Palm Beach, FL: Weiss Research Inc., 1984; 320 pages, 17.5 by 24 cm, hardcover. ISBN 09613048-0-4. \$34.95. ■

Modula-2. Simply Better.

More and more software developers are finding a new language simply better than C or Pascal. They're finding Modula-2, by Niklaus Wirth, the creator of Pascal. For professional programmers, it's simply a better language.

Modula-2. Simple like Pascal (if you know Pascal, you can be writing Modula programs in hours) but with much more power and flexibility. Power to handle any professional application, so there's no need for extensions.

Modula-2. Better than C because it gives you strong typing and superior separate compilation facilities. That means you write cleaner programs, faster.

Only LOGITECH's Modula-2/86 system translates directly into high-speed native code for PC-DOS™, MS-DOS™ and CP/M-86™.

No other system speeds your Modula programs along faster than our native code compiler. And our high-level, symbolic debugger ensures your programs arrive in flawless running condition.

Multi-level overlays, 8087 support, ROMable code, and a full library of standard modules make Modula-2/86 the perfect system for every professional application.

We also offer the only VAX/VMS™ resident and cross compiler for the 8086.

For VAX mainframes to PCs, look to LOGITECH's Modula-2 software development systems. For professional programmers, it's simply a better choice.

 LOGITECH

805 Veterans Blvd., Redwood City, CA 94063
415-365-9852
LOGITECH SA (in Europe), CH-1143 Apples, Switzerland
LOGITECH Srl, Corso Nigra 60, 10015 IVREA TO, Italy

PC-DOS is a TM of IBM. MS-DOS is a TM of Microsoft. CP/M-86 is a TM of Digital Research. VAX/VMS is a TM of Digital Equipment Corp.

PERIPHERALS

Portable 360K-byte Disk Drive for Briefcase Computers

You no longer have to connect your briefcase computer to a desktop micro whenever you want to dump your files to disk because you can do it with the Percom Portable Disk Drive. A 360K-byte floppy-disk drive, the Portable Disk Drive features hardware by Percom Data Company and software by the Portable Computer Support Group.

This mass-storage device is powered by a 12-volt rechargeable battery pack, and it connects to a briefcase computer's RS-232C printer port with a cable. It weighs 3 pounds and measures 2 by 4¼ by 8¼ inches.

The Percom Interface operating system comes with the drive and resides in an 8K-byte ROM within the drive.

Also provided is Portable DOS, which allows the com-

puter to talk with the drive and provides access to a RAM directory, called RAM Files. From RAM Files you can save any RAM file to disk, delete RAM files, ascertain the size (in bytes) of any RAM file, save files presently in RAM under a single disk filename, and save single files to a previously saved subdirectory.

The Portable Disk Drive sells for \$799, including all software, a connecting cable, an AC adapter/battery charger, and manual. An accessory cable is available for applications requiring simultaneous use of a peripheral through the RS-232C port. For further information, contact Portable Computer Support Group, 11035 Harry Hines Blvd. #207, Dallas, TX 75229. (214) 351-0564.

Circle 513 on inquiry card.

Full-Duplex Modem Priced at Less than \$1000



The Model 224 full-duplex 2400-bps modem from Universal Data Systems has a suggested retail price of less than \$1000. This modem uses the intelligence of a microprocessor to provide you with automatic telephone answering, adaptive equalization, and complete diagnostic capabilities. It operates asynchronously or synchronously over the Public Switched Telephone Network, in its 1200-bps fallback mode, it communicates with any other product that's compatible with AT&T 212 standards.

This modem complies with the international CCITT recom-

mendation for a V.22 bis data modem at 2400 bps. When on the receiving end, the Model 224 automatically detects if the calling modem is compatible with AT&T 212 and adapts its speed and modulation scheme accordingly. Miscellaneous features include front-panel LED indicators and switches.

Universal Data Systems, a unit of the Information Systems Group of Motorola Corporation, has set the price of the Model 224 modem at \$995. Contact Universal Data Systems, 5000 Bradford Dr., Huntsville, AL 35805. (205) 837-8100. Circle 511 on inquiry card.

Commodore 64 Memory Expansion

Leader Electronic Technology Company has announced the availability of an adapter that lets you use Leader's 64K-byte memory expander with the Commodore 64. When used with the Commodore 64, the Model 64KV memory expander and the Model 64KVA adapter combine to partition hexadecimal addresses 8000 through 9FFF into eight separate blocks of 8K-byte locations. Each block is selected by a single POKE instruction. The RAM module plugs directly into the Commodore 64's expansion port.

The Model 64KVA adapter has a suggested list price of \$29.95. The Model 64KV memory module, which can work with the VIC-20, sells for \$109.95. A complete package for the Commodore 64 is available for \$139.95. Full documentation is provided. A memory expander that will provide the Commodore 64 with up to 256K bytes of memory is in development. At press time, the manufacturer anticipates pricing to be in the range of \$140 per 64K-byte module. For details, contact Leader Electronic Technology Co., 7310 Wells Rd., Plain City, OH 43064. (614) 873-4410.

Circle 516 on inquiry card.

Low-Cost Dot-Matrix Printer

The \$259 Fastext-80 dot-matrix impact printer from Smith-Corona runs at 80 cps and produces an 80-character line at 10 cpi (characters per inch). It features emphasized or elongated impressions, bit-mapped graphics, and true descenders. It has a full-line buffer and a 96-character ASCII set. The Fastext-80 has six pitches: pica-sized at 10 cpi, elite-sized at 12 cpi, condensed at 16.7 cpi, and enlarged print at 5, 6, or 8.3 cpi. Standard and elongated character matrices are 9 by 8 and 10 by 8 dots, respectively. Horizontal resolution is 60 or 72 dots per inch; vertical is 72 dots per inch.

Fastext-80 uses drop-in ribbon cassettes, which are said to yield 1 million characters before replacement. Among its diverse features are bidirectional printing, Centronics parallel-interface compatibility, friction feed, and a self-test switch.

Available accessories include a removable tractor feed that accepts forms ranging from 3 to 10½ inches wide, a user-installable RS-232C serial interface, and a roll-paper holder. Contact Smith-Corona, 65 Locust Ave., New Canaan, CT 06840. (203) 972-1471.

Circle 512 on inquiry card.

Remote On/Off for PC XT

Tel-A-Switch lets you switch on or off an IBM PC XT over telephone lines. This solid-state, self-contained unit uses the signal generated by Hayes Microcomputer Products' Smartmodem to perform this service. Tel-A-Switch can provide up to 1200 watts of electricity, which is equivalent to the power consumed by three IBM PC XTs.

A lock-on feature is provided. Once the computer is powered up and operating, this mode prevents power loss due to interruptions that can occur on telephone lines. Tel-A-Switch can

be used without a telephone connection to automatically turn off the PC XT after a task has been executed in the batch mode.

A remote software package is available for Tel-A-Switch that supports up to 20 different terminals. The remote software requires a minimum of 64K bytes, one disk drive, and PC-DOS.

Tel-A-Switch alone is priced at \$175. With the remote software package, the suggested price is \$287.50. Contact Texas Technology Co., POB 740694, Dallas, TX 75374. (214) 783-9218. Circle 515 on inquiry card.

NEW SYSTEMS

Three Single-Board Computers Use iAPX 86/186

Three recently introduced single-board computers from Intel use the company's iAPX 186 or iAPX 86 microprocessors. The computers, the iSBC 186/03, iSBC 186/78, and iSBC 86/35, measure 6¾ by 12 inches and provide a central processor, operating-system functions, peripheral and device interfaces, memory, and industry-standard software. They are based on Intel's 16-bit 8086 and 80186 microprocessors and operate under the iRMX 86 operating system. The iSBC 186/03 costs \$1650, and the iSBC 86/35 is \$3495. Engineering samples of the iSBC 186/78 are \$3000.

The iSBC 186/03 comes with the 6-MHz 80186, eight 28-pin universal memory sites (expandable to twelve), the 80130 iRMX 86 nucleus operating-system component, two iSBX I/O expansion connectors, an iLBX interface for high-speed memory expansion, two serial I/O channels, and a parallel port.

The iSBC 186/78 is a graphics subsystem built on the 80186. In addition to the memory sites and iSBX connectors, it includes Intel's 82720 bit-mapped graphics controller, a dedicated 512-by 512-by 4-byte RAM display buffer, and a color lookup table that allows 16 simultaneous colors to be displayed from a palette of 4096. In addition, graphics-software interpreters supporting the NAPLPS standard or the proposed ANSI virtual device interface are offered.

Built around the 8086 microprocessor with a 5- or 8-MHz clock rate, the iSBC 86/35 contains 512K bytes of dual-ported RAM (expandable to 1 megabyte), four 28-pin JEDEC sockets for increased memory, and an optional iAPX 8087 numeric coprocessor.

Contact Intel Corp., Literature Dept. C-21, 3065 Bowers Ave., Santa Clara, CA 95051. Circle 520 on inquiry card.

16-Bit IBM-Compatible Computer Kit

The 16-bit HS-151 Desktop Personal Computer from Heathkit is software- and hardware-compatible with the IBM PC. Offered in kit or preassembled versions, the HS-151 comes with 128K bytes of RAM, two RS-232C serial ports, a Centronics-type parallel interface, RGB color output, eight-level gray-scale monochrome output, four IBM PC-compatible expansion slots, and a detached keyboard. Mass storage is provided by one or two 5¼-inch IBM-format floppy-disk drives, each with a 360K-byte capacity.

The HS-151 uses Intel's 8088 microprocessor and MS-DOS. Its expansion bus is electrically and physically compatible with most off-the-shelf accessory boards for the IBM. The HS-151's keyboard is a redesigned IBM-compatible device,



offering an enlarged L-shaped Return key and a double-wide Shift key. Three testing procedures help you check out the HS-151's operating condition.

A preassembled version of the HS-151 with a built-in 10.6-megabyte Winchester hard-disk drive will be available

soon. The single-drive kit is \$1899, while the dual-drive kit is \$2199. Contact Heath Co., Dept. 349-175, Benton Harbor, MI 49022. In Canada, contact Heath Co., Dept. 3100, 1020 Islington Ave., Toronto, Ontario M8Z 5Z3. Circle 518 on inquiry card.

MPF-III Compatible with IIe Software

The MPF-III microcomputer from Multitech International is distributed in North America by Cyber Videocom of Vancouver, Canada. Designed to be software-compatible with the Apple IIe, the MPF-III can run such programs as Apple Pascal, Logo, WordStar, dBASE II, and Multiplan. It employs the 6502 microprocessor and offers you 64K bytes of RAM and 24K bytes of ROM.

Standard are 80-column text displays, uppercase and lowercase characters, high-resolution graphics with 6 colors, and low-resolution graphics with 16 colors. Monitor and NTSC television connectors and a sound generator are supplied. The MPF-III has interfaces for joysticks, data cassettes, floppy-disk drives, and a printer with Epson and C. Itoh drivers.

The MPF-III has a 90-key

detached keyboard with numeric pad and function keys, including one-key BASIC- and DOS-command entry. For full-screen editing, dedicated keys for character delete, insert, replace, and copy are provided.

The base price is \$995. Contact Cyber Videocom Inc., POB 35401, Station E, Vancouver, British Columbia V6M 4G5, Canada, (604) 875-1517. Circle 519 on inquiry card.

Computer Offers Low-Cost Office Networking

QSA, a San Diego-based computer manufacturer, offers its Q/Net multiuser, multiprocessor microcomputer as a low-cost alternative to office networking. The company claims that a five-user network system would cost \$11,220 including terminals.

Q/Net nodes and resources can be connected in any configuration ranging from 1 to 254 users with 1 to 8 file servers on

the network. System expansion is merely a matter of adding another node to the network. Additional hard disks can be added to multiple file servers, and other peripherals can be supported through Q/Net's SASI interface.

The network operating system is TurboDOS, a CP/M-compatible DOS that provides a pathway for CP/M-86 and MS-DOS. Other

software features include inter-processing communications, interfaces to IBM communications protocols (including 3270 and X.25), print spooling, and shared databases.

For details on possible configuration schemes, contact QSA, 7170 Convoy Court, San Diego, CA 92111, (619) 292-1891. Circle 521 on inquiry card.


(continued)

ADD-INS

Bus Interface for PC

The National Instruments GPIB-PC interface card uses the NEC 7210 GPIB controller chip and a programmable-array logic to provide a complete set of GPIB functions with a minimum of circuit elements and only eight I/O (input/output) addresses. Transfer of large data files between the GPIB and the IBM PC's memory is accomplished by a DMA controller at speeds of 300 bytes per second. Sub-routines are callable from applications programs in BASIC, 8088 assembly language, Pascal, FORTRAN, SuperSoft FORTRAN, and C. GPIB-PC conforms in height, width, and I/O channel slot dimensions for use with the IBM PC or PC XT. It will work with standard GPIB cables.

A handler, high-level and primitive functions, a configuration program, diagnostic programs, and an interactive control program make up the GPIB-PC's software. The handler program controls the GPIB-PC hardware interface and is designed as a loadable device handler



rather than as a driver. The operating system manages the GPIB as one of its system resources. The handler can control more than one GPIB-PC simultaneously, which lets you place a variety of devices on separate GPIB's to meet special needs.

The GPIB-PC interface card is

\$385. The software handler is \$75. Optional programming languages are \$50, and connecting cables range from \$60 to \$70, depending on length. Contact National Instruments, 12109 Technology Blvd., Austin, TX 78727, (800) 531-5066; in Texas, (512) 250-9119.

Circle 527 on Inquiry card.

Multifunction GPIB for IBM Controls Instruments

Ziatech's ZT 1444 IEEE-488 GPIB (General-Purpose Interface Bus) Controller lets engineers and scientists control measurement, instrumentation, and test equipment with their IBM PCs. The ZT 1444 is a short-slot card offering fast data throughput and software drivers callable from assembly language, BASIC, C, Compiled BASIC, FORTRAN, and Pascal. All the drivers feature a time-out ability, which ensures that the system does not hang up if a device fails to respond. The BASIC package includes an interactive verification program that allows you to exercise the GPIB without having to write code.

The ZT 1444 uses Texas Instruments' TMS9914A GPIB controller chip. It transfers data to or from devices at rates approaching 450K bytes per second using direct memory access. Pass control, which permits more than one computer to control the same devices without recabling, is supported.

Its cable-connector backplate is a plated-steel bracket that effectively controls electromagnetic interference emissions from the IBM. It incorporates a machined GPIB connector housing capable of accepting standard stacking GPIB connectors with no loss of seating reliability.

The ZT 1444 costs \$375. The software drivers range from \$45 to \$55. Contact Ziatech Corp., 3433 Roberto Court, San Luis Obispo, CA 93401, (805) 541-0488.

Circle 523 on Inquiry card.

Modem Card for PC Uses CMOS Chips

The POPCOM Model C100 from Prentice Corporation is a 1200-bps auto-dial modem card for the IBM PC, PC XT, PC Portable, and IBM-slot-compatible computers. The C100 uses a pair of CMOS (complementary metal-oxide semiconductors) ICs to achieve full-duplex AT&T 212-compatible operation, tone sensing, and voice/data control. This 12.4- by 4.2- by 0.575-inch card uses only one

IBM PC expansion slot and lists for a suggested price of \$445.

Among its technical specifications are full call-progress tone sensing of dial and busy tones, remote ring, and voice. This is implemented by a 20-pole filter, which has a patent-pending switching technique. The card is said to be the first one to be able to sense when the local telephone handset is lifted. With this capability, the C100 can

switch between voice and data operations, even during the same telephone call. This function eliminates the need for dedicated telephone lines for data.

Production deliveries of the POPCOM C100 began last month. Contact Prentice Corp., 266 Caspian Dr., POB 3544, Sunnyvale, CA 94088-3544, (408) 734-9810.

Circle 522 on inquiry card.

Hard-Disk Bootloader for IBM PC

A plug-in chip offering hard-disk boot capability for third-party hard-disk drives for the IBM PC, FiXT is manufactured by Golden Bow Systems. FiXT creates a complete BIOS interface between the IBM PC and the hard disk similar to that provided by

the IBM PC XT. It allows the operating system to be boot-loaded directly from the fixed disk and permits fixed-disk operations to be performed directly by the operating system.

FiXT plugs into the unused

ROM socket of the IBM Personal Computer. It's a complete replacement for installable device drivers. This chip allows standard PC-DOS disk partitioning and formatting facilities for multiple operating systems.

FiXT is currently available for

Datamac, Davong, Pegasus by Great Lakes, Percom, and Zobex hard-disk drives. The suggested retail price is \$70. Contact Golden Bow Systems, POB 3039, San Diego, CA 92103, (619) 298-9349.

Circle 525 on Inquiry card.

SOFTWARE • APPLE II

Mini-Database for Apples

Facts Files 2 is a low-cost mini-database program for the Apple II family from D:Ness Software Company. This \$24.95 program gives you an unlimited number of files, password protection, on-disk instructions, and the ability to design your own record forms. It has an edit feature that lets you quickly update records, and with its sort feature you can organize your records by any field.

Facts Files 2 accommodates up to 400 records in any file and up to 10 different files per floppy disk. Each file's record outline can contain from 2 to 13 fields of data.

Minimum system requirements are 64K bytes of memory and one disk drive. When ordering from the manufacturer, add \$1 for shipping and handling. Contact D:Ness Software Co., POB 5671, Fort Smith, AR 72913. Circle 535 on inquiry card.

DB Master 4 Plus Is Designed for Apples

Stoneware's DB Master 4 Plus information-management system for Apple II series computers has a global editor and a special label printer. Other programming options let you combine data from two or more files with the same format, change the file format without retyping information, recover data from damaged disks, and transfer data between DB Master files and DIF text files.

DM Master 4 Plus comes with a file-converter program that can convert VisiFile and pfs files to DB Master files. A user's guide, which contains a tutorial and a reference guide, is supplied.

DM Master 4 Plus requires 64K bytes of RAM. The retail price is \$350. Contact Stoneware Inc., 50 Belvedere St., San Rafael, CA 94901. (415) 454-6500.

Circle 536 on inquiry card.

Double-Res Package ProDOS-Compatible

ALF Products' HGR6 Double-Res Graphics Package for the Apple IIe is compatible with ProDOS. This program adds a variety of new functions directly to Applesoft: e.g., statements HGR3 through HGR6 work like the familiar HGR and HGR2 statements, but with 16 high-resolution colors and a 560- by 192-dot resolution.

HGR6 gives you the ability to modify existing Applesoft programs so that they can use the additional colors and higher resolution. You can save your double-resolution images to both DOS 3.3 and ProDOS disks.

HGR6 is provided with both a DOS 3.3 disk and a ProDOS disk. It requires an extended 80-column card. Owners of the older version of this program can return it to ALF Products for a free replacement. The list price is \$49.95. Contact ALF Products Inc., 1315-F Nelson St., Denver, CO 80215. (303) 234-0871.

Circle 532 on inquiry card.

Word Processor Features Typing Tutor

The Write Choice for the Apple II computers, including the IIc, combines a full-feature word processor with a typing tutorial. The typing lessons come with a high-resolution game and a keyboard tutorial. Twenty-three lessons are dedicated to teaching the Dvorak keyboard, and 24 lessons cover the QWERTY keyboard.

The Write Choice comes with documentation that shows you how to correct grammar and properly format written documents. It also covers punctuation rules and offers tips on composition. The retail price is \$44.95. Contact Roger Wagner Publishing Inc., Suite E, 10761 Woodside Ave., Santee, CA 92071. (619) 562-3221.

Circle 533 on inquiry card.

SOFTWARE • APPLE MACINTOSH

Data Manager Uses Mac's Features

The Main Street Filer information-management program takes advantage of the Macintosh's technology by using pull-down menus, dialogue boxes, and mouse commands. All file designs, record retrievals, and reporting functions can be handled with the Mac's mouse.

Main Street Filer's filing system and report generator can handle up to 65,000 records in each user-designed file, with up to 36 fields of 40 characters in each record.

This program uses a B+ Tree index system, which eliminates time-consuming sorting operations. Four indexes for each file can be maintained. Supplied print programs let you prepare customized reports, mail-list reports and labels, envelopes, and Rolodex cards.

The suggested retail price for Main Street Filer is \$249.95. Contact Main Street Software, Suite 304, One Harbor Dr., Sausalito, CA 94965. (800) 824-8757; in California, (415) 332-1274.

Circle 537 on inquiry card.

CAD Program for Civil Engineering

PC CAD, a computer-aided design program for civil engineering and oil and gas mapping, operates on the Macintosh and requires a Hewlett-Packard plotter. It draws subdivision, contour, plan and profile, and surveying maps.

A complete set of coordinate geometry routines for three-dimensional computation is supplied with PC CAD. Among the point routines are resection, merge and plot, decimal formats, and assign/reassign. Its intersection routines give you such functions as offset, right-angle, and right-of-way.

The plotting package for HP 7400/7500 series plotters creates automatic tables, contouring, and sheet sizing. User-definable and user-selectable options are supplied.

PC CAD is also available for the IBM PC. The suggested list price is \$1450. Contact Houseman & Associates, Allied Cypress Bank Building, POB 474, Cypress, TX 77429. (713) 890-5160.

Circle 541 on inquiry card.

ClickArt for MacPaint and MacWrite



ClickArt gives you more than 100 professionally drawn images that can be used with MacPaint or MacWrite to create invitations, charts, and slides, or for adding a snappy punch to a report. Images include arrows, stars, borders, wine glasses and bottles, city skylines, cartoons, and full-page pictures of classic cars, Albert Einstein, and Boy George.

ClickArt illustrations can be modified in any way you choose or surrounded with text. The program is priced at \$49.95. Contact T/Maker Co., 2115 Landings Dr., Mountain View, CA 94043. (415) 962-0195. Circle 538 on inquiry card.

Figure 1: Michelangelo's David at the beach.

(continued)

SOFTWARE • IBM PC

InfoStar+, Powerful DBMS

MicroPro has announced the availability of version 1.6 of InfoStar+, a database-management system. InfoStar+ has a built-in model for transaction processing, a data-dictionary utility, and the ability to automatically restructure an existing database.

The transaction-processing model prompts you into identifying the files to be updated and the data within each file to be used. You can access 16 files simultaneously. After receiving your responses, InfoStar+ automatically records current transactions and updates the master file while letting you access additional information derived from the process. Reports can be produced.

The data-dictionary utility lists all fields in the database and their characteristics. A database restructure feature lets you add, delete, and change the order of fields in an existing database without reentering data.

InfoStar+ has the ability to customize data-entry requirements down to the character level, and its sorting routine is said to be high speed. It allows up to 255 fields per record, 64,000 records per file, and 255 characters per field, sorting on 32 files, and 9 control breaks.

Additional features include cursor-drawn data-entry forms, a

fill-in-the-blank data-entry procedure, a 60-second quick-report feature, and a built-in tutorial. For comprehensive tasks, InfoStar+ supplies menus that guide you through its full custom-report option.

StarBurst, MicroPro's systems integrator, is included in the InfoStar+ package. StarBurst lets you create customized, menu-driven systems that make automating routine tasks a matter of a single keystroke. Its interface lets you unite MicroPro and non-MicroPro packages, such as WordStar or Lotus 1-2-3, into InfoStar+.

A minimum of 96K bytes of processor memory is required. InfoStar+ will operate with two 320K-byte floppy-disk drives, but a hard-disk drive is recommended. Available in PC-DOS format, it lists for \$595, with documentation. Updates to early versions can be obtained through MicroPro's Customer Update department. Update prices are \$100 for InfoStar+ 1.0 to 1.6; \$150 for InfoStar 1.0 to 1.6; and \$300 for StarBurst to InfoStar+ 1.6. MS-DOS formats for the Tandy 2000, TI Professional, and other computers will be offered later this summer. Contact MicroPro International Corp., 33 San Pablo Ave., San Rafael, CA 94903, (415) 499-1200.

Circle 542 on inquiry card.

Word III Suitable for Complex Tasks

The Samna Word III word processor is suitable for complex word-processing tasks, such as lengthy proposals and contracts. It provides automatic indexing, section numbering, glossaries, a column mode, and five-function mathematics. It's currently available for the IBM PC, PC XT, and such IBM PC compatibles as the Compaq, Columbia, Colby, and Corona. The list price is \$650.

Word III's automatic indexing feature eliminates the need to manually locate words to be indexed. You merely enter a list of words to be indexed and Word III will locate each occurrence. In the column mode, you can move, copy, insert, and delete columns. The glossary mode enables you to store or retrieve paragraphs and other materials with a single keystroke during document assembly. The five-function mathematics feature eliminates the need to call in a separate program or

module to perform simple calculations.

Other capabilities include user-defined function keys, spelling-error detection and correction, and file support for tree-structured directories and subdirectories under MS-DOS 2.0. Tables of contents with section titles and descriptive information can be easily created.

Word III also provides line drawing, hyphenation, justification, pagination, mail-merge, and multilevel Help messages. Alternate keyboard support, including French, German, Spanish, Canadian bilingual, and Greek/mathematics, facilitates special-purpose applications.

Current users of Samna Word II can upgrade to Word III for \$250. For further details, contact Samna Corp., Suite C-1200, 2700 Northeast Expressway, Atlanta, GA 30345, (404) 321-5006.

Circle 543 on inquiry card.

NAPLPS Videotex Creation Software

A NAPLPS videotex-creation system that runs on the IBM PC and selected compatibles is available from ESC Information Services Ltd. PCS-UVIC lets you wield 16 colors simultaneously. Colors are selected from a palette of 4096. Using its three standard or four user-defined texture masks, you can create additional color effects. You can also adjust the color bar and backdrop to produce basic screen animation.

PCS-UVIC has keyboard, tablet, and mouse interfaces. Transfers among these user in-

terfaces are unrestricted.

An attributed text mode lets you choose fonts, rotate letters, change line direction, define character size, letter-space words, and set line spacing. You can delete anything you've typed by backspacing. Another feature is a user-definable keyboard, which provides single-keystroke commands.

PCS-UVIC is \$500. Contact ESC Information Services Ltd., 381 Irving Rd., Victoria, British Columbia V8S 4A3, Canada, (604) 598-0395.

Circle 546 on inquiry card.


Programming Editor Emulates IBM ISPF

A high-speed programmer's editor by Phaser Systems, SPF/editor emulates the IBM mainframe ISPF editor. It offers full-screen panels that help speed applications editing and full DOS 2.0 path support, which allows you to edit files in any directory as well as execute from any path directory.

Both EBCDIC and ASCII hexadecimal commands are provided with SPF/editor.

The introductory price for SPF/editor is \$100. For more information, contact Phaser Systems Inc., 24 California St., San Francisco, CA 94111, (415) 434-3990.

Circle 547 on inquiry card.



SOFTWARE • IBM PCjr

Accounting Application Uses One Drive

PCWare gives a small business complete accounting and invoicing functions for processing as many as 250 customers yielding 300 invoices a month, yet it requires only one IBM PCjr disk drive. This package contains full accounts-receivable, accounts-payable, general-ledger, and invoicing applications.

PCWare will handle 150 suppliers generating up to 400 checks a month and up to 200 general-ledger accounts with as many as 500 monthly postings. In addition, its detailed invoice function accommodates all current taxation rules.

PCWare costs \$795. Contact Private Label Software Ltd., 93 Queen St. S. Mississauga, Ontario L5M 1K7, Canada, (416) 826-5510; in Canada, (800) 387-8202.

Circle 548 on inquiry card.

Jr Can Paint Color Graphics

Graph Power Jr from Monument Computer Service lets you draw and paint business-quality graphics on your 128K-byte IBM PCjr. Figures can be drawn and painted with any of IBM's standard palette colors; palettes are modifiable under user control. You can draw images and use various graphics-screen pages for animation. A number of predrawn shapes are included.

You can dump Graph Power Jr images to an IBM Graphics Printer and other dot-matrix or daisy-wheel printers. This package will also work on the IBM PC and PC XT. A single floppy-disk drive and a color monitor are required. The list price is \$90. Contact Monument Computer Service, Village Data Center, POB 603, Joshua Tree, CA 92252, (619) 365-6668.

Circle 549 on inquiry card.

Color-Coded Commands Ease Word Processing



WordPlus-Jr from Professional Software uses a color-coded command system that helps make word processing on the IBM PCjr a breeze. More than 100 features are contained in this program, including on-screen display of the final output, text and column moves, built-in mail-merge facility, horizontal scrolling, three-line headers and footers, automatic pagination, a numeric mode, global search and replace, free-floating cursor movement, and six levels of on-screen help.

WordPlus-Jr will create lists of variable information, print personalized letters, and merge data into a document using user-defined templates for

preprinted forms. It can read print files generated by many popular spreadsheet programs as well as records from most mailing-list and database programs. Simultaneous foreground and background operations with full disk access are also supported.

A complete end-user tutorial and reference/learning guide are supplied with WordPlus-Jr. Customer support is available by means of a toll-free telephone number. The suggested retail price for WordPlus-Jr is \$149.95. Contact Professional Software Inc., 51 Fremont St., Needham, MA 02194, (617) 444-5224.

Circle 550 on inquiry card.

Practical Pascal Runs on PCjr

Practical Pascal is available for the IBM PCjr. This complete programming kit consists of the p-System operating system, a UCSD Pascal compiler, a full-screen editor, a file handler, turtle graphics, extended memory capability, RAM disk, and a print utility for formatting letters and labels.

Its documentation is geared toward individuals new to Pascal and includes an implementation guide and the book *UCSD*

Pascal: A Considerate Approach, by David Price.

A variety of optional software to expand the capabilities of the system can be obtained. Practical Pascal is priced at \$295. Contact Network Consulting Inc., Suite 110, Discovery Park, 3700 Gilmore Way, Burnaby, British Columbia V5G 4M1, Canada, (604) 430-3466 (sales) or (604) 430-6448 (administration/technical).

Circle 552 on inquiry card.

SOFTWARE • TANDY / RADIO SHACK

Statistical Package and Data Manager

STATS, a statistical package and data-management system for the Radio Shack TRS-80, runs under DOSPlus. It supplies you with a data-management system with general transformation and subset selection, high-quality graphic outputs, step-wise regression analysis, normality and outlier tests, and an ASCII text editor for data entry. All of

STATS's routines are in machine language, but to handle large data sets, it stores data on disk in binary code.

The ASCII text editor is fully compatible with Microsoft's FORTRAN and BASIC compilers. You can incorporate your own FORTRAN or BASIC module into STATS. With the supplied FORTRAN interface, you can

tailor the software to your needs.

The graphics-output print driver keeps your Epson or Gemini printer operating continuously; the software selects the appropriate format for data listings, plot scales, and analysis. All intermediate results are saved in ASCII files. The final output can be polished either

with a program or with a text editor.

STATS is priced at \$99.95. When ordering, specify the model numbers of your computer and printer. Contact Summers Statistical Software, 121 South 1225 E. Bountiful, UT 84010.

Circle 554 on inquiry card.

(continued)

PUBLICATIONS

Directory Lists Interface Cables

.....
SPAG, Standard Products Applications Guide, is a comprehensive directory of interface cables for more than 4600 current computer applications. This hard-bound, three-ring book offered by Milford Null Modem lists all major micro-computers alphabetically by manufacturer and model number, sublists potential peripheral applications, and indicates the specific cable required for the interface.

Subscribers to *SPAG* receive updates all year. A hot-line for technical assistance is supported. Subscriptions are \$50. Contact Milford Null Modem, Phoenixville Pike and Charles-town Rd., Malvern, PA 19355. (215) 296-8467.

Circle 555 on inquiry card.

Health Software Described in Catalog

.....
 A catalog describing physical and mental health programs is available from CTRL Health Software. The catalog contains diet/nutrition, exercise/aerobics, self-improvement, health education, psychology, and game packages for Apple, Atari, Commodore, IBM PC, and Radio Shack TRS-80 computers. The price for each program is listed, and all the programs are available by mail order. Contact CTRL Health Software, 18653 Ventura Blvd. #348, Tarzana, CA 91356. (818) 788-0888.

Circle 558 on inquiry card.

Computer-Science Publications Brochure

.....
New Publications in Computer Science, Technology and Applications 1983 from North-Holland has details on 59 books and 2 new journals covering computer science, technology, and applications. Titles cover a wide range of subjects, including software technology, data communications, graphics, system

design, automated manufacturing, robotics, and electronics. This 128-page brochure is free of charge. Contact North-Holland, Elsevier Science Publishing Co. Inc., POB 1663, Grand Central Station, New York, NY 10163. In Europe, contact North-Holland, POB 1991, 1000 BZ Amsterdam, The Netherlands. Attn: Mr. J. Dirkmaat.
 Circle 559 on inquiry card.

Tool and Instrument Catalog

.....
 Contact East's free 1984 *Electronic Tool and Test Instrument Catalog* features more than 5000 technical products for assembling, testing, and repairing electronic equipment. Products covered include precision hand tools, test instruments, tool kits, soldering supplies, and static-control products. Photographs, detailed descriptions, and pricing information support each product. Write or call Contact East Inc., 7 Cypress Dr., POB 160, Burlington, MA 01803. (617) 272-5051.
 Circle 561 on inquiry card.

Directory Lists RCA Replacements for Industry Devices

.....
 A *Cross-Reference Directory* from RCA Solid State outlines RCA replacements for more than 5500 integrated circuits and power devices. Parts are arranged alphabetically, which provides a quick reference to industry types that correspond to RCA devices. Types of devices included are linear integrated circuits, CMOS logic integrated circuits, CMOS microprocessors, power transistors, CMOS memories, power MOSFETs, CMOS peripherals, SCRs, triacs, and ultra-fast recovery rectifiers. This 36-page publication is free. Request catalog CRG-100B. Contact RCA Solid State Division, Route 202, Somerville, NJ 08876. (800) 526-2177.

Solid-State Processing and Production Guide

.....
 The '84 *Solid State Processing & Production Worldwide Buyer's Guide & Directory* is a sourcebook of materials, equipment, and industry services used by manufacturers of solid-state-related products, devices, and circuits. This 460-page softcover book lists more than 2000 companies and 20,000 products. More than 2200 product/services categories and over 3500 cross-references are included. The guide is divided into 60 major categories. The '84 *Solid State Processing & Production Buyer's Guide* is \$50. Contact Technical Publishing, 875 Third Ave., New York, NY 10022. (212) 605-9400.
 Circle 556 on inquiry card.

International Video and Optical-Disk Journal

.....
Memoires Optiques is an English-language, European-based journal devoted to the video-disc and digital optical disk industry. Translated from French each month, *Memoires Optiques* covers international news, developments, and current applications relating to video-disc and digital optical disk technologies. Each issue is illustrated with drawings and photographs. Single issues of *Memoires Optiques* cost 150 French francs. Air-mail delivery subscriptions are 1500 francs. For more information, contact *Memoires Optiques*, ARCA Editions, 97.

rue Mme Molé, 5600 Vannes, France.
 Circle 560 on inquiry card.

Data Sheet Details Compliant Pin

.....
 A data sheet describing Interconics Compliant Pin is available. The Compliant Pin is designed for use in printed wiring backplanes and other printed-circuit boards requiring replaceable pins with provisions for wire wrap and adaptability to a two-piece daughter-card connector. It's suitable for applications using sophisticated multilayer backplanes that cannot tolerate damage to the plated through holes. The data sheet describes the pin, its applications, performance, and availability. Photographs and diagrams of the pin in use are provided. Contact Interconics, 610 Bremer Tower, Saint Paul, MN 55101. (612) 228-6590.
 Circle 562 on inquiry card.

DEC-Compatible Products Listed

.....
Monosson's DEC-Compatible Product Directory* lists products and services for the DEC market. It includes hardware, software, third-party maintenance, and publications. Lists of equipment-leasing concerns and vendors are supplied. This directory is published quarterly. Single copies are \$25. Contact Monosson's DEC*-Compatible Product Directory, POB 71, Kenmore Station, Boston, MA 02215.
 Circle 557 on inquiry card.

.....
 WHERE DO NEW PRODUCT ITEMS COME FROM?
 The new products listed in this section of BYTE are culled from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers and distributors. The basic criteria for selection for publication are a) does a product match our readers' interests, and b) is it new or simply a "reintroduction" of an old item. If you want your product to be considered for publication (at no charge), send full information about it, including its price and an address and telephone number where a reader can get more information. Send this to the New Products Editor, BYTE, POB 372, Hancock, NH 03449.



NEED A BREAK?

Come on down to Apple Country!

We make it our business to offer **ROCK BOTTOM PRICES** on quality computers and programs. We invite you to join our high volume of satisfied users.

CHECK US OUT TODAY—CALL 1-800-222-2602

MONITORS

AMDEK COLOR I PLUS	309.95
AMDEK COLOR II PLUS	454.95
AMDEK COLOR IV	819.95
AMDEK VIDEO 300 (GREEN)	139.95
AMDEK VIDEO 300 (AMBER)	154.95
AMDEK VIDEO 310 (AMBER)	174.95
BMC 12" GREEN	89.95
BMC 13" COLOR	249.95
BMC 13" RGB AP2 COLOR	379.95
BMC 13" RGB IBM	449.95
COMREX 9" HI-RES AMBER	119.95
COMREX 12" COLOR W/SOUND	289.95
COMREX 12" HI-RES AMBER	139.95
COMREX 12" HI-RES GREEN	134.95
COMREX 13" RGB COLOR	274.95
GORILLA 12" AMBER	99.95
GORILLA 12" GREEN	89.95
NEC 12" HI-RES GREEN	154.95
NEC 12" ECONO GREEN	109.95
NEC 12" LO-RES COLOR	294.95
NEC 12" AMBER SCREEN	164.95
NEC 12" COLOR - IBM	439.95
PRINCETON GRAPHICS HX-12	519.95
SAKATA 13" COLOR	294.95
SAKATA 13" RGB COLOR	549.95
SAKATA SUPER RGB	749.95
SAKATA 12" GREEN	119.95
SANYO CTR-70 HIRCS COLOR	629.95
TAXAN 12" GREEN	129.95
TAXAN 12" AMBER	139.95
TAXAN RGB VISION I	329.95
TAXAN RGB VISION III	464.95
TAXAN RGB 420 IBM	549.95
ZENITH 12" AMBER	119.95
ZENITH 12" GREEN	99.95
ZENITH RGB ZVM-135 COLOR	524.95
USI 9" AMBER PI-4	129.95
USI 9" GREEN PI-1	119.95
USI 12" AMBER PI-3	144.95
USI 12" GREEN PI-2	129.95
USI 14" LO-RES COLOR	309.95

MODEMS

ANCHOR MARK I (RS-232)	84.95
ANCHOR MARK II (ATARI)	84.95
ANCHOR MARK VII (RS-232)	119.95
ANCHOR MARK XII (RS-232)	289.95
ANCHOR VOLKSMODEM	64.95
NOVATION J-CAT	119.95
NOVATION 212 AUTO CAT	624.95
RIXON R212A 1200 BAUD	429.95
SMARTCAT 103/212	429.95
SMARTCAT 103	199.95
SMARTMODEM 300 BAUD	219.95
SMARTMODEM 1200 BAUD	484.95
SMARTMODEM 1200B - IBM	419.95
US ROBOTICS AUTODIAL 212	499.95
US ROBOTICS PASSWORD	379.95

DISKETTES

SS/SD ELEPHANT 16.95	OPUS 17.95
SS/DD ELEPHANT 19.95	OPUS 20.95
DS/DD ELEPHANT 25.95	OPUS 26.95

PRINTERS

ANADEX DP-9501B	1099.95
ANADEX DP-9625B	1299.95
ANADEX DP-9620B	1179.95
ANADEX WP-6000	2299.95
ANADEX DP-6500TR 500CPS	2529.95
ANADEX 9725B COLOR	1394.95
C.ITOH A10 DAISY WHEEL	569.95
C.ITOH 8510SP	499.95
C.ITOH 8600BP	849.95
C.ITOH 8510 SCP COLOR	579.95
COMREX CR-II DAISY WHEEL	499.95
DAISYWRITER 2000 48K	1129.95
DELTA-10	429.95
DELTA-15	624.95
EPSON FX-80 W/TRACTOR	529.95
EPSON FX-100 F/T	719.95
EPSON MX-100 F/T	449.95
EPSON RX-80	284.95
EPSON RX-80 F/T	339.95
EPSON RX-100	719.95
EPSON LQ-1500	1189.95
GEMINI 10X	284.95
GEMINI 15X	409.95
GORILLA BANANNA	189.95
IDS MICROPRISM 480	429.95
IDS PRISM 132	1459.95
JUKI 6100 PRINTER (P)	464.95
MANNESMANN TALLY MT160L	639.95
MANNESMANN TALLY MT180L	879.95
MANNESMANN TALLY SPIRIT	349.95
NEC 3550 SPINWRITER-IBM	1999.95
OKIDATA MICROLINE 80	279.95
OKIDATA PACEMARK 2350S	2329.95
OKIDATA PACEMARK 2410P	2569.95
OKIDATA PACEMARK 2410S	2639.95
OKIDATA 82A W/OKIGRAPH	379.95
OKIDATA 83A W/OKIGRAPH	664.95
OKIDATA 84P	1099.95
OKIDATA 84S	1199.95
OKIDATA 92P	484.95
OKIDATA 93P	799.95
OKIDATA 93S	894.95
PANASONIC P1090	334.95
PANASONIC P1091	394.95
PRINTMASTER (DAISY)	1439.95
PROWRITER I (8510P)	354.95
PROWRITER II (1550P)	569.95
QUME SPRINTC 11/40P	1439.95
SANYO PR5500 DAISY WHEEL	719.95
STAR POWER-TYPE DAISY	409.95
STARWRITER DAISY WHEEL	1139.95
TOSHIBA P-1351 LP	1719.95
TRANSTAR 315 COLOR	499.95
TRANSTAR 120P 14CPS	464.95
TRANSTAR 130P 18CPS	679.95
TRANSTAR 140P 40CPS	1329.95
MICROBUFFER (EPSON RS232)	129.95
GRAFFITI CARD (APPLE)	89.95
GRAPPLER + (APPLE)	119.95
MICROBUFFER II 16K (APPLE)	154.95
PKASO PRINTER I/F (APPLE)	139.95
WIZARD BPO 16K (APPLE)	139.95
WIZARD SOB 16K (APPLE)	199.95

OTHER PRINTERS AVAILABLE

COMPUTERS

APPLE IIe STARTER SYSTEM	LOW!!
APPLE MACINTOSH COMPUTER	LOW!!
ATARI 600XL COMPUTER	199.95
ATARI 800XL COMPUTER	309.95
ATARI 850 INTERFACE	199.95
ATARI 1027 PRINTER	289.95
COMMODORE 64 COMPUTER	LOW!!
COMMODORE 1541 DISK DRIVE	LOW!!
EAGLE PC PLUS-2 SYSTEM	3399.95
128K, 2-DS/DD DRIVES, MONITOR, EAGLEWRITER, MS-DOS, EAGLECALC, & CP/M-86	
EAGLE SPIRIT-II	2559.95
EAGLE SPIRIT-XL	3959.95
PORTABLE 128K EXPANDABLE TO 640K ON BOARD, 1 320K FLOPPY, 10 MEGABYTE HARD DISK, IBM COMPATIBLE KEYBOARD, 2 SERIAL 1 PARALLEL PORT, MS-DOS 2.0, MONOCHROME MONITOR, CP/M 86	
NEC APC-H01	2239.95
NEC APC-H02	2799.95
NEC 8201 COMPUTER	649.95
SANYO 550-1 1SS/DD DRIVE	819.95
SANYO 555-1 2SS/DD DRIVE	1124.95
SANYO 550-2 1DS/DD DRIVE	999.95
SANYO 555-2 2DS/DD DRIVE	1429.95
ZENITH IBM COMPATIBLE	2649.95
ZENITH W/10 MEG DSK	3999.95
WILDCAT STARTER SYSTEM	1329.95
APPLE II COMPATIBLE SYSTEM 64K, DETACHABLE KEYBOARD, 2 APPLE COMPATIBLE DISK DRIVES, HI-RES 12" AMBER MONITOR, RGB & COMPOSITE COLOR OUTPUT, 80-COLUMN CARD & JOYSTICK	
TAVA PC - IBM COMPATIBLE 1999.95	
128K-RAM, 2 SERIAL PORTS, 1 PARALLEL PORT, 2 DS/DD DRIVES, COLOR GRAPHICS CARD, & MORE.	
WALNUT PC - IBM PC COMPATIBLE SPECIAL \$1799.95	
128K RAM, 2 DS/DD DRIVES, SERIAL, PARALLEL, COLOR CARD & SOFTWARE.	

APPLE HARDWARE & SOFTWARE

4TH DIMENSION DRIVE-ONLY	199.95
4TH DIMENSION DRIVE+CTRL	299.95
ALS CP/M CARD	299.95
APPLE-CAT II MODEM	284.95
BANK STREET WRITER	49.95
BUFFERED GRAPPLER+	199.95
d-BASE II (REQ Z-80)	499.95
HAYES MICROMODEM IIe	234.95
MACH II JOYSTICK IIe	34.95
MACH III JOYSTICK IIe	41.95
MASTERTYPE	29.95
MICROBUFFER II+ 16K (P)	199.95
PFS:FILE	89.95
PKASO/U PRINTER I/F	139.95
PREMIUM SOFTCARD IIe	384.95
QUADRAM 64K80COL CRD IIe	124.95
VIDEX VIDEOTERM W/SFTSW	239.95
VIDEX ULTRATERM	294.95
IBM	
HERCULES GRAPHICS CARD	389.95
KOALA PAD TOUCH TABLET	119.95
KRAFT JOYSTICK	49.95
MICROPRO PRO PACK	419.95
MICROSOFT SYSTEMCRD 256K	479.95
MICROSOFT MOUSE	139.95
MOUSE SYSTEMS PC MOUSE	219.95
QUADCHROME MONITOR	589.95
QUADLINK APPLE EMULATOR	519.95
QUADRAM QUADCOLOR I 64K	299.95
QUADRAM QUADCOLOR II	229.95
RANA DS/DD DISK DRIVE	274.95
STB SUPER I/O MULTIFUNCT	184.95
TG JOYSTICK W/Toggle	44.95
TRANSEND P.C. MODEM 1200	439.95
VERA WRITER GRAPH TABLET	249.95
WIZARD SPOOLER P/S 16K	249.95
COMMODORE 64	
CARDBOARD/5 5 SLOT EXPAN.	64.95
CARD7 GRAPHICS INTERFACE	69.95
DATA20 Z-80 VIDEOPAK	229.95
DELPHI'S ORACLE DATA BASE	89.95
DISKEY	34.95
DONKEY KONG	34.95
EASY SCRIPT64	34.95
EASY SPELL 64	34.95
FLIGHT SIMULATOR II	39.95
HOME ACCOUNTANT	54.95
HOMWORD WORD PROCESSOR	49.95
JOUST	35.95
KOALA PAD TOUCH TABLET	79.95
MERLIN 64 ASSEMBLER	35.95
MSD-SD1 DISK DRIVE	399.95
MULTIPLAN	74.95
OMNI-CALC	34.95
PAPER CLIP W/P	64.95
PAC-MAN	37.95
POPEYE	39.95
ROBOTRON	37.95
S.A.M.	44.95
SARGON II	27.95
VOICE BOX	84.95

IQ TECHNOLOGIES, INC.

SMART CABLES

INSTANT RS-232 CONNECTIONS	
#817 (WORKHORSE)	79.95
#821 DIAGNOSTIC FEATURES	164.95
* ONE CABLE FITS ALL *	

We will try to meet or beat any advertised price! ... WE CAN HELP 1-800-222-2602

For technical assistance, order status and California calls (619) 765-0239 Apple Country, Ltd., P.O. Box 1099, 2602 Washington St., Julian, Calif. 92036

We accept AmEx. Prices reflect 2% discount for VISA/MC cash & check (2 weeks to clear). S&H in continental US 5% (\$5 min) Monitors \$10 min. APO/FPO & others call. Calif add 6% tax. P.O. must include check. No COD. All orders prepaid. All items are new with Mfg'r's warranty. Prices, products & terms subject to change without notice. All sales final. Returns require RMA#. No returns on software. Volume discounts available.

Apple Country, Ltd. is a **DISCOUNT MAIL ORDER HOUSE** for the micro computer industry and is a California corporation not affiliated with Apple Computer Inc. Apple is a trademark of Apple Computer Inc.



Savings\$


DO IT YOURSELF!
An **IBM® PC/XT Compatible**

To start, you need a high-quality Switching Power Supply and a heavy duty Mainframe to cabinet your Cpu Board, Power Supply, Cards, Drives, etc.



#HSC 130-40
\$179.00/ea.
130 WATT.
Switching Power Supply

- +5V/15A, +12V/4.2A, -12V/0.25A, -5V/0.3A
- Built-in Fan
- Power Switch
- Cables w/Connectors for Cpu Board and 4 Disk Drives
- 2 Switched AC Outlets for Printer & Monitor
- One Full Year Warranty



Model #FC-630

Cabinet only
\$99.00/ea.

- Heavy duty welded steel
- 2 Full or 4 Half Height Disk Drives allowed
- IBM® Look-alike

64K D-RAM
150ns-200ns
\$49.00/9 pcs.

765AC 8272A
8275 8237A-5
8284A

TMS 9980
\$19.00/ea

DEALER & OEM's INQUIRY INVITED



FORTRON CORP.

4447 ENTERPRISE ST.
FREMONT, CA 94538

Dealer & OEM 415-490-8403
415-490-8171



TLX 176632
800-821-9771

Terms: Shipping immediately from stock usually, or within 4 weeks if run out of inventory. Minimum \$5.00 shipping + handling. Personal check requires 2 weeks clearance before shipping. 6.5% sales TAX required for CA. residents.

Our specialty: 68000, DEC, graphic, database, communication, export

Come visit us in our New York City Showroom *Hablamos Español

PRINTERS

MICROPRISM	110 cps, 84 x 84, graphic	379
DATA		
PRODUCT	8000 series	CALL
EPSON	FX-80, FX-100, RX-80, RX-100	CALL
BANANA	50 cps	195
OKIDATA	Full Line	CALL
PRISM 132	200 cps, 132 col	1,100
TOSHIBA	192 cps 24-wire	1,450
DEC	LA50	599
GEMINI	Delta 15	559
DIABLO	P11 100 cps, 80 col	488
	P38 400 cps, 132 col	1,795
M.T.	Spirit 80 cps	345
	Letter Quality	
NEC	2050 20 cps for IBM	840
	3550 35 cps for IBM	1,610
	7710 55 cps for serial	1,750
DYNAX	HR25 23 cps parallel	735
	DX15 13 cps parallel	445
COMREX	Comwriter III	740
C.I.TOH	F-10 40 cps Excellent	999
	A-10 18 cps	530
DIABLO	630 API w/interface	1,735
QUME	11+ 40 cps	1,300
	50 cps	1,500
JUKI	6100 parallel	459
STAR	Power Type 18 cps	379
TRANSTAR	315 graphic	479

MODEMS

HAYES	Smartmodem 300/1200 bps	499
	Micromodem II w/software	270
NOVATION	Smartmodem 300/1200 bps	415
	PC Cat 300/1200 bps	450
USR	Password 300/1200	339
	Anchor Automation, Anderson Jacobson Lexicon, Multi-Tech, Racal Vadic, Ventel ZENITH ZT-1, ZT-11 with modem	Call

COMPUTER—Whichever's right for you!

**Columbia, Corona,
Cromemco, DEC
Rainbow, Eagle, Leading
Edge, NEC APC, Sanyo,
Televideo
ZENITH
EPSON QX-10**
(for local and corporate customer)
Altos, Northstar, OSM, TAVA

PORTABLE ON-THE-GO

Columbia, Corona, Eagle, Epson,
NEC PC 8021, Televideo, Zenith

**AST, PERSYST, PLANTRONIC
TECMAR, QUADRAM, HERCULES**

POWERFUL 68000 CPU

Cromemco	68000/Z80 CPU	
option	Fast Floating Point Processor	
DUAL	68000 CPU, 80MB SMD hard disk, intelligent I/O, UNIX, Database	
WICAT	1 to 12 users, 68000 CPU, 256K to 4.5MB RAM, 10MB to 474MB hard disk, graphic	

DEC VT-100 Compatible Terminals

DEC	VT100AA	1,600
	VT220A	1,050
QUME	103	780
Visual (option)	102 14"	890
graphic		695
WYSE	75	675
ZENITH	Z-49	CALL

PLOTTERS/DIGITIZERS

HOUSTON INSTRUMENT	DMP 29	1,795
	DMP 40	795
	DMP 41, DMP 42	CALL
	HIPAD digitizer	725
AMDEK	XY plotter 1 pen	620
	6 pens	895
M.T.	PIXY-3 3 pens	650
HEWLETT PACKARD	Plotters	
	7470A 2 pens	940
	7475A 6 pens	1,640
SWEET-P	100 w/support pack	625
GTCO	digitizer	CALL

TERMINALS/MONITORS

ZENITH	Z-29 smart terminal	BEST PRICE
ZVM 135	RGB color/green monitor	475
ZVM 123	green monitor	87
ZVM 124	22 MHZ, for IBM	169
Amber Monitor:	Comrex, Panasonic, Zenith	
PRINCETON	Graphic Monitor	
	HX-12	490
	SR-12	630
HAZELTINE	Esprit II	540
	Esprit III	625
	Esprit 6310	599
WYSE	50 14" 80/132	559
VISUAL	55 12"	725
QUME	102	548

Prices subject to change. American Express, Visa/Mastercard add 3%. F.O.B. point of shipment. 20% restocking fee for returned merchandise. Personal checks take 3 weeks to clear. COD on certified check only. N.Y. residents add sales tax. Manufacturers' warranty only. International customers, please confirm price before order. Accept P.O. from Fortuna 500, schools and gov't.

Computer Channel
21-55 44th Road
Long Island City, NY 11101
For Information CALL (212) 937-6363
To order CALL 1-800-331-3343

Computer Channel



S-100
ESTABLISHED 1977

SALES 800 - 528-3138
TECHNICAL 602-991-7870
MODEM ORDERS 602-948-1387
TELEX: 16 5025 FTCC SEC PHX.

CompuPro®

SYSTEM 816/A A&T	\$4,299
SYSTEM 816/B A&T	\$4,999
SYSTEM 816/C* A&T	\$6,399
SYSTEM 816/D* A&T (8086)	\$9,299
SYSTEM 816/E* A&T (8000)	\$7,099

100 HOUR SYSTEM "BURN IN"
*XEROX ON-SITE SERVICE WHERE AVAILABLE

CPU Z 6MHz A&T	\$229
CPU 8085/88 A&T	\$349
CPU 8086 10MHz A&T	\$569
CPU 68K 10MHz CSC	\$600
RAM 17 64K STATIC A&T	\$349
RAM 16 64K STATIC 8&16 A&T	\$389
RAM 22 256K STATIC 8&16 A&T	\$1,229
M-DRIVE/H 512K RAM-DISK	\$895
INTERFACER 3-8 SERIAL A&T	\$489
INTERFACER 4-3 SERIAL/2 PARALLEL	\$319
SYSTEM SUPPORT 1 A&T	\$319
DISK 1 A&T	\$349
DISK 2 A&T 8" H.D. CNTRL	\$569
DISK 3 5 1/4" H.D. CNTRL W/CP/M&B & 86	\$559

MORROW

DJ/DMA 5 1/4" & 8" S-100 FLYP CNTRL	\$566
MD2 SYSTEM W/MDT60 TERMINAL AND TALLY "SPIRIT" PRINTER	\$1,699
MD3 AS EQUIP. ABOVE W/PEARL DBMS	\$1,999
MD-3E AS EQUIP. ABOVE WITH ONLY CPM 2.2, NEW WORD CO-PILOT	\$1,499
MD3-MDCP88-256 AS EQUIP. ABOVE W/ 8088 CO-PROC. & 256K RAM UPGRD.	\$2,499
MDP-3 PORT. SAME AS MD3 EXCEPT 5X7" SCR. & INCLD. TALLY "SPIRIT"	\$1,899
MD11 SYSTEM W/11 Mb H.D., CP/M 3.0, 128 RAM, MDT60 TERMINAL, EPSON RXBOFT PRT.	\$2,995
MD-16 SAME AS MD11 W/ 16.44Mb	\$3,495
MD-34 SAME AS MD11 W/34Mb	\$4,995



CPZ 48006 6MHz MASTER	\$739
256KMB MEMORY BOARD	\$709
CPS-MX 64K RAM SLAVE 6MHz	\$389
CPS-BMX 128K RAM SLAVE 6MHz	\$529



SUPER SIX/128-6 MHz	\$575
SUPER SLAVE/128-6 MHz	\$519
CP/M 3.0	\$350
TURBODOS MULTI-USER W/SPOOLER	\$595
DMA-MICROMAGNUM 5Mb WINCHESTER FIXED & 5Mb RMOV. CARTG.	\$1,595
HDC-1001 DMA W/DRIVERS	\$429
SUPERSTAR W/SUPERSIX 128K, HDC-1001-5, MICROMAGNUM 5Mb/5Mb CART. WINCH., TURBODOS 1.3, 2 SUPER SLAVES 128K-6MHz	\$4,995



TRUE SINE WAVE, 100% BATTERY OPER. W/NO SWITCH-OVER, BYPASS STATIC SWITCH
750 WATTS @ 15 MIN. #370-811-100 \$1,575
1 HR. W/AUXILIARY BATTERY \$149



IBM-PC W/FLPY CTRL., STB GRAPHICS + CRT CTRL., 256K RAM, PC DOS 2.10, 2 DSDD DVRS., 12" AMBER MON. \$2,995

TECMAR FOR IBM-PC

1st MATE 256K, SERIAL, PARA. CLOCK	\$412
CAPTAIN SAME AS 1st MATE W/384K	\$567
GRAPHICS MASTER HI-RES RGB	\$521
IEEE 488 BOARD W/SOFTWARE	\$367
5Mb H.D. CARTRIDGE INSTALLS IN P.C.	\$1,496
33Mb FIXED H.D. W/5Mb REMOVABLE CART. IN AN EXPANSION CHASSIS	\$4,121
EXPANSION CHASSIS W/8 SLOTS	\$725
BASE BOARD - DO-IT YOURSELF MULTIFUNCTION	\$259
BOSUN XT MULTIFUNCTION BD.	\$149
jrCAPT. 128K W/TREASURE CHEST	\$319
jrWAVE 256K	\$399
jrCADET 384K PIGGY-BACK BD.	
ADD-ON FOR jrCAPT. & jrWAVE	\$479



SUPER "RIO" 256K W/PARA., 2 SERIAL & GAME PORTS, CLOCK-CAL./BATT. PARA. & SERIAL CABLES	\$448
PIGGYBACK 512K FOR SUPER "RIO" 256	\$571
RIO PLUS W/384K SAME AS SUPER "RIO" EXCEPT ONLY 1 SERIAL AND NO PIGGYBACK BD.	\$549
SUPER I/O LIKE RIO+ W/O RAM/XT	\$149
I-384 MEMORY EXPANSION BD. 384K GRAPHICS PLUS II RGB & MONO. PRINTER & LT. PEN PORTS	\$484
	\$325



QUASI-DISK 512K RAM-DISK W/ON-BD. DRV. STATUS LED'S, WRITE PROTECT, DMA E-Z INSTALL W/SAMPLE CP/M BIOS	\$895
512K PIGGY-BACK EXPANSION	\$695
BATTERY BACK-UP W/PWR. SUPPLY	\$169

64K CMOS RAM OR ROM LOADS OF FEATURES	\$409
---------------------------------------	-------

MFIO ALL-IN-ONE I/O BD.	
8 ASYNCH. SERIAL, 2 PARALLEL BAUD RATE GENERATOR, CLOCK-CAL W/BATT., PROG. PRIOR INTERRUPT	\$469
SERIAL OPTION BD. FOR MFIO	\$25
CENTRONICS PARALLEL BD. FOR MFIO	\$39
STD. PARALLEL OPTION BD. FOR MFIO	\$25

Votrax PERSONAL SPEECH SYSTEM	\$285
-------------------------------	-------



FREE TELPAC SOFTWARE INCLD.	
S-100 BD. MODEM 300/1200	\$359
PASSWORD 1200 AUTO ANS./DIAL	\$359
AUTO DIAL 212A (HAYES COMPAT.)	\$459

PRINTERS

BROTHER HR-15 SERIAL	\$425
BROTHER HR-25 SERIAL	\$725
DAISYWRITER 2000 W/48K	\$998
EPSON MX, RX & FX IN STOCK	CALL
OKIDATA 92	\$439
OKIDATA 93	\$729
TALLY MT160L	\$579
TALLY MT180L	\$795
TALLY "SPIRIT" N.L.Q. @ 80 C.P.S.	\$299

TERMINALS & MONITORS

COMREX CR5600-Y, HI-RES, P-39	\$125
FREEDOM 100 TERMINAL	CALL
FREEDOM 110 TERMINAL - AMBER	CALL
FREEDOM 200 TERMINAL - AMBER	CALL
(EMUL TELEVIDEO 950 & ADM 31)	CALL
PRINCETON GRAPHICS HX12 HI-RES RGB	\$495
QUME QVT102A	\$545
QUME QVT102G	\$529
TAXAN RGB 420 (IBM LOOK-ALIKE)	\$495
USI AMBER 12" HI-RES MONITOR (20MHz)	\$109
WYSE-50 14", 132 COL., EMUL. TVI 910, 920, 925, ADDS-VP & HAZELTINE 1500	\$519

DISK DRIVES

DMA 5Mb REMOV. CART. W/5Mb	
FIXED WINCH. BARE DRIVE	\$1,600
S-100'S SUBSYS. - DUAL DSDD 8"	
FLOPPY, QUANTUM 40 Mb H.D., DISK 1 & 3, CP/M&B & 86	\$3,999
S-100's 5 1/4" 40Mb QUANTUM H.D. SUB-SYSTEM W/DISK 3 & CP/M&B & 86	\$2,895
MAXTOR XT-1065 5 1/4" 65Mb H.D.	\$2,249
MAXTOR XT-1105 5 1/4" 105Mb H.D.	\$2,995
MAXTOR XT-1140 5 1/4" 140Mb H.D.	\$3,749
QUANTUM Q540 5 1/4" 40Mb H.D.	\$1,895
SEAGATE ST419 5 1/4" 20Mb H.D.	\$1,195
SEAGATE ST212 5 1/4" 1/2HI 12Mb	\$679

ZOBEX 5 1/4" H.D. CNTRL FOR IBM-PC SUPPORTS ST506 INTERFACE DRIVES \$319

ASK ABOUT SUBSYSTEMS FOR IBM or S-100 BUS

Tandon 100-2 5 1/4" DSDD	\$205
--------------------------	-------



270 DAY WARRANTY	
142 DSDD 5 1/4" 1/2 HI	\$189
242 DSDD 8" 1/2 HI	\$395
842 DSDD 8" STD HI	\$455

NATIONAL (SA455L COMPAT.) 5 1/4" DSDD 1/2HI FLYP. DRV.	\$169
--	-------

INDUSTRIAL QUALITY CABINETS

DUAL 1/2HI HORIZ. 5 1/4" FLYP.	\$75
SINGLE STD HI HORIZ. 5 1/4" FLYP	\$59
DUAL 1/2 HI VERT. 8" FLYP	\$195
SINGLE STD. HI VERT. 8" FLYP	\$195

SOFTWARE

ACCOUNTING PEARL FOR IBM-PC	\$635
ASHTON-TATE dBASE-2 CP/M-86 8 INCH	\$449
BDS "C" COMPILER	\$99
COMP. INNOVAT. "C" COMPILER	\$299
COMPUVIEW VEDIT-86/MS-DOS	\$185
FOX & GELLER JUTIL	\$69
FOX & GELLER QUICKCODE	\$205
KNOWLEDGEMAN 8086 DATA BASE MGR.	\$345
MICROPRO'S PRO PAK	\$435
MICROSOFT'S BASIC COMPILER	\$292
PERSONAL PEARL DATA BASE MGR.	\$215
SORCIM SUPERCALC-3/IBM-PC	\$245



MP/M-86	\$419
"C" COMPILER/IBM-PC	\$219
DR. LOGO/IBM-PC	\$62
CBASIC COMPILER-80	\$310
PL/1-86	\$465
DR ASSEMBLER PLUS TOOLS	\$124
PASCAL MT+	\$217
DISPLAY MANAGER-80	\$249
ACCESS MANAGER-80	\$186
PC ACCOUNTING PACK/IBM-PC	\$597
SELECT (WORD PROC.) MSDOS	\$307

S-100 DIV./696 CORP.
14425 North 79th Street
Scottsdale, Arizona 85260

FULL DEALER SUPPORT
VISIT OUR SHOWROOM
Hrs. 8:30AM - 5:00PM M-F

Subject to Available Quantities
Prices Quoted Include
Cash Discounts
Shipping & Insurance Extra

Circle 270 for Dealer inquiries. Circle 271 for End-User inquiries.

JULY 1984 • BYTE 419

MEGA-BYTES FOR MICRO-BUDGETS

expand your system...shrink your cost.

Why pay more for top quality products when our prices are consistently among the lowest anywhere?
We invite you to compare prices, then call us.

COMPUTERS AT LOW PRICES

CALL FOR CONFIGURATIONS
AND OPTIONS

MEMOTECH MTX-512
SHARP PC-5000 PORTABLE
LEADING EDGE PC
IBM PC-XT

PRINCETON GRAPHICS SYSTEMS

HX-12 Limit - One to a Customer. Cash Price \$459.00

GREAT LAKES (PEGASUS) HARD DISK SYSTEMS SALE PRICE

10 MEGABYTE INTERNAL.....	\$1149.00
10 MEGABYTE EXTERNAL.....	1295.00
23 MEGABYTE EXTERNAL.....	1895.00
40 MEGABYTE EXTERNAL.....	2449.00
65 MEGABYTE EXTERNAL.....	3249.00
140 MEGABYTE EXTERNAL.....	4995.00
TAPE DRIVE 23 MEGABYTE INTERNAL.....	950.00
TAPE DRIVE 23 MEGABYTE STAND ALONE.....	1249.00

MISC. PERIPHERALS	SALE PRICE
HAYES SMARTMODEM 1200B (IBM-PC).....	\$399.50
HAYES SMARTMODEM 1200 (RS-232).....	489.50
HAYES CHRONOGRAPH.....	189.50
ROLAND DG XY800 6 PEN PLOTTER.....	799.50
BAUSCH&LOMB DMP-29 PLOTTER.....	1885.00
PENCEPT PENPAD 320.....	900.00

EPSON PRINTERS	SALE PRICE
MX-100.....	\$475.00
FX-80.....	489.00
FX-100.....	689.00
RX-80.....	309.00
RX-80 F/T.....	375.00
LQ-1500.....	1135.00

DYSAN DISKETTES (Boxes of 10 each)	SALE PRICE
104/1 5 1/4" SINGLE SIDE, SINGLE DENSITY.....	\$31.20
104/1D 5 1/4" SINGLE SIDE, DOUBLE DENSITY.....	32.98
104/2D 5 1/4" DOUBLE SIDE, DOUBLE DENSITY.....	38.99
3740/1 8" SINGLE SIDE, SINGLE DENSITY.....	32.39
3740/1D 8" SINGLE SIDE, DOUBLE DENSITY.....	40.19
3740/2 8" DOUBLE SIDE, SINGLE DENSITY.....	40.19
3740/2D 8" DOUBLE SIDE, DOUBLE DENSITY.....	46.89

ORDERS ONLY 800-858-4810
IN CALIF. 800-821-6662




COMMERCIAL BUSINESS SYSTEMS
2858 S. ROBERTSON BLVD., LOS ANGELES, CA 90034



INFORMATION
(213) 559-0596

Phone orders accepted on Visa and Mastercard only. California residents add 6.5% sales tax. No C.O.D. Actual shipping and handling charge added to all orders. Prepaid orders as follows: Money orders or cashier's check—merchandise shipped upon receipt. Personal checks must clear before shipping. 20% restocking fee. Prices and availability subject to change. \$100 minimum order.



MOTHER BOARD:

- 8088 CPU with socket for co-processor 8087
- 8088 is supported by 8259A interrupt controller and 8237 DMA controller
- 2 (two) 28 pin sockets for ROM
- 8 (eight) expansion slots
- No RAM on board (RAM is on multifunction board)

Bare Board.....	69.00
Ready Board.....	199.00
(with IC sockets, resistors, capacitors, connectors, crystals, transistors soldered)	
Tested Board (w/o ROM).....	399.00
IC kit.....	199.00

Build Your IBM™ PC Compatible at Competitive Prices

MULTIFUNCTION BOARD

- 2 serial ports, 1 parallel port real time clock, 64k RAM up to 256k RAM..... 299.00
- Floppy disk drive controller board..... 179.00
- Hard disk controller board..... 299.00
- Color graphic board..... 239.00
- Monochrome + color + graphic board..... Call
- Panasonics disk drive, 320k, half height..... 179.00
- Hard disk drive 10 MB..... 699.00
- 100W power supply with fan..... 179.00
- Case..... 149.00
- Manual..... 25.00
- Keyboard..... 149.00
- High resolution color RGB monitor..... 499.00
- High resolution green monitor..... 129.00
- Monitor stand..... 39.00
- Hayes 1200B modem..... 449.00
- Hayes 1200 modem..... 475.00

IBM is the trademark of International Business Machines.
Prices subject to change without notice.



4962 El Camino Real • Los Altos, CA 94022
(415) 962-9265 1-(800) 821-3628
TLX: 171947 HANDWELL LTOS

NEC

NEC ADVANCED PERSONAL COMPUTER - THE APC

STANDARD HARDWARE PACKAGE INCLUDES:

- 8086 16bit CPU
- 128K RAM, EXPANDABLE TO 512K
- 640 x 475 PIXEL CRT
- 8" FLOPPIES WITH 1 MBYTE EACH
- GREAT KEYBOARD
- 48 DEFINABLE FUNCTION KEYS

STANDARD SOFTWARE PACKAGE INCLUDES:

- MS-DOS 2.0
- WORDSTAR 3.3
- dBaseII
- MULTIPLAN

NEC APC-1 DRIVE, GREEN #H01	\$2095
NEC APC-2 DRIVE, GREEN #H02	\$2550
NEC APC-2 DRIVE, COLOR #H03	\$3150
NEC APC-1 DRIVE, COLOR #H04	\$2575
NEC 10MByte WINCHESTER #H26	\$2175

LIMITED TIME GRAPHICS SPECIALS:

ALL GRAPHICS PACKAGES INCLUDE ADDITIONAL 128K USER RAM, AND HIGH PERFORMANCE GRAPHICS VIDEO INTERFACE, WHICH CREATES 1000 x 1000 GRAPHICS. THE DOT MATRIX PRINTER, WHERE INCLUDED, IS THE #H16, AKA PC-8023.

- GPKG #1 GRAPHPLAN, CP/M-86, PRINTER
- GPKG #3 VIDEOGRAPH, GRAPHWRITER, SCREENSHOOTER
- GPKG #2 CONTEXT MBA, PRINTER
- GPKG #4 AUTOCAD, CP/M-86

NEC GPKG-xx-MONO	\$685
NEC GPKG-xx-COLOR	\$775



IBM

IBM PC Systems

THE EXPERT SAYS YOU NEED 256K RAM. AND THE PRICE IS LOW.
#1 SYSTEM: 2-360K DRIVES 256K RAM, GRAPHICS VIDEO CARD. \$2565
#2 SYSTEM: 2-360K DRIVES, 256K RAM, MONOCHROME VIDEO CARD, AMBER CRT. \$2825

IBM PC-XT SYSTEMS

#1 SYSTEM: STANDARD UNIT - LIST \$4995. \$4300
#2 SYSTEM: 256K GRAPHICS VIDEO, AMBER CRT \$4845
#3 SYSTEM: 256K, MONOCHROME VIDEO, AMBER CRT. \$4990



TAVA PC

TAVA PC SYSTEMS

ALL TAVA'S INCLUDE 2 SERIAL PORTS, 1 PARALLEL PORT, 2 DSDS THINLINE DRIVES, A VIDEO INTERFACE (EITHER GRAPHICS OR MONOCHROME), 256K RAM, AND A 12" MONOCHROME CRT. FREE SOFTWARE: WORD PROCESSOR, DATA BASE, SPELLING, ELECTRONIC MAIL

TAVA #1: GRAPHICS VIDEO	\$1895
TAVA #2: MONOCHROME VIDEO	\$1945
TAVA PC-XT #1: 10 MByte HARD, GRAPHICS VIDEO	\$2895
TAVA PC-XT #2: 10 MByte HARD, MONOCHROME VIDEO	\$2945

SANYO

SANYO MBC550 SYSTEMS

NOW WITH FACTORY INSTALLED double sided drive and DOS 2.1.
 MBC550-2 w/3 SOFTWARES \$ 985
 MBC555-2 w/6 SOFTWARES \$1315

RECOMMENDED OPTIONS:

128K EXTRA RAM (256K TOTAL)	\$ 100
SERIAL PORT	\$ 80
AMBER CRT	\$ 140
COLOR RGB CRT	\$ 535

FRANKLIN

FRANKLIN 1200-OMS w/CRT	\$1435
FRANKLIN 1000-PRO PACK w/CRT	\$ 975

LETTER QUALITY PRINTERS

C. ITOH/TEC: THESE DAISYWHEEL PRINTERS USE DIABLO WHEELS, INK CARTRIDGES, AND SOFTWARE CODES.

F-10-18 18CPS	\$ 495
F-10-40 40CPS	\$ 950
F-10-55 55CPS	\$1275
ABATI LQ-20P 20CPS, 132 COLUMN	\$ 395
DYNAX-BROTHER HR-15	\$ 410
HR-15 TRACTOR	\$ 105
HR-15 CUT SHEET FEEDER	\$ 185
DYNAX-BROTHER HR-25	\$ 675
HR-25 TRACTOR	\$ 120
HR-25 CUT SHEET FEEDER	\$ 210
BROTHER HR-35	\$895
JUKI 6100 20CPS	\$ 185
NEC SPINWRITERS #2050	\$ 965
NEC #3550	\$1785
NEC #7730	\$2100
SILVER-REED EXP500P	\$ 475
SILVER-REED EXP550P	\$ 555

DOT MATRIX PRINTERS

BMC CP-80 w/CARBON INK	\$ 265
C ITOH/TEC 180CPS	\$ 495
180CPS-WIDE	\$ 695
180CPS-COLOR	\$ 575
180CPS-COLOR-WIDE	\$ 795
EPSON FX-80	\$ 499
EPSON FX-100	\$ 790
GEMINI 10-X	\$ 269
GEMINI 15-X	\$ 415
MANNESMANN-TALLY MT160L	\$ 595
MT180L	\$ 795
IDS PRISM 132 w/COLOR	\$1485
OKIDATA 92	\$ 435
OKIDATA 93	\$ 700
PROWRITER 120CPS, STD	\$ 345
PROWRITER 2 120CPS, WIDE	\$ 575

Sakata

SAKATA MONITORS

SC-100 COLOR COMPOSITE 13"	\$275
SC-200 COLOR RGB FOR IBM 13"	\$460
SC-300 COLOR RGB FOR IBM 13"	\$695
SC-1000 GREEN 12"	\$125
SC-1000 AMBER 12"	\$135

NEC PC8201 LAP COMPUTER \$575

COMPAQ

COMPAQ 2 DRIVE, 256K \$2465

MICROSOFT

MICROSOFT "WORD" w/MOUSE	\$295
QUBIE MODEM 1200B INTERNAL	\$295

EXPERT COMPUTERS

21804 ROSCOE BLVD., SUITE 18
 CANOGA PARK, CA 91304

(213) 344-6063
 (800) 528-9537

ADD 4% FOR AMERICAN EXPRESS. ADD 2% FOR VISA/MASTER-CARD. 20% PREPAID DEPOSIT REQUIRED ON COD ORDERS. CALIFORNIA RESIDENTS ADD SALES TAX. PRICES MAY CHANGE-CALL TO VERIFY PRICES AND DELIVERY.



"WE'RE EXPERTS SO
 YOU DON'T HAVE TO BE!"

Circle 131 on Inquiry card.

➔ SANYO 550-2.....\$987

➔ SANYO 555-2.....\$1325

TSENG LABORATORIES ULTRA-PAK

132 x 44 COLUMN VIDEO INTERFACE WITH GRAPHICS FOR THE IBM MONOCHROME CRT. INCLUDES PARALLEL PORT, SERIAL PORT, CLOCK. OPTIONAL FLOPPY DISK CONTROLLER OR 64K-384K RAM PACK.
ULTRA-PAK LIST \$680 \$495
DISK-PAK LIST \$220 \$185
RAM-PAK (64K EXPANDABLE TO 384K) LIST \$245 \$205

PROFIT SYSTEMS

MULTIGRAPH (80 x 40 VIDEO w/GRAPHICS & PRINTER PORT) \$465
MULTIGRAPH OPTION BOARD (132 COLUMNS, 16 COLORS) \$185
MULTI-USER SUBSYSTEM: FOR 4 USERS, HARDWARE & SOFTWARE \$650

EVEREX

THE EVEREX SYSTEMS ARE COMPLETE WITH CABLES, INTERFACES, AND SOFTWARE NECESSARY TO INSTALL AND USE:

10MByte INTERNAL, HARD DISK SYSTEM	\$ 945
20MByte INTERNAL TAPE BACKUP SYSTEM	\$ 975

KEYTRONIC

KB5151	\$ 215
--------	--------

COMPUTER CONNECTION



CALL FOR QUANTITY PRICING

DISPLAY MONITORS

USI	
PI2 (12" Green)	\$ 125
PI3 (12" Amber)	129
GORILLA	
Hi-Res. 12" Green	\$ 85
Hi-Res. 12" Amber	95
AMDEK	
V300G, 12" Green	\$ 135
V300A, 12" Amber	149
V310A for IBM PC	165
Color I, 13" Color Composite	289
Color II, RGB	399
BMC	
12 UW (12" Green)	\$ 89
9191 Plus	249
NEC	
JB 1201M, 80 col.	\$ 149
JB 1205M(A) w/audio	155
JC 1216 RGB Hi-Res IBM comp.	399
TAXAN	
12N (12" Green)	\$ 109
12NUY (12" Amber)	119
PRINCETON GRAPHICS	
HX12, RGB for IBM	\$ 479

SAVE \$\$\$\$ ON OUR OLYMPIC MARATHON SALE

★ ★ GOLD MEDAL SPECIALS ★ ★

IBM		TANDON	
IBM PC, 64K, 1 Drive	\$1850	TM 100-2 for IBM PC	\$ 189
IBM PC, 64K, 2 Drives	2059	TM 65 2 1/2 Height, 320K	189
TEAC		SANYO	
55B, 1/2 Height, 320K	\$ 165	MBC550-2 w/1 db/dt/dt Drive & Software	\$ 945
★ 64K MEM. UPGRADE ★		MBC555-2 w/2 db/dt/dt Drives & More Software	
64K, 9 chips, 1 yr war	\$ 48		1295

FREE 2-Piece, Anti-Static Dust Cover with Purchase of IBM PC or XT

PRINTER ACCESS.

ORANGE MICRO	
Grappler +	\$ 119
Buffered Grappler +, 16K exp 64K	169
FOURTH DIMENSION	
Par. Card & Cable for Apple	\$ 49
TRACTORS	
Okidata for 82A & 92	\$ 49
JUKI BI-Directional	129
PRACTICAL PERIPHERALS	
Mic/Buf IIP, 16K	\$ 145
Mic/Buf IIS, 16K	149
CABLES	
Any Computer to Parallel Printer	\$ 29

IBM/APPLE ACCESS.

AST RESEARCH	
Six Pak Plus	\$ 269
Mega Plus II	279
MICROMAX	
Viewmax 80E, 128K 80 col. card	
for Apple IIe	\$ 129
for Apple II & II+	139
PC PEACOCK	
Color Graphics Card w/Printer Port	\$ 269
PLANTRONICS	
Color+ Board	\$ 379

PERSONAL SYSTEMS

APPLE	
Apple IIe Starter System	\$1249
FRANKLIN	
Ace 1000 w/color	\$ 799
Ace 1200 w/driver	1399
TAVA	
1 Par. & 2 Ser. Ports, 128K, 2-320K Drives, Color Card	\$1745

DISK DRIVES

SIEMENS	
FD 100-8	\$ 145
Drives For Apple & Franklin	
MICRO-SCI	
A2	\$ 199
QUENTIN RESEARCH	
Apple Mate	\$ 199
RANA SYSTEMS	
Elite I	\$ 229
Elite II	349
Elite III	429
PANASONIC	
1/2 Height 360K	\$ 165
JMR 100% Apple Comp. Drive	179
Controller Card	55

PRINTERS

OKIDATA	
ML82A, 10" carriage	\$ 298
ML83A, 15" carriage	539
ML92P, 160cps	419
ML93P, 160cps	699
C. ITOH	
Gorilla Banana, 50 cps	\$ 169
Prowriter 8510AP, 120cps	329
Prowriter I1550AP, 15" 120 cps	545
Starwriter F10-40PU, 40cps	969
Printmaster F10-55PU, 55 cps	1299
EPSON	
FX80FT, 120 cps	\$ 369
FX80, 10" 160cps	485
FX100, 15" 160cps	699
JUKI	
6100LQ 15", 18 cps w/propor. spac.	\$ 439
TOSHIBA	
P1350 (1) Dot Matrix, L.Q. graphics	\$1495
MANNESMANN TALLY	
160L, 160cps	\$ 575
180L, 180cps	795
PANASONIC	
1091w/Tractor, 120cps	\$ 369

IF YOU SEE IT ADVERTISED FOR LESS, CALL US FIRST FOR LOWEST QUOTE!

MAIL ORDER:
12841 S. Hawthorne Blvd., No. 585
Hawthorne, California 90250

ORDER DESK:
[213] 514-9019

Mon.-Fri. 9 a.m. to 6 p.m.
Saturday 11 a.m. to 3 p.m.

We accept VISA, MasterCard, COD (w/depot), Certified Checks or Wire Transfers. Shipping minimum \$4.00. Some items subject to back order. CA Res. add 8 1/2% Tax. Prices subject to change.

HERE COMES THE SUN

IBM Compatible Products Apple Compatible Products General Products- cont.

1-800-421-5775
Call orders and all info Call 213-644-1149



QUADRAM-2 (2) Ser. Ports w/64K	\$355.00
QUADBOARD (1 ea) Par/Ser. w/64K	355.00
QUAD 512+ w/64K	305.00
QUAD 512+ w/512K	665.00
CLOCK/CALENDAR BOARD	105.00
MODEM Signalman Mark 5	215.00
ADD-ON Hard Disk Drive System	
6Mb w/Power Supply & Cabinet	1799.00
Controller for above Hard Drive	279.00
AST SIXPACK (64 K)	271.00
MSI DUAL I/O (2 ea) Ser./Par. & Clk	175.00
MSI 256K RAM Board with 64K	199.00
MSI 256K w/Parallel or Serial Port	
256K w/Parallel Port and 64K	259.00
256K w/Serial Port and 64K	259.00
VISTA DISKMASTER DMA	
Diskmaster interface Sub 4", 5 1/4", 8" & V1200Mb Hard Disk	225.00
IBM TEAC Disk Drive DSDD, 40 Track Slimline	215.00
APPARAT IBM PROM Blaster	129.00
CABLE Parallel for IBM, Eagle & Columbia	29.95/ea
CABLE Serial for IBM, Eagle & Columbia	19.95/ea
Micro Log. Baby Blue II	
Z80B Co. Pros.	
Multifunction Board	Call
IBM Prototype Board-SUN-208 Double Sided Glass with Gold Plated Terminals	19.50
MULTIFUNCTION BOARD	
64K, Serial, Parallel, Clock	295.00
IBM UP-GRADE KIT (4164-200 ns)	49.00/Per Kit



AFDC-1 Floppy Disk Drive Controller	\$595
Runs DOS 3.3 with any standard Shugart compatible 5 1/4" disk drive. (2 drives each card). Does not read 1/2 track.	
Apparat PROM Blaster	119.00
"ALS" 80 Column Card	159.00
"ALS" Z-CARD (Z80 CPU)	149.00
API Apple Parallel Printer Interface card	
Centronics Compatible	\$39.00
Apple Compatible Disk Drive Slimline, Quite	195.00
SUN-Z-80 CARD (Softcard Compatible)	55.00
SUN-80 COLUMN CARD	97.00
POWER SUPPLY (5 amp)	59.95
COOLING FAN	42.00


Software

WORD PROS (Benchmark)	299.00
TELECOM (Benchmark)	89.00
WORD STAR	Call
LOTUS	Call
VISCALC	Call
DISCOVER BASIC	69.95
PERSONAL PEARL	199.00
TYPE ATTACK	39.95
SPANISH	49.95
Formats include CP/M, Apple, IBM, TRS-80	

General Products

5 1/4" Diskettes	10 up	100 up
SS/DD (100% certified)	1.75	1.55
DS/DD (100% certified)	2.50	2.30
MODEM Novation 103 Smart-Cat	.\$210.00	
MODEM Signalman Mark 7 (RS232)	115.00	

COMPARE OUR HIGH RESOLUTION THEN CHECK OUR PRICE!



SUPER SALE!!

- Features:**
- Anti-glare Screen with Attractive Case
 - Standard Composite Video Input
 - Output for Second Monitor
 - 22 MHz Video Bandwidth
 - High Resolution - 1000 Lines or 132 Characters Across
 - Input Impedance - High or 75 Ohm
 - Passes FCC Test for Computer Equipment
 - UL Approved
 - Compatibility: IBM PC, IBM PCjr, Apple II, Apple Iie, Commodore, Columbia MPC, Eagle, Radio Shack, Sinclair/Timelex. And More

12" GREEN OR AMBER \$99.00

MX COMPATIBLE PRINTER

CT-80 dot Matrix Printer (80 cps) ... 249.00

RAM & ROM IN STOCK ... Call

Mother Boards & Card Cages

SLOTS	Bare Bd	KIT	A & T	w/CAGE
6	\$19.00	\$44.00	\$59.00	\$84.00
8	24.00	56.00	81.00	116.00
12	29.00	75.00	110.00	150.00

10MHz. No termination. Includes power indicator and wiring for muffin fan. Uses OK connector for solderless installation and removal of power & reset lines.



64KSM A&T without RAM	\$155.00
64KSM A&T w/64K RAM (32-6116's)	339.00
S-100 Board Uses 6MHz 6116's. 1/2 Amp max. power, Bank Select plus Extended Addressing allows for multi-memory board set-up. 4 independent 16K Blocks make easy use with multi-user systems. Any 2K RAM may be replaced by a 2716 EPROM.	
SBC-880 Z80A CPU, A&T	\$149.00
SBC-880 Z80A CPU, Kit	129.00
4MHz Z80A CPU boards with RAM, ROM & Serial/Parallel Ports.	
UFDC-1 Floppy Controller, A&T	245.00
UFDC-1 Floppy Controller, Kit	225.00
The UFDC-1 Floppy Controller uses the WD1795 chip which runs either and/or 8" 5 1/4" Disk Drives.	
CLOCK CALENDAR A&T	115.00
CLOCK CALENDAR Kit	95.00
This S-100 Clock Calendar Board has 4 interrupts, Time, Day of Week and Battery Backup.	
Call for S-100 Quantity Discounts	

Special Sale Items

SUN-721 S-100 Prototype Board	9.95
SUN-722 Apple Prototype Board	5.95
IBM Prototype Board-SUN-208 Double Sided Glass with Gold Plated Terminals	19.95

SUNTRONICS CO., INC.
12621 Crenshaw Blvd., Hawthorne, CA 90250

STORE HOURS: MON.-FRI. 9:00am to 6:00pm SATURDAY 10:00am to 5:00pm

Mail Order—Min. Order—\$10. Visa or MasterCard (please include expiration date). Add \$2.00 (shipping and handling) for first 3 pounds plus .50 for each additional pound to your order. CA residents add Calif. sales tax.



Ad

Photo: Peter B. Kaplan

If you still believe in me, save me.

For nearly a hundred years, the Statue of Liberty has been America's most powerful symbol of freedom and hope. Today the corrosive action of almost a century of weather and salt air has eaten away at the iron framework; etched holes in the copper exterior.

On Ellis Island, where the ancestors of nearly half of all Americans first stepped onto American soil, the Immigration Center is now a hollow ruin.

Inspiring plans have been developed to restore the Statue and to create on Ellis Island a permanent museum celebrating the ethnic diversity of this country of immigrants. But unless restoration is begun now, these two landmarks in our nation's heritage could be closed at the very time America is celebrating their hundredth anniversaries. The 230 million dollars needed to carry out the work is needed now.

All of the money must come from private donations; the federal government is not raising the funds. This is consistent with the Statue's origins. The French people paid for its creation themselves. And America's businesses spearheaded the public contributions that were needed for its construction and for the pedestal.

The torch of liberty is everyone's to cherish. Could we hold up our heads as Americans if we allowed the time to come when she can no longer hold up hers?

Opportunities for Your Company.




You are invited to learn more about the advantages of corporate sponsorship during the nationwide promotions surrounding the restoration project. Write on your letterhead to: The Statue of Liberty-Ellis Island Foundation, Inc., 101 Park Ave, N.Y., N.Y. 10178.



Save these monuments. Send your personal tax deductible donation to: P.O. Box 1986, New York, N.Y. 10018. **The Statue of Liberty-Ellis Island Foundation, Inc.**

Cancer is often curable. The fear of cancer is often fatal.



Some people are so afraid of cancer they won't go to the doctor when they suspect something's wrong. Or even for a routine checkup.

They're afraid the doctor will "find something."

This fear can prevent them

from discovering cancer in the early stages when it is most often curable.

There are over 3,000,000 people alive today who have had cancer. If that surprises you, it shouldn't. Cancer is highly curable.

 American Cancer Society



COMPUTER DISCOUNT PRODUCTS

HUGE Inventories • APPLE-IBM Specialists

★ ASK ABOUT OUR FAIR PRICE POLICY - IT'S GUARANTEED! ★



Additional 10% OFF Your Order Of Any FIVE Educational Programs School P.O.'s - See Below -

★ ★ ★ ★ ★ CDP SPECIALS

16K UPGRADE 4116 200 NS	9.99
64K UPGRADE 4164 200 NS (Set/9)	79.99
APPLE FAN w/Surge, 2 Outlets	39.99
PAR. PRINTER CARD & CABLE	39.99
16K RAM CARD	39.99
POWER STRIP w/Surge	17.99
3-RING BINDER DISK SHEET (10)	7.99

DISKETTES

DYSAN 5" SS/DD (10)	31.99
DYSAN 5" DS/DD (10)	38.99
MAXELL 5" SS/DD (10)	27.99
MAXELL 5" DS/DD (10)	37.99
VERBATIM 5" SS/DD (10)	24.99
VERBATIM 5" DS/DD (10)	36.99
MEMOREX 3 1/2" (MAC) 41.99	

SHARPEN YOUR SKILLS THIS SUMMER!

ALGEBRA-III, Ap	31.99
ALGEBRA I, IBM	34.99
FLIGHTSIM II, Ap	37.99
FLIGHTSIM, IBM	34.99
FRACTION FEVER, Ap/IBM	21.99
MASTERTYPE, Ap	29.99
MASTERTYPE, IBM	34.99



SPINNAKER

FOR APPLE & IBM

ALPHABET ZOO	19.99
DELTA DRAWING	32.99
FACE MAKER	21.99
HEY DIDDLE	19.99
KINDERCOMP	19.99
MOST AMAZING THING	26.99
RHYME & RIDDLE	19.99
SNOOPER TROOPS I & II	27.99
STORY MACHINE	21.99

APPLE SOFTWARE

BPI (GL, AP, AR, PAY, INV)	ea289.99
BRODERBUND Arcade Machine	39.99
Bank Street Writer	44.99
Drol, Loderunner	ea24.99
CENTRAL POINT Copy II +	25.99
OLM Alien Addition	27.99
Alligator Mix	27.99
Demolition Division	27.99
Dragon Mix	27.99
Meteor Multiplcation	27.99
Minus Mission	27.99
Verb Viper: Word Invasion	ea37.99
Word Radar: Spelling Wiz	ea37.99
EDUWARE Counting Bee	23.99
Decimals/Fractions 3.0	ea39.99
Hands on Basic	61.99
PSAT Word Attack	39.99
JACK REPORT	39.99
KENNINGTON Format II	74.99
KOALA Spider: Eater Now!	119.99
LEARNING CO Bumble Games	23.99
Bumble Plot/Magic Spell	ea26.99
Gertrude's Puzzle/Secret	ea29.99
Moprown Parade/Hotel	ea26.99
Rocky's Boots	34.99
MICROLAB Miner 20-49er	27.99
MICROSOFT Multiplan	165.99
ODESTA Chess	45.99
Odn	37.99
PFS Report	89.99
File	99.99
Graph	99.99
Write	99.99
SENSIBLE SPELLER	87.99
SUBLOGIC Night Mts. Pinball	32.99
ULTIMA III	39.99
DOLLARS & SENSE (Ile/c) 79.99	

ACCESSORIES

FLIP N FILE (original)	17.99
FLIP N FILE w/Lockaway (25)	17.99
FLIP N FILE w/Lockaway (50)	27.99
HAYES 300 Baud Smartmodem	199.99
1200 Baud Smartmodem	474.99
LIBRARY CASE	1.99
KENNINGTON PC Saver	29.99
PRINTERS C-ITOH	379.99
Epson FX80	549.99
Epson HX80	349.99
Okidata 62-93	SCALL
PRINTER STAND Sm. (ptxgls)	24.99
PRINTER STAND Lg. (ptxgls)	29.99
RIBBONS-Brother	3C ea
MX & FX 80	4.99
MX & FX 100	7.99
OKI 82, 83, 92, 93 & Gemini	2.99
FINGERPRINT: Epson Upgrade	
RX, FX, MX 44.99	



1/2 Height DS/DD Drive	239.99
ALPHA Typofaces	79.99
ASHTON TATE dBase II	399.99
Friday	184.99
Encyclopedia	59.99
AST Mega Plus	299.99
Six Pack Plus	279.99
BRODERBUND Serpentine	26.99
Lock Rumber	24.99
CAI Masters	ea31.99
Sublets	ea 16.99
CENTRAL POINT Copy II PC	25.99
CROSSTALK	139.99
HAYDEN Piewriter	129.99
HAYES 1200B Modem	439.99
KRAFT Joystick	44.99
LIFETREE Volkswriter	119.99
LOTUS 1-2-3	SCALL
MICROLAB Miner 20-49er	27.99
MICROSOFT Mouse	129.99
Multiple	165.99
MONOGRAM Dollars & Sense	129.99
NORTON Utilities	55.99
PC CRAYON	49.99
Tutor	47.99
PFS Write	99.99
File	99.99
Report	89.99
Graph	99.99
POOL 1.5	27.99
SIERRA ON-LINE Frogger	26.99
SIR-TECH Wizardry	44.99
SUBLOGIC Night Mts. Pinball	32.99
TG Joystick	44.99
TITAN 64K BOARD	499.99
VISCORP. Viscatic	184.99
Schedule.	ea199.99
PLANTRONICS ColorPlus 375.99	



ALPHA PLOT	24.99
APPLE MECH. FLEX TEXT	ea19.99
BEAGLE BASIC. DOUBLE TAKE	ea24.99
DOS BOSS	15.99
FRAME-UP	16.99
GPLE	32.99
PRONTO DOS	19.99
TIP DISK #1	14.99
TYPEFACES	14.99
UTILITY CITY	19.99

Continental

APPLE GRAPHICS BOOK	14.99
CPA (GL, AP, AR, PAY/AP)	ea149.99
FCMFL 1st CLASS MAIL (AP)	59.99
FCMFL 1st CLASS MAIL (IBM)	71.99
HOME ACCOUNTANT (AP)	44.99
HOME ACCOUNTANT+ (IBM)	84.99
PROPERTY MGMT. (AP, IBM)	295.99
TAX ADVANTAGE (AP)	39.99
TAX ADVANTAGE (IBM)	49.99

ULTRAFILE (IBM) 155.99

APPLE HARDWARE

ALS CP/M 3.0	259.99
AUTO REPEAT KEY	19.99
BASIS 108	SCALL
DAN PAYMAR Lower Case 1 (rev 1-6)	25.99
Lower Case 2 (rev 7)	19.99
DARK STAR Snapshot II	65.99
EASTSIDE Wadcard	79.99
Wadcard I	111.99
FOURTH DIMENSION Drive	219.99
HAYES Macromodem IIe	235.99
KOALA PAD	85.99
KRAFT Joystick	44.99
Paddles	31.99
LEGEND 128K Ram	359.99
MICRO SCI A-2 Drive	209.99
MOUNTAIN Rampus + 32K	169.99
ORANGE MICRO Grappler +	114.99
Bufferboard	19.99
Buffered Grappler +	179.99
PADDLE ADAPPLE	24.99
TITAN TECH 128K Ram	379.99
Accelerator II	444.99
Neptune 64K	199.99
TG Joystick	34.99
Paddles	25.99

KENNINGTON MICROWARE



SYSTEM SAVER

- Surge Suppression
 - Fits Apple Stand
 - Dual Outlet
 - U.L. Listed
- \$ 65**

INFOCOM

FOR APPLE & IBM	
DEADLINE. ENHANCER	ea32.99
PLANETFALL	32.99
SUSPENDED	32.99
WITNESS	32.99
ZORK I-III/STARCROSS	ea24.99
SORCERER NEW! 37.99	

Sierra ON-LINE INC

FROGGER (Ap)	21.99
GENERAL MANAGER	46.99
HOME WORD	49.99
SCREENWRITER II	81.99
ULTIMA II	36.99
BC QUEST FOR TIRES	NEW!
OILS WELL	NEW!

Videx

ENHANCER II	99.99
FUNCTION STRIP	34.99
HARDSWITCH	16.99
MICROMODEM CHIP	24.99
PSID	169.99
PRE-BOOTS Apple Writer	14.99
Apple Writer for Ultrarem	23.99
Viscatic	39.99
Viscatic/Memory Expansion	71.99
Viscatic for Ultrarem	54.99
SOFTSWITCH	25.99
ULTRAPLAN	SCALL
ULTRATERM	249.99
VIDEOTERM w/SS + INV	219.99

CDP Is Your AUTHORIZED MicroPro DEALER!
This month We'll Match Any Published Price
Same Terms - At Time Of Order
This Issue Only \$CALL

MONITORS

PRINCETON RGB HX-12	485.99
TAXAY 420 RGB	499.99
USI P1 1 1/2" Green 20 mh	39.99
USI P1 2 1/2" Green 20 mh	119.99
USI P1 3 1/2" Amber 20 mh	129.99
USI P1 4 1/2" Amber 20 mh	109.99
USI 1400C Color Composite	279.99

Novation

103 Smart Cat	169.99
1031212 Auto Cat	399.99
J Cat	99.99
Access 123 (IBM)	469.99
Appcalat II	243.99
Appcalat Upgrade 1200 Baud	309.00
Cat Modem	135.99
Expansion Module	29.99



- SINCE 1977 -
RETAIL SHOWROOMS
IN CALIFORNIA:
 San Jose • (408) 241-2300
 San Mateo • (415) 571-1658
 San Francisco • (415) 626-2244

COMPUTER DISCOUNT PRODUCTS
860 S. Winchester Blvd., San Jose, California 95128
MAIL, PHONE, WILL-CALL SERVICE FROM FROM 6AM (PST)
- CALL (408) 985-0400 -

- No Charge For Credit Cards
- Prices Subject To Change
- Software Sales Are Final
- International Orders Welcome
- Min. UPS Chg. \$4 + Ins.
- Min. US Postal Chg. \$10
- P.O.'s Welcome - Call First



EXPOTEK

"WE TURN AROUND FOR YOU"

24-HOUR WATTS

800-528-8960 Including Alaska and Hawaii


CUSTOMER SERVICE (602) 482-0400 • 2017 E. CACTUS • PHOENIX, AZ 85022

All prices are for cash, cashiers check or money order. Allow 3 weeks bank clearance for personal checks. C.O.D.'s, Visa/MC, and P.O.'s accepted at additional charge. Prices subject to change. Returns must have authorization number (call 602-861-1141), and are subject to a restocking charge.

TERMINALS	FOR IBM PC		PRINTERS
Adds A-1 Green \$485 A-2 Green 490 Viewpoint 60 619 Hazeltine Spirit I 485 Spirit II 540 Qume QVT 102 Green 535 QVT 102 Amber 550 QVT 103 Green 840 QVT 103 Amber 850 Televideo 910 + 549 925 699 950 899 970 975 Wyse Wyse 100 680 Wyse 300 1020 Expirit III 735 Visual Visual 50 Green 599 Visual 55 Green 720 Zenith Z-29 629	IBM PC Call Save \$ AST Research Six Pak Plus—from \$279 Combo Plus II—from 279 Mega Plus—from 309 I/O Plus—from 139 Quadram Quadlink 489 Quadboard 289 Quad 512 Plus 249 Quadcolor 229 SOFTWARE Lotus 1-2-3 \$319	Micropro WordStar/MailMerge 349 InfoStar 299 SpellStar 159 CalcStar 99 Microstuf Crosstalk 105 Microsoft Multiplan 159 Ashton Tate dBASE II 389 Friday! 185 Ram Memory 4164-150 59/9 per set	Comrex ComWriter II Letter Quality \$459 C. Itoh Pro-writer I (8510A) Par 319 Pro-writer (8510A) Serial 419 1550 Parallel 499 1550 BCD SERIAL 549 F-10 40CPS (Letter Qual.) .. 899 F-10 55CPS (Letter Qual.) . 1179 A-10 20CPS (Letter Qual.) . 449 Daisywriter Daisywriter 2000 999 Daisywriter Cable 40 Datasouth DS120 595 DS180 1155 DS220 1590 Diablo 620 (25CPS/Serial) 875 630 (40CPS/Multi-F) ... 1710 IDS Save \$ Juki 6100-18 439 Mannesman-Tally 160L 589 180L 829 NEC 3550 (For IBM PC) 1499 3510 1219 7710 1649 Qume 1140 W/IBM Interface . 1359 1155 W/IBM Interface . 1489 Riteman Portable 279 Star Micronics Gemini 10X Call Gemini 15X Call Silver Reed EXP 550P 575 Transtar 120 P 499 315 Color Printer 499 Sheet Feeders & Tractors Call
COMPUTERS Altos 580-20 3629 586-20 5549 586-40 Call 986-40 Call Columbia Call Eagle Call Franklin Call Quasar Call NEC Portable Call Northstar Advantage 2160 Advantage w/5MB 3345 Advantage w/15MB 4315 Televideo Systems 802H 4210 803 1815 1605 IBM Compatible .. Call 806/20 4775 800 A (user station) 999 Teleport Call Zenith Call	MODEMS Anchor Mark I (RS-232) \$ 79 Mark II (Atari) 79 Mark III (TI-99) 109 Mark IV (CBM/PET) 125 Mark V (Osborne) 95 Mark VI (IBM-PC) 169 Mark VII (Auto Ans./Auto Dial) 119 Mark XII (1200 Baud) 299 TRS-80 Color Computer 99 9 Volt Power Supply 9 Hayes Smartmodem 300 219 Smartmodem 1200 479 Smartmodem 1200B 459 Micromodem II 265 Micro modem II Plus 299 Micromodem IIE 269 Micromodem 100 299 Smart Com II 89 Chronograph 199 Novation J-Cat 99 SmartCat 103 179 SmartCat 103/212 399 AutoCat 219 212 AutoCat 549 Apple Cat II 249 212 Apple Cat 569 Apple Cat 212 Upgrade 309 Cat 139 D-Cat 149 PC-Cat 339 U.S. Robotics 212A Auto Dial 469 Password 375	ACCESSORIES 3M 5 1/4" SS/DD 19/Box 5 1/4" DS/DD (96TPI) 45/Box Memorex 5 1/4" SS/DD 19/Box 5 1/4" DS/DD 24/Box Elephant 5 1/4" SS/SD 16/Box 5 1/4" SS/DD 22/Box 5 1/4" DS/DD 28/Box Head 5 1/4" Disk Head Cleaner (2 Disk) 14 5 1/4" Disk Head Cleaner (1 Disk) 9 Koala Pad Commodore 64 69 Apple 79 IBM 89 Kraft Joystick 41 Apple Paddles 34 IBM Paddles 34 IBM Joystick 46 Print Wheels & Ribbons All Types Call DISK DRIVES CDC 5 1/4" 9409-DS/DD 379 Tandon 5 1/4" TM 100-1-SS/DD 160K 150 5 1/4" TM 100-2A DS/DD 320K 225 TM101-4(96 TPI Quad Den) 339 8" TMB48-2(DS/DD) 1.2 MG 400 Indus GT—Apple 239 GT—Atari 349 Micro-Sci A-2 (35TR) 189 A-20 (35TR) 169 A-40 (40TR) 269 Rana Elite I 249 Elite II 399 Elite III 509 1000 319	MODEMS Anchor Mark I (RS-232) \$ 79 Mark II (Atari) 79 Mark III (TI-99) 109 Mark IV (CBM/PET) 125 Mark V (Osborne) 95 Mark VI (IBM-PC) 169 Mark VII (Auto Ans./Auto Dial) 119 Mark XII (1200 Baud) 299 TRS-80 Color Computer 99 9 Volt Power Supply 9 Hayes Smartmodem 300 219 Smartmodem 1200 479 Smartmodem 1200B 459 Micromodem II 265 Micro modem II Plus 299 Micromodem IIE 269 Micromodem 100 299 Smart Com II 89 Chronograph 199 Novation J-Cat 99 SmartCat 103 179 SmartCat 103/212 399 AutoCat 219 212 AutoCat 549 Apple Cat II 249 212 Apple Cat 569 Apple Cat 212 Upgrade 309 Cat 139 D-Cat 149 PC-Cat 339 U.S. Robotics 212A Auto Dial 469 Password 375
MONITORS Amdek Video 300 GREEN 129 Video 300 AMBER 145 Color I Plus 225 Color II Plus 425 Comrex 9" Green 69 9" Amber 69 NEC JB 1201 155 JB 1260 115 Taxan 12" Amber 125 Zenith 12" Green Screen 95 12" Amber Screen 120	<div style="text-align: center;"> <p>"STRONG ENOUGH TO STAND ON"</p> <p>LOCKING FILE CASE</p> <p>Can Stack, Hang on Wall, and Has Carrying Handle.</p> <p>SPECIAL</p> <p>\$18⁹⁰</p> </div> 		
	SPECIAL PRICES Okidata Save \$ Epson Save \$ Toshiba (1351) Save \$		



The **FD-PC8™** is a new 8" double-sided disk drive sub-system



IBM PC™ styling.

The FD-PC8 looks like your other IBM PC components. Same styling. Same color. Same dimensions. It stacks neatly under, on top of, or next to your IBM PC, and better still, is only one-half the height of standard 8" drives. Matches Z100 & others also.

2 Drive System—\$1495 complete with cables.

SPECIFICATIONS


- Full one year warranty on materials and workmanship.
- Two fully assembled and tested Shugart double-sided 8" drives also available in one drive configuration.
- Exactly 1/2 the height of standard 8" drives.
- IBM PC styled and painted cabinet.
- All cabling included.
- IBM 3740 format compatible.
- No-mar rubber feet.
- Sturdy construction easily supports PC or monitor.
- Power supply designed for long life, trouble-free operation.
- Requires Maynard controller for use on PC.

NEW! FD-PC5™

This versatile new disk drive enclosure comes completely tested and assembled with a 4" cooling fan, and is designed to offer a variety of mounting options, with the power supply rated for any of the following:

- full-size floppy disk drive
- full-size hard disk
- one or two half-height floppy disk drives
- one or two half-height hard disks
- one or two 3.5" drives

Full 1 year warranty—cable choice optional



DISK DRIVES and other Goodies!

Shugart (1 year war.)	
sa-860 ds/dd half hgt 8"	\$505.00 2 @ 495 ea
sa-455 ds 48tpi 1/2 hgt 5.25"	245.00 2 @ 230 ea
sa-465 ds 96tpi 1/2 hgt 5.25"	295.00 2 @ 275 ea
sa-300 ss 96tpi 3.5 inch	265.00 2 @ 250 ea
sa-851 ds 8" full size	495.00 2 @ 480 ea
W.S.T. (formerly SIEMENS)	
FDD-100-584 floppy 5.25"	235.00
FDD-211-5 DS 48tpi for PC	265.00
FDD-221-5 DS 96tpi full size	335.00
FDD-100-5C3 (sa-400 compatible)	175.00
Heath H-89TWOET kit ...	
put 2 half height floppies internal to the H-89 with our exclusive mounting kit, call for details!	
Maynard Electronics for the IBM-PC	
Memory module (bare)	210.00
64K	305.00
128K	410.00
192K	510.00
256K	615.00
With serial port add	100.00
With 2 serial ports	160.00
Controller w/mod ports	265.00
FDC8 8" controller	245.00

Standard controller	\$195.00
Controller w/par port	275.00
Controller w/ser port	285.00
Hard disk module	495.00
Modular board	110.00
Multidisplay (mono & color board)	575.00
PGS, HX-12 RGB color monitor	525.00
Magnolia controller for the H-89	375.00
Data connectors of all types	CALL
Power connectors for all drives	CALL

We offer a wide assortment of enclosure sizes, styles and systems, including both 5 1/4" and 8" IBM look-alikes, and more. All are well constructed, attractive and immediately available at competitive prices. Call for details and prices.

IMPORTANT NEWS!

We are moving, please take note of our address. Our new and expanded facilities will permit us to offer a higher level of service than ever before. Our growth is the result of your patronage; we thank you for it sincerely.

TERMS: MC, VISA, PREPAID, NO COD'S, PERSONAL CHECKS HELD FOR 10 DAYS, WE ALSO ACCEPT P.O.'S FROM MAJOR BUSINESSES & UNIVERSITIES, CALL FIRST.

Toll Free Order Line 800-223-0306

Ask for our free catalog.

DISCOUNT COMPUTER SUPPLIES ORDER TOLL FREE 1-800-821-5339

Mail to: C.R.E. P.O. Box 361 North Salt Lake, Utah 84054 (801)298-0872
Shipping & Handling in Continental U.S. 3.00 for under 50.00 order, Free for over 50.00 order


Call or write for our Excellent Quality Discounts!

HALF PRICE SALE

Locking Diskette File

List \$49.00 Your Cost ~~\$35.00~~

- Key Lock
- Space Age Design
- Dividers & Tabs
- Quality Guaranteed!
- Holds up to 100 5 1/4" Diskettes



RIBBONS

Ribbon Type	(Prices per ribbon)	6	12
Anadex 9500/9600	7.50 ea.	6.75 ea.
Apple DMP	5.50 ea.	4.46 ea.
Centronics 150/152	4.95 ea.	3.85 ea.
C. Itoh Prowriters	5.50 ea.	4.46 ea.
Dec La 30/36/40	3.75 ea.	3.15 ea.
Dec La 120/180 (plastic spools)	5.50 ea.	4.46 ea.
Diablo Hytype II Multi-Strike	4.73 ea.	3.63 ea.
Diablo Hytype II Nylon	4.73 ea.	3.63 ea.
Epson/IBM FX/RX/MX-80	5.14 ea.	4.10 ea.
Epson/IBM FX/RX/MX-100	6.78 ea.	5.85 ea.
Gemini 10/10X/15/15X	2.50 ea.	2.00 ea.
IDS Microprism 480	5.72 ea.	4.46 ea.
IDS Paper Tiger 120/125/225/440	2.50 ea.	2.00 ea.
IDS Paper Tiger 460/560	5.92 ea.	4.88 ea.
IDS Prism (Black)	6.75 ea.	5.63 ea.
IDS Prism (4 Colors)	7.50 ea.	6.30 ea.
NEC PC 8023A	5.50 ea.	4.46 ea.
NEC 3500 Multi-Strike (single sided)	5.50 ea.	4.75 ea.
NEC 3500 Nylon	7.25 ea.	6.25 ea.
NEC Spinwriter 5500/7700 Multi-Strike	4.90 ea.	3.80 ea.
NEC Spin writer 5500/7700 Nylon	4.90 ea.	3.80 ea.
Okidata 80/82/83/92/93	2.50 ea.	2.00 ea.
Okidata 64/85	4.80 ea.	3.80 ea.
Qume Sprint 3/5 Multi-Strike	3.75 ea.	3.08 ea.
Qume IV, Sprint 7/9/10/11 Mult-Str	5.25 ea.	4.45 ea.
Riteman	9.50 ea.	8.75 ea.
TI 810	3.75 ea.	3.15 ea.
TI 820	4.95 ea.	4.15 ea.
Tritel	4.95 ea.	3.95 ea.

HEAD CLEANING KIT

Industry Recommended

ONLY \$14.95

- wet & dry methods
- prevents costly repair and lost data
- extends diskette and head life
- safe and easy to use
- recommended usage: 15 cleanings

5 1/4 inch

AC POWER CENTER

ONLY \$29.95

- 6 outlets, 4 are switch controlled
- line surge suppression device
- power on indicator switch
- fuse for overload protection
- max 10A for 120 AC



PROTECT YOUR SYSTEM

OPUS[®]

5 1/4" Soft Sector Diskettes
High Quality, Lowest Price, 7 Year Warranty!

OUR BEST VALUE

- SS/SD ... NOW ONLY 17.25/10
- SS/DD ... NOW ONLY 17.95/10
- DS/DD ... NOW ONLY 23.95/10
- DS/QD 96 TPI ... NOW ONLY 39.95/10

Call For: Verbatim, Maxell, and Elephant Diskettes

PRIORITY ONE ELECTRONICS

Now Stocks Cromemco®

INTRODUCTORY OFFER ON Cromemco® YOU SAVE \$2182.00 !!

- 68000/Z80 CPU Board
- 768 Kbytes of Error Correcting Memory
- Ultra-Fast "RAM" Disk Included
- Multi-User, Multi-Tasking Cromix® Operating system

INCLUDES:

86CRM0PU 68000/Z80 CPU	Reg. Price: \$740
86CRM0CU Memory Control Unit	\$469
86CRM512MSU 512K Memory Card	\$2399
86CRM256MSU 256K Memory Card	\$1895
86CRMCR0DIXD Operating System	\$585

IF PURCHASED SEPARATELY: **\$6177**

SPECIAL SALE PRICE:

\$3995

86CRMSP1S Cromix on 5 1/4"
86CRMSP1L Cromix on 8"
(Shipping Weight 20lbs)

BETTER THAN HAYES! BETTER THAN PASSWORD!

Prometheus ProModem™ 1200
1200baud Auto Answer/Originate
Hayes Compatible Dial Up Modem

With Internal
Chronograph!



- Programmable Intelligent Dialing
- Redial if busy
- Wait for tone before redialing (for Sprint, MCI)
- Help Commands Menu for quick reference
- Built in speaker for monitoring line operation
- Complete internal diagnostics
- Hayes command set compatible PLUS an additional extended command set

86PMPM1200
List Price \$495.00

Sh. Wt. 2lbs.

OUR PRICE

\$375

IBM PC™ Compatible 15 Mbyte Hard Disk With Controller

Compatible With:

- ★ IBM-PC™ and PC/XT™
- ★ Zenith Z150
- ★ Compaq
- ★ Tava
- ★ Corona

PLUG'N'RUN, READY TO GO
RIGHT OUT OF THE BOX!!

EXTERNAL WITH
CABINET AND
DATA CABLE

\$1295

86PB011NDPCX15 (Sh. Wt. 16lbs)

INTERNAL

\$1050

8611NDPCX15 (Sh. Wt. 11lbs)

PROTECT YOUR DATA!!



DATAGARD™

NOISE and SURGE
SUPPRESSOR

6 Outlet
6' Cord

UL LISTED

\$29.95

86#BROG115S (Sh. Wt. 3lbs) List Price: \$49.95

5 1/4" Double
Density, Soft
Sector, 40 Track

Use with IBM, Sanyo, Apple
and Most Personal Computers

ULTRA
MAGNETICS



1lb.

2 - 9 boxes 10 + boxes
86ULT51401 SINGLE SIDED **\$19.00 \$17.00**
86ULT51402 DOUBLE SIDED **\$29.00 \$26.00**
Minimum 2 box purchase

ADD-ON DRIVE FOR IBM PC™

5 1/4" 48tpi FLOPPY, DOUBLE SIDED/DENSITY

TANDON

EPSON

Full Height

Half Height

86HTNDT100Z Reg. Price \$340.00
Sh. Wt. 4lbs.

86EPHS21 Reg. Price \$269.00
Sh. Wt. 3lbs.

\$219

\$169


5 1/4" Floppy Cabinet for 2 Half Height
or 1 Full Height with Power Supply

86JMR23V5
(Sh. Wt. 7lbs.)
Reg. Price: \$89.00

\$69

BUY DRIVE AND CABINET TOGETHER AND SAVE \$210!

DUAL SIEMENS FDD1008's with
JMR2C8 Cabinet, Power Supply
and Power Cables



\$499

86PDBJMR8E (Drives shipped separate from cabinet.
Package shipped in 3 containers)

Cabinet Only

86JMR2C8 Dual 8" Cabinet Reg. Price: \$339.00 (Sh. Wt. 35lbs.)

Sale Price \$325.00

SIEMENS



FDD1008
8" Drive
Single Sided
Double Density

\$129

EACH

883IEF001008 (Sh. Wt. 16lbs.) Reg. Price: \$185.00

883IEF001008M Manual **\$10.00**

Circle 253 on Inquiry card.



PRIORITY

1

ELECTRONICS

9161 Downing Ave., Chatsworth, CA 91311-5887



ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (818) 709-5111
Terms U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds ONLY. CA residents add 6 1/2% Sales Tax. MINIMUM PREPAID ORDERS \$15.00. Include MINIMUM SHIP-
PING & HANDLING of \$3.00 for the first 3lbs., plus 40¢ for each additional pound (20¢ if within California). Orders over 70lbs sent freight collect. Just in case, include
your phone number. Prices subject to change without notice. We will do our best to maintain prices through July, 1984. Credit card orders will be charged appropriate
freight. We are not responsible for typographical errors. Sale prices for prepaid order only.

ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (818) 709-5111

APPLE COMPATIBLE PERIPHERALS

- **Z80 CARD**
for II+™ & IIe™ (Microsoft comp.™) \$60
- **80 COLUMN CARD**
with Inverse & cable (Videx comp.™) \$90
- **GRAPHICS PRINTER CARD**
with cable (Grappier + comp.) \$90
- **FAN** lighted power switch,
2 switched outlets, surge protected. \$40
- **NASHUA DISKS**
soft sector'd SSSD \$18
10 to a box DSDD \$25
- **128 RAM CARD**
(Titan, Saturn comp.™) \$180
- **DISK CONTROLLER CARD**
(Apple comp.™) \$45

All cards are highest quality and fully socketed.
● 6 MONTH WARRANTY ●
Call or write for complete price list and data sheets

LANTON COMPUTER SYSTEMS

37 Junéau Boulevard • Woodbury, NY 11797
(NYS) 800-632-4441 • (outside NYS) 800-645-4441

Allow up to 3 weeks for personal checks to clear. Money orders, certified checks and C.O.D. orders shipped immediately. Please include phone number. Prices and availability subject to change without notice. Shipping & handling charges \$5.00 per order. NYS residents add sales tax.

uniforth

Our UNIFORTH Systems are used on computers from the VIC-20® to the VAX®, and now are available specifically customized for your DEC® mini- and micro-computer. All of these features are standard with UNIFORTH: enhanced FORTH-79 (strings, arrays, etc.); a full macro assembler; video editor (string functions, line stack); complete DOS interface (uses standard files for I/O); primitive disk utility (R/W any sector); IEEE-compatible floating point with all trig functions; single-step tracing; decompiler; text file support; vectored I/O; and an excellent 200-page User's Manual.

	Integer Version	Floating Point Version*
Rainbow 100 (MSDOS® or CP/M®)	\$ 100	\$ 160
Professional 325 or 350 (P/OS)	300	400
LSI/POP-11 (RT-11)	150	220
LSI/POP-11 (RSX-11)	300	400
VAX-11 (VMS-11)	500	800

* specify 8087, KEV-11 (FIS), FP-11 or software floating point.
North American postage is included; foreign orders add \$10. Maryland customers add 5% tax.

Unified Software Systems

P.O. Box 2644, New Carrollton, MD 20784, 301/552-9590

DEC, VAX, POP-RT-11, RSX-11 (TM) Digital Equipment Corp.
CP/M (TM) Digital Research, MSDOS (TM) Microsoft, VIC-20 (TM) Commodore.

5 Year Warranty
SAVE 50% ON
Verbatim Datalife Diskettes

SPECIAL DISKETTE OFFER

Verbatim Datalife Disks have 6 data-shielding improvements for greater disk durability and longer data life.

PLUS! If you call, write, or utilize reader service in response to this ad—we'll send you our full-range catalog of computer supplies with Special Offers good for further savings on Verbatim diskettes and many other quality products.

Call or write for our discount catalog.

LYBEN COMPUTER SYSTEMS

1250-E Rankin Dr., Troy, MI 48063
Phone: (313) 589-3440

DATALIFE • THE NAME IS THE PROMISE
THE WARRANTY IS THE PROOF

Circle 180 on Inquiry card.

Circle 315 on Inquiry card.

Circle 191 on Inquiry card.

SINGLE BOARD COMPUTER

ZINGER ONE

INS 8073 CPU WITH TINY BASIC INCL.
2K RAM EXPANDABLE TO 12K ON BOARD
RAM/ROM INTERCHANGEABLE
EXPANDABLE TO 56K RAM/ROM OFF BOARD
EEPROM PROGRAMMER ON BOARD
24 LINE 3 PORT PARALLEL I/O (8255)
REQUIRES +5V @ 300 MA ONLY
ON BOARD SWITCHING POWER SUPPLY
EIA - RS 232 I/O PORT
IDEAL FOR CONTROL OR ROBOTICS
**** \$119.95 ASMBLD & TESTED ****

ZINGER INTERFACE BOARD

MAY BE PURCHASED WITH ANY OR ALL COMB.
276 WORD SPEECH SYNTHESIZER
8 CHANNEL A/D CONVERTER
REAL TIME CLOCK WITH BATT. BACKUP
24 LINE 3 PORT PARALLEL I/O (8255)
64 KEY KEYBOARD INTERFACE
8 CHAR ALPHA/NUMERIC DISPLAY
INTERRUPT REGISTER ON ALL DEVICES
COMMODORE VIC 20
ADAPTER AVAILABLE

SCHULZ ENTERPRISES INC.

1285 LAS TUNAS DR.
SAN GABRIEL, CA 91776
(818) 287-5067

Circle 275 on Inquiry card.



wabash

Flexible Diskettes

6 Year Warranty - 100% Certified
***FREE DELIVERY**

5 1/4" \$135 SINGLE SIDE SINGLE DENSITY 48 TP W/HUB RING Packed 10 per Soft Pack QTY 20	BULK SSSD \$119 100/Case White Envelope W/HUB RING
5 1/4" \$155 SINGLE SIDE SINGLE DENSITY 48 TP W/HUB RING Packed 10 per Soft Pack QTY 20	BULK SDDD \$138 100/Case White Envelope W/HUB RING
5 1/4" \$189 DOUBLE SIDE DOUBLE DENSITY 48 TP W/HUB RING Packed 10 per Soft Pack QTY 20	BULK DDDD \$169 100/Case White Envelope W/HUB RING

24 Hour Order Desk



TOLL FREE NAT'L
1-800-634-2248

Visa, MasterCard, Cart. chk., M/O, C.O.D. cash.
Get immediate shipment. Schools & govt. on P.O. #.
Personal or company checks held 14 days.
APO, FPO, Can. and other non-UPS delivered, add \$5.

*Free delivery on minimum orders of \$50 or more. Others add \$2 for S&H.

Software Services™

1326 25th St. S., Suite H, Fargo, ND 58103 1-701-280-0121

Circle 281 on Inquiry card.

ICs PROMPT DELIVERY!!!

SAME DAY SHIPPING (USUALLY)

DYNAMIC RAM

256K	150 ns	\$48.99
64K	200 ns	5.44
64K	150 ns	5.37
64K	120 ns	6.80
16K	200 ns	1.21

EPROM

27256	250 ns	Call
27128	250 ns	\$26.40
2764	200 ns	10.65
2732	450 ns	5.40
2716	450 ns	3.60

STATIC RAM

5565P-15	150 ns	\$39.97
6264LP-15	150 ns	39.97
6116P-3	150 ns	6.36

MasterCard VISA or UPS CASH COD

Factory New, Prime Parts

MICROPROCESSORS UNLIMITED
24,000 South Peoria Ave
BEGGS, OK 74421

(918) 267-4961

Prices shown above are for May 17, 1984.
Please call for current & volume prices. Prices subject to change. Please expect higher prices in some areas due to world wide shortages. Shipping and insurance extra. Cash discounts shown. Best offers received by 5 PM CST can usually be delivered to you by the next morning, via Federal Express Standard Air @ \$5.95!

Circle 221 on Inquiry card.

Better Business Basic

BB/M™ The original Business Basic Programming Language from MAI/Basic Four® It's fast. Lets you stop, make corrections and then continue the run. It's convenient: Built-in data file system. It's flexible: Powerful string handling. It's compatible: Runs under MS-DOS.

Call 800-321-9916 or write
MAI® 601 San Pedro NE,
Albuquerque, N.M. 87108.

MAI Basic Four
Business Products®

MS-DOS is a trademark of Microsoft Corp.
MAI & Basic Four are registered trademarks of Management Assistance Inc.

Circle 195 on Inquiry card.

PC'S LIMITED

IBM PC, 64K, 1 Drive	\$1875
IBM PC, 64K, 1 Drive and 10 meg Internal Hard Drive	\$2770
COMPAQ 256K, 2/360K Drives	\$2395
COMPAQ 256K, 1/360K Drive, 10 meg Internal	\$3065
Tava PC 128K, 1 Drive	\$1495
Tava PC 128 K, 1 Drive, 10 meg Internal	\$2390
10 meg Internal PC Hard Disk	\$895
64K RAM for PC and XT	\$49

Prices Subject to change without notice

SHIPPING FREE WITHIN USA

EXTRA FOR NEXT DAY AIR

ALL EQUIPMENT CARRIES FACTORY WARRANTY

IBM is a trademark of IBM Corp.

Credit Cards add 3%

Quantity Pricing Available

PC's LIMITED

(512) 478-5838

404 East 32nd Street Suite #307
Austin, Texas 78705

Circle 245 on Inquiry card.

S-100 COLOR GRAPHICS!

MICROSPRITE

- Field-proven board meets IEEE-696 standard; fully socketed with solder masks, silkscreen and gold contact fingers.
- Prioritized display with backdrop and pattern planes plus 32 Sprite planes; each pixel in a plane can be colored or transparent.
- Three graphics and one text display mode; maximum graphics resolution is 256h x 192v in 16 colors.
- Composite video output.
- On-board 16K RAM is separate from system memory.
- Vertical retrace interrupt for real time clock capability.
- 0-4 wait states for use with fast MPUs.
- All board options are DIP switch selectable.
- Professional quality documentation with BASIC demonstration programs and TI's TMS9918A manual.
- Exclusive Graphics Editor available on 8" SSSD CP/M compatible diskette.

\$199.95*

(A & T)

MicroDynamics

Corporation

Suite 245 • 1355 Lynnfield Road • Memphis, TN 38119
(901) 682-4044

* Price includes MICROSPRITE with documentation, Graphics Editor diskette—\$9.95, UPS ground—\$2.00, UPS air—\$4.00, COD—\$1.65, foreign add \$15.00. VISA & MC welcome.

Circle 219 on Inquiry card.

74LS00

74LS00	.60	74LS166	2.50
74LS01	.60	74LS168	1.35
74LS02	.60	74LS169	1.35
74LS03	.60	74LS170	2.50
74LS04	.75	74LS173	1.50
74LS05	.75	74LS174	1.50
74LS08	.75	74LS175	1.50
74LS09	.75	74LS181	2.50
74LS10	.65	74LS190	1.45
74LS11	.75	74LS191	1.45
74LS12	.75	74LS192	1.35
74LS13	.95	74LS193	1.35
74LS14	1.25	74LS194	1.45
74LS15	.75	74LS195	1.35
74LS20	.60	74LS196	1.35
74LS21	.75	74LS197	1.35
74LS22	.75	74LS221	1.35
74LS26	.75	74LS240	1.85
74LS27	.75	74LS242	1.85
74LS28	.75	74LS243	1.85
74LS40	.75	74LS244	2.25
74LS42	.95	74LS245	3.95
74LS48	.95	74LS247	1.65
74LS51	.60	74LS248	1.65
74LS54	.60	74LS249	1.65
74LS55	.60	74LS251	1.75
74LS73	.95	74LS253	1.75
74LS74	1.42	74LS258	1.50
74LS75	.95	74LS259	2.95
74LS76	.95	74LS260	1.15
74LS78	.95	74LS261	3.75
74LS83A	1.15	74LS266	1.35
74LS85	1.25	74LS273	1.75
74LS86	.75	74LS275	4.95
74LS90	.95	74LS279	.95
74LS92	.95	74LS283	1.25
74LS93	.95	74LS290	1.25
74LS95	.95	74LS293	1.25
74LS96	1.25	74LS295	1.65
74LS107	.75	74LS298	1.65
74LS109	.75	74LS323	4.95
74LS113	.95	74LS324	2.15
74LS114	.95	74LS347	2.55
74LS122	1.05	74LS348	2.55
74LS123	1.35	74LS352	1.65
74LS124	1.35	74LS353	1.95
74LS125	.95	74LS363	1.95
74LS126	.95	74LS365	1.25
74LS132	1.35	74LS366	1.25
74LS133	.95	74LS367	.95
74LS136	.95	74LS368	.95
74LS138	1.10	74LS373	2.50
74LS139	1.10	74LS374	4.95
74LS145	1.75	74LS375	1.25
74LS148	1.75	74LS377	1.95
74LS151	1.25	74LS378	2.55
74LS153	1.25	74LS385	1.95
74LS154	1.70	74LS379	2.55
74LS155	1.25	74LS386	1.25
74LS156	1.35	74LS381	3.95
74LS157	1.25	74LS390	2.55
74LS158	1.25	74LS393	2.55
74LS160	1.25	74LS395	2.55
74LS161	1.25	74LS424	3.95
74LS162	1.25	74LS640	3.95
74LS163	1.25	74LS668	2.75
74LS164	1.65	74LS645	4.95
74LS165	1.25	74LS670	2.50
		74LS690	2.50

74S00

74S00	.75
74S02	.75
74S03	.75
74S04	.75
74S05	.75
74S08	.95
74S09	.95
74S10	.95
74S11	.95
74S15	.95
74S20	.95
74S22	.95
74S26	.95
74S27	.95
74S28	.95
74S40	1.95
74S42	.95
74S48	1.50
74S51	1.25
74S54	1.25
74S55	.95
74S73	1.25
74S74	1.65
74S75	2.25
74S76	1.95
74S78	1.95
74S140	1.25
74S151	1.95
74S153	1.95
74S157	1.95
74S158	1.95
74S160	2.95
74S161	3.95
74S163	3.95
74S174	2.25
74S175	2.25
74S183	3.55
74S192	5.55
74S195	2.55
74S196	2.55
74S225	7.75
74S240	2.95
74S241	2.95
74S243	3.95
74S251	2.25
74S253	2.25
74S257	1.95
74S258	1.95
74S260	1.25
74S280	2.95
74S283	3.95
74S287	3.95
74S288	3.95
74S289	4.95
74S373	3.95
74S374	3.95
74S387	3.95
74S471	7.95
74S472	7.95
74S473	7.95
74S474	9.95
74S475	9.95

GENERAL PURPOSE BOARDS

BLANK BOARD — HOLES ON 100" GRID, No ETCHED CIRCUIT EXCEPT CONTACT FINGER

No. Contacts	Size	Contact Centers	Price
P 441-1	22/44	4.5" x 6"	156" 9.95
P 442-1	22/44	4.5" x 9"	156" 10.95
P 721-1	36/72	4.5" x 6"	100" 9.95
P 722-1	36/72	4.5" x 9"	100" 10.95

D— SUBMINIATURE CONNECTORS

Description	Solder Cup		Right Angle PC Mounting		Hood	
	Pin	Socket	Pin	Socket	Grey	Black
Part No.	DXXP	DXXS	RDXXP	RDXXS	DXXCGY	DXXC
Contacts	9	2 05	2 65	3 90	3 20	1 55
	15	2 05	3 60	3 70	5 40	1 55
	25	2 50	3 25	4 50	4 80	1 55
	37	4 75	7 10	9 40	10 95	2 95
	50	6 00	9 25	----	3 50	----

MODEMS

SIGNALMAN	MARK I	RS 232C, 300 BAUD, DIR. CONN.	89.00
	MARK VI	IBM COMPATIBLE, 300 BAUD, DIR. CONN., AUTO ANS/DIAL	199.00
	MARK VII	RS 232C, 300 BAUD, DIR. CONN., AUTO ANS/DIAL	139.00
	MARK XII	RS 232C, 300/1200 BAUD, DIR. CONN., AUTO ANS/DIAL	359.00
	ADAPTER	115VAC to 9V DC	9.00
HAYES	IBM PC SMARTMODEM 1200B Plug-in		449.00
	SMARTCOM II COMMUNICATIONS SOFTWARE		99.00
	SMARTMODEM 300, AUTO ANS/DIAL, 300 BAUD, RS232		199.00
	SMARTMODEM 1200, AUTO ANS/DIAL, 1200 BAUD, RS232		475.00
	SMARTMODEM IIe, 300 BAUD, AUTO ANS/DIAL, Plug-in		279.00
	SMARTCOM I COMMUNICATIONS SOFTWARE		79.00

BARE BOARDS

P 25 x 45	2.5" x 4.5"	2.50
P 45 x 65	4.5" x 6.5"	4.95
P 45 x 85	4.5" x 8.5"	6.50
P 45 x 170	4.5" x 17.0"	11.95
P 85 x 170	8.5" x 17.0"	19.95
S - 100 BOARD (5 3/4" x 10") HOLES ON 100" GRID		
P 100-1	Blank Board	15.95
P 100-2	Horizontal Busses	22.95
P 100-3	Vertical Busses	22.95

EDGE CARD CONNECTORS

44 PIN WW	4.95
44 PIN ST	2.95
72 PIN WW	5.95
72 PIN ST	6.95

D- SUBMINIATURE CONNECTOR JUMPERS

25DP36	36"	Single Male	12.00
25DS36	36"	Single Female	12.80
25DP36DP	36"	Male to Male	18.95
25DP60DP	60"	Male to Male	19.95
25DS36DS	36"	Female to Female	18.95
25DS60DS	60"	Female to Female	19.95
25DP36DS	36"	Male to Female	18.95
25DP60DS	60"	Male to Female	19.95

FLOPPY DISK DRIVES

FOR IBM PC					
Shugart	SA455L	5 1/4"	320 KB	1/2 High	209.00
Panasonics			320KB	1/2 High	179.00
Toshiba			320KB	1/2 High	209.00
Tandon	TM100-2A		320KB	Full High	209.00
FOR APPLE II AND IIe					
Handwell	HD-40	5 1/4"		Full High	175.00
Handwell	HSD-80	5 1/4"		1/2 High	185.00
MONITORS					
Taxan	12 in	green			130.00
Taxan	12 in	amber			135.00
Taxan		color monitor	Vision 420		550.00
Taxan		color monitor	Vision III		500.00

FOR APPLE II & IIe

16K RAM CARD
Compatible with DOS 3.3 CP/M VisiCalc, PASCAL 1 YR. WARRANTY \$39.95

FOR IBM P/C

MULTIFUNCTION BOARD WITH
128K, 2 Serial Port, 1 Parallel Port, Real Time Clock \$399.00

Apple II/IIe Compatible Disk Drive
\$175.00

Color Graphic Display Card
\$270.00

CONTROLLER CARD \$49.95

Speedy EPROM Programmer for Apple II
\$149.00
Programming 2716, 2732, 2732A, 2764, 2712B, 2516, 2532, 2564 in 30 seconds, software control programming, no additional hardware required.

64K MEMORY EXPANSION KIT for IBM/PC
\$52.95

Joy Stick for IBM P/C
\$35.00

U/V EPROM ERASER General Industries
\$37.50

8087 MATHEMATICS CO-PROCESSOR
\$199.00

SUPER COOLING FANS For APPLE WITH SURG
\$39.50

7400 SERIES CALL FOR PRICE

MOS EPROM

2708	5.95
2716-450	3.95
2732-450	5.95
2732-250	6.95
2764-450	7.95
2764-250	9.95
2764-300	9.95
27128-250	25.95
TMS2516	4.95
TMS2716	7.95
TMS2532	5.95

STATIC RAM

2101	2.95
5101	4.95
2114-450	1.95
2114-200	2.15
2147	4.95
6116-4	5.75
6116-3	6.75
6116-2	7.95
6116LP-4	6.75
6116LP-3	6.95
6116LP-2	8.95

SOUND CHIPS

76477	2.95
76489	8.95
AY3-8910	9.95
AY3-8912	12.95

CRYSTALS

32 758khz	1.75
10mhz	3.95
18432	3.95

1984 IC Master Manual

\$79.95 plus \$5.00 shipping

DYN. RAM

4116-200	1.95
4116-150	2.25
4116-120	2.95
4164-200	6.75
4164-150	6.95

MISC

6502	4.95
68000	49.95
8748	24.95
8255-5	5.95
825123	2.55
825129	2.99
825131	3.99
93422	8.95
93422	9.95
93425	3.95
93427	8.95
D2125AL-2	3.95
D2104	1.95
AY5-3600	12.95
6810	3.95
8304	3.95

Handwell Corp

20	2.95
2097152	2.95
24576	2.95
32768	2.95
3579535	.95
40	2.95
50	2.95
50688	2.95
5185	2.95
57143	2.95
60	2.95
6144	2.95
65536	2.95
80	2.95
100	2.95
10736635	2.95
1200	2.95
1431818	2.95
150	2.95
160	2.95
17430	2.95
180	2.95
18432	2.95
200	2.95
221184	2.95
320	2.95

RESISTORS

1/4 WAT	5% CARBON FILM	FROM 1 OHM TO 10M OHM
50 pcs	.99	.02 ea
100 pcs	1.89	.019 ea
1000 pcs	9.50	.010 ea
5000 pcs	42.50	.009 ea
1/4 WAT	5% CARBON FILM	
50 pcs	1.25	.025 ea
100 pcs	2.35	.024 ea
1000 pcs	11.50	.012 ea
5000 pcs	52.50	.011 ea

JOYSTICK

FOR APPLE II
\$32.00

RIBBON CABLE

GREY		COLOR CODED	
Contacts	3'	10'	10'
10	1.45	4.50	1.95
14	1.95	4.70	2.40
16	1.75	4.90	2.50
20	2.10	5.50	3.10
24	1.70	6.50	2.35
25	1.75	6.50	3.05
40	3.9		

d BASE II

\$265.00

d BASE III

(IBM PC) **\$365.00**

Friday! — \$179.00

FRAMEWORK - Call

VISA/MC WELCOME

Cabrillo Software

a division of Cabrillo Computer Service

484 Mobil Ave., Suite 42

Camarillo, CA 93010

(805) 484-5353

(800) 421-7354 in Calif.

(800) 321-5753 - USA

Circle 57 on inquiry card.

COBOL CROSS REFERENCE \$95

Required:

IBM-PC, DOS-2.0, 128K memory, & one disk drive.

Limits:

1,400 data names & 11,000 references.

Prints cross reference and/or source code.

Accepts most versions of COBOL as input.

This is a stand alone program which will flag duplicate data names and invalid references.

Your name will appear in the report heading.

Please print your name and address distinctly.

Your Name _____

Street Address _____

City, State, Zip _____

Send a check or money order (\$95.00) to:

META SYSTEMS INC. ALASKA

200 W. 24th Ave., Suite 115

Anchorage, AK 99503

Circle 206 on inquiry card.

wabash®

When it comes to Flexible Disks, nobody does it better than Wabash.

MasterCard. Visa Accepted.
Call Free: (800) 235-4137



PACIFIC EXCHANGES
100 Foothill Blvd
San Luis Obispo, CA
93401 (In Cal call
(805) 543-1037)

Circle 243 on inquiry card.

→ All **LOMAS DATA PRODUCTS** ←

16-Bit, S-100 Bus: Systems & Boards

*** **FIREBALL DISCOUNTS** ***

25% off List Price (UPS extra) for Cashier's Check or Money Order

You save **MONEY** = We save **TIME**

See → **LOMAS** ← ad in **BYTE** or request complete specifications



LIGHTNING SPEED

80286-CPU & 80287-NDP: \$1458.75

!! **THUNDERING PERFORMANCE!!**

80186 & I/O & 256K-DRAM & 5.25"/8" disk controller & CCP/M-86: \$1196.25

Configured for **SanTec-S700** printer:
TeleVideo-GA970C VDT: \$1121.75
Spellbinder-5.30 W/P: \$371.25

HIERATIC COMPUTER SYSTEMS
BOX 133: MEDFORD, MA 02155
(617) 391-8659

Circle 152 on inquiry card.

I WILL BEAT ANY PRICE IN U.S.A.

XEBEC (Datamac)-Sunol Systems Winchester Disk Drives

Outstanding Quality Products, Latest Technology

Satisfaction Guaranteed 7 Days Trial,

The Best Hard Drive Subsystem in the World

Complete and Ready to Run, Full Year Warranty

10 MB 5 1/4" \$ 1,195.00

16 MB 5 1/4" \$ 1,895.00

25 MB 5 1/4" \$ 2,150.00

30 MB 5 1/4" \$ 2,195.00

40 MB 5 1/4" \$ 3,495.00

65 MB 5 1/4" \$ 3,995.00

92 MB 5 1/4" \$ 4,895.00

184 MB 5 1/4" \$ 8,995.00

368 MB 5 1/4" \$17,895.00

MX-4 Multiple User Kits \$ 400.00

PTR Server Automatic Despools: \$ 1,295.00

Compatible with the following systems:

Access Matrix (Actrix)/IBM & IBM

Compatibles/Apple II, II+, IIe, III, III+, /Altos/

Atari 800/DEC EPSON QX-10/NEC P.C.-8000/

North Star/Osborne/S-100/Texas Instrument

TRS-80 Model I, II, III/Zenith Z89, 90, 100/

Kaypro/Xerox 820/Televideo 802 & 820H/

Sanyo 550 & 555/Commodore 64

(Next day delivery available)

MANDINGO COMPUTERS & CAMERAS

900 CASCADE DRIVE

FORT WASHINGTON, MARYLAND 20744

(301) 292-5632 (301) 292-6732

Circle 196 on inquiry card.

*IBM PC Compatible



E-PROMS — CALL! Lowest Prices Anywhere

*4164-150P \$530

*4164-200/250 515/469

6116-P3 599

*IBM Ex/Color Boards... CALL

IBM PC, XTs ... Below Market/

CALL

Disk Drives: (F.O.B. Tampa)

*TM-100-2..... 21924

*Half-Heights - 2 21924

*10 mb Win 1,38547

(MS/DOS 2.0/IBM plug in & go!)

Add \$2.95 shipping to all orders • Prices subject

to change • P.O.'s on approval • C.O.D. OK • All

new, no surplus, no seconds

4920 Cypress St., Tampa, FL 33607

In FL and for info, call 813-875-0299

FOR ORDERS ONLY, 800-237-8910

8 AM-8 PM EDT

Circle 244 on inquiry card.

PRINTER CABLES

\$30.00

SHIPPING INCLUDED

INTERFACE CABLES

Parallel Printer
Interface Cable

Apple
Centronics
Columbia
Epson
Eagle
IBM PC
Kaypro
NEC
WANG
Zenith

INTERFACE CABLES

RS232 Serial
Interface Cable

TELEVIDEO
DB 25
Male/Female

Cable Length
up to 10 feet

SPECIAL PRICING AVAILABLE TO DEALERS
CUSTOM CABLES AVAILABLE ON REQUEST




FABRICATION CONCEPTS, INC.

8230 Miralani Drive • San Diego, CA 92126
(619) 271-4522

Circle 133 on inquiry card.

6800/6809 Micro Modules



OEM 6800/6809 MICROCOMPUTER MODULES for dedicated control and monitoring. Interfaces for sensors, transducers, analog signals, solenoids, relays, lamps, pumps, motors, keyboards, displays, IEEE-488, serial I/O, floppy disks.



Wintek Corp.
1801 South Street
Lafayette, IN 47904
317-742-8428

Circle 328 on inquiry card.

DATA ACQUISITION and control for ANY computer



The Model 8232 communicates via RS-232, and has 8 analog inputs (0-5 VDC; 8 bits), 8 digital inputs and outputs, and a 2000 point buffer. Suitable for field data logging or lab use, the 8232 costs only \$540. Direct bus-connect unit for TRS-80/III & 4 is \$295. Detailed manual, \$6. Phone our applications engineer or write:

★★ **STARBUCK DATA COMPANY** ★★

PO Box 24, Newton, MA 02162 (617) 237-7695

Circle 288 on inquiry card.

MICROMAIL™

THE PC SYSTEM SPECIALIST

PRICES AND AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE



SPECIAL OF THE MONTH



A Superior quality IBM PC Compatible Personal Computer. Runs DOS 1.1, 2.0, 2.1, CP/M86®, UCSD p-System®, Runs Lotus 1-2-3®, Multi-plan®, WordStar®, PFS®, dBASEII®, and many more! Hardware includes 128K CPU, Floppy Controller, Two DS/DD Disk Drives, Video Monitor, Video Adapter, Parallel & Serial Ports.

CALL FOR LOW PRICE

Suggested List \$2395.00

FREE Lotus 123
or Gemini 10X
with TAVA purchase.



IBM®
PERSONAL
COMPUTER

Special
of the
Month!

IBM PC® COMPLETE LINE

COMPLETE SYSTEM VERY SPECIAL PRICE

64K, Two Disk Drives, Floppy Disk Controller, Video Card and High Res Monitor **\$2399**

256K RAM, 360KB Disk Drive, FDC, Video Monitor & Adaptor 10MB Hard Disk Sub-System **\$3990**

PRINTERS

OKIDATA 82 120 cps	CALL
OKIDATA 92 160 cps	CALL
OKIDATA 93 160 cps	CALL
OKIDATA 84 200 cps	CALL
EPSON FX 80 160 cps	\$499
EPSON FX 100-160 cps	CALL
NEC 3550	\$1899
DYNAX DX-15 13 cps	\$450
BROTHER HR-1 16 cps	\$599
BROTHER HR-25 23 cps	\$749
GEMINI 10 X 120 cps	CALL
GEMINI 15 X 120 cps	CALL

DISK DRIVES

SLIM LINE QUMETRAC 142	\$199
TOSHIBA	\$205
PANASONIC	\$199
FULL SIZE TANDOM TM 100-2	\$199

PERIPHERAL CARDS

AST SIXPACK PLUS 64K	\$299
MEGA PLUS 64K	\$299
I/O PLUS-1s, 1p, c	\$190

PERIPHERAL CARDS

GAME/SERIAL/PAR	\$39
64K MEMORY	\$50
MONOGRAPHIC	CALL
HERCULES GRAPHICS CARD	\$369
PLANTRONICS COLOR PLUS	\$439
QUADRAM COLOR I/II	CALL
PARADISE MULTI-DISPLAY	\$489

MONITORS

AMDEK 300 G	\$149
300 A	\$159
310 A	\$169
PRINCETON HX-12	\$490
SR-12	CALL
MAX-12A	CALL
ROLAND MB-122 G	\$139
MB-122 A	\$149

MODEMS

HAYES 1200B	CALL
1200	CALL
300	CALL

MICROMAIL

631 E. First St., Tustin, CA 92680

(714) 838-9100


*IBM PC is a registered trademark of IBM Corp
*dBASE II is a registered trademark of Ashton-Tate, Inc
LOTUS 1-2-3 is a registered trademark of Lotus Development
WordStar, SpellStar, MailMerge are registered trademarks of Micropro International
Visicalc is a registered trademark of VisiCorp

Multiplan is a registered trademark of Microsoft Corp
PFS is a registered trademark of Software Publishing Co
CP/M86 is a registered trademark of Digital Research, Inc
MS-DOS is a registered trademark of Microsoft Corp
UCSDp is a registered trademark of Softech Microsystems



FLEXIBLE DISCS

WE WILL NOT BE UNDER-SOLD!! Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D.'s accepted.



PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800)592-5935 or
(805)543-1037

Circle 243 on Inquiry card.

PRINTER RIBBONS

	PRICE	PER RIBBON	PER DOZEN
ANADIX 9500	10.50	10.50	109.80
APPLE DMP	5.25	5.25	52.20
C. ITOH PROWRITER	5.25	5.25	52.20
EPSON MX-FX 70/80	5.00	5.00	48.00
EPSON MX-FX 100	6.75	6.75	69.00
GEMINI 10-10X-15-15X	2.50	2.50	23.40
IBM HARMONICA 1/2"	6.75	6.75	78.00
IBM HARMONICA 3/4"	7.95	7.95	92.40
IBM 4-COLOR	15.75	15.75	180.00
IDS MICROPRISM-480	5.75	5.75	58.80
IDS PAPER TIGER 460/560	6.75	6.75	78.00
IDS PRISM	7.95	7.95	92.40
IDS 4-COLOR	15.75	15.75	180.00
NEC - 3500 M/S Non Flip	6.25	6.25	69.00
NEC - 3500 NYLON	9.00	9.00	96.00
NEC PC-8023A	5.25	5.25	52.20
OKIDATA 80/82/83/92	2.50	2.50	23.40
OKIDATA - 84	5.00	5.00	57.00
RADIO SHACK DMP-2100	7.50	7.50	87.00
RADIO SHACK LP VI & VIII	5.75	5.75	58.80
SILVER REED EX 550 S/S	5.00	5.00	57.00
SILVER REED EX 550 NYLON	9.00	9.00	105.00
TOSHIBA - 1350	7.50	7.50	87.00
XEROX 610/620 M/S	5.95	5.95	66.00

Add \$3.00 Ship. & Hand. — To Order Call
Toll Free 1-800-742-1122
In MI (313) 569-3218 or Write for our Catalog
DWIGHT COMPANY, INC.
15565 Northland Drive - West Tower
Southfield, Michigan 48075-6496

Circle 116 on Inquiry card.

THE OFFICIAL NUMBER TO CALL TO FIND OUT MORE ABOUT THE UNOFFICIAL APPLE LOGO: 617-492-8816



Terrapin, Inc., 380 Green Street,
Cambridge, MA 02139, (617) 492-8816

Circle 305 on inquiry card.

DISK DRIVES

(For PC, Mod I, III & IV)

Qume 142A	\$209
Teac FD55B	\$179
Tandon TM100-2	\$209
Tandon TM101-4	\$295
CDC 9409	\$219
Case and PS.	\$ 45

PC EXPANSIONS

Maynard Disk Controller.	\$162
Sandstar Series	Scall
Internal 10MB HD systems WS4	\$959
WS1	\$990
Quadboard (64K)	\$269
Quadcolor I.	\$199
AST SixpackPlus (64K)	\$269
MegaPlus (64K)	\$269
I/O Plus	\$114
2nd SP, PP or Game	\$ 35
HERCULES graphics board	\$349
HAYES Modems 300	\$209
Smartmodem 1200	\$489
Smartmodem 1200B	\$435
Set of 9 chips (64K)	\$ 55

VLM Computer Electronics
10 Park Place • Morristown, NJ 07960
(201) 267-3268 Visa, MC, Check or COD

Circle 186 on Inquiry card.

The Statistician

CPM IBM-PC
TRS-DOS XENIX

- * Multiple Regression Stepwise Ridge All Subsets Backward Elimination
- * Time Series Analysis
- * Descriptive Statistics
- * Transformations
- * Survey Research
- * Nonparametrics
- * XY Plots
- * ANOVA
- * Random Samples
- * Data Base
- * Search & sort
- * Hypothesis tests

Please call **TOLL FREE**
1-800-334-0854 (Ext. 814)



for more information
or write:
Quant Systems
Box 628
Charleston, SC 29402
VISA/MC Accepted

Circle 259 on inquiry card.

GILTRONIX SWITCHES ARE THE BEST CHOICE.

... and here are 10 good reasons why:

IBM PC




1. Serial (RS232) or Parallel (Centronics)
2. Prompt Deliveries
3. Nationally Advertised Products
4. Broad Product Line
5. Over 30,000 Units Sold to Date
6. Sales and Technical Support

APPLE



7. F.C.C. Approved Units
8. Manual and Automatic Units
9. Highest Quality PC Board Switch Technology
10. Buy Direct From Giltronix, or From Any Authorized Distributor



Manual Units—2 to 6 Ports
Automatic Units—3 to 15 Ports



3780 Fabian Way
Palo Alto, CA 94303
(415) 493-1300

ORDER HOT-LINE: 1-800-531-1300 (Outside of California)

Circle 140 on Inquiry card.

PAL, EPROM PROGRAMMERS & UV ERASERS FROM \$49.95

LOGICAL DEVICES INC.


Where Reliability and
Customer Support
is of utmost Importance

SEE OUR AD ON PAGE 200



ORDER TOLL FREE
1-800-EEI-PROM
(1-800-331-7766)

Circle 186 on Inquiry card.



**EDGE-PC: An Affordable
IBM PC-Compatible System for \$1495.**

- * PC-88 CPU card \$399
- * Color/Graphic card \$189
- * 5-1/4" diskette adapter card \$145
- * Multifunction card (64k) \$220
- * Keyboard \$153
- * System Enclosure \$129
- * 65W Power Supply with fan box \$135

EDGE MICRO SYSTEMS, INC.
2350 WALSH AVE., SANTA CLARA, CA 95051
(408) 980-9868 TLX 3719075 EDGE UB

Circle 124 on Inquiry card.

T & A SYSTEMS

MODEMS

	LIST	COST
U.S. Robotics Passwork 300/1200 Autodial/Auto Answer	\$449	\$350
Rioxor R212A1 (300/1200 10 no Autodial/Auto Log on)	\$499	\$399
Psuini (300/1200)	\$525	\$399
Hayes 1200 Smart Modem	\$699	\$510
Nec 224 (2400/1200 300 Selectable, 18 month warranty)	\$1195	\$890
General DataComm 4800 (800 works multipoint)	\$1575	\$1395
Universal Data Systems 9600 A/B (9600 Dial up)	\$2650	CALL \$

CRTS

Liberty Electronics Freedom 100 (20 Function Keys Full Editing)	\$495	CALL \$
Telex 3000 (7X10 Matrix, Status Line)	\$599	\$495
Visual 50 (Green Phosphor screen)	\$695	\$595
Televideo 950	\$1195	CALL \$
Lear Ziegler ADM 11	\$695	CALL \$
Kimtron (New Product, Fully DEC Compatible)	\$795	CALL \$

PRINTERS

Panasonic 1091 (120 CPS Dot Matrix, 3 Print Modes)	\$599	CALL \$
Telex 1014 (20 CPS Daisy Wheel, Serial & Parallel Ports S10)	\$649	\$457
Siemens P188 (Silent 150 CPS Ink Jet)	\$900	CALL \$
Televideo 740 (45 CPS Daisy Wheel)	\$1595	CALL \$

SWITCHES

Giltronix (24 Wire A/B Switch)	\$159	CALL \$
Ide A/B Switch 24 Pin	\$130	CALL \$

HARD DISK

Mountain (10 MEG for Apple, Franklin, IBM)	\$2495	CALL \$
--	--------	---------

MONITOR

Panasonic TR120 (High Resolution-1100 Lines)	\$220	\$150
--	-------	-------

P. O. Box 692 Wheeling, IL 60090
800-323-2666

*We stock a complete product line
of above manufacturers

Circle 160 on Inquiry card.

LycO Computer Marketing & Consultants

TO ORDER

CALL US

TOLL FREE 800-233-8760

In PA 1 717-327-1824

MANNESMANN TALLY

SPIRIT 80\$299.00
 MTL-160L\$559.00
 MTL-180L\$775.00

NEC

NEC8023\$369.00
 NEC8025\$699.00

PRINTER INTERFACING

AVAILABLE FOR COMMODORE VIC, APPLE, ATARI, IBM-PC, TRS-80, TI, AND OTHERS

STAR

MICRONTICS

GEMINI 10X \$259.00

GEMINI 15X\$379.00
 DELTA 10\$449.00
 DELTA 15\$525.00
 RADIX 10\$575.00
 RADIX 15\$675.00
 POWERTYPE\$CALL
 SWEETP (Model100)\$549.00
 STX80\$149.00

SMITH CORONA TP2 ...\$449.00

SAVE ON THESE IN-STOCK PRINTERS

CITOH

GORILLA GX-100.....\$169.00
 GORILLA SERIAL\$199.00
 PROWRITER B510\$335.00
 PROWRITER II\$575.00
 8600\$899.00
 STARWRITER\$999.00
 PRINTMASTER\$1299.00
 SHEET FEEDER\$425.00
 620\$929.00
 630\$1699.00
 8510 SP\$499.00
 8510 SCP\$559.00
 A10 LETTER QUAL.....\$499.00

EPSON

RX-80\$CALL
 RX-80 FT.....\$SFOR
 FX-80\$SCURRENT
 FX-100\$SPRICES

OKIDATA

80\$SSAVE
 82A\$SON THESE
 83A\$SIN-STOCK
 84\$SPRINTERS
 92\$SCALL &
 93\$SSAVES

PRINTING PAPER

3000 SHEETS
 FANFOLD\$42.75
 1000 SHEETS
 FANFOLD\$19.75
 1000 SHEETS LETTER...\$21.95
 200 SHEETS LETTER\$8.99
 150 RAG STATIONERY...\$10.99
 MAILING LABELS (1 in) ...\$9.75
 14x11 1000 FANFOLD ...\$24.75

WICO

COMMODORE & ATARI

JOYSTICK\$16.75
 RED BALL\$18.75
 BOSS JOYSTICK\$12.75
 TRACK BALL\$32.75
 12 FT EXT CORD.....\$6.95
 TI ADAPTER\$9.95
 APPLE ANALOG\$34.75
 IBM-PC ANALOG\$34.75

CONTINENTAL 64

HOME ACCOUNT D\$44.75
 TAX ADVANTAGE\$35.75
 F.C.M.\$35.75
 64 USERS OF ENCYC\$12.75
 20 ENCYCLOPEDIA\$12.75
 KOALA 64
 KOALA TABLET.....\$69.75
 PROGRAMMERS GUIDE...\$12.75
 GEOMETRIC DESIGNS...\$22.75
 LOGO DESIGN\$27.75
 SPIDER EATER\$22.75

HES 64

HES MODEM\$49.95
 M. MULTIPLAN\$65.75
 TURTLE TUTOR\$22.75
 TURTLE TRAINER\$22.75
 TURTLE GRAPHICS\$37.75
 SOUND BOX\$9.95
 64 FORTH\$39.95
 HESMON\$22.75



CARDCO

G PRINTER
 INTERFACE\$64.75
 B PRINTER
 INTERFACE\$39.75
 KEY PAD 64.....\$29.75
 LIGHT PEN\$29.75
 3 SLOT EXPANSION\$24.75
 5 SLOT EXPANSION\$54.75
 6 SLOT EXPANSION\$79.75
 PRINTER UTILITY\$19.75
 CASSETTE INTERFACE...\$29.75
 WRITE NOW 20.....\$29.75
 WRITE NOW 64.....\$39.75
 MAIL NOW\$29.75
 DM-1 PRINTER\$109.75
 LQ-1 PRINTER\$499.75

BRODERBUND 64

BANK STREET D\$44.75
 CHOPLIFTER R\$29.95
 DAVID'D MAGIC\$24.95
 DROL D/R\$24.95
 LODERUN D/R\$24.95
 SEAFOX R\$29.95

MODEMS

ANCHOR MARK I\$45.75
 ANCHOR MARK II\$79.75
 HAYES SMART\$239.00
 HAYES MICRO II\$309.00

MICROBIT 1000C

CAT\$129.00
 CAT\$144.00
 D-CAT\$155.00
 J-CAT\$115.00
 APPLE CAT II\$279.00
 212 APPLE CAT\$589.00

DISKETTES ELEPHANT

SINGLE SIDE SD (10) ...\$17.75
 SD (100)\$16.75/10
 SINGLE SIDE DD (10) ...\$21.75
 DD (100)\$20.75/10
 DOUBLE SIDE DD (10) ...\$26.75
 DD (100)\$24.75/10

MAXELL

MD1 (10)\$27.75
 MD2 (10)\$37.75

CERTRON CASSETTES

CC-10 (12)\$15.99
 CC-20 (12)\$17.99

COMPUTER CARE BIB

DISK DRIVE CLEANER...\$12.75
 COMPUTER CARE KIT ...\$19.75

NORTRONICS

DISK DRIVE CLEANER
 WITH SOFTWARE FOR
 IBM-PC, ATARI, VIC,
 APPLE, & TI\$29.75
 DISK CLEANERREFILLS...\$14.75
 CASS DRIVE CLEANER...\$9.95
 MEDIA BULK ERASER ...\$46.75

ATARI

Computers for people.

800XL\$CALL
 1050 DISK DRIVE \$CALL

TRAK DISK DRIVES

AT-D1\$379.00
 AT-D2\$399.00
 AT-D2 TURBO PAK\$22.95
 PRINTER CABLE\$22.95

CONCORD DISK DRIVES

APPLE 163K DRIVE\$199.00
 APPLE 326K DRIVE\$229.00
 APPLE CONTROLLER
 CARD\$69.00
 COMMODORE VIC174K...\$289.00
 COMMODORE VIC 348K...\$359.00
 ATARI 176K MASTER...\$289.00
 ATARI 348K MASTER...\$369.00
 ATARI ADD-ON DRIVES...\$CALL

PERCOM AT88 S1 . . \$249.00 DISK DRIVES

ATARI AT88-PD\$329.00
 AT-88 DOUBLER\$129.00
 ADD-ON DRIVES.....\$CALL
 HARD FOR 5 MEG
 DISK APPLE 10 MEG
 DRIVES IBM-PC 15 MEG
 AVAILABLE 20 MEG

INNOVATIVE CONCEPTS

DISK STORAGE (10)\$4.95
 DISK STORAGE (15)\$9.95
 DISK STORAGE (25)\$19.95
 DISK STORAGE (50)\$26.75
 ROM STORAGE (10)\$24.75

DUST COVERS

800\$3.99
 400\$3.99
 1200\$3.99
 410\$3.99
 810\$3.99
 600 XL\$5.99
 800XL\$5.99
 1050\$5.99
 1010\$5.99
 PROWRITER\$5.99
 GEMINI 10X\$5.99
 PERCOM\$5.99
 EPSON\$5.99
 RANA\$5.99
 VIC 64/20\$5.99
 VIC 1541\$5.99

MONITORS

SAKATA COLOR\$249.00
 TAXAN GREEN\$119.00
 TAXAN AMBER\$129.00
 TAXAN RGB
 COMPOSITE\$289.00
 ZENITH AMBER\$105.00
 ZENITH GREEN\$95.00
 GORILLA GREEN\$88.00
 GORILLA AMBER\$95.00
 NEC JB1260\$99.00
 NEC JB1205\$145.00
 NEC JB1215 COLOR ...\$269.00
 AMDEK GREEN\$145.00
 AMDEK AMBER\$149.00
 AMDEK COLOR 1\$289.00



TO ORDER



CALL TOLL FREE

800-233-8760

Customer Service 1-717-327-1825 Jersey Shore, PA 1774C

or send order to
 LycO Computer
 P O Box 5088

Circle 192 on inquiry card. POLICY

In-stock items shipped within 24 hours of order. Personal checks require four weeks clearance before shipping. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. PA residents add sales tax. All products subject to availability and price change. Advertised prices show 4% discount offered for cash add 4% for MasterCard or Visa. DEALER INQUIRIES INVITED.

Wire-Wrap® & Multiwire® Software

Whip your designs
into shape with
WIREMASTER



Never do another design by hand! Your computer and **Wiremaster** will quickly and accurately convert your schematic into wire lists, net maps, parts lists, checklists, and plots (optional) to give you total control. Handles ECL and twisted pair wiring. Versions available for NC machines. Runs on IBM-PC, VAX, CP/M, MSDOS and Unix Computers.

No-risk demo disk available. Call or write for details.

AFTERTHOUGHT ENGINEERING
7266 Courtney Dr., San Diego, CA 92111
(619) 279-2868

Circle 14 on Inquiry card.

SL-MICRO

STATISTICAL LANGUAGE
for MICROCOMPUTERS

features
VALUE and VAR LABELS
DATA TRANSFORMATION
FREQUENCIES CROSSTABS
PEARSON CORR REGRESSION
CONDESCRIPTIVE

Only \$250. Manual \$15
Available for IBM PC, CP/M
or MS-DOS. Many Formats.

QSC BOX 23056
LANSING, MI 48909
PHONE (517) 641-4428

Circle 261 on Inquiry card.

COMPUTER PRODUCTS-GUARANTEED SAVE UP TO 50%

*COMPUTERS	
Zenith Z100 (2 Drives 640K)	\$2799.00
Columbia, IBM PC, TAVA, NEC Portable and more	Call
*PRINTERS	
Brother HR-15 (Letter Quality)	\$485.00
Brother HR-25 (Letter Quality)	\$785.00
*MONITOR	
Taxan Green	\$125.00
Taxan Amber	\$129.00
Zenith ZVM122A-Non-Glare Screen, Amber	\$119.00
Zenith ZVM123A-Non-Glare Screen, Green	\$119.00
Zenith ZVM135 RGB Hi Res. Color	\$499.00
*ACCESSORIES	
Printer Stand 5 1/2 x 21 1/4 x 13 \$30.00, 5 1/2 x 15 x 13	\$25.00
Roll-Top Diskettes File (holds 100)	\$34.95
Multi-Color Quality Diskettes, SSDD \$22.00, OSDD	\$29.00
L.F. High Quality Diskettes, SSDD \$1.75, OSDD	\$2.25
*SOFTWARE	
dBase III	\$499.00
Upgrade to dBase III	\$169.00
Peachtree Accounting-GL, AR, AP, Inventory Control, Payroll, Job Costing	\$399.00/ea.
*TRAINING COURSE AND HANDBOOK	
Lotus 1-2-3, dBASE II, Wordstar, Accounting and others	\$65.00/ea.
Everyman's Database Primer Book	\$14.95
and many more	
MANY OTHER, AT LOWEST PRICE, PHONE OR WRITE	
Mail or Phone Your Order:	
LF COMPUTER PRODUCTS	
6660-D Miramar Rd. Suite 285, San Diego, CA 92128	
(619) 588-8823 — Phone order full rebate	
Mastercard/VISA add 3% Shipping & Handling \$3.95, Calif. Res. add 8% Sales Tax. All Products Manufacturer Guaranteed.	

Circle 177 on Inquiry card.

HALF HEIGHT DRIVES



SHUGART: SA 455 \$189
Double Sided, 40 TRK/Side

CDC: 9428 \$195
Double Sided, 40 TRK/Side

PANASONIC: 551-2 \$179
Double Sided, 40 TRK/Side

- 120 Day Warranty
- Free Shipping
- No Charge For Credit Cards
- Order Toll Free



1-800-531-5475 (Outside Of Texas)
(512) 250-1489 (In Texas)
Texas Residents Add 5% Sales Tax.

CompuAdd Corp.
13010 Research Blvd., Suite 101
Austin, Texas 78750

Circle 61 on Inquiry card.

ELIMINATE CABLE SWAPPING

at a price NO ONE can beat!



PI-015 Two-way \$ 59.95
PI-035 Three-way \$ 89.95
PI-055 Five-way \$109.95
PI-085 Eight-way \$209.95
PARALLEL-TWO-WAY \$ 94.95

TRANSFER SWITCH FEATURES

- PI-SWITCH lets you SAFELY SHARE multiple SERIAL (RS-232) devices.
- Great for printers, modems, etc.
- Handsome black and beige case female D8C-25 connectors
- Switches pins 1-7 & 20 or set any way you need before shipping.
- Male connectors available.
- ONE (1) YEAR WARRANTY

TERMS: MO, Check, Mastercard, Visa, COD.
UPS ground \$2/ each 2nd air \$4/each. COD add \$2 per order.
Please call for your CUSTOM switch needs.

SAB-LINK, Inc.
7301 N.W. 41 Street, Miami, FL 33166
(305) 592-6092
Dealer inquiries welcome!

Circle 272 on Inquiry card.

Electronic Circuit Analysis

- AC and DC analysis
- Very fast, optimized machine language
- Worst case, sensitivity analysis
- Sweep component values
- 64 Nodes
- Compare circuits
- Log or linear sweep
- Full file handling
- Full editing, error trapping
- Frequency response, magnitude and phase
- Complete manual with examples
- Transmission lines
- Complex y parameters
- Available for CP/M, MSDOS, TRSDOS
- Price - \$150.00

Tatum Labs
P.O. Box 698
Sandy Hook, CT 06482
(203) 426-2184

Circle 298 on Inquiry card.

EASI Software, Inc.

Software tools for Architects
and Consulting Engineers

Structural Analysis

finite element w/plates, frames,
& out of core solver

Concrete Steel Design

columns, beams, & slabs

Project Scheduling

(PERT Method)
w/ cost analysis

2-D Drafting System

(high performance)

Coded Pressure Vessel Design

Commercial Air Conditioning

Piping Design

EASI Software, Inc.

289 1 LIVONIA CENTER ROAD
LIMA, NEW YORK 14485
(716) 346-2022

Circle 121 on Inquiry card.

GREAT DISKETTES

Super low prices
SYNCOM



The low priced, high quality diskette with a LIFETIME WARRANTY. Packed in polybags of 10 with Tyvek envelopes, labels and reinforced hubs.
One of the best buys we've seen.

\$139 ea. 5 1/4" SSDD
QTY. 20

\$185 ea. 5 1/4" DSDD
QTY. 20

OTHER GREAT VALUES:

DISKETTE 70—Holds 70 5 1/4" diskettes in dust free safety \$14.95 ea. + \$3.00 Shpg.

DISK CADDIES—Flip up style holds 10 5 1/4" diskettes . . . \$1.85 ea. + 20 Shpg.

\$15.00 Bonus Offer!

For the lowest priced, highest quality diskettes, storage cases, printer ribbons and paper products, send for our catalog, FREE with your order, \$1.00 otherwise. BONUS! Every catalog includes \$15.00 worth of bonus coupons.

Shipping: 5 1/4" DISKETTES—Add \$3.00 per 100 or fraction thereof.
OTHER ITEMS: Shipping charges as shown in addition to diskette shipping charges. Payment: VISA or MC. COD orders: add \$3.00. Taxes: Illinois customers: please add 8%.

Nationwide: 1-800-621-6827
In Illinois: 1-312-944-2788

Minimum Order: \$35.00

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE!

DISK WORLD!

Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

SYNCOM

Circle 110 on Inquiry card.



flexible disks

Call Free (800)235-4137
for prices and information.
Dealer inquiries invited.
C.O.D. and charge cards
accepted.




PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401 (In Cal. call
(805) 543-1037)

Circle 243 on Inquiry card.

SPECIALS ON INTEGRATED CIRCUITS
 6502 @ 4.90 6520 @ 4.00 6522 @ 5.00 4116 @ 1.85
 2532 @ 5.90 2716 @ 4.45 6116 @ 6.45 4164 @ 6.90

**Anchor
Automation
Signalman
MODEMS**



FREE SOURCE MEMBERSHIP WITH SIGNALMAN

All Signalman Modems are Direct Connect, and provide the best price-performance values. Dealer and DEM inquiries invited

Volkmodem with computer cable	68
Mark VII Auto Dial/Auto Answer	99
Mark XII Smart Modem 1200/300	279
DC HAYES Smartmodem	219
DC Hayes Smartmodem 1200/300	519



PROM QUEEN for C64 or VIC	130
Apple Emulator for Commodore 64	call
STAT Statistics Package for C64	95
Solid Oak 2 Level Stand for C64 or VIC	29
C64/VIC Switch (networking)	119
BACKUP V1.0 tape copier for C64 or VIC	20
CARDBOARD/6 Motherboard - VIC	64
CARDBOARD/5 Motherboard - C64	56
CARD PRINT G Printer Int. with Graphics	72
CARDBOARD/3s Motherboard - VIC	22
CARDCO C64/VIC Calculator Keypad	32
CARDRAM/16 RAM Expansion - VIC	44
Complete CARDCO Line in stock	
CIE and VIE IEEE Interfaces in stock	85
MSD Super Drive for C64 or IEEE	365
MAE Assembler for C64	50
Koala Pad Touch Table—C64 or VIC	75
CBC 4/12 Analog to Digital 4 chan/12 bit	179
MULTIPLAN for C64	79
Dust Cover for C64 or VIC	6
Grand Master Chess for C64	24
Musicalc Software for C64 in stock	
SM Software for C64 in stock	
BusCard II from Batteries Included	149
ULTRA BASIC - 64 with Turtle Graphics	37
Super Disk Utility - C64 - includes backup	19
Trackball (Electra Concepts) C64	29
MicroChess - C64 - 8 levels of play	17
HES MODEM with software for C64	45
Commodore 64 Programmers Reference Guide	85
WordPro 3+/64 with Spellright	16
ViController (also C64) - BSR Controller	50
COM VOICE Synthesizer for C64 or VIC	139
VIC products in stock - call for extra discounts.	
Victory Software for VIC and C64 in stock.	

APPLE—FRANKLIN ITEMS

FRANKLIN—complete line in stock	
QUENTIN Drives for Apple/Franklin	189
Swapper Stopper	26
automatic switch between paddles and joystick	
KRAFT Apple Joystick	32
Kraft Apple Paddle Pair	32
Koala Pad Touch Tablet-Apple/Franklin	90
SPINNAKER Software in stock	
Broderbund Software In stock	
16K RAM Card for Apple	59
Multiplan—Microsoft	185
Solid Oak 2 Level Stand for Apple	29
Serial Card for Apple	89
MPC RAM/80 column card for Iie (AP/TXT)	139
Z80 Softcard and CP/M (Microsoft)	235
RANA Elite I with Controller	389
Parallel Printer Interface/Cable	69
Microtek and MPC Interfaces In stock	
Grappler + Interface	135
DC Hayes Micromodem II, Iie with Smartcom	245
PFS: File or PFS: Report or PFS: Graph	95
Videx 80 Column Card	209
Apple Blue Book	19

Commodore

See us for Personal, Business, and Educational requirements. Educational Discounts available.

PETSCAN I \$245 base price

Allows you to connect up to 30 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

COMPACT/STCP \$115

Intelligent Terminal Package for PET, CBM, C64
 Includes ACIA Hardware / STCP Software

SCREENMAKER 80 Column Adapter for C64 139

Provide big screen capability for business applications.

Copy-Writer Word Processor for C64 49

Full-featured package with 800 lines of text in memory. Includes double column printing, graphic capability, full printer support.

Special Screenmaker/Copy-Writer Combo 179

PAPER CLIP Word Processor - CBM/C64 60

ORACLE (Consultant) Data Base by Batteries Included 89

SPINNAKER Software C64, Apple, IBM, Atari

VICTORY Software for C64 in stock

Compute! Books in Stock

POWER ROM Utilities for PET/CBM 78

WordPro 4+ - 8032, disk, printer 285

VISICALC for PET, ATARI, or Apple 189

SM-KIT enhanced PET/CBM ROM Utilities 40

PET Spacemaker II ROM Switch 36

Dust Cover for PET, CBM, 4040, or 8050 8

CmC Interfaces (AOA1800, ADA1450, SA01 in stock)

HES Software and Hardware in stock

UMI Products in stock

FlexFile for PET/CBM/C64 \$59

DataBase, Report Writer with calculations, Mailing Lists. Easy to use, and can be modified.

FORTH for PET/C64 full FIG model - Cargile/Riley 50

Metacompiler for FORTH for independent object code 30

Floating Point for FORTH 20

BRIDGE 2.2 for C64 \$25

Excellent Bridge program. Computer bids and plays against you. Hands are computer generated, but you may set up hands and modify contract. Allows you to claim balance of tricks, replay hand, and review previous trick.

KMMM PASCAL IV for PET/CBM/C64 99

EARL for PET/CBM/C64 Disk-based ASSEMBLER 65

DISK I.C.U. (Intensive Care Unit) \$40

COMPLETE DISK RECOVERY SYSTEM FOR 4040/1541

Edit disk blocks; duplicate disks, skipping over bad blocks; un-scratch scratched files; check and correct scrambled files; recover improperly closed files. Includes complete diagnostic facilities, extensive treatment of relative files, optional output to printer, and comprehensive user manual (an excellent tutorial on disk operation and theory). Furnished on copy-protected disk. Backup available \$10.

Smart Terminal Software for C64/VIC 10

CBM Public Domain Software—C64/PET 27 disks 75

DITTO DISK 64 36

Disk copy utility for C64. Make your own disk copies, even if the original is copy protected.

STAT for PET/CBM/C64 and Apple 95

Comprehensive Statistical Analysis Routines
 Includes complete file handling capabilities, summary statistics, confidence intervals, hypothesis tests, exponential mean tests, multiple and power series regression, analysis of variance, histograms, and non-parametric tests.

PageMate 60 Command Word Processor 20

Full-featured package for all Commodore computers. Full screen editing, and supports disk, tape, and all printers.

DISK SPECIALS



Scotch (3M) 5" ss/dd	10/ 2.10	50/ 1.90	100/ 1.86
Scotch (3M) 5" ds/dd	10/ 2.65	50/ 2.45	100/ 2.40
Scotch (3M) 8" ss/sd	10/ 2.20	50/ 2.00	100/ 1.98
Scotch (3M) 8" ss/dd	10/ 2.80	50/ 2.50	100/ 2.25

We stock VERBATIM DISKS

Write for Dealer and OEM prices.

Sentinal 5" ss/dd	10/ 1.80	50/ 1.75	100/ 1.65
Sentinal 5" ds/dd	10/ 2.40	50/ 2.35	100/ 2.25

We stock DYSAN disks

Wabash 5" ss/sd	10/ 1.45	50/ 1.40	100/ 1.35
Wabash 5" ss/dd	10/ 1.60	50/ 1.55	100/ 1.50
Wabash 5" ds/dd	10/ 1.95	50/ 1.90	100/ 1.80

We stock MAXELL DISKS

Write for dealer and OEM prices.

Disk Storage Pages	10 for \$4	Hub Rings 50 for \$6
Disk Library Cases	8"—3.00	5"—2.25
Head Disk Cleaning Kits	12	
AMARAY Disk Storage Systems	in stock.	
Innovative Concepts FLIP 'N' FILES	in stock.	

CASSETTE TAPES—AGFA PE-611 PREMIUM

C-10	10/ .61	50/ .58	100/ .50
C-30	10/ .85	50/ .82	100/ .70



ZVM-122A	99	ZVM-123G	89
ZVM-131	300	ZVM-135	490

Z100 16-bit/8-bit System CALL

Z-150 IBM PC COMPATIBLE CALL

Z-160 PORTABLE PC CALL

We stock entire Zenith line.

USI Video Monitors - Green or AMBER 20 MHz hi-res Dealer and OEM inquiries invited

WRITE FOR IBM PC COMPATIBLE PRICES

MULTIPLAN—IBM or Apple 179

Quadboard for IBM available

KOALA PAD Touch Tablets—Apple, Atari, IBM, CBM Peachtext 5000 Software Package 199

PFS Software for IBM and Apple in stock

SPINNAKER Software C64/VIC, Apple, IBM, Atari 269

VOTRAX Personal Speech System 245

BMC 9191+ Color Monitor (plus model) 79

BMC 12A 12" Green Monitor 459

Dynax (Brother) DX-15 Daisy Wheel Printer 749

Brother HR-25 Daisy Wheel Printer (25 cps) 379

Itoh Prowriter Parallel Printer 279

Panasonic 1090 Printer with Correspondence Mode 289

Gemini 10X 29

EPSON, Okidata, Star Micronics printers in stock

USI CompuMOD 4 R F Modulator 29

We Stock AMDEK Monitors 15% OFF

A P Products 15% OFF

COMPUTER COVERS IN STOCK

BROOKS 6 Outlet Surge Suppressor/Noise Filter 54

Surge Suppressor-6 outlet 29

Electrohome 1302-2 13" Hi-res RGB Monitor 335

Panasonic 12" Monitor (20 MHz) with audio 137

Synertek SYM-1 Microcomputer 189

Hewlett Packard hp

Write or call for prices.

DATASHIELD BACKUP POWER SOURCE \$265

Battery back up Uninterruptible Power Supply with surge and noise filtering. The answer to your power problems.

ATARI - WE STOCK ENTIRE LINE

SPINNAKER and Broderbund Software in stock.

215-822-7727
 252 Bethlehem Pike
 Colmar, PA 18915

A B Computers

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel. We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount. Regular prices slightly higher. Prices subject to change.

Apple II/Ile® Industrial Control Plug-In Boards (SOFTWARE INCLUDED)



Opto-Isolated A32 I/O Board

- Individually Configurable
- Compatible with SSR Modules
- Opto-Isolated Interrupt Inputs

\$375

2 Axis Stepper Motor Interface

- Positioning Control
- Pulse Counting/Timing
- Frequency Measurements

\$250

ROGERS LABS (714)751-0442

2710 S. Croddy Way, Santa Ana, CA 92704

Circle 266 on inquiry card.

NEW!

SafeSkin

KEYBOARD PROTECTOR

Remains in place during keyboard use. Prevents damage from liquid spills, dust, ashes, etc. Fits like a second skin, excellent feel. Homerow and numeric locators. Available for: IBM-PC, Apple IIe. Send \$29.95, check or M.O., Visa & MC include exp. date and signature. Specify computer type. Dealer Inquiries invited. Free brochure available.

MERRITT Computer Products, Inc.
2925 LBJ, #180 / Dallas, Texas 75234
(214) 942-1142

Circle 351 on inquiry card.

MEMOREX FLEXIBLE DISCS

WE WILL NOT BE UNDER-SOLD!! Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D.'s accepted.

VISA

PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal call
(800)592-5935 or
(805)543-1037

Circle 243 on inquiry card.

SAVE ON MEMOREX DISKETTES

\$180 ea 5 1/4" SSD **\$235** ea
Qty 20 5 1/4" DSD Qty 20

5 1/4" SSD-96TPI \$2.49 ea 5 1/4" DSD-96TPI \$3.25 ea.
Boxed in 10's with Tyvec sleeves, reinforced hubs and labels.

DISKETTES FORMACINTOSH & HP-150 AT TERRIFIC SAVINGS!

3 1/2" Memorex \$3.99 ea.

See our big ad in this issue for other great values!
Shipping: 5 1/4" or 3 1/2" DISKETTES—Add \$3.00 per 100 or fewer diskettes. Payment: VISA and Mastercard accepted. COD orders only, add \$3.00 handling charge. Taxes: Illinois residents, please add 8% sales tax.

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES

Nationwide: 1-800-621-6827
Illinois: 1-312-944-2788
Hours: 9AM - 5PM Central Time
Minimum Order: \$35.00

DISK WORLD!, Inc.
Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

MEMOREX

Circle 111 on Inquiry card.

EAGLE® PC-2 COMPUTER

*IBM COMPATIBLE

LIST ~~\$3495.00~~

OUR PRICE **\$2095.00**

*WHILE THEY LAST!

EXSEL, Inc. (716) 325-5530

OFFICE EQUIPMENT BROKERS
215 ALEXANDER STREET
ROCHESTER, NEW YORK 14607
TELE: 321110

VISA **Master Charge**

- IBM Compatible
- 128Kb RAM expandable to 512Kb
- (2) 320Kb Floppy Disks
- Monochrome Monitor
- Eagle Writer, Eaglecalc
- MS-DOS, CP/M-86
- One Year Warranty

Circle 352 on Inquiry card.

6 times faster

Super Fast Z80 Assembly Language Development Package

Z80ASM

- Over 6000 line/minute
- Generates COM, HEX, or REL files
- Cross-Reference
- Zilog mnemonics
- Time and Date in listing
- Long labels

SLRNC

- One or two pass operation
- Cross-reference
- COM or HEX output
- Flexible address control

Most formats available for Z80 CP/M, COOS, and TURBODOOS

\$199.95

SLR Systems

For more information or to order, call:
1-800-833-3061 in Pa., (412) 282-0864
1622 North Main Street, Butler, PA 16001
VISA or Mastercard

Circle 279 on inquiry card.

12 Bit A/D Converter FOR YOUR APPLE®

AD16B 16 CHANNEL \$299.95

- * I/O OR NMI INTERRUPT
- * EXTERNAL START CONVERT
- * HIGH SPEED - 25,000 CONN./SEC
- * 7 VOLTAGE RANGES
- * PRECISION SAMPLE & HOLD

**Bolt On Signal Conditioning
FITS INSIDE APPLE®**

A16G \$79.95

- * 16 OP AMPS- EACH WITH SEPARATE GAIN & FILTERING

A8D from \$149.95

- * TRUE DIFFERENTIAL INPUTS
- * 2 to 8 CHANNELS
- * SEPARATE GAIN EACH CHANNEL

Hollywood Hardware (818) 989-1204
6842 Valjean Ave. *APPLE is a registered trademark of APPLE Computers, Inc.
Van Nuys, CA 91406

Circle 154 on inquiry card.

AFFORDABLE M-68000 COMPUTER SYSTEM

M68KCPU 6-10 MHz CPU, 20K static RAM, 16K EPROM on board monitor, two RS-232C serial ports, 16-bit parallel port, 5 timer/counters expansion bus.

- Bare board.....\$99.95
- Complete Kit.....\$615.00

MD512K J28-512K static RAM, floppy disk controller & hard disk interface

- Bare board.....\$99.95
- Complete Kit (128K).....\$725.00

M68KE Enclosure with power supply, fan, filter, 4 slot card cage.....\$249.00

M68KASM M68000 Macro Cross Assembler for CP/M80, IBM PC, TRS-80 and Apple II computers.....\$149.00

UPS shipping & handling \$ 4.00
COD orders add \$ 3.00
Foreign orders add \$20.00
California residents add 6.5% tax

EMS Educational Microcomputer (714)553-0133 Systems
P.O. Box 16115 • Irvine, CA 92713

Circle 125 on Inquiry card.

CP/M CROSS SOFTWARE for the NS16000

INCLUDES:

- * Cross Assembler *
- * Cross Linker *
- * Debugger *
- * N.S. ISE Support *
- * Librarian *
- * Pascal Cross Compiler *

U.S. Prices start at \$500 for Assembler only

SOLUTIONWARE
1283 Mt. View-Alviso Rd.
Suite B
Sunnyvale, CA 94089
408/745-7818 • TLX 4994264

Circle 284 on inquiry card.

SUPER PRICES ON PRINTERS!

NEW! EPSON LQ-1500

"Letter Quality"

High performance 200 CPS, 24 pin print-head that also doubles as a letter quality printer

CALL FOR OUR BEST PRICE!

SAVE \$200⁰⁰

EPSON CALL US FOR OUR BEST PRICE!

- EPSON RX-80 100 CPS w/tractor, graphics
CALL FOR OUR BEST PRICE
- EPSON RX-80FT 100 CPS w/FREE! graphics
Friction & tractor feed **SAVE \$150.00**
- EPSON MX-80FT 80 CPS w/FREE graphics
Friction & tractor feed **SAVE \$150.00**
- EPSON FX-80 160 CPS w/FREE graphics
Friction & tractor feed **SAVE \$50.00**
- EPSON FX-100 160 CPS 15" platten
Friction & tractor feed **SAVE \$150.00**

OKIDATA PRICES SLASHED!!!

160 CPS, Correspondence Quality

- OKI 92 Parallel \$599 \$424.95
OKI 93 Parallel \$995 \$679.95
2K Serial Board \$120 \$99.95
IBM PC ROMS For 92 \$59 \$49.95
IBM PC ROMS For 93 \$59 \$59.95
Extra 82/92 83/93 Ribbons (2) \$19 \$9.95
82/92 Tractor \$89 \$54.95

120 CPS & 200 CPS OKIDATAS

- OKI 82 120 CPS \$499 \$329.95
OKI 83 120 CPS \$775 \$569.95
OKI 84 Parallel 200 CPS \$1395 \$899.95
OKI 84 Serial 200 CPS \$1495 \$999.95
2K Serial Board \$150 \$119.95
IBM PC ROMS For 82/83 \$49 \$39.95
IBM PC ROMS For 84 \$99 \$89.95

350 CPS, Near Letter Quality, High-Resolution Graphics

- OKI 2350 Parallel \$2695 \$1899.95
OKI 2350 Serial \$2775 \$1999.95
OKI 2410 Parallel \$2995 \$2199.95
OKI 2410 Serial \$3075 \$2299.95

MANNESMAN-TALLY

- Spirit 80 CPS 10 inch \$399 \$329.95
160L 160 CPS 10 inch \$798 \$579.95
180L 160 CPS 15 inch \$1098 \$799.95

OPEN SATURDAYS
10:00am—4:00pm PST

High Performance, New Lower Price! DTC-380Z

True letter quality Daisywheel printer up to 32 CPS, with a built-in 48K buffer. The 380Z comes with RS232 serial, parallel centronics, and IEEE-488 interfaces built-in

	List	Your Price
DTC-380Z	\$1495	\$999.95
Sheet feeder	\$895	\$579.95
Forms Tractor	\$195	\$129.95
Bi-directional tractor	\$300	\$249.95
Cable (specify)	\$85	\$49.95

LETTER QUALITY PRINTERS ON SALE!

	List	Your Price
Diablo 630 40 CPS	\$2340	\$1699.95
Tractor For 630	\$250	\$219.95
Starwriter F-10 40 CPS	\$1895	\$999.95
Starwriter F-10 55 CPS	\$1995	\$1299.95
Tractor For F-10	\$250	\$219.95
Comrex CR-II 5K parallel	\$599	\$489.95
Comrex CR-II 5K serial	\$644	\$589.95
Tractor For CR-II	\$120	\$99.95
Keyboard For CR-II	\$199	\$179.95
Sheet Feeder For CR-II	\$259	\$199.95
Silver Reed 500 14 CPS	\$599	\$499.95
Tractor For 500	\$149	\$124.95
Silver Reed 550 18 CPS	\$699	\$599.95
Tractor For 500	\$159	\$129.95
Juki 6100 18 CPS	\$599	\$499.95
Tractor For 6100	\$149	\$124.95
NEC 3550 33 CPS	\$2250	\$1699.95
Tractor For 3550	\$265	\$229.95

CLOSE OUT PRICES! ON ALL STAR-MICRONICS PRINTERS!

Gemini 10X and 15X Radix 10 and 15
Delta 10 and 15 Power Type LQ

CALL US FOR CHEAP PRICES!
(Only Manufacturer's warranty applies)

A-B PRINTER SWITCH

Allows your computer to run either of two printers. Standard parallel switch box

Printer Switch	\$149	\$99.95
Extra Cable	\$40	\$29.95

PRINTER STANDS WITH PAPER CATCH

	List	Your Price
Universal 80 Column Stand	\$30	\$24.95
Paper Tray For Above	\$30	\$24.95
Universal 132 Col Stand	\$35	\$29.95
Paper Tray For Above	\$35	\$29.95
Okidata 82/92 Stand	\$25	\$19.95
Paper Tray For Above	\$35	\$29.95
Okidata 83/84/92 Stand	\$35	\$29.95
Paper Tray For Above	\$40	\$34.95
Universal Floor Stand	\$125	\$79.95

SPECIAL SALE PRICE!

EPSON MX-100FT FREE Graftrax-Plus

With FREE! GRAFTRAX-PLUS 100 CPS, friction and tractor feed, 15 inch platten, one year warranty

List Price \$749.00 - **\$489⁹⁵**

SALE PRICED AT

MICROFAZER—Quadram

The Microfazer stand-alone printer buffers are available in any configuration of serial or parallel input, with serial output. All are expandable up to 64K of memory (about 30 pages of 8 1/2 x 11 text). The parallel-to-parallel version is expandable to 512K copy and pause feature included

Parallel/Parallel	List	Your Price
8K	\$169	\$139.95
32K	\$225	\$164.95
128K	\$445	\$269.95

Serial/Parallel	List	Your Price
8K	\$199	\$169.95
32K	\$260	\$199.95

Parallel/Serial	List	Your Price
8K	\$199	\$169.95
32K	\$260	\$199.95

Serial/Serial	List	Your Price
8K	\$199	\$169.95
32K	\$260	\$199.95

MICROBUFFER Practical Peripherals

Stand-alone Microbuffers	List	Your Price
Parallel, 32K	\$299	\$229.95
Parallel, 64K	\$349	\$269.95
Serial, 32K	\$299	\$229.95
Serial, 64K	\$349	\$269.95
64K add-on board	\$179	\$149.00

Microbuffers for Apple II

Parallel, 16K	\$259	\$189.95
Parallel, 32K	\$299	\$229.95
Serial, 16K	\$259	\$189.95
Serial, 32K	\$299	\$229.95

Microbuffers for Epson Printers

Parallel, 16K	\$159	\$129.95
Serial, 8K	\$159	\$129.95

JADE

Computer Products

4901 West Rosecrans Ave. Hawthorne, California 90250

LINE-POWERED AUTO-ANSWER DIRECT-CONNECT MODEM \$89.95

300 Baud, full duplex, analog loopback for self test, carrier detect, receive data, and transmit data. LED indicators
List Price \$129.95 _____ \$89.95

SMARTMODEM Hayes

Sophisticated direct-connect auto-answer/auto dial modem, touch tone or pulse dialing, RS232C interface programmable

Smartmodem 1200 _____	\$699	\$475.00
1200B for IBM PC _____	\$599	\$399.95
Smartmodem 300 _____	\$289	\$199.00
Hayes Cronograph _____	\$249	\$199.95
Micromodem 100 _____	\$399	\$299.95
Micromodem IIe _____	\$299	\$239.95
PLEASE Software _____	\$395	\$299.95
Smartcom II _____	\$149	\$99.95

J-CAT MODEM

1/5 the size of ordinary modems, Bell 103, manual or auto-answer. Automatic answer/originate, direct connect, built-in self-test, two LEDs and audio beeps provide status information

Novation J-Cat _____ \$149 \$114.95

ULTRA-VIOLET EPROM ERASERS

Inexpensive erasers for industry or home

Spectronics w/o timer _____	\$99	\$69.95
Spectronics with timer _____	\$139	\$94.95
Logical Devices _____	\$89	\$49.95

ISOBAR

The ISOBAR looks like a standard multi outlet power strip but contains surge suppression circuitry and built-in noise filters, plus 15amp circuit breaker

	List	Your Price
4 receptacle _____	\$89	\$59.95
8 receptacle _____	\$99	\$69.95

Complete Computer \$400.00!


THE LITTLE BOARD with FREE! CP/M 2.2

Miniature single board CP/M computer designed to mount directly on top of a 5 1/4" floppy disk drive (7.75" x 5.75"). Contains Z 80A CPU, 64K RAM, Boot Eprom, terminal port, modem port, parallel printer port, floppy disk controller, and CP/M 2.2 included FREE!

Little Board with CP/M _____	\$400	\$348.95
Support package _____	\$50	\$48.95
Serial Cable _____	\$13	\$11.95
Diskless Monitor Eprom _____	\$30	\$24.55

**SATISFACTION
GUARANTEED
OR YOUR
MONEY BACK!**

BONDWELL 12
**COMPLETE
COMPUTER**
SAVE \$500.
\$1095⁰⁰
with FREE! SOFTWARE & MODEM



- ▶ Wordstar
- ▶ Mailmerge
- ▶ Calcstar
- ▶ Datastar
- ▶ Reportstar
- ▶ CP/M & BASIC
- ▶ KAYPRO compatible
- ▶ Speech Synthesizer

**BUILT-IN
SPEECH
SYNTHESIZER**

90 day warranty
30 day exchange
Local service through
nationwide field
service team.

4MHz Z-80A, 64K RAM, 9-inch-hi-res non-glare amber monitor, composite video output, two 180K disk drives, full size 63 key keyboard with separate numeric keypad and 16 programmable function keys, speech synthesizer, two serial ports, centronics parallel printer port, bit mapped graphics, sculpted high-impact plastic case, only 26 lbs.

BONDWELL 14 with twice the storage \$1395.00
(Sale subject to FCC approval)

**BUY NOW &
SAVE \$100 off**
Our catalog price on
ANY PRINTER
in stock!

APPLE ACCESSORIES ON SALE!

Full Height Disk Drive _____	\$299	\$179.95
Half-Height Disk Drive _____	\$249	\$184.95
Controller _____	\$100	\$59.95
8 inch 2 Meg. system _____	\$2495	\$1395.00
CP/M 3.0 Card _____	\$399	\$259.95
Z-Card with CP/M _____	\$169	\$139.95
16K RAM Card _____	\$99	\$39.95
Best 80 Column Card _____	\$219	\$139.95
64K IIe 80 Column _____	\$199	\$129.95
Fan w/surge protect _____	\$99	\$59.95
Koala Pad _____	\$125	\$89.95
Grappler Plus _____	\$175	\$119.95
Buffered Grappler/16K _____	\$245	\$175.95
Buffered Grappler/64K _____	\$345	\$239.95

SUPER DISKETTE SPECIAL!


We bought out a major manufacturer's overstock and we are passing the savings on to you! Single-sided, double-density package of ten with FREE! plastic case
Box of 10 w/FREE! case ___ \$34 \$18.95

JADE
Computer Products

U.S. MANUFACTURER
ONE YEAR WARRANTY!

10 MEGABYTE HARD DISK FOR IBM PC!

\$995⁰⁰



10 MEGABYTE HARD DISK FOR IBM PC

Plug-n-Run. ready to go • complete with controller card, data cable, and mounting hardware • totally PC/XT compatible • faster than XT • handles 4 different operating systems • streamer tape back-up available

	List	Your Price
10 mbyte internal	\$1795	\$995.00
10 mbyte external	\$2095	\$1195.00
15 mbyte internal	\$1995	\$1395.00
15 mbyte external	\$2295	\$1595.00
26 mbyte internal	\$2495	\$1995.00
26 mbyte external	\$2795	\$2249.00

Tape Back-up option CALL FOR BEST PRICE

HI-RES MONITORS

	List	Your Price
AMDEK 310A	\$230	\$169.95
AMDEK 300G	\$179	\$119.95
AMDEK 300A	\$199	\$149.95
AMDEK COLOR I	\$379	\$259.95
AMDEK COLOR II	\$559	\$419.95
AMDEK COLOR IV	\$995	\$499.95
PGS MAX-12	\$269	\$199.95
PGS HX-12	\$699	\$469.95
PGS SR-12	\$799	\$649.95
QUADCHROME	\$795	\$499.95
COMREX CR6800	\$649	\$499.95

KEYTRONICS KEYBOARDS

KEYTRONICS KEYBOARD — \$209 \$149.95

HIGH SPEED 8087 APU

List Price \$295 SALE PRICE \$199.95

STB BOARDS FOR IBM PC

	List	Your Price
RIO PLUS 64K	\$395	\$329.95
GRAPHICS PLUS	\$495	\$379.95
RIO PLUS 128K	\$495	\$349.95
RIO PLUS 256K	\$595	\$449.95
RIO PLUS 384K	\$795	\$549.95
SUPER RIO 64K	\$419	\$329.95
SUPER RIO 128K	\$519	\$379.95
SUPER RIO 256K	\$619	\$479.95
SUPER IO	\$229	\$179.95

PLACE ORDERS TOLL FREE

Continental USA
(800) 421-5500

Inside California
(800) 262-1710

Los Angeles Area
(213) 973-7707

We accept cash, checks, credit cards, or purchase orders from qualified firms and institutions. Minimum prepaid order \$15.00 California residents add 6 1/2% tax. Export customers outside the US or Canada please add 10% to all prices. Prices and availability subject to change without notice. Shipping and handling charges via UPS Ground 50¢/lb. UPS Air \$1.00/lb. minimum charge \$3.00 Prices quoted are for pre-paid orders only

SOFTWARE FOR IBM PC

	List	Your Price
MICROSOFT WORD	\$395	\$249.95
LOTUS FRAMEWORK	\$695	\$439.95
LOTUS 1 2 3	\$495	\$329.95
SYMPHONY	\$695	\$549.95
dBASE II	\$700	\$429.95
D-BASE III	\$695	\$449.95
R:BASE 4000	\$495	\$319.95
SMART KEY	\$89	\$69.95
MOVE-IT	\$125	\$89.95
MULTIPLAN	\$250	\$169.95
ACCOUNTING PARTNER	\$395	\$249.95
CROSSTALK	\$195	\$129.95
PROKEY	\$75	\$54.95
MULTIMATE	\$495	\$299.95
SUPERCALC III	\$395	\$249.95
TRANSEND PC	\$189	\$139.95

MICROSOFT FOR IBM PC

	List	Your Price
MOUSE w/WORD	\$495	\$339.95
MOUSE	\$199	\$129.95
SYSTEM CARD 64K	\$395	\$279.95
SYSTEM CARD 256K	\$625	\$429.95

320K DISK DRIVES

DOUBLE-SIDED, DOUBLE-DENSITY
FOR IBM PC

\$199⁹⁵

CHOICE OF
Tandon
Teac

LOCAL AREA NETWORKS For IBM PC

QUADNET II	\$995	\$679.95
QUADNET VI	\$1995	\$1689.95
QUADNET IV	\$2295	\$1989.95
AST-PCnet II	\$495	\$399.95
ORCHID TECHNOLOGY	\$595	\$499.95

DISKETTES For IBM PC

High quality double-sided, double-density diskettes. certified to be absolutely error free. Box of ten, warranted for one year

Box of 10 w/FREE plastic case — \$39 \$19.95

AST FOR IBM PC

SIX PAK PLUS 64K	\$395	\$269.95
SIX PAK PLUS 256K	\$695	\$489.95
SIX PAK PLUS 384K	\$945	\$569.95

MEGA PLUS 64K	\$395	\$269.95
MEGA PLUS 256K	\$665	\$429.95
MEGA PLUS 512K	\$1095	\$799.95

I/O PLUS	\$165	\$119.95
----------	-------	----------

MP 64K	\$295	\$199.95
MP 128K	\$395	\$249.95
MP 192K	\$495	\$299.95
MP 256K	\$595	\$349.95

IBM VIDEO BOARDS

HERCULES COLOR	\$245	\$198.95
HERCULES GRAPHIC	\$499	\$339.95
PLANTRONICS COLOR+	\$549	\$379.95
STB GRAPHICS+	\$495	\$379.95
QUADCOLOR I	\$295	\$209.95
AMDEK MAI	\$649	\$349.95
AST MONOGRAPH+	\$595	\$449.95

64K RAM UPGRADE FOR IBM PC

High speed RAM upgrade kit with FREE! parity (error detection) and one year warranty

	List	Your Price
64K KIT For IBM PC	\$90	\$49.95
128K KIT For IBM PC	\$180	\$95.95
192K KIT For IBM PC	\$270	\$143.95
256K KIT For IBM PC	\$360	\$199.95
384K KIT For IBM PC	\$540	\$289.95

QUADRAM FOR IBM PC

	List	Your Price
QUADBOARD No RAM	\$295	\$234.95
QUADBOARD 64K	\$395	\$275.95
QUADBOARD 128K	\$495	\$339.95
QUADBOARD 256K	\$595	\$399.95
QUADBOARD 384K	\$795	\$595.95
QUADLINK	\$680	\$449.95
QUAD 512 PLUS 64K	\$325	\$219.95
QUAD 512 PLUS 256K	\$550	\$389.95
QUAD 512 PLUS 512K	\$895	\$549.95
QUAD COLOR I	\$295	\$209.95
QUAD COLOR II	\$275	\$199.95
AST MONOGRAPH+	\$595	\$449.95
QUAD VIEW	\$345	\$259.95

CALIFORNIA DIGITAL

Post Office Box 3097 B • Torrance, California 90503

FREE

Your Choice

Second Drive or Monitor

SANYO

IBM COMPATIBLE

\$895

The Sanyo MBC-550 Microcomputer includes 128K byte of memory, a 5 1/4" disk drive along with a parallel printer port. The computer outputs both RGB color and monochrome composite video. Extensive software such as Sanyo Basic, Wordstar, Calcstar and Easy Writer I is included with the MBC-550.

Along with all this California Digital offers "FREE" your choice of either a second disk drive, or a high resolution green or amber screen monitor. All at the super low price of only \$895.

Double sided 320K/byte disks drives are available at only \$99 per drive additional.

IBM PC

\$899

System I includes 64K byte of memory one 320K byte double sided disk drive, and keyboard. Monitor and monitor interface available. System II includes 256K byte of memory two 320K byte disk drives, Sakata color monitor, Peacock color card with printer port all for only \$2899.

PRINTERS



The RICOH RP1300 is a 35 cps word processing daisy wheel printer ruggedly constructed assuming you of a long trouble free life. Besides its speed, it also features 66 print, bi-directional printing, proportional spacing, bold print, shadow print, automatic underlining, forward and reverse indent, plus other user programmable features. Making the RP1300 a "Best Buy" among OEM system integrators. The printer is supplied with pinwheel, ribbon, and paper guide. Supplies are available from any Radio Shack Computer Center as well as many local stationary stores.

This printer is an OEM type originally manufactured for the Decipher Corporation. It is available with an RS-232 serial interface only. Interfacing documentation along with special Wordstar software driver suitable for the IBM/PC and IBM look-alikes is included. RIC-1300 \$595.

MATRIX PRINTERS

StarGamma-10x120 char/sec	STR-G10X	279.00
StarGamma-15x100 char/sec 15" paper	STR-G15X	389.00
StarGamma Delta 10.1 60 Char/sec	STR-O10	399.00
StarGamma 8007 T. ribbon & tractor	VST-C8007	119.00
Toshiba P1350, 192 char/sec, letter quality	TOS-1350	1495.00
Okidata 82A serial & parallel 9/6" paper	OKI-82A	347.00
Okidata 92A dot-matrix interface, 160 char/sec	OKI-92A	427.00
Okidata 83A parallel 15" paper	OKI-83A	567.00
Okidata 84A & parallel 15" paper	OKI-84A	997.00
Okidata 2350 (new) 360 char/sec	OKI-2350	1995.00
Epson RK-810 120 Char/sec	EPS-RK810	317.00
Epson FX-80, 10" 160 char/sec, w/ribbon/printer	EPS-FX80	529.00
Epson FX-100 15" 180 char/sec, w/ribbon/printer	EPS-FX100	718.00
Epson MX-100 with graphics 15" paper	EPS-MX100	589.00
NEC CB224 parallel 9/6" paper, graphics	NEC-CB224	389.00
OKI 9501 high speed with graphics	OKI-9501	1029.00
Quantex 9620B 200 char/sec, p/21.4 serial	ADK-9620B	1129.00
Quantex 7030 correspondence quality 180 char/sec	QTK-7030	1529.00
Printer 851 0.24 inch/sec, paper	PRN-851	699.00
Printer & parallel 115" paper, graphics	PRO-PZ	685.00
Daliproducs B-500-3, band printer 600 LPM	DP-B500	699.00
Printron 6300 high speed 600 lines per minute	PTK-6300	4250.00
Printron 6600 ultra high speed 600 lines per minute	PTK-6600	5795.00

WORD PROCESSING PRINTERS

NEC7710 55 char/sec, serial interface	NEC-7710	1979.00
NEC7730 55char/sec, parallel interface	NEC-7730	1979.00
NEC3550 popular printer designed for the IBM/PC	NEC-3550	1799.00
NEC2050 designed for IBM/PC 20 char/sec, parallel	NEC-2050	929.00
Sierra Reed EXP-500, 14char/sec, parallel interface	SRD-EXP500	459.00
Sierra Reed EXP-550 17 Char/sec, parallel interface	SRD-EXP550	659.00
Dalib 6300 char/sec, serial	DBL-6300	1765.00
Dalib 6500, proportional spacing, high & vert bar 20cps	DBL-6500	2199.00
J&J 6100, 18 char/sec, graphic mode	J&J-6100	495.00
Brother H1R1A daisy wheel, parallel interface	BTH-H1R1A	695.00
Brother H1R1A serial interface	BTH-H1R1P	695.00
Stawler F10 serial, 40 char/sec	PRO-F10S	1125.00
Stawler F10 parallel, 40 char/sec	PRO-F10P	1125.00
Comtec CR1 word processing printer, serial/parallel	CRX-CR1S	799.00
Comtec CR2, 36 char/sec, proportional spacing, parallel	CRX-CR2P	495.00

MONITORS

BMK 12A green phosphor 15 MHz composite video	BMK-12A	78.95
BMK 12B high resolution 15 MHz composite video	BMK-12B	119.00
BMK 300A 12" green phosphor	AMK-300A	129.95
BMK 300B 12" green phosphor, hi resolution	AMK-300B	189.95
Amoco 310A designed for IBM/PC, 18 MHz, composite video	AMK-310A	156.95
Zenith ZVM122 Amber Phosphor 12" 40/80 column switch	ZTM-122	94.95
Zenith ZVM123 green phosphor 12" 40/80 column switch	ZTM-123	94.95
NEC JBT101 green phosphor 18 MHz, composite video	NEC-JBT101	159.00
NEC JBT260 commercial grade composite	NEC-JBT260	119.00
USI Amber screen 12" composite monitor	USI-12A	149.00
Motrola 23" open frame black white composite video	MOT-WB23	159.00
Motrola 12" open frame requires horz sync & power	MOT-WB12	99.00
Comarc 31" open frame requires horz sync & 12v supply	COM-WB31	59.00

BMK AL9191H Color composite video with sound	BMK-9191H	238.95
BMK 9191A RGB designed for use with the IBM computer	BMK-9191A	379.00
NEC J1203AK, RGB color monitor	NEC-1203	699.00
NEC J1201 color composite video	NEC-J1201	299.00
Termin ZVM133 RGB & composite suitable for IBM PC	ZTM-133	239.00
Amoco Color 13" composite video	AMK-200	419.95
Amoco Color II - 13" RGB medium resolution	AMK-300	359.95
Amoco Color III - 13" RGB medium resolution	AMK-400	478.95

TERMINALS

California Digital has recently purchased an OEM liquidation, of new Hazeltine 1420 video terminals. These units feature direct cursor addressing, full 62 key keyboard with numeric cluster, RS-232C with baud rates selectable to 9600. Self diagnostics and escape sequences function mode make this terminal an excellent value at only \$299.00. HZL-1420

Hazeltine 1420 Video Display Terminal	HZL-1420	299.00
Freedom 100 split screen detachable keyboard	LIB-F100	495.00
Dume 102 green phosphor terminal	QUM-102	539.00
Visual 50 Green screen	VIS-50	659.00
Ampea Dialogue 125 green screen	APK-D125G	675.00
Ampea Dialogue 175 amber screen two page, func keys	APK-D125A	719.00
Wys 100, 14" green phosphor	WYS-100	598.00
Wys 100, horz & vert split screen metal enclosure	WYS-100	795.00
Wys 300 English color display sub-console	WYS-300	1158.00
Televideo 91D Plus block mode	TVI-91DP	5150.00
Televideo 92S detachable keyboard 22 function keys	TVI-92S	7590.00
Televideo 92S graphic chair split screen 22 func	TVI-92S	9500.00
Televideo 970 14" green screen 132 column European	TVI-970	999.00
Zenith 29 terminal, VHS compatible, detachable keyboard	ZTN-229	765.00

Apple II/e, 64K computer only \$929

Apple II/e, 64K computer only	APL-2E	598.99
Apple II/e starter kit, monitor, disk, 80 col card	APL-2ESK	1365.00
Advanced Business Tech 13 Key Pad	ABT-13B	109.00
Calif. Computer 7710A Async Serial Interface	CCS-7710	125.00
Calif. Computer 7710B same but for modem	CCS-7710B	125.00
Calif. Computer 7114A 12K PROM module	CCS-7114	99.00
Calif. Computer 7720A parallel interface	CCS-7720	99.00
Calif. Computer 7721A Caland/or clock modular	CCS-7721	99.00
Calif. Computer 7729A Centronics interface	CCS-7729	99.00
Calif. Computer 7740A programmable I/O	CCS-7740	99.00
California Digital 16K card for standard Apple II	CAL-A16	39.00
Hayes Microcom II for Apple II	HYS-MM2	279.00
Kensington Micro System saver kit	KEN-SF1	75.00
Microsoft Softcard with CP/M, Z-80	MIS-SFTCD	239.00
Mountain Computer The Clock	MTN-CLK	225.00
Mountain Computer AD/DA 1.6 input, 8bit	MTN-ADDA	269.00
Mountain Computer ROM Plus with keyboard filler	MTN-RMP	169.00
Mountain Computer ROM writer/socket socket	MTN-RMWW	139.00
Orlando Micro CRAPLET parallel interface	ONS-G2	135.00
Sorrento Valley 8 controller double side D/D	SVAZ23	305.00
TEAC 5 1/4" disk drive for Apple II	TEA-A2	269.00
Vista Vision 80: 80 column card for Std Apple II	VSA-VIS80	289.00
Vista 8" disk controller double side D/D	VSA-AB80	389.00

ASCII KEYBOARD \$49



California Digital has purchased over 3000 best Microswitch keyboards from the General Dynamics Corporation 93 ASCII encoded full effect switches includes 8 function keys and 14 key numeric cluster make this keyboard an excellent value at only \$49. MC-93G0 510x

We also have available a matching General Dynamics Steel Inset. S10

Non-encoded 58 key metal contact keyboard. HIK-58 S2a 95 Matching 15 key numeric cluster 58 95. HIK-58 B For only \$29.95. HIK-58 B15

Not included 49 key punch coded Microswitch keyboard. HIK-49 H15 effect keyboard. REMOVED from keyboard equipment. H15 95. DIT-4949 ASCII encoder available

Advanced Logic Systems

CP/M 3.0 CARD \$179

Includes Digital Research C/P/M Plus



California Digital has just purchased from Digital Research over eight hundred of the Advanced Logic Systems CP/M 3.0 cards. This unique product offers performance up to 300% faster than existing Apple CP/M cards.

Featuring a 6 MHz, Z80B micro-processor, 64K/byte of on board memory, with CP/M 3.0 along with GSX 80 graphics and CBASIC. The ALS card supports larger programs with enhanced CP/M editing features. Manufacturers suggested price on the CP/M card is \$399, while supplies last California Digital is offering this card at only \$179. ALS-Z80

S-100 BOARDS

16 BIT MICROPROCESSORS		
Octagon dual CPU 8088/286 & controller	OC1-88/286	795.00
Intel 8088/8088 8088 microprocessor 15 pin	OC1-8887	95.00
Intel 8088/8088 8088 microprocessor 16 pin	OC1-8888	49.00
Intel 804	INT-804	59.00
AMD 280	AMD-280	75.00
Intel 581	INT-581	89.00
Intel 8081	INT-8081	69.50
SINGLE BOARD COMPUTERS		
Insight ED 4 128K 4 serial ports S-100	INS-ED4	299.00
Advanced Digital Pumpy 6.5K	ADL-780	60.00
Inteles System master 105 floppy 6.4K	INT-SM1	275.00
Inteles 100 16 serial ports, no memory	INT-100	225.00
8 BIT MICROPROCESSORS		
Goodbox 280 2 bit extended data	GBT-280	299.00
California Computer 128K microprocessor	CCS-128	275.00
Terbel 220 with two RS232 ports	TAR-220	339.00
FLOPPY DISK CONTROLLERS		
Goodbox 160 4 double density	GBT-160	395.00
California Computer 242A with CP/M	CCS-242	339.00
Motorola Jockey II with CP/M 2.2	MOS-D22	350.00
Motorola Jockey I with CP/M 1.1	MOS-D11	225.00
Target Electronics double density	TAR-D1C	419.00
Target Electronics single density	TAR-D1S	275.00
Fusion CR4 Demolition 1.00 harddisk	FAL-D01	199.00
CPM OPERATING SYSTEM		
Digital Research CP/M 3.0 80 char	DR-CPM30	299.00
Goodbox CP/M 2.2 for Disk II	GBT-CPM22	159.00
Target Electronics CP/M 2.2	TAR-CPM22	159.00
HARD DISK CONTROLLERS		
Octagon hard disk controller with E	OC1-HD1	475.00
Goodbox Disk 2 8 1/4" harddisk	GBT-DSK2	569.00
Goodbox Disk 3 10 1/4" Winchester	GBT-DSK3	695.00
Motorola Design Research 5 1/4" HD	MOS-HD5	495.00
Western Digital controller HD 1001	WD-1001	195.00
EPROM BOARDS		
Intel Access EPROM for intel 8088, 8086, 8010	INT-8088	269.00
Digital Research PROM board 32k	DR-P32	119.00
Duo 512/64	DUD-512/64	299.00
Quadram 512 - 512K memory & serial	QUO-512/512	539.00
Quadram 64K Four Function	QUO-64F	495.00
Quadram 256K Four Function	QUO-256F	429.00
AST MegaPlus 64K, RS232 - clocked	AST-M64K	357.00
AST 100 Plus	AST-100	199.00
AST 100 Plus with 16K, 16K serial & parallel	AST-100P	257.00
AST Advanced Communications Card	AST-ACC	299.00
Peacock color & line card w/printer port	PAK-C100	259.95
Mercedes Graphics Card	HGS-G100	337.95
STB 64K memory expandable to 256K	STB-64	281.00
SIB 128K memory card	SIB-1128	255.00
SIB 10 Printer Interface	SIB-10	235.00
SIB 10 64K serial 1 par 1 game port	SIB-10S	395.00
SIB Super R10 64K 2S 64K 64K card	SIB-64S	255.00
SIB Super R10 256K	SIB-256	279.00
SIB Super R10 64K 2S 64K 64K	SIB-64S1	295.00
SIB Super R10 Pippage 256K	SIB-256P	429.00
Hayes 1200B internal modem for IBM/PC	HYS-1200B	475.00
Quadcom 1200 1200 internal modem	QUC-1200	29.00
Monie Carlo 64K plus 5 P port, 64K	MCR-61	325.00
Vista Maticard Ram expandable to 512K	VMA-512B	257.00

MAINFRAMES & MOTHER BOARDS

Eliteco 044 series 22 slot	ELI-044	149.00
Goodbox Eliteco 20 slot	GBT-20S	679.99
California Digital 16 slot mother board	CAL-16S	29.00
California Digital 12 slot mother board	CAL-12S	181.99
SIB 1128 memory card	SIB-1128	255.00
SIB 10 Printer Interface	SIB-10	235.00
SIB 10 64K serial 1 par 1 game port	SIB-10S	395.00
SIB Super R10 64K 2S 64K 64K card	SIB-64S	255.00
SIB Super R10 256K	SIB-256	279.00
SIB Super R10 64K 2S 64K 64K	SIB-64S1	295.00
SIB Super R10 Pippage 256K	SIB-256P	429.00
Hayes 1200B internal modem for IBM/PC	HYS-1200B	475.00
Quadcom 1200 1200 internal modem	QUC-1200	29.00
Monie Carlo 64K plus 5 P port, 64K	MCR-61	325.00
Vista Maticard Ram expandable to 512K	VMA-512B	257.00

IBM BOARDS

Shipping: First five pounds \$3.00, each additional pound \$.50. Foreign orders: 10% shipping, excess will be refunded. California residents add 6 1/2% sales tax. COD's discouraged. Open accounts extended to state supported educational institutions and companies with a strong "Dun & Bradstreet" rating. Retail location: 17700 Figueroa Street, Carson CA. 90248.

TOLL FREE ORDER LINE
(800) 421-5041
TECHNICAL & CALIFORNIA
(213) 217-0500

Telex 753607

VISA

master charge

SPECIAL PRICES

For the 4th of July Shopper

We Will Beat All Competitor's Prices!

Franklin Computer

- ★ 1200 OMS
- ★ 2 Drives, Apple Compatible
- ★ CPM Compatible
- ★ Hi-Res Green Monitor
- ★ Ace Calc, Ace Writer, C Basic

List \$2295 **\$1495**

Apple Computer

- ★ Apple IIE
- ★ 64K cpu

List \$999 **\$799**

IBM PC

- ★ PC w/256K
- ★ 2 Drives

List \$2999 **\$2249**

Mitsubishi Disk Drive

- ★ 4853, 96TPI
- ★ Slimline/SA 465 Comp.

List \$399 **\$169**

Siemens Disk Drive

- ★ FDD100-8
- ★ Sgl. Side/Dbl. Density

List \$399 **\$119**

FDD200-8 Dbl/Dbl **\$180**

Tandon

- ★ TM100-2
- ★ Dbl./Dbl. 360K

List \$399 **\$195**

Hayes Microcomputer

- ★ 1200 Baud
- ★ Stand alone
- ★ Hi-Res. Amber Monitor

List \$649 **\$489**

64K Memory Chips

- ★ All Prime Parts
- ★ 90 Day Warranty

4164-150NS — **\$5.75 ea.**
 4164-200NS — **\$5.40 ea.**
 4164-250NS — **\$5.20 ea.**
 9 chips needed for 64K

Okidata Printer

- ★ ML92A
- ★ 160 cps
- ★ Correspondence Quality

List \$599 **\$409**



with these Specials!

Apple Compatible Drives

	QUANTITY		
	1	2	10
Micro Sci			
A-2, 35 Track Controller	\$200	\$190	\$180
	80	70	65
Quentin Research			
Apple Mate Controller	\$195	\$185	\$175
	65	55	45
Rana Systems			
Elite I	\$240	\$235	\$225
Elite II, Dbl. Head	35	345	335
Elite III, Quad Density	455	445	435
Controller Controls 4 Drives	90	80	75
Half Height			
FD525A Fully Applecom.	\$150	\$140	\$130

5 1/4" Disk Drives

	QUANTITY		
	1	2	10
Teac			
FD55A, 160K	\$160	\$150	\$140
FD55B, 360K	180	170	160
FD55F, Quad Density	200	190	180
All Teac's are Half Heights			
Tandon			
TM100-1, 160K	\$200	\$190	\$180
TM100-2, 360K	195	190	185
TM101-4, Quad Density	280	270	260
TM55-2, 360K 1/2 Height	220	210	200
MPI			
B-52, 360K PC Compatible	\$200	\$190	\$180
Shugart			
SA400, 160K	\$200	\$190	\$180
SA455, 360K 1/2 Height	220	210	200
SA465, Quad Den. 1/2 Height	230	220	210
Mitsubishi			
4851, 1/2 Height	\$220	\$210	\$200
4853, Quad Den. 1/2 Height	169	169	169
Control Data Corp.			
CDC9409, 360K	\$230	\$220	\$210
CDC9409T, Quad Density	300	250	200
Matsushita			
JA-155	\$160	\$150	\$140
Chinon			
FD55A (same as Teac) 160K	\$140	\$130	\$120

8" Disk Drives

	QUANTITY		
	1	2	10
Siemens			
FDD-100-8	\$119	\$115	\$110
FDD-200-8	180	170	160
Shugart			
801R, Sgl./Dbl.	\$360	\$350	\$340
851R, Dbl./Dbl.	470	460	450
Tandon			
TM848-1, Sgl./Dbl. 1/2 Ht.	\$350	\$340	\$330
TM848-2, Dbl./Dbl. 1/2 Ht.	400	390	380
Mitsubishi			
M2894-63, Dbl./Dbl.	\$410	\$400	\$390
M2896-63, Dbl./Dbl. 1/2 Ht.	410	400	390
Qume			
DT8, Datatrak 8	\$450	\$440	\$430
5 1/4" & 8" Power Supply & Cabinets			
QUANTITY			
1 2 10			
PC Products 5 1/4"			
Single Cabinet w/ pwr	\$ 70	\$ 60	\$ 50
Dual Thinline Cab w/ pwr	80	70	60
Dual Cabinet & Power	80	70	60
All have 6 month Warranty			
PC Products 8"			
Sgl. Cabinet w/ pwr & fan	\$220	\$210	\$200
Dual w/ pwr for 2 thinlines	220	210	200
Dual w/ pwr & fan	270	260	250

FOR YOUR LARGEST SINGLE COMPUTER OUTLET
 and the LOWEST PRICES in this Magazine
CALL 800-847-1718



THIS MONTH ONLY FREE Shipping for all Prepaid Orders



COMPUTER SYSTEMS

Apple	
CPU Only	\$ 799
McIntosh	2195
Portable	1150

Compaq	
Portable (PC Compatible)	\$1995

Franklin	
Ace 1000 64K	\$ 700
Ace 1200OMS	1450

Kaypro	
Kaypro II	\$1149
Kaypro 4+	1695
Kaypro 10	2495

IBM	
PC 64K, 2-Drives	\$2150
XT Hard Disk Drive, 128K	4495
PC Portable	Call

SANYO	
MBC-550 PC Compatible	\$ 699
MBC-555 2-Drives, more software	1099

APPLE ADD ON'S

ALS	
Z Card	\$ 119
CPM 3.0 Card	269

Astar	
RF Modulator	\$ 15
Fan w/ Surge	29

Kensington	
System Saver	\$ 69

Koala	
Graphics Tablet	\$ 89

Kraft	
Joystick	\$ 49

Micro Max	
Viewmax 80, 80 col. card	\$ 139
Viewmax 80E (F for IIE) 64K	129

Micro Soft	
16K Card	\$ 69
Premium Soft Card IIE	369
Multiplan	189
Soft Card (Z80)	239

Micro Tek	
Bam 16, 16K Memory	\$ 59
Serial Interface	89

TG	
Joystick	\$ 44
Select-A-Port	31
Paddles	34

IBM ADD ON'S

Ast Research	
Six Pack +	\$ 274
Mega +	274

IBM	
Monochrome Adapter	\$ 319
Color Card	245

Plantronics	
PC+ w/Software	\$ 389

Quadram	
Quad Color Card	\$ 219
Quad Link	479

64K Upgrade	
64K of Memory	\$ 48
USI Research	
Paradise Systems multi-display card	\$ 389

MODEMS

Anchor	
Mark VII 300Baud	\$ 139
Mark XII, 1200Baud	279

Hayes Micro Computer	
Smart Modem 300 Baud	\$ 199
Smart Modem 1200 Baud	489
Smart Modem 1200B for PC	399
Micro Modem IIE	239

Novation	
J-Cat	\$ 119
Apple Cat II	259

PRINTERS

Dynax	
DX15, Letter Quality	\$ 449
DX25	729

Epson	
RX-80 (120 cps)	\$ 319
RX-80FT (120 cps) Friction & Tractor	419
FX-80 (160 cps)	519
FX-100 (160 cps) 15" Carriage	729

Okidata	
82A (120 cps) Par & Ser Inter.	\$ 299
83A (15" Carriage)	569
84P (200 cps) Friction & Tractor	999

New Series Okidata	
92P (160 cps)	\$ 429
93P (15" Carriage)	699

Star Micronics	
Gemini 10X (120 cps)	\$ 279
Gemini 15X (120 cps) 15" Carriage	399
Power type (18 cps) Ltr. qual.	479

PRINTER INTERFACES

Cables	
IBM to Printer	\$ 29
Kaypro to Printer	29
RS232 Cables	29

Fourth Dimension	
Card & Cable	\$ 49

Microtek	
Dumpling GX (Grappler Compatible)	\$ 89
Dumpling GX exp to 64K	149
Dumpling GX 16K w/16K exp to 64K	169
for each additional 16K	15

Okidata Options	
Tractor for 82 & 92	\$ 59
Serial Interface	99

Drange Micro	
Grappler +	\$ 114
Grappler + w/16K	179

Star or Epson	
Epson Serial Interface	\$ 119
Star Serial Interface	59

Wesper Micro	
Wizard Full Graphics Interface	\$ 89

MONITORS

Amdesk	
Color I + Composite Video	\$ 289
Color II + RGB Video	419
300C, 12" Green	139
300A, 12" Amber	149
310A, Monochrome Amber	179

BMC	
9191 Color New Version	\$ 239

IBM	
Monochrome HI Res Green	\$ 319

Princeton Graphics	
PGS HX-12, IBM Copy	\$ 469
PGS SR-12, Hi-Res Color	649
PGS MAX-12, 12" Monochrome	199

USI	
PI 1, 9" Green, Hi Res, 20MHz	\$ 100
PI 2, 12" Green, Hi Res, 20MHz	100
PI 3, 12" Amber, Hi Res, 20MHz	100
PI 4, 9" Amber, Hi Res, 20MHz	100

Zenith	
ZVM122, Hi-Res Green	\$ 109
ZVM123, Hi-Res Amber	109

DISK DRIVE CABINETS

5 1/4" Cabinets	
Single Cab. w/power supply	\$ 70
Dual Cab. w/power supply	80
Dual Thinline Cab. w/pwr. sup.	80

8" Cabinets	
Single Cab. w/fan & power supply	\$ 220
Dual Cab. w/fan & power supply	270

5 1/4" DISKETTES

CCU	
Sgl/Dbl reinforced hub	\$17 100 for 150
Dbl/Dbl reinforced hub	22 100 for 200
Not Bulk Packed	

Dysan	
Sgl/Dbl	\$33 100 for 300
Dbl/Dbl	39 100 for 370

Maxell	
MD1 Sgl/Dbl	\$25 100 for 235
MD2 Dbl/Dbl	38 100 for 360

Verbatim	
Sgl/Dbl	\$26 100 for 240
Dbl/Dbl	36 100 for 340

8" DISKETTES

Dysan	
Sgl/Sgl	\$34 100 for 320
Dbl/Dbl	53 100 for 480

Maxell	
Sgl/Dbl	\$44 100 for 380
Dbl/Dbl	50 100 for 469

Verbatim	
Sgl/Sgl	\$30 100 for 280
Dbl/Dbl	40 100 for 360

DISK ACCESSORIES

Verbatim	
8" or 5 1/4" Head Cleaning Kit	\$ 9

Flip Tub	
5 1/4" Holds 50 disks, plexiglass	17
5 1/4" Holds 70 disks, plexiglass	21

RETAIL STORE:

11976 Aviation Blvd.
Inglewood, CA 90304

MAIL ORDER:

P.O. Box 1936
Hawthorne, CA 90250

Mon.--Fri. 7 a.m. to 6 p.m.
Sat. & Sun. 10 a.m. to 5 p.m.

This Ad Supersedes All Others
No Surcharge for Credit Card.

Sales Desk

(800) 847-1718 (213) 643-5188
Outside California Inside California

Customer Service & Technical

(213) 643-5191

All merchandise new. We accept MC, Visa, Wire Transfer, COD Call, Certified Check. P.O.'s from qualified firms, APO accepted. Shipping minimum \$4.50 first 5 pounds. Tax: California Res. Only add 6 1/2% sales tax.

Prices Subject to Change

Circle 59 on inquiry card.

Computer
Components
Unlimited
A California Corporation

PRICES REDUCED DRASTICALLY

CALL TOLL-FREE (800) 545-2633

DISK DRIVES

SHUGART		
5 1/4" SA400 (35 TR) 160K		149.00
5 1/4" SA400L (40 TR) 190K		175.00
5 1/4" SA455L (40 TR) 320K 1/2 HGT		195.00
8" SA801R(SS/DD) 600K		355.00
QUME		
5 1/4" 142 (40 TR) 320K 1/2 HGT		200.00
8" DT8 (842)		490.00
MITSUBISHI		
8" M-2896-63 Thinline 8" DS/DD 1.2 MG		419.00
8" M-2894-63 (110V) Standard 8" DS/DD 1.2 MG		419.00
5 1/4" M4853 Quad Density		199.00
CDC		
5 1/4" 9409-DS/DD		225.00
TANDON		
5 1/4" TM100-1 SS/DD 160K		139.00
5 1/4" TM100-2A DS/DD (320K)		199.00
FOR IBM-PC		
TM101-4 (96 TPI Quad Den)		299.00
MPI		
5 1/4" B-51 40TR SS/DD 180K		150.00
5 1/4" B-52 40TR DS/DD 320K (FOR IBM PC)		195.00

DRIVE CABINETS

8" CABINETS		
8" DDC88V28 w/PS vertical for 2-8" drives		269.00
8" DDC88T-1 w/PS vertical-for 2 or 4-8" thinline drives		269.00
8" DDC88T-2 w/PS vertical for 2-8" thinline drives		155.00
8" DDC8V w/PS vertical for 1-8" drive		249.00
8" DDC88H w/PS horizontal for 2-8" drives		269.00
5 1/4" CABINETS		
5 1/4" DDC5H w/PS horizontal-for 1-5 1/4" drive		55.00
5 1/4" DDC5V w/PS vertical-for 1 ea 5 1/4" drive		50.00
5 1/4" DDC55V w/PS vertical-for 2-5 1/4" drives (NEW)		85.00
NEW "SLIMLINE" DRIVE CABINET		
5 1/4" DDC55H 1/2 w/PS horizontal for 2 ea 5 1/4" drive - Specify DRIVE		75.00
All Cabinets Available with Extender Connector Add \$10.00 ea.		

DATA CABLES

8" DSC 88-2SKT-for 2-8" drvs w/skt. conn.		20.00
5 1/4" DSC55-2SKT-for 1-5 1/4" drvs w/skt. conn.		20.00
RS232MM-5" (male to male)		19.00
IBM to PAR or COLUMBIA to PAR		24.00
Osborne to PAR		26.00
Kaypro to PAR		26.00

Many Others Available

AC SURGE ELIMINATORS

Lemon (6AC outlets-3 prong)		44.00
Lime (5-3 prong pwr cord w/on-off switch)		69.00
Orange-AC surge + EMI filter (6 outlets)		95.00
Peach (3 outlets) AC surge/EMI filter		69.00

PRINTERS

DAISYWRITER				
Daisywriter 2000-48K Buffer/20T040CPS Letter Quality Par or Serial		999.00		
DIABLO				
620 (25CPS/Serial)		920.00		
630 (40CPS/Multi-IF)		1,799.00		
630 ECS/IBM		2,100.00		
DYNAX				
Dynax-15 Par-13CPS Daisywheel 2 color PTG-3K buff		449.00		
Dynax 15 Serial-13CPS Daisywheel		525.00		
EPSON				
FX80 (160 CPS-Par 10")		485.00		
FX100 (160 CPS-Par 15")		719.00		
JUKI				
6100-18CPS/Diablo Compatible Par/Daisywheel		438.00		
MANNESMAN-TALLY				
Spirit 80CPS Par 10"		289.00		
160L (160CPS-40CPS Letter Quality 10")		589.00		
180L (160CPS-40CPS Letter Quality 15")		799.00		
OKI-DATA				
Microline 82A (SER & PAR-120CPS 10")		299.00		
Microline 83A (SER & PAR-120CPS 15")		569.00		
Microline 92 (PAR-160CPS-LTR-10")		419.00		
Microline 93 (PAR-160CPS-LTR-15")		700.00		
Microline 84P (PAR-200CPS-LTR-15")		1,000.00		
Microline 84S (SER-200CPS-LTR-15")		1,100.00		
STAR MICRONICS				
GEMINI 10X NEW VERSION (PAR-120CPS-10")				268.00
Gemini 15X (PAR-120CPS-15")				395.00
TOSHIBA				
P1340 - Smaller version of 1350 / 10" Carriage / 112 CPS Draft Mode / 54 CPS Ltr Quality 895.00 (List Price \$1395)				
P-1350 - 192 CPS Draft Mode / 120 CPS Ltr Quality / Specify Par or Serial				1,699.00

MODEMS

Hayes 300		219.00
Hayes 1200		

OUR BEST BUY

ANCHOR MARK XII

300/1200 Band Auto Answer/Auto Dial Direct Connect Intelligent Modem w/RS 232 Cable Included 2 Telephone Jacks, Low Power (60 MA) Dial Tone Detect

DISKETTES

15% Discount for Qty 100

FOR APPLE, ETC.

5 1/4" Soft Sector SS/DD		15.00
For IBM PC & PARTNERS		
5 1/4" Soft Sector DS/DD		20.00

- Lifetime Warranty
- All have Hub Rings and PLASTIC CASE

APPLE FRANKLIN

ACCESSORIES

ALS		
CPM 30 Card		269.00
Z-Card II		119.00
Smarterm 2 - 80 Col Video for 2+		139.00
COOL TIME		
Fan, Surge Protection, Real Time Clock 2 Outlets for Printer & Monitor		85.00
GENERIC		
16K RAM Add-on		45.00
HAYES JOYSTICKS		
Mach II (For II & IIE)		33.95
Mach III (with firing button)		42.95
HAYES MODEM		
Micro-Model IIE w/terminal package		239.00
MICRO-MAX		
View Max 80 (80 Col for II *)		149.00
View Max 80E (80 Col w/64K Memory Expands to 128K)		139.00
ORANGE MICRO		
Parallel Interface (No Graphics)		61.00
Gripper + (Graphics Interface)		119.00
Gripper + 16K (Buffer and 5 to 64K)		175.00
Buffer Board		135.00
TG PRODUCTS		
Joy Stick-Far Apple II +		38.00
Paddles		29.00
Selecta Port		38.00
VIDEX		
Ultraterm		279.00
Videterm with SoftSwitch		219.00

APPLE DISK DRIVES

STANDARD SIZE

Micro Sci A-2 (35TR)		189.00
----------------------------	--	--------

1/2 SIZE

Super 5" "Green" Thinline 163K 40TR Belt Drive		179.00
Super 5" "Blue" Thinline 163K 40TR Direct Drive		189.00
Super 5" "Red" Thinline 163K 40TR Teac Drive		200.00

RANA

RANA 1		239.00
RANA 2 Dbl Sided		339.00
RANA 3 Quad Density		429.00

ALL DRIVES 1 YR. WARRANTY

APPLE DISK CONTROLLERS

Micro-Sci (35TR)		60.00
Generic (35TR)		50.00
Micro-Sci (40TR)		89.00
RANA		85.00

OKI-DATA 92 Printer

160CPS - Par Port
Ltr Quality
Only **\$419.00**

DAISY-WRITER 2000

With Tractor - 20/40 CPS
Daisy wheel - Ltr Quality
Only **\$999.00**

SANYO PRODUCT

- Teac FD55B - DS/DD With Software Only **\$229.00**
- Serial Interface With Cable, Software **\$69.00**

PRO-MODEM 1200

- 300/1200 BAUD
 - Hayes Compatible
 - Auto Answer/Originate
 - Clock/Calendar
 - Auto Dial
- Only **\$368.00**



TERMS

Open account to state supported universities & companies with high Dun & Bradstreet rating.

Visa, MC, Check or Money Order U.S. funds only. Minimum order \$15.00



1-801-972-2717

TOLL FREE
1-800-545-2633

CONTINENTAL U.S.

Minimum Shipping \$3.00
in the Continental U.S.A.



WE WILL BEAT ANY ADVERTISED PRICE!

IBM ACCESSORIES

AST PRODUCTS
 Combo Plus (Serial/Par/CLK 64 to 256K) 259.00

OUR BEST BUY

Six Pak Plus (Serial/Par/CLK/64K
 Expands to 384K) 269.00
 Six Pak Plus (Serial/Par/CLK/384K) 569.00

Meg-A-Plus (Serial/CLK/64K
 Expands to 256K) 269.00
 Meg-A-Pak (Expands Meg-A-Plus
 to 512K) 270.00

D.C. HAYES

Smartmodem 1200B-Smartcom 2
 w/software 399.00

KEYTRONICS

5150Keyboard..... 199.00
 5151Keyboard..... 229.00

MAYNARD

Floppy Controller 160.00
 Floppy Controller (Serial) 230.00
 Floppy Controller (PAR) 210.00

Sandstar MOD-FDC

(for 5 1/4" or 8" drives) 205.00
 Parallel MOD 60.00
 SANDSTAR Serial-MOD 79.00
 MOD-FDC Clock Calendar MOD 69.00
 Game Adapter MOD 49.00

Sandstar Multi-Function Bd (Holds up to
 6 modular add-ons) 82.00
 NEW 10 MG Hard Disk (Internal)
 w/Controller 995.00

IBM COLOR CARDS

P.C. PRODUCTS CORP

Rainbow ColorCard 529.00
 • 4 Times Better Than IBM Color
 • Expands to 128K RAM • PAR Port
 • Serial Port • Game Adapter • Light Pen Intf
 • Mono Output • Composite Output

Hercules 339.00
 PC Peacock 299.00

PRINCETON GRAPHICS

HX-12-Hi-Res Color 479.00
 SR-12-Super Hi-Res Color 649.00

QUADRAM

Quadlink 449.00
 Quadcolor 1 199.00
 Quadcolor 2 199.00
 Quadboard 1 (No memory) 199.00
 Quadboard 1 (64K) 259.00
 Expands to 256K Serial, Parallel, Clock, Software
 Quadboard 2 (No memory) 199.00
 Quadboard 2 (64K) 259.00
 Expands to 256K 2 Serial Port, Clock and software
 Quadboard 384
 With 64K (Expands to 384K), Serial, Parallel,
 Clock, Game Port and software 249.00

MAIL ORDER TOLL FREE

1-800-545-2633

IBM SYSTEMS



IBM PC-1—Includes 64K RAM, 1 ea. 320K Disk
 Drive 1,875.00
IBM PC-2—Includes 64 RAM, 2 ea. 320K Disk
 Drive 2,195.00

IBM PC-3—Includes 256K RAM, 2 ea. 320K
 Disk Drive, Mono Adapter, Mono
 Display 2,399.00

IBM PC-4—Includes 256K RAM, 2 ea. 320K
 Disk Drive, Peacock Color Card, Princeton HX 12
 Display 3,395.00

IBM-XT

• 128K RAM • 1 ea 320K F.D. • 1 ea.
 10MG Hard Disk 4,195.00
 8087 CPU 179.00

OUR BEST BUY

IBM UP-GRADE KIT

INCLUDES 9 EA. 4164-200NS FOR EXPANSION
 ON ALL IBM PRODUCTS WITH PARITY

\$45.00 per Set

IBM DISK DRIVES

CDC

CDC 5 1/4" 9409 DS/DD 320K Quietest Drive . 225.00

PANASONIC — BEST BUY IN 1/2 HGT

5 1/4" JA-155 (40 TRI) 320K 1/2 HGT Direct Drive
 w/Brackets 169.00
2 for 310.00

TEAC

5 1/4" F-55B (40TR) 320K 1/2 HGT Direct Drive
 (For Sanyo & IBM) w/Brackets 169.00
2 for 320.00

SHUGART DISK DRIVES

SA455L-1/2 HGT 320K DS/DD
 w/BRACKETS 195.00
2 for 370.00

TANDON DISK DRIVES

TM 100-2A 320K DS/DD 199.00

IBM COMPATIBLE SYSTEMS

IBS SYSTEM

IBM "LOOK-A-LIKE"

PC-2000 — Basic Mainframe929.00

FEATURES
 • 5 Slot Mother Bd w/64K
 (Expands to 256K)
 • Power Supply w/Fan
 • Lo-Profile Keybd - 96 Key
 • 2 ea Serial • 1 ea PAR
 • Space for 4 ea. 1/2 HGT Drives or
 2 Full Size.
 • Will run PC/DOS or MS/DOS
 • Will run all MS/DOS Compatible
 Software

PC-2001 — Includes 64K RAM, 1 ea.
 320K F.D. 1,350.00

PC-2002 — Includes 64K RAM, 2 ea.
 320K F.D. 1,595.00

PC-2003 — Includes 256K RAM, 2 ea. 320K F.D.,
 Video CD, 12" 300A Mono Display 1,895.00

PC-2004 — Includes 256K RAM, 2 ea. 320K F.D.,
 Color Cd, Princeton Color Monitor 2,395.00

COMPAQ

ComPaq with 256K and 2 ea
 F.D. (360K), Par Port 2,359.00

COLUMBIA

1600-1, 2-Drives (360K) 2,569.00
 1600-4, 12MB Hard Disk 3,695.00
 MPC-XP Portable 2,289.00

SANYO

MBC550, 1-Drive, software 789.00
 MBC555, 2-Drives, more software 1,099.00
 MBC550-2 949.00
 MBC555-2 1,295.00
 Optional Serial Port 69.00

DISPLAY MONITORS

GREEN

BMC 12AU (15MHZ) 80 Col/12" 79.00
 USI PI-1 (20 MHZ) Hi-Res/9" 100.00
 USI PI-2 (20 MHZ) Hi-Res/12" 100.00

AMBER

USI PI-4 (20 MHZ) Hi-Res/80-Col/9" 100.00
 USI PI-3 (20 MHZ) Hi-Res/80 Col/12" 100.00

COLOR

Amdek II-12" Composite (For Apple) 259.00
 Amdek I+ Composite w/audio 275.00
 Amdek II-12"-RGB (For IBM-PC) w/audio 419.00

OUR BEST BUY

OUR BEST BUY FOR APPLE

SAKATA SC-100 Best Composite Video for Apple
 According to Creative Computing Analysis 259.00

OUR BEST BUY FOR IBM

Princeton HX-12-RGB (For IBM-PC) 479.00

SHUGART 12MG
 HARD DISK

FOR IBM

With Maynard Controller
 and Software

Only \$989.00

Back up for Hard Disk
 6.38 MG Removable
 Hard Disk

Only **\$969.00**

Extra Disk **\$99.00**

TEAC FD55B **\$169.00**

DS/DD 360K

TEAC FD55F **\$219.00**

Quad Density

QUADBOARD 384K

With 64K

(Expands to 384K)

Serial, Par, Clock,
 Game Port and Software

Only **\$249.00**



Retail Sales
 123 East 200 South
 Salt Lake City, Utah 84111



1-801-972-2717

Circle 141 on inquiry card.



Mail Orders

1780 West 2300 South
 Salt Lake City, Utah 84119

Prices subject to change without notice.

Serial ← **Parallel** →

NEW!

Convert What You Have To What You Want!

- RS232 Serial
- 8 Baud Rates
- Latched Outputs
- Centronics Parallel
- Handshake Signals
- Compact 1 3/4" x 4" x 1 1/4"

No longer will your peripheral choices be limited by the type of port you have available! Our new High Performance 700 Series Converters provide the missing link. Based on the latest in CMOS technology, these units feature full baud rate selection to 19.2K, with handshake signals to maximize transfer efficiency. Detailed documentation allows simplified installation. Order the Model 770 (Ser/Par) or Model 775 (Par/Ser) Today!

Buffer Products Coming Soon! **Tigertronics** Connector Option \$10.00 CA Residents 8% tax UPS Shipping \$3.00 only **\$89.95**

1901-B Pines Street
Danard, California 93030

CALL (805) 487-1865 or 487-1866 For FAST Delivery

300 BAUD MODEMS 1200 BAUD

SIGNALMAN Free 'SOURCE'

300 BAUD direct connect \$ 69

300 BAUD AUTODIAL/ANS \$ 99

300/1200 AUTO DIAL/ANS \$299

US ROBOTICS . . . 300/1200 AUTO 'Hayes Compatible'

'Password' with cables, spkr \$339

'Auto 212' dx. \$399

DOT MATRIX PRINTERS LETTER QUALITY

GEMINI 10x 120 cps graphics \$289

PROWRITER 120 cps hi density \$359

JUKI daisy wheel 18 cps \$565

DAISYWRITER 40 cps \$999

CPM COMPUTERS IBM

Eagle **SCALL** Columbia P.C.

Kaypro **HARD DISKS** Corona P.C.

Televideo **PORTABLES** Eagle P.C.

IMAGE COMPUTERS

P.O. Box 1164, Cardiff, CA 92007

CALL TO ORDER: (619) 436-7669 (619) 942-7373

ADD 3%

CONVERSE WITH YOUR COMPUTER

AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your microcomputer!

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program. ELIZA is a non-drevice psychotherapist who analyzes each statement as you type it, and then responds with her own comment or question—and her remarks are often amazingly appropriate!

Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new microcomputer version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$25. And if you want to find out how she does it (for her to do more), we will include the complete SOURCE PROGRAM for only \$20 additional.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say, "Okay, let's see what this computer of yours can actually do!"

ELIZA IS AVAILABLE IN THE FOLLOWING FORMATS:

- 5 1/4 inch disk for the 48K Apple II, II Plus, IIe or III \$25 for Protected Version—\$45 for AppleSoft Source Version
- 5 1/4 inch disk for the 64K IBM Personal Computer \$25 for Protected Version—\$45 for IBM Disk BASIC Source Version
- 5 1/4 inch disk or tape cassette for the Commodore 64 (specify which) \$25 for Protected Version—\$45 for C-64 BASIC Source Version
- Standard 8 inch single density disk for all CPM based computers \$25 for ELIZA.COM—\$45 with Microsoft BASIC-80 Source
- 5 1/4 inch disk for most CPM/M based computers (specify computer) \$25 for ELIZA.COM—\$45 with Microsoft BASIC-80 Source

Please add \$2.00 shipping and handling to all orders (California residents please add 6% sales tax)

ARTIFICIAL INTELLIGENCE RESEARCH GROUP

921 North La Jolla Avenue, Dept. B
Los Angeles, CA 90046
(213) 656-7386 (213) 654-2214
MC, VISA and checks accepted

Circle 130 on Inquiry card.

Circle 156 on Inquiry card.

Circle 28 on Inquiry card.

IBM® XT COMPATIBLE OEM COMPONENT SALE

Computer Case \$150.00

Key Board \$199.00

Power Supply \$225.00

Mother Board-Bare \$ 95.00

Mother Board without ICs . . . \$225.00

Mother Board with ICs \$525.00

Dealers/OEM Buyers
Quantity Discounts Available.

All items are 100% XT Compatible as replacement kits. Case with interchangeable rear panel for PC Users. Bare board comes with complete instruction with part list. 1 year manufactures warranty on most items.

VISA and MasterCard welcome
Price change without notice
IBM is a trademark of International Business Machine

HiTech International, Inc.
4966 El Camino Real, Suite 101
Los Altos, CA 94022 (415) 949-0141
TLX 171854 IBC

Circle 153 on inquiry card.

SPECTACULAR LOWEST PRICES

3M DISKETTES LIFETIME WARRANTY

\$180 ea 5 1/4" SS/DD (744) Qty 20

\$230 ea 5 1/4" DS/DD (745) Qty 20

5 1/4" SS/QD/96TPI . . . \$2.55

5 1/4" DS/QD/96TPI . . . \$3.20

8" SS/SD \$2.00

8" SS/DD \$2.45

8" DS/DD \$2.95

1-800-328-3472

Dealer inquiries invited. COD's and charge cards accepted. All orders shipped from stock within 24 hrs.

North Hills Corporation
3564 Rolling View Dr.
White Bear Lake, MN 55110
MN Call Collect 1-612-770-0485

Circle 236 on Inquiry card.

Disks 'n Things

★ Dealer Inquiries Welcomed

SUPER LOW PRICES

★ Factory Warranty ★ Fast Delivery
★ Finest Quality ★

CALL 818-706-8602

- Credit For Direct Dial Call With \$30 Order
- We Pay Shipping—MC/VISA—COD Costs
- 2% Discount For Cash

Applicable to USA Customers Only

Disks 'n Things
5505 Softwind Way
Agoura Hills, CA 91301

Price List Available

Circle 106 on Inquiry card.

MEMORY MODULES 8Kx8 CMOS RAM

Radio Shack Model 100 NEC PC-8201

* Suggested List \$120.00.

Purple price **\$69.95**

- * Low power CMOS design.
- * Simple Installation
- * 30 day satisfaction guarantee or your money back.
- * 1 Year warranty.
- * Next day shipment via UPS included in price.
- * Optional Memory Test program \$15. (Cassette)

No frills direct connect Modem Cable - \$9.95

Shipping: From stock. Free UPS surface Cont. USA—Add \$4.00 for UPS 2 day Air—Add \$7.00 for Canada—Payment: VISA or M/C. Checks held 14 days.—Tax: 6% (Calif. only).

PURPLE COMPUTING CALL NOW
2068 Ventura Blvd.
Camarillo, Ca. 93010 (805) 987-4788

Circle 255 on Inquiry card.

BASF FLEXYDISKS® WHOLESALE

100% ERROR FREE LIFETIME WARRANTY

3 1/2" SOFT SECTORED

54112 SS/SD \$3.46

5 1/4" SOFT SECTORED

54974 SS/SD 1.71

54980 DS/DD 2.36

54986 DS/QD 2.84

8" SOFT SECTORED

54998 SS/SD 2.14

54021 SS/DD 2.71

54039 DS/DD 3.53

VISA, MC, AMERICAN EXPRESS, COD

DEALER INQUIRIES INVITED
TOLL FREE 1-800-323-5357
IN ILLINOIS 1-312-982-1030
ASK FOR PAUL

CREST COMPUTER SUPPLY, INC.
7855 N. GROSS POINT ROAD
SKOKIE, IL. 60077

Circle 92 on Inquiry card.

APPLE COMPATIBLE HARDWARE

INTERFACE FOR TYPEWRITER, CENTRONICS AND WORDSTAR COMPATIBLE

Model # Price

T1 Olivetti Praxis 30, 35, 40 \$99

T2 Olivetti Praxis 41

T3 Silver Reed Ex 42, 43, 44 + Penman

T4 Adler Satellite 11 and Alpha Royal 2001

T5 Olympia Compact and Swintec 1146 CM

INFRARED INTERFACE FOR REMOTE OPERATION WITHOUT CABLES

IRR Board, Receiver station \$99
for use with one or all:

IRN Numerical Pad VisiCal compatible \$49

IRK Full keyboard with lower case \$129

IRC Four direction cursor control \$29

TO ORDER CALL (408) 734-4631

or write

INTERFACE

Advanced Transducer Devices, Inc.
1287 Lawrence Sta. Rd., Sunnyvale, CA 94089

Additional \$25.00 per order for shipping
Calif. residents add 6% tax

Circle 13 on Inquiry card.

MEGA-BOARD™

new!

Ideal for

- **COMPUTERISTS**
- **OEM MANUFACTURERS**
- **DEVELOPMENT LABS**
- **UNIVERSITIES**
- **INDUSTRIAL APPLICATIONS**

**THE ULTIMATE OEM/PC
COMPATIBLE SINGLE
BOARD COMPUTER**

**FULL IBM - PC*
COMPATIBILITY!**

**DEALERS AND OEM MANUFACTURERS
QUANTITY DISCOUNTS AVAILABLE**

**Standard Key-
board Interface**
(Full PC compatible)

Hardware Reset
(Overcomes reset flaw
in PC)

**Eight Compatible
I/O Interface
Connectors**
(Full PC compatible)
(compatible with all
IBM-PC* plug-in cards)

Power Connector
(Full IBM* pinout
compatible)

**Special J1
Interface**

(Allows horizontal mount-
ing of compatible expan-
sion cards for easy bus
expansion and custom
configuring) (Board has
62 pin gold plated compat-
ible connector)

8088 Processor
(Same as PC)

**8087 Numeric
Processor**
(Same as PC)

**Peripheral
Support Circuits**
(Same as PC)

**Extended ROM
Capability**

(Runs all compatible PC
ROMS) (Jumper program-
mable to accommodate all
popular 8K, 16K, 32K and
64K ROM chips and NEW
EE ROMS! VPP power pin
available for EP ROM
burning!) (External
VPP voltage required)

**Configuration
Switches**
(Same as PC)

**Speaker/Audio
Port**
(Same as PC)

Board Size

10.5 inch X 13.5 inch

Wire Wrap Area
To facilitate special custom
applications!

ORDER NOW!!!

**Full Mega-Byte Ram Capacity!
On board!**

(With parity)

- 256K Bytes using 64K chips
- 1 Mega Bytes using 256K chips

ONLY!
\$9995
**Evaluation
Board Kit**

MEGA-BOARD™ Evaluation Board Kit!

(Blank board with full assembly
instructions and parts list.)

Includes highest quality PC board
with gold plating, silk screen,
solder mask

- MEGA-BOARD™** with full assembly instructions \$99.95
- USERS MANUAL** with theory of operation,
schematics, block diagram, application notes \$19.95
- MEGA-BIOS™** fully compatible MS-DOS/PC-DOS BIOS \$29.95

ORDER NOW!!!

SATISFACTION GUARANTEED!

10-day money back guarantee if not completely satisfied.

DTC™ DISPLAY
TELECOMMUNICATIONS
CORPORATION

4100 SPRING VALLEY ROAD
SUITE 400
DALLAS, TX 75234
(214) 991-1644

TERMS: Shipment made 2 to 5 weeks from
receipt of order. VISA, MC, money order,
company check accepted. COD'S require
\$25 deposit. Balance UPS COD. Please
add \$2.00 shipping and handling per order.

ADVANCED COMPUTER PRODUCTS

SEND \$2.00 for 1984 CATALOG

64K RAMS Set of 9 \$50.00

Apple Compatible Software BUSINESS

APPLIED SOFTWARE	Versaform	ACP PRICE
Versaform Hard Disk	399.00	
ARTSCI Magic Window II	95.00	
Magic Combo	149.00	
ASHTON TATE BASE II (CP/M)	385.00	
Friday (CP/M)	198.00	
BPI (GL, AR, AP, Pay, Inv)	ea. 299.00	
BRODERBUND Bank Street Writer	49.00	
BUSINESS SOLUTIONS The Incred Jack	149.00	
CONTINENTAL (GL, AR, AP, Pay)	ea. 189.00	
Info Accounts	49.00	
DATAMOST Real Estate Inv.	99.00	
DOW JONES Market Manager	249.00	
Market Analyzer	289.00	
Market Microscope	549.00	
EAGLE Money Decisions	149.00	
FOX & GELLER Clickcode	199.00	
d Utility	59.00	
d Graph	199.00	
HAYDEN Pie Writer	99.00	
Compiler Plus	79.00	
Basic Compiler	45.95	
HOWARDSON Tax Preparer	149.00	
Real Estate Analyzer	139.00	
KENSINGTON Form II	99.00	
LIGHTNING MasterType	35.00	
LIVING VIDEOEXT Think Tank	135.00	
MICROPRO Wordstar	249.00	
Malmberg or Spolstar	139.00	
Wordstar Prof. 4 Pak	439.00	
Info Pak or InfoStar	Call	
MICROSOFT Multiplan	179.00	
MultiTool Financial	79.00	
MultiTool Budget	119.00	
MEGAHUS Megawriter	49.00	
PEACHTREE Series 40 (GL, AR, AP)	379.00	
Series 9 (Font, Spell, Mail)	399.00	
PERFECT SOFTWARE	Call	
QUARK Word Juggler (file)	199.00	
Lexichord (file)	99.00	
Call for Apple III		
SIERRA ON-LINE	99.00	
Screenwriter II	149.00	
Screenwriter Professional	169.00	
General Manager II	79.00	
Dictionary	79.00	
SOFTWARE PUBLISHING PFS:File	89.00	
Graph or PFS:Report	69.00	
STATE OF THE ART	Call	
STONEWARE DB Master 4.0	249.00	
BB Utility 1 or 2	79.00	
SYSTEMS PLUS Acc Plus (GL, AP, AR) Set	599.00	
VISICOP Visicalc 3.3	179.00	
Visicalc Enhanced	199.00	
Visfile or Visedit	179.00	

HOME & EDUCATION		
BRODERBUND ChopPilot		\$28.00
Drol or Loderunner		28.00
Accel Machine		44.00
Apple Pencil		24.00
BUDGE O Reader Basics		24.00
Pinball Construction Set		29.00
COUNTERPOINT SOFTWARE		
Easy Games for Young Children		26.00
DATAMOST Aztec		29.00
Pin Pen or Shark Attack		23.00
DATAMOST Zaxxon		31.00
EDU-WARE Compumark		37.00
Algebra I, II or III		30.00
Compuared or CompuSpell		23.00
EINSTEIN Memory Trainer		73.00
ELECT. ARTS Music Construction		Call
HARDWARE Computer SAT		29.00
HAYDEN Sargon		29.00
INFCOM Zork I, II or III		29.00
Deadline		36.00
KOALA Modules (8 available)		Call
LEARNING COMPANY		
Juggles Rainbow		36.00
Bombin Games		48.00
Gertrude's Secrets		45.00
L & S Crossword Magic		41.00
MICROFUN Miller 2049er		Call
MICROLAB		Call
MICROPRO Decathlon		25.00
Typing Tutor II		29.00
MONOGRAM Dollars & Sense		74.95
ORIGIN Exodus: Ultima III		41.95
PENGUIN The Quest		16.00
SENSIBLE Sensible Speller		99.00
SIERRA ON-LINE Frogger		28.00
SIRTECH Legacy of Lytgamya		79.00
Knight of Diamonds		29.00
SOUTHEAS ERN Data Capture 4.0		54.95
440 RGB II Hi Res. (BM Cabinet)		559.00
Delta Drawing		25.00
Fraction Fever		35.00
Kindercomp		21.00
Facemator		26.00
SUBLOGIC Flight Simulator or Pinball		26.00
SUNDEX No. 1 Rated Home Finance		74.95
CPA Personal Accountant		74.95
CPA Personal Investor		74.95
Personal Payables		26.00
TERRAIN Logic		99.00
TRANSEND Transend I		75.00
VIRTUAL Micro Cookbook		29.00
UTILITIES SYSTEM		
BEAGLE Apple Mechanic		\$23.00
Apple Plot or Pronto DOS		26.00
Beagle Basic		26.00
DOS Basic		17.00
Double Take or Utility City		26.00
CENTRAL PLOT		16.00
Copy II Plus		31.00
LOCKSMITH		79.00
MICROSOFT I.D.S.		29.00
Cobol 80		575.00
Fortran 80		155.00
PENOLIN CGS System		79.00
PHOENIX Zoom Graph		31.00
SOUTHWEST Merit		49.95

TOLL FREE		
TANDON 848-2 Thimline		\$479.00
TEAC F058		199.00
SEAGATE 10MB Hard Disk		699.00
MPI 852		239.00
SHUGART 801R		\$399.00
QUME DataTrack 8		449.00
QDC 1800 DS (320K)		249.00
SEAGATE ST506 (6MB Win.)		499.00

800-854-8230
TUX 910-595-1565

APPLE™ COMPATIBLE DISK CONTROLLER



Only \$49.95

Apple Compatible Printer Interface \$49.95

w/Apple to Epson Cable

Apple IIe Compatible 80 Column Card w/64K \$99.95

APPLE COOLING FAN with Surge Suppression \$49.95



VISTA "SOLO" Apple II/IIe Compatible Disk Drive

Totally compatible to Apple Drives.

Only \$199.95

Controller \$49.95

Just plug in, and run.

Apple II 16K RAM CARD Compatible with 280 Softcard™, PASCAL CP/M™

Full 1 year Warranty, Top Quality by COEX

NEW LOW ACP PRICE \$49.95

Also from COEX, NEW EPSON Parallel Interface for Apple.

With cable \$49.95

VISTA A800 8" Disk Controller \$299.95

for Apple

VISTA "DISKMASTER" IBM Compatible \$169.95

3", 5", 8" and V1200 Compatible.

MONITORS TAXAN

MODEL	ACP PRICE
210 RGB Composite, Sound (Apple)	\$329.00
400 RGB Vision I Med. res. (Apple, IBM, etc.)	329.00
410 RGB Med res. (Avail. Mar.)	429.00
415 RGB Vision III Hi Res. (Apple w/IO, IBM)	559.00
121 TTL Green 12" (IBM Cabinet)	179.00
122 TTL Amber 12" (IBM Cabinet)	169.00
100/105 Green/Amber	139.00/149.00

CLEARANCE SALE

QTY	LIST	ACP
120 Apple II Switching Power Supplies	\$159.95	\$59.95
13 Zenith Z89X Computer	299	149.00
26 Zenith Z900 Computer	249	129.00
22 Zenith Z37 Disk Drive	699	89.00
12 Zenith Z87 Disk Drive	999	549.00
1 Zenith Z67 Hard Disk	995	319.00
*All Zenith New in original boxes with 90 day Factory Warranty from nearest dealer.		
4 TI 8480 w/tractor	1045	599.00
2 TI 8480 Package Optitractor	1265	699.00
1 TI 8480 Package Optitractor	1315	749.00
7 TI850 Serial Printer	449	00
7 TI Professional Multiplan	350	179.00
20 TI Prof 64k exp to 192K Ramcard	149	00
1 Fortune System 10	7995	2995.00
1 Fortune System 20	10990	3995.00
3 Fortune 256K Ramcard	1095	599.00
35 Olivetti M20 Computer	2495	995.00
200 General Terminals CTC RS232	269.00	
40 Zentec 6303/0003 Terminals	249.00	

Apple Authorized Dealer

Complete Apple Support Facility
Complete Apple Service Center
We service most Floppy Disk Drives

Apple IIe w/128K, 80 columns	ACP PRICE
Apple IIe Starter System	\$1195.00
Includes: Apple IIe w/64K, 80 Column Card, Monitor II & Disk II w/Controller	\$1395.00
Disk II w/Controller	\$399.00
Monitor II Green tilt	\$175.00
Super Serial Card	\$189.00
80 Column Text Card w/64K	\$169.00
Imagewriter Dot Matrix Printer	\$549.00

Apple Compatible Hardware

ALS CP/M 3.0 Plus Card	LIST	ACP
POWER ACCESSORIES		
Power Control Center P12	99.00	99.00
COEX 16K Ram Card	50.00	49.95
Parallel PrinterCard w/Cable	99.00	49.95
Apple II Prototype Card	29.00	20.00
Apple II Extension Card	29.00	20.00
64K Extended 80 Column	199.00	99.95
CORVUS Hard Disk Omninet	Call	
EASTSIDE Wildcard (11 + w/64)	89.00	89.00
Wildcard 2 (file)	119.00	119.00
Wildcard Plus (64K in 10 sec)	149.00	149.00

FINGERPRINT Epson Enhancer	249.00
EGSON Light Pen	249.00
IS PKASO Interface (file)	199.00
PKASO Interface (file)	199.00
KENSINGTON System Saver	89.95
PC Saver	49.95
KEYTRONICS KE80 II + Keyboard	298.00
KOALA Graphics Pad	125.00
KRAFT Joystick	65.00
Game Paddles	50.00
MCT Speed Demon	295.00
MPC 128K Bubble Memory	875.00
M&P Super Mod I RF Modulator	69.00
RF Modulator	50.00

MICROPRO 5MHz Appicard + Word	Call
MICROSOFT Z-80 Softcard	295.00
Z-80 Softcard Plus	645.00
Softcard Premium Pak (file +)	695.00
Softcard Premium Pak (file)	495.00
MOUNTAIN COMPUTER	
CPS Multitractor	239.00
Music System	395.00
A/D Plus D/A	350.00
MICROTEK Dumping Buf. w/64K	349.00

ORANGE MICRO	
Grappier Plus	175.00
16K Bufferboard	175.00
Grappier Buffered w/16K	245.00
PCPI Appicard w/128K, 6MHz	595.00
8088 Coprocessor	595.00
Appicard w/128K, 4MHz	495.00
PERISCOPE w/1 Year Warranty	99.00
Printerlink Printer I/O	99.00
Messenger User. Serial I/O	135.00
TimeRk Realtime Clock	110.00
Grallink Graphics I/O	17.00
Printerlink w/16K Buffer	189.00

PARADISE PERIPHERALS	
Microbuffer 16K (Epson Parallel)	159.00
Microbuffer 32K (Epson Parallel)	199.00
Microbuffer 16K (Epson Serial)	179.00
Microbuffer 32K (Epson Serial)	219.00
Microbuffer In-line 64K (Parallel)	349.00
Microbuffer In-line 64K (Serial)	279.00
PROMATELUS Versacard 4 in 1	199.00
QUADRAM Quadlink	680.00
Microfazer 16K (Parallel)	189.00
Microfazer 16K (Serial)	220.00
Microfazer 32K (Parallel)	225.00

SATURNE TITAN	
32K Ramcard	219.00
64K Ramcard	349.00
128K Ramcard	499.00
Accelerator II Card	599.00
Neptune 64K + 80	199.00
Neptune 128K + 80	299.00
Neptune 82K + 80	389.00
STREET Echo I (Apple)	149.00
Echo II Serial (In-line)	249.00
SYNETX Sprite I	149.00
Sprite II	249.00
Supersprite	399.00
Flashcard 144K	449.00
Flashcard 288K	629.00

TC PRODUCTS	
Joystick	59.95
Select-a-pot	59.95
Trackball	64.95
Joystick w/Toggle I/O	64.95
VIDEK Video II	345.00
Ultramirror (132)	379.00
Enhancer II	149.00

VISTA COMPUTER	
800 5 1/2" Disk Controller	379.00
A500 5 1/4" Disk Controller	99.00
V1200 Amlyn 6.2MB	1549.00
VOTRAX Type N Talk	259.00
Personal System	395.00

ROBOTS

ANDROBOT	LIST	ACP
Topo w/Speech	\$1595.00	Call
Andrewgong	95.00	Call
Topotech (file)	100.00	Call
Topotech (II, file)	159.00	Call
Topogoo	Call	
F.R.E.D. (Educational Robot)	349.00	Call
F.R.E.D. Solt (II, file)	79.00	Call

REX	
REISX Robot w/8K	1795.00
16K Memory Add-in	125.00
Robot Arm Option	895.00
Voice Option	195.00
Power Pack	94.00
Robot Control Language (II, file)	395.00
ZENITH HERO I	2495.00

Apple™ Apple Trademark of Apple Computer
IBM™ IBM Trademark of International Business Machines

ADVANCED COMPUTER PRODUCTS

Serving Computer Professionals Since 1976

TOLL FREE 800-854-8230

IBM PC



★ COLOR SPECIAL ★
THE COLOR GRAPHICS CARD
(same designer as Colorplus Card)
\$269.00 PRICE BREAKTHRU! 1 year Warranty \$269.00

1984 CATALOG AVAILABLE SOON • 64K UPGRADE KITS - ONLY \$50.00

64K UPGRADE - ONLY \$50.00 • CUSTOM CABLES AVAILABLE

HARDWARE

- AST Sixpakplus w/OK(SPC) \$229.00
- Megaplus II w/OK(SC) 229.00
- I/O Plus II (CS) 115.00
- Game/Serial/Parallel Options 35.00
- Monographics Graphics Card 445.00
- CHALKBOARD Call
- COEX IBM PC Ex tender Card 29.00
- IBM PC Prototype Card 36.00
- DAVONG Hard Disk Drives Call
- KENSINGTON PC Saver 39.00
- KEYBOARD IBM PC Compatible 149.00
- KEYTRONICS 5150/5151 199.00
- KOALA 96.00
- KRAFT or TG Call
- BM PC Joystick 59.00
- Game Paddles 29.00
- MICROSOFT Mouse 169.00
- M&R PC/XT Exp Chassis (6 slots) 439.00
- MOUSE SYS Mouse for PC 196.00
- PERSYST Time Spectrum w/64K 289.00
- PTI Back-up Power 200/400W Call
- QUADRAM Quadboard II w/OK 229.00
- Quadlink (Apple Prog) 479.00
- Quadlink (up to 72Mb) Call
- Merfazer MP6 w/64K 175.00
- VISTA Multicard Plus OK-384K 199.00
- Maxicard w/64K (up to 576K) 229.00
- PC Master (10 I/O) 329.00
- Diskmaster (Floppy Cont.) 169.00
- Dynafame Hard Disk Call
- PC Clock I/O 129.00

SOFTWARE

- dBASE II/Friday**
\$378.00/\$168.00
- Condor**
\$389.00
- SuperCalc I/II/III**
\$79.00/\$159.00/\$228.00
- Multiplan Vers. 1.1**
\$138.00
- Microsoft Mouse/Word**
\$288.00/\$238.00
- Wordstar 3.3**
\$258.00
- Micropro Pro Pak**
\$378.00
- Rbase 4000**
\$328.00
- T. K. Solver!**
\$268.00
- PFS**
File 88.00 Graph 88.00
Write 88.00 Report 78.00

PRINTERS/MONITORS

- BROTHER HR-25 (23cps daisy) Call
- HR-1A (16cps daisy) Call
- COEX 80FT (80cps) Sale \$199.00
- DYNAX DX-15 (daisy, 2-color) 529.00
- DAISYWRITER 2000 (17cps) 649.00
- EPSON RX-80 (100cps) 299.00
- FX-80/FX100 Call
- NEC Spinwriter 3550 1699.00
- OKIDATA Model 92/83 399.00/619.00
- Model 64P/84S 919.00/989.00
- Model 92P/92S 445.00/595.00
- Model 93P/93S 769.00/899.00
- SILVER REED EXP550 (17cps) 588.00
- EXP770 (30cps) 770.00
- STAR Gemini 10X (120cps) 309.00
- Gemini 15X (120cps) 429.00
- Delta 1015 (160cps) Call
- TTX Model 1014 (12cps) 529.00
- TOSHIBA 1350 Dot Matrix 1549.00
- AMDEK Video 300G/A 145.00/155.00
- Video 310A amber (IBM) 159.00
- Color I (composite) 299.00
- Color I Plus (earph/nonglare) 329.00
- Color II RGB (IBM) analog 449.00
- Color II Plus 399.00
- Color III RGB (IBM) 399.00
- Color IV RGB (IBM) analog 779.00
- BMC 12" Green-Low cost 89.00
- PGS HX-12 RGB (690x240) 499.00
- SR-12 RGB (690x480) Call
- MAX-12 Amber Call
- ZENTH ZVM-121 12" green 99.00
- ZVM-134 12" RGB color 399.00

DISKETTES

- DYSAN 5 1/4" SS DD 10/\$55 \$28
- DYSAN 5 1/4" DS DD 10/\$65 36
- IBM 5 1/4" SS DD 10/\$60 43
- IBM 5 1/4" DS DD 10/\$65 47
- VERBATIM 525-01 SS DD 10/\$45 20
- VERBATIM 550-01 DS DD 10/\$55 29
- MAXELL MD1 SS DD 10/\$50 22
- MAXELL MD2 DS DD 10/\$60 32
- Flip Storage Box 5 1/4" (80 disks) 18
- BULK SPECIAL SS 10/\$25 16
- With Sleeve and Box 100/195 149

IBM ACCESSORIES

- COMPUABLE**
- Keyboard/drive dust covers (set) \$16.00
- CURTIS Tilt/Swivel Monitor ped. 43.00
- PC Pedestal (IBM Mono) 58.00
- PGS Quadchrome disp. Adapter 9.00
- Vertical PC Stand 20.00
- Mono Extension Cable 43.00
- Keyboard Ext. Cable 35.00
- AC Plug Adpt (any mon to PC) 8.00
- EDP PROTECTION DEVICES**
- The Lemon/Peach 39.00/63.00
- The Orange/Lime 94.00/58.00
- GILTRONIX SWITCH BOXES**
- 2 Way 8 Lines 90.00
- 4 Way 8 Lines 179.00
- 2 Way Centronics 199.00
- RIBBONS** Each Dozen
- Epson MX-80 5.75 59.00
- Epson MX-100 10.95 120.00
- Star Gemini 10/15 2.50 26.00
- Okidata 80/92/93 3.95 44.00
- Okidata 84/92/93 4.95 55.00
- NEC 3550 11.95 135.00

MODEMS

- BIZCOMP Model 2120 (Internal) \$449.00
- HAYES Smartmodem 1200 \$475.00
- Smartmodem 1200B (w/Smartcom II) \$418.00
- Smartmodem 300 \$199.00
- Smartmodem II \$99.00
- Smartmodem/IBM Cable 25.00
- NOVATION Access 1-2-3 \$388.00

Wordstar 3.3
\$258.00

Micropro Pro Pak
\$378.00

Rbase 4000
\$328.00

T. K. Solver!
\$268.00

PFS
File 88.00 Graph 88.00
Write 88.00 Report 78.00

Context MBA Call

VisiOn Call

Lotus 1-2-3 Vers. 1A
Call!

- Bank Street Writer 58.00
- Home Accountant Plus 88.00
- Sideways 48.00
- Volkswriter 114.00
- Knowledge Man 274.00
- Crosstalk XVI 108.00
- Multimate w/spelling 348.00
- Compuerve Subscription 38.00
- Executive Info Serv. 78.00
- Vidtex Software 58.00
- Executive + Vidtex 118.00
- Source Subscription 68.00
- Source w/source link 108.00

Send for Free Catalog
96 Pages of Selected Values

MULTI CARD II™ (exp. OK-384K) \$199.00

(INTRODUCTORY OFFER)

Advanced Computer Product's best selling multifunction card for the IBM PC & XT (plus compatibles) now has been improved with expansion capability to a full 384K and at no charge an additional game port. You also get Print Spooler and Disk Emulation Software plus a full year SWAP-OUT Warranty at no extra charge. Why pay more when you can get the same function and performance as Quadboard II™ and AST Sixpak Plus™ for substantially less money. You compare! Try it at no obligation. 10 day no questions asked return privilege.

FUNCTION	Multicard II	Quadboard II	Sixpak Plus
Memory	0 to 384K	0 to 384K	0 to 384K
Parallel/Serial	Yes	Yes	Yes
Clock/Calendar	Yes	Yes	Yes
Game Port	Yes	Yes	No (\$50 list Opt.)
Software	Yes	Yes	Yes
Warranty	1 Year	1 Year	1 Year
ACP Price with OK	199.00	229.00	229.00

EXPANSION MEMORY

- 64K Upgrade (Set of 9 64K RAMs) \$50.00
- 256K RAM's (256K x 1) \$79.00 ea
- 16K RAM's (16K x 1) 10/\$9.99
- 8087 CPU (Arithmetic Processor) \$199.00

10/XT (Serial, Parallel, Clock/Calendar) ... \$129.00

The most popular expansion card for the short slot of your IBM XT. All these functions on one card optimized to fit in one slot. 1 year warranty.

COLOR/GRAPHICS/COLOR/GRAPHICS	
• Plantronics COLORPLUS™ \$399.00	• Amdek MAI \$438.00
• Hercules GRAPHICS CARO \$348.00	• Hercules COLOR CARD w/Par. port. \$229.00
• Graphics X Software \$42.00	• Paradise MULTIDISPLAY \$378.00
• Quadram QUADCOLOR I&II \$199.00/Call	• CONOGRAPHIC CARD \$895.00
• Scanoptik COLORGRAPHICS \$269.00	• MA Sys PEACOCK \$299.00

IBM PC COMPATIBLE DISK DRIVES

- Tandon TM-100-1 Single Sided (160K) \$169.00
- Tandon TM-100-2 Double Sided (320K) 199.00
- Control Data 9409 Double Sided (320K) 224.00
- TEAC* 55B 1/2 high Double Sided (320K) 179.00
- Toshiba* 1/2 high Double Sided (320K) 169.00
- *IBM PC Mounting Hardware for 1/2 highs 4.95
- Vista "Diskmaster" 5 1/4" & 8" Diskcontroller 169.00



TERMS: We accept VISA, MC, M.O. Cashiers and Personal checks. School and Company PO's. We do not charge your card until we ship. Personal checks require drivers license and credit card #. No Surcharge Added on VISA or MC. COD's over \$500 require 20% deposit with order. Add 3% shipping and handling for UPS. We offer same-day shipment. Prices subject to change without notice. We reserve the right to substitute manufacturer. We are not responsible for typographical errors. Retail Sale Prices May Vary. IBM™ trademark of International Business Machines. Quadboard II™ trademark of Quadram Corp. Slipak Plus™ trademark of AST Research Inc.

MAIL ORDER: P.O. Box 17329 Irvine, CA 92713
Retail: 1310 E. Edinger, Santa Ana, CA 92705
(714) 558-8813
542 W. Trimble, San Jose, CA 95131
(408) 946-7010

TOLL FREE
800-854-8230
TWX
910-595-1565

IBM PC & PRODUCTS = PIPELINE

The Source!!

PC UPGRADE

- ★ 64K of Memory
- ★ 9, 4164

1 set for **\$47**

2 sets for **\$90**

IBM PC

- ★ 64K, Disk Controller
- ★ 1, 360K Disk Drive
- ★ Keyboard

List \$2104 **\$1875**

IBM PC XT

- ★ 128K, 10 Meg Hard Disk
- ★ 1, 320K Drive★ Keyboard

List \$4995 **\$4295**

TEAC DISK DRIVE

- ★ FD55B
- ★ Slimline, 360K

List \$299 **\$165**

SANYO COMPUTER

- ★ Model MBC550-2
- ★ Dbl. Sided
- ★ Software Included

List \$1295 **\$979**

MITSUBISHI DISK DRIVE

- ★ 360K
- ★ 4851 Model

List \$299 **\$179**

DISKETTES

- ★ Dbl. Side, Dbl. Density
- ★ 5 Year Warranty
- ★ With Reinforced Hub

10 for **\$19**

100 for **\$170**

STAR MICRONICS

- ★ Gemini 10X
- ★ 120 cps, 80 col.

List \$399 **\$269**

COMPAQ

- ★ 256K Portable
- ★ 2 Drives, 360K ea.

List \$2995 **\$2395**

CO-PROCESSOR

- ★ 8087
- ★ The Arithmetic chip

List \$299 **\$169**

PC PRINTER CABLES

- ★ 6 foot Shielded
- ★ Lifetime Guarantee

List \$39 **\$18**

ANCHOR MODEM

- ★ Mark XII
- ★ 1200 Baud
- ★ Hayes Compatible

List \$399 **\$249**

CALL TOLL-FREE (800) 841-0905 For Lowest Prices & Fast Delivery

IBM & COMPATIBLE COMPUTERS

IBM

PC w/64K, no drives	\$1349
PC w/64K, 1 Drive (128K)	1875
PC XT, 128K 10 Meg Disk	4395

COMPAQ

Compaq 128K, 1 Drive	\$1995
Compaq, 256K, 2 Drive	2395

EAGLE

PC-2, 128K, 2 - 320K Drives	\$2550
PC-2 +	2250

COLUMBIA

1600-1, 2-Drives (360K)	\$2595
1600-4, 12MB Hard Disk	3875
MPC-XP Portable	2395

SANYO

MBC 550, 1-Drive, software	\$ 719
MBC 555, 2-Drives, 160K ea.	1035
MBC 550-2, 1-Drive, 320K	979
MBC 555-2, 2-Drives, 320K ea.	1295
Optional Serial Port	89

TAVA

2-Drives, 128K, 2 Ser. 1 Par. Port, Color Graphics Card & Hi-Res. Green Monitor	\$1789
---	--------

MODEMS

HAYES MICRO INC.

Smart Modem 300	\$ 205
Smart Modem 1200	489
1200B for PC	399

ANCHOR

Mark VII 300 Baud	\$ 89
Mark XII 1200 Baud	269

PROMETHEUS

ProCom 1200	\$ 369
-------------	--------

RIXON

PC212A, 1200 Baud Stand Alone	\$ 409
-------------------------------	--------

U.S. ROBTICS

Password 1200 Baud	\$ 329
--------------------	--------

PRINTERS

OKIDATA

ML 92A (160 cps)	\$ 419
ML 93A (160 cps)	699
92 & 93 Plug & Play	49

STAR MICRONICS

Gemini 10X, 120 cps	\$ 269
Gemini 15X, 120 cps, 15" car.	389

JUKI

6100, 18 cps ltr. qual.	\$ 439
Tractor Feed	129

MONITORS

AMDEK

300G, 12" Green	\$ 129
300A, 12" Amber	139
310A, 12" Amber Monochrome	169
Color I + Color Composite	299
Color II + RGB w/Cable	409

PRINCETON GRAPHICS

PGS HX12	\$ 469
PGS MAX12	189
PGS SR12	640

IBM COMPATIBLE DISK DRIVES

TANDON

TM-55-2, 1/2 Height (360K)	\$ 195
TM-100-2 (360K)	195

TEAC

FD55B, 1/2 Height (360K)	\$ 169
--------------------------	--------

MATSUSHITA

Same as Panasonic, 1/2 Ht. 360K	\$ 155
---------------------------------	--------

CDC

9409, (360K)	\$ 219
--------------	--------

DISKETTES

PIPELINE

Dbl./Dbl. Reinforced Hub 1 year warranty	\$ 19
Flip File Holds 70 (smk. plexiglass)	16

INTERFACE CARDS FOR IBM AND COMPATIBLES

AST RESEARCH

SixPac + 64K Par. & Ser. Software	\$ 269
Mega + 64K exp. to 512K Ser. Port	269
MegaPack 256K option for Mega	279
I/O + Ser. & Optional Par. Game	149
Additional Ports	49

QUADRAM

Color I	\$ 219
Color II	229
Quadlink	449
Quad Board I	239
Quad Board II	269

HERCULES

Color Graphics Card	\$ 339
---------------------	--------

PLANTRONICS

Color +	\$ 379
---------	--------

IBM

Dos 1.1	\$ 39
Dos 2.1	59
Monochrome Monitor or Adaptor	309

FLOPPY DISK CONTROLLERS

Maynard	\$ 169
Maynard w/Ser. Port	229
Maynard w/Par. Port	229
Sigma Controller	159
Vista	159

PC PRODUCTS

Rainbow Color Card	\$ 369
--------------------	--------

AMDEK

MAI Card	\$ 489
----------	--------

DUST COVER

Covers Monitor, Mainframe & Keyboard	\$ 19
--------------------------------------	-------

MORE ACCESSORIES

Koala Graphics Tablet	\$ 89
8087 Co-Processor	179
Kraft Joystick	39
Par. Printer Cable	39

The Source!



ORDER DESK:
(213) 970-0177
(800) 841-0905
(OUTSIDE CALIFORNIA)

MAIL ORDER:
1142 Manhattan Avenue, CP21
Manhattan Beach, CA 90266

CUSTOMER SERVICE:
(213) 970-0177

Mon.-Fri. 8:00 a.m. to 6:00 p.m.
Saturday 9:00 a.m. to 1:00 p.m.

Circle 246 on inquiry card

DoKau

COMPUTER
PRODUCTS,
Inc.

ORDER TOLL FREE

(800)
538-8800

(CALIFORNIA RESIDENTS)

(800)
848-8008



TERMS: Minimum order \$10.00. For shipping and handling, include \$2.50 for UPS ground or \$3.50 for UPS Blue (air). For each additional air pound, add \$1 for UPS Blue shipping and handling. California residents must include 6% sales tax; Bay area and LA residents include 6 1/2% sales tax. Prices are subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturers. All merchandise subject to prior sale.

HOURS: Mon. - Fri. 7:30 to 5:00
Saturdays 10:00 to 3:00

VISIT OUR RETAIL STORE

2100 De La Cruz Blvd.
Santa Clara, CA 95050
(408) 988-0697

ALL MERCHANDISE IS
100% GUARANTEED

DoKau

STATIC RAMS

2101	256 x 4 (450ns)	1.90
5101	256 x 4 (450ns) (cmos)	3.90
2102-1	1024 x 1 (450ns)	.88
2102L-4	1024 x 1 (450ns) (LP)	.98
2102L-2	1024 x 1 (250ns) (LP)	1.45
2111	256 x 4 (450ns)	2.45
2112	256 x 4 (450ns)	2.95
2114	1024 x 4 (450ns)	8/7.95
2114-25	1024 x 4 (250ns)	8/8.95
2114L-4	1024 x 4 (450ns) (LP)	8/9.95
2114L-3	1024 x 4 (300ns) (LP)	8/10.95
2114L-2	1024 x 4 (200ns) (LP)	8/11.95
2147	4096 x 1 (55ns)	4.90
TMS4044-4	4096 x 1 (450ns)	3.45
TMS4044-3	4096 x 1 (300ns)	3.95
TMS4044-2	4096 x 1 (200ns)	4.45
MK4118	1024 x 8 (250ns)	9.90
TMM2016-200	2048 x 8 (200ns)	4.10
TMM2016-150	2048 x 8 (150ns)	4.90
TMM2016-100	2048 x 8 (100ns)	6.10
HM6116-4	2048 x 8 (200ns) (cmos)	4.70
HM6116-3	2048 x 8 (150ns) (cmos)	4.90
HM6116-2	2048 x 8 (120ns) (cmos)	8.80
HM6116LP-4	2048 x 8 (200ns) (cmos) (LP)	5.90
HM6116LP-3	2048 x 8 (150ns) (cmos) (LP)	6.90
HM6116LP-2	2048 x 8 (120ns) (cmos) (LP)	9.95
Z-6132	4096 x 8 (300ns) (Data)	33.95

LP = Low Power Qbit = Quasi-Static

DYNAMIC RAMS

TMS4027	4096 x 1 (250ns)	1.95
UPD411	4096 x 1 (300ns)	2.95
MMS280	4096 x 1 (300ns)	2.95
MK4108	8192 x 1 (200ns)	1.90
MMS298	8192 x 1 (250ns)	1.80
4116-250	16384 x 1 (250ns)	.49
4116-200	16384 x 1 (200ns)	.89
4116-150	16384 x 1 (150ns)	1.20
4118	16384 x 1 (150ns) (5v)	4.90
4164-250	65536 x 1 (250ns)	4.45
4164-200	65536 x 1 (200ns) (5v)	5.45
4164-150	65536 x 1 (150ns) (5v)	6.45

5V = Single 5 Volt Supply

EPROMS

1702	256 x 8 (1µs)	4.45
2708	1024 x 8 (450ns)	2.49
2758	1024 x 8 (450ns)	2.49
2758	1024 x 8 (450ns) (5v)	5.90
2716	2048 x 8 (450ns) (5v)	2.95
2716-1	2048 x 8 (350ns) (5v)	5.90
TMS2516	2048 x 8 (450ns) (5v)	5.45
MMS2716	2048 x 8 (450ns)	7.90
TMS2532	4096 x 8 (450ns) (5v)	5.90
2732	4096 x 8 (450ns) (5v)	3.95
2732-250	4096 x 8 (250ns) (5v)	8.90
2732-200	4096 x 8 (200ns) (5v)	10.95
2764	8192 x 8 (450ns) (5v)	5.95
2764-250	8192 x 8 (250ns) (5v)	13.95
2764-200	8192 x 1 (200ns) (5v)	23.95
TMS2564	8192 x 8 (450ns) (5v)	16.95
MC68764	8192 x 8 (450ns) (5v) (24 pin)	38.95
27128	16384 x 8 Call	19.95

5v = Single 5 Volt Supply

74LS00

74LS00	.23	74LS92	.54
74LS01	.24	74LS93	.54
74LS02	.24	74LS95	.74
74LS03	.24	74LS96	.88
74LS04	.23	74LS107	.38
74LS05	.24	74LS109	.38
74LS08	.27	74LS112	.38
74LS09	.28	74LS113	.38
74LS10	.24	74LS114	.44
74LS11	.34	74LS122	.44
74LS12	.34	74LS123	.78
74LS13	.44	74LS124	2.85
74LS14	.58	74LS125	.48
74LS15	.34	74LS126	.48
74LS20	.24	74LS132	.58
74LS21	.28	74LS133	.58
74LS22	.24	74LS136	.38
74LS26	.28	74LS137	.98
74LS27	.28	74LS138	.54
74LS28	.34	74LS139	.54
74LS30	.24	74LS145	1.15
74LS32	.28	74LS147	2.45
74LS33	.54	74LS148	1.30
74LS37	.34	74LS151	.54
74LS38	.34	74LS153	.54
74LS40	.24	74LS154	1.85
74LS42	.48	74LS155	.68
74LS47	.74	74LS156	.68
74LS48	.74	74LS157	.64
74LS49	.74	74LS158	.58
74LS51	.24	74LS160	.68
74LS54	.28	74LS161	.64
74LS55	.28	74LS162	.68
74LS63	1.20	74LS163	.64
74LS73	.38	74LS164	.68
74LS74	.34	74LS165	.94
74LS75	.38	74LS166	1.90
74LS76	.38	74LS168	1.70
74LS78	.48	74LS169	1.70
74LS83	.59	74LS170	1.45
74LS85	.68	74LS173	.68
74LS86	.38	74LS174	.54
74LS90	.54	74LS175	.54
74LS91	.88	74LS181	2.10

74LS189	8.90	74LS363	1.30
74LS190	.88	74LS364	1.90
74LS191	.88	74LS365	.48
74LS192	.78	74LS366	.48
74LS193	.78	74LS367	.44
74LS194	.68	74LS368	.44
74LS195	.68	74LS373	1.35
74LS196	.78	74LS374	1.35
74LS197	.78	74LS377	1.35
74LS221	.88	74LS378	1.13
74LS240	.94	74LS379	1.30
74LS241	.98	74LS385	1.85
74LS242	.98	74LS386	.44
74LS243	.98	74LS390	1.15
74LS244	1.25	74LS393	1.15
74LS245	1.45	74LS395	1.15
74LS247	.74	74LS399	1.45
74LS248	.98	74LS424	2.90
74LS249	.98	74LS447	.36
74LS251	.58	74LS490	1.90
74LS253	.58	74LS624	3.95
74LS257	.58	74LS640	2.15
74LS258	.58	74LS645	2.15
74LS259	2.70	74LS668	1.65
74LS260	.58	74LS669	1.85
74LS266	.54	74LS670	1.45
74LS273	1.45	74LS674	9.60
74LS275	3.30	74LS682	3.15
74LS279	.48	74LS683	3.15
74LS280	1.95	74LS684	3.15
74LS283	.68	74LS685	3.15
74LS290	.88	74LS688	2.35
74LS293	.88	74LS689	3.15
74LS295	.98	74LS783	23.95
74LS298	.88	81LS95	1.45
74LS299	1.70	81LS96	1.45
74LS323	3.45	81LS97	1.45
74LS324	1.70	81LS98	1.45
74LS352	1.25	25LS2521	2.75
74LS353	1.25	25LS2569	4.20

6500

1 MHZ

6502	4.90
6504	6.90
6505	8.90
6507	9.90
6520	4.30
6522	6.90
6532	9.90
6545	21.50
6551	10.85

2 MHZ

6502A	6.90
6522A	9.90
6532A	10.95
6545A	28.95
6551A	10.95

3 MHZ

6502B	9.90
-------	------

6800

68000	58.95
6800	3.90
6802	7.90
6808	12.90
6809E	18.95
6809	10.95
6810	2.90
6820	4.30
6821	3.20
6828	13.95
6840	11.95
6843	33.95
6844	24.95
6845	13.95
6847	10.95
6850	3.20
6852	15.70
6860	9.90
6862	10.95
6875	6.90
6880	2.20
6883	21.95
68047	23.95
68488	18.95

6800 1MHZ

68B00	9.95
68B02	21.25
68B09E	28.95
68B09	28.95
68B10	6.90
68B21	6.90
68B45	18.95
68B50	5.90

APPLE ACCESSORIES

80 Column Apple II+	149.95
80 Column Apple IIE	129.95
Z80 Apple II+	89.00
Z80 Apple II+ Kit	59.00
Z80 Apple IIE	89.00
Z80 Apple IIE Kit	59.00
18K Card	39.95
18K Bare Board	13.95
Cooling Fan	38.95
Power Supply	74.95
Joystick	29.95
RF Modulator	13.95
Disk Drive	199.00
Controller Card	59.95

The Flip Sort PLUS™

The Flip Sort Plus™ adds new dimensions to storage. Designed with similar elegant lines as the original Flip Sort™, in a transparent smoked acrylic. Holds over 100 diskettes and has all the outstanding features you have come to expect from the Flip Sort Family.

\$24.95



The FLIP SORT™

The new Flip Sort™ has all the fine qualities of the original Flip Sort™, with some added benefits. Along with a new design, capacity has been increased 50% to hold 75 diskettes and the price is more reasonable than ever - **\$19.95**

Z-80

2.5 MHZ

Z80-CPU	3.90
Z80-CTC	3.95
Z80-DART	10.95
Z80-DMA	13.95
Z80-PIO	3.95
Z80-SIO/0	11.95
Z80-SIO/1	11.95
Z80-SIO/2	11.95
Z80-SIO/9	11.95

4.0 MHZ

Z80A-CPU	4.29
Z80A-CTC	4.90
Z80A-DART	9.95
Z80A-DMA	12.95
Z80A-PIO	4.29
Z80A-SIO/0	12.95
Z80A-SIO/1	12.95
Z80A-SIO/2	12.95
Z80A-SIO/9	12.95

6.0 MHZ

Z80B-CPU	9.95
Z80B-CTC	12.95
Z80B-PIO	12.95
Z80B-DART	12.95

ZILOG

Z6132	33.95
Z8671	36.95

DISC CONTROLLERS

1771	15.95
1791	23.95
1793	25.95
1795	48.95
1797	48.95
2791	53.95
2793	53.95
2795	58.95
2797	58.95
6843	33.95
8272	38.95
UPD765	38.95
MB8876	28.95
MB8877	33.95
1691	16.95
2143	17.95

UARTS

AY3-1014	6.90
AY5-1013	3.90
AY3-1015	6.90
PT-1472	9.90
TR1602	3.90
2350	9.90
2651	8.90
TMS6011	5.90
IM6402	7.90
IM6403	8.90
INS8250	9.95

INTERFACE

8T26	1.54
8T28	1.84
8T95	.88
8T96	.88
8T97	.88
8T98	.88
DM8131	2.90
DS9304	2.24
DS8835	1.94
DS8836	.98

VOLTAGE REGULATORS

7805T	.74	7905T	.84
7805C	.34	7908T	.84
7808T	.74	7912T	.84
7812T	.74	7915T	.84
7815T	.74	7924T	.84
7824T	.74	7905K	1.44
7805K	1.34	7912K	1.44
7812K	1.34	7915K	1.44
7815K	1.34	7924K	1.44
7824K	1.34	79L05	.78
78L05	.68	79L12	.78
78L12	.68	79L15	.78
78L15	.68	LM323K	4.90
78H05K	9.90	UA78S40	1.90
78H12K	9.90		

C.T = TO-220 K = TO-3 L = TO-92

DIP SWITCHES

4 POSITION	.84
5 POSITION	.89
6 POSITION	.89
7 POSITION	.94
8 POSITION	.94

IC SOCKETS

	1-99	100
8 pin ST	.12	.10
14 pin ST	.14	.11
16 pin ST	.16	.12
18 pin ST	.19	.17
20 pin ST	.28	.26
22 pin ST	.29	.26
24 pin ST	.39	.35
28 pin ST	.39	.31
40 pin ST	.48	.38
64 pin ST	4.20	call

ST = SOLDEXTAIL

8 pin WW	.58	.48
14 pin WW	.68	.51
16 pin WW	.68	.57
18 pin WW	.98	.89
20 pin WW	1.04	.97
22 pin WW	1.34	1.23
24 pin WW	1.44	1.30
28 pin WW	1.64	1.44
40 pin WW	1.94	1.75

WW = WIREWRAP

16 pin ZIF	5.90
24 pin ZIF	7.90
26 pin ZIF	6.90

ZIF = TEXTTOOL (Zero Insertion Force)

CRYSTALS

32.766khz	1.69
1.0 mhz	3.69
1.6432	3.69
2.0	2.69
2.097152	2.69
2.4576	2.69
3.2766	2.69
3.579535	2.69
4.0	2.69
5.0	2.69
5.0866	2.69
5.165	2.69
5.7143	2.69
6.0	2.69
6.144	2.69
6.5536	2.69
6.0	2.69
10.0	2.69
10.736635	2.69
14.31618	2.69
15.0	2.69
16.0	2.69
17.430	2.69
16.0	2.69
16.432	2.69
20.0	2.69
22.1164	2.69
32.0	2.69

RESISTORS

¼ WATT 5% CARBON FILM, ALL STANDARD VALUES FROM 1 OHM TO 10 MEG OHM

50 pcs	1.25
100 pcs	2.00
1000 pcs	15.00

5¼" DISKETTES ATHANA

SSSD	16.95
SSDD	22.95
DSDD	27.95

BULK DISKETTES 5¼" DISKETTES NO LABEL

SINGLE SIDED DOUBLE DENSITY
(WITH JACKETS AND HUB RING)

Pack of Ten	\$ 16.95
Pack of 100	\$149.00

SPECIALS

4116	250ns	49¢/ea
4116	200ns	89¢/ea

2708	8K EPROMS	2.49
2716	16K EPROMS	2.95
2732	32K EPROMS	3.95
2764	64K EPROMS	5.95
27128	128K EPROMS	19.95

4164	64K DYNAMIC 250ns	4.45
4164	64K DYNAMIC 200ns	5.45
4164	64K DYNAMIC 150ns	6.45

2114	450ns	8/7.95
------	-------	--------

QUV-T8/1 EPROM Eraser



\$57.95

QUV-T8/1 Economy Model: This is a low cost EPROM Eraser housed in a plastic enclosure. The UV element and components are installed in the top lid and you place the EPROMS in the bottom hall. No timer or switch option is included.

- Erases up to 8 EPROMS in 15 to 20 minutes.
- 12,000 u Watts at 1" distance.
- 90-Day Warranty

Do Kay

2100 De La Cruz Blvd.
Santa Clara, CA 95050

4164 64K DYNAMIC \$5.95 200 ns **4116** 16K DYNAMIC 8/\$7.95 250 ns

STATIC RAMS

2101	356 x 4	(450ns)	1.95
5101	756 x 4	(450ns) (cmos)	3.95
2101-1	1024 x 1	(450ns)	.89
2102L-4	1024 x 1	(450ns) (LP)	.99
2102L-2	1024 x 1	(250ns) (LP)	1.49
2125	1024 x 1	(45ns)	2.95
2111	256 x 4	(450ns)	2.49
2111L	256 x 4	(250ns) (LP)	2.95
2112	256 x 4	(450ns)	2.95
2114	1024 x 4	(450ns)	8/9.95
2114-25	1024 x 4	(250ns)	8/10.95
2114L-4	1024 x 4	(450ns) (LP)	8/12.95
2114L-3	1024 x 4	(300ns) (LP)	8/13.45
2114L-2	1024 x 4	(200ns) (LP)	8/13.95
TC5514	1024 x 4	(850ns) (cmos)	2.49
TC5516	2048 x 4	(250ns) (cmos)	9.95
2147	4096 x 1	(5ns)	4.95
TMS4044-4	4096 x 1	(450ns)	3.49
TMS4044-3	4096 x 1	(300ns)	3.99
TMS4044-2	4096 x 1	(200ns)	4.49
UPD410	1024 x 1	(100ns)	3.95
MK4116	1024 x 8	(100ns)	9.95
TMM2016-200	2048 x 8	(200ns)	4.15
TMM2016-150	2048 x 8	(150ns)	4.95
TMM2016-100	2048 x 8	(100ns)	6.15
HM6116-4	2048 x 8	(200ns) (cmos)	4.75
HM6116-3	2048 x 8	(150ns) (cmos)	4.95
HM6116-2	2048 x 8	(120ns) (cmos)	8.95
HM6116LP-4	2048 x 8	(200ns) (cmos) (LP)	5.95
HM6116LP-3	2048 x 8	(150ns) (cmos) (LP)	6.95
HM6116LP-2	2048 x 8	(120ns) (cmos) (LP)	10.95
TMS4096	4096 x 8	(200ns) (cmos)	4.95
2.6132	4096 x 8	(300ns) (Qata)	34.95
HM8264P-15	8192 x 8	(150ns) (cmos)	39.95
HM8264LP-15	8192 x 8	(150ns) (cmos)	49.95

LP = Low Power Qstat = Quasi-Static

DYNAMIC RAMS

TMS4027	4096 x 1	(250ns)	1.99
2107	4096 x 1	(200ns)	1.95
MMS280	4096 x 1	(300ns)	1.95
TMS4080	4096 x 1	(300ns)	1.95
UPD4111	4096 x 1	(300ns)	1.95
TMS4050	4096 x 1	(300ns)	1.95
MK4108	8192 x 1	(200ns)	1.95
MM5298	8192 x 1	(250ns)	1.65
4116-300	16384 x 1	(300ns)	8/11.75
4116-250	16384 x 1	(250ns)	8/7.95
4116-200	16384 x 1	(200ns)	8/12.95
4116-150	16384 x 1	(150ns)	8/14.95
4116-120	16384 x 1	(120ns)	8/29.95
2116	16384 x 1	(150ns) (5v)	4.95
MK4332	32768 x 1	(200ns)	9.95
4164-200	65536 x 1	(200ns) (5v)	5.95
4164-150	65536 x 1	(150ns) (5v)	6.95
MCM6885	65536 x 1	(200ns) (5v)	8.95
TMS4164-15	65536 x 1	(150ns) (5v)	6.95
TMS4416	16384 x 4	(150ns) (5v)	9.95
41256	262144 x 1	(200ns) (5v)	CALL

5v = Single 5 volt supply

EPROMS

1702	256 x 8	(1us)	4.50
2708	1024 x 8	(450ns)	3.95
2758	1024 x 8	(450ns) (5v)	5.95
2716-6	2048 x 8	(650ns)	2.95
2716	2048 x 8	(450ns) (5v)	3.95
2716-1	2048 x 8	(350ns) (5v)	5.95
TMS2516	2048 x 8	(450ns) (5v)	5.50
TMS2716	2048 x 8	(450ns)	7.95
TMS2532	4096 x 8	(450ns) (5v)	5.95
2732	4096 x 8	(450ns) (5v)	4.95
2732-250	4096 x 8	(250ns) (5v)	8.95
2732-200	4096 x 8	(200ns) (5v)	11.95
2732A-4	4096 x 8	(450ns) (5v) (21vPGM)	6.95
2732A	4096 x 8	(250ns) (5v) (21vPGM)	9.95
2732A-2	4096 x 8	(200ns) (5v) (21vPGM)	13.95
2764	8192 x 8	(450ns) (5v)	6.95
2764-250	8192 x 8	(250ns) (5v)	7.95
2764-200	8192 x 8	(200ns) (5v)	19.95
TMS2564	8192 x 8	(450ns) (5v)	14.95
MCM68764	8192 x 8	(450ns) (5v) (24pin)	39.95
MCM68766	8192 x 8	(350ns) (5v) (24pin)	42.95
27128-30	16384 x 8	(300ns) (5v)	29.95
27128	16384 x 8	(250ns) (5v)	34.95

5v = Single 5 Volt Supply 21vPGM = Program at 21 Volts

★ ★ ★ **HIGH-TECH** ★ ★ ★ ★

SSI 263 SPEECH SYNTHESIZER

- ★ MICROPROCESSOR COMPATIBLE
- ★ 5 8-BIT CONTROL REGISTERS
- ★ ENHANCE YOUR MOCKINGBOARD OR BUILD STEVE CIARCIA'S SWEET TALKER II (BYTE MARCH '84) **39.95**

★ ★ ★ **SPOTLIGHT** ★ ★ ★ ★

- ★ Computer managed Inventory — virtually no back orders!
- ★ Very competitive prices!
- ★ Friendly staff!
- ★ Fast service — most orders shipped within 24 hours!

CRYSTALS

32.768 khz	1.95
1.0 mhz	3.95
1.8432	3.95
2.0	2.95
2.097152	2.95
2.4576	2.95
3.2768	2.95
3.579545	2.95
4.0	2.95
5.0	2.95
5.0688	2.95
5.185	2.95
5.7143	2.95
6.0	2.95
6.144	2.95
6.5536	2.95
8.0	2.95
10.0	2.95
10.738635	2.95
14.31818	2.95
15.0	2.95
16.0	2.95
17.430	2.95
18.0	2.95
18.432	2.95
20.0	2.95
22.1184	2.95
32.0	2.95

CMOS

4000	.29	4528	1.19
4001	.25	4531	.95
4002	.25	4532	1.95
4006	.89	4538	1.95
4007	.29	4539	1.95
4008	.95	4541	2.64
4009	.39	4543	1.19
4010	.45	4553	5.79
4011	.25	4555	.95
4012	.25	4556	.95
4013	.38	4581	1.95
4014	.79	4582	1.95
4015	.39	4584	.75
4016	.39	4585	.75
4017	.69	4702	12.95
4018	.79	74C00	.35
4019	.39	74C02	.35
4020	.75	74C04	.35
4021	.79	74C08	.35
4022	.79	74C10	.35
4023	.29	74C14	.59
4024	.65	74C20	.35
4025	.29	74C30	.35
4026	1.65	74C32	.39
4027	.45	74C42	1.29
4028	.69	74C48	1.99
4029	.79	74C73	.65
4030	.39	74C74	.65
4034	1.95	74C76	.80
4035	.85	74C83	1.95
4040	.75	74C85	1.95
4041	.75	74C86	.39
4042	.69	74C89	4.50
4043	.85	74C90	1.19
4044	.79	74C93	1.75
4046	.85	74C95	.99
4047	.95	74C107	.89
4049	.35	74C150	5.75
4050	.35	74C151	2.25
4051	.79	74C154	3.25
4053	.79	74C157	1.75
4060	.89	74C160	1.19
4066	.39	74C161	1.19
4068	.39	74C162	1.19
4069	.29	74C163	1.19
4070	.35	74C164	1.39
4071	.29	74C165	2.00
4072	.29	74C173	.79
4073	.29	74C174	1.19
4075	.29	74C175	1.19
4076	.79	74C192	1.49
4078	.29	74C193	1.49
4081	.29	74C195	1.39
4082	.29	74C200	5.75
4085	.95	74C221	1.75
4086	.95	74C244	2.25
4093	.49	74C373	2.45
4098	2.49	74C374	2.45
4099	1.95	74C901	.39
11C90	13.95	14409	12.95
95H90	7.95	14410	12.95
2513-001 UP	9.95	14411	11.95
2513-002 LOW	9.95	14412	12.95
		14419	7.95
		14433	14.95
		4502	.95
		4503	.65
		4508	1.95
		4510	.85
		4511	.85
		4512	.85
		4514	1.25
		4515	1.79
		4516	1.55
		4518	.89
		4519	.39
		4520	.79
		4522	1.25
		4526	1.25
		4527	1.95

UARTS

AY5-1013	3.95
AY3-1015	6.95
PT1472	9.95
TR1602	3.95
2350	9.95
2651	8.95
IM6402	7.95
IM6403	8.95
INS8250	10.95

GENERATORS

MC14411	11.95
BR1941	11.95
4702	12.95
COM5016	16.95
COM8116	10.95
MM5307	10.95

BIT-RATE

FUNCTION

MC4024	3.95
LM566	1.49
XR2206	3.75
8038	3.95

MISC.

UPD7201	29.95
TMS99532	29.95
ULN2003	2.49
3242	7.95
3341	4.95
MC3470	4.95
MC3480	9.00
11C90	13.95
95H90	7.95
2513-001 UP	9.95
2513-002 LOW	9.95

CLOCK CIRCUITS

MM5314	4.95
MM5369	3.95
MM5369-EST	4.25
MM5375	4.95
MM58167	12.95
MM58174	11.95
MSM5832	3.95

KEYBOARD CHIPS

AY5-2376	11.95
AY5-3600	11.95
AY5-3600 PRO	11.95

6800

68000	49.95
6800	2.95
6802	7.95
6803	19.95
6808	13.90
6809E	14.95
6809	11.95
6810	2.95
6820	4.35
6821	2.95
6828	14.95
6840	12.95
6843	34.95
6844	25.95
6845	14.95
6847	11.95
6850	3.25
6852	5.75
6860	7.95
6875	6.95
6880	2.25
6883	22.95
68047	24.95
68488	19.95

6800 = 1MHZ

68B00	10.95
68B02	22.25
68B09E	29.95
68B09	29.95
68B10	6.95
68B21	6.95
68B40	19.95
68B45	19.95
68B50	5.95

68B00 = 2 MHZ

6500

1 MHZ

6502	4.95
6504	6.95
6505	8.95
6507	9.95
6520	4.35
6522	6.95
6532	9.95
6545	22.50
6551	11.85

2 MHZ

6502A	6.95
6522A	9.95
6532A	11.95
6545A	27.95
6551A	11.95

3 MHZ

6502B	9.95
-------	------

8000

8035	5.95
8039	5.95
INS-8060	17.95
INS-8073	49.95
8080	3.95
8085	4.95
8085A-2	11.95
8086	24.95
8087	CALL
8088	29.95
8089	89.95
8155	6.95
8155-2	7.95
8156	6.95
8185	29.95
8185-2	39.95
8741	29.95
8748	24.95
8755	24.95

8200

8202	24.95
8203	39.95
8205	3.50
8212	1.80
8214	3

TMM2016

2K x 8 STATIC
200 ns

\$415

HM6264

8K x 8 STATIC
150 ns

\$3995

74LS00

74LS00	.24	74LS173	.69
74LS01	.25	74LS174	.55
74LS02	.25	74LS175	.55
74LS03	.25	74LS181	2.15
74LS04	.24	74LS189	8.95
74LS05	.25	74LS190	.89
74LS08	.28	74LS191	.89
74LS09	.29	74LS192	.79
74LS10	.25	74LS193	.79
74LS11	.35	74LS194	.69
74LS12	.35	74LS195	.69
74LS13	.45	74LS196	.79
74LS14	.59	74LS197	.79
74LS15	.35	74LS221	.89
74LS20	.25	74LS240	.95
74LS21	.29	74LS241	.99
74LS22	.25	74LS242	.99
74LS26	.29	74LS243	.99
74LS27	.29	74LS244	1.29
74LS28	.35	74LS245	1.49
74LS30	.25	74LS247	.75
74LS32	.29	74LS248	.99
74LS33	.55	74LS249	.99
74LS37	.35	74LS251	.59
74LS38	.35	74LS253	.59
74LS40	.25	74LS257	.59
74LS42	.49	74LS258	.59
74LS47	.75	74LS259	2.75
74LS48	.75	74LS260	.59
74LS49	.75	74LS266	.55
74LS51	.25	74LS273	1.49
74LS54	.29	74LS275	3.35
74LS55	.29	74LS279	.49
74LS63	1.25	74LS280	1.98
74LS73	.39	74LS283	.69
74LS74	.35	74LS290	.89
74LS75	.39	74LS293	.89
74LS76	.39	74LS295	.99
74LS78	.49	74LS298	.89
74LS83	.60	74LS299	1.75
74LS85	.69	74LS323	3.50
74LS86	.39	74LS324	1.75
74LS90	.55	74LS352	1.29
74LS91	.89	74LS353	1.29
74LS92	.55	74LS363	1.35
74LS93	.55	74LS364	1.95
74LS95	.75	74LS365	.49
74LS96	.89	74LS366	.49
74LS107	.39	74LS367	.45
74LS109	.39	74LS368	.45
74LS112	.39	74LS373	1.39
74LS113	.39	74LS374	1.39
74LS114	.39	74LS375	.95
74LS122	.45	74LS377	1.39
74LS123	.79	74LS378	1.18
74LS124	2.90	74LS379	1.35
74LS125	.49	74LS385	3.90
74LS126	.49	74LS386	.45
74LS132	.59	74LS390	1.19
74LS133	.59	74LS393	1.19
74LS136	.39	74LS395	1.19
74LS137	.99	74LS399	1.49
74LS138	.55	74LS424	2.95
74LS139	.55	74LS447	.95
74LS145	1.20	74LS490	1.95
74LS147	2.49	74LS624	3.99
74LS148	1.35	74LS640	2.20
74LS151	.55	74LS645	2.20
74LS153	.55	74LS668	1.69
74LS154	1.90	74LS669	1.89
74LS155	.69	74LS670	1.49
74LS156	.69	74LS674	14.95
74LS157	.65	74LS682	3.20
74LS158	.59	74LS683	3.20
74LS160	.69	74LS684	3.20
74LS161	.65	74LS685	3.20
74LS162	.69	74LS688	2.40
74LS163	.65	74LS689	3.20
74LS164	.69	81LS95	1.49
74LS165	.95	81LS96	1.49
74LS166	1.95	81LS97	1.49
74LS168	1.75	81LS98	1.49
74LS169	1.75	25LS2521	2.80
74LS170	1.49	25LS2569	4.25

74S00

74S00	.32	74S124	2.75	74S197	1.45
74S02	.35	74S132	1.24	74S201	6.95
74S03	.35	74S133	.45	74S225	7.95
74S04	.35	74S134	.50	74S240	2.20
74S05	.35	74S135	.89	74S241	2.20
74S08	.35	74S138	.85	74S244	2.20
74S09	.40	74S139	.85	74S251	.95
74S10	.35	74S140	.55	74S253	.95
74S11	.35	74S151	.95	74S257	.95
74S15	.35	74S153	.95	74S258	.95
74S20	.35	74S157	.95	74S260	.79
74S22	.35	74S158	.95	74S273	2.45
74S30	.35	74S161	1.95	74S280	1.95
74S32	.40	74S162	1.95	74S287	1.90
74S37	.88	74S163	1.95	74S288	1.90
74S38	.85	74S166	3.95	74S289	6.89
74S40	.35	74S169	3.95	74S301	6.95
74S51	.35	74S174	.95	74S373	2.45
74S64	.40	74S175	.95	74S374	2.45
74S65	.40	74S181	3.95	74S387	1.95
74S74	.50	74S182	2.95	74S412	2.98
74S85	1.99	74S186	1.95	74S471	4.95
74S86	.50	74S189	6.95	74S472	4.95
74S112	.50	74S194	1.49	74S474	4.95
74S113	.50	74S195	1.49	74S570	2.95
74S114	.55	74S196	1.49	74S571	2.95

VOLTAGE REGULATORS

7805T	.75	7905T	.85
78M05C	.35	7908T	.85
7808T	.75	7912T	.85
7812T	.75	7915T	.85
7815T	.75	7924T	.85
7824T	.75	7905K	1.49
7805K	1.39	7912K	1.49
7812K	1.39	7915K	1.49
7815K	1.39	7924K	1.49
7824K	1.39	79L05	.79
78L05	.69	79L12	.79
78L12	.69	79L15	.79
78L15	.69	LM323K	4.95
78H05K	9.95	UA78540	1.95
78H12K	9.95		

C, T = TO-220 K = TO-3
L = TO-92

SOUND CHIPS

76477	3.95	AY3-8910	12.95
76486	5.95	AY3-8912	12.95
76489	8.95	MC3340	1.49
		SSI-263	39.95

7400

7400	.19	74123	.49
7401	.19	74125	.45
7402	.19	74126	.45
7403	.19	74132	.45
7404	.19	74136	.50
7405	.25	74143	4.95
7406	.29	74145	.60
7407	.29	74147	1.75
7408	.24	74148	1.20
7409	.19	74150	1.35
7410	.19	74151	.55
7411	.25	74153	.55
7413	.35	74154	1.25
7414	.49	74155	.75
7416	.25	74157	.55
7417	.25	74159	1.65
7420	.19	74160	.85
7421	.35	74161	.69
7425	.29	74163	.69
7427	.29	74164	.85
7430	.19	74165	.85
7432	.29	74186	1.00
7437	.29	74167	2.95
7438	.29	74170	1.65
7442	.49	74173	.75
7445	.89	74174	.89
7446	.69	74175	.89
7447	.69	74177	.75
7448	.69	74181	2.25
7451	.23	74184	2.00
7473	.34	74185	2.00
7474	.33	74191	1.15
7475	.45	74192	.79
7476	.35	74193	.79
7482	.95	74194	.85
7483	.50	74195	.85
7485	.59	74197	.75
7486	.35	74198	1.35
7489	2.15	74221	1.35
7490	.35	74246	1.35
7492	.50	74247	1.25
7493	.35	74259	2.25
7495	.55	74273	1.95
7497	2.75	74276	1.25
74100	1.75	74279	.75
74107	.30	74366	.65
74109	.45	74367	.65
74116	1.55	74368	.65
74121	.29	74393	1.35
74122	.45		

BYPASS CAPS

.01 UF DISC	100/6.00
.01 UF MONOLITHIC	100/12.00
.1 UF DISC	100/8.00
.1 UF MONOLITHIC	100/15.00

EPROM ERASERS SPECTRONICS CORPORATION

	Timer	Capacity Chip	Intensity (uW/Cm ²)	
PE-14		9	8,000	83.00
PE-14T	X	9	8,000	119.00
PE-24T	X	12	9,600	175.00
PL-265T	X	30	9,600	255.00
PR-125T	X	25	17,000	349.00
PR-320T	X	42	17,000	595.00

INTERFACE

8T26	1.59
8T28	1.89
8T95	.89
8T96	.89
8T97	.89
8T98	.89
DM8131	2.95
DP8304	2.29
DS8833	2.25
DS8835	1.99
DS8836	.99
DS8837	1.65
DS8838	1.30



DATA ACQUISITION

ADC0800	15.55	DAC0800	4.95
ADC0804	3.49	DAC0808	2.95
DAC0806	1.95	DAC1020	8.25
ADC0809	4.49	DAC1022	5.95
ADC0816	14.95	MC1408L6	1.95
ADC0817	9.95	MC1408L8	2.95

CONNECTORS

RS232 Male	2.50
RS232 Female	3.25
RS232 Hood	1.25
S-100 ST	3.95

EXAR

XR 2206	3.75
XR 2207	3.75
XR 2208	3.75
XR 2211	5.25
XR 2240	3.25

INTERSIL

ICL7106	9.95
ICL7107	12.95
ICL7660	2.95
ICL8038	3.95
ICM7207A	5.59
ICM7208	15.95

9000

9316	1.00
9334	2.50
9368	3.95
9401	9.95
9601	.75
9602	1.50
96S02	1.95

LINEAR

LM301	.34	LM348	.99	LM567	.89	LM1812	8.25
LM301H	.79	LM350K	4.95	NE570	3.95	LM1830	3.50
LM307	.45	LM350T	4.60	NE571	2.95	LM1871	5.49
LM308	.89	LM358	.69	NE590	2.50	LM1872	5.49
LM308H	1.15	LM359	1.79	NE592	2.75	LM1877	3.25
LM309H	1.95	LM376	3.75	LM709	.59	LM1889	1.95
LM309K	1.25	LM377	1.95	LM710	.75	LM1896	1.75
LM310	1.75	LM378	2.50	LM711	.79	ULN2003	2.49
LM311	.64	LM379	4.50	LM723	.49	LM2877	2.05
LM311H	.89	LM380	.89	LM723H	.55	LM2878	2.25
LM312H	1.75	LM380N-B	1.10	LM733	.98	LM2900	.85
LM317K	3.95	LM381	1.60	LM741	.35	LM2901	1.00
LM317T	1.19	LM382	1.60	LM741N-14	.35	LM2917	2.95
LM318	1.49	LM383	1.95	LM741H	.40	LM3900	.59
LM318H	1.59	LM384	1.95	LM747	.69	LM3905	1.25
LM319H	1.90	LM386	.89	LM748	.59	LM3909	.99
LM319	1.25	LM387	1.40	LM1014	1.19	LM3911	2.25
LM320 (see 7900)	LM389	1.35	LM1303	1.95	LM3914	3.95	
LM322	1.65	LM390	1.95	LM1310	1.49	LM3915	3.95
LM323K	4.95	LM392	.89	MC1330	1.69	LM3916	3.95

2764 8K x 8 EPROM **\$6⁹⁵**
450 ns

27128-30 16K x 8 EPROM **\$29⁹⁵**
300 ns

BARGAIN HUNTERS CORNER

2732A 350ns

- "A" VERSION PROGRAMS AT 21 VOLTS.
- FAST! 350ns ACCESS TIME

4.95 EACH **100/4.45** EACH

Z-80 SPECIALS!

- Z-80A-CPU 2.95
- Z-80A-CTC 2.95
- Z-80A-PIO 2.95

SPECIALS END 7/31/84

TRANSISTORS

2N918	.50	MPS3706	.15
MPS818	.25	2N3772	1.85
2N2102	.75	2N3803	.25
2N2218	.50	2N3804	.10
2N2218A	.50	2N3806	.10
2N2219	.50	2N4122	.25
2N2219A	.50	2N4123	.25
2N2222	.25	2N4248	.25
PN2222	.10	2N4304	.75
MPS2389	.25	2N4401	.25
2N2484	.25	2N4402	.25
2N2805	.50	2N4403	.25
2N2807	.25	2N4657	1.00
PN2807	.125	PN4916	.25
2N3055	.78	2N5086	.25
3055T	.89	PN5128	.25
2N3393	.30	PN5138	.25
2N3414	.25	2N5209	.25
2N3563	.40	2N6028	.35
2N3565	.40	2N6043	1.75
PN3565	.25	2N6045	1.75
MPS3638	.25	MPS-A05	.25
MPS3640	.25	MPS-A06	.25
PN3643	.25	MPS-A55	.25
PN3844	.25	TIP29	.85
MPS3704	.15	TIP31	.75
		TIP32	.78

IC SOCKETS

1-99	100
8 pin ST	.13 .11
14 pin ST	.15 .12
18 pin ST	.17 .13
18 pin ST	.20 .18
20 pin ST	.29 .27
22 pin ST	.30 .27
24 pin ST	.30 .27
26 pin ST	.40 .32
40 pin ST	.49 .39
84 pin ST	4.25 call
ST = SOLDER TAIL	
8 pin WW	.59 .49
14 pin WW	.69 .52
18 pin WW	.89 .58
18 pin WW	.99 .90
20 pin WW	1.09 .98
22 pin WW	1.39 1.28
24 pin WW	1.49 1.35
26 pin WW	1.69 1.49
40 pin WW	1.99 1.80
WW = WIREWRAP	

RF MODULATOR

(ASTEC UM1082) QUANTITIES LIMITED

- * PRESET TO CHANNEL 3
- * USE TO BUILD TV-COMPUTER INTERFACE
- * +5 VOLT OPERATION

NOW ONLY \$6⁹⁵

LED LAMPS

1-99	100-up
JUMBO RED	.10 .09
JUMBO GREEN	.18 .15
JUMBO YELLOW	.18 .15
LED MOUNTING HARDWARE	.10 .09

LED DISPLAYS


HP 5082-7760	.43"	CC	1.29
MAN 72	.3"	CA	.99
MAN 74	.3"	CC	.99
FND-357 (359)	.375"	CC	1.25
FND-500 (503)	.5"	CC	1.49
FND-507 (510)	.5"	CA	1.49
TIL-311 4x7	.270"	HEX W/LOGIC	9.95

DIP SWITCHES

4 POSITION	.85
5 POSITION	.90
6 POSITION	.90
7 POSITION	.95
8 POSITION	.95

ZIF SOCKETS

ZIF = Zero Insertion Force



LEADS	UNIT PRICE
14	5.95
16	5.95
24	7.95
28	8.95
40	10.95

OPTO-ISOLATORS

4N26	1.00	MCA-7	4.25
4N27	1.10	MCA-255	1.75
4N26	.69	IL-1	1.25
4N33	1.75	ILA-30	1.25
4N35	1.25	ILQ-74	2.75
4N37	1.25	H11C5	1.25
MCT-2	1.00	TIL-111	1.00
MCT-6	1.50	TIL-113	1.75

RESISTORS

1/4 WATT 5% CARBON FILM ALL STANDARD VALUES FROM 1 OHM TO 10 MEG OHM
50 PCS. SAME VALUE .025
100 PCS. SAME VALUE .02
1000 PCS. SAME VALUE .015

BYPASS CAPS

.01 UF DISC	100/6.00
.01 UF MONOLITHIC	100/12.00
.1 UF DISC	100/8.00
.1 UF MONOLITHIC	100/15.00

DIODES

1N751	5.1 volt zener	.25
1N759	12.0 volt zener	.25
1N4146	(1N814) switching	25/1.00
1N4004	400PIV rectifier	10/1.00
KBP02	200PIV 1.5amp bridge	.45
KBP04	400PIV 1.5amp bridge	.55
VM48	Dip-Bridge	.35

MUFFIN FANS

4.68" Square	14.85
3.125" Square	14.85

HEAT SINKS

TO-3 style	.95
TO-220 style	.35

SWITCHES

SPDT mini-toggle	1.25
DPDT mini-toggle	1.50
SPST mini-pushbutton	.39

CAPACITORS TANTALUM

	8V	10V	15V	20V	25V	35V
.22uf						.40
.27						.40
.33						.40
.47						.50
.68				.35		.45
1.0		.40	.40	.45	.45	
1.5			.45			.50
1.8						.75
2.2		.35	.40	.45		.85
2.7		.40	.45			.90
3.3		.45	.50	.55	.60	.85
3.9			.45			
4.7	.45	.55		.60	.85	.86
6.8			.70			.75
10	.55	.65	.60	.65	.90	1.00
12	.65	.85	.90			
15	.75	.85	.90			
18			1.25			
22		1.00	1.35			
27			2.25			
39		1.50				
47	1.35					
58	1.75					
100		3.25				
270	3.75					

DISC

10pf	50V .05	470	50V .05
22	50V .05	580	50V .05
25	50V .05	880	50V .05
27	50V .05	820	50V .05
33	50V .05	.001uf	50V .05
47	50V .05	.0015	50V .05
58	50V .05	.0022	50V .05
68	50V .05	.005	50V .05
82	50V .05	.01	50V .07
100	50V .05	.02	50V .07
220	50V .05	.05	50V .07
330	50V .05	.1	12V .10
		.1	50V .12

MONOLITHIC

.1uf-mono	50V .18	.47uf-mono	50V .25
.047uf-mono	50V .15	.01uf-mono	50V .14

ELECTROLYTIC

	RADIAL		AXIAL	
.47uf	50V .14	1uf	50V .14	
1	25V .14	4.7	18V .14	
2.2	35V .15	10	18V .14	
4.7	50V .15	10	50V .18	
10	50V .15	22	18V .14	
47	35V .18	47	50V .20	
100	18V .18	100	15V .20	
220	35V .20	100	35V .25	
470	25V .30	150	25V .25	
2200	18V .60	220	25V .30	
		330	18V .40	
		550	18V .42	
		1000	18V .80	
		1500	18V .70	
44,000uf	30V 3.95	8000	18V .85	

COMPUTER GRADE

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9 Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING
TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6 1/2% Sales Tax. Other California residents add 6% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.

JDR Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128
800-538-5000 • 800-662-6279 (CA)
(408) 995-5430 • Telex 171-110

© Copyright 1984 JDR Microdevices

MCM68764 8K x 8 EPROM \$39⁹⁵
450 ns 24 PIN

SSI 263 SPEECH SYNTHESIZER \$39⁹⁵

CABINETS FOR 5 1/4" DISK DRIVES

CABINET #1 \$29.95

- * Dimensions 8 1/2 x 5 1/4 x 3 1/4"
- * Color matches Apple
- * Fits standard 5 1/4" drives, Inc. Shugart

- * Includes mounting hardware and feet

CABINET #2 \$79.00

- * Complete with power supply, switch, line cord, fuse & standard power connector
- * Dimensions: 11 1/2 x 5 1/4 x 3 1/4"
- * +5V @ 1 AMP, +12V @ 1.5 AMP
- * Please specify gray or tan

NOTE: Please include sufficient amount for shipping on above items.

TRANSFORMERS FRAME STYLE

12.6VAC	2amp	4.95
12.6VAC CT	2amp	5.95
12.6VAC CT	4amp	7.95
12.6VAC CT	8amp	10.95
25.2VAC CT	2amp	7.95

PLUG CASE STYLE

12VAC	250ma	3.95
12VAC	500ma	4.95
12VAC	1amp	5.95
12VAC	2amp	6.95

DC ADAPTER

6, 9, 12 VDC selectable with universal adapter 8.95

Please include sufficient amount for shipping on above items.

DISK DRIVES

TANDON

TM100-1 5 1/4" (FOR IBM) SS/DD	199.00
TM100-2 5 1/4" (FOR IBM) DS/DD	219.00

MPI

MP-52 5 1/4" (FOR IBM) DS/DD	249.00
------------------------------	--------

TEAC

FD-55B 1/2" HEIGHT DS/DD	189.00
--------------------------	--------

SHUGART


SA 400L 5 1/4" (40 TRACK) SS/DD	199.95
---------------------------------	--------

8" DISK DRIVE

FD 100-8 BY SIEMENS, SHUGART 801 EQUIV. SS/DD — 10/\$149 EA.	\$169.00
--	----------

FD 200-8 BY SIEMENS, SHUGART 851 EQUIV. SS/DD — 10/\$220 EA.	\$239.00
--	----------

Please include sufficient amount for shipping on above items.



TANDON 5 1/4"



TEAC HALF HEIGHT

MICROCOMPUTER HARDWARE HANDBOOK FROM ELCOMP — \$14.95

Over 800 pages of manufacturers data sheets on most commonly used IC's.

- Includes:
 - * TTL — 74/74LS and 74F
 - * CMOS
 - * Voltage Regulators
 - * Memory — RAM, ROM, EPROM
 - * CPU's — 6800, 6500, Z80, 8080, 8085, 8086/8
 - * MPU support & Interface — 6800, 6500, Z80, 8200, etc.

ORDER TOLL FREE
800-538-5000
800-662-6279
(CALIFORNIA RESIDENTS)



CENTRONICS

IDCEN36 Ribbon Cable 36 Pin Male	6.95
IDCEN36/F Ribbon Cable 36 Pin Female	6.95
CEN36 Solder Cup 36 Pin Male	7.95

RIBBON CABLE

CONTACTS	SINGLE COLOR		COLOR CODED	
	1'	10'	1'	10'
10	.50	4.40	.83	7.30
16	.55	4.80	1.00	8.60
20	.65	5.70	1.25	11.00
25	.75	6.60	1.32	11.60
26	.75	6.60	1.32	11.60
34	.98	8.80	1.65	14.50
40	1.32	11.60	1.92	16.80
50	1.38	12.10	2.50	22.00

BEST SELLING BOOKS OSBORNE/MC GRAW-HILL

Apple II User's Guide	18.95
CHT Controller's Handbook	9.95
68000 Assembly Language Programming	18.99
CBASIC User Guide	15.00

SYBEX

Z-80 Applications	15.95
IBM PC PRO DOS Handbook	16.95
Programming the 8086/8088	15.95
The Best of IBM PC Software Microprocessor Interfacing Techniques	17.95

EDGE CARD CONNECTORS

S-100 ST	3.95
S-100 WW	4.95
72 pin ST	6.95
72 pin WW	7.95
50 pin ST	4.95
44 pin ST	2.95
44 pin WW	4.95

DIP CONNECTORS

DESCRIPTION	ORDER BY	CONTACTS								
		8	14	16	18	20	22	24	28	40
HIGH RELIABILITY TOOLED ST IC SOCKETS	AUGATxx-ST	.99	.99	.99	1.69	1.89	1.89	1.99	2.49	2.99
COMPONENT CARRIERS (DIP HEADERS)	ICCxx	.65	.75	.85	1.00	1.25	1.25	1.35	1.50	2.10
RIBBON CABLE DIP PLUGS (IDC)	IDPxx	---	1.45	1.65	---	---	---	2.50	---	4.15


For order instructions see "IDC Connectors" below.

D-SUBMINIATURE

DESCRIPTION	ORDER BY	CONTACTS				
		9	15	25	37	50
SOLDER CUP	MALE DPxxP	2.08	2.69	2.50	4.80	6.06
	FEMALE DBxxS	2.66	3.63	3.25	7.11	9.24
RT. ANGLE	MALE DBxxPR	1.65	2.20	3.00	4.83	---
PC HOLDER	FEMALE DBxxSR	2.18	3.03	4.42	6.19	---
IDC RIBBON CABLE	MALE IDBxxP	3.37	4.70	6.23	9.22	---
	FEMALE IDBxxS	3.69	5.13	6.84	10.08	---
HOODS	BLACK HOOD-B	---	---	1.25	---	---
	GREY HOOD	1.60	1.60	1.25	2.95	3.50

MOUNTING HARDWARE - \$1.00


For order instructions see "IDC Connectors" below.




IDC CONNECTORS

DESCRIPTION	ORDER BY	CONTACTS					
		10	20	26	34	40	50
SOLDER HEADER	IDHxxS	.82	1.29	1.68	2.20	2.58	3.24
RT. ANGLE SOLDER HEADER	IDHxxSR	.85	1.35	1.76	2.31	2.72	3.39
WW HEADER	IDHxxW	1.86	2.98	3.84	4.50	5.28	6.63
RT. ANGLE WW HEADER	IDHxxWR	2.05	3.28	4.22	4.45	4.80	7.30
RIBBON HEADER SOCKET	IDSxx	1.15	1.86	2.43	3.15	3.73	4.65
RIBBON HEADER	IDMxx	---	5.50	6.25	7.00	7.50	8.50
RIBBON EDGE CARD	IDExx	2.25	2.36	2.65	3.25	3.80	4.74

ORDERING INSTRUCTIONS: Insert the number of contacts in the position marked "xx" of the "order by" part number listed. Example: A 10 pin right angle holder style header would be IDH10SR.



FOR APPLE COMPUTER USERS



JDR Microdevices

THOUSANDS SOLD!

JDR 16K RAM CARD FOR APPLE II+


- ★ Expand your 48K Apple to 64K
 - ★ Fully compatible with Apple Language System — Use in place of Apple Language card
 - ★ Highest quality card features: gold edge connector, sockets for all IC's.
 - ★ 2 YEAR WARRANTY
- Kit with Instructions \$40.95 **\$44.95**
 Bare PC Card \$14.95

GET SLIM IN 1984!


JDR HALF-HEIGHT DISK DRIVE

- ★ 35 Track if used with Apple Controller
- ★ 40 Track Controller and DOS Available (Call for Price)

\$209.95



MA SYSTEMS FD-35 DISK DRIVE



\$199.95

- ★ Shugart Mechanism — Made in U.S.A.
- ★ Direct Replacement for Apple Disk II
- ★ Compatible with Apple Controller or other Apple compatible controllers
- ★ Specially designed electronics with low power consumption
- ★ DOS 3.3 and 3.2 compatible
- ★ One Year Warranty

CONTROLLER CARD

\$69.95



APPLE COMPATIBLE POWER SUPPLY

- ★ Use To Power Apple Type Systems
- ★ +5V@4A +12V@2.5A
-5V@.5A -12V@.5A
- ★ Instructions and Apple Power Connector Included.

\$79.95

BMC BMX-80 PRINTER

- ★ 80 CPS Dot Matrix Printer
- ★ Prints Bi-Directional in 40, 80, 71 or 142 Columns in Normal, Double Width or Compressed Text.
- ★ Print Superscript As Well As Superb Graphics in Character or Bit Image

\$279



MICROMAX

VIEWMAX-80

NOW ONLY \$159.95

- ★ 80 Column Card for Apple II+
- ★ Video Soft Switch
- ★ Inverse Video
- ★ 2 Year Warranty

VIEWMAX-80e

NEW \$129.95

- ★ 80 Column Card for Apple IIe
- ★ 64K RAM Expandable to 128K
- ★ 64K RAM Upgrade **\$47.60**

GRAPHMAX \$129.95

- ★ Hi Resolution Graphics
- ★ Printer Card
- ★ Centronics Parallel Interface
- ★ Zoom, Rotation and More

Graphmax with Color Option **149.95**

NASHUA DISKETTES

5 1/4" WITH HUB RING

MD1 SOFT SECTOR, SS/SD	19.95
MD1D SOFT SECTOR, SS/DD	26.25
MD2D SOFT SECTOR, DS/DD	30.75
MD2F SOFT SECTOR, DS/QUAD DENSITY	45.00
MD110 10 SECTOR HARD, SS/SD	19.95
MD210D 10 SECTOR HARD, DS/DD	30.75
8" WITHOUT HUB RING	
FD1 SOFT SECTOR, SS/SD	24.75
FD1D SOFT SECTOR, SS/DD	30.00
FD2D SOFT SECTOR, DS/DD	36.75

VERBATIM

DATALIFE DISKETTES

SS/DD SOFT SECTOR

\$29.95

SS/DD 10 HARD SECTOR

\$29.95

5 1/4" DISKETTE FILE

- ★ ATTRACTIVE, FUNCTIONAL DISK STORAGE SYSTEM
 - ★ 75 DISK STORAGE CAPACITY
 - ★ MOLDED FROM DURABLE SMOKED PLASTIC WITH FRONT CARRYING HANDLE
- \$16.99**

OTHER ACCESSORIES FOR APPLE II

THUNDERCLOCK \$129.95


- ★ Real-Time Clock Calendar
- ★ Software Included
- ★ Mountain Software Compatible
- ★ BSR Control Options Available

KRAFT JOYSTICK \$39.95

MONITORS

BMC MONITOR STAND MODEL PA-900

Your Display Will
Tilt & Swivel **\$29.95**




MONOCHROME

BMC BM 12AUW GREEN 12"	\$89.95
BMC BM 12EUY 18 MHZ AMBER	\$139.95
BMC BM 12EUN 18 MHZ HIGH RES GREEN	\$115.00
NEC JB1201M 20MHZ GREEN	\$169.00
ZENITH ZVM-123-15 MHZ GREEN NEW	\$105.00

COLOR

BMC BM-AU9191U COMPOSITE 13" ... **\$279.00**

NO C.O.D. ORDERS PLEASE



JDR Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128

800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

Apple is a trademark of Apple Computer Corporation

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9 Sat. 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping charges — please contact our sales department for the amount. CA residents must include 6% sales tax, Bay Area and LA residents include 6 1/2%. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale.

© Copyright 1984 JDR Microdevices

U·N·C·L·A·S·S·I·F·I·E·D A·D·S

BYTE is concerned about software piracy. Unclassified ads proposing exchanges of software must specify that the software was written by the individual or is in the public domain. BYTE reserves the right to reject any unclassified ad that does not meet this criterion.

WANTED: Donation of Apple computer system for a science department in Madras, India, for use as a laboratory computer. Dr. S. Ganapathy (visiting faculty from department of biophysics, Madras, India), Department of Chemistry, University of Minnesota, Minneapolis, MN 55455, (612) 373-2359.

WANTED: Established, nonprofit youth-athletic organization seeks tax-deductible donation of microcomputer, disk drives, monitor, and printer, or small business computer for our mailing lists, word processing, schedules, and the administration of our handicapped program. Any disk-based system would be welcomed. Kenneth Drozd, 9 Dogwood Dr., Jackson, NJ 08527.

WANTED: Nonprofit agency needs a donation of a usable microcomputer to help low-income veterans, youths, handicapped individuals, ex-offenders, and unemployment recipients attain training and employment. Bill Slovick, Project JOVE Inc., Suite 2K, 2725 Congress St., San Diego, CA 92110, (619) 238-3826.

WANTED: Nonprofit environmental organization seeks tax-deductible donation of microcomputer, disk drives, monitor, and printer. Will pay shipping. Seward Weber, Vermont Natural Resources Council, 7 Main St., Montpelier, VT 05602, (802) 223-2328.

WANTED: Donations of keyboards, monitors, printers, disk drives, and disks to promote educational opportunities for newly formed Boy Scout Troop. Donations are tax deductible. Boys range in age from 11 to 13. Donations will assist in the attainment of Computer Merit Badge and promote additional interest in computer-related Boy Scout activities. Larry Hugenberg, 3448 Belden Ave., Youngstown, OH 44502, (216) 782-5517 after 5 p.m.

WANTED: I would like to exchange ideas, suggestions, and information with other Cromemco C-10 owners from everywhere. Would also like to buy BYTE: August 1983 and December 1983. Orlando Lopez, Carrera 10 B, 30-28 sur, Bogota 5, Colombia, South America.

WANTED: Real-world beta-test sites needed to develop manufacturing cost-estimating program that establishes standard job costs. Managers or administrators may send a description of how your computer is equipped, what it is, and the specific cost estimating you do. If you are selected, you will receive the final package for your help. Wm. Stocker, *American Machinist*, 1221 Ave. of the Americas, New York, NY 10020.

FOR SALE: Ohio Scientific C3-B-22 time-sharing microcomputer with two 52K-ROM memories working at 2MHz for simultaneous data-handling activities. Comes with 80-megabyte hard disk, drives, and full back-up capability. Includes two Teletype 912 terminals and printer: \$12,500. Will ship. Bob Harvey, Scholarship Information Inc., 5 Crystal River Dr., Cocoa Beach, FL 32931, (305) 259-9700.

FOR SALE: Back issues of BYTE from January 1982 through December 1983. Good condition: all for \$50. Postage paid anywhere in the continental US. Send cashier's check or money order. Lee C. Boger, Apt. 251, 4555 Mission Dr., Indianapolis, IN 46254, (317) 298-4760.

WANTED: Public-domain program embodying recognized constructs and procedures from psychology and philosophy to be used by intelligent individuals to improve the quality of their professional (and personal) decisions. Mike Gallagher, 2835 West Fargo, Chicago, IL 60645, (312) 764-4737.

WANTED: IBM PC or compatible computer. Prefer smaller system or inexpensive expanded system. Minimum required: 64K, one floppy, video, parallel-printer port, operating system, and languages. Monitor, hard disk, color not important but will be considered. Include service history and manufacturer of boards. C. Reaves, Llano Route, Box 128, Fredericksburg, TX 78624, (512) 685-3256.

FOR SALE: Unused IBM PC AST Megaplug II serial/parallel clock, 64K board, Warranty card, disk, instructions are still sealed: \$250 or trade. Also, have a BASF 12-Msec drive, set up for TRS-80 Model I, in OK condition: \$100. Alexander Crawford, 116 East 63 St., #2C, New York, NY 10021, (516) 537-1228.

FOR SALE: Hayes Micromodem 100, S-100 modem, new: \$185, SSM PBI S-100 EPROM programmer: \$100. Shugart 8-inch SSDD drive, like new, can show locally: \$150. Make offers. David Langmann, 2900 Conn. Ave. NW, Washington, DC 20008, (202) 232-7999.

FOR SALE: S-100 Cromemco computer 64K RAM, printer interface, 16 FDC disk controller, 21-board capacity, 30-amp power supply, three 5 1/4-inch Tandem DS/DD drives: \$2500 or best offer. Allen Shina, 4117 New Utrecht Ave., Brooklyn, NY 11219, (212) 438-0656.

FOR SALE: Back issues of BYTE, March 1981 through December 1983. Send offer for complete set or for individual issues. Bill Efron, 1369 Murray St., St. Paul, MN 55116.

FOR SALE: Never-used Ohio Scientific system. One CIP 16K 6502-based computer with built-in BASIC. One Superboard II 6502-based computer kit (unfinished). One black-and-white monitor. Numerous manuals and a complete set of cables. Original cost was \$700; best offer. Also, will consider trading for Atari or Apple equipment. Hans Hsu, 3020 Bolgos Crde, Ann Arbor, MI 48105, (313) 662-3666.

FOR SALE: *Kilobaud #1* through #71, *BYTE #1* through #60, *SCCS Interface Age #5*, 6, and 8 through #56. Make an offer. Merle Vogt, POB 145, Von Ormy, TX 78073.

FOR SALE: Two Apple III floppy-disk drives. Silent-type thermal printer, super serial card for Apple II, two ADM 31 smart terminals, Intermec 9300 bar-code reader and 9400 portable bar-code reader with wands, interface, and power adapters. All manuals included. Best offer. Mark Kuster, 521 Scott Ave., Dalhart, TX 79022, (806) 249-5287.

FOR SALE: First year of BYTE: \$30 plus UPS. First year of *Kilobaud*: \$30 and second year: \$20 plus UPS. Peter Buyaki, 203 North Cherry St., Harrison, AR 72601, (501) 741-7857.

FOR SALE: Apple Silentype printer and interface, like new. Best offer over \$150. Randy Webb, 622 East 11th St., Bloomington, IN 47401, (812) 339-7661 or 335-1858.

NEEDED: College-bound student needs any computers, computer parts, printers, modems, disk drives, computer books, CRT terminals, peripheral cards of any kind, and anything else. I will pay all postage. Doug Peterson, 5555 Washington, Denver, CO 80216, (303) 296-0346.

WANTED: Texas Instruments operating systems for obsolete DS9901/ with FD-1000 and 771s with FD-800 (also obsolete). Need TX5, TX5DS, and TXDS. Can swap TX5 or TX5DS manual for system configured to come up on my unit. Also, need documentation for TPL release 3.2. Robert Geeslin, 1142 East 49th St., Tulsa, OK 74105.

WANTED: College student would appreciate a donated computer for experiments. Kevin Knott, 26347 Midway, Dearborn Heights, MI 48127.

WANTED: High school student would like donated Apple computer equipment, cards, peripherals, manuals, anything unwanted. Will pay all postage. Anthony Mate, 4769-B, West 120th St., Hawthorne, CA 90250, (213) 978-8917.

FOR SALE: BYTE from Vol. 3 No. 4 to Vol. 9 No. 1. Missing Vol. 3 No. 5 and Vol. 4 No. 1. Best offer for all. Sanford Spero, Apt. 7, 503 North Grant, West Lafayette, IN 47906, (317) 743-8806.

WANTED: Student who wants to enter telecommunications would appreciate any donations of modems or modem parts in any condition. I will pay shipping costs. Paul Hopkins, 289 Goose Lane, Toland, CT 06084.

FOR SALE: Back issues of BYTE, January 1979 through December 1983 complete. Good condition. Best offer over \$100. Jim Shearer, Suite 2, 210 West Maumee, Angola, IN 46703, (219) 665-7673.

WANTED: Unwanted or broken computers, disk drives, printers, or modems. I will pay shipping and handling costs. Robert Haskins, R.D. #3 Box 3611, Spring Grove, PA 17362.

FOR SALE: Back issues of BYTE, September 1975 through December 1983, except October 1975 and January 1976: \$350 or best offer. Back issues of *Interface Age*: December 1976 through June 1981: \$200 or best offer. Bill Myers, 98 Pineland Dr., Akron, OH 44321, (216) 687-2982.

WANTED: S-100 boards for Technical Design Labs Xitan computer. Especially interested in memory boards and the ZPU-2 microprocessor board and associated documentation. Send description with asking price. William Leonard, 14956 Ronda Dr., San Jose, CA 95124, (408) 377-8582 evenings.

WANTED: Atari 810 disk drives, new or used. David Allbritton, POB 6811, Birmingham, AL 35210.

WANTED: Anyone interested in exploring the uses of personal computers for some not-so-common applications. Let's correspond. I am an engineer. Amy Mehta, 4026 Harvest Hill #2043, Dallas TX 75234, (214) 620-0831.

FOR SALE: Xerox 820 board. Comes with CP/M 2.2 and Microsoft BASIC on an 8-inch disk. Without monitor, drives, or enclosure: \$50 as is. Also, BMC composite monitor: \$75. Joe Keller, 10110 Walnut St. #216, Dallas, TX 76243.

WANTED: Graduate student would appreciate donated computer and peripherals for experiments. I will pay shipping. Fonbin Lin, 35 Northwood Rd., Storrs, CT 06268, (203) 487-1735.

WANTED: Early issues of *Micro*, *Kilobaud*, and *6502 Users Notes*, circa 1977 through 1980. Also interested in obtaining a Texas Instruments TM 990/U89 University Board. Harold May, 428 Phillippa, Hinsdale, IL 60521, (312) 325-1910.

FOR TRADE: Rainbow 100 users interested in swapping information and ideas. A. Darveau, Room 807, 3655 Drummond St., Montreal, Quebec H3G 1Y6, Canada.

WANTED: If interested in joining a users group for Timex/Sinclair computers on Long Island, drop me a post card. Heinz O. Henken, 9 Dartmouth Dr., East Northport, NY 11731.

FOR SALE: CompuPro hardware, 816A system, 20-megabyte hard-disk subsystem, Extra RAM 21, M-Drive/H, 10-MHz CPU 86/87, MPX-16. All like new. Visual 300 terminal. Also, Itasca Intersystems Model 810H computer with front panel and XPU-80 6-MHz Z80B CPU. In perfect condition. New, over \$13,000; \$4000 takes all. Frank McGirt, 188 Piedra Loop, Los Alamos, NM, 87544, (505) 672-9362.

FOR SALE: Tektronix T4002 graphics computer terminal with 4802 joystick, high-speed RS-232C interface, two spare tubes, all manuals, 1K by 1K addressable points. Recently calibrated. Excellent for CAD/CAM work: \$2000, trade, or make an offer. Bob Morein, 1570 Arran Way, Dresher, PA 19025, (215) 646-4894.

FOR SALE: Radio Shack PC-I Pocket Computer and printer/cassette interface that allows up to 1424 BASIC statements. Manuals included. Also, have cassette recorder used for storing programs and data. All in excellent shape: asking \$170 (with optional cassette). Would like to trade for an HP41CV. Steve Gentry, RR 1, Box 481, Richland, IN 47634, (812) 359-5170 evenings.

UNCLASSIFIED POLICY: Readers who have computer equipment to buy, sell, or trade or who are requesting or giving advice may send a notice to BYTE for inclusion in the Unclassified Ads section. To be considered for publication, an advertisement must be noncommercial and nonprofit (individuals or bona fide computer clubs), typed double-spaced, contain 60 words or less, and include name and address. This is a free service; notices are printed as space permits. Your confirmation of placement is appearance in an issue of BYTE as we engage in no correspondence. Please allow at least four months for your ad to appear. Send your notices to BYTE, Unclassified Ads, POB 372, Hancock, NH 03449.

B·O·M·B

BYTE'S ONGOING MONITOR BOX

ARTICLE#	PAGE	ARTICLE	AUTHOR(S)
1	121	Symphony: A Full-Orchestra Version of Lotus 1-2-3	Jadrnicek
2	125	A Musical Telephone Bell	Ciarcia
3	136	The West Coast Faire	Pournelle
4	139	An Ada Language Primer, Part 2: Tool Building in Ada	Saib
5	143	Kermit: A File-Transfer Protocol for Universities, Part 2: States and Transitions, Heuristic Rules, and Examples	da Cruz, Catchings
6	151	Electronic Encyclopedias	Cook
7	171	Televisions as Monitors	Coach
8	179	Computer Control of a Video Recorder	Tymony
9	187	Videodiscs and Computers	jarvis
10	207	Controlling Videodiscs with Micros	Daynes, Holder
11	235	The Sage II and Sage IV Computers	Munro
12	247	The Compaq Plus	Dahmke
13	255	XENIX for the IBM PC XT	Barry, Jacobson
14	267	Turbo Pascal	Wadlow
15	281	LISP for the IBM Personal Computer	Bortz, Diamant
16	293	The Smith-Corona L-1000 Printer	Shuford
17	305	Computing at Chaos Manor: The AT&T Computers	Pournelle
18	341	BYTE West Coast: Trends in Telecommunications	Markoff
19	361	BYTE Japan: Start-Up	Raike
20	365	Mathematical Recreations: Invariance	Ecker

THE BEST OF APRIL

Steve Ciarcia's "Build a Scrolling Alpha-numeric LED Display" placed first in BYTE's Ongoing Monitor Box results for April. Ciarcia and his Circuit Cellar will benefit from the \$100 prize. "The Coleco Adam" by Jules H. Gilder wins \$50 for second place. In the third slot is Jerry Pournelle's User's Column: "The Most Fabulous Object in the Entire World." Ruth Heuertz, author of "Soviet Microprocessors and Microcomputers," is fourth in the count-down and in fifth place is Gregg Williams's preview of "The Mindset Personal Computer." Congratulations, authors.

BYTE ADVERTISING SALES STAFF:

J. Peter Huestis, Advertising Sales Manager, 70 Main Street, Peterborough, NH 03458, tel. (603) 924-9281

NEW ENGLAND

ME, NH, VT, MA, RI
Paul McPherson Jr. (617) 262-1160
McGraw-Hill Publications
575 Boylston Street
Boston, MA 02116

ATLANTIC

NJ (NORTH), NY, NYC, CT
Dick McGurk (212) 512-3588
McGraw-Hill Publications
1221 Avenue of the Americas—39th Floor
New York, NY 10020

EAST

PA (EAST), NJ (SOUTH), MD, VA, W.VA, DE, D.C.
Daniel Ferro (215) 496-3833
McGraw-Hill Publications
Three Parkway
Philadelphia, PA 19102

SOUTHEAST

NC, SC, GA, FL, AL, TN
Maggie McClelland (404) 252-0626
McGraw-Hill Publications
4170 Ashford-Durwoody Road—Suite 420
Atlanta, GA 30319

MIDWEST

IL, MO, KS, IA, ND, SD, MN, WI, NB
Jack Anderson (312) 751-3740
McGraw-Hill Publications
Blair Building
645 North Michigan Ave.
Chicago, IL 60611

GREAT LAKES, OHIO REGION

MI, OH, PA (ALLEGHENY), KY, IN,
EASTERN CANADA
Dennis Riley (313) 352-9760
McGraw-Hill Publications
4000 Town Center—Suite 770
Southfield, MI 48075

SOUTHWEST, ROCKY MOUNTAIN

UT, CO, WY, OK, TX, AR, MS, LA
Alan Morris (214) 458-2400
McGraw-Hill Publications
Prestonwood Tower—Suite 907
5151 Beltline
Dallas, TX 75240

SOUTH PACIFIC

SOUTHERN CA, AZ, NM, LAS VEGAS
Page Goodrich (714) 557-6292
McGraw-Hill Publications
3301 Red Hill Ave.
Building #1—Suite 222
Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1160

McGraw-Hill Publications
3333 Wilshire Boulevard #407
Los Angeles, CA 90010

NORTH PACIFIC

HI, WA, OR, ID, MT, NORTHERN CA,
NV (except LAS VEGAS), W. CANADA
David Iern (415) 362-46
McGraw-Hill Publications
425 Battery Street
San Francisco, CA 94111

Bill McAfee (415) 964-0624

McGraw-Hill Publications
1000 Elwell Court—Suite 225
Palo Alto, CA 94303

WEST COAST SURPLUS

AND RETAIL ACCOUNTS
Tom Harvey (805) 964-8577
3463 State Street—Suite 256
Santa Barbara, CA 93105

Post Card Mailings

National
Bradley Browne (603) 924-6166
BYTE Publications
70 Main Street
Peterborough, NH 03458

International Advertising Sales Representatives:

Mr. Hans Csokor
Publimedia
Reisnerstrasse 61
A-1037 Vienna, Austria

Mrs. Gurit Gepner
McGraw-Hill Publishing Co.
115 Yosephthal St.
Bat Yam, Israel
866 561 321 39

Mr. Fritz Krusebecker
McGraw-Hill Publishing Co.
Liebigstrasse 19
D-6000 Frankfurt/Main 1
West Germany
72 0f 8f

Mrs. Maria Sarmiento
Pedro Teixeira 8, Off. 320
Iberia Mart 1
Madrid 4, Spain
45 52 891

Mr. Andrew Karnig
Andrew Karnig & Associates
Kungsholmsgatan 10
112 27 Stockholm, Sweden
08 51 68 70

McGraw-Hill Publishing Co.
17 rue Georges Bizet
F 75116 Paris
France
720 33 42

Mr. Arthur Scheffer
McGraw-Hill Publishing Co.
34 Dover St.
London W1X 3RA
England 01 493 1451

Mr. Savio Pesavento
McGraw-Hill Publishing Co.
Via Flavio Baracchini 1
20123 Milan, Italy
86 90 656

Seavex Ltd.
05-49/50 Tanglin Shopping Center
19 Tanglin Rd.
Singapore 1024
Republic of Singapore

Seavex, Ltd.
Room 102, Yu Yuet Lal Bldg.
43-55 Wyndham St. Central
Hong Kong

Hiro Morita
McGraw-Hill Publishing Co.
Overseas Corp.
Room 1528
Kasumigaseki Bldg.
3-2-5 Kasumigaseki,
Chiyoda-Ku
Tokyo 100, Japan

R·E·A·D·E·R S·E·R·V·I·C·E

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	
2	1st PLACE SYSTEMS	220	70	COMPUTER DISCOUNT PROD.	425	181	LIBERTY GROUP INC.	314
3	800 SOFTWARE	67	72	COMPUTER HUT OF N.E.	333	182	LIFEBOAT ASSOC.	191
4	A.S.T. RESEARCH	19	73	COMPUTER INNOVATION	390	183	LIGHT MACHINE CORP.	350
5	AB COMPUTERS	437	74	COMPUTER MAIL ORDER	398, 399	184	LOCKHEED-GETEX	300
7	ACTION COMPUTER	142	75	COMPUTER PRICE CLUB	112	185	LOGICAL DEVICES	200
8	ACTION COMPUTER	142		* COMPUTER WAREHOUSE	340	186	LOGICAL DEVICES	434
9	ADDMASTER CORP.	364	76	COMPUTERS AND MORE	75	187	LOGICAL MICROCOMPUTER	96
10	ADV. COMP. PROD.	450, 451	77	COMPUTERS FOR LESS	278	188	LOGITECH INC.	409
12	ADV. SYS. CONCEPTS	350	78	CONDOR COMP. CORP.	343	189	LOMAS DATA PRODUCTS	163
13	ADV. TRANSDUCER DEVICES	448	79	CONROY-LAPOINTE	244, 245	190	LONG-LIFE ACCESSORIES	367
14	AFTERTHOUGHT ENG.	436	80	CONROY-LAPOINTE	244, 245	191	LYBEN COMP. SYS.	430
	* ALF PRODUCTS, INC.	332	81	CONROY-LAPOINTE	244, 245	192	LYCO COMPUTER	435
15	ALL ELECTRONICS CORP.	114	82	CONTROL DATA	49		* M-H RECRUITMENT	306
16	ALLENBACH INDUSTRIES	313	83	CONTROL DATA	319		* MACMILLAN BOOK CLUBS	353
17	ALPHA OMEGA COMPUTER	102	84	CORECO INC.	32	193	MACROTECH INT'L	159
18	AMARAY CORP.	246	85	CORONA DATA SYS.	80, 81	194	MACROTRON	396
20	AMER. SQUARE COMP.	106	86	CORONA DATA SYS.	230, 231	344	MAGNUM PC.	312
21	AMERICAN MICRONICS	77	87	CORVUS SYS INC.	263	195	MAI BASIC FOUR	430
22	AMPRO COMPUTERS INC.	391	88	COSMOS	280	196	MANDINGO COMP. & CAMERAS	432
23	APPARAT INC.	156, 157	89	CRAHEN COMPANY	170	197	MANNESMANN TALLY	234
	* APPLE COMPUTER INC.	CR. 1	90	CRE WHOLESALER PROD.	428	198	MANX SOFTWARE SYS.	65
26	APPLE COUNTRY LTD.	417	92	CREST COMPUTER SUPPLY	448	199	MARON ENGINEERING LTD.	377
27	APROPOS TECHNOLOGY	364	93	CROMEMCO	5	200	MARYMAC INDUSTRIES	367
28	ARTIFICIAL INT'L. RESEARCH	448	94	CUESTA	308	202	MAYNARD ELECTRONICS	107
29	ASHTON-TATE	41, 42, 43	95	CUMANA	115	203	MC-P APPLICATIONS	315
30	ASHTON-TATE	304	97	CUSTOM COMPUTER SYSTEMS	387		* MCGRAW-HILL BOOK CO.	384, 385
31	ASHTON-TATE	339	98	DATA ACCESS CORP.	331	204	MCGRAW-HILL BOOKSTORE	354
33	ATTACHE SOFTWARE INC.	287	341	DATA SPEC	199	205	MEMOREX MEDIA PROD	370, 371
34	AVOCET	357	342	DATA SPEC	199	351	MERRIT COMP. PROD	438
35	B&B ELECTRONICS	364	101	DATA SPEC	408	206	META SYSTEMS	432
36	BASF SYSTEMS	116, 117	102	DATASOUTH COMP. CORP.	27	207	METHOD SYS. INC.	401
37	BAY TECHNICAL ASSOC.	22	104	DIGITAL RESEARCH	146, 147	208	METRA-BYTE	31
38	BAY TECHNICAL ASSOC.	23		* DIGITAL RESEARCH COMP.	407	209	MFI ENTERPRISES INC	224
39	BD SOFTWARE	112	105	DISCOUNT COMPUTER CENTERS	322	210	MICRO AGE COMP. STORES INC.	189
41	BINARY TECHNOLOGY	364		* DISKETTE CONNECTION	377	211	MICRO CRAFT CORP.	95
	* BORLAND INT'L.	47	106	DISKS 'N THINGS	448	212	MICRO DATA BASE SYS.	28, 29
42	BORLAND INT'L.	52, 53	107	DISKWORLD, INC.	196	214	MICRO DESIGN INT'L.	254
43	BOTTOM LINE, THE	68	109	DISKWORLD, INC.	401	215	MICRO EQUIPMENT CORP.	396
44	BUSINESS SOFTWARE	175	110	DISKWORLD, INC.	436	216	MICRO MANAGEMENT SYS.	108
45	BUSINESS SOFTWARE	175	111	DISKWORLD, INC.	438	217	MICRO MART, INC.	358, 359
340	BYTE BROKER, THE	389	112	DISPLAY TELECOMMUNIC.	449	218	MICRO MINT	360
	* BYTE APPLE GUIDE	344, 345	113	DMA	355	219	MICRODYNAMICS	430
	* BYTE BACK ISSUES	356	114	DOKAY COMP. PROD. INC.	454, 455	220	MICROMAIL	433
	* BYTE SUBSCRIBER NOTICE	336		* DOW JONES	257	221	MICROPROCESSORS UNLTD.	430
46	BYTEK COMP. SYS. CORP.	183	115	DUPONT COMPANY	318		* MICROSOFT CORP. (Busn. Basic)	101
	* C WARE	218	116	DWIGHT CO. INC.	434		* MICROSOFT CORP. (Cobol)	103
	* C-SYSTEMS	326	117	DYNAX, INC.	329		* MICROSOFT CORP.	320, 321
47	C.S.D. INC.	160	118	DYSAN CORP.	60, 61	222	MICROTECH EXPORTS	330
57	CABRILLO SOFTWARE	432	120	E.T.I.	92	223	MICROTIME	4
	* CALIF. DIGITAL	442, 443	121	EASI SOFTWARE	436	224	MICROWARE	292
	* CALIF. MICRO COMP.	302	122	EASTERN ENTERPRISES	251	225	MID-AMERICA WHOLESALERS	212
48	CANON U.S.A.	225	123	ECOSOFT	62	226	MIDWEST MICRO-PERIPHERALS	16
49	CANON U.S.A.	227	124	EDGE MICRO SYSTEMS	434	227	MINDSET CORP.	98, 99
50	CANON U.S.A.	229	125	EDUCATIONAL MICROCOMP.	438	228	MOUNTAIN VIEW PRESS	213
51	CAPITAL EQUIPMENT CORP.	214	126	ELCOMP	278	229	MPI	17
52	CDR SYSTEMS	326		* ELLIS COMPUTING INC.	195	230	MULTI-TECH SYSTEMS	58
53	CHRISLIN IND. INC.	309	128	ELLIS COMPUTING INC.	197	231	NATIONAL COMPUTER LTD.	106
54	CHROMOD ASSOC.	64	129	EMERALD COMPUTER	24	232	NEC INFORMATION SYS.	CI111
55	CODE-A-PHONE CORP.	374, 375		* EMPIRICAL RESEARCH GROUP	226	233	NETWORK INC.	266
56	COGITATE, INC.	393	131	EXPERT COMPUTERS	421	234	NICOLET PARATRONICS	152
58	COMMERCIAL BUSINESS SYS.	420				235	NORTH HILLS CORP.	278
339	COMMUNICATIONS ELEC.	404, 405				236	NORTH HILLS CORP.	448
59	COMP. COMPNTS. UNLTD.	444, 445				237	NORTHWEST DIGITAL SYS.	84
60	COMPETITIVE EDGE	389				127	NOVA COMPUTER INOELECTRADE	334
62	COMPJADD	278				238	OKIDATA	178
61	COMPUADD	436				239	OREGON SOFTWARE	209
63	COMPUMAIL	167				353	ORENDA, INC.	326
330	COMPU-MEDIA SUPPLIES	278				240	ORIX SYSTEMS	173
	* COMPUPRO	219				241	OSICOM	150
64	COMPUPRO	264, 265				242	PC NETWORK	325
65	COMPUSERVE	222, 223				354	P.I.S.	326
67	COMPUTER ACCESSORIES	243				356	PAGE SYSTEMS, INC.	326
	* COMPUTER CHANNEL	418				243	PACIFIC EXCHANGES	278
69	COMPUTER CONNECTION INC.	422				243	PACIFIC EXCHANGES	364

TO GET FURTHER information on the products advertised in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a 20-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions. *Correspond directly with company.

BYTE READER SERVICE



For fastest service transfer mailer label from wrapper to coupon provided at the right. Requests cannot be honored unless zip code is given. This card valid for 6 months from cover date.
NOTE—If label is missing or defaced fill out coupon carefully—PLEASE PRINT—this is the only way to get requested material to you.

Name _____
(Title) _____ (Company) _____
Address _____ Telephone _____
City _____ State _____ Zip _____

I purchased this copy by Subscription Newsstand, computer store, or bookstore

1 23 45 67 89	111 133 155 177 199	221 243 265 287 309	331 353 375 397 419	441 463 485 507 529	551 573 595 617 639	661 683 705 727 749	771 793
2 24 46 68 90	112 134 156 178 200	222 244 266 288 310	332 354 376 398 420	442 464 486 508 530	552 574 596 618 640	662 684 706 728 750	772 794
3 25 47 69 91	113 135 157 179 201	223 245 267 289 311	333 355 377 399 421	443 465 487 509 531	553 575 597 619 641	663 685 707 729 751	773 795
4 26 48 70 92	114 136 158 180 202	224 246 268 290 312	334 356 378 400 422	444 466 488 510 532	554 576 598 620 642	664 686 708 730 752	774 796
5 27 49 71 93	115 137 159 181 203	225 247 269 291 313	335 357 379 401 423	445 467 489 511 533	555 577 599 621 643	665 687 709 731 753	775 797
6 28 50 72 94	116 138 160 182 204	226 248 270 292 314	336 358 380 402 424	446 468 490 512 534	556 578 600 622 644	666 688 710 732 754	776 798
7 29 51 73 95	117 139 161 183 205	227 249 271 293 315	337 359 381 403 425	447 469 491 513 535	557 579 601 623 645	667 689 711 733 755	777 799
8 30 52 74 96	118 140 162 184 206	228 250 272 294 316	338 360 382 404 426	448 470 492 514 536	558 580 602 624 646	668 690 712 734 756	778 800
9 31 53 75 97	119 141 163 185 207	229 251 273 295 317	339 361 383 405 427	449 471 493 515 537	559 581 603 625 647	669 691 713 735 757	779 801
10 32 54 76 98	120 142 164 186 208	230 252 274 296 318	340 362 384 406 428	450 472 494 516 538	560 582 604 626 648	670 692 714 736 758	780 802
11 33 55 77 99	121 143 165 187 209	231 253 275 297 319	341 363 385 407 429	451 473 495 517 539	561 583 605 627 649	671 693 715 737 759	781 803
12 34 56 78 100	122 144 166 188 210	232 254 276 298 320	342 364 386 408 430	452 474 496 518 540	562 584 606 628 650	672 694 716 738 760	782 804
13 35 57 79 101	123 145 167 189 211	233 255 277 299 321	343 365 387 409 431	453 475 497 519 541	563 585 607 629 651	673 695 717 739 761	783 805
14 36 58 80 102	124 146 168 190 212	234 256 278 300 322	344 366 388 410 432	454 476 498 520 542	564 586 608 630 652	674 696 718 740 762	784 806
15 37 59 81 103	125 147 169 191 213	235 257 279 301 323	345 367 389 411 433	455 477 499 521 543	565 587 609 631 653	675 697 719 741 763	785 807
16 38 60 82 104	126 148 170 192 214	236 258 280 302 324	346 368 390 412 434	456 478 500 522 544	566 588 610 632 654	676 698 720 742 764	786 808
17 39 61 83 105	127 149 171 193 215	237 259 281 303 325	347 369 391 413 435	457 479 501 523 545	567 589 611 633 655	677 699 721 743 765	787 809
18 40 62 84 106	128 150 172 194 216	238 260 282 304 326	348 370 392 414 436	458 480 502 524 546	568 590 612 634 656	678 700 722 744 766	788 810
19 41 63 85 107	129 151 173 195 217	239 261 283 305 327	349 371 393 415 437	459 481 503 525 547	569 591 613 635 657	679 701 723 745 767	789 811
20 42 64 86 108	130 152 174 196 218	240 262 284 306 328	350 372 394 416 438	460 482 504 526 548	570 592 614 636 658	680 702 724 746 768	790 812
21 43 65 87 109	131 153 175 197 219	241 263 285 307 329	351 373 395 417 439	461 483 505 527 549	571 593 615 637 659	681 703 725 747 769	791 813
22 44 66 88 110	132 154 176 198 220	242 264 286 308 330	352 374 396 418 440	462 484 506 528 550	572 594 616 638 660	682 704 726 748 770	792 814

BYTE'S BOMB is your direct line to the editor's desk. Each month, the two top-rated authors receive bonuses based on your evaluation. First look at the list of this month's articles and corresponding article numbers (located in the unclassified ads section on the page preceding the Reader Service list), then rate each article you've read as Excellent, Good, Fair, or Poor, based on your overall impression of the article, by circling the appropriate number in each column below. Your feedback helps us produce the best possible magazine each month.

Article No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Excellent	1	5	9	13	17	21	25	29	33	37	41	45	49	53	57	61	65	69	73	77	81	85	89	93	97
Good	2	6	10	14	18	22	26	30	34	38	42	46	50	54	58	62	66	70	74	78	82	86	90	94	98
Fair	3	7	11	15	19	23	27	31	35	39	43	47	51	55	59	63	67	71	75	79	83	87	91	95	99
Poor	4	8	12	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96	100

Article No.	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Excellent	101	105	109	113	117	121	125	129	133	137	141	145	149	153	157	161	165	169	173	177	181	185	189	193	197
Good	102	106	110	114	118	122	126	130	134	138	142	146	150	154	158	162	166	170	174	178	182	186	190	194	198
Fair	103	107	111	115	119	123	127	131	135	139	143	147	151	155	159	163	167	171	175	179	183	187	191	195	199
Poor	104	108	112	116	120	124	128	132	136	140	144	148	152	156	160	164	168	172	176	180	184	188	192	196	200

BYTE READER SERVICE



For fastest service transfer mailer label from wrapper to coupon provided at the right. Requests cannot be honored unless zip code is given. This card valid for 6 months from cover date.
NOTE—If label is missing or defaced fill out coupon carefully—PLEASE PRINT—this is the only way to get requested material to you.

Name _____
(Title) _____ (Company) _____
Address _____ Telephone _____
City _____ State _____ Zip _____

I purchased this copy by Subscription Newsstand, computer store, or bookstore


1 23 45 67 89	111 133 155 177 199	221 243 265 287 309	331 353 375 397 419	441 463 485 507 529	551 573 595 617 639	661 683 705 727 749	771 793
2 24 46 68 90	112 134 156 178 200	222 244 266 288 310	332 354 376 398 420	442 464 486 508 530	552 574 596 618 640	662 684 706 728 750	772 794
3 25 47 69 91	113 135 157 179 201	223 245 267 289 311	333 355 377 399 421	443 465 487 509 531	553 575 597 619 641	663 685 707 729 751	773 795
4 26 48 70 92	114 136 158 180 202	224 246 268 290 312	334 356 378 400 422	444 466 488 510 532	554 576 598 620 642	664 686 708 730 752	774 796
5 27 49 71 93	115 137 159 181 203	225 247 269 291 313	335 357 379 401 423	445 467 489 511 533	555 577 599 621 643	665 687 709 731 753	775 797
6 28 50 72 94	116 138 160 182 204	226 248 270 292 314	336 358 380 402 424	446 468 490 512 534	556 578 600 622 644	666 688 710 732 754	776 798
7 29 51 73 95	117 139 161 183 205	227 249 271 293 315	337 359 381 403 425	447 469 491 513 535	557 579 601 623 645	667 689 711 733 755	777 799
8 30 52 74 96	118 140 162 184 206	228 250 272 294 316	338 360 382 404 426	448 470 492 514 536	558 580 602 624 646	668 690 712 734 756	778 800
9 31 53 75 97	119 141 163 185 207	229 251 273 295 317	339 361 383 405 427	449 471 493 515 537	559 581 603 625 647	669 691 713 735 757	779 801
10 32 54 76 98	120 142 164 186 208	230 252 274 296 318	340 362 384 406 428	450 472 494 516 538	560 582 604 626 648	670 692 714 736 758	780 802
11 33 55 77 99	121 143 165 187 209	231 253 275 297 319	341 363 385 407 429	451 473 495 517 539	561 583 605 627 649	671 693 715 737 759	781 803
12 34 56 78 100	122 144 166 188 210	232 254 276 298 320	342 364 386 408 430	452 474 496 518 540	562 584 606 628 650	672 694 716 738 760	782 804
13 35 57 79 101	123 145 167 189 211	233 255 277 299 321	343 365 387 409 431	453 475 497 519 541	563 585 607 629 651	673 695 717 739 761	783 805
14 36 58 80 102	124 146 168 190 212	234 256 278 300 322	344 366 388 410 432	454 476 498 520 542	564 586 608 630 652	674 696 718 740 762	784 806
15 37 59 81 103	125 147 169 191 213	235 257 279 301 323	345 367 389 411 433	455 477 499 521 543	565 587 609 631 653	675 697 719 741 763	785 807
16 38 60 82 104	126 148 170 192 214	236 258 280 302 324	346 368 390 412 434	456 478 500 522 544	566 588 610 632 654	676 698 720 742 764	786 808
17 39 61 83 105	127 149 171 193 215	237 259 281 303 325	347 369 391 413 435	457 479 501 523 545	567 589 611 633 655	677 699 721 743 765	787 809
18 40 62 84 106	128 150 172 194 216	238 260 282 304 326	348 370 392 414 436	458 480 502 524 546	568 590 612 634 656	678 700 722 744 766	788 810
19 41 63 85 107	129 151 173 195 217	239 261 283 305 327	349 371 393 415 437	459 481 503 525 547	569 591 613 635 657	679 701 723 745 767	789 811
20 42 64 86 108	130 152 174 196 218	240 262 284 306 328	350 372 394 416 438	460 482 504 526 548	570 592 614 636 658	680 702 724 746 768	790 812
21 43 65 87 109	131 153 175 197 219	241 263 285 307 329	351 373 395 417 439	461 483 505 527 549	571 593 615 637 659	681 703 725 747 769	791 813
22 44 66 88 110	132 154 176 198 220	242 264 286 308 330	352 374 396 418 440	462 484 506 528 550	572 594 616 638 660	682 704 726 748 770	792 814

To get further information on the products advertised in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a 20-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

PLACE
20c POSTAGE
HERE

BYTE

READER SERVICE
PO BOX 298
DALTON, MA 01227-0298
USA



PLACE
20c POSTAGE
HERE

BYTE

READER SERVICE
PO BOX 298
DALTON, MA 01227-0298
USA



BYTE

SUBSCRIPTIONS

4174

For a subscription to BYTE, please complete this card.

Name _____

Address _____

City _____

State _____ Zip _____ Country _____

Card No. _____

Expiration date _____

Four digits above name—Master Charge only _____

Signature _____ Date _____

Please allow eight weeks for processing. Thank you.

- | | | |
|----------------------------------|-------------------------------|-------------------------------|
| | USA | Canada
Mexico |
| <input type="checkbox"/> 1 year | <input type="checkbox"/> \$21 | <input type="checkbox"/> \$23 |
| <input type="checkbox"/> 2 years | <input type="checkbox"/> \$38 | <input type="checkbox"/> \$42 |
| <input type="checkbox"/> 3 years | <input type="checkbox"/> \$55 | <input type="checkbox"/> \$61 |
- \$53 Europe (air delivery) payment enclosed
 \$37 Elsewhere (surface mail) payment enclosed
(Air mail rates available upon request)
Please remit in US funds drawn on a US bank. Thank you.
- Check enclosed (Bonus: |North American only| one EXTRA issue—receive 13 issues for the price of 12)
-  
- Bill me (North America only)

BYTE

SUBSCRIPTIONS

4174

For a subscription to BYTE, please complete this card.

Name _____

Address _____

City _____

State _____ Zip _____ Country _____

Card No. _____

Expiration date _____

Four digits above name—Master Charge only _____

Signature _____ Date _____

Please allow eight weeks for processing. Thank you.

- | | | |
|----------------------------------|-------------------------------|-------------------------------|
| | USA | Canada
Mexico |
| <input type="checkbox"/> 1 year | <input type="checkbox"/> \$21 | <input type="checkbox"/> \$23 |
| <input type="checkbox"/> 2 years | <input type="checkbox"/> \$38 | <input type="checkbox"/> \$42 |
| <input type="checkbox"/> 3 years | <input type="checkbox"/> \$55 | <input type="checkbox"/> \$61 |
- \$53 Europe (air delivery) payment enclosed
 \$37 Elsewhere (surface mail) payment enclosed
(Air mail rates available upon request)
Please remit in US funds drawn on a US bank. Thank you.
- Check enclosed (Bonus: |North American only| one EXTRA issue—receive 13 issues for the price of 12)
-  
- Bill me (North America only)

*Note our special offer!
Send cash with your order
and receive 13 issues
for the price of 12 for
each year you subscribe.
(North America only, please.)*

Don't Miss An Issue!

Have BYTE delivered to your door.

Each month BYTE will bring you the latest in microcomputer technology.

DISCOVER and IMPLEMENT new ideas. Don't miss the original information presented in the pages of BYTE.

www.americanradiohistory.com

With BYTE you'll always be among the first to know about the important breakthroughs, worthwhile new equipment, and innovative projects in the world of computing.

CHALLENGE US to deliver the very best idea in microcomputers and advanced technology to you. Return the attached card today!

Subscribe to BYTE—the world's leading computer magazine.

PLACE
20c POSTAGE
HERE

BYTE SUBSCRIPTIONS

PO Box 590
Martinsville, NJ 08836
USA

PLACE
20c POSTAGE
HERE

BYTE SUBSCRIPTIONS


PO Box 590
Martinsville, NJ 08836
USA

INTRODUCING PINWRITER DOT MATRIX PRINTERS. AND A HEAD TO HEAD COMPARISON OF WHY THEY'RE BETTER.

Our new multi-mode Pinwriter® dot matrix printers have a lot in common with our Spinwriter® letter-quality printers. Designed and manufactured with the same quality and reliability that has made our Spinwriters the best selling letter-quality printers to PC users. We also gave them many unique capabilities you won't find on other dot matrix printers. Especially at such an affordable price.

More dots, more fonts, more versatility.

One thing that makes Pinwriters stand out from other



Our exclusive 18-pin print head is graphically sharper than a 9-pin printer, as this unretouched photo shows.

dot matrix printers is our printhead. It has 18 pins. Compared to the usual nine. It also has true dual-pass printing. The result: an amazing 240x240 dots per inch.

The quick brown fox

The quicker brown fox

The quickest brown fox

Three speeds cover all your printing needs.

That's why the print is as close to letter quality as you can get without getting a

Spinwriter. And why charts, illustrations and graphics look so crisp.



Our new P2 and P3 dot matrix printers give you everything our Spinwriter letter-quality printers are famous for, including forms handlers.

Pinwriters have something else no other dot matrix printers have. Eight operator-selectable print styles, plus as many as 11 international character sets. And an LED display to tell you which style has been selected.

What else? Three printing speeds. 300, 900 or 1800 words per minute to handle all your printing needs from word processing to data processing.

Plus, a variety of forms handlers to speed up all your paperwork. All made and designed by NEC. And all easily installed and changed by the operator.

For the final word, see your NEC dealer.

Only a demonstration can

Pinwriter and Spinwriter are registered trademarks of NEC Corporation.

show you how clearly superior the Pinwriter is compared to other dot matrix printers. And how versatile it is.

For the Pinwriter retailer nearest you, call 1-800-343-4419. In Massachusetts call 617-264-8635.

And find out why more and more PC users are saying, "NEC and me."


NEC AND ME

NEC Information Systems, Inc.
1414 Mass. Ave.
Boxborough, MA
01719



Circle 232 on inquiry card.

First Time Ever! Powerful Minicomputer Accounting Software Available on a Micro.



MAI/Basic® Four Programs Now Ready-to-Run On the Incredible Tandy TRS-80® Model 2000

Our MAI/Basic Four accounting software is just what small businesses have been waiting for. Because it is quite simply the best accounting solution available today. Combined with our state-of-the-art Tandy 2000 Personal Computer, MAI/Basic Four programs will add power, flexibility and efficiency to every facet of your accounting procedures—general ledger, accounts payable, accounts receivable and more. Since

MAI/Basic Four software was originally designed for mini-computers, it's already been proven in thousands of businesses worldwide. All the programs are fully integrated, so you only have to enter data once. You can easily tailor the system to meet your special accounting needs. And the documentation is extremely clear and straightforward, so there's no previous computer experience required. Get a demonstration of the

Tandy 2000 and MAI/Basic Four software today. Tandy 2000 systems start at \$2999, or only \$105 per month* on our commercial lease. Come see your accounting solution today!

Available at over 1100
Radio Shack Computer Centers and at
participating Radio Shack stores and dealers

Radio Shack®
COMPUTER CENTERS
A DIVISION OF TANDY CORPORATION

Circle 263 on inquiry card.

*Plus applicable use/sales tax. Prices apply at Radio Shack Computer Centers and participating Radio Shack stores and dealers. MAI/Basic Four is a trademark of Management Assistance, Inc.