

Shown on the right is a photo of the Heathkit laboratory. Since we feel that no piece of test equipment is better than the standards to which it was designed and calibrated, the Heath Company laboratory is of importance to every Heath customer. It is truly the heart of our business and represents an original investment of nearly 30,000 dollars. you will find the best of General Radio, Hewlett Packard and Measurements Corporation laboratory equipment. Our standards of frequency, voltage, resistance and capacity are the most accurate available and new equipment is constantly being added. Thus, Heathkits have built up a world-wide reputation for accuracy. A Canadian engineer working in the frozen north beyond the Arctic Circle writes that after a year in the north his VIVM was within 14 accuracy when tested in the government laboratories at Toronto. Hundreds of other letters monthly tell of similar experiences. When you purchase a Heathkit, whether for accurate technical work or for hobby experimenting, you do so with the confidence of maximum accuracy.



Read what

January 24, 1950

I am greatly pleased with the performance of the Belmont TV Kit which I recently purchased. Everyone who has seen it was enthusiastic over the sharpness and steadiness of the picture. Many thanks for bringing this set to my attention in your advertising.

The pictorials were invaluable in showing placement of parts.....

R. O. B. Rochester, N. Y.

January 16, 1950 completed the construction and alignment of one of the "Belmont" I have completed the constitution and statement of the of the first that TV Receivers purchased from you (in hit form) and wish to report that it surpasses anything in it's class for performance as far as I'm concerned, judging from my experience with this type of TV receiver. I am getting almost perfect reception at a distance of almost 60 miles from the transmitter and with a very inexpensive antenna installation.



Think of it. A beautiful factory engineered 18 tube television receiver with all parts (less tubes and cabinet) for the cost of the tuner alone, \$34.50. Now you can afford to learn the fascinating secret of this new industry by actually assembling a high quality receiver. This TV receiver kit has every-thing, 12 channel Defiance tuner using 6BH6 RF stage and 6J6 as oscillator and mixer, all assembled and adjusted. Completely assembled 5000 Volt high voltage power supply ready to operate. A circuit incorporating the latest developments. The panel controls are station selector, volume, vertical and horizontal hold and contrast. At the rear are brightness, vertical and horizontal size, focus, vertical and horizontal centering. The circuit uses three stages of high gain I.F. with 6AG5 tubes, 12AU6 limiter, 6AL5 second detector, 12AU6 syn. separator, 12AU6 video amplifier, 12SN7 horizontal multivibrator, 5016 horizontal output, 128N7 vertical multivibrator, 128N7 vertical output, 5016 high voltage oscillator, 1B3 high voltage rectifier, 19T8 as FM detector and audio amplifier, 2516 audio output.

Complete 7" Television Receiver Kit (less tubes and cabinet)........\$34.50 Shipping Wt. 23 lbs.

Complete set of tubes as outlined above with RCA 7JPh picture tube (18 tubes for less than price of picture tube).... 20.00 Shipping Wt. 6 lbs.

Beautiful piano finish mahogany cabinet Shipping Wt. 18 lbs.

Buy all at one time and save. Complete Receiver Kit with tubes and cabinet.... 69.50 Shipping Wt. 46 lbs.



omplete RECEIVER ESS TUBES & CABINET

Supplied with FOR EASY ASSEMBLY


essential Instrument work

Heathkit R.F.
SIGNAL GENERATOR KIT

July \$1950

6 to 1 MICROMETER TYPE VERNIER DRIVE FOR HAIRLINE ACCURACY

CATHODE FOLLOWER OUTPUT FOR STABILITY



STABLE OSCILLATOR
COVERS 150 KC to 34 MC
WITH FUNDAMENTALS
AND HAS STRONG CALIBRATED HARMONICS
TO OVER 100 MC.

400 CYCLE AUDIO MOD-ULATION-PROVISION FOR EXTERNAL MOD-ULATION . . . . . .

The most popular signal generator kit has been vastly improvedthe experience of thousands combined to give you the best. Check the features in this fine generator and consider the low price of \$19.50. A best buy for any shop, yet inexpensive enough for hobbyists. Everyone can have an accurate controlled source of R.F. signal voltage.

The new features double the value -- think of being able to make fidelity checks on receivers by inserting a variable audio signal. Internal 400 cycle saw-tooth audio oscillator modulates R.F. signal and is available externally for audio testing. The new 5 to 1 ratio vernier drive gives hairline tuning for maximum accuracy in scale settings. The coils are already precision wound

and calibrated. Uses turret type coil and switch assembly for case of construction. The generator is 110V. 60 cycle transformer operated and comes complete in every detail--cabinet--tubes--coils--beautiful two color calibrated panel and all small parts--new step-by-step pictorial diagrams and complete instruction manual make assembly a cinch even for novices. Why try to get along without a signal generator when you can have the best for less than a twenty dollar bill. Better order it now. Shipping Wt. 7 lbs. Model G-5.

A quality GENERATOR FOR LESS THAN A \$20. Bill

# Why GUESS ABOUT CONDENSERS THE NEW HEATHRIT CONDENSER CHECKER KIT

ANSWER
YOUR NEEDS

1950



FEATURES

\*Power factor scale.
\*Measures resistance.
\*Measures' leakage.
\*Checks paper-mica-electrolytics.
\*Bridge type circuit.
\*Magic eye indicator.
\*llOV. transformer operated.
\*All scales on panel.

Mothing ELSE TO BUY

Checks all types of condensers over a range of .00001 MFD to 1,000 MFD. All on readable scales that are read direct from the panel. NO CHARTS OR MULTIPLIERS MECESSARY. A condenser checker anyone can read. A leakage test and polarizing voltage for 20 to 500 Volts provided. Measures power factor of electrolytics between 0% and 50%. 110W. 60 cycle transformer operated complete with rectifier and magic eye tube, cabinet, calibrated panel, test leads and all other parts. Clear detailed instructions for assembly and use. Model C-2. Shipping Wt. 7 lbs.

## A PRECISION VOLT-OHM-MILLIAMMETER HEALTHRITE HANDITESTER KIT

FEATURES

\*Beautiful streamline Bakelite case.

\*AC and DC ranges to 5,000 Volts.

\*1% Precision ceramic resistors.

\*Convenient thumb type adjust control.

\*400 Microampere meter movement.

\*Quality Bradley AC rectifier.

\*Multiplying type ohms ranges.

\*All the convenient ranges 10-30-300-1,000-5,000 Volts.

\*Large quality 3" built-in meter.

The instrument for all--the ranges you need --assemble it in a matter of minutes--an instrument for everyone. Small enough to put in your pocket, yet a full 3" meter. Easy pictorial wiring diagrams eliminate all assembly problems. Uses only 1% precision ceramic divider resistors and wire wound shunts. Twelve different ranges. AC and DC ranges of 10-30-300-1,000-5,000 Volts. Ohms ranges of 0-3,000 ohms and 0-300,000 ohms. Milliampere ranges of 10 MA and 100 MA. Hearing aid type ohms adjust control fits conveniently under thumb for one hand adjustment. Banana type jacks for positive low resistance connections. Quality test leads included. The high quality Bradley instrument rectifier was especially chosen for linear scales on AC. The 400 micro-ampere meter movement comes already mounted

in the case protected from dust during assembly. An ideal classroom assembly instrument useful for a lifetime. Perfect for radio service calls, electricians, garage mechanics, students, amateurs and beginners in radio. The only quality volt-ohmmeter under \$20.00. An hour of assembly saves you one-half the cost and quality parts give you a better instrument. Order today. Model M-1. Shipping Wt. 2 lbs.



\$1350




### Heathkit VTVM KITS Better

STILL \$ 24-50

Full SCALE RANGE OF 3 VOLTS MEANS ONE VOLT COVERS 331/3 % OF SCALE INSTEAD OF ONLY 20% ON 5 VOLT TYPES..... NEARLY TWICE SCALE LENGTH

Six RANGES FOR EACH FUNCTION · 3 VOLTS 10 V. -30 V - 100 V - 300 V - 1000 V . ` COMPLETE COVERAGE 24 RANGES IN ALL . . . .



Mew SIMPLIFIED SWITCHES ONLY 14 CONNECTIONS ON FUNCTION SWITCH INSTEAD OF 30 ··· SAVES 1/3 THE ASSEMBLY TIME . . . .

The new Heathkit Model V-4 Vacuum Tube Voltmeter has dozens of improvements. A new modern streamlined 200 microampere meter has Alnico V magnet for fast, accurate readings. The new electronic AC voltmeter circuit incorporates an entire new balance control which eliminates contact potential and provides greater accuracy. New simplified switches for quicker assembly. New snap-in battery mounting is on the chassis for easy replacement.

The Heathkit VTVM is the only kit giving all the ranges. Check them--DC and AC full scale linear ranges of 0-3V, 0-10V, 0-30V, 0-100V, 0-300V, 0-100V and can be extended to 0-3000V and 0-10,000V DC with accessory probe at slight extra cost. Electronic observer has six ranges measuring resistance accurately from .1 ohm to one

billion ohms. Meter pointer can be offset to zero center for FM alignment.

The DC probe is isolated for dynamic measurements. Has db scale for making gain and other audio measurements.

The new instruction manual features pictorial diagrams and step-bystep instructions for easy assembly. The Heathkit VTVM is complete with every part--110V transformer operated with test leads, tubes, light aluminum cabinet for portability, giant 42 200 microamp meter and complete instruction manual.

Order now and enjoy it this entire season. Shipping Wt. 8 lbs. Model V-4

#### Heathkit R.F. PROBE KIT


No. 310 Converts any Heathkit (or other 11 meg input) VTVM into a kilovoltmeter. Highly insulated 1% accuracy multipliers. Reads 3,000V. on 300V. scale and 10,000V. on 1,000V. scale--a necessity for television. Shipping Wt. 1 lb.





\$650

#### MEASURING "Q" WITH HEATHKIT VIVM

A simple setup will allow the measurement of Q using a VTVM with RF probe and a signal generator. When measuring RF chokes, couple the signal generator to the choke by several turns of wire around it. Measurement should be made at the resonant frequency of the coil.







After locating resonant frequency, adjust signal generator output to full scale reading on VTVM. Note signal generator frequency without changing any adjustment. Move signal generator tuning control downward in frequency until VTVM reads 70.7% of full scale. Note this frequency. Move signal generator tuning control upward from resonant frequency until VTVM reads 70.7% of full scale. Note this frequency. Determine the Q of the coil by the following formula.

Q = Resonant frequency
Frequency difference downward + frequency difference upward

Example: Resonant frequency 70.7% frequency downward

455 Kc. 430 25 Kc.

70.7% frequency upward - Resonant frequency

470 455 15

 $Q = \frac{455}{25 + 15} = 11.37$ 

#### Heathkit H.V. PROBE KIT



\$450


No. 309 R.F. Probe Kit uses 1N34 crystal to measure R.F. voltages with Heathkit VTVM. Will measure accurately to 100 Mc. and give good indication to 250 Mc. Reads on regular DC scales.

Shipping Wt 1 lb.

# Hundreds of Heathkit IMPEDANCE BRIDGE standard

MEASURES INDUCTANCE IO MICRO HENRIES TO 100 HENRIES

MEASURES RESISTANCE .OI OHMS to IO MEG OHMS



MEASURES CAPACITANCE .00001 MFD to 100 MFD ...

MEASURES 'Q' AND POWER FACTOR ....

### Letually BRIDGES

Measures inductance from 10 microhenries to 100 henries, capacitance from .00001 MFD to 100 MFD. from .00001 MFD to 100 MFD. Resistance from .01 ohms to 10 megohms. Dissipation factor from .001 to 1. "Q" from 1 to 1,000. Ideal for schools, laboratories, service shops, serious experimenters. impedance bridge for everyone -- the most useful instrument of all, which heretofore has been out of the price range of serious experi-ceramic non-inductive decade resistors. Professional type binding posts with standard 3/4" centers. Beautiful birch cabinet. Directly

calibrated "Q" and dissipation factor scales. Ready calibrated capacity and inductance standards of Silver Mica, accurate to } of 1% and with dissipation factors of less than 30 parts in one million. Provisions on panel for external generator and detector. Measure all your unknowns the way laboratories do -- with a bridge for accuracy and speed.


Internal 6 Volt battery for resistance and hummer operation. Circuit utilizes Wheatstone, Hay and Maxwell circuits for different measurements. Supplied complete with every quality part-all calibrations completed and instruction manual for assembly and use. Deliveries are limited. Model IB-1. Shipping Wt. 15 lbs.

### New Heathkit SIGNAL TRACER **& UNIVERSAL TEST SPEAKER KIT**

The popular Heathkit Signal Tracer has now been combined with a univer-sal test speaker at no increase in price. The same high quality tracer follows signal from antenna to speaker -- locates intermittents -- defective parts quicker -- saves valuable service time--gives greater income per service hour. Works equally well on broadcast -- FM or TV receivers. The test speaker has assortment of switching ranges to match push-pull or single output impedance. Also test microphones, pickups, PA systems --comes complete--cabinet, 110V. 60 cycle power transformer -- tubes, test all parts and detailed instructions for assembly and use.



OBTAINING CIRCULAR AND GEAR TYPE TRACES ON YOUR HEATHKIT SCOPE



Shipping Wt. 8 lbs.

### acturers Heathkit T.V. ALIGNMENT GENERATOR KIT

\*Calibrated sweep width 0-30 Mc. \*Calibrated absorption marker 19 to 42 Mc. \*Vernier driven master oscillator 174-220 Mc. \*Over 45 inches of calibration.

#10,000 to 1 step type output attenuator.

\*Mechanical driven inductive sweep. \*AM modulation over entire range. \*Variable phase control. #All coils wound and calibrated. #3 T.V. instruments in one.

Everything you want in a television alignment generator. A wide band sweep generator covering all TV frequencies 0 to 46--54 to 100--174 to 220 Megacycles, a marker indicator covering 19 to 42 Megacycles, AM modulation for RF alignment--variable calibrated sweep width 0-30 Mc. mechanical driven inductive sweep. Husky 110V. 60 cycle power transformer operated--step type output attenuator with 10,000 to 1 range--high output on all ranges--band switching for each range -- vernier driven main calibrated dial with over 45 inches of calibration -- vernier driven calibrated indicator marker tuning. Large grey crackle cabinet 16  $1/8^{\circ}$  x 10  $5/8^{\circ}$  x 7  $3/16^{\circ}$ . Phase control for single trace adjustment. Uses three high frequency trioder Uses three high frequency triodes plus 5Y3 rectifier--split stator tuning condensers for greater efficiency and accuracy at high frequencies -- this Heathkit is complete and adequate for every alignment need and is supplied with every part -- cabinet, calibrated panel, all coils and condensers wound, calibrated and adjusted, tubes, transformer, test leads-every part with instruction manual for assembly and use. Actually three instruments in one--TV sweep generator--TV AM generator and TV marker indicator. Model TS-lA. Shipping Wt. 20 lbs.



### Ouly Heathkit 5" Push Pull OSCILLOSCOPE KIT


HAS DUAL PUSH PULL PENTODE AMPLIFIERS

Only HEATHKIT HAS FULL MAGNETIC METAL C.R. TUBE SHIELD.

DUAL POSITIONING CONTROLS FOR SMOOTH OPERATION ...

MULTIVIBRATOR TYPE SWEEP 15 CY. to WELL-OVER 70,000 CY.

INTENSITY MODULATION CONNECTIONS ON REAR..



ALUMINUM CABINET FOR PORTABILITY...

PUSH-PULL PENTODE

AMPLIFIERS

COMPLETE INSTRUMENT USES 8 TUBES . . . .

TEST VOLTAGE POST ON FRONT PANEL..

PEA

\*The first truly television oscilloscope.

\*Tremendous sensitivity .06 Volt RMS per inch

\*Push-pull vertical and horizontal amplifiers.
\*Useful frequency range to 2 Megacycles.

\*Extended sweep range 15 cycles to 70,000 cycles.

\*New television type multivibrator sweep generator.

\*New magnetic alloy shield included.

\*Still the amazing price of \$39.50.

The new 1950 Push-Pull 5" Oscilloscope has features that seem impossible in a \$39.50 oscilloscope. Think of it--push pull vertical and horizontal amplifiers with tremendous sensitivity only six one hundredths of a volt required for full inch of deflection. The weak impulses of television can be boosted to full size on the five inch screen. Traces you couldn't see before. Amazing frequency range, clear useful response at 2½ Megacycles, made possible by improved push-pull amplifiers. Only Heathkit Oscilloscopes have the frequency range required for television. New type multivibrator sweep generator with more than twice the frequency range, 15 cycles to 70,000 cycles, will actually synchronize with 250,000 cycle signal. Dual positioning controls will move trace over any section of the screen for observation of any part. Hew magnetic alloy CR tube shield protects the instrument from the outside fields. All the same high quality parts, cased electrostatically shielded power transformer, aluminum cabinet, all tubes and parts. New instruction manual now has complete step-by-step pictorials for easiest assembly. Model 0-5. Shipping Wt. 25 lbs. Express shipment only.


Only

\$3950

### Adentifying HARMONIC DISTORTION with HEATHKIT SCOPE


The following patterns will serve as a guide in identifying harmonic distortion in amplifiers. All are based on sine wave imput into amplifier.





HARMONIC





HIGH 314 HARMONIC Increase Your Scope

Heathkit
ELECTRONIC
SWITCH &
SQUARE WAVE GEN.KIT



An electronic switch used with any oscilloscope provides two separately controllable traces on the screen. Each trace is controlled independently and the position of the traces may be varied. The input and out-

put traces of an amplifier may be observed one above the other or one directly over the other illustrating perfectly any change occurring in the amplifier. Distortion, phase shift and other defects show up instantly, 110 Volt 60 cycle transformer operated. Uses five tubes (1 6X5, 2 6SM7's, 2 6SJ7's). Has individual gain controls, positioning control and coarse and fine switching rate controls. The cabinet and panel match all other Heathkits. Every part supplied including detailed instructions for assembly and use. Model 8-1. Shipping Wt. 11 lbs.

Mothing ELSE TO BUY!

### Beautiful NEW BLONDE CABINET FOR Heathkits

### NEW Heathkit FM TUNER KIT

A professional type FM Tuner for the best FM

The Heathkit FM Tuner Model FM-2 was designed for best possible tonal reproduction. The circuit incorporates the most desirable FM features -- true FM -- ready wound and adjusted coils -- 3 stages of 10.7 Mc. I.F. (including limiter).

Tube lineup: 7E5 oscillator, 6SH7 mixer, two 6SH7 I.F. stages, 6SH7 limiter, two 7C4 diodes as discriminator, 6X5 rectifier.

The instrument is transformer operated making it safe for connection to any type receiver or amplifier. The new 20 watt Heathkit Amplifier is ideal for use with this tuner taking full advantage of the wide tonal range available from FM. The R.F. coils are ready wound -- mounted on the tuning condenser and the condenser is adjusted -- no R.F. coils to wind or adjust.

A calibrated six inch slide rule dial has vernier drive for easy tuning. An AC outlet is provided on the chassis for the amplifier thus controlling it from the tuner controls. The finest parts are provided--ceramic mounted tuning condenser--dual iron core I.F. coils-cased power transformer and all ceramic bypass condensers. The kit is complete with all tubes, punched and formed chassis, transformers, condensers and complete instruction manual. Shipping Wt. 10 lbs. Model FM-2.



BLONDE BIRCH CABINET FOR FM TUNER Nº 350 FOR RECEIVER Nº 345



PROFESSIONAL TYPE COMMUNICATION CABINET FITS BOTH RECEIVERS

5" PERMOFLUX SPEAKER for EITHER OF THE ABOVE
Nº 320

The finest in Heathkit form at a reasonable price.

Model AR-1 3 Band Receiver Kit covers 550 Kc. to over 20 Mc. continuous. Extremely high sensitivity. Shipping Wt. 10 lbs.

### 2 Heathkit SUPER HETERODYNE


RECEIVER KITS BROADCAST AND 3 BAND MODELS AVAILABLE

Two new Heathkits. Ideal for schools, replacement of worn out receivers, amateurs and custom installations.

Both are transformer operated quality units. The best of materials are used throughoutsix inch calibrated slide rule dial -- quality power and output transformers -- dual iron core shielded I.F. coils -- metal filter condensers and all other parts. The chassis has phono imput jack--110 Volt outlet for phono motor and there is phono-radio switch on panel. A large metal panel simplifying installation in used console cabinets is included. Comes complete with tubes and instruction manual incorporating pictorials and step-by-step instructions (less speaker and cabinet). The three band model has simple coil turret which is assembled

Model BR-1 Broadcast Model Kit covers 550 to 1600 Kc. Shippi 10 lbs.

separately for ease of assembly.



### AMPLIFIER KITS FOR Finest REPRODUCTION

The purchase of a good amplifier provides years of pleasure. Both the new Heathkit Amplifiers listed below have just been developed and incorporate the latest in design. The Model A-4 is an inexpensive utility amplifier while the Model A-5 incorporates the best in circuit design and materials. It compares very favorably with the best in expensive amplifiers and has the same features. Better get one and enjoy a new thrill in musical reproduction. The General Electric reluctance pickup cartridge is considered the best commercial pickup and the Model A-5A has the proper preamplifier and compensation for it.

CHEW 6 WATT MODEL A4 . PUSH . PULL



AMPLIFIER

This new Heathkit Amplifier was designed to give quality reproduction at a very low price. Has two preamp stages, phase inverter stage and push-pull beam power output. Comes complete with six tubes, quality output transformer (to 3-4 ohm voice

coil), husky cased power transformer and all other Has tone and volume controls. Instruction manual has pictorial for easy assembly. Six wattout output with response flat ± 1½ db from 50 to 15,000 cycles. A quality amplifier kit at new low price. Better build one. Model A-4. Shipping Wt. 7 lbs.



Nodel A-5A Amplifier with preamplifier for G.E. cartridges or microphone......\$23.50

12" 20 Watt Speaker, No. 326..... 7.50

Chew ZO WATT . PUSH-PULL . MODEL A-5 Heathkit AMPLIFIER KIT

\*Push-pull 616's. \*Full 20 Watts output. \*Fully enclosed chassis.

\*Cased high fidelity output transformer. \*Treble and bass boost tone controls. \*Full range of output impedances 3.2 ohms to 500 ohms. Provisions for rejuctance pickup compensation stage.

> The finest amplifier kit we have ever offered -- check the features. This inexpensive amplifier compares favorably with instruments costing five times as much. Nothing has been spared to provide the best reproduction -- an ideal amplifier for the new Heathkit FM Tuner listed above.

Dual tone controls for control of both treble and bass. Bass control is of the boost type for maximum listening pleasure. Optional preamplifier stage for use with G.E. reluctance pickup or microphone. Uses inverse feedback to give excellent response over entire range. Tube lineup: 65J7 preamplifier stage, 6J5 phase splitter stage, two 6L6's in push-pull and 504 rectifier. (6SC7 as optional compensation stage.)


Uses highest quality Chicago Transformer Corporation cased output transformer with taps of 3.2, 8, 15, 60 and 500 ohms to match any speaker combination. Power transformer is conservatively rated for continuous operation in sound systems. Tone control gives maximum bass boost of 6 db at 70 cycles. Amplifier has maximum gain of 75 db. Response within 3 db 20 to 20,000 cycles. Shipping Wt. 17 lbs. Complete with all parts, tubes and instruction manual.

### Heathkit TUBE CHECKER KIT

SOCKETS FOR EVERY MODERN TUBE - BLANK FOR NEW TYPES when I ANNOUNCED . . . . .

FASTEST METHOD OF TESTING TUBES SAVES TIME MAKES MORE PROFITS

RUGGED COUNTER TYPE BIRCH CABINET ...



GEAR DRIVEN ROLLER
CHART · Gives INSTANT
SET-UP FOR ALL TYPES

TESTS EACH ELEMENT
SEPARATELY FOR OPEN
OR SHORT & QUALITY
Beautiful 3 COLOR METER
READS BAD-GOOD & HAS
LINE SET POINT ....

Test your tubes the modern way-dynamically-the simplest, yet fastest and surest method--your Heathkit has a switch for each tube element and measures that element--no chance for open or shorted elements slipping by, all the advantages of the mutual conductance type without the slow cumbersome time consuming setups.

Your Heathkit Tube Checker has all the features-beautiful 3 color BAD-GOOD meter--complete selection of voltages--roller chart listing hundreds of tubes including the new 9 pin miniatures--finest quality Centralab lever switches for each element--high grade birch counter type cabinet--continuously variable line adjust control--every feature you need to sell tubes properly. The most modern type tube checker with complete protection against obsolescence. The best of parts-rugged oversize 110V. 60 cycle power transformer--finest of Mallory and Centralab switches and controls, complete set of sockets for all type tubes with blank spare for future types. Fast action brass gear driven roller chart quickly locates the settings for any type tube. Simplified switching cuts necessary testing time to minimum

and saves valuable service time. Short and open element check. Simple method allows instant setup of new tube types without waiting for factory data. No matter what the arrangements of tube elements, the Heathkit flexible switching arrangement easily handles it. Order your Heathkit Tube Checker Kit today. See for yourself that Heath again saves you two-thirds and yet retains all the quality-this tube checker will pay for itself in a few weeks--better assemble it now. Complete with instructions--pictorial diagrams--all parts-cabinet--ready to wire up and operate. Shipping Wt. 12 lbs.

### Only \$ 2950



\$3450

### FINE & SQUARE WAVE AUDIO GENERATOR KIT

FEATURES

- \*Less than 1% distortion. \*Sine or square waves at flip of switch.
- \*Locked-in calibration, no adjusting or recalibrating.
- \*Covers 20 to 20,000 cycles.
- \*Uses stable RC bridge type circuit--no drift.
- \*Extremely linear output.

Hundreds of Heathkit Audio Generators are used by speaker manufacturers--definite proof of their quality and dependability. The added feature of square waves opens

up an entire new field of amplifier testing. Uses the best of parts, 4 gang condenser, 1% calibrating resistors, metal cased filter condensers, 5 tubes, completely calibrated panel and detailed instruction manual. One of our best and most useful kits. If you're an audio fan, it's a must. Shipping Wt. 12 lbs. Model G-2.

# Heathkit TUBE CHECKER Quiners

A MEW 1950 ROLL CHART is now available. It lists over 30 new type tubes and incorporates all corrections noted in last year's chart.

One will be mailed postpaid on receipt of 50¢ in money order or stamps.

# ZERO CENTER on and Heathkit

Any model Heathkit VTVM can be made to read zero center by increasing the size of the zero adjust control to 12 or 15,000 ohms—this does not affect the operation of the instrument but it should be recalibrated. The zeroing of the meter will be slightly more critical as this control is increased.

### Heathkit BATTERY ELIMINATOR KIT

Even the smallest shop can afford the Heathkit Battery Eliminator Kit. A few auto radio repair jobs will pay for it. It's fast for service, the voltage can be lowered to find sticky vibrators or raised to ferret out intermittents. Provides variable DC voltage 5 to  $7\frac{1}{2}$  Volts at 10 Amperes continuous or 15 Amperes intermittent. Also serves as storage battery charger. Ideal for all auto radio testing and demonstrating.

A well filtered rugged power supply uses heavy duty selenium rectifier, choke input filter with 4,000 MFD of electrolytic filter for clean DC. 0-15V woltmeter indicates output which is variable in eight steps. Easily constructed in a few hours from our instructions and diagrams--better be equipped for all types of service--it means more income. Shipping Wt. 19 lbs.



2250

#### QUALITY 125 MA POWER TRANSFORMER

An outstanding transformer buy. Built by Chicago Transformer Corporation. This is a varnish impregnated cased transformer. Delivers 700V CT at 125 MA, 6.3V at 2.5 Amps and 5V at 2 Amperes. An ideal unit for building amplifiers or receivers. The best trans-former buy we've ever offered. Shipping Wt. 5 lbs.
No. 329 125 MA Power Trans-



3FOZ \$595

#### Thusky 6L6 PUSH PULL **OUTPUT TRANSFORMER** Rated 20 Watts

A husky 616 push-pull output coil. This quality transformer was used by a leading manufacturer for juke boxes. We bought the last of them and they are priced at a fraction of cost. Shipping Wt. 2 lbs. No. 327.



3 FOR

#### Heavy DUTY 200 MA POWER TRANSFORMER

Quality Chicago Transformer Corporation Power Transformer.

60cv. Primary with taps at 105-110-115-120 Volts. Supplies 820V CT at 200 MA, 6.3V CT at 4.5 Amperes and 5 Volts at 3 Amperes. Dual half shell mounting. The finest transformer available. Shipping Wt. 10 lbs. each. No. 331.

200 MA Power Transformer.



#### .000365 M.F.D. TUNING CONDENSER



Ideal for building test equipment, small receivers oscillators, wave traps, etc. Shaft 1/4" x 3/4" long. Has tapped holes for mounting. Sell them to the boys for building crystal sets. Shipping Wt. 1 lb. No. 328 our 365 MMF Tuning Condenser

#### GENERAL ELECTRIC TUIO B TUNING UNIT



Still the best buy in surplus -- really quality parts. Brand new with cabinet worth the price alone. Cabinet ideal for building transmitter or amateur receiver. Note the three quality variable condensers. National Velvet vernier dial, high voltage micas. These are fast disappearing from the market. Others are asking \$4.95. Ours brand new with cabinets only \$3.95. No. 203. G.E. Tuning Unit. Shipping lbs.

### 3 Meters Everyoue can use



A beautiful DeJur 800 milliampere aquare 3" meter, a round Simpson 10 Ampere DC 3" meter and a General Electric 0-8 Ampere HF 21" round meter, all for only \$8.75 And one is easily worth \$4.0' There. . . ... ure ur .ering thr. for less than the price of v Every on meters would be to have \_\_ound the

shop. We don't have too man; C. e Shipping Wt. 4 lbs. Nr. 322 K' 22

THE HEATH COMPANY BENTON HARBOR, MICHIGAN

Measure Q" with Jour VTVM Identifying Harmonic Obtaining circular Jatiens on Scope Patterns on Scope

POSTMASTER: IF UNDELIVERABLE FOR ANY REASON, NOTIFY SENDER STATING REASON, ON FORM 3547 POSTAGE FOR WHICH IS Guaranteed Sec. 34.66, P. L. & R.

U. S. POSTAGE 1c PAID Permit No. 273 Benton Harbor, Mich.

### ORDER BLANK

### 70 HEATH COMPANY

BENTON HARBOR, MICHIGAN

From	SHIP VIA
7.0011	☐ Parcel Post
	Express
	☐ Freight
(BLEASE BRINT)	□ Best Way

			TELAGE THINT)			
Quantity	Item		Price	Quantity	Item	Price
	Heathkit Oscilloscope Kit-N	Model O-5			Heathkit T.V. Alignment Gen. Kit—T	S-1A
=	Heathkit VTVM Kit—Mode	I V-4			Heathkit R.F. Probe Kit—No. 310	
	Heathkit FM Tuner Kit-FM	1-2			Heathkit H.V. Probe Kit—No. 309	
	Heathkit Broadcast Receiver	Kit-Model BR-1			Heathkit R.F. Signal Gen. Kit-Mode	I G-5
	Heathkit Three Band Receive	er Kit-Model AR-1			Heathkit Condenser Checker Kit—Mo	odel C-2
	Heathkit Amplifier Kit—Moo	lel A-4			Heathkit Handitester Kit-Model M-	
	Heathkit Amplifier Kit—Moo	lel A-5 (or A-5A)			7" Television Receiver Kit	
	Heathkit Tube Checker Kit-	-Model TC-1				
	Heathkit Audio Generator K	it-Model G-2				
	Heathkit Battery Eliminator	Kit-Model BE-1				
	Heathkit Electronic Switch	(it—Model S-1				
	Heathkit Impedance Bridge I	Kit-Model IB-1				
	Heathkit Signal Tracer Kit-	Model T-2				

On Parcel Post Orders, include postage for weight shown and insurance. (We insure all shipments).

On Express Orders, do not include transportation charges—they will be collected by the Express Agency at time of delivery.

Enclosed find	☐ Check	☐ Money Or	der for
Please ship C.	0.D. 🗆 Po	ostage enclosed	l forlbs.

World Dadio History