

# POPULAR COMMUNICATIONS

JUNE 1991 \$2.95  
\$3.95 CANADA

## Cordless Telephones: Bye Bye To Privacy!

### Also in this issue:

- Scanning Tornado Alley
- Get The New Code-Free Ham Radio License
- Tuning In Ethiopia's Torment
- Shortwave Propagation Explained (Without Pain)

02 00256822CN9207 01 9106 1

RALPH D CAMERON  
30 ST REMY DR  
NEPEAN  
CANADA

ON K2J 1A3

74820

**CB, Car Phones, Satelites,**



# YOU EXPECT THE WORLD FROM ICOM RECEIVERS

ICOM's IC-R71A and IC-R7000 are the professional's choice for receiving international broadcasts, aircraft, marine, business, emergency services, television, and government bands. These people demand the finest in communications and so do you. ICOM puts the world at your fingertips with the IC-R7000 25-2000MHz\* and IC-R71A 0.1-30MHz commercial quality scanning receivers.

**Incomparable Frequency Control.** Both the IC-R71A and IC-R7000 feature direct frequency access via their front keypad, main tuning dial, optional infrared remote control and/or computer interface adapter. **Incredible Flexibility!**

**Full Coverage, Maximum Performance.** The superb IC-R71A is your key to world-wide SSB, CW, RTTY, AM and FM (optional) communications plus foreign broadcasts in the 100kHz to 30MHz range. It features IF Notch, low noise mixer circuits and a 100db dynamic range. The pacesetter **IC-R7000** receives today's hot areas of interest, including aircraft, marine, public services, amateur, and satellite transmissions in the 25MHz

to 2000MHz\* range. It includes **all mode operation** low noise circuits plus outstanding sensitivity and selectivity. The IC-R71A/R7000 combination is your window to the world!



The IC-R71A is a shortwave listener's delight. Its **32 tunable memories** store frequency and mode information, and they are single-button reprogrammable **independent of VFO A or VFO B's operations!** Dual width, an adjustable noise blanker, panel selectable RF preamp, and selectable AGC combined with **four scan modes** and all-mode squelch further enhance the IC-R71A's HF reception!

The IC-R7000 features 99 tunable memories and **six scanning modes**. It even scans a band and loads memories 80 to 99 with active frequencies without

operator assistance! Additional features include selectable scan speed pause delays, wide/narrow FM reception and high frequency stability.

**Options.** IC-R7000: RC-12 remote control, EX-310 voice synthesizer, CK-70 DC adapter, MB-12 mobile bracket. IC-R71A: RC-11 remote control, EX-310 voice synthesizer, CK-70 DC adapter, MB-12 mobile bracket, FL-32A 500Hz, FL-63A 250Hz and FL-44A filters.

See these quality ICOM receivers at your local authorized ICOM dealer today.

\*Specifications of the IC-R7000 guaranteed from 25-10000MHz and 1260-13000MHz. No coverage from 1000-1025MHz.

ICOM America, Inc., 2380-116th Ave. N.E., Bellevue, WA 98004  
**Customer Service Hotline (206) 454-7619**  
 3150 Premier Drive, Suite 126, Irving, TX 75063 /  
 1777 Phoenix Parkway, Suite 201, Atlanta, GA 30349  
 ICOM CANADA, A Division of ICOM America, Inc.,  
 3071 - #5 Road, Unit 9, Richmond, B.C. V6X 2T4 Canada

All stated specifications are subject to change without notice or obligation. All ICOM radios significantly exceed FCC regulations limiting spurious emissions. Receivers 89



# ICOM

First in Communications

CIRCLE NO. 79 ON FREE INFORMATION CARD



## SONY SUMMER SALE

<p align="center"><b>SONY</b></p> <p align="center"><b>ICF 2010</b></p>  <ul style="list-style-type: none"> <li>• Our #1 Seller</li> <li>• Full SW Coverage .1-30 MHz</li> <li>• AM-FM-USB LSB</li> <li>• Direct Keyboard Entry</li> <li>• 32 Station Memory</li> <li>• Synchronous Detection For Reduced Fading</li> <li>• Scan * Clock Timer *</li> <li>• Antennas</li> <li>• 4.5 VDC (3) D Cell Not Incl (2) AA</li> <li>• 120 VAC Wall Adapter Incl</li> <li>• 6 1/4" x 11 3/4" x 2 1/8" WT 48 oz</li> </ul> <p align="center">List \$429.95 <b>EEB CALL</b></p>	<p align="center"><b>SONY</b></p> <p align="center"><b>ICF SW 7600</b></p>  <ul style="list-style-type: none"> <li>• #1 Compact Portable</li> <li>• AM FM FM Stereo LW</li> <li>• Full SW Coverage .1-30MHz</li> <li>• Direct Keyboard Entry</li> <li>• Dual Conversion</li> <li>• Single Side Band U/L</li> <li>• 10 Station Memory</li> <li>• Clock, Timer, Alarm</li> <li>• Power (4) AA Not Incl</li> <li>• AN61 Antenna Incl</li> <li>• Power (4) AA Not Incl</li> <li>• 7 1/4" x 4 3/4" x 1 1/4" WT 22 oz</li> </ul> <p align="center">List \$249.95 <b>EEB CALL</b></p>	<p align="center"><b>SONY</b></p> <p align="center"><b>ICF 7700</b></p>  <ul style="list-style-type: none"> <li>• Compact Portable</li> <li>• AM FM 12 SW Bands</li> <li>• Digital Frequency</li> <li>• 15 Station Memory</li> <li>• PLL Synthesis Tuning</li> <li>• Dual Conversion</li> <li>• Clock, Timer, Alarm</li> <li>• Power (4) AA Not Incl</li> <li>• Optional AC PA6N \$9.95</li> <li>• Earphone, Case, SW Guide</li> <li>• AN61 Antenna Incl</li> <li>• 6 1/2" x 4 1/2" x 1 1/4" WT 21 oz</li> </ul> <p align="center">List \$199.95 <b>EEB CALL</b></p>	<p align="center"><b>SONY</b></p> <p align="center"><b>ICF 7601</b></p>  <ul style="list-style-type: none"> <li>• Compact Portable</li> <li>• AM FM (10) SW Band</li> <li>• Dual Conversion</li> <li>• SW Band Spread Tuning</li> <li>• Feather Touch Controls</li> <li>• Tuning Indicator</li> <li>• AN61 Antenna Incl</li> <li>• Power (4) AA Not Incl</li> <li>• Option AC Adpt PA6N \$9.95</li> <li>• Earphone, Case, SW Guide Book</li> <li>• 6 1/2" x 4 1/2" x 1 1/8" WT 20.8 oz</li> </ul> <p align="center">List \$139.95 <b>EEB CALL</b></p>
<p align="center"><b>SONY</b></p> <p align="center"><b>ICF SW1S</b></p>  <ul style="list-style-type: none"> <li>• Shirt Pocket Digital</li> <li>• AM-FM-All SW Band</li> <li>• Keyboard Entry</li> <li>• 10 Station Memory</li> <li>• Dual Conversion</li> <li>• Clock, Timer, Alarm</li> <li>• Travel Kit Incls</li> <li>• World Multi Voltage Adpt.</li> <li>• Stereo Head Phones</li> <li>• AN101 Active Antenna</li> <li>• SW Guide Book</li> <li>• Travel Case</li> <li>• Power 2AA Not Incl</li> <li>• 2 1/2" x 4 1/4" x 1 1/8" WT 8 oz</li> </ul> <p align="center">List \$349.95 <b>EEB CALL</b></p>	<p align="center"><b>SONY</b></p> <p align="center"><b>ICF SW20</b></p>  <ul style="list-style-type: none"> <li>• Shirt Pocket Size</li> <li>• AM FM (7) SW Band</li> <li>• Dual Conversion</li> <li>• SW Band Spread Tuning</li> <li>• Large 3" Speaker</li> <li>• Earphone, Case</li> <li>• Power (2) AA Not Incl</li> <li>• 4 1/2" x 2 1/4" x 1" WT 9.6 oz</li> </ul> <p align="center">List \$119.95 <b>EEB CALL</b></p>	<p align="center"><b>SONY</b></p> <p align="center"><b>ICF PRO80</b></p>  <ul style="list-style-type: none"> <li>• Convenient Portable</li> <li>• Coverage .15-108 MHz</li> <li>• Plus 108-216 MHz</li> <li>• AM, FM, SSB, TV Sound</li> <li>• Keyboard Entry</li> <li>• AM Wide Narrow</li> <li>• 40 Station Memory</li> <li>• Scan, Limit Scan</li> <li>• PLL Synth Tuning</li> <li>• Power (4) AA Not Incl</li> <li>• Opt NICAD BP23</li> <li>• Opt AC Adpt PA6N \$9.95</li> <li>• 3 1/2" x 7 1/4" x 2" WT 23 oz</li> </ul> <p align="center">List \$449.95 <b>EEB CALL</b></p>	<p align="center"><b>SONY</b></p> <p align="center"><b>TCM 38V</b></p>  <ul style="list-style-type: none"> <li>• Logging Cassette Recorder</li> <li>• CH1 Audio, CH 2, Time Date</li> <li>• Records Date, Time &amp; Plays Back To LCD Readout</li> <li>• Ideal For Scanner Monitoring</li> <li>• VOR Voice/Audio Auto Start</li> <li>• Auto Record Level</li> <li>• Built In Microphone</li> <li>• Power (2) AA Not Incl</li> <li>• Opt AC Adpt PA3N13 \$9.95</li> <li>• 3 1/2" x 5 1/4" x 1 1/4" WT 10 oz</li> </ul> <p align="center">List \$129.95 <b>EEB CALL</b></p>



ELECTRONIC EQUIPMENT BANK  
323 MILL STREET, N.E.  
VIENNA, VA 22180


**ORDERS: 800-368-3270**  
**LOCAL TECH: 703-938-3350**  
**FAX: 703-938-6911**

- FREE CATALOG IN U.S.
- BATTERY'S NOT INCLUDED
- PRICES SUBJECT TO CHANGE
- PRICES DO NOT INCLUDE FREIGHT
- SORRY, NOT CDS
- RETURNS SUBJECT TO 15% RESTOCK FEE


# POPULAR COMMUNICATIONS

JUNE 1991


VOLUME 9, NUMBER 10



35



44



66



14

## FEATURES

- Cordless Phones: Bye Bye Privacy!** 9  
A Boon To Eavesdroppers, Cordless Phones Are As Private As Conversing In An Elevator. You'll Never Guess Who's Listening In!  
*By Tom Kneitel, K2AES*
- Here's The Code-Free Ham Radio License!** 13  
You Asked For It, So Stop Complaining!  
**Scanning Tornado Alley** 14  
It's Twister Season! Have Your Scanner Ready To Monitor Disaster Communications *By Chuck Robertson*
- Radio: A Look Back** 18  
Some Thoughts From The Archives About Wartime Doings *By Alice Brannigan*
- Books You'll Like** 24  
The Undercover Airline, and Photographic Intelligence *By R.L. Slattery*
- DX'ing Africa's Tibet** 28  
Shortwave Voices From Ethiopia Reveal The Nation's Pain *By Gerry Dexter*
- POP'COMM Reviews: Universal Radio's M-1000 Decoder Card** 35  
*By POP'COMM Staff*

## COLUMNS

Washington Pulse . . . . .	32
Telephones Enroute . . . . .	36
You Should Know . . . . .	38
Broadcast DXing . . . . .	44
CB Scene . . . . .	48
Clandestine Communique . . . . .	51
Satellite View . . . . .	52
RTTY . . . . .	54
Listening Post . . . . .	62
Emergency . . . . .	65
Communications Confidential . . . . .	66
Pirates Den . . . . .	71
Scanning VHF/UHF . . . . .	72
Ham Column . . . . .	74
How I Got Started . . . . .	77

## DEPARTMENTS

Beaming In . . . . .	4
Mailbag . . . . .	6
New Products . . . . .	31
Worldband Tuning Tips . . . . .	40
Communications Shop . . . . .	78

**This month's cover:** A boon to eavesdroppers, cordless phones are about as private as conversing in an elevator. Photo by Larry Mulvehill.

## EDITORIAL STAFF

**Tom Kneitel, K2AES/KNY2AB**, Editor  
**Jeanine M. O'Connor**, Associate Editor

## CONTRIBUTING EDITORS

**Gerry L. Dexter**, Shortwave Broadcast  
**Robert Margolis**, RTTY Monitoring  
**Gordon West, WB6NOA**, Emergency  
**Don Schimmel**, Utility Communications  
**Edward Teach**, Alternative Radio  
**Harold A. Ort, Jr.**, Military Consultant  
**Janice Lee**, Radar Detectors  
**Chuck Gysi, N2DUP**, Scanners  
**Roger Sterckx**, AM/FM Broadcasts  
**Harry Helms, AA6FW**, Thoughts and Ideas  
**Donald Dickerson, N9CUE**, Satellites  
**Kirk Kleinschmidt, NT0Z**, Amateur Radio

## BUSINESS STAFF

**Richard A. Ross, K2MGA**, Publisher  
**Donald R. Allen, N9ALK**, Advertising Mgr.  
**Emily Kreutz**, Sales Assistant  
**Dorothy Kehrwieler**, General Manager  
**Frank V. Fuzia**, Controller  
**Catherine Ross**, Circulation Director  
**Melissa Kehrwieler**, Data Processing  
**Carol Minervini**, Data Processing  
**Karen Nauth**, Customer Service

## PRODUCTION STAFF

**Elizabeth Ryan**, Art Director  
**Barbara Terzo**, Artist  
**Dorothy Kehrwieler**, Production Manager  
**Emily Kreutz**, Production  
**Pat Le Blanc**, Phototypographer  
**Florence V. Martin**, Phototypographer  
**Linda Romanello**, Typesetting  
**Hal Keith**, Technical Illustrator  
**Larry Mulvehill, WB2ZPI**, Photographer

A publication of

 CQ Communications, Inc.  
76 North Broadway  
Hicksville, NY 11801-2953 USA

Offices: 76 North Broadway, Hicksville, NY 11801. Telephone 516 681-2922. FAX (516) 681-2926. Popular Communications (ISSN 0733-3315) is published monthly by CQ Communications, Inc. Second class postage paid at Hicksville, NY and additional offices. Subscription prices: Domestic—one year \$19.95, two years \$38.00, three years \$57.00. Canada/Mexico—one year \$22.00, two years \$42.00, three years \$63.00. Foreign—one year \$24.00, two years \$46.00, three years \$69.00. Foreign Air Mail—one year \$77.00, two years \$152.00, three years \$228.00.

U.S. Government Agencies: Subscriptions to Popular Communications are available to agencies of the United States government, including military services, only on a cash with order basis. Requests for quotations, bids, contracts, etc. will be refused and will not be returned or processed.

Entire contents copyright ©1991 by CQ Communications, Inc. Popular Communications assumes no responsibility for unsolicited manuscripts, photographs, or drawings. Allow six weeks for change of address or delivery of first issue. Printed in the United States of America.

Postmaster: Please send change of address to Popular Communications, 76 North Broadway, Hicksville, NY 11801.

# UNIVERSAL SHORTWAVE

## Monitor More With Advanced Equipment From Universal!

### COMMUNICATIONS RECEIVERS

□ Japan Radio NRD-535D



Triple conversion power with ECSS, Bandwidth Control and 3 filters included. The new standard in HF receivers. **Under \$1600... CALL**

□ Japan Radio NRD-525

Affordable high-end performance and features. In stock. \$1129.95 (+\$12 UPS)

□ Kenwood R-5000

A powerful receiver for the serious DXer. An exceptional value. \$849.95 (+\$11 UPS)

□ Kenwood R-2000

Many features: mems., scan, sweep, FM mode, 24 hr. clock etc. \$649.95 (+\$10 UPS)

□ Icom R-71A

A well-respected time-tested performer. Notch, 2 VFOs, keypad. **On special ... CALL**

### PORTABLE RECEIVERS

□ Sangean ATS-803A



Keypad, memories, BFO, clock, RF gain, etc. A strong performer and unbeatable value. **CALL FOR PRICE**

□ Sony ICF-2010

Super high performance and features. VHF air too. \$359.95 (+\$5 UPS)

□ Magnavox AE3805BK

A digital radio at an analog price. Covers 3.2-7.3 & 9.5-21.7MHz \$99.95 (+\$4 UPS)

□ Grundig Satellit 500

Hi-tech with beautiful fidelity and style. Synchronous tuning. \$539.95 (+\$5 UPS)

*Note: Radios listed above are all LW-MW-SW-FM digital. Contact us for other models*

### SPECIAL RECEIVERS

□ Icom R-9000



Solid all-mode coverage from .1 to 1999.8 MHz. Multi-function CRT with spectrum analyzer. The ultimate receiver! **CALL FOR PRICE.**

### SHORTWAVE ANTENNAS

□ Alpha Delta DX-SWL Sloper

MW +120-13 meter bands (60') ..... \$67.95+\$4

□ Alpha Delta DX-SWL Sloper-Short

90-13 meter bands (40') ..... \$57.95+\$4

□ Eavesdropper Specify twin lead or coax type

9 SW bands (60-10 meters) ..... \$74.95+\$4

□ McKay Dymek DA100D Active Antenna

The Cadillac of active antennas! .. \$179.95+\$4

□ Sony AN-1 Active Antenna

For portables, covers .15-30 MHz. .. \$84.95+\$4

*Note: Many more antennas available. See catalog.*

### MULTI-MODE CONVERTERS

□ Universal M-7000



The Universal M-7000 will permit you to intercept and decode Morse code, various forms of RTTY, FDM and FAX. Simple connections to your receiver and video monitor will enable you to monitor with the most sophisticated surveillance decoder available. No computer is required. See the world of shortwave excitement you have been missing. Requires 115/230 AC 50/60 Hz. With video fax and real time clock only \$1159.00 **Please write for full details.**

- ◆ Morse Code (CW)
- ◆ Regular Baudot RTTY
- ◆ Bit Inverted & Var. Baudot
- ◆ ASCII Low & High Speed
- ◆ Sitor Mode A & B
- ◆ ARQ-M2 & M4 (TDM)
- ◆ ARQ-E and ARQ-E3
- ◆ FEC-A and FEC-S
- ◆ SWED-ARQ and ARQ-S
- ◆ VFT Modes (FDM)
- ◆ Russian 3rd Shift Cyrillic
- ◆ Facsimile (FAX) AM/FM
- ◆ Packet 300 & 1200 AX.25
- ◆ Remote Terminal
- ◆ Literal & Databit Modes
- ◆ Variable & Standard Shift
- ◆ Automatic Tuning
- ◆ Diversity Reception

### MULTI-MODE CONVERTERS

□ Universal M-900



Here is a compact, easy to use decoder that copies all the most important shortwave transmission modes. The M-900 covers Morse code for monitoring hams, ships and coastal stations. Baudot RTTY is included for decoding weather and international press broadcasts. Both Sitor A and Sitor B are supported for monitoring the extensive maritime and diplomatic traffic. Facsimile (to the printer only) lets you receive maps and pictures from around the world. Requires 12 VDC @.8A Text output to video monitor. \$499.95 (+\$8)

- ◆ Morse Code (CW)
- ◆ Regular Baudot RTTY
- ◆ Sitor Mode A (ARQ)
- ◆ Sitor Mode B (FEC)
- ◆ Facsimile (FAX) FM
- ◆ Variable & Standard Shift

#### M-900 System Components

A complete M-900 system would require:

- ▶ Universal M-900
  - ▶ 12 VDC Power Supply
  - ▶ Your SW Receiver
  - ▶ Video Monitor
  - ▶ Parallel Printer
  - ▶ Cables for above
- Please write to Universal for full information on the M-900 and the above optional items. Full system prices are available.

### COMMUNICATIONS BOOKS

□ Passport To Worldband Radio 1991 Ed.

By L. Magne. Graphic presentation of all SWBC stations. Equipment reviews too. .... \$16.95

□ Shortwave Receivers Past & Present

By F. Osterman. Your guide to 200 receivers with new-used value, specs, features. .... \$6.95

□ Aeronautical Communications Handbook

By R. Evans. A mammoth book on all aspects of shortwave aero listening. 266 pages. ... \$19.95

□ Complete SWL's Handbook Third Edition

By Bennett, Helms, Hardy. Nearly 300 pages on all aspects of SWL'ing. .... \$16.95

□ Guide To Utility Stations 1991 9th Edition

By J. Klingenfuss. The definitive guide to utility stations- CW, SSB, FAX and RTTY.. ... \$33.95

□ Guide To Facsimile Stations

By J. Klingenfuss. The complete guide to FAX with freqs., schedules and addresses. . \$24.95

□ World Radio TV Handbook 1991 Edition

All SWBC stations by country with schedules, addresses, power, etc. Reviews too. ... \$19.95  
✓ Please add \$1 per title for shipping.

### COMMUNICATIONS CATALOG

Universal now offers a new combined communications catalog covering shortwave, amateur and scanner equipment. There is also an unbeatable selection of antennas, books, parts and accessories. This huge 92 page (8 1/2" by 11") publication covers everything for the radio enthusiast. With prices, photos and full descriptions.

**Available FREE by fourth class mail or \$1.00 by first class mail.**

### STORE HOURS

Monday - Friday 10:00-5:30  
Except Thursday 10:00-8:00  
Saturday 10:00-3:00

• We ship worldwide  
• Visa, MC, Discover  
• Prices & specs. are  
subject to change.

• In business since 1942!  
• Used equip.  
list available

### Universal Radio

1280 Aida Drive Dept. PC

Reynoldsburg, Ohio 43068 U.S.A.

Ohio: 614 866-4267 Toll Free: 800 431-3939

## Packet Problem

I want to toss in some thoughts about the messy situation relating to packet (computer) radio bulletin boards that are becoming so popular. These are similar in many ways to commercial and non-commercial landline BBS services, except that they are operated on ham radio frequencies by people with ham licenses—a transceiver replaces the modem and telephone line. Of the 450,000 licensed hams in the US, packet radio appears to be the fastest growing area of the hobby with nearly one out of every five licensees already using packet radio. The new codeless ham license will surely attract many more entrants into this most useful communications method.

An aspect of packet operation is that one operator can originate a message and feed it out into the national packet system. From there it is automatically picked up and repeated in turn, over and over, by hundreds upon hundreds of other local packet stations as it networks its way across the nation. This is probably one of the best things about packet radio, but it's also one of the worst.

A recent controversy popped up when one particular message went out over the packet network. One ham who received it thought that it violated FCC regulations against commercial messages on ham frequencies. It may or may not have mattered that the message, received by a Navy captain, contained a "900" telephone number and an anti-war message. It might as well have contained a commercial for used cars or laundry detergent. A complaint was filed with the FCC because of the misuse of amateur radio for commercial purposes.

The FCC agreed that this was a violation of the amateur regulations, and attempted to trace the message back to its original source. The callsign of the station signed as the originator of the message belonged to a ham in Norristown, PA. He was given a \$300 fine and warned that his ham ticket would be revoked if the commercial messages continued.

The message was a violation of regulations against commercial use inasmuch as it contained a "900" telephone number. But the ham nailed with the FCC fine as the originator of the message denied that he ever sent it, insisting that someone else had sent it and used his callsign as a malicious prank. It is entirely possible for this to have happened, there's no way of knowing. Transmitting false or deceptive signals, such as one station using a callsign it wasn't entitled

to use, is another FCC rule violation.

The major fur flew when the FCC suggested that each of the hundreds upon hundreds of packet stations that automatically repeat unauthorized traffic is considered to be in violation of the agency's regulations. The FCC thereupon also fined three packet stations for repeating the commercial message, then fired off a batch of warnings to eight other hams for doing the same. The FCC suggested hams were being put on notice that, under the existing regulations, each is responsible for the content of the packet messages automatically picked up and repeated by their stations to the extent that they could be charged with violations in the event an unauthorized message went through.

Alarmed packet users complained that it would be impossible for them to read, monitor, and accurately screen each and every message; many thought such a requirement would hardly be enforceable inasmuch as satellites carry packet messages throughout the world. The ACLU complained that it was a violation of first amendment rights. The ARRL said that such a requirement would destroy the functioning of the national packet network. The computer industry felt that such a requirement would deal a serious blow to technological advances in a field that offers enormous potentials for the future of telecommunications.

Each of these individual points of view, to one extent or another, has merit. Yet, I still feel that another aspect of all of this can't be swept under the carpet because it's too unpleasant to see lying in the middle of the floor. Essentially, I agree 100% with the FCC's position in this situation. If anything, their regulations fall short of what's needed.

Although I don't actively participate in any packet networks, I often monitor them just to see what's going on. Fact is, I'm always surprised at the outright garbage that comes through mixed in with the otherwise really great stuff. I've seen much more commercialism than the one "900" phone number the FCC became hysterical about. I have also seen nasty, malicious rumors and messages. I've seen messages that are clearly libelous, defamatory, and that contain hoax and other off the wall disinformation. Some of this stuff is tackier than the tabloid press. It's the packet equivalent of the SSB operators who degrade ham radio all day long on 14313 kHz with venomous transmissions. The operator in Norristown is certainly not

the first ham to claim that someone pirated his callsign on a packet message he never sent. The packet networks apparently couldn't care less about such minor logistics points amidst the unending fun and games taking place in the world of packet radio.


Is this what we want for ham radio? It's hard to believe that such antics and high jinks could be so easily tolerated by the very same hobby whose most vocal members spent thirty years laughing at and complaining about CB'ers, and fighting the loss of the CW requirement for a ham ticket lest the hobby be invaded by those who would destroy its integrity.

Yes, the landline BBS network also has its own allotment of jackasses. But you don't need a license to participate in a landline BBS, and there are absolutely no regulations. It's Weird City. You expect that some of the landline BBS's will reek with an abundance of strange people sending frivolous traffic, so you aren't disappointed when you find out that they actually do. Surprisingly, those landline BBS operations that strive for efficiency are actually far more particular about who they'll allow access than are the packet ham networks in general.

Notwithstanding all of the good things there are to be said about packet radio, and how popular it is becoming, I still don't see how anybody would seek to willingly waive what seems to me to be their basic responsibility for what goes out over a medium supposedly under their control. Even if there were no FCC regulations regarding such matters, I'd think that people would be hesitant and seriously concerned about allowing equipment licensed to them to be so easily misused by those who would do so for purposes that reflect negatively upon the communications medium they love so much, and upon amateur radio. Moreover, you'd think that they'd be howlingly angry that the air time they are providing is being polluted, violated, and frittered away with commercial, hoax, and other piffle type traffic. Instead, they've got a dozen excuses why it should be allowed to continue.

A broadcast station is responsible for the information it transmits. Indeed, all FCC licenses have always been responsible for that which is sent out over their facilities. A licensee is supposed to be in control of his or her station. It's true that only a small percentage of the people involved in radio are

*(Continued on page 76)*



## PUT THE PC10 IN YOUR PC FOR MORE COUNTER POWER.



### Model PC10 Universal Counter Timer Board for the PC. Introductory Price \$339.

The PC10 has on board 50 ohm RF input with amplifiers and prescalers to operate as a stand alone 1MHz to 2.4GHz RF counter. TTL level input signals can be connected directly to the miniature 25 pin D connector on the mounting bracket. For low frequency, high impedance inputs, the Model AP10H companion amplifier must be used.

### Model AP10H Dual High Impedance Amplifier Head Unit (Not Shown). Introductory price \$299.

The AP10H is the companion head unit that supports all PC10 Universal Counter functions from 10Hz to 100MHz with 1 megohm inputs. Input attenuators, low pass filters and trigger levels are software selectable.

**Options: TCXO 10 Precision Temperature Compensated Time Base \$195.** ± 0.2ppm 20°-40°C, 1ppm - year aging.

OPTOELECTRONICS does it again - phenomenal power, performance and price.

This is what sets our PC Based Universal Counter apart from any other counter available on the market today...

- Instant Direct Tune - Set a communications receiver such as ICOM R7000 to frequency detected by counter. Patent pending.

- Data logging and data file creation to keep records or measure frequency drift.

- Menu selection for Units includes CPM/RPM, Hz, KHz, MHz, GHz, Sec, mS, uS and nS.

- Software timebase calibration of 1 ppm TCXO timebase.

- Windows 3.0 operating environment with fully developed operating and signal conditioning controls accessible through pull down menus.

In addition to these unique features, PC10 is a down right high performance counter...

- 10 digit 10Hz to 2.4GHz frequency range.

- Measurement Period (Gate Time) continuously variable from 1 milli-second to 28 seconds.

- Reciprocal Counting for high resolution measurement.

- Input sensitivity is less than 10mV from 10Hz to over 1.6GHz.

- Direct count frequencies over 200MHz with 1Hz resolution in 1 sec.

# OPTOELECTRONICS

Toll Free Order Line: 1-800-327-5912

FL(305)771-2050 • FAX(305)771-2052

5821 NE 14th Avenue • Fort Lauderdale, Florida 33334

# MAILBAG

## LETTERS TO THE EDITOR

Each month we select representative reader letters for our Mailbag column. We reserve the right to condense lengthy letters for space reasons. All letters submitted for consideration must be signed and show a return address. Upon request, we will withhold sender's name should the letter be used in Mailbag. Address letters to Tom Kneitel, Editor, Popular Communications Magazine, 76 North Broadway, Hicksville, NY 11801.

### Exchange of Ideas Wanted

I'd like to congratulate you on the February issue. It was the best issue ever! Would it be possible for you to put my name and address in POP'COMM? I'd like to correspond with AM/FM DX'ers in order to discuss equipment and goals with them.

Clayton Vance,  
5491 Benck,  
Imperial, MO 63052

### More Radio Row Memories

The Radio Row story in February was immensely enjoyable. When I was a teen-ager, I also saved my allowance money for two or three months in order to visit Cortland Street. My experience with the auctioneers there was unnerving. I purchased a tape recorder in a sealed box. When I got it home, the recorder didn't work. After two trips back to Radio Row, I had to bring my Dad to rectify the situation. I remember that my first shortwave radio was a Zenith that I used for thirteen years before passing it down to my brother. Other trips to Radio Row produced walkie talkies, all-band portables, and various components. I used to scratch-build equipment because complete kits were too expensive. Thank you for bringing back many wonderful, happy moments from the past. I still dabble heavily in electronics, however, today I work as a Field Engineer for Xerox Corporation.

Roman C. Ilkiw,  
Fairport, NY

Your memories of the Hallicrafters S-40A from Radio Row stirred many memories. My first radio (about 1948/49) was a True-tone that could tune to just above the broadcast band. Living in Newport News, I could listen to the WV and OH highway patrols there. I talked Dad into advancing several weeks allowance, then I collected pop bottles for deposit money until I could buy an old S-38D that I saw in the window of a pawn shop. After a few months of using the

S-38D, I wanted more. That's when I discovered an S-40A at the same pawn shop. After some haggling, I traded in my S-38D plus \$37 and took home the S-40A. Connected to a 100 ft. longwire fed by some war surplus coax, it was attracting signals from all over. It even attracted a ham operator from the neighborhood who saw the antenna and was curious. We struck up a friendship and I found that he had a big Heathkit DX-100 and also used an S-40A receiver. Soon enough he had me studying for my ham ticket, which I obtained in 1952.

In 1956, I joined the USAF and, after completing comms school, was sent to Libya. The S-40A was too big to bring, so I took a National SW-54 with me. I became very interested in MARS while there. In 1960, I returned stateside and switched over to the Army and went to their comms school before going to Turkey for a year. Hamming in Turkey meant using CW exclusively, then tape recording all my transmissions and turning them over weekly to the Turkish PTT. In 1964, I switched from Army comms to go to Army Helicopter Pilot School. Before I left Newport News for flight training, I donated the trusty S-40A to the Newport News Amateur Radio Club for their club station. I still fondly recall that big old black box with the yellow glowing dials.

I have been working in Saudi Arabia for the past twelve years. Hamming is not allowed here, except for a few privileged persons, princes, or sheiks, and the old Aramco club station, HZ1AB. SWL'ing is fine,

though. I'm in the southwest mountains near Abha with an elevation of 7,000 ASL. I have a Phillips (Magnavox) D9999, an AEA PK-232 multimode data controller, an XT clone and a Seikosha SP-1600AI graphics printer. The 40 ft. longwire is aimed south, and there's a center loaded vertical tapped for 21 MHz.

Forgot to mention what I do here. I am on contract with the Saudi Arabia Ministry of Interior, General Civil Defense Administration, Civil Defense Aviation Command Air Sea Rescue and Firefighting Helicopter Department. I'm Chief Pilot and Senior Flight Instructor training Saudi pilots in the Boeing/Kawasaki KV107-SM helicopter. That's a twin engine, twin rotor, 21,400 lb. max. gross civil version of the USN/USMC CH-46. I'll be retiring soon and heading towards Weatherford, Texas.

I really appreciate POP'COMM here. It's a fine publication and the frequency lists are very helpful. Listening here produces gobs of propaganda, especially the RTTY from INA in Baghdad and IRNA in Iran. INA went off the air in the middle of a broadcast the other night. Guess our guys bombed them out!

Orville B. Wolf, WA4IXN/HZ,  
Saudi Arabia

We have gotten lots of great mail from readers in the military in the Gulf, but Orville is the first American civilian there we have heard from since the war began. — Editor.



WA4IXN/HZ sent his QSL showing the last of the famous Arabian 5-passenger stretch-limo camels. There's a camel you'd walk a mile for!

# OPTOELECTRONICS

**\$99.**  
Introductory Price

## THE ORIGINAL HANDI-COUNTER™ IMITATED BUT NEVER DUPLICATED



Actual Size  
Made in the USA

OPTOELECTRONICS brings you the latest in a long line of quality LED Handi-Counters™ - the NEW 2300. The 2300 has inherited the outstanding features of the 1200H, 1300H, 2400H & 1300HA. No other counter can match this family history. Additional new features include:

- **Finds frequencies from 1MHz to 2.4GHz.**
- **Display Hold Switch.**
- **Dual MMIC Amplifiers** for maximum possible sensitivity.
- **Continuous Range.** No cumbersome range switch.
- **Hi-Tech Painted Finish.** More rugged than anodized cases.
- **600 mA Hr. Batteries.** Not the cheapest but the best!
- **17 years of quality and dependability to back our products.**

Model	8030	3000	2600H	2600HA	2210A	2300
Function	Freq, Period Ratio Interval	Freq, Period Ratio, Interval	Frequency	Frequency	Frequency	Frequency
Range	10Hz-2.6GHz	10Hz-2.6GHz	1MHz-2.6GHz	1MHz-2.6GHz	10Hz-2.4GHz	1MHz-2.4GHz
Display	10 Digit LCD w/Function Annunciators	10 Digit LCD w/Function Annunciators	10 Digit LCD	10 Digit LCD	8 Digit LED	8 Digit LED
RF Signal Strength Indicator	16 Segment Adjustable Bargraph	16 Segment Adjustable Bargraph	16 Segment Adjustable Bargraph	.	.	.
Price	\$579	\$375.	\$325.	\$225.	\$199.	*\$99.

Sensitivity: <1 to <10mV typical. Time Base: ± 1.ppm.; ± 5ppm. add \$75 - LED Models; ± 2ppm add \$80. LCD Models. NiCads & AC charger/adaptor included except for 2300. \*For 2300, NiCad installed, \$20 & AC charger/adaptor, \$9. Carry case and a full line of probes and antennas a-e available. One year parts & labor warranty on all products.



**Model 2300** 1MHz - 2.4GHz Frequency Counter..... **\$ 99.**  
**NiCad 23** Custom internal NiCad Pack (installed)..... **\$ 20.**  
**AC90** 110VAC - 9VDC Charger/Adapter..... **\$ 9.**  
**Complete Package** Model 2300, Internal NiCads & A/C Adapter..... **\$128.**



**FACTORY DIRECT ORDER LINE**  
**1-800-327-5912**  
**FL(305)771-2050 • FAX(305)771-2052**

5821 NE 14th Avenue • Fort Lauderdale, FL 33334  
 3 Weeks, 5% Shipping Handling, (Maximum \$10) U.S. & Canada. 15% outside continental U.S.A.  
 Visa and MasterCard accepted.



Scanner World, USA

# “The Largest Dealer of Scanners in the World” SCANNER WORLD, USA®

10 New Scotland Ave., Albany, NY 12208 • 518/436-9606

## SCANNER WORLD EXCLUSIVE UNIDEN BEARCAT BC205XLT

**\$259.99** (\$7.00 shipping)

Digital programmable 200 channel hand held scanner with raised button keyboard for easy programming of the following frequency ranges: 29-54 MHz, 118-174 MHz, 406-512 MHz, 806-956 MHz. \* Features include: Scan delay, memory backup, key pad lock, sidelit liquid crystal display, channel lockout, 10 twenty channel banks, direct channel access, automatic search, full one year factory warranty, 10 priority channels, Ni-Cad battery pack, AC adapter/charger, flexible rubber antenna carry case are all included. Size is 2-11/16" Wx1-3/8" Dx7-1/2" high. (Optional extended 2 yr. warranty \$29.99, 3 yr. extended warranty \$39.99.) (\* Excludes Cellular)  
#CC-008 Heavy Duty Leather Carry Case \$27.99

## RADIO SCANNERS AND ACCESSORIES

Bearcat BC145XL	\$99.99	(7.00)
Bearcat BC140	94.99	(7.00)
Bearcat BC172XL	139.99	(7.00)
Bearcat BC55XLT	119.99	(7.00)
Bearcat BC800XLT	249.99	(7.00)
Bearcat BC100XLT	189.99	(7.00)
Bearcat BP205/200	34.99	(*)
Bearcat BC210XLT	189.99	(7.00)
Bearcat BC-ONE	129.99	(7.00)
Bearcat AD-100U	14.99	(*)
Bearcat PS-001	12.99	(*)
Bearcat VC-001	12.99	(*)
Bearcat AD-140U	14.99	(*)
Bearcat AT-054	12.99	(*)
President HR2600	219.99	(8.00)
Regency R3020	96.99	(7.00)
Bearcat BC-310A	85.99	(7.00)
Bearcat BC-330A	109.99	(7.00)
Regency MA-917	24.99	(*)
Regency MA-501	14.99	(*)
LifeGuard 4	109.99	(4.00)
GRE9001	89.99	(5.00)
GRE8002	79.99	(4.00)
Midland CB Radios	In Stock	
Cobra CB Radios	In Stock	
Uniden CB Radios	In Stock	
Silver Eagle Microphone	69.99	(*)
Antennas	In Stock	
Rechargeable Batteries	In Stock	

## BOOKS

Covert Intelligence	8.95	(*)
Air Scan Directory	14.99	(*)
Betty Bearcat (Special)	4.00	(*)
Top Secret (7th)	15.99	(*)
Covert Techniques	9.95	(*)
Tomcat's Big CB	13.95	(*)
World Radio	18.99	(*)
Monitor America	5.99	(*)
Survival Directory	6.95	(*)
Rail Scan	7.95	(*)
Police Call	7.49	(*)
Scanner Modification Handbook	17.99	(*)

## TWO-WAY RADIOS REGENCY-RELM

UC102	109.99	(6.00)
UC102	(2 or more) 99.99	(6.00)
RH-256NB	339.99	(9.00)
RH-606B	469.99	(9.00)
WHS-1	399.99	(9.00)
UC-202	134.99	(6.00)

## REGENCY TS-1 35 CHANNELS — MOBILE/BASE

Special  
**\$138.99**  
(\$7.00 shipping)



Features include simple programming of the following frequency ranges: 29-54 MHz, 118-175 MHz, 406-512 MHz. Turboscan, digital display, priority, search, lockout, delay, dim control, top mounted speaker, one year factory warranty. Includes AC & DC cords, mobile mounting bracket, telescope antenna. All for only \$138.99 plus \$7.00 shipping. (Optional extended warranty; 3 years \$39.99; 2 years \$29.99.)

## UNIDEN BEARCAT BC-400XLT

**\$99.99**



(\$7.00 shipping)  
Our best selling mobile scanner, 16 channel, AC/DC, programmable, digital, AC/DC cords, telescopic antenna, mobile mounting bracket, weather search, priority, 29.54 MHz, 136-174 MHz, 406-512 MHz, external speaker and antenna jack.

## REGENCY R-4020

100 Channel Digital  
Programmable  
Hand-Held Scanner

**\$174.99**

(\$7.00 shipping)



Our best price ever on a full featured complete package hand-held scanner. Manufactured by Uniden, this is the exact duplicate of the Bearcat 100XLT for a much lower price. Features include 11 bands of weather, aircraft, public service, trains, marine, plus more (29-54 MHz, 118-174 MHz, 406-512 MHz), 10 channel banks, 10 priority channels, lighted LCD display, earphone jack, channel lockout, AC/DC operation, scans 15 channels per second, track tuning. Special package deal includes following accessories: AC adapter/charger, rechargeable Ni-Cad battery pack, flexible rubber antenna, carry case.

## SANGEAN ATS-803A

SHORT WAVE  
RECEIVER

**\$168.99**

(\$7.00 shipping)



AM/FM/LW and 12 shortwave bands plus FM stereo, BFO for SSB reception, clock radio. Includes AC adapter, telescopic antenna, stereo headphones, and shoulder strap.

—SHORT WAVE WORLD BAND RECEIVERS AVAILABLE—

Grundig Satellit 500	\$548.99	(10.00)
Grundig Yacht Boy 220	106.99	(5.00)
Grundig Cosmopolit	198.99	(7.00)
Grundig Yacht Boy 230	149.99	(5.00)
Grundig Satellit 650	899.99	(20.00)
World Radio & TV Handbook (1991)	18.99	(*)

## SPECIAL!! LOWEST PRICE EVER FOR A PROGRAMMABLE SCANNER



SR-901  
AVAILABLE ONLY  
FROM SCANNER  
WORLD



ONLY **\$74.99** Each

(Plus \$6.00 Shipping Each)

**\$69.99** (2 or more)

Features include: 10 programmable channels, one touch memory programming, external speaker jack, 29-54 MHz, 136-174 MHz, 400-512 MHz, squelch, lockout, full frequency digital readout, AC or DC operation, retains memory up to 3 days without power, scan button. Includes AC adapter, telescopic antenna, and complete operating instructions. Size: 7 1/4" W x 2" H x 7 1/4" D. One year factory warranty. (Optional mobile cigarette lighter cord #901MPC \$4.99)

## Regency R3020

**\$96.99** (\$7.00 Shipping)



20 channel digital programmable scanner, frequency coverage 29-54 MHz, 108-136 MHz aircraft, 136-174 MHz, 406-512 MHz. Features: weather key, search, lockout, priority, squelch, AC only, delay button. Size 9 1/2" x 2 3/8" x 7"

## UNIDEN BEARCAT BC-600XLT

**\$199.99**

(\$7.00 shipping)



Digitable Programmable  
100 Channel Scanner

BC 600XLT covers the following frequencies: 29-54 MHz, 118-174 MHz, 406-512 MHz. Features compact size of 6-5/16" Wx1-5/8" Hx7-3/8" D, scan delay, priority, memory backup, channel lockout, bank scanning, key lock, AC/DC power cords, telescopic antenna, mounting bracket supplied, one year factory warranty, search, direct channel access, track tuning, service search including preprogrammed frequencies by pushing a single button for police fire/emergency, aircraft, weather, and marine services plus exclusive optional features never available on any scanner before. First is an RF receive amplifier for boosting weak signals for only \$24.99 plus a CTCSS tone board is available for only \$59.99 to make this the number one scanner available in the USA. Optional cigarette lighter plug #600MPC \$4.99.

## BEARCAT BC-950XLT

Same features as BC-600XLT but also receives 800-954 MHz. (Excludes cellular)

**\$249.99** (\$7.00 shipping)

## REGENCY R-4010 \$106.99

(\$7.00 shipping each)

10 channel hand-held scanner. (Same Scanner as Bearcat 55XLT), 29-54 MHz, 136-174 MHz, 406-512 MHz, digital programmable, keyboard lock switch, lockout, includes rubber flex antenna. (Optional accessory 5W-41, only \$19.99 includes rechargeable Ni-Cad batteries, AC adapter/charger and cigarette lighter cord.)



★ SCANNER WORLD HAS BEEN  
SELLING SCANNERS FOR  
OVER 21 YEARS

★ ALL MERCHANDISE NEW, IN  
FACTORY SEALED CARTONS

★ COMPLETE CATALOG  
PUBLISHED 4 TIMES PER  
YEAR. FREE UPON REQUEST.

## BEARCAT 70XLT 20 CHANNEL DIGITAL HAND-HELD SCANNER

**\$129.99**

SPECIAL PACKAGE DEAL  
ONLY (\$7.00 Shipping)

Small size 6" Hx1"Dx2 3/4"W. Full digital readout, priority, search channel lockout, scan delay, key lock. Covers following frequencies: 29-54 MHz, 136-174 MHz, 406-512 MHz. Package includes rubber antenna, rechargeable Ni-Cad battery pack, AC adapter/charger and vinyl carry-case.



Optional Cigarette Lighter  
Cord #UA502 \$12.99  
Heavy-Duty Leather Carry  
Case #CC002 \$22.99

## BEARCAT BC-147XLT 16 CHANNEL BASE SCANNER

**\$99.99**

(\$7.00 Shipping)

Programmable, digital, AC/DC operation. Frequency coverage 29-54 MHz, 136-174 MHz, 406-512 MHz. Weather button, priority, lockout button, squelch includes AC adapter, telescopic antenna.

## REGENCY R-2066

**\$99.99**

(\$7.00 shipping)



Digital programmable, 60 channels, AC base scanner, 30-50 MHz, 144-174 MHz, 406-512 MHz. Size 7 1/2" x 3" x 9". Turbo-Scan scans 40 channels per second, 4 channel banks, weather alert, search, priority, lockout, AC cord, telescopic antenna, plus much more.

## EXTENDED WARRANTY SERVICE

This extended service contract is for all scanners, CB radios, radar detectors, and cordless telephones that have been purchased anywhere in the USA in the past 30 days. This extended warranty service begins when your original manufacturer's warranty expires.

1 year extended warranty ... only \$18.99  
2 year extended warranty ... only \$29.99  
3 year extended warranty ... only \$39.99

**ORDERING INFORMATION:** Call (518) 436-9606 to place orders or mail orders to Scanner World, USA®, 10 New Scotland Ave., Albany, N.Y. 12208. Orders will be shipped within 24 hours by United Parcel Service if order is accompanied by MasterCard, Visa, cashier's check, money order, COD (COD shipped by United Parcel Service will be cash or money order only). (If a COD package is refused, customer will be billed for shipping and COD charges.) Mail orders with personal or business checks enclosed will be held 4 weeks for bank clearance. Prices, specifications, and terms subject to change without prior notice. If items are out of stock we will backorder and notify you of delivery date. All shipments are F.O.B. Scanner World® warehouse in Albany, N.Y. We are not responsible for typographical errors. All merchandise carries full manufacturer's warranty. Bid proposals and purchase orders accepted from government agencies only. Free full line catalog mailed 4 times per year. Merchandise delivered in New York State add 7% sales tax. No returns accepted after 7 days of merchandise receipt. \* Add (\$) per item, and \$3.00\* for all accessories ordered at same time. COD orders will be charged an additional \$4.00 per package. Full insurance is included in shipping charges. All orders are shipped by United Parcel Service to street address only. (No P.O. Box). Shipping charges are for continental USA only. All others ask for quote on shipping charge.

# Cordless Telephones: Bye Bye Privacy!

*A Boon to Eavesdroppers, Cordless Phones  
Are as Private as Conversing in an Elevator.  
You'll Never Guess Who's Listening In!*



BY TOM KNEITEL, K2AES, EDITOR

**O**K, so it took a while, but now you've accepted the fact that your cellular phone conversations can easily be overheard by the public at large. Now you can begin wrestling with the notion that there are many more scanners in the hands of the public that can listen to cordless telephone calls than can tune in on cellulars.

Monitoring cellular calls requires the listener to own equipment capable of picking up signals in the 800 to 900 MHz frequency range. Not all scanners can receive this band, so unless the scannist wants to purchase a new scanner, or a converter covering those frequencies, they can't tune in on cellular calls. And let's not forget that it's a violation of federal law to monitor cellular conversations. Not that there seems to be any practical way yet devised to enforce that law, nor does the U.S. Dept. of Justice appear to be especially interested in trying.

On the other hand, cordless telephones operate with their base pedestals in the 46 MHz band, and the handsets in the 49 MHz

band. Virtually every scanner ever built can pick up these frequencies with ease. Cordless telephones are usually presented to the public as having ranges up to 1,000 feet, but that requires some clarification. That distance represents the reliable two-way communications range that can be expected between the handset and the pedestal, given their small inefficient receivers and antennas, and that they are both being used at ground level.

In fact, even given those conditions, 1,000 feet of range is far more coverage than necessary for the average apartment or house and yard. Consider that 1,000 feet is a big distance. It's almost one-fifth of a mile. It's the height of a 100-story skyscraper. The Chrysler Building, third tallest building in New York City, is about 1,000 ft. high, so is the First Interstate World Center, tallest building in Los Angeles. When someone uses a sensitive scanner connected to an efficient antenna mounted above ground level, the signals from the average 46 MHz

*Cordless phones offer no privacy, although the general public assumes just the opposite. This beautiful unit operates on ten channels and might be monitored from a mile or more away.*

cordless phone base pedestal unit (which broadcasts both sides of all conversations) can often be monitored from several miles away, and in all directions.

Some deluxe cordless phones are a snoop's delight. Like the beautiful Panasonic KX-T4000. Its range is described as "up to 1,000 feet from the phone's base," however the manufacturer brags that "range may exceed 1,000 feet depending upon operating conditions." When you stop to think about it, what at first seems like a boast is really a somewhat harmless sounding way of warning you that someone could monitor the unit from an unspecified great distance. In fact, just about all standard cordless phones

exceed their rated ranges. But the KX-T4000's main bonus and challenge to the snoop is that it can operate on ten different frequencies instead of only a single frequency. The BellSouth Products Southwind 170 cordless phone suggests a range of up to 1,500 ft., depending upon location and operating conditions. The ten-channel Sony SPP-1508 has a built-in auto-scan system to select the clearest channels.

What with millions of scanners in the hands of the public, a cordless telephone in an urban or suburban area could easily be within receiving range of dozens of persons owning receiving equipment capable of listening to every word said over that phone. Likewise, every urban or suburban scanner owner is most likely within receiving range of dozens of cordless telephones. Many persons with scanners program their units to search between 46.50 and 47.00 MHz and do listen. Some do it casually to pass the time of day, others have specific purposes.

## Not Covered

The Electronic Communications Privacy Act of 1986, the federal law that supposedly confers privacy to cellular conversations, doesn't cover cordless telephones.

A year and a half ago, the U.S. Supreme Court wasn't interested in reviewing a lower court decision that held that some fellow didn't have any "justifiable expectation of privacy" for their cordless phone conversations. It seems that man's conversations regarding suspected criminal activity were overheard and the police were alerted, which caused the police to investigate further and arrest the man after recording more of his cordless phone conversations.

Yet, even though (at this point) there is no federal law against monitoring cordless phones, there are several states with laws that restrict the practice. In New York State, for instance, a state appellate court ruled that New York's eavesdropping law prohibits the government from intentionally tuning in on such conversations.

California recently passed the Cordless and Cellular Radio Telephone Privacy Act (amending Sections 632, 633, 633.5, 634, and 635 of the Penal Code, amending Section 1 of Chapter 909 of the Statutes of 1985, and adding Section 632.6 to the Penal Code) promising to expose an eavesdropper to a \$2,500 fine and a year in jail in the event he or she gets caught. Gathering the evidence for a conviction may be easier said than done.

There may be other areas with similar local restrictions, these are two that I know about. Obviously listening to cordless phones in major population areas is sufficiently popular to have inspired such legislative action. There are, however, reported to be efforts afoot to pass federal legislation forbidding the monitoring of cordless phones as well as baby monitors. Such a law wouldn't stop monitoring, nor could it be enforced. It would be, like the ECPA, just

one more piece of glitzy junk legislation to hoodwink the public and let the ACLU and well-meaning, know-nothing, starry-eyed privacy advocates think they've accomplished something of genuine value.

## Strange Calls

On April 20th, 1990, *The Press Democrat*, of Santa Rosa, Calif., reported that a scanner owner had contacted the police in the community of Rohnert Park to say that he was overhearing cordless phone conversations concerning sales of illegal drugs. The monitor, code named *Zorro* by the police, turned over thirteen tapes of such conversations made over a two month period.

Police took along a marijuana-sniffing cocker spaniel when they showed up at the suspect's home with a warrant one morning. Identifying themselves, they broke down the door and found a man and a woman, each with a loaded gun. They also found a large amount of cash, some cocaine, marijuana, marijuana plants, and assorted marijuana cultivating paraphernalia.

In another example, *Newsday*, of Long Island, New York, reported in its February 10, 1991, edition another tale of beneficial cordless phone monitoring.

It seems a scanner owner heard a cordless phone conversation between three youths who were planning a burglary. First, they said that they were going to buy a handheld CB radio so they could take it with them in order to keep in contact with the driver of the car, which had a mobile CB rig installed. Then, they were going to head over to break into a building that had, until recently, been a nightclub.

The scanner owner notified Suffolk County Police, which staked out the closed building. At 10:30 p.m., the youths appeared and forced their way into the premises. They were immediately arrested and charged with third-degree burglary and possession of burglary tools.

I selected these two examples from the many similar I have on hand because they happen to have taken place in states where local laws seek to restrict the monitoring of cordless telephones.

Most of the calls people monitor aren't criminal in nature, but are apparently interesting enough to have attracted a growing audience of recreational monitors easily willing to live with accusations of their being unethical, nosy, busybodies, snoops, voyeurs, and worse.

As it turns out, recreational monitors are undoubtedly the most harmless persons listening in on cordless phone calls.

## They're All Ears

A newsletter called *Privacy Today*, is put out by Murray Associates, one of the more innovative counterintelligence consultants serving business and government. This publication noted (as reported in the mass

media) that IRS investigators may use scanners to eavesdrop on suspected tax cheats as they chat on their cordless phones.

But, the publication, points out, that accountants who work out of their homes could turn up as prime targets of such monitoring. Their clients might not even realize the accountant is using a cordless phone, and therefore assume that they have some degree of privacy. One accountant suspected of preparing fraudulent tax returns could, if monitored, allow the IRS to collect evidence on all clients.

Furthermore, *Privacy Today* notes that this has ramifications on the IRS snitch program (recycle tax cheats for cash). They say, "Millions of scanner owners who previously listened to cordless phones only for amusement will now be able to do it for profit. Any incriminating conversation they record can be parlayed into cash, legally."

In fact, in addition to various federal agents and police, there are private detectives, industrial spies, insurance investigators, spurned lovers, scam artists, burglars, blackmailers, and various others who regularly tune in with deliberate intent on cordless telephones in the pursuit of their respective callings. If you saw the film *Midnight Run*, starring Robert DeNiro, you'll recall that the bounty hunter was shown using a handheld scanner to eavesdrop on a cordless phone during his effort to track down a fugitive bail jumper.

No, cordless phone monitoring isn't primarily being done for sport by the incurably nosy for the enjoyment and entertainment it can provide. The cordless telephone has been recognized as a viable and even important tool for gathering intelligence.

## Intelligence Gathering?

In fact, there are differences between cordless and cellular monitoring. When a cellular call is monitored, it's quite difficult to ascertain the identity of the caller, and impossible to select a particular person for surveillance. These are mostly portable and mobile units that are passing through from other areas, and they're operating on hundreds of different channels. Sometimes the calls cut off right in the middle of a conversation. The opportunities for ever hearing the same caller more than once are very slim.

Not so with cordless phones. These units are operated at permanent locations in homes, offices, factories, stores. Most models transmit on only one or two specific frequencies, and while a few models can switch to any of ten channels, that's still a lot fewer places to have to look around than scanning through the hundreds of cellular frequencies. So, with only minor effort, it's possible to know which cordless phones in receiving range are set up to operate on which channels. And you continually hear the same cordless phone users over a long period of time. They soon become very familiar voices; you might even recognize some of them.

The diligent, professional intelligence gatherer creates a logbook for each of the frequencies in the band, then logs in each cordless phone normally monitored using that frequency. Then, each time a transmission is logged from a particular phone, bits and scraps of information can be added to create a growing dossier picked up from conversations. With very little real effort, it doesn't take long to assemble an amazing amount of information on all cordless phones within monitoring range.

Think about the information that is inadvertently passed in phone calls that would go into such files. Personal names (first and last) which are easily obtained from salutations, calls, and messages left on other people's answering machines; phone numbers (that people give for callbacks or leave on answering machines); addresses; credit card numbers; salary and employment information; discussions of health and legal problems; details of legit and shady business deals; even information on the hours when people are normally not at home or will be out of town, and much more, including the most intimate details of their personal lives. Anybody who stops for a moment to think about all the things they say over a cordless telephone over a period of a week or two should seriously wonder how many of those things they'd prefer not be transmitted by shortwave radio throughout their neighborhood.

Cordless phone users don't realize that these units don't only broadcast the phone calls themselves. Most units start transmitting the instant the handset is activated, and will broadcast anything said to others in the room before and while the phone is being dialed, and while the called number is ringing. Using a DTMF tone decoder, it's even possible to learn the numbers being called from cordless phones.

One private investigator told me that part of a infidelity surveillance he just completed included a scanner tuned to someone's cordless phone channel, feeding a voice-operated (VOX) tape recorder. Every day he picked up the old tape and started a new one. The scanner was located in a rented room several blocks away from the person whose conversations were being recorded.

### Hardware Topics

Many people are under the impression that the security features included in some cordless phones provide some sort of voice scrambling or privacy. They don't do anything of the kind. All they do is permit the user to set up a code so that only his or her own handset can access the pedestal portion of his own cordless phone system. In these days of too few cordless channels, neighbors have sometimes ended up with cordless phones operating on the identical frequency pair. That created the problem of

making a call and accessing your neighbor's dial tone instead of your own, or your handset ringing when calls come in on your neighbor's phone.

The FCC is going to require this feature on all new cordless telephones, but it still won't mean that the two neighbors will be able to talk on their identical-channel cordless phones simultaneously. Such situations allow neighbors to eavesdrop on one another's calls, even without owning a scanner. The FCC is attempting to relieve the common problem of too many cordless phones having to share the ten existing base channels in the 46.50 to 47.00 MHz band. These frequencies are: 46.61, 46.63, 46.67, 46.71, 46.73, 46.77, 46.83, 46.87, 46.93, and 46.97 MHz. Each of these frequencies are paired with a 49 MHz handset channel.

Manufacturers are going to be permitted to produce cordless phones with channels positioned in between the existing ten frequency pairs. Cordless phones will now be permitted operation on these additional off-set frequencies to relieve the congestion.

A date for implementing these new frequencies hasn't yet been announced, but it should be soon. The FCC feels that the life expectancy of a cordless phone isn't very long, and they'd like these new phones to be ready to go on line as the existing phones are ready to be replaced. The new model phones are going to have to also incorpo-

## Improve Your Scanning Coverage!

GRE America is proud to introduce a new family of products to enhance your scanning pleasure! First, GRE has designed the new **Super Converter 9001** for base model scanners. The 9001 converts 810 MHz - 950 MHz down to 410 MHz - 550 MHz. The 9001 is the perfect alternative to buying a new, expensive scanner covering the 800 MHz band. Next, GRE announces the new **Super Amplifier 3001** for base model scanners. The 3001 will increase gain by as much as 20 dB, and is engineered to help scanners with low sensitivity pull in weak signals. Both products use BNC connectors, (1) 9 volt battery and have an off/pass switch for returning to normal operation.



Super Converter 9001 & Super Amplifier 3001



Super Converter II



Super Amplifier



All-Band Antenna

*U.S. & International Distributorship inquiries welcome. Please call GRE for further information!*

### Let GRE Manufacture Your Radio Products!

GRE America, Inc. is a leading OEM developer and manufacturer of radio telecommunications products such as:

- Cordless Telephones
- CB & Marine Radios
- Spread Spectrum "engines"
- Remote Monitoring Systems

If you need a high quality, cost competitive, reliable manufacturer, GRE will provide you with a free production quotation.

*For more information, please call GRE at (800) 233-5973. GRE is a subsidiary of General Research of Electronics, Inc.*

**GRE** GRE America, Inc.

GRE America, Inc.  
425 Harbor Blvd., Belmont, California 94002  
(415) 591-1400 Outside California: (800) 233-5973

rate the dial tone access security encoding feature I mentioned.

Let's hope the new batch of cordless phones is less quirky than some of the ones now in use. We understand that the transmitters of some cordless phones switch on for brief periods whenever they detect a sharp increase in the sound level, such as laughter, shouting, or a loud voice on the extension phone.

*Privacy Today* tells of the cordless phone that refused to die. They noted it was reported that the General Electric System 10 cordless phone, Model 2-9675, just won't shut up. It broadcasts phone calls even when they are made using regular extension phones!

As for receiving all of these signals, any scanner will do. Antennas that do an especially good job include 50 MHz (6 meter ham band) omnidirectional types, or (secondarily) any scanner antenna designed for reception in the 30 to 50 MHz range.

There is a dipole available that is specifically tuned for the 46 to 49 MHz band, which you can string up in your attic (or back yard) and get a good shot at all signals in the band.

This comes with 50 ft. of RG-6 coaxial cable lead-in, plus a BNC connector for hooking to a scanner. This cordless phone monitoring antenna is \$49.95 (shipping included to USA, add \$5 to Canada) from the Cellular Security Group, 4 Gerring Road, Gloucester, MA 01930.

The higher an antenna is mounted for this reception, the better the range and reception quality, and the more phones will be heard.

### Zip The Lip

Once you understand the nature of cordless phoning, you should easily be able to deal with these useful devices. Let's face it, it isn't really absolutely necessary for all of your conversations to achieve complete privacy. You are perfectly willing to relinquish expectations of conversational privacy. You do it every time you converse in an elevator, a restaurant, a store, a waiting room, a theatre, on the street, etc. You take precautions not to say certain things at such times, so you don't feel that you are being threatened by having been overheard. Think of speaking on a cordless phone as

being in the same category as if you were in a crowded elevator, and you'll be just fine. It's only when a person subscribes to the completely erroneous notion that a cordless phone is a secure communications device that any problems could arise, or paranoia could set in.

Manufacturers don't claim cordless phones offer any privacy. Frankly, because they instill a false and misleading expectation of privacy, the several well-intentioned but unenforceable local laws intended to restrict cordless monitoring actually do more harm than good. The laws serve no other purpose or practical function. It would be far better for all concerned to simply publicize that cordless phones are an open line for all to hear.

So, cordless phones must be used with the realization that there is no reason to expect privacy. Not long ago, GTE Telephone Operations Incorporated issued a notice to its subscribers under the headline "Cordless Convenience May Warrant Caution." Users were told to "recognize that cordless messages are, in fact, open-air FM radio transmissions. As such, they are subject to interception (without legal constraint) by those with scanners and similar electronic gear. . . Discretion should dictate the comparative advisability of hard-wired phone use."

Good advice. We might add that if you are using a cordless phone, you don't give out your last name, telephone number, address, any credit card numbers, bank account numbers, charge account numbers, or discuss any matters of a confidential nature. Moreover, it might be a good idea to advise the other party on your call that the conversation is going through a cordless phone.

Some people might not care, but others could find that their conversations could put them in an unfortunate position. Harvard Law School Professor Alan M. Dershowitz, writing on cordless phone snooping in *The Boston Globe* (January 22, 1990), said, "The problem of the non-secure cordless telephone will be particularly acute for professionals, such as doctors, psychologists, lawyers, priests, and financial advisors. Anyone who has an ethical obligation of confidentiality should no longer conduct business over cordless phones, unless they warn their confidants that they are risking privacy for convenience."

That's more good advice. Not that the public will heed that advice. People using cellars have been given similar information many times over, and somehow it doesn't sink in. But you got the message, didn't you? Zip your lip when using any of these devices. And, if you've got a scanner, you can tune in on everybody else blabbing their lives away, and maybe even help the police catch drug dealers and other bad guys—well, unless you live in California or some other place where the local laws are more protective of cordless phone privacy than the federal courts are.

**SOMERSET ELECTRONICS** Made in USA

**Announces... THE MICRODEC™ 'SERIES'**

**NOW IT'S YOUR CHOICE!** You select the Model and the features to meet your decoding and budget needs\*! Each choice is fully upgradeable to the top of the line! With our new VIP50 Interface you can choose an expanded display (32x16 characters on your television) and hard copy -- with or without a computer!

	Prices Plus Shipping/Handling		
FEATURES:	MD100 BASIC	MD200 PLUS	MD300 MAXIM
(Compact Size: 1.3Hx5.1Wx5.3D)	List: <b>\$229.95</b>	List: <b>\$329.95</b>	List: <b>\$429.95*</b>
MORSE: DECODES CW WITH			
Autospeed, software filter, speed display	★	★	★
RTTY (60,67,75, 100 WPM) (major shifts)	★	★	★
RTTY (bit inversion)	★	★	★
ASCII (110 & 300 BAUD)	★	★	★
ASCII (bit inversion)	★	★	★
AMTOR/SITOR Mode A-ARQ	★	★	★
AMTOR/SITOR Mode B-FEC	★	★	★
WEFAX (with VIP50)	★	★	★
Smart display/Intensity control	★	★	★
On/Off with volume	★	★	★
Serial Interface	★	★	★
Code Oscillator	★	★	★

**AVAILABLE OPTIONS:**

Display Colors: (Green standard--no charge) Red, or Yellow (your choice) . . . . . \$15.00

NICAD Batteries for portability . . . . . \$29.95 Model VIP50 Adaptor . . . . . \$189.95 \*

\*MD300 price includes the VIP50 Interface Adaptor.

(TV Stations, phone companies, and public utilities are selecting MICRODEC™ for their operational and FCC requirements - FCC Docket 86-337.)

**Call us for special introductory prices and orders at 1-800-678-7388.**

**Fax orders: 1-407-773-8097 • Technical assistance: 1-407-773-8097**

**VISA • MASTERCARD • PERSONAL CHECKS • MONEY ORDERS**

**SOMERSET ELECTRONICS, INC. • 1290 Hwy. A1A, Satellite Bch., FL 32937**

CIRCLE 74 ON READER SERVICE CARD

# Here's the Code-Free Ham Radio License!

*You Asked For It, So Stop Complaining!*

**F**or the first time, Americans can obtain an amateur radio license without having to learn Morse Code.

New code-free licensees are expected to come from virtually every age group and will include: senior citizens who would like the security of a small two-way radio in a pocket or purse; family members who'll use a mobile radio to call home; teenagers who want to stay in touch on the go; volunteers who participate in emergency services; computer enthusiasts who want an over-the-air link between PCs, and people who simply always wanted a ham radio license.

Licensees can use handheld radios, mobile transceivers, and base stations for local FM voice communications. These communications are virtually free of interference and long-range skip. They may also operate in SSB mode on the 6 meter band, which offers long-range skip.

In addition, amateur radio operators throughout the country have installed more than 10,000 repeater stations that extend the range of these communications. Many of these repeaters also allow operators to access phone circuits to make local phone calls from their mobile or handheld radios. Under FCC regulations, amateur communications may not be used for commercial purposes.

Licenses may also participate in packet communications, which allows direct computer-to-computer communications over the airwaves. Packeteers, as they are called, can communicate directly through their keyboards, leave electronic mail for their friends at unattended computer-controlled stations, and even exchange computer files over the air. Packet radio is now one of the fastest-growing aspects of amateur radio.

Code-free licensees may also use amateur radio satellites to communicate with other parts of the world and participate in exotic forms of communications, such as "Moonbounce," in which signals from the earth are bounced off the moon and back to earth.

The change in licensing requirements was made possible when the FCC modified the existing Technician Class license to drop the Morse Code requirement for all amateur



*The new license opens the door to many newcomers.*

privileges above 30 MHz (VHF and UHF). Under international treaty, people who want to participate in world-hopping communications on frequencies below 30 MHz must still learn Morse Code and pass the test for another class of license.

Those who wish to obtain the new code-free version of the Technician Class license must pass a 55-question written test that emphasizes ham radio operating rules and privileges, safety procedures, and some basic technical information about radio communications. Study materials are available from a variety of sources, and the tests will be given by Volunteer Examiners throughout the United States.

For additional information about the code-free license, write Code-Free License, ARRL, 225 Main Street, Newington, CT 06111.

## Receive digital signals on shortwave

See AP wire news photos, weather maps, news over RTTY, Amtor ship-to-shore, Navtex, slow scan TV, ASCII, Morse code and packet radio -- all on your computer screen!



MFJ-1278

**\$279<sup>95</sup>**

See tomorrow's news today on your computer screen when you copy crisp, clear AP news photos. You'll also

enjoy high resolution WeFAX weather maps, multi-gray SSTV pictures and full color packet radio pictures. You'll also copy the digital text modes: RTTY, Amtor, Navtex, ASCII, Morse and packet.

All you need is the MFJ-1278 multimode data controller, HF and/or VHF/UHF receiver and your computer with MFJ software.

**Don't be confused by a barrage of unknown digital signals -- let Automatic Signal Analysis™ tell you what they are**

MFJ-1278's ASA™ detects RTTY, Amtor, ASCII and HF Packet signals. After ASA tells you what you're hearing, you just type an "OK" command to display the copy on your computer screen.

**MFJ Multicom™ and MFJ Multicom64™ -- software that brings out the full power of your MFJ-1278 with multi-gray modem**

MFJ Multicom™ for IBM compatible computers (MFJ-1289, \$59.95) gives AP photos and weather maps with up to 8 gray levels. MFJ Multicom64™ (MFJ-1282B \$39.95) gives you multiple gray levels on your Commodore 64/128. These programs include a computer cable and friendly instructions -- everything you need to get started fast.

To enjoy receiving text modes off the air with your MFJ-1278, you can use any computer with a serial port and simple terminal program.

**Feature packed for superb operation**

Dual radio ports let you connect two radios (each HF or VHF/UHF); 20 LED precision tuning indicator lets you tune in signals to an incredible 10 Hz accuracy -- even if you don't have digital readout; free AC power supply (or use 12 VDC); RS-232 and TTL serial ports make it easy to use with virtually any computer; one year unconditional guarantee and much, much more.

**Enjoy an exciting new world of SWLing**

Enjoy thrilling multi-gray AP news photos, weather maps and digital text with the MFJ-1278 multimode data controller. Get yours today!

**Nearest Dealer/Orders: 800-647-1800**

**MFJ** MFJ ENTERPRISES, INC.  
Box 494, Miss. State, MS 39762  
(601) 323-5869; FAX: (601) 323-6551  
Add \$5 each product ordered s/h.  
**MFJ . . . making quality affordable**



AP wire photo received on 20.738 MHz using MFJ-1278 with MFJ-1289 Multicom.



Weather map received on 16.410 MHz using MFJ-1278 with MFJ-1289 Multicom.



On May 29, 1982, a tornado ripped through Marion, IL. I heard the entire event, and the aftermath, on my scanner.

**E**very part of the United States (even Alaska and Hawaii) has experienced the terrible destructive power of tornadoes. Statistics show, however, that twisters most often visit a triangular region bounded by Texas, Ohio, and Nebraska. This is "Tornado Alley," playground for the nastiest storms on the planet—sometimes appearing almost without notice, and roaring through a town like an express train. In direct path of the twister, there is loss of life and extensive property damage.

Tornado Alley seems to shift its borders. A few years ago, they were plentiful in Illinois, Missouri, and Kansas (remember how Dorothy and Toto got to Oz?). These days, Oklahoma and the Texas Panhandle get more tornadoes than other area of the nation.

A second (but less intense) tornado belt extends from east Texas, across Arkansas, northern Louisiana, Mississippi, Alabama, and Georgia. That's called "Dixie Alley."

But isolated twisters can and do turn up just about anywhere else. Last summer, one went right through a residential area of the Staten Island section of New York City. Other areas also reported similar "loner" tornadoes, which usually travel along weather fronts containing especially violent thunderstorms.

This is the time of year to be alert to the danger of twisters. NOAA weather channels, plus local emergency preparedness frequencies should be programmed into your scanner. It could save your life!

### ***Gone With The Wind***

I'll always remember the afternoon I was tinkering around my workbench. Suddenly both of my scanners began revealing news that was certainly not good. Police officers on 39.50 MHz were tracking a twister heading straight for their community. It was a miracle that the twister suddenly veered off and missed their helpless village.

Still, it kept on going as it skipped along the countryside. Instinctively, I began running jumper cables from my scanners to the 12-volt storage battery I had purchased for just such an emergency. Ten minutes later, the twister had taken down power lines in my area. I kept on listening, though, and didn't miss a second of what proved to be the worst twister disaster in the history of Marion, Illinois.

On 155.07 MHz, a deputy sheriff in Williamson County hopped in his car and followed behind the tornado as it headed towards its next destination, Marion. His descriptions were harrowing, "There goes Skelly's Truck Stop," and "Taco Gringo has been totally demolished, there's only a slab left."

# Scanning Tornado Alley

***It's Twister Season! Have Your Scanner  
Ready to Monitor Disaster  
Communications.***

**BY CHUCK ROBERTSON**

Another deputy watched as the roof of his home was lifted off the frame and spun into the air by the powerful winds. He begged his dispatcher to let him stay there with his rain-soaked possessions.

An Illinois State Trooper on 154.935 MHz followed the tornado out of town until it spent its energy and went aloft. That was less than eight miles from my house!

### Picking Up The Pieces

The days following the disaster were filled with radio comms. The patterns and types of comms I noted can be applied to what might be expected to be monitored in any area struck by this type of disaster.

Emergency services and law enforcement personnel from a hundred miles around showed up, using their own frequencies as well as statewide and national intersystem channels. Security, humanitarian, and clean-up operations were abundant.

Illinois State brought in two comms vans to use as command centers. Oddly enough, they were using the Dept. of Corrections frequency, 453.875 MHz.

The command centers were also using the Dept. of Criminal Investigation car-to-car frequency (154.95 MHz) for base/mo-

**Table 1**

Federal and other national frequencies. For many additional federal frequencies, refer to 7th Edition of Top Secret Registry of U.S. Government Radio Frequencies.

FEMA:	142.23	142.35	142.425	142.975	143.00	164.8625	165.6625
National Guard:	34.90	163.4875					
Red Cross:	47.42	47.46	47.50	47.66			
Search/Rescue:	122.9	123.1	282.8				
Military Civil Emergency:	141.06	141.12	141.465				
	142.44						
Police Intersystem:	155.475						
NOAA Weather:	162.40	162.475	162.55				
National Storms Lab, OK:	163.275	409.75					
Military Disaster Preparedness:	163.5125						
REACT Teams:	27.065	462.675					

bile security comms. I listened as they nabbed two looters making a withdrawal from a bank.


News media frequencies were especially informative, with reporters in cars, on foot, and in the air.

Important comms were also coming from services such as the Red Cross, FEMA, National Guard, EPA, CB'ers, private pilots,

hams, the Public Health Dept., and personnel at nearby Scott AFB. Even coal mine and business frequencies were active with people pitching in to help one another.

### Keep On Scannin'

Let's hope that you never experience the thrill of being anywhere near a twister. Of course, you have no guarantee that it won't



A handheld is helpful for tornado monitoring since it has a self-contained power supply and a built-in battery.



The State of Illinois Emergency Services and Disaster Agency base station tower, Marion, IL. This tower supports antennas for low/high band VHF, also UHF.

**Table 2**

Selected emergency preparedness and disaster comms frequencies, including Army National Guard.

**Alabama**

Jefferson Co.: 154.025  
Calhoun Co.: 155.04  
Marshall Co.: 155.16  
Lamar Co.: 155.175  
Sumter Co.: 155.22  
Lauderdale Co.: 155.88  
Birmingham: 453.30  
Statewide: 453.40 453.425 453.65 453.675 453.725

**Arkansas**

Statewide: 153.785 158.745  
Army Guard: 41.50 139.20

**Colorado**

Statewide: 45.20 45.24 45.28  
Army Guard: 32.75 41.75 141.00 142.40 227.3 230.8 242.0

**Delaware**

Statewide: 45.24 45.28 154.86

**Florida**

Dade Co.: 37.18  
Hillsborough Co.: 153.92  
Orlando: 155.715  
Palm Beach Co.: 462.225 462.725  
Statewide: 39.10 39.18

**Georgia**

Cobb Co.: 462.60  
Fulton Co.: 462.675  
Statewide: 45.56

**Illinois**

Sandwich: 39.18  
Kendal Co./Metamora: 39.82  
DeWitt Co./Marion: 45.24  
Monroe Co.: 45.48  
Will Co.: 153.80  
Jackson Co.: 154.04  
Mattoon: 155.145  
St. Charles: 155.16  
Carbondale: 155.88  
Sangamon Co.: 158.745 158.82  
Logan Co.: 158.76  
Skokie: 158.775  
St. Clair Co.: 158.835  
McLean Co.: 453.70  
Statewide: 45.28 45.36 45.44 453.875  
DuPage, Fulton, Marshal & others: 45.40

**Indiana**

Fountain Co.: 153.815  
Elkhart Co.: 154.115  
Vigo Co.: 154.31 158.76  
Huntington Co.: 154.965  
Ripley/Grant Co's.: 154.995  
Warrick Co.: 155.115  
Hobart: 155.745  
Wabash Co.: 155.805  
Vanderburgh/Scott/Knox Co's.: 155.82

Miami Co.: 155.895  
Spencer/Madison Co's: 158.76  
Indianapolis/Marion Co.: 158.82  
Madison Co.: 453.825  
St. Joseph Co.: 453.85  
Many areas: 144.025 155.085

**Iowa**

Cerro Gordo Co.: 154.235  
Widely used: 154.28

**Kansas**

Miami Co.: 39.64  
Johnson Co.: 153.995  
Sedgwick Co.: 154.965  
Douglas Co.: 155.805  
Leavenworth Co.: 155.82  
Ripley Co.: 155.925  
Shawnee Co.: 158.745  
Statewide: 39.58/39.70

**Kentucky**

Harlan Co.: 45.92  
Bell Co.: 46.04  
Paris Co.: 155.16  
Ohio Co.: 155.28  
Rowan Co.: 462.975  
Army Guard: 139.35 142.35 143.00  
Many Co's.: 45.96  
Statewide: 45.40/45.60

**Louisiana**

Baton Rouge: 155.145  
Cameron: 451.075  
Statewide: 39.50 45.28 45.48 45.52 45.54 45.60 155.845

**Maryland**

Howard Co.: 37.26  
Prince George Co.: 47.62 158.94  
Anne Arundel Co.: 155.145  
Baltimore: 495.1125  
Statewide: 44.74 44.90 47.50

**Michigan**

Charlevoix Co.: 39.50  
Muskegon: 39.82  
Chippewa Co.: 153.775  
St. Joseph/Macomb/Livingston Co's.: 154.01  
Wexford Co.: 154.04  
Branch Co.: 154.055  
Ionia/Jackson Co's.: 154.115  
Shiawassee Co.: 154.965  
Muskegon/Eaton Co.: 155.025  
Ingham Co.: 155.085  
Battle Creek: 155.10 156.105  
Detroit: 155.145  
Oakland: 155.265  
Genesee Co.: 155.745  
Midland/Gr. Traverse Co's.: 155.925  
Kent Co.: 155.985  
Washentaw Co.: 158.76  
Cass Co.: 158.775  
Ottawa: 158.82  
Monroe Co.: 453.625  
Mecosta Co.: 453.725

happen. Just in case, here are a few tips on simultaneously scanning while surviving.

Have ready a backup power supply for your scanners. Lawn tractor or motorcycle batteries are ideal for this purpose. If you have more than a couple of scanners to run, consider using a hefty truck battery. Be sure and keep wet cell batteries fully charged.

The lightning storms that accompany tornadoes can devastate electrical equipment. Disconnect outside antennas. Don't bank on a lightning arrester to do the job if your antenna suffers a direct strike. Also, disconnect your scanners from the AC power line as the power surges they produce when struck by lightning can cause a lot of damage.

Mostly, be sure you've got all of the vital frequencies programmed into your scanners well in advance of any actual emergency situation. You won't have time when the winds are whistling.

**Long Range Excitement**

"A twister just came howling through

Ann Arbor: 852.0875  
Statewide: 42.48 155.28 155.865 460.025 460.125 460.175  
460.225

#### Mississippi

Statewide: 45.92  
Widely used: 45.96 46.00 46.04

#### Missouri

St. Louis Co.: 153.89 154.40  
Hickory Co.: 154.04  
St. Louis: 154.725  
New Madrid Co.: 154.965  
Butler Co.: 155.145  
St. Charles: 155.835  
Statewide: 45.12 154.055 155.715

#### Nebraska

Heil Co.: 39.50 155.145  
Omaha: 158.76  
Statewide: 39.82 39.90

#### New Jersey

Salem Co.: 33.06  
Moonachie: 39.50  
Bergen Co.: 37.38 39.76 153.785 155.55 477.1625  
Morris Co.: 45.52  
Essex Co.: 470.5125  
Haledon: 153.905  
Hudson Co.: 154.055  
Cape May Co./Lwr. Alloways Crk. Twp.: 154.085  
Salem: 154.995  
Middlesex Co.: 37.98 155.22 155.955  
Atlantic Co.: 156.015 158.775  
Monmouth Co.: 153.905  
Clifton: 154.055  
Mercer Co.: 453.575  
Jersey City: 460.05  
Statewide: 153.785

#### New York

Westchester Co.: 154.995  
Albany Co.: 39.58 39.90 155.415 460.40  
Dutchess Co.: 46.36  
Greene Co.: 46.00  
Suffolk Co.: 154.055  
Ulster Co.: 151.655  
Army Guard: 41.00 242.4  
Statewide: 45.16/45.96 45.16/45.44 45.24/45.28  
45.32/45.40 45.56/45.64 45.60/45.64

#### North Carolina

Statewide: 45.92 45.96 46.00 46.04 47.46 47.50 47.54  
47.58 47.62 47.66

#### Ohio

Auglaize Co.: 45.20  
Lake Co.: 154.965  
Mahoning Co.: 155.025  
Mercer/Shelby Co's.: 155.715  
Licking Co's.: 155.775  
Williams Co.: 158.745  
Statewide: 45.10 154.68 154.935 155.805

#### Oklahoma

Oklahoma Co.: 151.445  
Tulsa Co.: 153.755  
Comanche: 154.085  
Seminole: 155.115  
Washington Co.: 155.175  
Statewide: 151.10 155.235  
Sequoyah Co.: 155.295  
Pittsburg Co.: 158.76  
Oklahoma City: 173.10  
Weather Alert (Glenco): 462.875

#### Pennsylvania

Manheim Twp.: 33.08  
Philadelphia: 47.46 47.62 460.45  
Montgomery Co.: 154.025  
Nanticoke: 155.205  
Clinton Co.: 155.715  
Allentown: 158.835  
Statewide: 45.16 453.525

#### South Carolina

Army Guard: 32.65 34.15 34.55 40.15 41.30 149.475  
246.7  
Statewide: 45.48

#### South Dakota

War Hawk CD: 153.80 158.82  
Winner: 154.04  
Pennington Co.: 154.98  
Bonhomme Co.: 155.04  
Charles Hix Co.: 155.76  
Minnehaha Co.: 158.745  
Martin: 158.76  
Southeast SD CD: 158.805  
Hutchinson: 158.865  
Custer area: 158.925  
Statewide: 39.10 39.32

#### Tennessee

Davidson Co.: 45.64  
Shelby Co.: 154.995 155.895  
Statewide: 45.12 45.36 45.44

#### Texas

Archer/Wichita Co's.: 37.90  
Bexar Co.: 45.56  
Brazos Co.: 154.805  
Raytown: 154.98  
Dallas: 155.025  
Galveston: 155.265  
San Antonio: 158.865  
Many areas: 155.265

#### Virginia

National Cap Area: 167.975 171.1875  
Statewide: 39.50 37.54

#### Wisconsin

Polk Co.: 154.025  
Milwaukee Co.: 453.375  
Statewide: 45.08 45.12 45.20 45.24 45.32 45.36 45.44  
158.745 158.76 158.805

Wilson's Ranch?" This on the spot weather report came from a trucker near Midland, Texas which I was listening to on 47.22 MHz. Even though the trucker was 1,000 miles away, he sounded like he was right outside my house.

Sporadic-E skip propagation was responsible for bringing me these signals. June is

the peak month for this type of "short skip," so you can expect to hear distant signals at times between 25 and 76 MHz. Mid-morning and early evening are especially good times, but it can turn up at just about any time, day or night.

Table 1 lists some important national frequencies. In Table 2, we list selected emer-

gency service frequencies for those states most often experiencing twisters. In our Tables, you can look up frequencies you'll want to program into your scanner "just in case." I invite your comments and observations on tornado scanning, including via skip reception. Write to me in care of POP'COMM. ■

# Radio: A Look Back

## Some Thoughts From The Archives About Wartime Doings

BY ALICE BRANNIGAN

In the December issue we rambled on about some of the more notorious propaganda broadcasters of WWII. This was a popular topic and brought in a ton of mail that asked for more coverage of wartime radio, especially espionage, P.O.W., and underground resistance radio (since we didn't cover these in December).

The mail also brought in two letters from England pointing out that we had made a gross error here when we referred to the Nazi propaganda broadcaster, *Lord Haw Haw* (William Joyce) as being "an Englishman."

Simon Mason, who is a long-time POP'COMM reader, wrote to say that, "as an Englishman, I would like to point out that William Joyce was not English. He was Irish as the Blarney Stone."

Also, a letter was received from Donald McLochlainn, of London, who clarifies that, "Joyce was in fact born in the USA of Irish parents in 1906, and subsequently became a supporter of British Fascist Oswald Mosley. Having obtained a British passport, he went to Germany in 1939 and, following his capture after the war, he was tried and convicted of treason. Even then he remained controversial, as commentators have questioned the validity of the British trying an

Irish-American for treason when it could be argued he owed Britain no duty of loyalty."

I'm pleased for the clarifications, but in defense of calling Joyce "an Englishman," I'd say that it's more a difference of perception than anything else. When someone becomes an American citizen, regardless of their national origin or ethnic roots, most Americans henceforth consider that person to legally be an American in every sense of the word. The same logic would apply to our view of persons who became citizens of other nations.

Obviously, this is too simplistic a perception to be universal. It hadn't even occurred to me. I'll accept that whatever nationality *Lord Haw Haw* might have been, he certainly wasn't an Englishman—and let's hope it gets me off the hook.


### MI9 Radios

Speaking of England during WWII, in 1939, the British War Office formed a group known as M.I.9. Among the primary objectives of M.I.9 was helping British P.O.W.'s to escape, and obtaining intelligence from British P.O.W.'s. The group was classified as "Most Secret," and was headquartered in Room 424 of London's Metropole Hotel.


Under the direction of M.I.9, British military personnel were supplied with hundreds of thousands of pre and post capture aids items to be utilized for escape and intelligence transmission activities. Thanks to M.I.9, British P.O.W.'s were mailed parcels from persons and associations (all of which were fictitious) containing items such as slip-pers, matches, cigarettes, cigars, sewing kits, board games, writing materials, etc. Cleverly concealed in many of these items were escape maps, compasses, messages, instructions, cameras, radios, and other items that were seldom caught by the captors.

Photos of several of M.I.9's escape aid radios are rare, and actual examples that still exist of these sets are far more scarce. We did manage to find some photos in a 1942 classified M.I.9 publication. They show several ingenious miniature transmitters and receivers. One must remember when seeing this equipment now, that radios of the era all normally required large glass vacuum tubes, bulky transformers, heavy dry cells, big tuning capacitors and coils, as well as lots of full-sized fixed capacitors and resistors. Portable receivers were more like valises than anything you'd recognize today as being either small or portable.

That's why M.I.9's radios were so easily



Looks like it holds three cigars. Actually it's a tunable mini-receiver made to be smuggled to British P.O.W.'s during WWII.



The tuning dial of the P.O.W. cigar holder radio is the disk seen just at the point where the earphone wire enters the receiver. That's a ruler shown to the left of the radio.

# COMMUNICATIONS ELECTRONICS INC.

**Emergency Operations Center** has expanded to our new two acre facility and World Headquarters. Because of our growth, CEI is now your *one stop source* for emergency response equipment. When you have a command, control or communications need, essential emergency supplies can be rushed to you by CEI. As always, for over twenty two years, we're ready, willing and able to help.

Our RELM two-way radio transceivers were especially created for government agencies. When you need to talk to police, fire, ambulance, or state, federal and international response forces, RELM transceivers may be quickly programmed for up to 48 frequencies. Listed below, are some of our most asked about transceivers. For additional assistance, call CEI at 313-996-8888.

## NEW! RELM® RSP500-A

List price \$465.00/CE price \$319.95/SPECIAL **20 Channel • 5 Watt • Handheld Transceiver**  
Frequency range: 148-174 MHz. continuous coverage. Will also work 134-148 MHz. with reduced performance. The RELM RSP500B-A is our most popular programmable 5 watt, 20 channel handheld transceiver. You can scan 20 channels at up to 40 channels per second. It includes CTCSS tone and digital coded squelch. Snap on batteries give you plenty of power. Additional features such as time-out timer, busy-channel lockout, cloning, plug-in programming and IBM PC compatibility are standard. It is F.C.C. type accepted for data transmission and D.O.C. approved. We recommend also ordering the BC45 rapid charge 1 1/2 hour desk battery charger for \$99.95, a deluxe leather case LC45 for \$48.95 and an external speaker microphone with clip SM45 for \$59.95. Since this radio is programmed with an external programmer, be sure to also order one PM45 at \$74.95 for your radio system.

## NEW! RELM® UC102/UC202

List price \$128.33/CE price \$79.95/SPECIAL. CEI understands that all agencies want excellent communications capability, but most departments are strapped for funds. To help, CEI now offers a special package deal on the RELM UC102 one watt transceiver. You get a UC102 handheld transceiver on 154.5700 MHz., flexible antenna, battery charger and battery pack for only \$79.95. If you want even more power, order the RELM UC202 two watt transceiver for \$114.95.

## NEW! RELM® RH256NB-A

List price \$449.95/CE price \$299.95/SPECIAL **16 Channel • 25 Watt Transceiver • Priority Time-out timer • Off Hook Priority Channel**  
The RELM RH256NB is the updated version of the popular RELM RH256B sixteen-channel VHF land mobile transceiver. The radio technician maintaining your radio system can store up to 16 frequencies without an external programming tool. All radios come with CTCSS tone and scanning capabilities. This transceiver even has a priority function. Be sure to order one set of programming instructions, part # PI256N for \$10.00 and a service manual, part # SMRH256N for \$24.95 for the RH256NB. A 60 Watt VHF 150-162 MHz. version called the RH606B is available for \$429.95. A UHF 15 watt, 16 channel similar version of this radio called the LMU15B-A is also available and covers 450-482 MHz. for only \$339.95. An external programming unit SPM2 for \$49.95 is needed for programming the LMU15B UHF transceiver.

## NEW! RELM® LMV2548B-A

List price \$423.33/CE price \$289.95/SPECIAL **48 Channel • 25 Watt Transceiver • Priority**  
RELM's new LMV2548B gives you up to 48 channels which can be organized into 4 separate scan areas for convenient grouping of channels and improved communications efficiency. With an external programmer, your radio technician can reprogram this radio in minutes with the PM100A programmer for \$99.95 without even opening the transceiver. A similar 16 channel, 60 watt unit called the RMV60B is available for \$489.95. A low band version called the RML60A for 30-43.000 MHz. or the RML60B for 37-50.000 MHz. is also available for \$489.95.

## RELM® Programming Tools

If you are the dealer or radio technician maintaining your own radio system, you must order a programming tool to activate various transceivers. The PCKIT010 for \$149.95 is designed to program almost all RELM radios by interconnecting between a MS/DOS PC and the radio. The PM100A for \$99.95 is designed to externally program the RMV60B, RML60A, RML60B and LMV2548 radios. The SPM2 for \$49.95 is for the LMV25B and LMU15B transceivers. The RMP1 for \$49.95 is for the RMU45B transceiver. *Programmers must be used with caution and only by qualified personnel because incorrect programming can cause severe interference and disruption to operating communications systems.*

### ★★★ Uniden CB Radios ★★★

The Uniden line of Citizens Band Radio transceivers is designed to give you emergency communications at a reasonable price. Uniden CB radios are so reliable they have a two year limited warranty.

PRO310E-A3 Uniden 40 Ch. Portable/Mobile CB... \$72.95  
PRO330E-A3 Uniden 40 Ch. Remote mount CB... \$99.95  
GRANT-A3 Uniden 40 channel SSB CB mobile... \$152.95  
WASHINGTON-A Uniden 40 ch. SSB CB base... \$209.95  
PC122-A3 Uniden 40 channel SSB CB mobile... \$113.95  
PC66A-A Uniden 40 channel CB Mobile... \$78.95  
PRO510X-A3 Uniden 40 channel CB Mobile... \$34.95  
PRO520X-A3 Uniden 40 channel CB Mobile... \$49.95  
PRO535E-A Uniden 40 channel CB Mobile... \$73.95  
PRO538W-A Uniden 40 ch. weather CB Mobile... \$78.95  
PRO640E-A3 Uniden 40 ch. SSB CB mobile... \$133.95  
PRO810E-A Uniden 40 channel SSB CB Base... \$174.95

### ★★★ Uniden Radar Detectors ★★★

Buy the finest Uniden radar detectors from CEI today.  
CARD-A3 Uniden credit card size radar detector... \$127.95  
RD3XL-A3 Uniden 3 band radar detector... \$124.95  
RD9GTL-A Uniden "Passport" size radar detector... \$89.95  
RD9XL-A3 Uniden "micro" size radar detector... \$107.95  
RD25-A Uniden visor mount radar detector... \$54.95

## Bearcat® 200XLT-A

List price \$509.95/CE price \$239.95/SPECIAL **12-Band, 200 Channel • 800 MHz. Handheld Search • Limit • Hold • Priority • Lockout**  
Frequency range: 29-54, 118-174, 406-512, 806-956 MHz. Excludes 823.9875-849.0125 and 868.9875-894.0125 MHz.

The Bearcat 200XLT sets a new standard for handheld scanners in performance and dependability. This full featured unit has 200 programmable channels with 10 scanning banks and 12 band coverage. If you want a very similar model without the 800 MHz. band and 100 channels, order the BC 100XLT-A3 for only \$179.95. Includes antenna, carrying case with belt loop, ni-cad battery pack, AC adapter and earphone. Order your scanner now.

## Bearcat® 800XLT-A

List price \$549.95/CE price \$239.95/SPECIAL **12-Band, 40 Channel • No-crystal scanner Priority control • Search/Scan • AC/DC**  
Bands: 29-54, 118-174, 406-512, 806-912 MHz. Now...nothing excluded in the 800-912 MHz band.

The Uniden 800XLT receives 40 channels in two banks. Scans 15 channels per second. Size 9 1/4" x 4 1/2" x 1 1/2". If you do not need the 800 MHz. band, a similar model called the BC 210XLT-A is available for \$178.95.

## NEW! Uniden® MR8100-A

Call 313-996-8888 for special CEI pricing **12-Band, 100 Channel • Surveillance scanner**  
Bands: 29-54, 116-174, 406-512, 806-956 MHz.

The Uniden MR8100 surveillance scanner is different from all other scanners. Originally designed for intelligence agencies, fire departments and public safety use, this scanner offers a breakthrough of new and enhanced features. Scan speed is almost 100 channels per second. You get four digit readout past the decimal point. Complete coverage of 800 MHz. band when programmed with a personal computer. Alphanumeric designation of channels, separate speaker, backlit LCD display and more. To activate the many unique features of the Uniden MR8100 a computer interface program is available for \$19.95. Due to manufacturers' territorial restrictions, the MR8100 is not available for direct shipment from CEI to CA, OR, WA, NV, ID or UT.

## NEW! Ranger® RCI2950-A3

List price \$549.95/CE price \$259.95/SPECIAL **10 Meter Mobile Transceiver • Digital VFO Full Band Coverage • All-Mode Operation Backlit liquid crystal display • Repeater Splits RIT • 10 Programmable Memory Positions**  
Frequency Coverage: 28.0000 MHz. to 29.6999 MHz.

The Ranger RCI2950 Mobile 10 Meter Transceiver has everything you need for amateur radio communications. The RF power control feature in the RCI2950 allows you to adjust the RF output power continuously from 1 watt through a full 25 watts output on USB, LSB and CW modes. You get a noise blander, roger beep, PA mode, mike gain, digital VFO, built-in S/RF/MOD/SWR meter. Frequency selections may be made from a switch on the microphone or the front panel. The RCI2950 gives you AM, FM, USB, LSB or CW operation. For technical info, call Ranger at 619-259-0287.



RELM  
LMV2548B  
Only \$289.95

### OTHER RADIOS AND ACCESSORIES

XC385-A Uniden Ultra Clear Plus Cordless Phone... \$89.95  
CT785S-A Uniden speakerphone cordless phone... \$109.95  
BC55XLT-A Bearcat 10 channel scanner... \$114.95  
AD100-A Plug in wall charger for BC55XLT... \$14.95  
PS001-A Cigarette lighter cable for BC55XLT... \$14.95  
VC001-A Carrying case for BC55XLT... \$14.95  
BC70XLT-A Bearcat 20 channel scanner... \$159.95  
BC142XL-A Bearcat 10 ch. 10 band scanner... \$84.95  
BC147XLT-A Bearcat 16 ch. 10 band scanner... \$94.95  
BC172XL-A Bearcat 20 ch. 11 band scanner... \$134.95  
BC177XLT-A Bearcat 16 ch. 11 band scanner... \$134.95  
BC590XLT-A Bearcat 100 ch. 11 band scanner... \$194.95  
BC760XLT-A Bearcat 100 ch. 12 band scanner... \$254.95  
BC002-A CTCSS tone board for BC590/760XLT... \$54.95  
BC003-A Switch assembly for BC590/760XLT... \$22.95  
BC855XLT-A Bearcat 50 ch. 12 band scanner... \$199.95  
BC1-A Bearcat Information scanner with CB... \$129.95  
BC330A-A Bearcat Information scanner... \$99.95  
BC560XLT-A Bearcat 16 ch. 10 band scanner... \$94.95  
BP205-A Ni-Cad batt. pack for BC200/BC100XLT... \$39.95  
TRAVELLER2-A Grundig shortwave receiver... \$89.95  
COSMOPOLIT-A Grundig shortwave receiver... \$199.95  
SATELLIT7500-A Grundig shortwave receiver... \$679.95  
SATELLIT7650 Grundig shortwave receiver... \$949.95  
ATS803A-A Sangean shortwave receiver... \$159.95  
74102-A Midland emergency weather receiver... \$39.95  
77116-A Midland CB with VHF weather & antenna... \$66.95  
77118-A Midland CB mobile with VHF weather... \$62.95  
77913-A Midland CB portable with VHF weather... \$79.95  
76300-A Midland CB base station... \$92.95  
FBE-A Frequency Directory for Eastern U.S.A... \$14.95  
FBW-A Frequency Directory for Western U.S.A... \$14.95  
RFD1-A MI, IL, IN, KY, OH, WI Frequency Directory... \$14.95  
RFD2-A CT, ME, MA, NH, RI, VT Directory... \$14.95  
RFD3-A DE, DC, MD, NJ, NY, PA, VA, WV Dir... \$14.95  
RFD4-A AL, AR, FL, GA, LA, MS, NC, PR, SC, TN, VI... \$14.95  
RFD5-A AK, ID, IA, MN, MT, NE, ND, OR, SD, WA, WY... \$14.95  
RFD6-A CA, NV, UT, AZ, HI, GU, Freq. Directory... \$14.95  
RFD7-A CO, KS, MO, NM, OK, TX Freq. Directory... \$14.95  
PWB-A Passport to World Band Radio... \$16.95  
ASD-A Airplane Scanner Directory... \$14.95  
TSG-G7 "Top Secret" Registry of U.S. Govt. Freq... \$16.95  
TTC-A Tune in on telephone calls... \$14.95  
CBH-A Big CB Handbook/AM/FM/Freeband... \$14.95  
TIC-A Techniques for Intercepting Communications... \$14.95  
RRF-A Railroad frequency directory... \$14.95  
EEC-A Embassy & Espionage Communications... \$14.95  
SMH-A2 Scanner Modification Handbook, Vol. 2... \$18.95  
LIN-A Latest Intelligence by James E. Tunnell... \$16.95  
A60-A Magnet mount mobile scanner antenna... \$34.95  
A70-A Base station scanner antenna... \$34.95  
USAMM-A Mag mount VHF ant. w/ 12' cable... \$39.95  
USAK-A 3/4" hole mount VHF ant. w/ 17' cable... \$34.95  
Add \$4.00 shipping for all accessories ordered at the same time.  
Add \$15.00 shipping per radio and \$4.00 per antenna.

### BUY WITH CONFIDENCE


Michigan residents please add 4% sales tax or supply your tax I.D. number. Written purchase orders are accepted from approved government agencies and most well rated firms at a 10% surcharge for net 10 billing. All sales are subject to availability, acceptance and verification. Prices, terms and specifications are subject to change without notice. All prices are in U.S. dollars. Out of stock items will be placed on backorder automatically or equivalent product substituted unless CEI is instructed differently. A \$5.00 additional handling fee will be charged for all orders with a merchandise total under \$50.00. Shipments are F.O.B. CEI warehouse in Ann Arbor, Michigan. No COD's. Not responsible for typographical errors.

Mail orders to: Communications Electronics, Box 1045, Ann Arbor, Michigan 48106 U.S.A. Add \$15.00 per radio for U.P.S. ground shipping and handling in the continental U.S.A. For Canada, Puerto Rico, Hawaii, Alaska, or APO/FPO delivery, shipping charges are two times continental U.S. rates. If you have a Discover, Visa, American Express or MasterCard, you may call and place a credit card order. 5% surcharge for billing to American Express. For credit card order, call toll-free in the U.S. Dial 800-USA-SCAN. For information call 313-996-8888. FAX anytime, dial 313-663-8888. Order today.


Scanner Distribution Center™ and CEI logos are trademarks of Communications Electronics Inc.  
Sale dates 3/15/91 - 10/31/91 AD #032591-A  
Copyright © 1991 Communications Electronics Inc.

## For more information call 1-313-996-8888

Communications Electronics Inc.  
Emergency Operations Center  
P.O. Box 1045 □ Ann Arbor, Michigan 48106-1045 U.S.A.  
For orders call 313-996-8888 or FAX 313-663-8888



The cigar case radio was so deceptively small for the era in which it was made, it was never suspected as being a radio.



This cigar box radio receiver supplied by British M.I. 9 came with a box of matches. It had a range of 400 miles.

concealed. They were so small that the objects that contained them were never thought to be large enough to contain such equipment. But they did!

M.I. 9's most basic receiver was built in a case intended to hold three cigars. It had a single earphone, and was tunable. A disk that stuck out of one end of the body permitted tuning to different frequencies. It could pick up stations within 250 miles.

Another, more sensitive type receiver, was in the form of a cigar box, and was supplied with a box of matches. It was 6 inches long, 2-1/2 inches wide, by 1 inch high, and offered a range of 400 miles.

A receiver with a 700 mile range was housed in a cigarette box with an imitation leather covered lid. This was also supplied with matches. This set was 6 by 6 inches, and was about 2 inches deep, offering a 700 mile range. The antenna was a directional loop housed in the lid of the box. Reception

was provided by a single earphone. Several versions were produced.

A popular transmitter was built inside a *Player's Navy Cut* tin intended to hold 100 cigarettes. In those days, many brands of cigarettes (including American) were available in flat tin boxes of 50 or 100 smokes. This was a CW transmitter that had a range of about 100 miles via a detachable telescoping whip that would extend to 30 inches. Keying was done by a small button that protruded from the side of the box.

### Espionage Stuff


In response to those who have asked for some coverage of espionage radios, I can offer a look at a more modern (although certainly it isn't current, since it uses vacuum tubes) radio sending and receiving set. As for its nomenclature, I do not know what it is. I can tell you that a photo in a Soviet book

shows this same equipment set up as a station, which it describes as "captured CIA spy equipment." That claim might be open to dispute, however I can tell you something about the equipment itself. This information is based upon the data furnished with the equipment.

The transmitter is two-stage, crystal controlled and can operate in two bands, 3 to 7 MHz, or 7 to 16.5 MHz. The output is 6 to 10 watts, depending on the frequency. Power input is 400 VDC at 75 mils. Idling during break-in is 400 VDC at 25 mils. The unit is about 7 inches, by 5 inches, by 2 inches, weighing slightly less than 3 lbs.


The matching receiver is a superhet operating in two bands from 3 to 6.5 MHz, and 6.5 to 15 MHz. It is tunable, or can be crystal controlled. It is the same size as the transmitter, but weighs a few ounces more.


Other components to this equipment are the power supply and a power supply filter



This cigarette case P.O.W. receiver had a built-in loop antenna to give it a 700 mile range. It was dressed up with a simulated leather lid to further disguise its purpose.

A cigarette tin was a perfect container for a clandestine CW transmitter with a 100 mile range.





CW could be tapped out by using the small key on the side of the cigarette tin transmitter. Its range permitted messages to be sent to nearby partisans and others who could relay the information to London.

for the high voltage. The power supply can use a 6 V storage battery, or AC power lines from 70 to 270 volts, 40 to 400 Hz, pulling 80 watts.

We would guess this equipment to be from maybe the late 1950's, or thereabouts.

### Another 1950's Spy Radio, Maybe!


In the early 1950's, the Telefunken produced approximately 100 somewhat unusual transceivers. Covering 3 to 16 MHz, this hefty chunk of equipment was installed in a suitcase and called by Telefunken (on their schematics) a radio intended for ham radio use. Made in Germany, the instruction manuals were in French, and they were never offered in the ham market.

It would seem that that they were not actually produced for the ham market. More than likely, they were used by intelligence officials stationed at embassies and diplomatic posts around the world.


The receiver is a three-band, four-stage superhet. The transmitter is a two stage CW circuit. Considering when it was made, it seems strangely bulkier than was necessary. More information on this curious set was given on page 710 of the September, 1985, issue of the RSGB's publication, *Radio Communication*.

### The YTG Story

The late Donald K. deNeuf, WA1SPM, was a distinguished radio historian who frequently sent us his critical observations, comments, and bits of information of inter-



The Soviets called this a captured CIA spy transmitter. Well, maybe. With its vacuum tube design, it seems to be from around the 1950's.



This is the receiver section of the apparent spy radio station. It is tunable and crystal controlled.

est. He once sent in something that's very appropriate here.

Donald related that Nazi Germany invaded Yugoslavia in April of 1941 and caused King Peter II to flee to London. But many Yugoslav troops continued to fight the Nazis in the mountains. Drazja Mikhailovich led the largest group, the Chetniks. Eventually they became involved in open warfare for control of the resistance movement with another partisan group backed by the USSR and Great Britain, and led by Josip Broz, later known as Marshal Tito.

Press Wireless (PREWI), which was a commercial telegraph company, had numerous stations at various locations in the USA. During WWII, Don deNeuf was a PREWI radio operator, and in later years he was an executive of that company. He recalled for me the day a manually keyed CW signal was monitored repeatedly and frantically calling one of the PREWI stations, WPK (13840 kHz) at Hicksville, NY. "WPK

WPK, can you read me?" PREWI responded "QTH?" in order to find out more information on the calling station.

"This is General Mikhailovich's press station in the mountains of Yugoslavia and we will sign as YTG. We have a big load of press messages for you. May we begin transmitting them now?"

Commercial radiotelegraph operations were, of course, under government scrutiny during the war, and PREWI had to inform the authorities of their discovery and seek approval to accept traffic from YTG. Approval was granted, and YTG was told to commence sending traffic. Thereupon, day after day, YTG would run a string of lengthy press messages to major American newspapers, magazines, and press services. None of the dispatches were ever signed, but they provided vivid and extremely accurate reports on Mikhailovich and his forces.

In order to stay close to the fighting, YTG moved from one location to another very often. At times, traffic would be interrupted as YTG announced "Nazis are shelling us. Got to get out of here quickly. See you later." Sometimes YTG wouldn't return for days. Then he'd be heard tuning up and getting ready to send a big load of press messages. The PREWI operators knew the "YT" call letter prefix belonged to Yugoslavia, but YTG itself was an unassigned and unofficial call. The PREWI people used to joke that the letters YTG were selected because they stood for "Yugoslav Traveling Guerrillas."

Don deNeuf noted that in listening to the YTG transmissions, he often had the feeling that the *fists* were typically American. It wasn't until long after the end of WWII that Don learned that his guess was correct. The American OSS (forerunner to the CIA) had parachuted a group of seasoned U.S. Navy radiomen to assist Mikhailovich.


When the war ended, Tito turned up as top dog in Yugoslavia. On July 17th, 1946, Tito's forces captured and promptly executed General Mikhailovich.

### Wartime Hamming

Between 1939 and 1940, because of the war situation, many nations of the world gave the order for their ham operators to cease operations until further notice. By 1941, only stations in USA, some Latin American stations, and Philippine stations were still permitted to operate by their governments, although 1941 saw American hams allowed to communicate only with other American stations. Right after the U.S. entered the war, in late 1941, American ham stations were given the order to close down completely, and remain silent until the war ended.

According to Bill Orr, W6SAI, some South American nations unofficially permitted a few favored hams to continue to operate amongst themselves throughout the duration of the war.

A few (not many) Americans on the



Try dragging this Telefunken suitcase transceiver through airport security and see what happens. Made in the early 1950's, the general consensus is that it was intended for use by intelligence officers stationed at embassies and consulates. Only about 100 units were ever made.

homefront were caught breaking the imposed silence during WWII, and were dealt with harshly by the government. But, Bill also observes that it was a long war, and the military services were loaded with hams who were itching to get back on the air.

He remembers that as the war began winding down, some hams in the military could wait no longer and managed to get on the air using military tactical call signs. Much to the dislike of the FCC, these were legit ID's issued by the USAF. The real purpose was somewhat obscure, but Bill suspects some high-ranking officer was a ham and just looked the other way.

Bill's own wartime quasi-ham military ID

was "22-X-2," and he was authorized on 3105, 6210, and 7050 kHz. He remembers that there were about four others in California, and one or two in the Chicago area. He had a 200 watt 'phone transmitter on 7050 kHz at a military facility in El Segundo, Calif., and did QSO with Chicago with it once. Mostly he'd ragchew with other locals in the net, though.

As the war ended, ham radio interest picked up. Many hams in the military simply began working with one another without any authorizations, using tactical call signs, or no calls at all. In the aftermath of WWII, much of continental Europe was a physical and political shambles. Some European na-

tions were therefore very slow in authorizing the resumption of ham operation. Still, there were a few bold undercover and clandestine ham operators in those nations who went on the air anyway, usually at considerable personal risk.

Bill Orr allowed us a look at some of the unusual QSL's he has representing stations in Europe before and after WWII that were being operated in defiance of wartime gag orders by their respective governments.

### Big League

In 1920, right after WWI, many of the nations of the world formed an organization

QRA: ROMA ITALY

TO RADIO W2HCE our QSO CW on 19/10/38 at 22.15 GMT

QRKf 7/8 QSAw 5 TONET 5 QRM 0 ORN 0

**I I N Q**

X M T

6.6 6.6 x 46.6

Input watts 400

4000

Aerial offline

Mod 4e plaque mic. condenser

Thx for QSO

REMARKS very good modulation Vy 73s es best DX

OP [Signature]

PSE QSL: A. R. I. Viale Bianca Maria, 24 - MILANO

Italian dictator Mussolini shut down his nation's hams in the early 1930's. A few brave operators kept right on transmitting. Station IINQ was a 30-watt 'phone station active in 1938, long after he had been officially ordered off the air. His address was in care of the Italian Radio Society. Maybe he had friends in high places.

(Courtesy Bill Orr, W6SAI.)

To Radio W 6 S A I  
Germany

WAC on **D 5 F F** DX 151  
28-14 mc 39 zones  
up to 59

Tku fr our QSO on Apr. 7.47 at 0517 GMT ORG 14 mc  
Ur sigs were RST 5 7 9 Q 0

Tx PP-Eco Inpt 120 Wtts Ant 20 mtrs Rx Super 6T6

Tku PP QSLL via HBOag 73 [Signature]  
Hps sn qso agn wid new lic and new D-call, Bill.


D5FF was a clandestine German ham after WWII with quite an elaborate station. Most of the unlicensed ham activity in Germany right after WWII came from the American Zone, and the best guess is that these operators worked for the US military, who looked the other way at such activity. (Courtesy Bill Orr, W6SAI.)

**BULGARIA-UNLIS**

**9 B 3 A A**

RADIO - 7B4QF - QSO OF 24-6-1951  
AT 05.15 GMT UR -14- MC CW/FONE SIGS  
RST 599H TX inp abt 5W RX sup 3t ANT l. wire  
MNI TKS FR QSO OM. PSE QSLL. 73

Bulgarian hams weren't allowed on the air after WWII until 1952. A few bolder ones began jumping the gun in mid-1951, like this one who was signing the callsign 9B3AA. Bill Orr was in Andorra (as 7B4QF) when he worked 9B3AA, but he never found out who the undercover operator was! (Courtesy Bill Orr, W6SAI.)



"Radio Nations" was the broadcasting station of the ill-fated League of Nations, Geneva, Switzerland. This is a 1936 QSL from the station, which ran 20 kW on three frequencies. (Courtesy Eileen Hofmaster, Ohio.)

**RADIOSTATION: RADIONATIONS**

Callsign	Wavelength	Power & Aerial	Emission
HBL	31.27 m., 9595 k.c.	20 k.w. omnidir.	Official bulletin
✓ HBP	38.47 m., 7797 k.c.	20 k.w. direction.	Information Section, L.o.N.
HBO	26.35 m., 11385 k.c.	20 k.w. omnidir.	International Labour Office Radio-Suisse (private)

Your report of February 1st 1936 received and checked with our transmission, found correct and hereby verified.

Date February 24th 1936.

League of Nations - Geneva

2799-7.36-1000

called The League of Nations which, it was hoped, would prevent war forever. Although most of the important European nations belonged to the League, and the founder of the league was U.S. President Woodrow Wilson, the United States never became a member of the organization.

Headquartered in Geneva, Switzerland, the League was able to successfully settle some minor boundary disputes (such as between Greece and Bulgaria in 1925). But there were many failures, most notably the 1935 dispute between Italy and Ethiopia. This failure did much to weaken and finally destroy the League, which was of no value at all in preventing WWII. The League existed, at least on paper, until it was officially dissolved on April 18th, 1946, when it was replaced by another international organization, the United Nations.

During the mid-1930's the League of Nations operated its own shortwave broadcast facility at Prangins, a suburb of Geneva. This was known as *Radio Nations*, and operated with 20 kW over stations HBP (7797 kHz), HBL (9595 kHz), and HBO (11385 kHz). These were point-to-point transmitters which could operate in two-way mode on behalf of the League of Nations in addition to broadcasting official League bulletins. Broadcasts were once a week (usually Saturday) at 1730 UTC for forty-five minutes. Some broadcasts may have continued even through the war years, when HBO was on 11402 kHz and scheduled from 0045 to 0215 UTC.

As you can see, radio activity during periods of military action hasn't been limited to the situation in the Gulf. We haven't even scratched the surface, but our last mention produced such an enthusiastic response, we thought we would use this month's space for some more. Want still more?

Allied military personnel overseas are in our prayers, and we are looking for an early return home by all. We thank readers who most generously continue to send in items for our use here and the archives.

# Organize and Protect Your Copies of POPULAR COMMUNICATIONS

Now there's an easy way to organize and keep copies of your favorite magazine readily available for future reference.

Designed exclusively for PC by Jesse Jones Industries, these custom-made titled cases and binders provide the luxury look that makes them attractive additions to your bookshelf, desk or any location in your home or office.

Whether you choose cases or binders, you'll have a storage system that's durable and well organized to help protect your valuable copies from damage.

Popular Communications  
Jesse Jones Industries, Dept. P-Com  
499 East Erie Avenue, Philadelphia, PA 19141

Please send \_\_\_\_\_ cases; \_\_\_\_\_ binders  
for Popular Communications Magazine.

- Enclosed is \$ \_\_\_\_\_.
- Charge my: (Minimum \$15)
- American Express  Visa
- MasterCard  Diners Club

Card # \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

Charge Orders: Call TOLL FREE 7 days, 24 hours 1-800-972-5858

Print Name \_\_\_\_\_

Address \_\_\_\_\_

No P.O. Box Numbers Please

City/State/Zip \_\_\_\_\_

PA residents add 6% sales tax

Quantity	Cases	Binders
One	\$ 7.95	\$ 9.95
Three	\$21.95	\$27.95
Six	\$39.95	\$52.95

Add \$1 per case/binder postage and handling. Outside USA \$2.50 per case/binder (U.S. funds only.)

**SATISFACTION GUARANTEED**

## Uncle Sam's Undercover Airline

The slogan of Air America was, "Anything, Anywhere, Any Time, Professionally." And who better to do this during the war in Southeast Asia than Air America? The airline was wholly owned and run by the Central Intelligence Agency (a/k/a the "company"), and was one of that agency's more exotic clandestine operations at that. The recent Mel Gibson and Robert Downey, Jr., film, *Air America*, was a fictionalized story that tried (with some degree of success) to capture the flavor of what the world's most unusual airline was all about.

During the war in Southeast Asia, Air America flew throughout Vietnam, Thailand, Cambodia, and especially Laos. Its mission was wide and varied, and it was deeply involved in all of the CIA's many covert activities throughout the region.

American "advisors" moved into Laos in 1960, and the American military and intelligence presence remained in that nation right through to the closing days of the war in 1975. In addition to the planes of Air America, the skies above Laos were also host to the U.S. Air Force Ravens, as well as the CIA's lesser known undercover activity called the Continental Air Service.

To accommodate these activities, Laos was dotted with hundreds of "Lima Airfields," which were landing sites for use by helicopters, STOL, and standard fixed-wing aircraft. Their status constantly fluctuated, sometimes being under "unfriendly control" for varying periods, or subject to "unfriendly" fire during flight operations.

While some Lima Airfields were rather humble in nature, many had concrete runways, radio beacons, air traffic control frequencies, and "company" (Air America/CIA) HF, VHF, and UHF comms facilities.

A fascinating reference entitled *Air Facilities Data: Laos*, is the complete directory of the Lima Airfields in Laos used by the CIA's Air America and Continental Air Service, as well as the USAF's Ravens, during the Southeast Asia conflict. Extensive data shown individually for each of the more than 350 airfields includes: code number and name of field; signal letters; map reference; latitude and longitude; elevation; runway data (size, orientation, gradient, composition, restrictions/warnings); and (as applicable) facilities, such as fuel availability; tower frequencies and hours; radio-beacon type and frequency; and "company" frequencies. Information is also given regarding which sites were closed because they were under unfriendly control, and which could be used only on a "trip by trip" basis because of unfriendly fire.

The book, in fact, is a full, exact, and un-

## Air Facilities Data



## Laos

cut reprint of the official pilot's flight information publication (FLIP) issued to and used by Air America and other American pilots in Laos at the height of the war there. So far as we have ever seen, it's the first time private "company" HF, VHF, and UHF frequencies, as appearing in any official "company" document, have ever been made public, even in retrospect. That makes it an absolutely unique wealth of data for everybody interested in communications. It's also a great general interest reference for all who are inclined towards history, aviation, or learning something about the secret war that took place in Laos.

In the back of the book, all of the airfields are cross-indexed by map coordinates, and also by name. Then, there is a listing of those airfields available for use by specific aircraft types, such as C-130's, DHC-6's, and the Beechcraft Barons so popular with CIA operatives in Southeast Asia. There are also complete listings of radiobeacons, search and rescue (SAR) frequencies, as well as "company" HF, VHF, and UHF frequencies, along with watch hours and modes. Lots and lots of data!

Knowing the way some federal agencies hang on to certain frequencies for extended periods of time, it will certainly be interesting checking out the comms frequencies listed here to see how they evolved over the years, and (*heh, heh*) if any might still be in use here or elsewhere.

*Air Facilities Data: Laos* is a large-format (8½ by 11 inch) book, and it's inexpensive; only \$8.95, plus \$3.50 shipping to addresses in USA/Canada/APO/FPO. It's available from CRB Research Books, Inc., P.O. Box 56, Commack, NY 11725. Residents of NY State, please add 68 cents sales tax.


## Get The Picture?

Standing there in the storm, scanner in hand, with the rain dripping from your nose, you're wondering how much more intelligence you can collect. Naturally, you need to document everything with photos. But, just as using a scanner for gathering intelligence is a studied art, so is completing your assignment with photographic evidence.

That's where this interesting little manual comes in. It's called *A Practical Guide to Photographic Intelligence*, by Harold Hough. This is a 142-page 5½ x 8½ inch format book illustrated with photos and diagrams.

Although photo intelligence is most often associated with military spying, it has come into its own in the civilian world. In fact, photo surveillance is used every day—by corporate spies after business secrets, by private eyes verifying insurance claims and gathering divorce evidence, by law enforcement agencies collecting evidence, by jour-

## A PRACTICAL GUIDE TO PHOTOGRAPHIC INTELLIGENCE



HAROLD HOUGH

nalists, by guerrillas, by paparazzi sneaking celebrity photos, by environmentalists, and many others.

This book is a complete manual on taking and interpreting surveillance photos. Using actual spy photos and many helpful illustrations, the book explains how to: Plan a photo surveillance operation; take useful photos from miles away; interpret the size of distant objects; read burned documents; reveal hidden objects using infrared techniques; develop film anywhere, any time, with minimal equipment; photograph in government and commercial facilities.

There's information on film, cameras, and accessories for best results, and lots of text about interpreting photos. There is an

explanation on how governments manage to get around Fourth Amendment guarantees against unreasonable searches. Also, there's a nation-by-nation chart showing the photographic restrictions for military and civilian sites, and how sensitive the authorities are about violations. You'd be surprised at some of the restrictions, like not taking photos of railroads in the Netherlands, or airports in Ecuador.

*A Practical Guide to Photographic Intelligence* stresses low-cost, simple methods to perform effective photo surveillance. It is suited for amateur and professional use. Adding the video to the audio—just the thing to enhance the value of intelligence gathered via a scanner.


This book is \$14.95, plus \$3 shipping and handling, from Loompanics Unlimited, P.O. Box 1197, Port Townsend, WA 98368. Residents of Washington State add \$1.67 sales tax.

## Handy Reference

*Electronic Communications*, by John J. Dulin, Victor F. Veley, and John Gilbert, is a handy 690-page reference intended to help aspiring techs prepare for the FCC General Radiotelephone or CET exam, and to improve their progress in this rapidly expanding field.

This is a comprehensive book with a readable, easy-to-follow format that places the chapters in a logical sequence in order to avoid excessive and confusing cross-referencing. The book provides a complete intro to: AC circuits, solid-state devices, amps, radar, receivers, tube devices, filters, power supplies, oscillators, transmitters, digital systems, and microwave transmissions. Extensive appendices include information on AM/FM station elements, licensing, and FCC designations, tolerances, and standards. International System Units are used throughout the text.

Both a professional reference for techs in the field and a study guide for students, this book is a well-illustrated intro to the theoretical and practical aspects of modern electronic communications. It offers a solid un-



derstanding of the basic principles behind the current technology, however it is written for persons having at least an intermediary understanding of electronics. There are more than 550 tables, formulae, diagrams, and charts to supplement the text. An index makes everything easy to locate.

*Electronic Communications* is \$24.95 in the USA (\$32.95 in Canada) from TAB Books, Blue Ridge Summit, PA 17294-0850. Ask for book 3365. This book may also be available from some of TAB's local dealers.

## In Addition . . .

Scanner enthusiast Jim Sutton has come out with a 2nd Edition of his *Scanner Radio Data* publication. This is a pretty good frequency guide covering the NY State counties of: Orleans, Monroe, Wayne, Genesee, Livingston, Ontario, Seneca, Wyoming, Yates, Cattaragus, Allegany, and Steuben. It's a 44-page publication that looks to be mimeographed, and contains public safety listings plus schools, ham repeaters, transportation, and some business listings. Some 10-codes and unit numbering details given, and there's even an unusual half-page religious rap in the back of the book that somehow attempts to tie scanner manufacturing in with Heaven. Now you know where to send your Bearcat 250 when Uniden says they can't fix it any longer! This book is \$10, plus \$2 postage, from A. R. Christiano Hardware, 123 Main St., Leicester, NY 14481.

## Comment

Responding to many reader requests, in the January issue, this column reviewed the regional scanner directories brought out by worldwide electronics giant Uniden, manufacturer of *Bearcat* and *Regency* scanners. These directories, backed by the well-known Uniden name, have become very popular ever since they first began appearing, starting in 1989.

We opined that they were "the best regional public safety frequency guides we have yet reviewed." That opinion brought the magazine an objection from the publisher of *Police Call*, a competing scanner guide. He seemed to conclude that our remark had somehow specifically put down his publication. This was odd since we have never reviewed *Police Call* here! Therefore, obviously, it couldn't have been a reference to his publication. Even if we had previously reviewed *Police Call*, we found it unusual that a person producing a product wrote to question a reviewer's judgment and right to formulate and express a favorable or relative opinion on a competing product. It's the only time we have ever received a letter of that nature. The remark that triggered the letter was innocuous. It was the type of comment we make here quite regularly for different types of publications. We expect to continue doing so in the future, although we

surely regret that in January it caused this fellow undue unhappiness by his jumping at unfounded conclusions.

One further point, Mitchell Reback, a reader in Los Angeles, wrote to say that he took issue with our use of the word "new" when referring to this series of books. He suggested someone might have been lying! Uniden previously had a two-book series, one book covering the eastern states, one covering the western states. This older series was well-known and had been produced for a number years. The series was discontinued, but some sources still offer the remaining copies at closeout prices as low as \$4 per book. With both series on sale, we therefore felt the need to clarify matters and avoid confusion by the use of the term "new" to distinguish the present series from the old two-book series. The present series is still being added to; a continuing process begun only a year before our review was written. The Southern Plains edition was issued in the last half of 1990, just prior to our January issue. The Uniden Canadian directory, and Uniden's National Police Frequency Directory, both were issued in 1991. Under the circumstances, the word "new" seemed both accurate and appropriate in referring to this series. For lack of a better word, that is why it was used. With only a couple of apparent exceptions, and as usual, our sharp readers appeared to have been able to deal with our opinions and choice of words.

# SUPER LONG PLAY TAPE RECORDERS

**12 Hour Model — USES 120 TAPE**  
**\$119.00\***

Modified Panasonic Slimline, high quality AC-DC provide 6 continuous hours of quality recording & playback on each side of cassette for 12 hours total. Includes • Voice level control • Digital counter, etc. TDK -120 Cassette Furnished.



---

**PHONE RECORDING ADAPTER**

Records calls automatically. All Solid state connects to your telephone jack and tape recorder. Starts recording when phone is lifted. Stops when you hang up. **\$28.50\*** FCC APPROVED

---

**VOX VOICE ACTIVATED CONTROL SWITCH**

Solid state. Self contained. Adjustable sensitivity. Voices or other sounds automatically activate and control recorder. Uses either recorder or remote mike. **\$28.50\***

---

\* Add for ship. & handling. Phone Adapter & Vox \$2.00 each. Recorders \$5.00 each. Calif. Res. add tax. Mail order. VISA, M/C, C.O.D.'s OK. Money Back Guarantee. Quantity discounts available. Dealer Inquiries invited. Free data.

**AMC SALES INC. Dept. P** 9335 Lubec Street  
Box 928, Downey, CA 90241  
Phones (213) 869-8519 1-800-926-2488  
FAX (213) 923-1478  
Mon-Fri 8-5 PAC. TIME

# DX'ing Africa's Tibet

## Shortwave Voices From Ethiopia Reveal The Nation's Pain

BY GERRY DEXTER

**P**retend for a moment that science has invented some sort of political seismograph—an electronic gadget you could set inside the border of a country to get a reading on the degree of problems and turmoil being faced by that nation. Put such a black box inside the border of Ethiopia and the readings would surely jump off the top of the scale. Even in the best of times the list of Ethiopia's woes would be a long one. But these are extremely bad times for this ancient land. There is drought. There is starvation. There is civil war. And a hated government that no longer even controls all of its territory.

These sorts of situations almost always kick a number of intriguing radio signals into the air and the Ethiopian scene is loaded with them. But, before we get into the radio aspects, let's set the scene for a bit.

This rugged, mountainous land has been called "the Tibet of Africa". It is extremely



beautiful and, in many areas, just as inhospitable. Tradition dates Ethiopia's beginnings back to the 10th century, BC, when it was supposed to have been founded by Menelik I—Solomon's first son, supposedly by the Queen of Sheeba. Written records don't appear until the first century AD, when what is now Ethiopia was the Kingdom of Aksum, founded by Arabian traders. Ancient maps show it as "Aethiopia", stretching from the Atlantic to Indian Oceans. Today, it occupies an area of northeast Africa bounded by the Red Sea, Djibouti, Somalia, Kenya and the Sudan.

By the late 1800's the Italians had made inroads into Ethiopia but were pushed out by emperor Menelik II in 1896, though they retained Eritrea on the Red Sea. Menelik II was Ethiopia's first modern ruler and introduced roads, schools, electricity, railways and postal services. He founded Ethiopia's

capital, Addis Ababa (which means New Flower).

Succession passed to Menelik's daughter, Zaudita. Serving her as regent was Ras Tafari Makonnen who became Emperor Haile Selassie (the name means "Power of the Trinity") after Zaudita died in 1930. Haile Selassie—"King of Kings", "Elect of God", "Conquering Lion of Judah"—became the 225th ruling monarch of Ethiopia. He created a constitution, neutralized feuding private armies and did much to unify the nation. In later years he devoted much of his energies to the cause of African unity.

Haile Selassie was in exile between 1935-41 while his country was in the hands of the Italians. Eritrea joined Ethiopia as a province in 1952, but secessionist forces went to work almost at once. In Addis, Selassie survived a coup attempt in 1960 and put down student riots in 1968. Dissatisfac-



On the road in Eritrea (ERC photo).

August 15, 1980

VOICE OF REVOLUTIONARY ETHIOPIA




Dear Mr. Dexter:  
Your reception report  
dated: February 2, 1980  
has been examined. This  
QSL card confirms that you  
were listening to VOICE OF  
REVOLUTIONARY ETHIOPIA on:  
February 2, 1980  
from: 0330-0356 GMT on the  
frequency of: 7110 KHz.

We thank you for showing an interest in our broadcasts.

AUDIENCE RELATIONS OFFICE

*Indyella*  
Asst. - A.R.O.

A QSL from the then Voice of Revolutionary Ethiopia.



Ethiopia took over ETLF—the Lutheran's Radio Voice of the Gospel. Note that the VOE's external service uses ETLF's old PO Box!

tion with the aging ruler and a powerless legislature led to a 1974 coup by the army. Selassie retained his throne. A new, army-installed cabinet was ineffective. In September, Selassie was deposed and arrested. He died in prison the following year.

The new leadership, a collective effort by an anonymous group which called itself the Dergue, proclaimed Ethiopia a socialist state. Dergue members jockeyed for power over the next few years, killing off several of their members in the process. Eventually, 32 year old Lt. Col. Mengistu Haile Mariam gained control. He declared Ethiopia a Marxist state in 1980.

Eritrea, with a population of about 2.5 million, was an Italian colony for 60 years before World War II, was controlled by the British for several years after the war and, as noted earlier, became part of Ethiopia in 1952. It has been fighting to regain its independence for some 30 years, in what has become Africa's longest war. The main resistance organization evolved into today's Eritrean People's Liberation Front which is Marxist. The EPLF works more and more in concert with the Tigre People's Liberation Front (Tigre is another Ethiopian province). The TPLF is also Marxist but does not seek independence so much as an end to the government in Addis.

Oddly, the Eritreans began their effort with backing from the USSR, while the US supported Addis Ababa. By 1977, when the nature of the new government became clear, the US dropped its support and the USSR stepped in. Today, both the US and the USSR are in favor of a negotiated settlement which would leave Ethiopia intact. The EPLF receives most of its arms through capture and also obtains South African-made arms via Iraq (at least it did until the Gulf crisis), Israel and several Arab states, including Libya, the Gulf states, Yemen and Saudi Arabia. The Soviets have given the Mengistu government hundreds of millions

of dollars worth of arms and other aid but recently that support has been cut way back.

Mengistu renounced Marxism in 1990. The government no longer controls either Eritrea or Tigre. Some of the other provinces have at least nominal liberation front organizations which seek at least some form of increased autonomy from Addis Ababa.

The radio aspect of this unseemly picture is a fairly extensive one. Although there is a great deal on the air, information about what is really going on is difficult to obtain. In addition, most of the broadcasts take considerable amounts of DX'ing prowess and luck in order to be received in North America. Some have yet to be reported here.

The government-owned radio in Addis Ababa is the Voice of Ethiopia, known, up until last year, as the Voice of Revolutionary Ethiopia. In Haile Selassie's time it was simply "Radio Addis Ababa". The station uses shortwave for both its domestic and external services, although the latter is rather limited, being directed only to East Africa and Europe.

The Voice of Ethiopia's domestic service operates from 0030-0600 (Sundays 0400-0800) and 0900-1000 (Saturdays and Sundays 1000-1400) and at 1500-2000. Programs are in Amharic, except for broadcasts in Tigrigna at 1500-1600 and Oromigna at 0500-0600 and 1600-1700. The domestic services uses 100 kilowatts on two frequencies—5990 and 7110. The latter can sometimes be logged in North America at the 0330 sign on.

The external service operates to East Africa from 1200-1300 on 7165 and 9560, 1300-1400 on 7165 only, 1400-1800 on 9560 only, with English at 1500-1600. Broadcasts to Europe are at 1800-1900 (in English) on 9660. So-called "liberation broadcasts" occupy the 1900-2000 period on 9595. These include the "Radio Freedom" broadcasts of the African National Congress at 1930-2000.

Neither of the Voice of Ethiopia's services has ever been known for reliability in the QSL department. The domestic service can be reached at PO Box 1020, Addis Ababa and the external service at PO Box 654.

The Voice of Ethiopia's facilities include those which once belonged to the Radio Voice of the Gospel, a station operated by the Lutheran World Federation, which went on the air in 1963. The new Ethiopian government nationalized the station in 1977 and sent all non-Ethiopians packing.

There are a number of radio voices speaking on behalf of various opposition groups. The longest-running of these is the Voice of the Broad Masses of Eritrea (or "Massed Broads" as one wag once put it). This is the radio of the Eritrean People's Liberation Front, with transmitters believed to be within EPLF-held territory, near the border with the Sudan. Broadcasts are in Tigrigna, Tigre, Arabic and Amharic and begin at 0400, 0900 and 1400. Frequencies used (all of them variable) are 3712, 3940, 6297, 7020, 10010 and 14305. For North American listeners 0400 would seem the best reception opportunity. There have been a handful of receptions of this one over the past several years. The station has been QSL'd via its US connection, the Eritrean Relief Committee, 475 Rochester Drive, Room 907, New York, NY 10015.

Voice of the EDROM (Ethiopian Democratic Officers' Revolutionary Movement) began broadcasts this past summer, with a Sunday only schedule of 0430-0500 on 7886 and 9335 and 1930-2000 on 7905 and 9315. Broadcasts are probably in Amharic, but that's not for sure and nothing else is yet known about this station, nor have their been any reports of its being heard in North America.

The Voice of Ethiopia on the Path to Democracy is operated by the Ethiopian People's Revolutionary Party and it, too, began its operations this past summer. It has

a schedule on 7010 from 0330-0400 and 1430-1500. It has been tentatively heard in Canada to closing at 0330, indicating that the 0330-0400 schedule may have changed. The EPRP says it broadcasts from liberated territories inside Ethiopia. Its programs are in Amharic but, as of last June, the group was planning to add broadcasts in Tigrigna and Oromigna. The station is supposed to also have a 31 meter band outlet but no specific frequency is known or has been traced. EPRP says it wants to establish democracy in the country. In the US, the EPRP can be reached at P.O. Box 710358, Dallas, TX 75371.

The Radio Voice of Ethiopian Unity is run by the Ethiopian People's Democratic Alliance and broadcasts over transmitters belonging to the Sudan government. It has been active since 1987 and its most recent schedule is 1800-2000 on 9540 and 11625, though both frequencies may not be active at the same time and the latter may vary by several kHz. The station has been picked up in North America a few times. There is apparently no address known for this one.

The Voice of the Tigre Revolution began in 1981, at first using the facilities of the Voice of the Broad Masses of Eritrea. More recently, they have switched to other facilities. The station claims to be broadcasting from liberated areas inside Tigre Province. The most recent schedule is 0500-0600 on 7886 and 9335 and 1500-1600 on 7820

# EPRP News Update

Vol. 1 No. 4

An "Abyot" Supplement

March 17, 1990

## DICTATORSHIP IN A NEW NAME

Mengistu Haile Mariam's resemblance to the Roman Emperor Nero is becoming more and more striking. Cruelty aside, while the Emperor fiddled as Rome burnt, Mengistu is also playing games while the very future of Ethiopia is at stake.

Ethiopia has been ruined by the one-party/one-man totalitarian dictatorship of none other than Mengistu himself. The tyranny assured and accentuated the economic bankruptcy of the country, it aggravated the war situation and subjected the people and the country to intense humiliation. This has been the reality which few Ethiopians have failed to see for the last decade, if not for the last fifteen years.

For all those seriously concerned about the future of Ethiopia and its people, the solution has been obvious; the establishment of a democratic system, the recognition of the democratic rights of the people. But, the regime refused to recognise this fact. Rebellions fanned by the absence of democracy were confronted militarily, with the repression spreading the war further. Economic plans and projects of development were proclaimed one after another - all ended up in the dustbin. The people were more impoverished, and Ethiopia continued to be synonymous with famine. The more the regime resorted to grotesque levels of demagogy, the

## In This Issue:

<i>Dictatorship in a New Name</i> .....	1
<i>The Continuing Wars</i> .....	2
<i>EPRP Condemns TPLF's Hostile Moves</i> .....	2
<i>Grumbling and Demonstrations In Addis Abeba</i> .....	3
<i>In Brief</i> .....	3-4

more the people got alienated with millions fleeing into exile and thousands to the jungles and hills to fight.

Not that the tyrants did not know the extent of and the reason for the crisis. Their blindness was deliberate, their love of absolute power being the cause of it all. Hence, Mengistu's latest attempt to fiddle and manoeuvre as Ethiopia burns.

Mengistu has been forced to accept the mixed economy prescription despite the fact that his regime had for long been condemning such an option. Yet, this necessary move promises to be hollow since there is little change in the basic domain of political rights. In his long speech about the policy change, Mengistu announced that the ruling party's name would be changed to the Democratic Unity Party of Ethiopia (DUPE) and that it will not be class based or ideological but broad and embracing all currents and views. A sort of the party of the whole people, a concept upheld by many ranging from Mussolini to Khrushchev. The regime has called on all opposition forces to join the DUPE. The one party rule continues, Mengistu continues, the denial of basic democratic rights goes on and pluralism is negated. Where then is the change?

We had repeatedly stated that Mengistu will change masters, ideology, allies and whatever, so long as he guards his absolute power. His genesis from a loud anti-Marxist into a fervent Marxist-Leninist in the seventies testifies

*The EPRP News Update is published as an "Abyot" Supplement by the Ethiopian Studies, Publication & Information Centre.*

ESPIC, P.O. Box 2688, Arlington,  
Virginia 22202, USA.  
ESPC, Box 710358, Dallas, TX  
75371, USA.  
ESPIC, 46 Rue de Vaugirard, Paris  
75006, France.

*Newsletter of the EPRP, which operates the Voice of Ethiopia on the Path to Democracy.*

and 9315. There's no address available for the TPLF, although the group is believed to be headquartered in Mogadishu, Somalia.

Voice of the EPPDF—Ethiopian People for Peace, Democracy and Freedom speaks for the Ethiopian People's Revolutionary Democratic Front and the Ethiopian People's Democratic Movement. The station came into being last April, apparently as a result of combining two other clandestines—the Voice of the Tigre Revolution and Voice of the Broad Masses of Ethiopia. Broadcasts are in Amharic and are daily at 0400-0500 (Sundays to 0430) on 7886 and 9335. Also at 1900-2000 daily (to 1930 Sundays) on 7905 and 9335. There's no known address for this one, nor are we aware of any North American loggings, although the 0400 time slot would seem to be a possibility.

The Voice of Oromo liberation speaks on behalf of the Oromo liberation Front and airs via Sudanese government radio at 0330-0400 and 1630-1700 on 9550. No North American loggings. No known address. No QSL's.

Another station in support of the Oromo

is the Voice of The Broad Oromo Masses which also began last summer. This airs at 0400-0445 on 7886 and 9335 and 1500-1545 on 7820 and 9315. It's not known what group supports this station or where it is based.

It is interesting to note that several of these clandestines have a couple of things in common. They all use a particular group of frequencies (7820, 7886, 7905, 9315, 9335) and began operating last summer. This leads to a strong suspicion that we're talking about a single facility here though we can't say who controls it, or from where.

We can say, though, that as long as the Ethiopian problems remain unsettled we can expect to see the clandestine broadcasts continue, although perhaps with further reshufflings, comings and goings. Hearing all of these will be next to impossible for North American-based monitors. But if you log only the Voice of Ethiopia and perhaps one of the opposition voices you will have managed to tune in on part of a long and very nasty war that the west, with worries of its own, manages to ignore.

## Jo Gunn Enterprises

— CB Antennas — Mobile Antennas  
— 10 Meter Antennas — Coax

'Local - Groundwave - DX'  
Combination Antenna

'Strictly for DX'  
DX Antenna



JG 3 + 3 Star

**SPECIFICATIONS:**  
Type: Horz. & Vert.  
Polarization Twin Feed  
Gain: 14.5 DB  
Front to Back Ratio:  
40 DB True  
Side Rejection:  
40-45 DB True  
Back Rejection:  
40 DB True  
Weight: 28 Lbs.  
Length: 8 Ft.  
SWR: 1.1  
Horz. to Vert.  
Separation: 20-25 DB  
Wind Survival: 100 mph  
Power Multiplication: 40X  
Audio Gain: 18 DB  
Wind Load: 2.8



JG -4V

**SPECIFICATIONS:**  
Type: Horz. & Vert.  
Polarization Single Feed  
Gain: 15.5 DB on DX  
Front to Back Ratio:  
50 DB True  
Side Rejection:  
45-50 DB True  
Back Rejection:  
35 DB True  
Weight: 24 Lbs.  
Length: 12 Ft.  
SWR: 1.1  
Wind Survival: 100 mph  
Power Multiplication: 50X  
Audio Gain: 18 DB  
Wind Load: 2.8



Call or send \$2.00 for Complete Catalog and Pricing of Antennas.

Route 1 - Box 32C, Hwy. 82  
Ethelsville, AL 35461  
(205) 658-2229  
(205) 658-2259 FAX  
Hours: 10 am - 6 pm (CST)  
Monday - Friday



DEALER INQUIRIES, PLEASE CALL

# NEW PRODUCTS

## REVIEW OF NEW AND INTERESTING PRODUCTS

### Frequency Counter Uses Windows 3.0 For Control, Display; Implements Unique Self-Tuning Radio

Optoelectronics Inc., announces a radically new type of Universal Frequency Counter-Timer in the form of a 9-inch drop-in card for personal and laptop computers. It uses Windows 3.0 as a control panel and display window, and it directly tunes radio receivers such as the ICOM R7000, resulting in a uniquely configured self tuning radio.



Opto's new Model PC-10 Universal Frequency Counter-Timer is a 10 Hz to 2.4 GHz radio instrument that competes with big name products costing ten to fifteen times as much. It measures, captures and analyzes discrete and average frequency readings, pulse width, time interval, period and the ratio between two frequencies. It provides a useful "reciprocal counting" feature for 8-digit resolution of low frequency readings.

PC-10 has at its heart a 200 MHz custom CMOS ASIC and three bipolar MMICs that reduce parts count to just 23 ICs and some glue parts. It provides a unique blend of sensitive radio instrumentation and PC-based data manipulation and analysis for use in laboratories, cellular telephones, radio sales, service and calibration depots; by computer hackers, ham radio operators and other areas where high sensitivity, wide dynamic range, ease of use and low cost are important.

PC-10 operates as a self-tuning radio—for surveillance applications where frequency scanning is too slow, it identifies the nearest signal source and tunes a companion receiver to it. User-controlled lockout frequencies are written to a file to override local broadcasters and other anticipated noise sources.

PC-10 is simple to install, set up and use. You simply drop it into an 8088 or higher-based IBM compatible PC with Windows

3.0. Establish one of 16 addresses with a DIP switch. Call up the CONFIGURATION window to set the measurement units you want (GHz, MHz, KHz, Hz; nsec, usec, msec or sec), or use it as a discrete event counter or a RPM tachometer for motors.

PC-10's ASSIGNMENTS window controls both input and reference signal conditions such as gain, prescaler, input impedance, polarity, hysteresis, interval and ratio (2 amplifiers at once). For lab measurements, sometimes you need maximum control to count marginal signals with noise, jitter, bad duty cycles, etc.

PC-10 accepts any input signal of 10 mV or greater from subaudio to 2.4 GHz, determines its frequency in terms of a + 1 PPM temperature compensated crystal oscillator (TCX), and then displays it with up to 10-digit resolution. For optimum balance between sample time and resolution, the unit's input gate is continuously variable from 1 msec to 28 seconds.

PC-10 offers a unique software-calibration feature: Input any reference signal and enter its frequency. PC-10 determines the reference frequency, compares it to what you say it is, then writes the difference to an initialization file. Then, whenever PC-10 takes a measurement, it automatically corrects the reading according to the calibration data. Windows 3.0 maintains all calibration data even through power-down cycles.

Opto's new Model PC-10 Universal Frequency Counter-Timer is priced at only \$335 in unit quantities. Delivery is quoted off-the-shelf. Model AP10H option (\$295) provides custom input amplifiers, signal conditioning and frequency prescalers.

For more information contact: Optoelectronics Inc., 5821 NE 14th Avenue, Fort Lauderdale Florida 33334, or circle 101 on our Readers' Service.

### "Use It Anywhere" Car Alarm

Maxon Systems Inc. introduced a portable security device suitable for cars, vans, and other vehicles. The motion sensor alarm, designated PAA-1, is a highly sensitive unit which can be hung from a vehicle's window. When activated by motion or vibration, the unit emits a piercing, siren-like noise at 100 dB.

Requiring no wiring or installation, the Maxon PAA-1 is an ideal security device for those who want car security, but wish no permanent installation in the car. Since the 10-ounce unit is easily portable and can be mounted in seconds, it is also suitable for travelers wishing to protect valuables left in a rented car or for those who want to transfer an alarm from one car to another.

The Maxon PAA-1 is simply hung on the window by its mounting bracket and the window is then closed over the bracket. The



electronics, including the motion and vibration sensing circuitry and the control, hang inside the vehicle. The siren alarm hangs on the outside.

To prevent vandals from disabling the PAA-1, the case is of high-impact, carbon-loaded polycarbonate plastic and the chassis and battery cover is 20 gauge steel.

A three-position sensitivity switch enables the PAA-1 to be set for different conditions. For instance, when used in a high traffic area on a narrow street, the low sensitivity setting would be used so that passing cars would not trigger the unit. Conversely, in an open and quiet area it can be assumed that any motion represents a threat and the high sensitivity setting would be used.

An arming delay of 8 seconds allows the door to be closed or other user activity to take place without activating the unit. An audible "chirp" signal indicates arming is complete. A four second delay permits the owner to unlock the door and turn the unit off.

The alarm itself sweeps from 2500 Hz to 3300 Hz at a level of 110 dB. The alarm time is 40 seconds with a three-second re-arm cycle.

While its primary use will be for car security, Maxon sees other applications for the PAA-1. Since it is easily portable, the unit can provide an additional measure of night security in a hotel room. After properly locking the door, the PAA-1 can be placed near it. If there is any attempt at entry, the alarm will sound and the desk can be notified.

Maxon's PAA-1 portable alarm system requires four AAA batteries which provide a full year of typical use. When battery strength has dropped from the 6 volts of full power to 4.25 volts, the unit emits a short chirp when turned on to indicate low battery strength. The PAA-1 has a suggested retail price of \$119.95.

For further information about this and other Maxon products, contact Maxon Systems Inc., 8610 NW 107th Terrace, Kansas City, MO 64153, or circle 102 on our Readers' Service.

# WASHINGTON PULSE

## FCC ACTIONS AFFECTING COMMUNICATIONS

### **CB Radio Station That Wreaked Havoc On Area TV Sets Shut Down — Equipment Seized**

Illegal radio equipment was seized from a Wyandanch, NY man after area residents had continued to complain of interference to television and other home entertainment electronic equipment, the Federal Communications Commission said. The seizure took place under Federal civil forfeiture provisions initiated by the U.S. Attorney for the Eastern District of New York, Andrew Maloney.

United States Marshals, with the assistance of Engineers from the FCC's New York Office, executed with the in rem seizure at the home of Rohan Monrigh. CB radio equipment was also seized from his automobile.

The seizure took place after the radio operator had ignored FCC directives to cease operating his CB radio until he could eliminate the interference.

The FCC had received petitions signed by 106 area residents that Monrigh's CB radio transmissions could be heard on their televisions and caused picture breakup. The CB transmissions made TV viewing difficult, if not impossible. Residents also heard the CB transmissions while they were making telephone calls—his CB effectively disrupting telephone communication.

After several FCC letters to Monrigh's about his CB went unheeded, the FCC fined Monrigh \$1000 for unauthorized CB operation.

The FCC monitored and found Monrigh operating his CB station with excessive power and on frequencies not authorized for use in the Citizens Band Radio Service.

The Department of Justice is proceeding with civil action against the equipment. Christopher Lehmann, Assistant U.S. Attorney is handling the case for the Government.

The seized radio equipment included linear amplifiers capable of boosting transmitter power to 2000 watts, well above the legal 4 watt limit. Linear amplifiers are illegal to manufacture, sell or use for CB radio since their use causes severe interference to licensed radio services.

### **Marine Center Fined For Illegal Operation**

Boat/US Marine Center in South Norwalk, CT has been fined \$1000 for unlicensed VHF marine radio operation, the Federal Communications Commission said. A VHF Marine radio in the marine supply store, which was stuck in the transmit

mode, caused interference on Long Island Sound to Channel 16 (156.8 MHz) the international distress and calling frequency.

Personnel at the USCG Group Long Island Sound monitored the continuous transmissions and attempted to locate the signal. The FCC was alerted, and using mobile radio-direction finding equipment, an FCC Engineer located the transmitter at the marine supply store.

Operation of an unlicensed transmitter is a violation of Federal law and the Commission has an ongoing program to locate, shut down and fine unlicensed radio stations. The action was taken as part of the Commission's continuing effort to preserve the integrity of the marine radio system, a system that boaters depend on for safety while at sea.

During the time Boat/US Center's radio was continuously transmitting, area boaters would have great difficulty in contacting other vessels or land stations such as the Coast Guard on Channel 16.

Unlicensed marine radio operators may be subject to fines of up to \$100,000 and one year in prison.

### **Short-Spacing Of Specialized Mobile Radio Systems Proposed**

The Commission proposed amending Part 90 of its rules to permit the short-spacing of Specialized Mobile Radio (SMR) systems upon concurrence from co-channel licensees or when technical showings demonstrate that co-channel licensees are afforded sufficient interference protection.

Commission rules require that SMR systems be located at least 70 miles from co-channel systems, except on certain mountain peaks in the states of California and Washington where the separation must be at least 105 miles. Many SMR operators find it technically possible and mutually desirable to locate their systems closer together, the Commission permits such short-spacing on a waiver basis where there is mutual agreement among co-channel licensees. It also permits short-spacing on a waiver basis if a technical showing of sufficient interference protection can be made, even in the absence of mutual agreement among co-channel.

Previously, in this docket, the Commission has proposed permitting SMR systems to operate at reduced mileage separations without requiring a waiver if all affected co-channel licensees concurred to the short spacing. The Commission also stated its intent to continue to permit short-spacing based on a technical showing of sufficient interference protection, even in the absence of such concurrence.

In this Further Notice of Proposed Rule-making, the Commission is soliciting comment on amending the rules to permit short-spacing requests based on technical showings without requiring a waiver.

### **Shared Use Criteria For Private Land Mobile Frequencies**

The Commission expanded eligibility and shared use criteria for private land mobile frequencies. These changes, the Commission said, will enhance the public interest by creating additional service options, promoting more efficient use of the spectrum, and extending the availability of private land mobile services to a broader range of end users.

This action amends the Commission's rules to: 1) permit private carrier paging licensees operating on paging-only channels in the Business Radio Services to provide radio communications service to all Part 90 eligibles and to the Federal Government; and 2) allow Private Carrier Paging licensees operating in the 929-930 MHz band to serve the Federal Government. These changes will extend the benefits of a private radio communications service to a greater number of users by providing additional service options for eligibles in a manner responsive to present day demands and capabilities.

The Commission based its decisions in this proceeding on the ability of paging-only frequencies to handle additional traffic in contrast to the congestion and need for long term spectrum management on two-way channels. The Commission declined, however, to introduce new private carrier options on two-way frequencies in recognition of current congestion on those frequencies, and the need for long term spectrum management efforts.

### **Inquiry Into Preemption Of State And Local Laws For Transceivers Capable Of Reception Beyond Amateur Frequency Allocations**

In response to a request for a declaratory ruling filed by the American Radio Relay League (ARRL), the FCC initiated an inquiry into the preemption of certain state statutes and local ordinances that may effectively prohibit the mere possession of mobile transceivers used by Amateur Radio Service licensees.

The laws at issue, which are often called "scanner laws," prohibit the possession of radio receivers in vehicles when the receivers are capable of receiving police or other

public safety channels. Penalties under the laws include fines and the confiscation of equipment.

In support of its position, ARRL recounts instances where amateur operators have had their equipment confiscated while simply travelling out of their home state or locality, where there is no scanner law, and through another jurisdiction that does have such a law.

The Commission noted that the laws and issues addressed in the inquiry would concern only the *reception* capability of amateur transceivers, and *transmission* by an amateur operator on unauthorized frequencies being clearly prohibited.

On March 15, 1990, the Commission released a public notice inviting comment on ARRL's request. The Commission has now stated that it would be helpful to receive additional information. The Commission noted, for instance, that it would be helpful to have additional information on the technical and financial feasibility of modifying existing transceivers to remove the capability to receive police or other public safety channels, and on the current and future marketplace availability of mobile equipment meeting the restrictions of the subject law. The Commission stated that comments filed in response to the previous public notice will be considered to be filed in response to the Notice of Inquiry as well, and therefore need not be refiled.

## Experimental Licenses

The Commission, by its Office of Engineering and Technology, Frequency Liaison Branch took the following actions:

KF2XBO, Hughes Aircraft Company, new experimental to operate on frequencies in the 13,500-15,500 MHz range to fulfill U.S. Government contract (NASA) FX: El Segundo, (Los Angeles, CA)

KF2XBP, Hughes Aircraft Company, new experimental to operate on frequencies in the 9345-9505 MHz range for development of a modular combat fire control system. FX: West Covina, CA

KF2XBT, Motorola, Inc., new experimental to operate on frequencies in the 1740-1745 and 1835-1840 MHz range for export purposes. MO: Within 5 miles radius of fixed. FX: Arlington Heights, (Lake), IL.

KF2XBU, Diablo Research Corp., new experimental to operate on frequency 915 MHz for research and development of devices used to update instore information. MO: San Mateo and Santa Clara Counties, CA.

KE2XEX, Tokyo Broadcasting System, Inc., new experimental to operate on frequencies 1636.5-1645.0 MHz and 1535.0-1543.5 MHz for communication used during natural disasters and emergencies. MO: Throughout various countries in areas of extreme remoteness.

KE2XLH, State Of Washington, new experimental to operate on frequency 401.7145 MHz for transmitting weather tel-

emetry information. (Use of GOES Satellite) MO: State of WA.

KF2XBW, NYNEX Science and Technology, new experimental to operate on various frequencies for development of radio technique for existing or new services and testing/demonstration of equipment in connection with the type approval. FX&MO: Continental U.S.

KF2XBX, NYNEX Science and Technology, new experimental to operate on various frequencies for scientific and technical radio research. FX&MO: Continental U.S.

KF2XBZ, RH Trading, new experimental to operate on frequencies 1635.5-1645 MHz for demonstration of system at trade shows (INMARSAT). FX&MO: Within Continental U.S.

KF2XCA, IWL Communications, Inc., new experimental to operate on frequencies 1635.5-1645 MHz for demonstration of system at trade shows (INMARSAT). MO: Continental U.S.

KF2XCB, Mine Safety Appliances Co., new experimental to operate on frequencies 150-174 MHz for preliminary EMT susceptibility testing of gas detection equipment to ANSI/ISA Standard S12, 12, Part 1. MO: Mars (Butler), PA.

KF2XCE, Able Communications Co., Inc., new experimental to operate on frequencies 1636.5-1645 MHz and 1535-1543.5 MHz for demonstration of INMARSAT earth station to clients and prospective customers. FX: Pearland (Brazoria), TX.

KF2XCF, Mackay Communications, Inc., new experimental to operate on frequencies 1626.5-1646.5 MHz and 1530-1545.0 MHz for demonstration of Saturn C unit to prospective customers. MO: Along the West Coast of the U.S.

KF2XCG, Mackay Communications, Inc., new experimental to operate on frequencies 1626.5-1646.5 MHz and 1530-1545.0 MHz for demonstration of Saturn C unit to prospective customers. MO: Along the East Coast of the U.S.

KF2XCK, Mackay Communications, Inc., new experimental to operate on frequencies 1626.5-1646.5 MHz and 1530.0-1545.0 MHz for demonstration of Saturn C unit to prospective customers. MO: In the Gulf of Mexico.

KF2XCL, the Coca-Cola Co., new experimental to operate on frequencies 1636.5-1645 MHz for communication during an emergency or a natural disaster. MO: Continental U.S.; FX: Atlanta, (Fulton), GA.

KF2XCM, Flam & Russell, Inc., new experimental to operate on frequencies 9.2-10.4 GHz to fulfill U.S. Navy Contract. FX: Horsham (Montgomery), PA.

KF2XCP, Westinghouse Communications Services, Inc., new experimental to operate on frequencies 9600-9900 MHz to fulfill U.S. Navy Contract. FX: Ann Arundel County, MD.

KF2XCS, Geosyna Satellite Services, new experimental to operate on frequencies 915-925 MHz for development and de-

## BOOST RECEPTION



ANTENNA PLUS

Only \$90

Hear those rare stations you've been reading about! Make your receiver spring to life! Great performance from a tabletop box. Models for ALL BANDS, SCANNER or SHORTWAVE. Internal 15-22db amp! 115VAC pwr. Jumper cable to rcvr. NOW INCLUDED! (specify conn.)  
ANTENNA PLUS-1 0.5-1300MHz "All Bands" (for wide coverage rcvrs.)  
ANTENNA PLUS-2 0.3-30MHz "Short-Wave" (peaked for SWLs)  
ANTENNA PLUS-3 30-1000MHz "Scanner" (peaked for VHF-UHF)

### SCANNER STICK



Only \$40

Great scanner reception on all bands is yours with our new SCANNER STICK antenna. Receives all frequencies from 30 to 1000 MHz. Only 35" long and easy to install on masts up to 1.5" dia. Rugged and high quality. 25' of coax cable supplied with either BNC or Motorola connector for your scanner. (please specify)

Only \$34.<sup>95</sup>




### SUCTION CUP MOUNT VAK-TENNA!

IDEAL FOR APARTMENTS, OFFICES OR RV's  
Mount to your window for the BEST SCANNER coverage! Cups hold for months! Great reception in apartments. Landlords love it! Telescopes to 79" folds to 12". 30-500MHz Choice of BNC, PL259, F or Motorola connector. (specify when ordering)

### TAPE SAVER

TS-1 \$59.95

Eliminates dead time on your scanner tapes! Listen to an entire nights scanning while driving to work! Interfaces scanner to your tape recorder for ACTION ONLY recording.



### SIGNAL INTENSIFIERS

Make your antenna come to life!

RFP-40 1-1300 MHz! 15 DB GAIN! \$69.95



STRONGER SIGNALS for scanners, shortwave, AM-FM-TV, cable and more. 115VAC pwr. Choice of BNC, SO239 (PL259 mate) and F connectors. Battery or DC powered, remote mounted versions available. Some priced from \$34.95! (RFA16B/RFA20)

### SHORTWAVE

#### ANTENNA

#### MULTIWIRE-4

This antenna brings in signals as only a large antenna can. 130" long and with four different length wire elements to optimize reception on all SWL bands. 0.3-30MHz. Comes with 50' coax feedline, 100' rope and a Static Bleed. Regularly \$100, INTRO PRICE \$90.

SEND FOR FREE SPECIFICATIONS!

MASTERCARD and VISA NOW ACCEPTED!

Continental US shipping/handling \$5; AK, HI, PR, Canada \$8 NY and MI residents add local sales tax.

ELECTRON PROCESSING, INC.  
P.O. BOX 68  
CEDAR, MI 49621  
616-228-7020

SATISFACTION GUARANTEED!

Order any product (except software) from EPI and if not satisfied return it within 15 days for a full refund (less shipping/handling).

CIRCLE 61 ON READER SERVICE CARD

monstration of a satellite platform. FX: Long Branch (Monmouth), NJ.

KF2XCT, Virginia Tech, New experimental to operate on various frequencies for research and experiment of wide band indoor radio wave propagation. FX&MO: Blacksburg, and Roanoke, VA.

KF2XCV, Norden Systems, Inc., new experimental to operate on frequencies 5450-5825 MHz to fulfill U.S. Navy Contract. FX: Melville, (Suffolk), NJ.

KF2XCY, TIW Systems, Inc., new experimental to operate on frequencies 19.2-20.2 GHz and 29.0-30.0 GHz to fulfill NASA contract. FX: Sandia Park (Bernadillo), MN.

KF2XCZ, Westinghouse Communications Services, Inc., new experimental to operate on frequencies 1250-1350 MHz to fulfill U.S. Navy Contract. FX: Dorsey (Ann Arundel County), MD.

KF2XDB, American Telezone, new experimental to operate on frequencies 2400-2483.5 MHz to develop and test PCS technology. FX&MO: Eastern, TX.

KF2XDF, American Telezone, new experimental to operate on frequencies 2400-2483.5 MHz to develop and test PCS technology. FX&MO: Southern, CA.

KF2XDG, Litton Industries, Inc., new experimental to operate on various frequencies to fulfill U.S. Navy Contract. MO: Colorado Springs, CO.

KF2XDI, SAIC Range Systems, new experimental to operate on frequency 141

MHz to test equipment prior to export (Republic of China). FX&MO: San Diego, CA.

KF2XDK, Colorado State University, new experimental to operate on frequency 2725 MHz to fulfill U.S. government contract (National Science Foundation)

KF2XDL, Bellsouth Enterprises, Inc., new experimental to operate on frequencies 846.50 and 849.0 MHz for technical trial of CT-2 units. FX: Athens (Clarke), GA; MO: Within 15 mile radius of fixed.

KF2XDM, ITT Gilfillan, Inc., new experimental to operate on frequencies 5250-5850 MHz to design, build, test, and demonstration an "Active Aperture" air defense radar. FX: Near Newhall (Los Angeles), CA.

KF2XDN, Ford Communications, Inc., new experimental to operate on frequency 94 GHz to research short range anti-collision automotive radar system. MO: Dearborn, MI.

KF2XDP, Duke University, new experimental to operate on various frequencies for communications essential to research project. FX: Beaufort, (Carteret), NC.

KF2XDQ, Litton Industries, Inc., new experimental to operate on various frequencies to fulfill U.S. Navy Contract. MO: Colorado Springs, CO.

KC2XJR, Airborne Cable Television, Inc., new experimental to operate on frequencies in the 2500-2690 MHz range for development of equipment to be used in research program of the wireless cable indus-

try. MO: Within 8 mile radius of fixed; FX: Sarasota, FL.

KF2XDO, Motorola, Inc., new experimental to operate on frequencies 1855 and 1985 MHz to establish a microwave link for interference tests and measurements. FX: Chicago, (Cook), IL.

KF2XDY, PCS Network, Inc., new experimental to operate on frequencies 901-902 MHz and 940-941 MHz for development of PCN technology. FX&MO: Boston, MA.

KF2XDZ, PCS Network, Inc., new experimental to operate on frequencies 901-902 MHz and 940-941 MHz for development of PCN technology. FX&MO: New York, NY.

KF2XED, PCS Network, Inc., new experimental to operate on frequencies 901-902 MHz and 940-941 MHz for development of PCN technology. FX&MO: Philadelphia, PA.

KF2XEB, Upsala Telecommunications Technetronic, Inc., new experimental to operate on various frequencies for technical and scientific radio research of frequency spectrum (2596-2644 MHz). FX: Upsala, (Morrison), MN.

KF2XEC, Upsala Cooperative Telephone Assoc., new experimental to conduct technical and scientific radio research of frequency spectrum (2506-2644). FX: Upsala, (Morrison) MN.

(Continued on page 76)

## PC + M1000 = SW Excitement



Turn your IBM computer (or clone) into a powerful intercept device! The **Universal M-1000 Decoder Card** requires just one slot in your PC. Your computer can open up a new world of listening (and seeing) opportunities! You can decode standard modes such as Morse Code, Baudot RTTY and Sitor A/B. Advanced diplo.-military modes such as ARQ-M2, ARQ-E and ARQ-E3 are also supported. ASCII and Packet modes are even featured. For FAX reception (only) your computer must have either an EGA or VGA monitor (color or mono). The video quality of your FAX intercepts will amaze you. Advanced FAX imaging includes false-color and zoom features. FAX images as well as text traffic can be saved to disk for later retrieval or analysis. Despite the sophistication of this device, operation is easy through on-screen menus, status indicators and help windows. A new *datascope* feature operates in both RTTY and FAX modes. The M-1000 comes with an informative manual and software on both 3 1/2" and 5 1/4" diskettes. **Only \$399.95 (+\$5).**

### UNIVERSAL RADIO

1280 Aida Dr. Dept. PC  
Reynoldsburg, OH 43068  
☎ Toll Free: 800 431-3939  
☎ In Ohio: 614 866-4267

⇒ Call or write to receive your **FREE** 92 page catalog.

Universal has been serving radio enthusiasts since 1942.

# SGC SG-230 SMARTUNER

HF ANTENNA COUPLER  
SSB, AM, CW & DATA  
FAST-INTELLIGENT-ACCURATE  
OPERATES WITH ANY HF TRANSCEIVER

The *Smartuner* high technology coupler intelligently tunes any length antenna (8 to 80 ft) in the HF band. The unit will operate with any HF transceiver within its' specifications. The *Smartuner* switches 64 input and 32 output capacitance combinations plus 256 inductance combinations in a "pi" network resulting in over a half-million different ways to ensure a perfect match for the transceiver. And, it remembers the frequency and the tuning values and will re-select these values in less than 10 ms next time you transmit on that frequency.



**SPECIAL HAM PRICE:**  
\$555.00

- MICROPROCESSOR CONTROLLED
- NON-VOLATILE MEMORY
- WATERPROOF
- B.I.T.E. INDICATOR
- 1.8 TO 30 MHZ RANGE
- 10 TO 150 WATTS INPUT POWER
- 10 mS RETUNING TIME
- 8 TO 80 FT. ANTENNA (All Types)

• FOR MARINE, AVIATION, HAM AND PARA-MILITARY APPLICATIONS  
The SG-230 Smartuner is available from:  
Ell's Amateur Radio, FL - 305-525-0103 Henry Radio, CA - 213-820-1234  
Gordon West Radio, CA - 714-549-5000 Surplus Sales, NE - 402-346-4750  
Amateur Electronic Supply, WI - 800-558-0411 Ham Radio Outlet, CA - 800-854-6046  
Jun's Electronics, CA - 213-390-8003

SGC Inc. SGC Building, 13737 S.E. 26th St. Bellevue, WA 98005 USA  
P.O. Box 3526, 98009. Telex: 328834. Fax: 206-746-6384 Tel: (206) 746-6310

CIRCLE 71 ON READER SERVICE CARD

# Universal Radio's M-1000 Decoder Card

**A**re you a shortwave listener who likes to eavesdrop on "non-traditional" communications? If so, you should investigate Universal Radio's M-1000 decoder card designed for use with IBM-compatible computers. The M-1000 decoder card permits reception of most modes of digital communications including Morse code, Baudot teletype, ASCII, AX.25 packet, and practically all existing formats of SITOR (Simplex Telex Over Radio) including Mode A, Mode B, ARQ-M2 and M4, ARQ-E, and ARQ-E3. Additionally, the M-1000 offers shortwave facsimile (FAX) reception, as well as special display and self-diagnostic modes for the advanced operator. Quite an impressive package!

## Overview

Unlike most multi-mode controllers or decoders, the M-1000 card is installed in one of the IBM-compatible computer's expansion slots, inside the computer. The very well written 69 page owner's manual includes step-by-step instructions for this installation. After the hardware installation is complete, the owner's manual again assists you with the software installation, either on to your computer's hard disk drive or floppy disks. After the software installation and ini-

tialization are complete, you are ready to hookup your favorite shortwave receiver to the M-1000.

The software programs supplied with the M-1000 are "menu" driven; thus, initiation of any mode is simple. All modes, except the FAX mode, are initiated by typing DECODER. The FAX mode uses the DECFAX command. Modes, speeds, and other aspects of normal operation can be controlled by the arrow keys that highlight one of the items on the status line or by the use of the function (F) keys on the computer's keyboard in conjunction with the Shift and Ctrl keys.

Operation on all modes is simplified by the on-screen bar-graph tuning display provided by the M-1000's software. This bar-graph display indicates input level, filter tuning, or mark/space level. The versatility of M-1000 is amazing! If you have been confused by digital communications terms such as "high tone sets", "shift", "unshift on space", "sense", and others of nondescript nature, the M-1000 is a blessing. The card not only covers all of the typical possibilities, it can do so automatically.

For example, "auto-ranging" tracks Morse code speed, "automatic filter tuning" determines the frequency of the tones used


in Baudot teletype, and "auto" automatically selects between Sitor Mode A and Mode B without operator intervention. These are just a few examples of the user-friendly features of the M-1000.

## Summary

Space does not permit a thorough technical examination of the M-1000; from its versatile mode and data rate coverage in the digital modes to its colorful and resolute imaging capability in the FAX mode, the M-1000 excels. The demodulator section in the M-1000 card is a state-of-the-art design using microprocessor controlled switched capacitance filters for optimum and versatile bandwidth control. And, of course, full printer support is offered allowing hardcopy of text and pictures. If you own an IBM-compatible computer and wish to monitor the digital communications modes, the M-1000 decoder card should be given serious consideration.

Please contact Universal Radio, 1280 Aida Drive, Reynoldsburg, OH 43068 for more information. Price of the M-1000 decoder card, including software on diskette, is \$399.95. ■

*Reviewed by Pop'Comm staff.*



# TELEPHONES ENROUTE

BY TOM KNEITEL, K2AES

## WHAT'S HAPPENING WITH CELLULAR, MARINE & MOBILE PHONES

Comcast Corporation, of Philadelphia, has applied to the FCC for authority to experiment with new Personal Communications Services (PCS) technology in five local markets where the company provides cable TV service.

The Comcast Corporation, relative to other PCS experimental applications, is unique in proposing experiments to interconnect PCS signals with both a cellular phone network and a cable distribution system as well as testing with cable systems only.

PCS is an innovative wireless communications technology similar to cellular service, but intended to provide more consumers ready-access to portable voice comms at a lower cost.


Using a small, portable handset, calls would be made and received just the same as using an ordinary telephone or cellular phone. The portable handset would communicate through a small transceiver serving a so-called microcell. The microcell's coverage might be a single office building or neighborhood, as compared to much larger areas served by cells in cellular systems. The signals would then, in turn, travel via other existing networks—for example, the existing terrestrial and satellite phone networks—to connect the end users.

The Comcast experiment will explore using existing cable TV networks to route calls from PCS transceivers. In effect, the tests should determine if today's cable TV systems can provide an interconnection role similar to that now provided by local wireline phone companies.

Comcast has applied for experimental authorization to run these tests in five diverse areas, namely Baltimore, Philadelphia/Trenton, West Palm Beach, Indianapolis, and Los Angeles. In each of these areas, about 500 subscribers will participate in the experiments. The cellular/cable interconnection part of the test will be in Trenton (NJ), where Comcast operates both the cable TV system and also the non-wireline cellular service.

In another marriage of communications technologies, Universal Cellular Inc. has teamed with The National Dispatch Center (NDC) to introduce Universal Paging. This is a nationwide paging service that enables subscribers to receive their messages via cellular telephone.

By using Universal Cellular's PagerPhone, which is a pocket-sized cellular phone with a built-in alphanumeric pager, NDC's message dispatch and networking capability enables Universal Paging subscribers to get their paging message in their home city and elsewhere in the USA.



Audiovox just came out with this good looking CTR-1900A portable.

Unlike standard pagers, the PagerPhone always knows where it is. Using advanced cellular technology, PagerPhone is able to electronically determine its location while away from its home city. No matter where it is, the unit will switch to the appropriate paging frequency and announce itself. Once notified in this manner, NDC automatically routes all paging messages to the correct city's facility. All the subscriber need do is turn on the PagerPhone.

In an area not equipped with cellular service, the user simply dials a toll-free number to obtain the information to input into the PagerPhone's keypad in order to receive any paging messages.

To dispatch messages to a PagerPhone user, Universal Paging offers a toll-free number. The caller simply gives the PagerPhone number subscriber number and the message to be sent. Messages may also be sent via telephone keypad, from alphanumeric input devices, and from any PC with a modem. The NDC network then sends the message to the PagerPhone.

The prices had not been announced as this is being written, but three packages will be available, consisting of 20, 50, or 75 messages per month. By the end of the year, it should be available in about 100 cities.

For further information on this, contact

Universal Cellular, Inc., 3365 Miraloma Ave., Anaheim, CA 92806.


### Moving Right Along

By the end of 1991, nearly 7-million Americans will be using cellars. This is an annual increase of almost 30%. This boom is expected to continue right through the decade, with approximately 31-million in use by 1995. These figures are according to studies done by NYNEX Mobile Communications Company.

Almost 2-million new users went on line last year, and subscribers are using them more often than ever. NYNEX, alone, handles more than 13.5-million calls per month, and expects to handle more than 162-million calls this year.

Although much of the growth in the cellular industry is still propelled by the business community, personal and mixed usage are also increasing. The NYNEX report claims that almost three out of four users purchase cellular phones for purely personal or mixed business/personal use.

Also, the user demographics are continually changing. In 1986, the average cellular user is 55 years old and the president or CEO of a company. In contrast, the typical present cellular user is between 35 and 44 years old, a college grad and employed in a sales or middle management position. About 46% are women.



The NEC P200 provides basic cellular comms in an uncomplicated unit for those who seek a minimum of "bells and whistles."

## Hardware Department

The Audiovox CTR-1900A offers three "one-touch" speed dialing buttons allowing the driver to pre-program frequently dialed numbers. One-touch dialing eliminates the four key strokes normally required to make a call.

Other important features of this portable include a fifteen-digit, easy to read alphanumeric display that allows the user to retrieve phone numbers by name or initials, a last number redial feature that works by pressing a single button. The CTR-1900A also has on-hook dialing, an optional RJ-11 aux jack for hooking up a FAX machine, 911 emergency dialing, and security codes with multi-level restrictions.

There's an auto-answer, too, that picks up after the second ring. This is a 3-watt unit that operates from internal batteries or cigarette lighter plug. The MSRP is \$695.

For more information, contact Audiovox Corporation, 150 Marcus Blvd., Hauppauge, NY 11788.

NEC America, Inc., recently added the P200 handheld to its cellular product line. This is a very straightforward unit with the design feature of being made without a lot of "whistles and bells." It's a handy, full-function unit intended to meet personal communications needs without most of the more exotic frills. Actually, it's sort of a no-frills version of NEC's popular P300. Yet,

even without all of the fancy extras, the P200 has a lot going for it.

The NEC P200 weighs 14 oz. Standard features include a flip-up antenna, dual NAM, DTMF signaling control, 40-number speed dial, rechargeable battery pack, desk-top charger, wake-up tone, signal strength indicator, mute button, electronic locking, alarm and alerting systems, paused dialing, scratchpad, and call timer. There are options, too. Options include automatic radio muting, car-mount external antenna, vehi-

cle antenna adapter, hands-free adapter, three-watt booster, DC quick charger, FAX/computer adapter, cigarette lighter plug, leather case, and leather carrying bag.

For more information, contact NEC America, Inc., Mobile Radio Division, 383 Omni Drive, Richardson, TX 75080.

You are invited to send in any cellular, paging, or personal mobile comms information. We are also looking for info from cellular service suppliers, info on new products, and new applications.

## ASSOCIATED RADIO

8012 CONSER BOX 4327  
OVERLAND PARK, KANSAS 66204

CALL 913-381-5900

FAX 913-648-3020

**SHORT WAVE  
AMATEUR  
RADIO**

*New and reconditioned equipment.*  
**BUY—SELL—TRADE—SERVICE**

**CALL FOR  
YOUR  
LISTENING  
NEEDS**



*Send \$3.00 for our current catalog and wholesale sheet.*

Please send all reader inquiries directly.

## GUIDE TO UTILITY STATIONS 1991

9th edition • 520 pages • \$ 43 or DM 60

Our bestseller covers the complete frequency range between 0 and 30 MHz. It is the only publication in the world covering the effects of the Gulf war and of the recent revolution in Eastern Europe as well as the current sunspot maximum, with up-to-date frequencies published now and not five years too late! The new channelling plans for the most extensive frequency transition in the Maritime Mobile Service during the nineties which will take place on 01 JUL 1991, and latest technical developments such as the multitude of new ARQ and FEC teleprinter systems, are covered exclusively by our UTILITY GUIDE. Sophisticated operating methods and regular overseas monitoring missions (1990 for months in Guatemala, Malaysia, Singapore and Venezuela) complete this unique book.

The completely revised new edition includes a frequency list with 18233 frequencies, and a call sign list with 3376 call signs. Up-to-date schedules of FAX meteo stations and RTTY press services are listed both alphabetically and chronologically. Abbreviations, addresses, codes, definitions, explanations, frequency band plans, international regulations, modulation types, NAVTEX schedules, Q and Z codes, station classes, telex codes, etc. - this reference book lists everything. Consequently, it is the ideal addition to the World Radio TV Handbook for the "special" stations on SW!

Further publications available are *Guide to Facsimile Stations*, *Radio-teletype Code Manual* (10th editions) and *Air and Meteo Code Manual* (11th edition). We have published our international radio books for 20 years. They are in daily use at equipment manufacturers, monitoring services, radio amateurs, shortwave listeners and telecommunication administrations worldwide. Please ask for our free catalogue, including recommendations from all over the world. All manuals are published in the handy 17 x 24 cm format, and of course written in English.

Do you want to get the *total information* immediately? For the special price of \$ 164 / DEM 230 (you save \$ 29 / DEM 40) you will receive all our manuals and supplements (altogether more than 1500 pages!) plus our *Cassette Tape Recording of Modulation Types*.

Our prices include airmail postage to anywhere in the world. Payment can be by \$ or DM cheque or cash. Dealer inquiries welcome - discount rates and pro forma invoices on request. Please mail your order to ☺

**Klingenfuss Publications  
Hagenloker Str. 14  
D-7400 Tuebingen  
Germany**

## Computer Aided Scanning

*a new dimension in communications from Datametrics*



Now you can enhance your ICOM communications receiver through a powerful computer controlled system by Datametrics, the leader in Computer Aided Scanning. The system is as significant as the digital scanner was five years ago and is changing the way people think about radio communications.

- The Datametrics Communications Manager provides computer control over the ICOM R7000 or R71A receiver.

- Comprehensive manual includes step by step instructions, screen displays, and reference information.  
- Powerful menu driven software includes full monitoring display, digital spectrum analyzer and system editor.  
- Extends ICOM capabilities including autolog recording facilities, 1000 channel capacity per file, and much more.  
- Innovative hardware design requires no internal connections.  
- Overcomes ICOM limitations such as ineffective scan delay.

## Datametrics, Inc

R7000 system \$349  
R71A system \$349  
Manual and demo disk \$15

Requires ICOM receiver and IBM PC with 512K and serial port. The R71A version also requires an ICOM UX-14.

Send check or money order to Datametrics, Inc, 2575 South Bayshore Dr, Suite 8A, Coconut Grove, FL 33133. 30 return privileges apply.

CIRCLE 47 ON READER SERVICE CARD

## DX From The Twilight Zone

**O**kay, maybe you're too busy to read my entire column this month, so I'll let the cat out of the bag right now: *the most productive time for DX is one half hour before—and one half hour after—your local sunrise and sunset.* That's this month's column in a nutshell.

Want to know more? I thought so. Read on . . .

You know shortwave reception conditions are different in daytime than they are at night. The reason why sunrise and sunset are so productive is because those periods are the transitions between day and night reception conditions. Conditions at sunrise and sunset are a mixture of day and night conditions, and are changing rapidly. You might have an opening of less than 15 minutes when certain DX stations are possible, but those 15 minutes might well be your only chance all day to hear those stations!

### Layers Vanish From The Ionosphere!

Sounds like a headline from one of those supermarket tabloids, huh? Well, not quite. The heading of this particular section is the reason why sunrise and sunset are such productive DX times: the structure of the Earth's ionosphere (that friendly part of our atmosphere that refracts radio signals over long distances) isn't constant and fixed. In this section, we'll take a simplified—*very simplified*—look at how this happens.

The number of layers and their height above the Earth varies between night and day. (It also varies with the seasons, but we'll save that for another article.) At sunrise

and sunset, the ionosphere is "churning" as it changes between the relatively stable day and night states. This is because the structure of the ionosphere depends upon radiation from the sun. During the daytime, the sun causes the ionosphere to "split" into multiple layers. After sunset, the ionosphere—deprived of the radiation from the sun—gradually becomes "de-ionized" and collapses into just one or two layers. At sunrise, the return of ionizing solar radiation causes the layers of the ionosphere that disappeared during the night to return.

Take a look at figures 1 and 2, which show the different layers of the ionosphere during the daytime and night. During the daytime, the ionosphere divides into D, E, and the F1 and F2 layers. The D-layer is closest to the Earth, about 30 to 60 miles in altitude. The D-layer is present only during the day, and is strongest at local noon. As sunset approaches, the D-layer fades and vanishes altogether at night. (In fact, during the short days of mid-winter, the D-layer sometimes doesn't form at all!) The E-layer is found from about 60 to 100 miles above the Earth. The E-layer is usually present only during the day, although it sometimes remains weakly present at night.

Most DX propagation during the day takes place in the F1 and F2-layers. These layers are spread from about 100 to 250 miles in altitude. On most frequencies above 10 MHz during the daytime, signals normally pass through the D and E-layers and are refracted back to Earth over long distances by the F1 or F2-layers, with most signals refracted off the higher F2-layer. Signals below 10 MHz are usually absorbed by




Figure 1

the ionosphere during the daytime. The exact "cut off" frequency above which signals are refracted and below which they are absorbed varies, but a little tuning will demonstrate that there is a daily dividing line for refraction off the F-layers.

What part do the D and E-layers play in daytime propagation? Not much, and it's negative. While the D and E-layers don't refract signals, they do absorb some energy from signals passing through them to the ionosphere.

Now look at the night ionosphere as shown in figure 2. Notice something funny? For starters, the D layer is gone. Deprived of

**R.A.E.**  
RADIODIFUSION ARGENTINA AL EXTERIOR  
C.C. 555 Correo Central - 1000 Buenos Aires  
República Argentina


**QSL ESPECIAL**  
27 DE AGOSTO:  
DIA DEL DIEXISTA ARGENTINO



SERVICIO OFICIAL DE RADIODIFUSION

*Actualidad DX, se complace en confirmar su correcto informe de recepción de acuerdo a los siguientes datos de escucha:*

Frecuencia ...11710... KHZ  
Fecha ..13 January..1988.  
Hora .0400...0426... UTC


<b>UAE RADIO AND TELEVISION DUBAI</b>		
CONFIRMING YOUR RECEPTION REPORT WITH THANKS.		TO
FREQUENCY	15435 KHZ	Mr. H. L. Helms.
TIME (UTC)	0528 - 0544 GMT	
DATE	15 - 4 - 88	
REMARKS		
 <small>CHIEF ENGINEER - RADIO</small>		
<small>P.O. BOX 1695, DUBAI, UNITED ARAB EMIRATES.</small>		

# OPTOELECTRONICS

## "the State of the Art"

The new 10 digit LCD Handi-Counters™ from Optoelectronics redefine the state of the art. Our new HIGH SPEED ASIC (230MHz) makes the difference.

Select from our family of LCD, LED as well as computer based counters.



Pocket Sized  
LED Counter

Model	8030	3000	2600H	2600HA	2210A	1300H/A	PC10
Function	Freq, Period Ratio, Interval Avg, Prescale	Freq, Period Ratio, Interval, Avg, Prescale	Frequency	Frequency	Frequency	Frequency	*
Range	10Hz- 2.6GHz	10Hz- 2.6GHz	1MHz- 2.6GHz	1MHz- 2.6GHz	10Hz- 2.4GHz	1MHz- 1.3GHz	1Hz- 2.4GHz
Display	10 Digit LCD w/Function Annunciators	10 Digit LCD w/Function Annunciators	10 Digit LCD	10 Digit LCD	8 Digit LED	8 Digit LED	14 Digit Monitor
RF Signal Strength Indicator	16 Segment Adjustable Bargraph	16 Segment Adjustable Bargraph	16 Segment Adjustable Bargraph	.	.	.	.
Price	\$579.	\$375.	\$325.	\$225.	\$239.	\$179.	**\$339.

FACTORY DIRECT  
ORDER LINE

**1-800-327-5912**

FL(305)771-2050 • FAX(305)771-2052


5821 NE 1st Avenue • Fort. Lauderdale, FL 33334  
Visa, MC, C.D. Cash, M.O. accepted. Personal Check allow  
3 weeks. 5% Shipping, Handling, (Maximum \$10) U.S. &  
Canada. 15% outside continental U.S.A.

Sensitivity: <1 to <10mV typical. Time Base: ±1 ppm; ±5 ppm. add \$75 - LED Models; ±2 ppm add \$80. - LCD Models. Nicads & AC charger/adapter included. Carry case and a full line of probes and antennas are available. One year parts & labor warranty on all products.

\* PC10: Universal Counter Timer Board for the PC. Windows 3.0 based software. Frequency, Period, Ratio, Time Interval, Pulse Width, Reciprocal Count, Data Logging, Direct Tune a Radio Receiver, Auto Calibrate, Configure Units of Time & Frequency.

\* \*Price includes on board 50ohm, 2.5MHz to 2.4GHz in put. Companion model AP10H, Dual High Impedance Amplifier is an additional \$299.

CIRCLE 173 ON READER SERVICE CARD



# POP'COMM's World Band Tuning Tips

June, 1991

This PopComm feature is designed to help you hear more shortwave stations. Each month, this handy, pull-out guide will show you when and where to tune to hear a wide variety of local and international broadcasters.

The list includes broadcasts in many languages besides English, and most of the transmissions are not beamed to North America. Keep in mind that stations make frequent changes in their broadcast times and frequencies. Changes in propagation conditions may also make some stations difficult or impossible to receive. Your own equipment and receiving location will also have a bearing on what stations you are able to hear.

Note: EE, SS, FF, etc. are abbreviations for English, Spanish, French and so on. Some frequencies may vary slightly from those given in this list. All times are in UTC.

Freq.	Station/Country	UTC	Notes	Freq.	Station/Country	UTC	Notes
2390	La Voz de Atitlan, Guatemala	0200	SS	5025	R. Parakou, Benin	0600	FF
3240	Trans World Radio, Swaziland	0300	vernacular	5034	RTV Centrafraicaine, Cent. Af. Rep.	0430	FF, sign on
3260	R. Madang, Papua New Guinea	1100	EE	5040	La Voz de Upano, Ecuador	0030	SS
3270	R. Namibia, Namibia	0400	vernacular	5047	RTT Togo	0600	FF
3290	Radio Central, Papua New Guinea	1100	EE/Pidgin	5055	RFO, French Guiana	0400	FF
3316	Sierra Leone Broadcasting Service	0700	EE	5055	Faro del Caribe, Costa Rico	0230	EE
3330	R. Cultural, Guatemala	0200	SS	5097	R. Eco, Peru	1000	sign on, SS
3360	La Voz de Nahuuala, Guatemala	0300	SS	5925	R. Tallinn, Estonia	0700	Estonian
3365v	R. Rebelde, Cuba	1100	SS	5930	R. Prague Int'l, Czechoslovakia	0300	EE
3945	R. Vanuatu, Vanuatu	0845		5935	R. Riga, Latvia	0400	Latvian, Swedish
4238	R. Inca, Peru	0945	SS	5950	V of Free China, Taiwan	0200	EE, via WYFR
4720	R. Abaroa, Bolivia	1030	SS	5955	LV de Centauros, Colombia	0400	SS
4725	V of Myanmar, Myanmar	1200	Burmese	5960	RTVC, Congo	2200	FF
4750	R. Bertoua, Cameroon	0500		5990	R. Romania International	2200	EE
4755	Sani Radio, Honduras	1200	sign on, SS	5995	R. Melodia, Peru	0800	SS
4766	Moscow, via Havana	0200	RR	6015	R. Austria International	0530	
4770	R. Nigeria, Kaduna	0430	sign on	6020	R. Netherlands	0030	EE
4790	R. Atlantida, Peru	0200	SS	6025	R. Amanacer, Dominican Rep.	1200	SS
4795	R. Douala, Cameroon	0500		6050	R. Nigeria, Ibadan	0500	
4800	LNBS, Lesotho	0330	vernacular	6070	CFRX, Canada	1100	
4810	R. Orion, South Africa	0345	Afrikaans	6080	R. Australia	1200	
4815	R. Burkina, Burkina-Faso	0600	FF	6085	Bayerischer Rundfunk, Germany	0700	GG
4820	La Voz Evangelica, Honduras	0300	EE	6090	R. Luxembourg	2330	FF
4825	R. Educero Braganca, Brazil	0900	PP	6110	BBC	0300	via Antigua
4830	R. Tachira, Venezuela	0300	SS	6135	R. Santa Cruz, Bolivia	1015	SS
4835	R. R. Tezulutlan, Guatemala	0100	SS	6150	Caracol Neiva, Colombia	0000	SS
4839	R. Reloj, Costa Rica	0300	SS	6130	CHNX, Canada	1200	
4850	CRTV, Cameroon	0530	FF	6160	CKZN, Canada	1200	
4865	LV del Cinaruco, Colombia	0400	SS	6165	R. Netherlands	0030	EE
4870	R. Rio Amazonas, Ecuador	0300	SS	6185	Vatican Radio	0630	EE/Latin
4875	Voice of Jinling, China	1200	CC	6188	R. Oriente, Peru	1100	SS
4885	R. Clube do Para, Brazil	0100	PP	6190	Radio Bremen, Germany	0900	GG
4890	R. France Int'l, via Gabon	0445	FF	6210	European Christian Radio, Italy	0715	EE/II
4902	R. Inf. de Centro America (R. Rica), Nicaragua	0130	SS	6248	Vatican Radio	0600	Italian
4911	Emisoras Gran Colombia, Ecuador	0200	SS	6280	Voice of Hope, Lebanon	0400	sign on
4915	GBC, Ghana	0600	EE	6570	Defense Forces Broadcasting, Myanmar	1200	Burmese
4915	R. Cora, Peru	1000	SS	6900	Turkish Meterological Radio	0530	TT
4920	R. Quito, Ecuador	0200	SS	7105	RTVC, Congo	0655	sign on, FF
4920	ABC, Brisbane, Australia	1100		7110	Voice of Ethiopia	0330	sign on
4922	R. Superior, Peru	1000	SS	7125	Vatican Radio	0145	EE
4926	R. Nacional, Eq. Guinea	0230	SS	7125	British Forces Broadcasting Service	0200-0230	
4930	R. Barahona, Dominican Rep	0300	SS	7180	Cyprus Broadcasting Corp, via BBC-Cyprus	2215-2245	Greek, Fri/Sat
4940	R. Continental, Venezuela	0200	SS	7189	R. Africa, Eq. Guinea	2230	EE religion
4940	R. Kiev, Ukraine	0430		7255	Voice of Nigeria	0500	sign on
4965	R. Santa Fe, Colombia	0400	SS	7265	Sudwestfunk, Germany	0500	GG
4970	R. Rumbos, Venezuela	0100	SS	7270	R. Polonia, Poland	2200	EE
4980	Ecos del Torbes, Venezuela	0400	SS	7275	ELBC, Liberia	0758	sign on
5009	RTM, Madagascar	0300	sign on	7285	RTM, Mali	0700	sign on, FF
5011	Es. Radiofonicas Populares, Ecuador	0100	SS	7345	R. Prague Int'l, Czechoslovakia	0400	EE
5020	SIBC, Solomon Islands	1130	EE	7355	KNLS, Alaska	0700	RR
5020	La Voix du Sahel, Niger	0530	FF	7370	Turkish Police Radio	0500	TT
5020	R. Rebelde, Cuba	0100	SS				

Freq.	Station / Country	UTC	Notes	Freq.	Station / Country	UTC	Notes
7376	Radio For Peace Int'l, Costa Rica	0200	EE, USB	11880	Spanish National Radio	0100	EE
7412	All India Radio	1245		11890	Radio Orman	1600	AA
7430	Voice of Greece	0700	Greek	11895	Radio Tirana, Albania	2030	SS
7510	KTBN, Utah	0200		11910	Radio Budapest, Hungary	0230	EE
7520	WWCR, Tennessee	0300		11925	V of Mediterranean, Malta	1430	EE
7600	HD2IOA, Ecuador	0200	time signals	11930	Trans World Radio, Bonaire	0300	EE
9045	Iran's Flag of Freedom	0400	Farsi (clandestine)	11938	V of People of Cambodia	1245	
9115	R. Continental, Argentina	0200	SS, USB feeder	11945	BBC, via Hong Kong	2300	
9345	R. Pyongyang, N. Korea	1300	EE	11945	Radio Encarnacion, Paraguay	0100	SS
9360	Spanish National Radio	0400	SS	11945	UAE Radio, Dubai	0330	EE
9435	Voice of Israel	0100	EE	11955	Radio Nacional, Angola	0500	PP
9445	Voice of Turkey	0400		11960	RTVM, Mali	0600	FF
9455	WSHB, So. Carolina	0700		11985	V of UAE, Abu Dhabi	1700	AA
9465	WMLK, Pennsylvania	0600		11990	R. Baghdad, Iraq	2100	AA
9480	R. Tirana, Albania	0430	EE	12005	RTT, Tunisia	1800	AA
9515	R. Novas de Paz, Brazil	2300	PP	12015	Radio Ulan Bator, Mongolia	0900	EE
9535	R. Algiers, Algeria	1900	FF	12035	Swiss Radio International	0400	EE
9535	Swiss Radio International	0730	EE	12085	Radio Damascus, Syria	2130	EE
9535	R. Japan via Sri Lanka	1445	EE	12050	Radio Cairo, Egypt	0200	AA
9545	Deutsche Welle, via Antigua	0330		12105	Voice of Greece	2330	
9555	Radio Veritas Asia, Philippines	1315	CC	13625	KHBI, Saipan	1400	EE
9560	Radio Jordan	1730	AA	13630	R. For Peace Int'l, Costa Rica	2300	EE
9560	Voice of Ethiopia	1500	EE	13655	Radio Jordan	1200	EE
9565	All India Radio	1400	EE	13665	Radio Pakistan	1500	Urdu
9565	Radio Universo, Brazil	1000	PP	13675	UAE Radio, Dubai	1900	AA
9570	Radio Romania International	0200	EE	13685	Swiss Radio International	1530	EE
9575	RAI, Italy	0100	EE	13770	Deutsche Welle	0500	EE
9580	Radio Australia	1200		13775	Radio Pyongyang, N. Korea	0000	EE
9595	R. Tanpa, Japan	0900	JJ	15084	VOIRI, Iran	1900	Farsi
9600	Radio Portugal	0230	EE	15140	Radio Nacional, Chile	2000	SS
9610	ABC, Perth, Australia	1130		15155	HCJB, Ecuador	0030	EE
9605	Vatican Radio	0050	EE	15170	Radio Tahiti	0430	FF/TT
9615	Radio Denmark, via Norway	0130	Danish	15190	Radio Inconfidencia, Brazil	0030	
9620	Radio Yugoslavia	0100	EE	15260	Radio Canada International	1900	EE
9625	CBC Northern Service, Canada	1200	EE	15265	Radio Nacional, Brazil	1930	PP
9640	BBC via Antigua	0500		15285	Qatar Broadcasting Service	0300	AA
9655	Voice of America, via Gabon	0300	sign on	15325	Radio Japan, via French Guiana	0230	JJ
9655	Trans World Radio, Swaziland	0400	vernacular	15335	All India Radio	1400	EE
9670	Radio Rumbos, Venezuela	0200	SS	15350	Radio Luxembourg	2130	EE
9670	FEBC, Philippines	1300	VV	15345	Trans World Radio, Bonaire	1300	EE
9695	Radio Sweden	0330	EE	15390	British Forces Bc Service	1330	EE
9740	BBC via Singapore	1300		15400	Radio Finland International	1230	
9740	Radio Cairo, Egypt	0200	EE	15430	Radio Austria International	1330	EE
9745	HCJB, Ecuador	0300	EE	15435	UAE Radio, Dubai	1330	EE
9750	Radio Korea, S. Korea	1300	EE	155445	Radio Amazonia, Brazil	2130	PP
9750	Radio Havana Cuba	0430	EE	15470	Radio Tashkent, Uzbekistan SSR	1200	EE
9755	Radio Canada International	0200	EE	15475	Africa No. One, Gabon	1700	FF
9760	Radio Tirana, Albania	0230	EE	15500	CPBS, China	0100	CC
9770	Radio Australia	1430		15560	Radio Netherlands	0030	EE
9780	Radio San'a, Yemen	2100	AA	15590	KTBN, Utah	2200	
9785	KVOH, California	0600		15770	INBS, Iceland	2300	Icelandic
9835	Radio Budapest, Hungary	0200	EE	17555	Radio Pakistan	1500	Urdu
9840	WCSN, Maine	0600	EE	17595	RTVM, Morocco	1400	FF
9870	Trans World Radio, Guam	1300	CC	17640	BBC	1600	EE
9885	Radio New Zealand	0700		17665	Radio Kiev, Ukraine	2000	FF
9900	Radio Cairo, Egypt	2100	EE	17675	Radio New Zealand	0400	
9925	Radio Cairo, Egypt	0500	AA	17695	British Forces Bc. Service	1330	
9925	BRT, Belgium	0030	EE	17705	Radio Beijing	0000	EE
9950	Radio Damascus, Syria	2130	EE	17720	Radio Romania Int'l	1315	EE
9965	Radio Caiman (clandestine)	0100	SS, anti-Castro	17740	Radio Sweden	1230	EE
10010	Voice of Vietnam	1300	VV	17755	BSKSA, Saudi Arabia	0500	AA
11100	CPBS, China	1200	Taiwan-2 service	17785	Voice of Turkey	1330	EE
11335	R. Pyongyang, No. Korea	2330	SS	17790	Radio RSA, South Africa	1700	EE
11560	R. Cairo, Egypt	1800	AA	17830	WHRI, Indiana	2200	
11585	Voice of Israel	2230	EE	1762v	Radio Nacional, Colombia	2200	SS
11620	All India Radio	2030	EE	17900	RAI, Italy	1400	Italian
11645	Voice of Greece	0100	Greek	21455	HCJB, Ecuador	2330	SS, USB
11695	Radio Beijing, via Fr. Guiana	0400	EE	21485	Vatican Radio	1400	SS
11700	R. Pyongyang, No. Korea	0000	SS	21490	Radio Austria International	1430	EE
11710	RAE, Argentina	0100	EE	21500	Radio Sweden	1530	EE
11715	Radio Sweden	1230	EE	21530	Radio Portugal	1600	EE
11735	Radio Yugoslavia	0100	EE	21535	Qatar Broadcasting Service	1200	AA
11750	Radio Sofia, Bulgaria	0400	EE	21550	Radio Finland International	1400	EE
11755	Radio Finland International	0745	EE	21555	Radio Yugoslavia	1300	EE
11785	Radio Guaiba, Brazil	0900	PP	21566	Radio For Peace Int'l, Costa Rica	2330	EE
11790	VOIRI, Iran	1430	Farsi	21605	UAE Radio, Dubai	1330	EE
11800	RAI, Italy	0100	EE	21635	Radio France Int'l	1230	EE
11815	Radio Polonia, Poland	1430	EE	21665	Radio Romania International	1330	EE
11830	R. Anhanguera, Brazil	2330	PP	21700	Radio Japan, via Gabon	1500	EE
11835	R. El Espectador, Uruguay	0100	SS	21705	Radio Norway International	1900	EE (Sat/Sun)
11840	R. Beijing, via Canada	0400		21800	BRT, Belgium	1400	EE
11840	Radio Moscow, via Cuba	1400		21810	BRT, Belgium	1400	EE
11860	FEBA, Seychelles	1800	Tigrina	21840	RAI, Italy	1330	Italian
11865	Radio Denmark, via Norway	1530	Danish	25870	BBC	1200	SS
11880	KNLS, Alaska	2000		25950	HCJN	1200	USB
		2100					




Figure 2

radiation from the sun, that layer vanishes. The E-layer, if it is present at all, is much weaker. And the F-layers have become a single F-layer! What happened?

The secret again is because of the sun. During daytime, the sun heats the upper layers of the ionosphere and often causes the F-layer to "stretch out" and split into the distinct F1 and F2-layers. A surprising point is that the level of ionization in the F-layer(s) can be less during the day than at night! While more ionizing solar radiation reaches the F-layer(s) during the day, it's spread over a larger area. At night, the cooling of the ionosphere causes it to collapse back into a potentially denser, more heavily ionized single F-layer. This is especially true in summer.

Now we've really simplified things in this explanation, and not everything is as neat as shown in figures 1 and 2. For example, there's often only a single F-layer in daytime during winter, and separate F1 and F2-layers (along with an E-layer) can remain present at night during the summer. The key point to remember is that the day and night structures of the ionosphere are much different regardless of the season.

Wouldn't it be great if we could somehow combine the best of day and night ionospheric conditions? Let's say we could do away with the annoying D and E-layers which just absorb precious signals, and have a nice F-layer capable of refracting a wide range of frequencies—well, folks, that's what we have around sunrise and sunset!

### Home Run DX

Now here's something to think about: if the sun is rising for you, it's setting for someone else. And someone else's sunrise is your sunset.

Bad dialogue from the old *Kung Fu TV* series? Not quite; just a statement of fact. There's a terminator line of twilight/dawn, known as the *gray line*, which divides the planet into daylight and darkness. What happens when it's at your location while it's sunset at another? Great DX happens!

The effects of "gray line" propagation must be experienced to be believed, and are usually most dramatic in winter on the lower

frequencies. For example, SWL's along the East Coast can hear stations in India on 60 meters around local sunrise during December and January. These Indian stations might be audible for only about 20 minutes each morning, but those are the only times listeners on the East Coast have a chance to hear those stations *all year*. At sunset on the same days, listeners on the East Coast have a chance to hear rare Indonesian stations on 60 and 90 meters. On the West Coast, SWL's have a chance at rare Central Asian stations at sunrise and East Africans at sunset.

True gray line openings are brief and require that one "end" of the path (such as your listening post) be in sunrise while the other end (such as the transmitter site) be in sunset. Signals can rise and fade greatly within only a few minutes: a station can rise out of noise to a powerful level and then fade completely out within less than a half-hour! But when it's possible, gray line propagation lets you hear DX not possible any other time!

### Propagation "Shields"

Not all good DX opportunities at sunrise and sunset involved gray line propagation. A lot of good DX is possible using the sunrise and sunset "dividers" to screen out interference and let you hear some good catches.

Let's suppose you're tuned to 2500 kHz at sunset in winter along the East Coast. At

# ICOM's IC-R9000 . . . . . . The Best Of Both Worlds

The pacesetter IC-R9000 truly reflects ICOM's long-term commitment to excellence. This single-cabinet receiver covers both local area VHF/UHF and worldwide MF/HF bands. It's a natural first choice for elaborate communications centers, professional service facilities and serious home setups alike. Test-tune ICOM's IC-R9000 and experience a totally new dimension in top-of-the-line receiver performance!

**Complete Communications Receiver.** Covers 100KHz to 1999.8MHz, all modes, all frequencies! The general coverage IC-R9000 receiver uses 11 separate bandpass filters in the 100KHz to 30MHz range and precision-tuned bandpass filters with low noise GaAsFETs in VHF and upper frequency bands. Exceptionally high sensitivity, intermod immunity and frequency stability in all ranges.

**Multi-Function Five Inch CRT.** Displays frequencies, modes, memory contents,

operator-entered notes and function menus. Features a subdisplay area for printed modes such as RTTY, SITOR and PACKET (external T.U. required).

**Spectrum Scope.** Indicates all signal activities within a +/-25, 50 or 100KHz range of your tuned frequency. It's ideal for spotting random signals that pass unnoticed with ordinary monitoring receivers.

**1000 Multi-Function Memories.** Store frequencies, modes, and tuning steps. Includes an editor for moving contents between memories, plus an on-screen notepad for all memory locations.

**Eight Scanning Modes.** Includes programmable limits, automatic frequency and time-mark storage of scanned signals, full, restricted or mode-selected memory scanning, priority channel watch, voice-sense scanning and scanning a selectable width around your tuned frequency. Absolutely the last word in full spectrum monitoring.

**Professional Quality Throughout.** The revolutionary IC-R9000 features IF Shift, IF Notch, a fully adjustable noise blanker, and more. The Direct Digital Synthesizer assures the widest dynamic range, lowest noise and rapid scanning. Designed for dependable long-term performance. Backed by a full one-year warranty at any one of ICOM's four North American Service Centers!

**ICOM**

**First in Communications**

ICOM America, Inc., 2380-116th Ave. N.E., Bellevue, WA 98004  
Customer Service Hotline (206) 454-7619  
3150 Premier Drive, Suite 126, Irving, TX 75063 /  
1777 Phoenix Parkway, Suite 201, Atlanta, GA 30349  
ICOM CANADA, A Division of ICOM America, Inc.,  
3071 - #5 Road, Unit 9, Richmond, B.C. V6X 2T4 Canada

All stated specifications are subject to change without notice or obligation. All ICOM radios significantly exceed FCC regulations limiting spurious emissions. 9000489

CIRCLE 78 ON READER SERVICE CARD

this hour, there's still too much sunshine along the propagation path from the East Coast to WWV in Colorado. But there's plenty of darkness from the East Coast to South Africa, and you might be able to hear time signal station ZUO from that nation on 2500! An hour after sunset, WWV has built up to enough strength to cover ZUO.

Now what happens at sunset? Try tuning WWV on 15000 kHz a half-hour before sunset in winter. You'll usually find WWV loud and clear. But as sunset approaches, the path from Colorado to the East Coast begins to close on 15000 kHz. However, it's summer below the equator, and there's plenty of daylight left there. At sunset, you might be rewarded with WWV fading into the soup and LOL in Argentina replacing it with their time signals!

The period around sunset can let you hear stations from Africa on 60 and 90 meters before stations from Latin America fade in later in the evening. Sunrise can let you hear stations from Asia and the Pacific on those same bands before they're lost as the D and E layers form again due to the sun's radiation. The patterns of what you can—and can't—hear will vary with the seasons.

## Time To Change Your Pattern

Sunrise and sunset are fruitful times to chase DX on the AM broadcast band. This is because many AM stations use different transmitter powers and antenna patterns for night and day operation. Typically, transmitter powers are higher in the day and the antenna patterns are broader in coverage (or even non-directional) compared to those used at night. You have a much better chance of hearing an AM station if it's operating at night under its day power and antenna pattern. Sunrise and sunset give you the chance to do just that.

Start listening about a half hour before your local sunset. At this time, you can hear stations located to your east (which is already in darkness) fade in as night conditions settle in at their locations. Sometimes you'll be able to hear these stations throughout the night, but often other stations located to the north, south, and west of you will dominate those frequencies later in the evening. Thus, you might have only a "window" of a few minutes in which to hear such stations to your east. Once sunset occurs at your location, you'll be able to hear stations in the "sunset zone" as they switch over to their night facilities. Some of these stations will no longer be audible at your location or be greatly weakened. When this happens, you'll be able to hear stations located to your west which are still using their daytime facilities. As sunset proceeds westward, you can follow it by listening to stations switch over to their night facilities. At about a half hour to a full hour after your local sunset, the AM band will have settled down into its "normal" night time pattern. It will remain that way (barring propagation anomalies like

# The Best\* Just Got Better!

The Eavesdroppers™ now includes our new Zap Trapper™ Electronic Gas Tube Lightning Arrestors. Receive-only design shunts damaging transients to ground at only 1/7th the voltage buildup of the available 200 watt transmit-type arrestors, providing maximum solid state receiver protection.

Protect your investment - combine an excellent shortwave receiving antenna with the best receiver protection money can buy.



- Completely assembled and ready to use
- Only 42' overall length
- 8 trap circuits permit reception on all shortwave bands, 11-90 meters
- All connections soldered and enclosed in ultrasonically-welded, hermetically-sealed trap covers
- Includes 50' of 450 lb. test nylon rope

**Model T** includes 100' twinlead feedline

**Model C** includes weatherproofed center connector for your coax & coax sealant

- Either model \$79.95
- UPS for lower 48 states \$4.00
- COD add \$3.00, IL add 7% sales tax
- Foreign shipping quoted

*"The best...built like an antenna should be." -Larry Magne in World Radio TV Handbook*  
*"Our best seller." -EEB in their recent ads and catalogs*  
*"Now in use in 45 countries." -Gilfer Shortwave in 1983*

## Antenna Supermarket

PO. Box 563 Palatine, IL 60078 Tel (708) 359-7092 Fax (708) 359-8161

**At your dealer or direct** ▪ **Visa & Mastercard accepted**

those discussed last month) until about a half hour before your local sunrise, when the same thing happens but in reverse; stations to the east can be heard switching over to their daytime facilities before fading out soon after their local sunrise while stations to the west still have night time propagation to your location.

Sunrise and sunset AM band DX'ing is a game for the quick. On several occasions, I've heard one station vanish when it switched to night facilities, leaving a new station in the clear. Less than two minutes later, the second station also switched to night facilities and vanished, leaving yet a third station on the same frequency! Since sunrise and sunset times are always changing, you'll be able to hear new AM band stations throughout the year by listening at sunrise and sunset.

## And Don't Forget VHF/UHF DX!

The ionosphere is not the only part of the atmosphere that undergoes changes between night and day. The troposphere is the layer closest to the Earth; it extends from the surface up to an elevation of about six miles. This is the layer where all weather takes place, and is also the layer where ducting happens. Ducting happens when a layer of cool, dry air close to the Earth's surface is overridden by a layer of warmer, moister

air. This means that a certain point above the Earth, the air temperature and relative humidity *increases* instead of *decreases*, as is normally the case. A "duct" forms at the point where temperature and relative humidity increase; this sometimes called a *temperature inversion*. When radio signals above 50 MHz enter a duct, they are trapped and follow the curvature of the Earth for a few hundred miles before finally "exiting" the duct.

It so happens that the rapid warming and cooling of the troposphere at sunrise and sunset is favorable for the formation of ducts, particularly during humid weather in summer and fall in the eastern two-thirds of North America. Sometimes such "tropo" openings can be fairly regular along certain paths, as from western Florida into the coastal areas of Louisiana and Texas at summer sunsets. Ducts begin forming shortly after sunrise and sunset and generally reach a peak about a half-hour to full hour after sunrise or sunset. About a hour after sunrise or sunset, however, the ducts usually begin to rapidly break up and conditions return to normal. But while the ducts are present you can nail some great DX on your scanner, FM radio, or TV set.

So don't think you have to get up in the middle of the night to hear terrific DX. If you can listen at sunrise and sunset, you'll do okay! ■

## DX, NEWS AND VIEWS OF AM AND FM BROADCASTING

**Words of Wisdom?** We don't often get accused of having uttered "words of wisdom," so when it happens we take special notice. But Greg Doerschler, of Worcester, MA used that term to refer to something noted in our January column.

He writes that he read in the January column our comments regarding the cost-cutting practice of co-owned stations dumping the staff of the AM outlet and then programming it with a simulcast of their FM outlet.

Then, the following day, Greg learned that one of his local AM'ers, WFTQ/1440, had run headlong into this exact problem. The adult contemporary programming was cut, so were some employees, as the station began its new career of simulcasting the programming of its hard-rock sister FM station, WAAF/107.3. It was a question of economics, and WFTQ just wasn't pulling its weight as well as youth-oriented WAAF.


The decision left a lot of devoted WFTQ listeners in various stages of shock, anger, and sorrow. It left Worcester with AM'ers WTAG/580, WNEB/1230, and WORC/1310, plus the FM rock sounds over WFTQ.

Greg observed, "The loss of WFTQ will perhaps have a greater than normal impact on coverage of local news and weather since Worcester has no TV stations, and only one commercial FM station (WXLO/104.5). This is because Worcester is so close to Boston and Providence. Even though WAAF is based in Worcester, its target audience seems to be Boston and a survey a few years ago showed that it had a bigger audience in Boston than locally in Worcester. The irony is that now WFTQ is simulcasting WAAF's programming targeted at Boston, and 5 kW WFTQ can't even be heard in Boston!"

Well, Greg, we know how frustrating this is. All we can offer is a forum to let off some steam. And, I suppose that we can repeat our thoughts that it seems a shame that there are creative people out there in radio-land who want to broadcast on AM but can't do so because of a supposed "shortage of frequencies." And yet, when you look, you see that in so many markets across the nation there are obviously AM frequencies that are simply being occupied with no other apparent purpose than ensuring that nobody else can get a chance at getting on the air and trying to do something with them and pumping up AM radio.

**Stats Department:** Speaking of crowded AM airwaves, there are now 4,987 AM stations licensed by the FCC. This is compared to 4,392 commercial FM, plus 1,440 educational FM, and 1,866 FM translators and boosters.

In the area of TV, there are 7,254 stations



WCIB's coverage area from Cape Cod. (Courtesy Mark R. Schmit, MA.)

in all categories. This includes VHF/UHF commercial and educational, translators, and low power.

**DX Trick:** Richard, Registered Monitor KFL4DN, of Lake City, FL tells us that he enjoys tuning in on the Sunday night *Old Time Trivia Program* that airs late every Sunday night over St. Louis station KMOX/1120. Most of the time he can bring in the program very well, but there are nights when Cuban stations seem to wipe out all reception in Florida. What Richard does in such an instance is tune to 1120 kHz on his ICOM R-71A, switch to lower sideband (LSB) mode, then retune. He can usually bring up KMOX right through the Cuban, and suggests that we might pass it along to

other DX'ers to use on all crowded AM frequencies.

**Message From The Cape:** Mark R. Schmit, Senior Account Executive at Cape Cod's WCIB/101.9 ("Lite 102") tells us that the station is in the process of increasing its tower height by 150 ft., and that will bring it up to 500 ft. when the job is completed.

WCIB has lots of local programming, and is an affiliate for the Unistar Special Blend adult contemporary format.

Mark is an old friend of this column and, when he was with WORC in Worcester, MA he provided *POP'COMM* with lots of information about that station.

**Sunny Times:** The Sun Radio Network, of Clearwater, FL writes to tell us that sta-

### Applications For New FM Stations

AK	Dillingham	99.1 MHz	6 kW
GA	Greenville	95.7 MHz	
GA	Tennille	99.9 MHz	6 kW
IA	Asbury	103.3 MHz	17 kW
IL	Arcola	107.9 MHz	6 kW
IN	Seeleyville	95.9 MHz	6 kW
MD	Ocean City	106.9 MHz	
MI	Ashley	92.5 MHz	3kW
ND	Arthur	96.7 MHz	5 kW
NH	Gorham	107.1 MHz	6 kW
NY	Brockport	105.5 MHz	3 kW
PA	Oil City	96.3 MHz	
SC	Clemson	104.9 MHz	3 kW
WA	McCleary	96.9 MHz	2 kW

### Permits Granted For New FM Stations

AL	Atmore	105.9 MHz	4 kW
AL	Georgiana	107.7 MHz	6 kW
CA	Visalia	88.9 MHz	1 kW
FL	Pt. St. Lucie	101.3 MHz	6 kW
IL	Cartersville	95.1 MHz	3 kW
KS	Hutchinson	91.7 MHz	100 kW
KY	Frankfort	013.7 MHz	2.5 kW
KY	Shepherdsville	105.1 MHz	74 kW
KY	Westwood	99.7 MHz	3 kW
MN	Moorhead	90.3 MHz	100 kW
NC	Old Fort	104.3 MHz	2.6 kW
NJ	Asbury Park	88.1 MHz	100 watts
NY	Copenhagen	106.7 MHz	200 watts
OH	Lima	93.1 MHz	3 kW
OH	Mt. Gilead	95.1 MHz	3 kW
TX	Jacksonville	102.3 MHz	3 kW
TX	Tahoka	95.3 MHz	3 kW
UT	St. George	99.7 MHz	100 kW
VA	Lebanon	107.3 MHz	3 kW
VT	Morrisville	93.9 MHz	3 kW

### AM Call Letters Changes Requested

Now	Seeks	
KIKR	KJOJ	Conroe, TX
WIXC	WBXR	Fayetteville, TN
WLFF	WRMD	St. Petersburg, FL
WOJY	WRQQ	Farrell, PA

### Applications For FM Facility Changes

KRIJ	Paradise, CA	92.9 MHz	Move to 103.9 MHz 1.7 kW
KROF-FM	Abbeville, LA	104.9 MHz	Move to 105.1 MHz 25 kW
WKQR	Citronelle, AL	101.9 MHz	Move to 102.1 MHz 15 kW
WLOT	Trenton, TN	97.7 MHz	Move to 97.5 MHz 25 kW
WPSA	Paul Smith's, NY	89.1 MHz	Move to 98.1 MHz
WVJK	Rock Island, IL	90.1 MHz	Move to 90.3 MHz 31 kW

### FM Facilities Modifications Approved

KRCD-FM	Chubbick, ID	98.3 MHz	Move to 98.5 MHz 6.2 kW
KWCB	Floresville, TX	94.3 MHz	Move to 94.1 MHz 50 kW
KXCI	Tucson, AZ	91.7 MHz	Move to 91.3 MHz 335 watts
WAAO-FM	Andalusia, AL	104.7 MHz	Move to 103.7 MHz
WDJW	Somers, CT	89.7 MHz	Move to 105.3 MHz
WGYL	Vero Beach, FL	93.5 MHz	Move to 93.7 MHz 50 kW
WHOD-FM	Jackson, AL	104.9 MHz	Move to 94.5 MHz 19.5 kW
WPKT	Middlefield, CT	90.5 MHz	Move to Meriden, CT
WRJM-FM	Geneva, AL	93.5 MHz	Move to 93.7 MHz 50 kW

### Application For AM Facility Changes

WLSM	Louisville, KY	1270 kHz	Drop to 2.7 kW
------	----------------	----------	----------------

### AM Facilities Modifications Approved

KIST	Santa Barbara, CA	1340 kHz	Drop to 675 watts
KPUA	Hilo, HI	670 kHz	Increase to 50 kW day/nite
KTSJ	Pomona, CA	1220 kHz	Drop to 930 watts
KYND	Cypress, TX	1520 kHz	Increase to 3.2 kW
WDBL	Springfield, TN	1590 kHz	Drop to 710 watts
WILC	Laurel, MD	900 kHz	Drop to 1.9 kW days Move to Brantley, AL
WLVN	Luverne, AL		
WMJL	Marion, KY	1500 kHz	Drop to 1.75 kW
WODY	Bassett, VA	900 kHz	Increase to 2 kW days
WOMD	Pleasantville, NJ	1400 kHz	Increase to 1 kW days

tions that recently affiliated include WSFT in Caribou/Presque Isle, ME; WAUB, Auburn, NY; WKKE, St. Pauls, NC; and WLIQ, Harriman, TN. SRN is a rapidly expanding network and we appreciate them sending us their bi-weekly newsletter.

**Volunteer Station:** A letter from Vincent Somers, of Champaign, IL offers some in-

formation on non-commercial WEFT/90.1 in Champaign. Except for the Station Coordinator and Chief Engineer, everybody else at WEFT is a volunteer, and they welcome people with talent to offer ideas for programs they can air. The station even runs classes to train people in microphone technique.

Programming is an eclectic mix of music and informational shows. Some of it gets rather far out, Vincent tells us. Recently, WEFT installed a satellite dish for increased news coverage.

Vincent reports, however, that there's a problem. He tells us that another station, WKIO, moved from 103.9 to 92.5, and also



The bumper sticker from WEFT shows the city skyline. (Courtesy Vincent Somers, IL.)

## Changed AM Callsigns

New	Was	
KBCW	KANO	Brooklyn Park, MN
KDOL	KREL	Henderson, NV
KFLG	KRHS	Bullhead City, AZ
KHCB	KTUS	Galveston, TX
KKFH	KWIC	Beaumont, TX
KMLB	KJLO	Brookings, SD
KSWV	KMIK	Santa Fe, NM
WBPP	WMZM	Memphis, TN
WFKM	WPRQ	Colonia Hts., TN
WGKL	WROQ	Charlotte, NC
WMDH	WCTW	New Castle, IN
WNTJ	WKQS	Johnstown, P
WOCC	WGZB	Corydon, IN
WRAF	WWXX	Alpharetta, GA
WRPT	WMDK	Peterborough, NH
WTME	WXGL	Lewiston, ME
WVAC	WLKR	Norwalk, OH

## New FM Call Letters Assigned

KDUV	Visalia, CA
KHRT-FM	Minot, SD
KLUE	Soledad, CA
KUAZ	Tucson, AZ
KVMK	Bloomington, TX
KWRK	Window Rock, AZ
KWVA	Eugene, OR
KWVB	Potosi, MO
KWBD	Morro Bay, CA
KZPF	Ozark, MO
KZPG	Plattsmouth, NE
KZPH	Cashmere, WA
KZPI	Deming, NM
KZPJ	Levelland, TX
KZPK	Paynesville, MN
KZPL	Yuma, AZ
KZSD-FM	Martin, SD
WDHM	Salem, IN
WDLF	Old Fort, NC
WJUS	Ft. Walton Beach, FL
WKED-FM	Frankfort, KY
WLMB	Lima, OH
WMYJ	Pocomoke City, MD
WNJA	Jamestown, NY
WQKI-FM	St. Matthews, SC
WWFO	Vinton, VA
WWFP	Pearson, GA
WWFS	Kosciusko, MS
WWFT	Key West, FL
WHTA	Marion, IA
WXFJ	Flora, MS
WXHC	Homer, NY
WXUS	Ft. Rucker, AL
WYDA	Graceville, FL
WYDB	Bolivar, TN
WYDF	Montpelier, OH
WYDG	Lexington, MI
WYDH	Atmore, AL
WYDR	Eau Claire, WI
WYDS	Decatur, IL

## New AM Call Letters Assigned

KSJI	San Martin, CA
KWVG	Hamby, TX
KZPM	Bakersfield, CA
WPNN	Gorham, ME

## FM Call Letters Changes Requested

Now	Seeks	
WLOL	KSJN	Minneapolis, MN
WOLY-FM	WAXF	Sharpsville, PA

## Changed FM Call Letters

Now	Was	
KALK	KYKM	Winfield, TX
KFAN	KBKK	Johnson City, TX
KFLG-FM	KFLG	Bullhead City, AZ
KHCB	KTUS	Galveston, TX
KHOW-FM	KSYY	Denver, CO
KIOX-FM	KCGC-FM	El Campo, TX
KJOJ-FM	KJOJ	Freeport, TX
KLLK-FM	KZPB	Ft. Bragg, CA
KLRX	KKWM-FM	Dallas, TX
KMMK	KLTN	Las Vegas, NV
KONO-FM	KFAN	Fredricksburg, TX
KQKD-FM	KVCU	Redfield, SD
KQPW	KOQO-FM	Fresno, CA
KRGY	KRIX	Brownsville, TX
KRZE-FM	KNTF	Ontario, CA
KTCM	KAPH	Kingman, KS
KTHX	KSXY	Reno, NV
KTWI	KWSI	Warm Springs, OR
KTWS	KIDD-FM	Bend, OR
KUII	KYII	Dallas, TX
KXYL-FM	KISJ-FM	Brownwood, TX
KZZD	KGAM	Wichita, KS
WAAS	WCEZ	Colombia, SC
WESQ-FM	WUIE	Rocky Mount, NC
WGKL-FM	WZZG	Charlotte, NC
WJZE	WDJY	Washington, DC
WKRH	WIGY	Bath, ME
WKKK	WXJE	Henderson, KY
WMDH-FM	WMDH	New Castle, DE
WMOG-FM	WPFJ	St. Simons Isl., GA
WQWQ-FM	WQFN	Muskegon Hts., MI
WRAF-FM	WRAF	Toccoa Falls, GA
WROQ	WCKN-FM	Anderson, SC
WSKX	WXLLQ	Hinesville, GA
WSTG	WYJY	Biddeford, ME
WSYZ	WEKX	Newburgh, IN
WVAC-FM	WVAC	Adrian, MI
WVKX	WSYI	Irwinton, GA
WVMM	WANS-FM	Anderson, SC
WWTN	WQLZ	Manchester, TN
WUFD	WBQM	Decatur, AL
WZBA	WUNI	Moss Point, MS



Listening post of Richard, Registered Monitor KFL4DN, in Lake City, FL.

USN, and Station on Guam, tells us that KSDA-FM/91.9 ("Joy 92") is a new station that's been heard with equipment tests. This is a religious station owned by shortwaver KSDA. The KSDA-FM tower is on top of Mt. Alutom, which is also the location of the KUAM/610 AM tower. The proximity of the two antennas at the same location has created a few tech glitches that were expected to be resolved without much difficulty.

Paul also sent along an article from *The Boston Globe* that told of station WILD/1090. This is a daytimer that serves black community, but has had various problems reaching its fullest potentials. Not the least of the barriers is the need to shut down at sunset when the frequency "belongs" to WBAL, Baltimore.

Unfortunately, pulling the plug at sunset is a often-heard, but very valid, complaint heard in many areas of AM casting.

*Crying Wolf?*: KSHE/94.7, Crestwood, MO had an memorable broadcast recently. That's what listeners thought when, at 7:30 AM the station broadcast what sounded like an EBS tone, followed by sounds of bombs, and the announcement that the nation was being attacked with nuclear weapons.

The air personality apparently responsible for the broadcast said that he was hoping to dramatize how serious a nuclear attack is, in response to listeners who had been pursuing a "nuke Iraq" policy. Listeners were shaken. Apparently they got the message, and more than a hundred called the station and filed complaints with the FCC for the false broadcast.

The station (which is in a St. Louis suburb) denied having any advance knowledge of the broadcast, or having authorized it being sent out. A few hours after the broadcast, KSHE's management was broadcasting an explanation, and also apologizing for the incident. The air personality who ran the broadcast was scolded, and the FCC was investigating the incident to see if there were any rules violations.

We are always interested in your input here; photos, bumper stickers, news clippings, recent QSL's, and thoughts relating to AM/FM broadcasting.

upped its power from 2.3 kW to 20 kW. This happened almost two years ago. The WKIO transmitter is in the center of town, while the 10 kW WEFT transmitter is outside of town. As a result, many listeners are now reporting difficulty in getting clear reception of WEFT. Filters that WKIO has offered to improve reception of WEFT are well intentioned but people say they don't help much.

Vincent says that the original plans were for the new WKIO 20 kW transmitter to be

located outside of town, but the station reconsidered and then received FCC permission to install it at their original in-town location. He feels that maybe this problem wouldn't have occurred if the 20 kW WKIO transmitter had been located outside of town.

Anybody in our audience who can suggest a solution is welcome to offer it. Vincent's address is 202 E. John, A-13, Champaign, IL 61820.

Update: Paul G. Caruso, who is in the

## Reference

### THE 1991 ARRL HANDBOOK

Revised and updated with the latest in Amateur technology, now is the time to order your very own copy of the world famous ARRL HANDBOOK. In addition to being the definitive reference value for your Ham shack, there are plenty of projects for every interest in Amateur Radio — from antennas for every application to the latest state-of-the-art projects — you'll find it all in the 1991 HANDBOOK. Over 1100 pages. ©1990.  
 AR-HB91 Hardbound \$24.95

## Study Guides

### AMECO STUDY GUIDES

Designed for VEC Exams  
 AMECO Study Guides are taken from the latest FCC/VEC Exam question pool. Each book has the latest questions along with the ARRL/VEC multiple choice answers, immediately followed by a full discussion explaining each question. While nothing can guarantee that you will pass, AMECO study guides will make sure that you are fully prepared and ready to go. Written in clear, concise, easy-to-read format, each question is fully explained. Novice and General books are cross referenced to AMECO's 102-01 for a more thorough explanation.

<input type="checkbox"/> 27-01 Novice Class	} You need both for	\$5.95
<input type="checkbox"/> 28-01 Technician Class		} No-code license
<input type="checkbox"/> 12-01 General Class		\$5.95
<input type="checkbox"/> 26-01 Advanced Class		\$4.95
<input type="checkbox"/> 17-01 Extra Class		\$5.95
<input type="checkbox"/> 102-01 Radio Amateur Theory Course		\$6.95

## NEW BOOKS

### PRACTICAL ANTENNA HANDBOOK

BY Joe Carr, K4IPV  
 A comprehensive blend of theory and practical antenna applications make this new book by noted author Carr, a valuable book to have on hand. Features detailed analysis and construction information for all kinds of antennas, an explanation of the secrets of radio propagation, theory and use of transmission lines, a comprehensive overview of the radio spectrum as well as 22 BASIC programs for designing antennas. Learn from an expert — get this book today. © 1990 1st edition 448 pages  
 T-3270 Softbound \$21.95

### REFLECTIONS- Transmission Lines and Antennas

by Walt Maxwell, W2DU  
 Over the years, many myths and half truths have become "fact." Noted antenna expert Maxwell debunks them with clear, concise and accurate explanations. The first seven chapters are taken from his QST column "Another Look At Reflections." Seventeen additional chapters contain new and unpublished material covering matching networks, antennas and how to use Smith charts. Also available is a MS-DOS disk with programs taken from the book. © 1990 1st Edition 384 pages  
 AR-RTLA Hardbound \$19.95  
 AR-FRTLADOS (MS-DOS Disk) \$9.95  
 AR-RTDOS Program and disk \$27.90

### PASSPORT TO WORLDBAND RADIO 1991 Edition

Brand new, fully revised and expanded. Now includes a bigger and better SWL's buyer's guide. Also includes all the latest broadcast schedules from countries around the world. Great reference text for Hams as well as the serious SWL and casual listener ©1990  
 IBS-RD91 Softbound \$16.95

### UNDERGROUND FREQUENCY GUIDE

by Harry Helms  
 The shortwave bands are filled with mysterious and unusual stations. Some are believed to send messages to spies and secret agents. Others come from drug smugglers, rebels and related clandestine groups. The only way to keep track of what is going on is to have Helms' new book. Over 500 listings with frequencies, times and broadcast formats make this a valuable book for the SWL. © 1990 86 pages  
 HH-UFG Softbound \$10.95

### SPORTS AND ENTERTAINMENT FREQUENCIES

compiled by Bob Grove  
 Handy little book to have. Listings include the NFL, Blue Angels, Hotels and Casinos as well as press, shopping malls, and fast food restaurants. Also includes NASCAR, CART and Indy pit crew and driver frequencies! © 1991 70 pages  
 GE-SEF Softbound \$9.95

# POP'COMM's BOOKSTORE BOOK IDEAS

## (800) 457-7373 8AM-5PM EDST CALL TOLL FREE

Shipping and handling: \$3.75 to US and Canadian address via US mail. Shipping via UPS Brown \$5.00 to US address only. COD orders add an additional \$5.00. UPS Red or Blue cost plus \$3.75 handling. All other orders shipped via US mail F.O.B. Greenville, NH, USA plus a \$3.75 handling charge

### SHORTWAVE RECEIVERS Past and Present

edited by Fred Osterman  
 Put together to help the beginning SWL decide which radio to buy. Also a great reference for the experienced listener to have on hand. Full of handy facts. Includes evaluation of the radio's capabilities.  
 1989  
 UE-SRPP Softbound \$6.95

### QTC I Have a Message For You by "SPARKS" Ray Redwood

Memories of what it was like to be shipboard radio operator by a 40 year veteran. The author wrote this book for all of the radio operators who have ever gone to sea and to let the public know that radio operators will always be an important part of international marine commerce. Fascinating recollections of voyages, ports, people and the many other aspects of a life at sea. Great fun reading! © 1989 1st edition 375 pages  
 RR-QTC Softbound \$8.95  
 RR-QTCH Hardbound \$14.95

### M STREET DIRECTORY 1990 Edition

Complete Industry Guide to AM and FM Broadcasters US and Canada  
 Comprehensive listing of broadcasters. Full of helpful information for the BC SWL. Has location frequency, program formats plus much more. The book to have if you tune the broadcast bands. © 1990 640 pages  
 MST-J Softbound \$29.95

### WIRELESS COMMUNICATION IN THE US

by Thom Mayes  
 This fascinating history is all about the inventors, engineers and promoters that brought radio into use. Spark and ARC transmitters used shipboard and on coastal stations are described so you can almost hear and smell them. Old timers will be able to relive their past. Newcomers will learn more about the roots of radio communication. Great story. © 1989  
 WM-WCUS Softbound \$29.95

### AND PART OF WHICH I WAS Recollections Of A Research Engineer

by George H Brown  
 George Brown was one of radio's pioneers. His career began in the Roaring 20's as a college researcher. From there, he went on to work in both radio and the development of TV technology. He is a co-author with Lewis and Epstein of one of the most definitive pieces every done on ground systems. Full of recollections of meetings with some of the most famous people in the history of radio. © 1982 revised 342 pages.  
 GHB Hardbound \$19.95

### IONSOUND ver. 3.19

by Jacob Handwerker, W1FM  
 Wonder when and on what frequency you'll be able to find that last DX country you need for honor roll? IONSOUND is a state-of-the-art software tool designed to predict ionospheric propagation to any part of the world. Using the latest in propagation engineering models, this handy tool is a valuable addition to the active ham's software library. Can be customized for a number of different variables. Menu driven for ease of use. Manual in an ASCII printable file is included. Math co-processor recommended but not required. IBM PCs and compatibles.  
 IONS (5.25" disk MS-DOS Computers) \$29.95  
 ION3 (3.5" disk MS-DOS Computers) \$31.95

### TRAVELER'S GUIDE TO WORLD RADIO

1991 EDITION  
 English Language Broadcast Guide  
 Covers AM/FM/SW broadcasts for 51 major cities around the world — from Abu Dhabi to Zurich. Handy pocket book size is convenient to take when you travel. Easy-to-use format makes looking up information a snap. © 1990 128 pages  
 BB-TG Softbound \$9.95

**THE WONDERFUL WORLD OF HAM RADIO: an Introduction for young people.** by Richard Skolnik  
 Written with the youngster in mind, this is a great book for the "soon to be ham." Answers many of the most often asked questions in a simple easy-to-understand format. ©1990 39 pages  
 MFJ-WWHR Softbound \$7.95

### LATEST INTELLIGENCE

An international directory of codes  
 by James Tunnell  
 Finally, there's a key to the terms, phrases, acronyms, and abbreviations used by the military, law enforcement and other government agencies. Over 35,000 terms are explained and defined in a simple, easy-to-understand manner. Great for scanner ops and SWL's. Fully up-to-date ©1991 305 pages  
 T-3531 Softbound \$16.95

### WORLD RADIO TV HANDBOOK 1991 Edition

Loaded with the latest callsigns, frequencies and other important information for radio and TV broadcasting around the world. Covers LF, MF, shortwave and TV services. Also has equipment reviews and other special features. ©1991. 45th Edition.  
 GL-WRTV91 Softbound \$19.95

## Fun Reading

### 1991 EQUIPMENT BUYER'S GUIDE

Fully up-to-date. Complete listing of equipment available from the various equipment and accessory manufacturers. Includes radios and accessories plus helpful hints and tips and a complete listing of addressees and telephone numbers. ©1990  
 CQ-EQP91 Softbound \$4.95

### 1991 ANTENNA BUYER'S GUIDE

Looking for the latest in antennas? It's all here in the CQ Antenna Buyer's Guide. Crammed full of articles, product information and a who's who section listing all of the manufacturers and importers. Get your's now and start planning for antenna projects. ©1991  
 CQ-ANT91 Softbound \$4.95

### TOMMY ROCKFORD BOOKS by Walter Tompkins, K6ATX

These thrilling stories introduced a whole generation of Hams to the wonderful world of Amateur Radio. Great reading, and gift ideas for all levels of Amateur Radio interest. Each story is full of action packed excitement.

<input type="checkbox"/> AR-DV	Death Valley QTH	Softbound \$4.95
<input type="checkbox"/> AR-SO	SOS At Midnight	Softbound \$4.95
<input type="checkbox"/> AR-CQ	CQ Ghost Ship	Softbound \$4.95
<input type="checkbox"/> AR-DX	DX Brings Danger	Softbound \$4.95
<input type="checkbox"/> AR-GC	Grand Canyon OSO	Softbound \$4.95
<input type="checkbox"/> AR-MO	Murder by QRM	Softbound \$4.95
<input type="checkbox"/> AR-TR	All 6 books, Reg. \$29.70 Save \$4.75	\$24.95

## Get Your Novice Ticket

### TUNE IN THE WORLD WITH HAM RADIO by ARRL staff 8th Edition

NOW INCLUDES TWO C-90 CODE STUDY TAPES!  
 This package has been revised to cover new digital and voice Novice requirements and contains THE goodies needed by the beginner to get started in Amateur Radio. Assuming that you have no prior knowledge of radio, the reader is taught how to pass the Novice exam, both code and theory, and how to set up a station. Unique code study method makes learning the Morse code easy as 1-2-3. And it's full of illustrations to help clarify difficult technical points. 160 pages ©1990 8th Edition.  
 AR-HR Softbound \$18.95



CQ Bookstore Main St Greenville, NH 03048 Div of CQ Communications Inc PC-B91

(603) 878-1441 • FAX (603) 878-1951

## 27 MHz COMMUNICATIONS ACTIVITIES

With the good weather upon us, folks will be crowding the highways to travel to vacation spas. As was so aptly pointed out in the April *POP'COMM*, if you don't want to be picked up on *Kojak's Kodak*, your best bet is to have your Aunt Martha as your chauffeur. If you're leaving the driving to yourself, then you're going to want to have a CB rig at hand, and tuned to CB Channel 19 to read the mail.

But, maybe you don't worry about such matters, and the constant trucker chatter on Channel 19 is just so much irritating babble. Still, you'd like to have the convenience of knowing you have a CB capability if it's needed at some point.

That's why they designed the Radio Shack Realistic TRC-475 emergency CB and weather radio. It's there when you need it, and when you don't need it (which might be most of the time), it's in your trunk or the glove box. When it's needed, you just stick the mag mount on the vehicle's roof or hood, plug the power cord into the cigarette lighter jack, and you're in business with a full powered handheld transceiver.

Moreover, the TRC-475 can receive the three most popular NOAA VHF weather broadcast channels. It will transceive on all CB channels, and there's an "instant Channel 9" button. Can also operate with the antenna installed directly on the set itself. May alternately be powered by eight "AA" batteries for use away from the vehicle.


This is a versatile piece of equipment and, for less than \$100, you can't go wrong. It's even a good idea to keep something like this on hand as a spare CB rig just in case your primary system undergoes a sudden failure.

### Readers Write

Tom Jones, SSB Network member SSB-86C, is in the US Army and stationed in Germany. He wrote to tell us that at some point, the meter on his Browning Golden Eagle Mk. IV-A receiver was damaged. The meter still works, but the needle was snapped off most of the way down. This classic piece of CB equipment, which is now more than a decade old, is quite beautiful and Tom would like to the unit back in its original condition.

Tom hopes that our readers can suggest a source of Browning parts, and also a source of new or used SBE parts. He asks that readers write to him at his home QTH: Thomas Jones, P.O. Box 1001, Las Cruces, NM 88004.

Eddy Methot, SSB Network member SSB-77D, of Campbellton, New Brunswick, tells us that he has sometimes run into problems of CB interference to TV's, stereos, VCR's, and phones. He found that a



*The Realistic TRC-475 is a convenient emergency CB rig that also receives three NOAA weather frequencies.*

high-pass filter installed in-line between the VCR and TV did wonders for curing the problem. A low-pass filter on the output of the CB rig also helped.

Eddie likes to swap QSL's and has collected more than 2,000 CB QSL's from around the world. But, he observes that swapping isn't what it used to be many years ago when honor dictated that nobody violate the old "1-4-1" swap formula. Today there's only about a 5% return on cards sent out, including those for actual contacts. He tells us the local Sidebanders hang out on 25-Upper and 16-Lower. The AM channel in his area is 20.

The *White Rhino* group, which goes on some interesting CB DX'peditions was planning one to Swaziland from their home base in RSA. After learning that attempting to run an 11 meter DX operation from that nation might be too dangerous, they decided to go to Lesotho. Even that trip required some connections within the government of Lesotho.

So, last November they set up their station (100 watts into a 2 element Quad) about 115 km. from Maseru, using the ID *142-White Rhino-0-A*. The three operators (Mark, Nico, and Tina) unhappily found the band about as dead as it ever gets. Only ten QSO's were made in an hour.

The following day they rang up 366 QSL's in 34 nations before their power failed. Switching over to the car battery, they racked up another 27 contacts. During the several days of the DX'pedition, which also saw antenna system problems and several days of lackluster band conditions, they totaled out to 975 contacts.

In all, it was an exciting trip and some lucky people ended up with very rare wallpaper from this Lesotho activity. If you weren't one of those, we are presenting one in this issue for your enjoyment. Thanks to Mark, of the WR group, for sending it to the column.

A letter from John Morehouse, of Healdsburg, CA advises that he drove up to the top of a local mountain and was having some CB contacts. He got to chatting with a station and learned that both were Registered Monitors (John is KCA6UJ). The other station operator was Peter, Registered Monitor KCA6WQ. Further comms revealed that both were computer fans, both were BBS members (John is the sysop of a BBS), and both had graphics capabilities on their MS-DOS computers.

Peter then called up John's BBS and sent his QSL in the .PCX format. John returned his own QSL to Peter the same way. John wonders if anybody else has exchanged QSL's this way. John's BBS is the *North Coast BBS*, which operates 9 PM to 6 AM (Pacific). The number is (707) 894-9432. His AD is P.O. Box 1225, Healdsburg, CA 95448.

### Freeband Comments

Now that it looks as though we have received most of the response we are going to get regarding Freebanding/Outbanding, as discussed last December, we can draw several conclusions. Those who support the unauthorized hobby comms between 27.405 and 27.995 MHz are enthusiastic, but the nucleus of activists who are willing to go out on a limb to fight on its behalf, while articulate, just seem far too few in number to give any real muscle to the fight to get it legalized.

Those who are against Freebanding appear to be primarily persons who aren't actively involved in any two-way communications between 26.5 and 28.0 MHz. Most of the mail we received came from those who operate only on the authorized CB frequencies, and who are indifferent to the situation, not seeing it as a problem that relates to their interests.

This is the result of a strictly unscientific survey of the comments that have come in since December.

Summing up a representative viewpoint



A look at the neat shack of Eddy, SSB-77D, who checks in from Canada's New Brunswick. The rig is an SBE Console II. There's also a PRO-2011 scanner on duty.

on behalf of the Freeband cause was a letter from Rick, WR-309, who is a MARS operator with the U.S. Army in Germany. He doesn't consider Freebanders/Outbanders as being outlaws or frequency squatters. He notes that the FCC has spent 25 years and lots of money in a failed attempt to "police" Freebanders. The only realistic and logical alternative would be to get a handle on the band by establishing a "Super-CB SSB" service there.

Rick has operated there for eight years, running 30 watts PEP. He has made 2,200 contacts around the world. Only once has he come across a rude operator. Only once did a military station ever come up on frequency, call QSK, and request that Rick QSY—which Rick quickly did, and without any argument.

Rick's suggestions are that operations should be permitted, without licenses, between 27.415 and 27.995 MHz, 30 watts PEP, in AM/SSB/FM/CW, no restrictions on communications distance.

### British Columbia Channel Guide

Greg Arens, Mission, British Columbia, passes along some information in channel usage in his area. He notes that Channel 9 is not being monitored as an emergency frequency, so far as he is able to determine. If you've got a problem on the highway, your best bet is to seek help on Channels 1 or 11. Truckers and vehicles chatter on Channel 1 in BC, and in Washington State they prefer Channel 18.

Popular AM stand-by channels are as follows. Lower mainland on Channels 12 and 19; Central Fraser Valley on Channels 3A (26.995 MHz), 12, 21, and 25; Upper Fraser Valley on Channels 1 and 21. Cussin', swearing, fighting, and general idiot activities are on Channel 21 in most areas.

Civilian patrols, search/rescues take priority on Channel 23.

SSB operations are on Channels 15, 16, 17, and from 31 through 40. SSB calling

channels are 16-Lower and 32-Lower. Gentlemen's agreement in effect, SSB'ers and AM'ers stay off one another's channels.

Freebanding most popular on 27.415, 27.695, and 27.995 MHz, LSB mode predominates.

### Reader Question Box

Mort, of The Dalles, OR pleads, "Don't tell me I'm crazy, but there's water oozing out of my RG-8/U that runs from my base station antenna into the shack. Where's it coming from, how do I get rid of it, and what harm is it doing?"

You're far from crazy, and this isn't too uncommon a problem. Depending on just how you make your connections to the antenna, you're quite likely to have a situation where rain water can drip or run into the antenna-end of the coax, and by capillary action plus gravity, work its way down a 100 ft. length of coax and into the shack.


Once you've discovered the problem, plan on discarding the coax. You'll never get all the water out, and it's detrimental to your rig's operation because it is changing the characteristic impedance of the coax. In the case of foam coax, the line's loss is probably increased greatly. Also, corrosion in the shield of the cable is a foregone conclusion with the passage of time.

When you install the new cable, use a sealant (like GE Silastic bath tub caulk, or equivalent) to thoroughly seal the end of the coax and even coat the antenna terminals. In the case where you use a coax connector at the antenna end, use the caulk to seal the connector to the coax and then seal the cable's connector to the antenna's connector after you've securely tightened it with pliers. That should keep it dry.

A popularly asked question came in from Barry "Mumbles" McGuire, of Topeka, KS. He tells us that his CB rig has a Noise Limiter (NL) and also a Noise Blanker (NB), and he's curious as to what difference (if any) there is between the two.




**MIKE COOK** UNIT 223  
PO BOX 915  
DALHOUSIE N.B. CANADA  
E0K 1B0



TO STATION	CONFIRMING QSO					
	DAY	MONTH	YEAR	TIME	RADIO	ANT. MHz

An attractive QSL from Mike Cook, Unit 223, of Dalhousie, New Brunswick. Mike enjoys reading about ocean liners, and his QSL shows the famous old liner S/S Normandie (burned 1942). Thanks to SSB-77D for sending in this QSL.



"Since 1967"

Registered Monitor

# KCA6WQ

Peron Conrad Czumalesky

To: *KB6BUE*  
I monitored you/Mc had a QSO on  
Date: (in UTC) *12/02/90*  
Time: (in UTC) *09:33*  
Freq: (in MHz) *Chan 32*  
SINPO: *A-7*  
Comments: *Nice signal from St. Helena.*

Equipment:

EF/HF: NR-101  
CR. TRC-432 "Navaho"  
VHF/UHF: BC 1474LT

Antenna:

3M Dipole/2 Long Mees  
CROSSBOW  
DISCONE

Here's a QSL from Registered Monitor KCA6WQ that was sent via a computer BBS. Does anybody else have similarly sent QSL's?

51

# 142 WHITE RHINO ~~Ø~~ A

## INTERNATIONAL DX'PEDITION

73



88

TO: PC OPER: CB SECTION  
 QSO ON: 16/12/90 AT 1 H. 1 LST  
 FREQ: 27.600 USB. QRM QSB  
 YOUR SIGNAL: 1 READ: 1  
 QSO WITH: MARK / NICO / TINA

EQUIP USED:  
 RX/TX: ICOM-730  
 PWR: 100 WATTS  
 ANT: 2 ELE QUAD  
 P.S.U.: IC - PS - 15  
 ATU: MFJ-962 C

PROG. NO:  
1 / 1 / 1

# GREETINGS FROM REPUBLIC OF LESOTHO

55

You don't see many QSL's from the rare DX country of Lesotho. Here's one from the only DX'pedition we have ever known to travel to this nation.

### Scanning VHF / UHF (from page 72)

the February edition about erasing memories on a Uniden Bearcat 205/200XLT. Al mentions that the only thing about that procedure was that it erased all the memories. On his Radio Shack Realistic PRO-2006, Al erases a frequency from a memory by programming in a single zero into the channel he wants erased. He simply programs in a single zero and then hits "enter"; the radio will not accept more than one zero. Al wondered whether this trick for his PRO-2006 would work on a Uniden scanner so that the entire memories would not be wiped out. Well, I gave it a try and it wouldn't work. But knowing the experimenters that are around out there, maybe someone will figure out something along these lines.

From Wixom, Michigan, Richard P. King writes to say he recently bought a Uniden Bearcat 210XLT. He said he wants to monitor DX communications in the 30-50 MHz band, especially the US military in Saudi Arabia. He asked what type of antenna would be needed. The best set up for pulling in some low-band skip would be to start with a VHF low-band ground plane tuned for the

specific area you want to search (preferably 30-40 MHz). It also should be noted that probably only the most experienced of scanner listeners will be able to snag reception of military units in the Middle East. You'll do better trying to tune in military units here in the United States. For instance, I often hear DX military stations and aircraft in the 32 and 33 MHz ranges, some right on top of frequencies used by fire departments across the nation. If you wanted to zero in on low-band signals, you could put up some directional antennas for such low frequencies would prove to be quite sizable.

Ira Paul of Oak Park, Michigan, says that the police in Southfield, Michigan, a Detroit suburb, have started using new frequencies. The new frequencies are: 424.325, F-1, main; 424.025, F-2 surveillance; 423.825, F-3; 423.975, F-4. Southfield Fire Department continues to use 460.600 and security at Northland Mall uses 464.575. Ira also reports hearing a large amount of Drug Enforcement Administration traffic on 418.900 in the Detroit area at all hours of the day. Ira uses a Uniden Bearcat 210XLT to monitor.

An NL is a fairly simple device or circuit that "levels off" certain types of quick noise pulses. It works in the audio portion of the receiver and does a reasonably good job on some pulse noise, but has a tendency to create distortion at higher volume control settings.

A NB is a sophisticated circuit that also acts on pulse-type noise, but does its job much earlier in the receiver circuitry (before the IF selectivity is introduced). What the NB does is sense the presence of a strong noise pulse and sort of shut down the receiver for the duration of the pulse. When the pulse has passed, the receiver is turned back on. This creates a "hole" in the signal that is inaudible, and so brief that you don't even miss what was removed. It does an excellent job of cutting into noise, and the distortion is low.

It's really unnecessary for a receiver to have an NL when it has a NB, since the NB is superior and has always seemed to me to handle any of the NL's assigned tasks. Maybe some manufacturers figure that noise is so odious that you can never have enough circuitry on hand to chase it down.

About NB's and NL's in general: They are only going to work on impulse-type noise such as ignition noise, plus some types of power line noises and static crashes. They aren't going to eliminate background noise from a weak signal, nor will they eliminate most atmospheric noises. The reason is that the NB/NL circuitry can't tell the difference between the desired voice signal and certain types of noises, therefore it can't effectively eliminate one without also knocking out the other. Only the human ear can do that.

That's about it for this time. We'll be looking forward to your QSL's (including DX), shack photos, CB news, comments, and questions. See you down the log. Seventy-two and over to you!

1-800-666-0908

Shortwave Radios—New 1991 Models

From: **SONY**

Sangean • Grundig • ICOM • Yaesu • JRC  
 Scanners From Uniden Bearcat and AOR  
 Low Discount Prices—Full Line Of  
 Accessories

Lentini Communications, Inc.  
 21 Garfield St., Newington, CT 06111  
 Orders And Pricing Only: 1-800-666-0908  
 Tech Help And Info: 203-666-6227



CIRCLE 67 ON READER SERVICE CARD

**QSL Kit** Our SWL Multi-language reception report forms and special audio cassettes will help you get QSL's easier. Particularly great for foreign language reception reports!

Each kit contains:

- twelve 20-minute cassette tapes
- twelve special DX labels
- twelve padded mailers
- complete instruction sheet
- twelve Multi-language reception report forms



For Prompt  
 Shipment  
 Send  
**\$17.95** to:  
 plus \$3 S&H

**QSL Kit**

738 Walden Hills - Murray UT 84123

# CLANDESTINE COMMUNIQUE

## WHAT'S NEW WITH THE CLANDESTINES

There's a lot of confusion surrounding the anti-Iraq clandestine, the *Voice of Free Iraq*, extending even to the name, since it's often also referred to as the Free Voice of Iraq. The station went on the air on January 1, initially using 9570, 15600 and 17940. The trouble is that Radio Baghdad was also reported to be using the latter two spots, running in parallel with 11990 and 6055, both former Radio Kuwait channels. The situation is further confused by the fact that the Voice of Free Iraq is said to use some of the same theme music as Radio Baghdad (called "Baghdad, O, Baghdad"). The schedule for the clandestine is said to be 0330 to 0800 or slightly later, and approximately 1430-2000 using all three frequencies. The 31 meter channel is often reported to be 9569. Tim Johnson of Illinois says he hears both stations on 15600 and 17940, with Baghdad running parallel on 6055 and 11990. Sheryl Paszkiewicz reports the clandestine on 17950//15600 at 2250 with Arabic singing, some talk, and some jamming. Harold Sellers of Ontario noted them on both frequencies at 1957 to apparent sign off at 2003.

Hans Johnson of Maryland, reporting to the *Fine Tuning* bulletin says the station is now announcing 9570, 15600, 15630, 15665 and 17920 and saying that it would soon go to a 24 hour a day schedule. Johnson also heard the station slip up when an engineer played the Radio Cairo news theme at the end of a newscast. So that certainly indicates the broadcasts originate at the studios of Radio Cairo.

As yet we don't know who is running this particular show. But broadcasting is said to be a CIA psywar operation conducted against Iraq, in cooperation with the Pentagon.

The station of Jonas Savimbi's UNITA guerrilla forces, *The Voice of the Resistance of the Black Cockerel*, has been received quite well in North America recently. In Wisconsin, Sheryl Paszkiewicz noted them with an experimental broadcast on 15500, beginning with a sign on procedure at 2050 which included their rooster crow IS, announcement, anthem and ID. All in Portuguese. We found the station also on 7100 from tune in around 2200, apparently in a local language then, but switching to Portuguese at 2230. Reports say that this station's transmitters are now all within Angola. And it would seem some higher power has also been added.

R.C. Watts in Kentucky, notes that the anti-Beijing *Voice of June 4th* is actually listed in the 1991 *World Radio TV Handbook*, which doesn't usually mention clandestines. The listing is included as one of the program networks of the Broadcasting Corporation of China in Taiwan, aired as part of BCC's First Network. The June 4th schedule is given as 0250-0340 on 7250, 0615-0700 on 7150, 7250 and 11905; 0915-0955 on 7150, 7250 and 11905; 1030-1300 on 7150 and 7250, 1630-1830 on 7150 and 11905, 2255-0020 on the same three frequencies. There's also a broadcast on 15280 at 2100-2200. This is all in Chinese, of course. R.C. heard the 7250 frequency in operation at 1115 with a very good signal.

Paszkiewicz heard the anti-Castro *La Voz de Fundacion*, via WHRI at 0156-0230 on 7315 in Spanish with talks about Cuba, an ID and a song about "liberidad". This is scheduled Tuesday through Sunday at 0100-0400. Try 9495 also. Reports are verified and can be sent to 1174 Clarkson Road North, Mississauga, Ontario L5J 2W2, Canada.

It took just over a year, but Aris Giannarelis in Greece finally got a QSL from what's likely the longest running of the current crop of anti-Castro stations, *La Voz del CID*. This one is worth the wait, though, as it's a very attractive red, white and blue QSL card. CID has several addresses, the most reliable being Cuba Independiente y Democratica, 10020 SW 37th Terrace, Miami, FL 33165. Others are Apt. Postal 8130, 1000 San Jose, Costa Rica; PO Box 6019, 08080 Barcelona Spain and Apt. Postal 26843 el Marquez, Caracas, Venezuela.

The current edition of the *NSFL News-report*, published by the National Front for the Salvation of Libya, there's a schedule for their station, *Voice of the Libyan People*: 0400-0600 and 1600-1800 on 11825 and 1900-2100 on 9450. These times are different from the last reported schedule and 9450 seems to be a new frequency. Some frequencies used previously (such as 15700 and 9490) have apparently been dropped.

Another clandestine which can often be heard in North America is the *Voice of Unity*, the anti-Afghanistan government station operated by the Mujahadeen guerrillas. Try 17540 and 15685 at 0130-0215 and 1515-1615. Also 15100 and 15685 at 1200-1215. If you can dig a reply from these folks you'll get a very nice QSL card. The address is PO Box 2605, 2000 Hamburg 60, Germany.

Thanks to those who sent in reception notes and other information this time. We appreciate receiving whatever you may be able to contribute on this subject, whether it's loggings, address information, schedules, background on stations or groups, news clippings and so on. We can protect your identity if you wish.

Until next month—good hunting! ■



**LA VOZ DEL CID**  
Cuba Independiente y Democrática  
CERTIFICADO DE SINTONIA

A \_\_\_\_\_ SR. ARTISTES GIANNARELIS \_\_\_\_\_

QUIEN NOS SINTONIZO EL DIA \_\_\_\_\_ 10-11-89 \_\_\_\_\_

DE LAS 21:45 GMT. A LAS 22:40 EMISORA: LA VOZ DEL CID

EN LA BANDA DE \_\_\_\_\_ 25 \_\_\_\_\_ MTS. FRECUENCIA 9940kHz

**"LA VOZ DE LA RESISTENCIA"**

*La Voz del CID's attractive red, white and blue QSL card, courtesy of Aris Giannarelis, Greece.*

## TVRO-Satellite Radio


**B**roadcast band DX'ing is DX'ing in its oldest form. As late as the early 60's, when I started my radio career, broadcast band DX'ing was still popular. My first radio was a table top, 5 tube AM radio that tuned 530 to 1590 kHz. Many of the country's oldest radio clubs like Newark News, were at one time based solely on broadcast band DX'ing. Broadcast band DX'ing has finally come of age. Broadcasters, not only AM, but FM and Shortwave as well, are using satellites to beam their signals nationwide. If you are TVRO equipped you will want to investigate these DX possibilities.

Signals from AM, FM, FM Stereo or Shortwave stations can be attached to TV satellite signals in the same way that the TV program's audio signal is attached to the video transmission. For example, the A TV Satellite's transponder has a baseband (usable frequency space) of approximately 10 MHz. The first four MHz are used to transmit the video information for the TV program on that particular channel. The audio for the TV program is attached, let's say, at 6.2 MHz in the baseband. The audio, of course, can be placed anywhere between 5 and 9 MHz. If you will take a look at the transponder diagram that is shown, you will see there is plenty of room left for additional audio subcarriers. This means that you can attach a stereo signal from an FM radio station, a network news feed, AM or shortwave broadcast or sports event as a subcarrier. This is the way the nationwide rock shows and concerts are carried. Several international Shortwave broadcasters such as Radio France International can be heard on satellites with no additional equipment, simply tune through the audio sections of each transponder and tell me what you find. I have included a partial list of radio stations you can hear on the satellites.

### Mobile Satellites

In the not too distant future there may be a whole new satellite system in space that will carry radio programming. Though it is

Satellite	Channel	Program	Sub-carrier	Location
Anik D1	8	CFHI Toronto	6.80 MHz	104.5°W
Anik D1	8	CJCL Toronto	7.80 MHz	104.5°W
Anik D1	11	CBC	6.12MHz	104.5°W
Anik D1	17	CBC FM	6.17MHz	104.5°W
Anik D1	18	CIRK FM Edmonton	7.78 MHz	104.5°W
Anik D1	18	CJFW British Columbia	6.48 MHz	104.5°W
Anik D1	18	CKER Edmonton	7.38 MHz	104.5°W
Anik D1	20	CBM FM Quebec	7.38 MHz	104.5°W
Anik D1	21	CKMN FM Quebec	7.38 MHz	104.5°W
Anik D1	22	CFMI British Columbia	6.80 MHz	104.5°W
Anik D1	22	FBU AM Vancouver	6.80 MHz	104.5°W
Anik D1	22	CBU FM	5.76-5.94 MHz	104.5°W
Anik D1	23	VOCM New Foundland	6.17 MHz	104.5°W
Anik D1	23	CHON FM Yukon	5.41 MHz	104.5°W
Anik D2	11	Smi-classical music	6.80 MHz	110.5°W
Anik D2	17	Semi-classical music	7.56 MHz	110.5°W
Anik D2	20	Semi-classical music	6.43 MHz	110.5°W
Satcom 1	7	KSUN FM Monterey CA	5.76 MHz	139°W
Satcom 1	7	KKJZ LA	5.58 MHz	139°W
Satcom 4	8	Tidewater radio	5.58-7.76 MHz	82°W
Satcom 4	19	Top 40	5.58-7.76 MHz	82°W
Satcom 4	19	R&B	7.38-7.56 MHz	82°W
Satcom 5	24	KSKA FM Alaska	7.38-7.56 MHz	143°W
Morelos 1	2	Radio Mexico/Spanish	6.8 MHz	113.5°W
Westar 5	18	SBN Pittsburgh	7.38-7.56 MHz	122.5°W
Spacenet 1	17	KISN Utah	7.5 MHz	120°W
Spacenet 2	20	Radio France	5.8 MHz	69°W
Spacenet 3	3	WROL Boston	6.12 MHz	87°W
Spacenet	3	Irish Music	6.12 MHz	87°W
Spacenet	5	Pan Am Spanish	6.16 MHz	87°W
Spacenet	5	Sun Radio Network	6.80 MHz	87°W
Spacenet	5	USA Radio net	6.48 MHz	87°W
Spacenet	9	National Black Network	6.3-6.48 MHz	87°W
Spacenet	9	Country Music	5.76-5.95 MHz	87°W
Spacenet	15	Radio Sedeje Iran	6.16 MHz	87°W
Spacenet	15	KKJZ LA	5.58-5.76 MHz	87°W
Spacenet	15	Financial News	6.3-6.48 MHz	87°W
Galaxy 1	3	WFMT FM Chicago	6.3-6.48 MHz	134°W
Galaxy 1	3	TNNR Nashville	7.38-7.56 MHz	134°W
Galaxy 1	7	CNN News	6.30 MHz	134°W
Galaxy 1	11	CBN Radio Network	6.30 MHz	134°W
Galaxy 1	15	WQXR New York	6.3-6.48 MHz	134°W
Galaxy 1	15	Greek Radio	7.33 MHz	134°W
Galaxy 3	11	KOA Denver	8.55 MHz	93.5°W
Galaxy 3	11	Big Bands	5.58-5.76 MHz	93.5°W
Galaxy 3	11	Light Rock	5.94-6.12 MHz	93.5°W
Galaxy 3	11	Jazz Radio	7.38-7.56 MHz	93.5°W
Galaxy 3	11	Oldies station	5.22-5.40 MHz	93.5°W
Galaxy 3	23	WRUL FM Virginia	7.38 MHz	93.5°W
Galaxy 3	24	C-Span/BBC	5.22-5.40 MHz	93.5°W
Galaxy 3	7	Acts Radio Network	6.3-6.48 MHz	93.5°W





General Instrument's 2650R VideoCipher II integrated receiver/descrambler. It provides easy to understand messages on the TV screen to show exactly how the satellite system is functioning.

designed for use in automobiles, hobbyists will no doubt find a way to listen in. According to a new 190 page research study published by International Resource Development, Inc., new technology based on low-earth-orbit (LEO) satellites will be in commercial operation in the US by 1994. This new system would provide mobile telephone, messaging and position-determination services. Because they will be so close to the earth's surface, these LEO spacecraft will eliminate the irritating ½ second delay we now experience with geostationary communication satellites. The new mobile telephone service will provide the automobile driver with new services not offered by today's cellular systems, including a position-determination map following capabilities. Eventually these services would beam high fidelity radio programs from the satellites. These could be received nationwide and without fading or the gaps in coverage. Eight companies have made application to the FCC with proposals for the new satellite system. Two of the companies making proposals are Unisys and Motorola. The Motorola plan calls for a network of 77 LEO satellites to provide world-wide telephone and positioning services. Orbcomm/Starsys and the Radio Satellite Corporation are offering a determination service and a radio

programming service respectively.

The position-determination service would display maps and position information on a small video monitor on the dash. Federal safety officials are concerned that this could cause more auto accidents due to the driver being distracted. Current equipment design will allow the system to be used only when the car is stationary. One other solution calls for a "heads-up" display similar to those used in fighter aircraft, where the video information is displayed on the inside of the windshield.

International Resource Development Inc., expects five additional services to develop as the system becomes operational. These include automatic downloading of map information by the satellite; local traffic information automatically fed to the map display; highway detours, road conditions and location of accidents fed to the display; messaging or data transmissions links to national electric mail networks and dispatch of emergency vehicles based on messages generated automatically by the same signal that inflates an air-bag.

Motorola plans to provide world wide coverage by placing 77 satellites polar orbit. Each orbital plane will have 11 satellites in it, spaced evenly, one following the other.

Seven such planes will be placed approxi-



The ESR 1024 from RL Drake is an integrated Earth Station Receiver with a VideoCipher II descrambler equipped system.

mately 51° apart. It looks as though we have "Satellite Telephones" in our future.

Well, it looks like the cycle is complete. The military, amateur radio and now commercial satellite operators have seen the virtue (and cost savings) of operating inexpensive LEO satellites. The military postponed its Milstar satellite project due to cost overruns. AMSTAR, the Amateur radio project was postponed while the Packet and LEO satellites were developed. Commercial interests have also been trying to develop a geostationary mobile satellite system. Again the LEO satellites have made a strong comeback. I say comeback because the LEO satellites had been abandoned by almost everyone except the Soviets several years ago. The LEO satellites in Polar orbit have an additional advantage. The ground station equipment can be simple and, therefore, less expensive.

Are you looking for information on how to install or troubleshoot a TVRO system? If so, you will be interested in this new and revised 3rd edition of *The Satellite TV Installation and Troubleshooting Manual*. This 326 page 8½" x 11" format book contains over 300 illustrations, photos and tables. This new revision by Frank Baylin and Ron Long includes two new chapters. Any questions you can think of and most that you haven't thought of yet will find answers in this volume. A free catalog of Baylin Publications can be obtained by writing Baylin Publications, 1905 Mariposa, Boulder, CO 80302.

## PC SWL \$99.00

### A Complete Digital Reception System

PC SWL contains the hardware, software, instructions and frequency lists needed to allow you to receive a vast variety of digital broadcasts transmitted over shortwave radio with any IBM PC or Compatible computer. The product consists of:

- Demodulator**
- Digital Signal Processing Software**
- 80 Page Tutorial Reference Manual**
- World Press Frequency List**
- Tutorial Audio Cassette with Samples**

PC SWL automatically decodes Morse code, Radio Teletype, FEC (forward Error Correcting Code), SELCAL (Selective calling transmissions), and NAVTEX.

#### ADVANCED FEATURES:

- Tuning Oscilloscope
- Digital Waveform Presentation
- Auto Calibration and Code Recognition
- Continuously Tunable Filter Frequencies
- Variable Shift
- Adjustable CW Filter Sensitivity
- Farnsworth Code Compatibility
- Unattended Capture and Printing

**Software Systems Consulting**  
**150 Avendia Cabrillo "C"**  
**San Clemente, CA 92672**  
**(714) 498-5784**

CIRCLE 73 ON READER SERVICE CARD

## THE EXCITING WORLD OF RADIOTELETYPE MONITORING

**D**uring my college years, I worked as a copy boy at a local daily newspaper. One of my tasks was to bring AP and UPI teletype copy from the teletype room around to several editors.

During the Christmas season, the AP and UPI teletype operators trumpeted the occasion by sending graphics-like artwork that were designed using only letters and punctuation marks.

Seasonal items such as burning candles, Christmas trees, and Santa Clauses were depicted. Each drawing was about two or three feet long, because the teletype machines were set for double spacing. The artwork was hung on the walls of the newsroom to add to the cheer of the season. One had to stand back several feet from the teletype copy to see the pictures clearly. Some drawings were very imaginative and undoubtedly took considerable time to produce.

I reminisce because last December 28, while viewing RTTY transmissions from the French Embassy at Fort de France, Martinique (18033.5 kHz, ARQ6-90/200), I saw a character-based drawing on my printer. It reminded me of that AP and UPI teletype art. The embassy transmission was somewhat garbled, but it was obvious that a calendar for 1991 was being printed. It had the names of the months in French with the first letter of the days of the week, and the dates, which came out as letters because I didn't press the button that would've produced numbers.

Below the calendar appeared to be a large "1991" produced graphically with characters. It was badly distorted, as was the supposed picture that appeared atop the calendar. I squinted a long time at the picture, but could not make out what it showed. I had failed this RTTY Rorschach Test. The embassy sent the calendar a second time. It too was garbled. I include both transmissions here (Figures 1 and 2) so that you readers can possibly determine what the picture is supposed to be. Each is garbled differently, which may, or may not aid your efforts.

Last month, I mentioned logging a supposed US Navy station on 16619 kHz sending RY's and a string of letters that repeatedly led to encrypted text. Shortly after mailing the column to the POP'COMM office, I found another such station operating on 18041 kHz at 1912 UTC. The 75-baud transmission frequently saw RY's followed by "VVMGTCNJBH," the same letter string as reported last month, in front of encrypted text. The mystery of this type transmission continues. Fred Hetherington of Florida reports the same type of activity on 16936.9

```

RYRYRY FDFE 000
PP CC
WW WW WWWWWW WWW WW WW WWWWWW WW WW WW
WAN WW WW
WWWWW WW WW
W WWWWW WW WW WW WW WWWWWW WW WWWWWW
WW WW
WW WW WW WW WW WW WW WW WW WW WW WW WW
WW WW WWWWWW WWW WWWWWW WWWWWW WWWWWW
AAAAAAA
      NAAYWWWWWXXXXX,
      NAAYWWWWW---- WW-----9WWW,
      NXKWWWWW-- NYWWW-- OW.
      NWPT-----7-WWWL,-- NWWT (KW)
      YWF-- SAOWWWW' 'UWWW-T' WWW'

2
WF      NOWW----. ANA
K (W, CSEWWWWWWWWWP--
SOWW NANAWWWWWWPC-YWWW39WWE--7----WWWWWP--
SLA WWWWWWWWWWWW9W-L-
      NOWWWW--WWWX-YW
      ,----YWWWPPWWWXXXXX79WWW
SOWWWWWWP-/2222222) SUOWWWF'
      OWWWAW^ YHXXW922-TWWWWW 7--
      KWWWP' WW-7) XF--9) SAWWWWWW,
SWWF ,WE--W-WF 'W. ASST79/79WWL
      ' YWWWWWWWC, SON SUW
      WWWWWWX--W, KL
      KWWWWWWAE L ANWWWXXXXX) (XWWWTCW)
      YWWWWWW' NWWT' NW
      NWWWNNNAWWP' NNYWWP
      ,WWW) WWWI9WC---WWW
      NWWW) W: 9WWW
      NYWWW) (WWW--7--
      NNWWW,
      NWWW-9W--9W--7--FWWW: WWW-
      N SOX, AAAADWWW
YT      7TX. AEWWWW/WWW
EC-AAAAAP9-- NNAF-----WWW9WWW
WWC: SOX9W-7WWW9W
YWWWL, UL7W/T7WE- UWL
: WWWL. OLOL (F-3WWW)
KW----9WC-'-----'--7--9W9WWWXL7,9' 'WWW
SUWL- AUADX-- AWX-/7-7WWW3L7WWW
79XL, SAUDWX-L-- UWXP-9X--79WWWSSWWW
AUOXL- SALAASSAAAEW, SWWWW
A--- AALDWWW9P9-YF220, WWW
      SAUASSAAM (W) SUL/WWW
      -7A8AAAAANAAYWWWX,
      SAAACWWWWC'222: '9-
      EWWW--W'7XL3W
      YADWWW92: : ' Y) ANWWW
      ,F'7) ASST' ADXL--E-YWWW
      V WVE--3W2222220-
      NWWW
      SOWWWW
      ACEWWW9W-----
UTS
WW WW WWW WW WW WW WW WW
  
```

Figure 1

kHz at 1400, although he says the 100-baud transmission saw RY's followed by "GTCNJ," which is found within the letter string I logged.

### RTTY Intercepts

- 4462:** WLO, Mobile R., AL, w sked for various types of wx rpts, FEC at 0307. (Jerry Domokur, OH)
- 5393:** FDY, French Air Force, Orleans, France, w RYRY, le bricks & 10 count, 50 baud at 0244. (Domokur, OH)
- 5947:** "TWHS" w RYRY to "OWV4" at 1116, 50 baud. (Kevin Tubbs, Germany)
- 6330:** CFH, Canadian Forces Meteo Center, Halifax, NS, w coded wx at 2330, 75 baud. (Domokur, OH)
- 6805:** SOG280, PAP, Warsaw, Poland, w RYRY & CQ, at 2350, 50 baud. (Domokur, OH)
- 6848:** SOG284, PAP, Warsaw, Poland, w nx in E.E, 50 aud at 0026. (Manthey, NY)
- 6992:** C/S's IEN21/36/37/39 seen at 1144, 50 baud. (Tubbs, Germany) Thanks for the printout, Kevin.

- It showed RYRY + "IEN36 de (garbled ID)," "IEN21 de IEN37," & IEN 39 de IEN21." IEN21 is the Italian Army. Padova, Italy; IEN36, is Gorizia, Italy. I find no listings for IEN37/39—Ed.
- 7331:** USAF MARS stas AFA2OV & AFA2TS in 2-way comms, 300-baud packet at 2359. (Domokur, OH)
- 7345:** "FOW" + RYRY at 2031, 75 baud. (Tubbs, Germany).
- 7428:** Telam, Buenos Aires, Argentina, w nx in SS, 50 baud at 0006. (Domokur, OH)
- 7512:** XVH69, Ho Chi Minh Ville Meteo, Vietnam, w RYRY, 50 baud at 1211. (Manthey, NY)
- 7541:** VER, Canadian Forces, Ottawa, ON, w encryption, ARQ-M2/96, channel A, at 1120. (Ed.).
- 7980:** Y3L, Nauen Meteo, Germany, w coded wx, 100 baud at 0018. (Domokur, OH)
- 9070:** 6VU, ASECNA, Dakar, Senegal, w aero wx at 0250, 50 baud. ("Bunky," IL) Actual c/s is 6VY50—Ed.
- 9994:** CSY, Santa Maria Aero, Azores, w aero wx, 50 baud at 0245. ("Bunky," IL) Same sta hrd at 0647. (Paul Scalzo, PQ) The c/s here is CSY65—Ed.



# Secret Frequencies

## The Remote Computer Scanning System™

Turn those hours of manually searching for secret frequencies over to RCSS™. The RCSS™ significantly enhances the ICOM™ R7000 receiver capabilities by providing automated PC control over receiver scanning & memory functions.



Demo Version Available

### Features

- Automatic detection and storage of active frequencies & other info while scanning.
- User specified Tuning Steps from 10-100 MHz.
- Scan Mode, Class of Service, or Type of Unit.
- Scanning resumes upon loss of carrier.
- Memory capacity: 1,000 frequencies.
- Monitor half-duplex communications.
- Mouse/Keyboard driven graphic user interface.

### SYSTEMS & SOFTWARE

4639 Timber Ridge Drive, Dumfries, VA, 22026-1059 USA  
(703) 680-3559, Fax: (703) 878-1460. RCSS™ is available for both IBM compatible & Macintosh computers.

CIRCLE 75 ON READER SERVICE CARD

## G5RV All-Band QuickKits™

created by Antennas West Box 50062, Provo, UT 84605

<ul style="list-style-type: none"> <li>• Fast &amp; Easy to Build</li> <li>• Full-Size visual instructions</li> <li>• No measuring or cutting</li> <li>• Everything included</li> <li>• Finish antennas in minutes</li> <li>• Quality Components</li> <li>• Presoldered Silver Fittings</li> <li>• Kinkproof QuietFlex wire</li> <li>• Fully insulated, wax sealed, no-corrode, low noise design</li> <li>• Tune All Bands Incl WARC</li> <li>• Build your own from scratch. Order TechNote #124-C \$5.95 ppd USA</li> <li>Call 801-373-8425 for Tech advice</li> </ul>	<ul style="list-style-type: none"> <li>• Double Size G5RV \$59.95</li> <li>• 204 ft 160-10 Dipole</li> <li>• Full Size G5RV \$35.95</li> <li>• 102 ft 80-10 Dipole</li> <li>• Half Size G5RV \$25.95</li> <li>• 51 ft 40-10 Dipole</li> <li>• Quarter Size G5RV \$19.95</li> <li>• 26 ft 20-10 Dipole</li> <li>• Marconi Adapter kit \$ 7.95</li> <li>• converts any dipole to Marconi</li> <li>• 200' Daeron 250F line \$11.95</li> </ul>
---	--

Order Hot-Line: AS 55 P&H **1-800-926-7373**

CIRCLE 5 ON READER SERVICE CARD

## FREE CATALOG!

# 1-800-648-7938

### JERROLD HAMLIN OAK ETC

## CABLE TV

## DESCRAMBLERS

- Special Dealer Prices!
- Compare our Low Retail Prices!
- Guaranteed Prices & Warranties!
- Orders Shipped Immediately!

REPUBLIC CABLE PRODUCTS, INC.  
4080 Paradise Rd. #15, Dept. 119  
Las Vegas, NV 89109  
For all other information (702) 362-9026

CIRCLE 70 ON READER SERVICE CARD

## FREE SAMPLE COPY!

## ANTIQUE RADIO CLASSIFIED

### Antique Radio's Largest-Circulation Monthly Magazine

Articles - Classifieds - Ads for Parts & Services  
Also: Early TV, Ham Equip., Books, Telegraph, 40's & 50's Radios & more...  
Free 20-word ad each month. Don't miss out!  
Free Sample. 6-Month Trial - \$13.  
1-Year: \$24 (\$36 by 1st Class). Foreign - Write.  
A.R.C., P.O. Box 802-T6, Carlisle, MA 01741

```

R FDFE 00
22 WW WWWWWW WWW WW W WWWWWW WW WW WWWWWW WWWWWW
W WW WW WW WW WW WW WW WWWWWW WWW
WWWWWW WW W WW WW WW WW WWWWWW WW WW
W WWWW W WW WWWWWW WWW
WW WW WW WW W CW JW WW
WW WW WWWWWW WWW WWWWWW WWWWWW WWW WWW
WW WW WWWWWW WWW WWWWWW WWWWWW WWW WWWWWW
-----
XXXXXXXX,
AA AAAAAA NYWWWWP-- OWW.
-----WWWL, -- NWWWWWW T KWLL
SAOXXXXXX ' UXXXXX-T M
N (WWW) OWWW----, AANAWWF
(W, NANYWWW9C' '22
SOWW--, NANAWWWWWP-YWWW39WE--7-----WWW--
SUAWWWWWWWWP-WWWWWWW9WW-L-,
SAAW-WWWWXXXXXAW
,-----YWWWPWWWWWXXXXX79WWWXXXXX
'9WWWWWWWP-/WWWXXXXX SUO
OXXXXX- YHXW--TWWWXXXXX 7--'
KXWWP' WW-7) XF--9) SAAWWWXXXX
F WE--W- ' ASST79/79WWWL
' YWWWXXXXXWWW
WWWXXXXX--W, KL
KWWWXXXXXWWW-3) AAAAAAN
(WWW) XWWW T CW)
YWWWXXXXXWWW T NWWW T N
NWWWXXXXXWWWWP' NNYWWP
,WWWLWWWI9WWW----WWW
NWWWXXXXX WW:9WWW
NYWWWXXXXX(WWWW----7----
NWWWXXXXXWWWL7WWW3,
NWWW-9WP--9W-22222: WWW
NYP- NNSA SOX, AAAAAWWW-,
NWT -YT 7TX, AEWXXXXX/WWW ECAAP9-- NNAF-----
WWWXXXXX.
KWWWXXXXX: OX9W-7WWW9WW
YWWWXXXXX-L, UL7W/T7WE- EUWL
:WWWXXXXX-L, OL(L-F-3WWW)
KW----9WC'-----7-9WWP9WWWXXXXX7+WWWXXXXX,
SU AUAX-- UAWWWW AUOX-- UWWP-9WWW' WWW
AUOXL- SAUASAAAAEW, SWW, -9WWW WWWL
'-7----- AUWWP9-YP-9WWP, WWWXXXXX SAUAAA WWW) S
UL/WWWWXXXXX
SAANL-----,--WW,
NSAACXXXXXWWWDM
EWWWXXXXXWWW--W' 7XL3W
YGMWWWXXXXX-9WCCGANWWW
,F-F'7) ASST' ADXL--, -622220
--3W, NAWT, --, WWW
NWWWXXXXXWWWX WWWWWWXXXXXWP-
SOWWWWXP--
AOEWWW9WW----
SUAAT'
-T
WW WW WWW WW WW WW WW
WW WWTWW WW WW WW W WW
    
```

Figure 2

Abbreviations Used in The RTTY Column	
AA	Arabic
ARQ	SITOR mode
BC	Broadcast
EE	English
FEC	Forward Error Connection mode
FF	French
foxes	"Quick brown fox . . . "test tape
GG	German
ID	Identification/led
MFA	Ministry of Foreign Affairs
nx	News
PP	Portuguese
RYRY	"RYRY . . . "test tape
SS	Spanish
tfc	Traffic
w/	With
wx	Weather

EE, 50 baud at 1901. (Manthey, NY)  
**12325:** RDD72, Tass, Moscow, USSR, w nx in EE at 1923, 50 baud. (Manthey, NY)  
**13054:** UJY, Kalingrad R., USSR, w navareas in RR, 50 baud at 1632. (Ed.)  
**13415.2:** Un-ID idling in ARQ mode, 1651-1800, but occasionally sending selcals such as TVXS, TVKM, TVQS, TVKC, TVXK & TVXY. Might be an Egyptian diplo sta. (Ed.)  
**13560.4:** 3MA22, CNA, Taipei, Taiwan, w nx in EE, 50 baud at 1551. (Peter T., England)

**13580:** HMK25, KCNA, Jungsan, N. Korea, w nx in FF, 50 baud at 1300. (Manthey, NY) Correct c/s is HMF36—Ed.  
**13656:** XVMB, VNA, Hanoi, Vietnam, w msgs to Beijing & nx in EE/FF, 50 baud at 1015. (Hetherington, FL)  
**13660:** 5YD, Nairobi Aero, Kenya, w RYRY, 50 baud FDM at 1900. (Peter T., England)  
**13665:** 6VU73, ASECNA, Dakar, Senegal, w coded wx at 2250, 50 baud. ("Bunky," IL)  
**13737:** 5YD7, Nairobi Aero, Kenya, w RYRY at 2008, 50 baud. (Peter T., England), and at 2138. (Scalzo, PQ)  
**13752.5:** HZJ, Jeddah Meteo, Saudi Arabia, w RYRY, 50 baud at 2138. (Scalzo, PQ)  
**13842:** OBC, Lima Navrad, Peru, clg in order, LOL, HDN, & CCS, 75 baud after 0110. (Hetherington, FL)  
**13875:** MFA, Ankara, Turkey, w tfc in Turkish & FL msgs, 1912-2045, 75 baud. (Ed.)  
**13940:** CLP1, MFA, Havana, Cuba, w crypto after ZZZZ, 100 baud at 2009. (Ed.)  
**14367:** BZP64, Xinhua, Yuryumqi, China, w nx in EE, 75 baud at 1310. (Manthey, NY)  
**14370:** HZJ, Jeddah Aero, Saudi Arabia, w coded wx, 50 baud at 2149. (Peter T., England)  
**14370.5:** Un-ID w RSRs (instead of RYRY) & "DE ER ER ER," 50 baud at 1825. (Tubbs, Germany)  
**14462.5:** TNL, ASECNA, Brazzaville, Congo, w aero wx, coded & plaintext in FF, 50 baud at 2046. (Ed.)  
**14490:** RNK36, Tass, Moscow, USSR, w nx in EE, 50 baud at 1828. (Manthey, NY)  
**14497.5:** CSV66, Santa Maria Aero, Azores, w aero







# LISTENING POST

BY GERRY L. DEXTER

## WHAT'S HAPPENING: INTERNATIONAL SHORTWAVE BROADCASTING BANDS

The Gulf War had shortwave listeners tuning around for signals from Radio Baghdad. And it was certainly a challenge! The English language North American service wasn't heard on 11810//11830 where it last operated with start times that seemed to hopscotch between 0100-0300. The English language Voice of Peace, aimed at the U.S. military, was in operation only occasionally and probably at very reduced power levels. We heard from one serviceman in the Gulf who, armed with a Sony 2010, figured the schedule as 1100-1400 on 11860, 1700-1900 on 1135 mediumwave and 2100-2300 on 540 mediumwave. We had some reports of very weak reception at 1700 on 11860 and 15505 was reported in use, too at least briefly. Radio Baghdad in Arabic has been active on 6055, 11990 (both from Kuwait), 15600 and 17940. Tim Johnson of Illinois has heard it around 2100.

All of the international shortwave broadcasting bands seem to have had more Arabic than normal as world nations increase their radio output into the Gulf, along with broadcasts from Arab world countries. It's nearly necessary to be able to speak Arabic and have 24 hours a day available for monitoring in order to sort it all out.

Last time we mentioned plans for four or five new stations from Nicaragua and now the first of these has arrived. Radio Informaciones de Centro America (Radio RICA) has started up on 4901 variable, running from a sign on around 1155 to sign off about 0200, all in Spanish. The station's address is Altamira de Este de la Vicky, 6c al lago, Casa No. 381, Managua.

The civil war in Liberia knocked all that country's shortwave stations off the air, including the VOA relay. However, the multinational African peace-keeping force has put a station on the air with call letters ELBC, which once belonged to the official government station. ELBC apparently comes from a mobile transmitter and the power is probably fairly low. A few North American DX'ers have managed to pick this one up on 7275 when it signs on at 0759.

The changes continue at Radio Moscow. The latest is the end of or the coming end of the North American Service. Several sources report that this, along with other separate English language services, will be incorporated into the World Service. The station's winter season schedule still listed it as the North American service, however.

Radio Japan's own Sri Lanka relay came on the air on January 1. The initial schedule, for English anyway, is rather limited and not designed for easy reception here: 9535 at 1400-1500 to South Asia, 0100-0200 on 11840 to South Asia and 1700-



*These colorful walls filled with QSL's, penants, maps and etceteras belongs to Anthony Wermuth in Shelbourne Falls, Massachusetts who is a member of 11 DX clubs!*

1800 to Middle East and North Africa on 15210.

Another expansion for the growing Adventist World Radio—that's Radio Lira—in Costa Rica. The station is adding two—20 kilowatt and a pair of 50 kilowatt transmitters and will use frequencies in the 60, 49, 31 and 25 meter bands. At present, Radio Lira uses 5970 and 9725 between 2300-0400 and 11870 at 1100-1500.

The Italian private station, the Voice of Europe, is reported to have moved from variable 7540 and to now be operating 24 hours a day on 13710, though we've not seen any North American logs on this yet.

News reports indicate that the Gulf crisis brought a five-fold increase in the sale of shortwave radios. That's good news, but there's a downside. We're afraid that too many people who are trying shortwave are finding themselves short on information, and probably patience, too! If you know of people who are trying out shortwave, why not give 'em a hand and help them through the transition. Pass them along a copy of POP'COMM, give them some tuning tips, and help them get off on the right foot!

World Christian Broadcasting Corporation, which owns Alaska's KNLS, says that it has become the first religious broadcaster to have a weekly one hour radio program in the USSR! This is being aired on All Union Radio, Channel 1. Wonder if it's on shortwave, too?

THE MAIL: William Moser in Pennsylvania thinks he heard a speech by King Hussein over Radio Jordan. Bill says the Gulf crisis was "probably the first time in the 25 years I've been listening to shortwave that

nearly everybody's news agreed with everyone else's!"


Vince Garcia in Utah says that Radio Nacional de Chile was largely inactive during the last couple of months of 1990. It was on the air for New Year's eve and again to provide news coverage when the Gulf war broke out. Apparently there have been problems in getting funding from the Chilean congress which now have been resolved.

Vince invites Utah SWL's to join the Utah DX'ing Association. You can write to Vince at 417 North Cress Cr., Salt Lake City, 84116, for more information.

Mark Wilkerson of Corbin, Kentucky, wonders what happened to Radio Luxembourg's English programming on 6090. 15350 now offers English 24 hours a day, Mark. A Sony ICF-2003 received as a gift two years ago created a shortwave addict out of Mark.

Randy Bradford in Bellevue, Nebraska supplies us with a welcome shack photo. The equipment includes a Kenwood R-2000 and a Magnavox D-2999. Randy has about 85 countries in his log so far.

Like all those who return to SWL'ing after a long time away, David A. Gasque of Orangeburg, South Carolina has returned with a vengeance and is amazed at all the changes. Particularly striking, says David, are all the new stations and services (and some that have disappeared!) and increased



*This recent Radio Japan QSL was received by Andy Johns in Texas.*

number of out of band signals. See this month's loggings under Venezuela for the answer to your unidentified, David.

Ron Gillis in New Hampshire and Kevin Mead in Maine are celebrating QSL's at last from Radio Damascus. They even received copies of *The Syria Times* newspaper. Kevin continues to be frustrated by the lack of replies from Radio Yugoslavia.

Remember that we always welcome your shortwave broadcast loggings! Please list them by country, double or triple space between items and add your last name and state abbreviation after each item. Of course, we're always eager to have shack photos, spare (non-returnable) QSL's for use as illustrations, station schedules and brochures and what-have-you. We look forward to hearing from you often!

Here are this month's logs. Language is English unless otherwise indicated. All times are UTC.



Randy Bradford of Bellevue, Nebraska does his listening from this two-receiver shack.

Abbreviation Used in Listening Post	
AA	Arabic
BC	Broadcasting
CC	Chinese
EE	English
FF	French
GG	German
ID	Identification
IS	Interval Signal
JJ	Japanese
mx	Music
NA	North America
nx	News
OM	Male
pgm	Program
PP	Portuguese
RR	Russian
rx	Religion/ious
SA	South America/n
SS	Spanish
UTC	Coordinated Universal Time (ex-GMT)
v	Frequency varies
w/	With
WX	Weather
YL	Female
//	Parallel frequencies

**Albania:** Radio Tirana, 7205 at 0630. (Pellicciari, CT) 9500 at 0644 with "Music on Request." 9760 at 0230 & offer to accept commercials on Radio Tirana. (Carson, OK)

**Algeria:** Radio Algiers, 9535 at 0609 with announcer in FF. (Moser, PA)

**Antigua:** BBC relay on 5975 at 2300. (Moser, PA) 6195 at 1115. (Nichols, UT)

Deutsche Welle, relay 9545 at 0302. (Moser, PA)  
**Argentina:** RAE on 11710 at 0100; 0115. (Garcia, UT; Barry, CA)

Radio Continental, feeder on sideband, 9118 at 0440 in SS. (Bednarski, BC) (nominal 9115, editor)

**Armenian SSR:** Radio Yerevan, 7400 with news, apparent at 0254-0258. (Pellicciari, CT) (Rest of half hour is in Armenian, editor)

**Ascension Island:** BBC relay 7105 to West Africa in FF at 0635. (Nichols, UT) 15400 at 0650. (Moser, PA)

**Australia:** Radio Australia, 6060//9770 at 1430. 6080 at 1401, 9760 at 0820 and 11720//11820 at 1410. (Carson, OK) 9580 at 1131 and 1610. 9710 at 1610. (Nichols, UT) 21740 at 0311. (Bailey, AR)  
ABC Brisbane on 4920 at 1300 with news, apparent technical problem as off abruptly at 1305. (Johnson, IL)

**Austria:** Radio Austria International, 6015 (via Canada, editor) at 0538; 0553. (Nichols, UT; Bailey, AR) 9870 at 0130 with news. (Moser, PA)

**Belgium:** BRT, 21810 at 1405 with DX program. (Carson, OK) 1410. (Zamora, ND)

**Benin:** ORTB on 4870 at 0555 with IS, anthem and sign on. (Moser, PA) (Presume in FF, editor)

**Botswana:** Radio Botswana, with interval signal at 0249. (Moser, PA) 0425 with "Thursday Morning

Show" to 0428 when Radio Nigeria began "tuning up" (Johnson, IL)

**Bulgaria:** Radio Sofia, 7115 at 0400 with news, listener's letters, folk music. (Pellicciari, CT) 9700//11680 at 0006. (Carson, OK)

**Cameroon:** CRTV on 4750 (Bertoua) and 4850 (Yaounde) at 2218 with extensive Gulf War feature, switching from EE to vernacular to FF and later back to EE. Also noted on 5010 (Garoua) and 4795 (Douala). (Johnson, IL) 4850 at 0604 with EE news. (Moser, PA)

**Canada:** Radio Canada International, 9535 at 0127. Also 13670//15260//17820 at 1839 with "SWL Digest." (Nichols, UT) 9755 at 0030, 11940 at 0205, 13670 at 2136 and 17820//21545 at 1723. (Carson, OK) 15325 in FF, with EE ID 2130. (Vaage, CA)  
CFRX relaying CFRB, 6070 at 0800. (Carson, OK)  
CKZN, St. John's at 0950 after DW leaves. (Smith, MO)

**Chad:** Radio National Tchadienne, 4905 at 0532 in FF, brief music. (Moser, PA)

**Chile:** Radio Nacional, 15140 at 0320 in SS. (Garcia, UT)

**China:** Radio Beijing, 9665 at 1206 with news and 11840, via Canada, 0507. (Nichols, UT) 11695 at 0400. (Pellicciari, CT)

**Colombia:** La Voz del Cinaruco, 4865 in SS with Latin music, news at 1000. (Gasque, SC)  
La Voz del Llano, 6115.9 at 0013 in SS with news and commercials. (Reyes, Mexico)  
Voz del (Rio) Aruca, 4899 at 1119, oldies and slow Latin ballads, commercials, all SS. (Johnson, IL)

**Costa Rica:** Radio Reloj, 4840 at 0331 with music, SS. (Reyes, Mexico) 6005 at 0702. (Moser, PA) (nominal 4839 and 6006 respectively, editor)  
Faro del Caribe, 5055 at 0400 with religious program in SS. (Reyes, Mexico) 1120. (Gills, NH)  
Adventist World Radio, 9725 at 2331; 0030. (Nichols, UT; Pellicciari, CT)

Radio For Peace International, 7375 with "Radio New York International" program, followed by "Health-watch" at 0649. (Gasque, SC) 21565 at 0007. (Carson, OK)

**Cuba:** Radio Havana Cuba, 9505//11820 at 0230. (Zamora, ND) 11760 at 0400. (Mead, ME) 11820 at 0242. (Bailey, AR)

Radio Rebelde, 3365 at 1106 with news in SS. (Gillis, NH)

**Czechoslovakia:** Radio Prague International, 5930 at 0305. (Bailey, AR) 7345 at 0100; 0411. (Mead, ME; Vaage, CA)

**Ecuador:** HCJB, 9755//11835 at 0706, 21455 USB at 1950 and 2595USB at 1940. (Carson, OK) 15155 at 0042. (Bailey, AR) 15270 at 1943. (Moser, PA) 21480 at 1925. (Mead, ME)

**Egypt:** Radio Cairo, 9475 at 0215; 0230. (Johnson, IL; Moser, PA)

**England:** BBC, 5965 at 1100 (Zamora, ND) 9410 at 0542, 9715 at 1155 in JJ, 15260 at 1606. (Nichols, UT) 9915 at 2253. (Bailey, AR) 12095 at 0507. (Moser, PA) 15310 at 0315. (Vaage, CA) 15575 at 1530. (Carson, OK)

VOA via BBC's Woolferton site on 6140//7170 at 0600. (Moser, PA)

British Forces Broadcasting at 1330 on 17695. (Smith, MO)

**Finland:** Radio Finland International, 11670 at 1230. (Johnson, IL) 15360//17620//17850 at 1620 to Africa. (Nichols, UT) 21770 at 1414 with "Club 9516" program. (Zamora, ND)

**French Guiana:** RFI relay on 9800 at 0335, 12015 at 1600. (Nichols, UT)

**Gabon:** Africa Number One on 9580 at 0603 in FF. (Moser, PA) 15475 in FF at 1646. (Nichols, UT)

**Ghana:** GBC, 4915 at 0533 with local music, ID, news. (Moser, PA)

**Germany:** Deutsche Welle, 5960//9700 at 0526. (Carson, OK) 6040, via Antigua, at 0100. (Nichols, UT) 6145 at 0117. (Moser, PA) 6160 via Antigua at 0900. (Smith, MO) 9545//15105 (via Antigua) at 2130 sign on in PP. (Zamora, ND)

VOA via Wertachtel site on 5995//6060 at 0603. (Moser, PA)

Sudwestfunk on 7265 at 0721 in GG but including a little EE. (Moser, PA)

**Greece:** Voice of Greece, 9395 at 0340 with news to 0345 and back in Greek. (Zamora, ND) 9420 at 0345. (Bailey, AR) 11805 at 0602. (Moser, PA) 12105 at 2322 in SS. (Reyes, Mexico)

**Guatemala:** Radio Cultural, 3300 at 0428 with Bach organ music, to abrupt close at 0431. (Johnson, IL) 0316. (Moser, PA)

Radio Buenas Nuevas, 4800 at 0325 with SS sign off. (Reyes, Mexico)

Radio Chortis, 3380 with religious program in SS at 0216. (Reyes, Mexico)

**Hawaii:** WWVH time signals, 15000 at 0116 with woman announcer. (Moser, PA)

**Hong Kong:** BBC relay in CC at 1200 on 7180. (Nichols, UT)

**Hungary:** Radio Budapest, 9835 at 0030; 0052. (Mead, ME; Moser, PA)

**Iceland:** Icelandic National Broadcasting Service, 15767 at 2300 with man and woman in EE. Better than parallel 13855. (Moser, PA)

**India:** All India Radio on 7412 at 1314 ending news. Also 1402 on 9565. (Smith, MO) 9950 with news and into unidentified language at 1545. (Gasque, SC) 11620 at 2110 with program schedule. (Gillis, NH)

**Iran:** VOIRI, 9022 at 1940; 1942 with news. (Pellicciari, CT; Moser, PA)

**Iraq:** Radio Baghdad, 13660 to 2348 when suddenly went off the air (on January 16!). (Mitchell, GA)

**Israel:** Kol Israel, 7465 at 2147 and 0509. (Smith, MO) 9355 in FF at 0028//9388. (Paszkievicz, WI) 9435 at 0122; 0500. (Nichols, UT; Bailey, AR) //11605 at 2241. (Zamora, ND) 17575 at 1530, tentatively in Persian. (Carson, OK)

**Italy:** RAI 9575 at 0115 with music. (Moser, PA)

Italian Radio Relay Service, 9815 at 0705 with various programs. (Carson, OK)

Italian Radio Relay Service, 9815 at 0705 with various programs. (Carson, OK)

**Japan:** Radio Japan, 5960 (via Canada) at 0309, (via Canada) at 1124. (Nichols, UT) 9505 at 1555. (Moser, PA) 11735 at 2300. (Carson, OK) 15325 (via French Guiana) at 0305. (Vaage, CA)

Radio Tampa, 3925 at 1341 in JJ. (Carson, OK)

**Jordan:** Radio Jordan, 9560 at 1606 with speech in EE. possibly by King Hussein. (Moser, PA) 9560//11810 at 2105 with some sort of historical radio play. (Johnson, IL)

**Kenya:** Kenya Broadcasting Corp., 4935 at 0155 with drum and flute IS, ID by woman "This is KBC, the Kenya Broadcasting Corporation, Nairobi." (Johnson, IL)

**Lebanon:** Radio Voice of Lebanon, tentative, 6549.6 at 0529 in apparent AA. (Smith, MO)

Voice of Hope, tentative 6280 in possible AA at 0535. (Smith, MO) (Believe both are still active. Editor)

**Lesotho:** BBC relay, 11940 at 0716 with talk. (Moser, PA)

**Lithuania:** Radio Vilnius, 9765 at 2300 with features. (Zamora, ND) 15180 at 2304 with music to 2330 then RR. No EE programming. (Moser, PA) (Sovs have pulled the plug again. Editor)

**Luxembourg:** Radio Luxembourg, 6090 at 0145 with pops in EE. (Moser, PA)

**Mali:** Radio Beijing relay via Mali, 11715 at 0300 with news. (Moser, PA)

**Malta:** Voice of the Mediterranean, 9765 at 0600 with "nice & easy 45's." (Pellicciari, CT)



Radio RSA's North American service was usually heard with rhino-sized signals but, alas, no more. QSL courtesy of Andy Johns, Texas.

Deutsche Welle relay, 11865 at 0146. (Moser, PA)  
**Mauritania:** ORTM on 4845 at 0628 with guitar IS and sign on. (Moser, PA) (Presume in FF, editor)  
**Mexico:** Radio Mexico on 5985//11770 at 1637 with music and SS. (Reyes, Mexico)  
 Radio U.N.A.M. 9600 in SS at 1733 with news. (Reyes, Mexico)  
 La Voz de Veracruz, 6015.9 at 1920 with music and commercials in SS. (Reyes, Mexico)  
 La Hora Exacta. XEQK, 9425 at 1617 in SS. (Reyes, Mexico) (nominal 9555, editor)  
**Monaco:** Trans World Radio, 9480 at 0810 with religious program, ID, "Words of Hope." (Carson, OK)  
**Morocco:** RT Marocaine, 17575 in EE at 1530. (Pellicciari, CT)  
 VOA relay, Tangier, 9760 at 1932. (Moser, PA)  
**Netherlands:** Radio Netherlands, 6020 at 0046. (Moser, PA) 17575 (via Madagascar) at 1503 and 17675 at 0202. (Carson, OK)  
**Netherlands Antilles:** Radio Netherlands Bonaire relay, 6165 at 0049. (Moser, PA) 9590 at 0340. (Nichols, UT) 9630 at 0757. (Carson, OK) 11820 at 1840. (Zamora, ND)  
 Trans World Radio, Bonaire, 9535//11930 at 0305; 11815 at 1141. (Nichols, UT)  
**Niger:** ORTN, Voix du Sahel, 5020 at 0615; 0626 in FF. (Moser, PA; Johnson, IL)  
**Nigeria:** Voice of Nigeria, 7255 at 0500; 0505; 0530; 0545. (Smith, MO; Zamora, ND; Pellicciari, CT; Moser, PA)  
**North Korea:** Radio Pyongyang, 9975 (nominal

9977, editor) at 1144 to Central America and 15115 at 0014. (Nichols, UT) 15115 at 0005; 0020. (Moser, PA; Gillis, NH)  
**Norway:** Radio Norway International, 17730 at 2200 with EE news. (Mead, ME) 17760 at 1700 with news. (Nichols, UT) 21705 at 1559 with IS and sign on in NN. (Moser, PA)  
**Oman:** Radio, Oman, 11890 at 1825 in AA, many mentions of "Omani". (Johnson, IL)  
 BBC Masirah Island relay, 11760 at 0408 with news. (Moser, PA)  
**Pakistan:** Radio Pakistan, 9370 at 1730 with news, vocals. Announced as to Europe. (Paszkievicz, WI)  
**Paraguay:** Radio Nacional, 9735 in SS at 0130, also in Guarani at 0800 with Paraguayan folk music. (Barry, CA)  
**Peru:** Radio Ancash, 4991 at 1058. Commercials in SS, lots of Andean music. (Johnson, IL)  
**Philippines:** Radio Veritas Asia, 1323 on 9555 in possible Kachin language. ID 1324, IS and opening music at 1328. (Carson, OK)  
 Voice of America Poro relay on 15155 at 1311 with news. (Moser, PA)  
**Poland:** Radio Polonia, 7270 at 2304 with news of central Europe. (Moser, PA) 9675 at 0659 in Polish with IS, ID and news. (Carson, OK)  
**Portugal:** Radio Portugal, 15140 at 1955 with soccer in PP. (Garcia, UT) 15140//15285 at 1319 in PP. (Moser, PA) 21495 at 1940 in PP. (Zamora, ND)  
**Romania:** Radio Romania International, 9510k at 2140. Instrumental (sax) version of Rolling Stones' "Satisfaction" used as bridge during PP programming. (Johnson, IL) 9570 at 0215. (Nichols, UT) 11940 at 0407. Talk of Jesus' baptism. (Moser, PA) Here and //21665 at 1332 to 1355 close. (Carson, OK)  
**Rwanda:** Deutsche Welle Kigali relay, 7225 at 0414 with sports news. (Moser, PA)  
**Saudi Arabia:** BSKSA in AA at 1920. (Bednarski, BC) 21505 at 1432 in AA. ID 1436. (Zamora, ND)  
**Singapore:** BBC Far East Relay, 9740 at 1609 with news. (Moser, PA)  
**South Africa:** Radio RSA, 15365 in FF at 0400. (Reyes, Mexico)  
 Radio Orion at 2246 on 3320 with easy listening and chamber music. (Johnson, IL)  
**South Korea:** Radio Korea, 9645 at 1143 with talk. 15575 at 0020. (Nichols, UT) 15575 at 0235, into KK at 0300. (Carson, OK)  
**Spain:** Spanish National Radio, 9630 at 0500. (Pellicciari, CT) 0104 and 0508 but three days later not here at 0500. (Nichols, UT) 11880 at 0105, better than //9630. (Moser, PA) 21555//21570 at 1722 in SS. (Reyes, Mexico)  
**Sri Lanka:** Radio Japan relay on 11840 at 0100. (Moser, PA)  
**Swaziland:** Trans World Radio in Chichewa at 0425

with vocals, address in Malawi, ID. (Paszkievicz, WI)  
**Switzerland:** Swiss Radio International, 6135 at 0205 and 0414. (Nichols, UT) 9885 at 0414 with news and DX program. (Moser, PA) 21695 in FF after EE IDs at 1359. (Carson, OK)  
**Togo:** RTT on 5047 at 0527 with chime IS, ID and sign on in FF. (Moser, PA)  
**Turkey:** Voice of Turkey, 9445 at 2301. (Carson, OK) 0400 with news. (Pellicciari, CT)  
 Turkish Meteorological Radio, 6900, presumed at 0525 in TT with music. Very weak. (Paszkievicz, WI)  
**Ukraine:** Radio Kiev, 0047 on 15180. (Nichols, UT)  
**Unidentified:** 9585 at 0043 in AA, 4 + 1 time pips at 0100, possible "min Doha" ID so suspect Qatar but not sure. Blocked by Moscow at 0200. (Paszkievicz, WI)  
 17500 in AA at 1442 with excited speech, theme at 1500, headlines Tunisia? (Paszkievicz, WI)  
 4926.1 at 0000 in SS with ballads. Possible Emisora Meridiano 7 in Colombia? (Paszkievicz, WI)  
**United Arab Emirates:** UAE Radio, Dubai, 15400 at 0354 to 0400 close. (Nichols, UT) 21605 at 1330. In-to AA at 1356. (Carson, OK) 1610 in EE. (Moser, PA)  
**United States:** WMLK, Pennsylvania, 9465 at 1942. (Carson, OK)  
 WRNO, 15420 at 1954, now just relaying WRNO-FM (99.5) (Carson, OK)  
 KGEI, La Voz de Amistad, 15280 at 0100 with news in SS., (Reyes, Mexico)  
 KVOH, California, 1775 with UPI news at 2002. (Nichols, UT)  
 KTBN, ex-KUSW, 15590 at 1755 with religious; 2300. (Carson, OK; Bailey, AR)  
**USSR:** Radio Moscow, 6000 (via Cuba) at 0458. (Vaage, CA) 7150 at 0258. (Moser, PA) 7260//9795 at 0711, 7270 at 0636, 11710 at 0313, 15475 at 1732, 15530 at 1454 and 17700 at 0220. (Carson, OK) 9705 at 1630, 12010//12050 at 0430. (Nichols, UT) 9895 at 0513. (Bailey, AR)  
 Radio Minsk, 15180 in RR with talks. (Carson, OK)  
 Radio Peace and Progress, 7360 at 2256 offering commercial time. (Smith, MO) 7400 at 0130 with news. (Pellicciari, CT) 15180 at 0148. (Nichols, UT)  
**Vatican:** Vatican Radio, 6185 at 0705 in Italian. (Johnson, IL) 71215 at 0145 and 21485 at 1358. (Carson, OK) 9605 at 0050. (Bailey, AR)  
**Venezuela:** Ecos del Torbes, 4980 in SS with music, news from 1020. (Gasque, SC)  
 Radio Rumbos, 4970 at 0334 in SS, ID 0341. (Moser, PA) 0629 in SS.  
 Radio Tachira, 4830 in SS at 0338 with Latin music, ID. (Moser, PA)  
 Observatorio Naval Cagical (YVTO) time station, 5000 at 0258, co-channel WWV. (Reyes, Mexico)  
**Vietnam:** Voice of Vietnam, 9840 at 2337 with "The Sunday Show." (Carson, OK) 12018 at 1810, into FF at 1830. 15010 at 2330-2356 with traditional music and abrupt close. (Smith, MO)  
**Yugoslavia:** Radio Yugoslavia, 5955 at 2230 with letters program and radio hams show. 11735 at 0132. (Carson, OK)

That's the lot—and let's extend a lot of thanks to the following who supplied logs:

Sheryl Paszkievicz, Manitowoc, WI (welcome back!); A. E. Bednarski, North Vancouver, BC; Kelly Bailey, Midland, AR; John Mitchell, Austell, GA; Tim Johnson, Galesburg, IL; Steve Pellicciari, Norwalk, CT; Vincent A. Garcia, Salt Lake City, UT; William T. Hassig, Mt. Prospect, IL; William Moser, New Cumberland, PA; Larry R. Zamora, Grand Forks, ND; Miguel Angle Reyes, Morelia, Mexico; John Spencer Carson, Jr., Norman, OK; Patrick J. Barry, Mission Viejo, CA; David Gasque, Orangeburg, SC; Kevin Mead, Cape Elizabeth, ME; Jeremy Nichols, Santa Clara, CA (monitoring from Utah), Ron Gillis, Hillsboro, NH; Bjorn F. Vaage, Granada Hills, CA and Jim Smith, Rock Hill, MO.

Thanks to all of you. 'Til next month, good listening!

**DISTINCTIVE RING SWITCH**  
 Add additional phone numbers to a single line with the new Distinctive Ringing service from the phone company. RingDirector detects ring patterns and routes calls to phones, answering machines, FAX's or modems. 2-port \$89. 4-port \$149. S/H \$5.  
 1-800-677-7969 FAX 516-676-9225  
**EXCELLENT TECHNOLOGY**  
 69 Smith Street, Glen Head, NY 11545

CIRCLE 63 ON READER SERVICE CARD

**CABLE TV CONVERTERS**  
 Why Pay A High Monthly Fee? Save \$100's A Year

- All Jerrold, Oak, Hamlin, Zenith, Scientific Atlanta, and more.
- 60 Day Money Back Guarantee
- Shipment within 24 hours
- Visa/MC and C.O.D.

**WE WILL BEAT ANYONE'S PRICE**  
 No Illinois Orders Accepted

**Electronic Engineering**  
 P.O. Box 337, Barrington, IL 60011  
 Free catalog 1-800-542-9425 Information 1-708-540-1106

## ICOM™ R7000 Sweeping 1300 Channels/Min.

**DELTACOMM™ 1.04** gives you a custom interface and optimized software that will not just control but will maximize the potential of your R7000. Spectrum log at speeds in excess of 1300 channels/min. while automatically generating a histogram of frequency/activity. Advanced priority channel monitoring and program control, by channel, of remote tape recorders during scanning. Here are a few (there are many more) examples of the advanced features DELTACOMM has to offer:

- Birdie log during frequency search automatically characterizes your R7000, then locks out those frequencies
- Auto histogram and scan file creation during spectrum log
- Scan file channel lock-out feature allows scanning around channels without removing that frequency from database
- Resume scan and maximum monitor values unique on each channel scanned
- Each frequency within a scan file has an area (40 characters wide) for channel information
- Auto frequency detection and storage during search and spectrum log
- User friendly installation program reduces need for DOS knowledge
- Full support of serial ports COM1-COM4
- On-screen HELP reduces need to refer to user manual



**\$299** Incl. Ext. Interface & Components for Cabling.  
 Check, MO, VISA or MASTER  
 Accepted + \$4 for S&H  
 (WI Res. Add 5% Sales Tax)

**DELTA RESEARCH**  
 PO Box 13677 • Wauwatosa, WI 53213  
 FAX or Phone Weekdays (414) 353-4567

CIRCLE 59 ON READER SERVICE CARD

## Tip Whip Fine Tuning

**A**ny respectable looking emergency command post or amateur radio emergency unit will have up to a dozen antennas on the roof. You can double up with a tri-band antenna, into a tri-plexer, feeding 3 different transceivers—but a good command post has multiple VHF and UHF stations, and each station will require a different roof-top antenna system.


When laying out your roof-top antenna pattern, make every attempt to keep similar band antenna systems away from each other. For instance, if you have a fire radio on 154 MHz and a special emergency system on 155 MHz, make sure one antenna is at one end of the roof, and the other antenna is as far from it as possible. Keeping a sizeable distance between similar band antenna systems will minimize desensitization when one set is transmitting, and the other set is receiving on an adjacent frequency. Running as little power output as possible will also help minimize desense.

Another good antenna mounting tip is the use of a common antenna base for all VHF and UHF whips. This will allow you to change-around your antenna whips without having to cut, re-mount it on the base coil or mount, and then test to see where it works best on the band.


If you are operating just on amateur radio frequencies, the modern ham set may sample the low end of the band, middle of the band, and top of the band, and where the SWR is lowest is a good indicator of where the approximate resonant point of the antenna is. Begin pruning the whip until the SWR is approximately in the middle of the general operating region you wish to operate on, and then look at each end of the band to insure you have cut the whip properly for a low SWR on your operating frequency.

On business band and emergency frequencies, "sweeping the band" is not only impractical with fixed frequency equipment, but also illegal. An antenna noise bridge may be another solution for finding the antenna's natural resonant point, but the noise bridge may not be calibrated as close as you need to spot the precise frequency you wish to cut the antenna down to.

A relatively new piece of equipment, available from MFJ Enterprises (PO box 494, Mississippi State, Mississippi 39762; 601/323-5869) is their Model #208 SWR analyzer which covers 142 through 156 MHz. (They also have Model 207 which covers 2 MHz through 30 MHz and they say they are working on a UHF version, too.)



Adjust the tip-whip out to let the antenna work lower in the band.



Adjusting a whip is faster with an SWR analyzer.

This under \$90 SWR analyzer takes the place of illegally sweeping the band to find where SWR bottoms out. The device is a very sensitive series SWR meter which will self-calibrate on its own built-in, flea-powered, variable transmitter. Simply screw this SWR analyzer onto the coax cable, turn on the power button, and sweep the band to see where the SWR meter dips. The SWR bridge gives you forward and reflected readings with a computing circuit that automatically computes the SWR and displays it on the little meter at the bottom of the bridge. If the SWR bottoms out around 150 MHz, cut about an inch off the base of the whip to pop it up to a resonant frequency at 155 MHz. If the SWR drops to a minimum slightly above the desired frequency, loosen up the whip in the base, and pull it a fraction of an inch out to lower the resonant frequency. (Always remember, lower, longer.)



This MFJ SWR analyzer is actually a micro-watt HF or VHF transmitter with an auto-calibrating SWR bridge built-in.

This little SWR analyzer also has an output for a portable hand-held frequency counter. This allows you to read out your dialed-up frequency down to 10 Hz. This calls for the Optoelectronics Model 2600 HA frequency counter, and a little patch cord from the output of the SWR bridge to the counter's input. Sweep the band with the SWR analyzer, and then look over the counter and see where the SWR is minimum. If you need your antenna to work higher in frequency, get out the hacksaw. Lower in frequency, simply pull it slightly up in the mount.

Down on worldwide frequencies, the Optoelectronics counter with the MFJ SWR analyzer makes tuning HF mobile emergency whips a breeze. Best of all, you are not hanging big carriers out there on the airwaves to tune the whip. Rather, this flea-powered SWR analyzer only puts out enough signal to get its built-in meter to work, and the signal barely goes 100 feet.

For those of you with a roof top full of antennas, and several coax pigtailed that are unlabeled, the SWR analyzer is a quick way to spot which coax cable goes to what antenna on the roof. The analyzer can also spot problems that might occur with a bad mount, a fractured loading coil, or an antenna splitter system that you couldn't see before with conventional multi-meters.

So if you're planning on doing any antenna work on your emergency mobile communications vehicle, plan to invest in an under-\$100 SWR analyzer, and an under-\$125 (ham show special) Model 2600-HA Optoelectronics frequency counter. It will really make your job easy!

# COMMUNICATIONS CONFIDENTIAL

## YOUR GUIDE TO SHORTWAVE "UTILITY" STATIONS

The mail bag was overflowing this month so let's get to the letters and see what readers have to say.

Eric Wolfe, PA had a query about the USS Bronstein logging heard on 14441.5 kHz which appeared in the January 91 column. The FF designation is correct. The Bronstein was built as an ocean escort (DE) and was changed to Frigate classification on 30 June 1975.

Harold Cornelius, VA indicated he noted the mention of the "Raspy dots/1 dash" signal in the February 91 column. "This is a good description of LINK 11, a part of the Naval Tactical Data System which exchanges data among ships of a group."

When assigned to Desert Shield, Kevin Tubbs took along his Sony ICF-2010 and Realistic PRO-2206 receivers. Kevin sent in some nifty items and stated that due to operational security he did not include any military loggings.

From Japan, Jeff Hall wrote "Asian DX is a totally different ball game from West Coast USA listening. There's plenty to hear but 99% is in Chinese or Russian or Filipino. I'm trying something different and running the audio out from my 2010 into a Technics SU-X77 integrated amp which has a very nice CPU driven EQ/Spectrum Analyzer built in. I don't think this thing is available in the States (or ever was). But it makes a tremendous difference in listening fatigue and is a great clip filter for CW."

Gary Hamlin, NY included a note with his loggings which said in part, "It has been a while since I've written. Lately I've gotten more involved in VHF/UHF scanning and rather neglected my HF-DXing." Welcome back Gary.

Simon Mason, England reports that he has noticed a reduction in the YL/GG 3/2F stations. He also said the English version is not much more common.

William Briley, MN wrote "This is my first time sending in a report. For the record, I've been a SWL listener for over 40 years but only recently have been tuning into the utility bands."

Digging back through his records, Alain Charret, France discovered that the OM/Italian language transmission (also used 2 German words "an" and "schluss") he heard once in 1989 on 5847.6 kHz he had also heard in 1980 and 3400 kHz.

Based on those observations, I would have to believe the activity had continued during the ensuing years but just was not hearable here in the US. I did ask Simon Mason last year if he had ever heard such transmissions, but he replied that he hadn't.

Some great DX was reported by Andy Gordon, CT. He heard the US Navy Station

" MV CHRISIR "			<b>D5YE</b>
31,242 DMT / 61,203 DMT / BULK CARRIER / MONROVIA, LIBERIA			
VERIFICATION OF RECEPTION			
CALL SIGN D 5 Y E	FREQ KHz 12546.6	LOCATION - POSN LONG BEACH ANCHOR	
DATE FEBRUARY 25, 1982	TIME-UTC 0331	ANTENNA WHIP AERIAL AS871	
HWTS POWER 602W.	MODE CW		
SIGNATURE: <i>T. McDonald</i>			

Steve McDonald, BC, Canada shares this PFC with readers.

on Midway Island on 2716 kHz calling NKIN, USS California CGN36 at 1150. The ship was making a port visit to Midway, one of the stops on their WESTPAC cruise. Andy checked and found that Midway is almost 6000 NM west of his location. A real fine catch!

Jim Smith, MO said "Now that my T2FD is up, my R-390A pulls in signals like never before. If I could just keep the birds off of it, I'd be happy. (I wonder if they improve reception?) If they do, Jim, let me know and I'll spread bird seed on all my antennas!

First time contributor, Sean Dubee, WA, made the following comments: "I've been reading POP'COMM for about a year now and have found it to be quite useful to me when listening to the shortwave. I thought it might be time to send along a few items to see if they'd be of use to other readers. As you can probably tell, my main listening is directed towards aero frequencies. I guess

it's because there is usually a good volume of traffic to be found there. I don't limit myself to this however, and like to pick up other things as well."


Gregg Arens, BC, Canada described his installation like this: "I am still using a Realistic DX-200 with a home-brew L-type antenna tuner and a thirty foot center-loaded wire that is resonant at 7300 kHz (the weather changes the tuning each season between 5000 and 9000 kHz) and it is nine feet above ground. The antenna tuner lets me tune it anywhere between 800 and 10000 kHz regardless of the weather."

David Sabo, CA advised "Most of my free time over the past eight months or so has been invested in my PC, and in particular its applications towards my radio hobby. While my PC has certainly been a boon to my hobby in some ways, I find that listening to the radio while the computer is running is next to impossible due to the severe RFI generated by the computer. One of the recent QSL's I've received was from Plymouth Rescue along with a very informative letter describing the SAR scenario which was going on at the time I copied them."

With his letter, David included some QSL addresses and pointed out these are at variance with previously published sources and are based on the actual return addresses on the replies he received.

Victoria Coast Guard Radio Station, Box 490, Sooke BC, VOS 1N0.

Officer Commanding, Rescue Co-Ordination Centre Plymouth, Mount Wise, Plymouth, Devon PL1 4JH.



Antennas at Soviet Embassy, Geneva, Switzerland. Photos courtesy of Prof. Desmond Ball, Australia.



Another view of the Soviet Embassy, Geneva which shows some additional antennas.

Gander IFSS, PO Box 328, Gander, NF, A1V 1W7.

Cambridge Bay IFSS, Transport Canada, Bag Service 500, Cambridge Bay, NWT, XOE OCO.

Tofino Coast Guard Radio, PO Box 345, Ucluelet, BC, VOR 3A0.

Stan Forsman, CA also wrote about QSL addresses. He is looking for those of two Canadian beacon stations, 5J on 328 kHz and 9Y on 311 kHz. Write Stan at 1312 Burrows Rd., Campbell, CA 95008 if you can help out.

Stan provided several QSL addresses he used: For aero beacons in Oregon—Dept. of Transportation, Oregon State Aeronautics Division, 3040 25th St. SE, Salem, OR 97310-0100. For aero beacons in Montana—Dept. of Commerce, Aeronautics Division, State of Montana, Airport Rd., PO Box 5178, Helena, MT 59604. And for private beacon COR, 205 kHz use—Salzer Farms, K.L. Cox, Box 488, Corcoran, CA 93212.

In answer to my request, Ary Boender in The Netherlands provided a rundown on

the SLHFB transmissions he heard in 1990. His list appears in Table 1. Ary mentioned he has a list available of VLF & LF utility stations he has heard (excluding beacons and FAX stations). The list contains some 740 stations/frequencies and is available for US \$5.00 by writing Ary at Lobeliastraat 33-B, 3202 HR Spykenisse, The Netherlands. The list will be sent by airmail.

Perry Crabill, VA sent in some beacon loggings and commented "I believe the best catches were those in Manitoba; WG on 248 kHz in Winnipeg (1195 miles), and YQ on 305 kHz in Churchill (1523 miles). For these loggings I used my Kenwood R-5000 with a 65 foot inverted "L" antenna, following the special receiving technique incorporating the USB mode with the sharp CW filter."

There have been many queries regarding the DHS callsign heard on 8584 kHz and on other frequencies. It has been confirmed that this station is the replacement for the old Y5M Rugin in former East Germany.

A reminder that we welcome copies of your utility station QSL's and PFC's as well as photos of interesting utility communications facilities.

As a final item I would like to suggest to readers that it is very helpful when mailing loggings to indicate in the address the name of the column for which the loggings are intended. Please do not combine loggings for several columns. Column writers are not collocated in the POP/COMM office; consequently, when one of us receives material from the office which also contains loggings for another column, there is always delay in receipt of the pertinent loggings by the other column writer. Thanks.

#### Ute Intercepts. All times are UTC

**206:** Beacon PWT, Bremerton (Kitsap County), WA at 1210. (Arens, BC, Canada)

**222:** Beacon BVS, Burlington, WA at 1221. (Arens, BC, Canada) My refs show this beacon to be on 238 kHz? (Ed.)

**248:** Beacon WG, Winnipeg, Manitoba, Canada at 0311 w/voice wx. (Crabill, VA)

**260:** Beacon PA, Kolaka, Sula, Indonesia at 1558. (Tubbs, Desert Shield)

**273:** DHA (u/i) heard in CW at 0459. (Tubbs, Desert Shield) I do not find a Beacon with those ltrs. Rdo stn located Hanover, Germany? (Ed.)

**281:** Beacon CA, Cartwright Field, Nfld., Canada at 0335. (Crabill, VA)

**282:** Beacon LRO, Sharpe AAF, Lathrop, CA at 1001. (Vaage, CA); Beacon RT, Rurutu, Austral Islands, French Polynesia at 1600. (Tubbs, Desert Shield)

**290:** Beacon YYF, Pentiction, BC Canada at 1006. (Vaage, CA)

**293:** Beacon MB, Victoria, BC, Canada at 1259. (Arens, BC, Canada)

**305:** Beacon YQ, Churchill, Manitoba, Canada at 0348. (Crabill, VA)

**318:** CW stn using RAS as id at 0458. RAS also hrd on 393 kHz at 0515. (Tubbs, Desert Shield) Soviet station? (Ed.)

**325:** Beacon XP at 1308. (Arens, BC, Canada) My refs show two XP beacons, one on 200 kHz and the other on 212 kHz, both located in Australia? (Ed.)

**326:** Beacon RUV, Bellefontaine, OH at 0406. (Crabill, VA)

**337:** Beacon 7D, Hudson Bay, Sask., Canada at 1247. (Arens, BC, Canada) Freq reported as 279 but my refs do not show freq change? (Ed.)

#### Abbreviations Used For Intercepts

AM	Amplitude Modulation mode
BC	Broadcast
CW	Morse Code mode
EE	English
GG	German
ID	Identifier/location
LSB	Lower Sideband mode
OM	Male operator
PP	Portuguese
SS	Spanish
tfc	Traffic
USB	Upper Sideband mode
w/	with
wx	Weather report/forecast
YL	Female operator
4F	4-figure coded groups (i.e. 5739)
5F	5-figure coded groups
5L	5-letter coded groups (i.e. IGRXJ)

**344:** Beacon CL, Cleveland, OH at 0419. (Crabill, VA)

**353:** Beacon ZES, Cape Scott, BC, Canada at 1320. (Arens, BC, Canada)

**355:** Beacon YWP, Webequie, Ont., Canada at 0316. (Ed.)

**356:** Data burst foll by 10 sec tone in USB at 2253. (Crabill, VA) Checked freq at 0100 & 0312, nil more data bursts. (Ed.)

**356:** Beacon VES, Bagotville, CFB, PQ, Canada at 0314. (Ed.)

**359:** Beacon MS, Monticello, NY at 0315. (Ed.)

**385:** Beacon LUM, Bellingham, WA at 1336. (Arens, BC, Canada)

**387:** CW stn sending AW at 0513. (Tubbs, Desert Shield)

**388:** Beacon H7, Manitowaning (Manituoulin East Muni.) Ont., Canada at 0452. (Crabill, VA)

**395:** CW stn sending ADP at 1606. (Tubbs, Desert Shield)

**400:** Beacon QQ, Comox CFB, BC, Canada at 1353. (Arens, BC, Canada)

**402:** CW stn sending MARA at 0516. (Tubbs, Desert Shield)

**404:** CW stn sending LEN at 1607. (Tubbs, Desert Shield)

**408:** Beacon MW, Grant Co., Pelby, Moses Lake, WA at 1028. (Vaage, CA)

**410:** Beacon DAO, Libby AAF-Dragoon, Ft. Huachuca, AZ at 1032. (Vaage, CA)

**414:** Beacon LYI, Libbie, MT at 1040. (Vaage, CA)

**419:** Beacon RYS, Grosse Ile, MI at 0517. (Crabill, VA)

**448:** NMN, USCG Portsmouth, VA w/Hazards to Navigation tfc in CW at 0050. (DP, NC)

**466:** LAWS2, Jahre Spirit. The vessel was passing tfc poss to NMN, USCG Portsmouth, VA in CW at 2354. (Ed.)

**485:** A9M, Bahrain in CW at 0528 w/tfc list. AT 1625 tfc re rescue of 35' boat. (Tubbs, Desert Shield)

**501:** HZG, Dammam, Saudi Arabia in CW at 0837. (Tubbs, Desert Shield)

**526:** ZLS, poss Stella Maris, Bahamas at 0217. Used to be on 320 kHz. (Crabill, VA)

**2054:** Victoria Coast Guard in USB at 0514 w/marine wx for BC coast. (Webb, CA)

**2055.5:** WLO, Mobile, AL in CW at 1205 w/tfc list. Also at 0505. (Margolis, IL)

**2063:** Juliet 9 Kilo & Delta 9 Tango in USB at 0346. Talking re TTY equip problems. Also hrd J9T & D9T. (Webb, CA)

**2182:** Yarmouth, NS, Canada, CG wkg vessel Equinox. Some tfc but signal fm vessel. USB at 2342. (Hill, MI)

**2182:** Stn w/id of Cay-no or Kay-no or Kae-no Coast Guard in USB at 0350 w/marine info bcst-gale & storm warnings. (Webb, CA) Wonder if this is Comox, BC CG stn? (Ed.)

**2449:** Two OM in USB at 0750 in conversation in poss Chinese dialect. (Webb, CA)

**2670:** USCG Stns in USB. Astoria at 0536 w/wx & notice to mariners; Long Beach, CA at 0515 w/marine info bcst; Port Angeles at 0616 w/marine wx. (Webb, CA)

**2815:** IRD8, Rome Naval rdo, Italy w/cw mkr at 0127. (Scalzo, PQ, Canada)

Table 1

Frequency	UTC	SLHFB Details
3180	0200	"X" + 5F groups in CW
3290	2045	"P"
3658	0009	"U"
3806	2344	"P" + coded msg in RTTY (75 baud)
4447.5	2258	"U"
5922	1429	"X"
6572	1340	"A"
6735	2056	"X"
13610	1400	"C"
26170	2050	"L"

Note: All single letter markers were in CW.

**3039:** Stns AF, AW, AX, G, I, Q and a/c W5U hrd in USB between 0517-0535 on very active net. Comm's re Papa Uniform's and Ping-Pong's and Alligator's. USN tracking/exercise tfc of this sort noted this freq before. (Sabo, CA)

**3307:** India cld Juliette at 0530 and switched to green tac 3. When back in clear said Delta Foxtrot wud be utilizing this freq, callsign "Carrot." At 0620 all units go green & execute kick Pennsylvania to Michigan in USB. (Harwood, CA)

**4021:** YL/GG w/5F grps after CW NNN sign-on. Was 24 grps in USB. 2100-2120. (Mason, England)

**4066.1:** NNZA, USS Acadia AO 42 at 0320 in USB wkg San Diego CSB-1 w/request for pp; NECG, USS O'Brien DD975 at 0400 w/pp thru San Diego CSS-1 to "SCC Supervisor" then back to CSS-1 at 0403. (Sabo, CA)

**4134.3:** NODI, USCGC Blackhawk WLB-390 wkg USCG CAMSPAC San Francisco in USB at 0338. Duplex w/4429.7 kHz. (Sabo, CA)

**4232:** CW stn w/5L grps at 0123. Very strong sig. S/off about 0120 w/ BT AR YA 5. On exact freq as FUF, Fort de France Naval, Martinique, who was obliterated. At 0130 unk type of emission up for few secs. (DP, NC)

**4235.5:** HZG, Damman, Saudi Arabia w/cw mkr at 2148. (Scalzo, PQ, Canada)

**4369.8:** WLC, Rogers City, MI in USB w/MAFOR (Marine Forecast) at 0346. (Watts, KY); WLC hrd at 0406 wkg bulk carriers Roger Blough, Calcite II, Philip R. Clarke, John R. Munson & Myron C. Taylor. These vessels were at various points on the Great Lakes & were reporting wx conditions. Ships were on 4075 kHz (CH 405). This usually daily after MAFOR's wx report. (Hill, MI)

**4373:** D2 wkg Giant Killer (USN FACSFC, NAS, Oceana, VA) in USB at 0501 w/ref to Alligator Playground. D2 fair sig but others on net very weak to un-audible. (Sabo, CA); Giant Killer hrd plus 3DB, K2U, W3W, K3D, & S1X. Placename Chambers Field mentioned. (DP, NC)

**4416:** X7A at 0317 & M4U at 0319 in USB w/coded tfc. L5N clg "Any sin this net." X9K answered among others at 0354. (Hill, MI)

**4419:** JGO, Tokyo, Japan in USB wkg ELIF, m/m Ghent. Told ELIF to meet at 1010 UTC on CH 821, then changed instructions & told them to go there now (0945). (Dubee, WA)

**4450:** USAF MARS affiliates AFA5PN and AFF5F (near Tacoma, WA) in USB at 0336. Hrd same stns few mins earlier on 7305 kHz. (Sabo, CA)

**4465:** Northeast 2, net control Northeast Region CAP. Cycle 40 wkg Cycle 42. ??? Wing CAP. LSB at 0120; Keystone 5 net control, Pennsylvania Wing CAP in LSB at 2235. (Hill, MI)

**4467.5:** Georgia CAP tfc in USB between Red Star 100 & 101 at 2310. Red Star 640 closed net at 2330. (Watts, KY); Mississippi CAP net w/Mockingbird 49, 14, 582, 11 & 581. Comms re event coming up in Biloxi. Net to start up again on the hour. 2 stns going to "the other freq." USB at 0035. (DP, NC)

**4469:** Sparrow 445 clg 400 at 0149 in the Florida CAP net in USB. Sparrow 17 closed net at 0159. (Watts, KY)

**4470.5:** Indiana Navy MARS net in USB at 0135 w/NNNOY DU, JAO, EFC, etc. (Watts, KY)

**4486:** U/i stns Pig Iron, Test Conductor, and Lounger hrd in USB at 0125. Pig Iron noted previously on SAC nets, but this net sounded too casual to be SAC. (Sabo, CA)

**4500:** P7X to P7L & P6I in USB at 0309 w/authentication checks & advisory to maintain this freq as primary and "03" as secondary. (Sabo, CA)


**4585:** Mountain 29, net control accepting net check-ins. USB at 2230, West Virginia Wing CAP. (Hill, MI)

**4625:** The single 'pip' hrd here 25 hrs a day has changed. It now sounds like a short 'buzzer' and at 59 mins past hour buzz is continuous (sounds like a fly buzzing). Can some times be hrd on twice this freq—9250 kHz. (Mason, England)

**4665:** Unusual Mossad transmission. YL rptng VLB96 Bravo 29 Bravo 2330428. 2115-2200. Later v/VLB2. (Mason, England)

**4700:** Habitat (NAS Moffett, CA) w/alpha-numeric msg to "272" for relay "by fastest means" to GN-177. 272 slightly off freq on 4700.2 kHz. USB during 0540-0548. (Sabo, CA)

**4789:** CW stn at 0547 continuously sending "Red



Here is the card used by Mike Benedetti, WA for his Registered Monitoring Station, KWA7CF.

Dragon". (Tubbs, Desert Shield)

**5030:** Two OM/EE in USB (8 kHz split-freq) at 1000 talking about shipment values worth at least \$30,000 a trip and that he had to get up early next morning to deliver the "blow." They talked for an hour re packaging techniques, how many kilo's and dollars worth a bag for the various colors of plastic (bags?) This sounded like smugglers who didn't know they were xmtg in the clear. (Arens, BC, Canada)

**5063:** NRO, USCG LORSTA Johnston Island wkg NRO7, LORSTA Kure Island & OMEGA Station Kaneohe w/rdo chex in USB at 0800. (Sabo, CA)

**5180:** Cape Radio, DOD Cape. King I & CG Ship Seneca trying establish contact w/WS Simms in USB at 0520. (Harwood, CA)

**5182:** YL/SS w/5F grps in AM at 0610. (Sabo, CA)

**5426:** KRH50, US Embassy, London, England w/QX info. CW at 0606. (Scalzo, PQ, Canada)

**5505:** Shannon Volmet stn in USB at 0135 w/wx for Heathrow, Amsterdam and Shannon. (DP, NC)

**5574:** KMA7, San Francisco ATC in USB wkg UPS 2904 w/query if a/c had enough fuel on board for proposed flight route change. Pilot at 0235 said he had sufficient fuel. Foll a/c also hrd w/position reports to SF, Northwest 023 at 0642, Northwest 002 at 1441, China 981 at 1442 and Nippon Cargo 101 at 1446. American 143 on gnd at Dallas/Ft Worth clg KMA7 for rdo check at 0734. (Dubee, WA)

**5598:** MAC 9920 wkg VFG, Gander, Canada w/alternate freq request at 0726; Santa Maria ATC wkg MAC 3299 w/position report at 0728. All in USB. (Dubee, WA)

**5628:** Tokyo Aeradio wkg various a/c incl United 808 & United 58 in USB from 0847-0849. (Sabo, CA)

**5629:** KUA3, Honolulu ATC wkg Northwest 028 w/position report at 1434 in USB. (Dubee, WA)

**5696:** Rescue 1717 wkg CommSta Miami for pp to u/i stn. Proceeding to vessel Meridian II. Needed clearance fm Navy to ensure there no a/c's flying & no explosives detonating along route. USB at 1054. (Hill, MI); Rescue 1482 wkg USCG CAMSPAC in USB at 0431 w/advisory that the airborne out of SFO w/5 POB enroute to Monterey Bay area for SAR involving an overturned kayak w/1 POB. Later hrd local action between 1482 and Group Monterey on VHF 157.15 MHz. (Sabo, CA)

**5700:** Data comm's from 0647-0648, then Panhurst wkg hothouse. Panhurst advised that gnd party was unreadable, and to give him a longer phase. USB at 0647 on SAC P-381 channel. (Sabo, CA)

**5800:** YL/EE w/087 at 2000. At 2005 569 x2 32 x2 and into 5F grps. (Mason, England); Auto Show wkg Broad Beam w/sig chx in USB at 0351 on SAC W-101 channel. Broad Beam advised that this freq was primary, X-905 (11226 kHz) was secondary. (Sabo, CA)

**5924.8:** OM/SS & YL/SS at u/i location in USB at 0207 talking to OM/SSd at a remote farm (5925 kHz) & told opr at farm to clean up the field & make it look nice because an engineer was going to visit. Placename Hermsillo hrd during conversation. Mexican vocabulary/accnt noted. (Webb, CA)

**6201.5:** Combination-1 w/unanswered calls to Combination-2 in USB at 0346. Similar u/i calls & activates noted here infrequently. (Sabo, CA)

**6303:** UTS, Ukrainian alloc. in CW at 0034 trying send msg to unhrd outstation but must rpt & send V's often. (DP, NC)

**6395:** TBA, Izmir Naval, Turkey in CW at 0050 w/5L grps. Ended 1st msg w/"AR ZFG (RPTS)" then sent TBDJ (pass ship). Call sign TBA was preamble just before group count. (DP, NC)

**6506.4:** NOJ, USCG COMSTA Kodiak, AK sending wx to USCG Cutter Mellon (no hrd) in USB at 0635. (Dubee, WA)

**6515:** Radio Pacheco, Argentina in LSB at 0925 w/musical tone + id. (Bednarski, BC, Canada)

**6522:** WK9268, u/i wkg WFL, Memphis, TN in USB at 0228 re attempting repair radar. (Hill, MI)

**6577:** American 654 enroute to Bradley airport, CT wkg NY Aeradio in USB at 0115. (Hamlin, NY)

**6637:** Air France 0-14 enroute Gabon, wkg Paris LDOC in USB w/comms in FF at 0110. (Hamlin, NY)

**6649:** Clipper 47 to Panama rdo w/pos report and Rio eta. USB at 0610. (Scalzo, PQ, Canada)

**6683:** AF-2 wkg Andrews AFB for goods & services upon arrival at its destination. USB at 2228. (Hill, MI)

**6697:** WOB wkg ZQN in USB at 2344 w/comms re Narragansett Bay op area. (Hamlin, NY); ES-977 advised Habitat (NAS Moffett, CA) that he now under Beaver (USN FACSFC, San Diego) control, then both went green. USB at 0251. (Sabo, CA)

**6746:** Halifax Military (CZW) at 0319 w/Volmet bcst addressed to J54T, bad audio, hrd better on 9010 kHz. St. John's Military (CJX) at 0600 w/tactical "Do Not Answer" bcst addressed from 8CS to J54T. At 0945, Alligator wkg Hot Time. Latter activity prob SAC stns as this is also SAC "SA" channel. All in USB. (Sabo, CA)

**6755:** OM/EE w5F grps, heavy SS accent at 0338. At 0349 tfc in SS. All comms in USB. (Scalzo, PQ, Canada)

**6756:** AFA2, Andrews AFB wkg AF-1 w/pp to Crown (White House Communications Agency) at 0244; Andrews w/unanswered calls to SAM-971 for rdo check at 0650. Both USB mode. (Sabo, CA)

**6787:** CW stn at 0301 w/callup GGR TD rptd. At 0304 5L grps (cut nbrs) off at 0322 w/AR SK. (Penson, MN)

**6790:** SLHFB "V" in CW at 0235. Still there at 0324 when checked freq again. On another date noted that the CW is sent by means of shifting a RTTY carrier. Beacon breaks into short bursts of what sounds like RTTY but is really hand sent Morse. This happens 6 or 8 times an hour. Each lasts for less than a minute. No good copy yet only "RRQ28". (Penson, MN)

**6795:** CW stn w/daily sked of 0030, sends 2-6 group msgs of cut nbrs in very slow Morse & rpt's msg until 0040. From May to 2 August 1990 bcst was on 12162 kHz. Then no longer hrd that freq. Rediscovered December 1990 on 6795 kHz. (White, ME)

**6801:** SLHFB "S" on CW at 2226. Very weak sig. Still there when checked again at 0005. (Penson, MN)

**6803:** YL/SS in AM at 0209 w/4F grps. 411 411 411 1-0 count then tones and into text at 0210. Ended at 0228. On another date this activity also noted at 0020. (Penson, MN)

**6840:** Unusual activity here. BBC World Service in USB w/programs for British Forces in the Gulf 2000-0000. YL/EE w/msg for EZI also here at various times. (Mason, England)

**6841:** YL/SS in AM at 0235 w/4F grps. Msg in progress. Open carrier when rechecked at 0243. (Penson, MN)

**6934:** YL/SS in AM w/479 x3 1-0 count. Then Grupo 166 & into 4F grps. Ended w/single digit 6 & off at 0309. (Hill, MI); YL/SS in AM at 0403 w/132 + 1-0 count & 4F grps. (Margolis, IL)

**6964:** YL/EE in AM at 0240 w/3 + 2F grps. Ended at 0247. (Penson, MN)

**6967:** YL/gg w/649 649 649, 1 between 2100-05. Then "Achtung" 274, 100, 274, 100 & into 5F grps. AM mode. (Mason, England)

**6968.5:** NNNQFQ w/tfc call-up as per district, NNNQEBG, NNNQAHJ id'd in net. US Navy MARS. USB at 0209. (Scalzo, PQ, Canada)

**7365.9:** Kentucky USB net (US Navy MARS) w/NNNOBWU, OCK, BCI, etc at 1830. (Watts, KY)

**7373.5:** U/i stn to NNNORZA w/official MARS msg re new freq usage w/7346.5 primary, 7375 2ndary, and 4008.5 kHz tertiary. USB at 1902. (Sabo, CA)

**7404.2:** YL/GG w/3 + 2F grps at 0617 w/"Ende" at 0620. 5 nights later at 0609 w/same format. (JMS, MO)

**7406.5:** US Army MARS net at 1602. Passing tfc from troops in Desert Shield to relatives in state of MO. Calls incl AAR7HV, AAT7VK, AAR7NV, AAR7NA,

# CG-2113

AIRCRAFT OF THE UNITED STATES COAST GUARD

THIS CONFIRMS YOUR RECEPTION OF  
COAST GUARD 2113 ON 8768.5 KHZ USB  
AT 0751Z ON NOVEMBER 23, 1989.

AIRCRAFT TYPE: HU-25 FALCON

TRANSMITTER/POWER: 50 WATTS (PEP)

ANTENNA: HORIZONTAL LONG WIRE

AIRCRAFT LOCATION: S/N GULF OF MEXICO

SIGNATURE AND OFFICIAL STAMP: M. E. Markham

COMMANDER  
U.S. COAST & GUARD GROUP  
CORPUS CHRISTI, TX 78419-5000

PFC returned to Dave Sabo, CA.

AAT7GV, AAR7PH, AAT7VJ, AAA9SH, AAR7CV, AAT7OS, AAM6TB, AAR7GQ, AAA0USA, AAT7NV & others. AAT7NV was net control. At 1725 they went "local" and "informal" and AAA7MO was net control. (JMS, MO)

**7450:** Broadway Consumer, Arizona Emergency Communications net w/informal session between Broadway Consumer 57CO and 57AF. LSB from 0235-0242. (Sabo, CA)

**7457:** USAF MARS net 6SI in USB at 0225 w/NCS AFB6HK wkg AFF6A, Redlands, CA, AFB6ML, Las Vegas, NV; and AFA6BD. (Sabo, CA)

**7527:** Homeplate wkg "59" w/clear & secure comms from 0245-0248; Omaha-86, Roadrunner Base, and Lone Star in drug interdiction ops on 0613-0700. All USB on Customs Service ZB channel. (Sabo, CA)

**7645:** Sine wave tone here 2000-2020. Then OM/RR w/854. At 2025 590 590 42 42 & into 5F grps. Ended w/00000.

**7654.2:** YL/EE w/683 x3, 1-0 count at 2100. At 2110, 11 beeps, Count 178 x3, then into 3+2F grps. (JMS, MO)

**7700:** Hrd digital data comm's in USB at 0458 foll by SHAB-265 to Bravo-830 (also ID'd as Mobile 830) w/remarks re computer. Mobile 830 also cld to 265 as "C-Comm Control. This is DOE Nuclear Transport Safeguard CH 5. (Sabo, CA)

**7887:** Lincolnshire Poacher tune here at 1900. YL/EE between tunes w/06609. At 1910 two tones x3 & into 200 5F grps ending at 1946. Was also on 8464 & 9251 kHz. All three affected by warblers. (Mason, England); YL/SS in AM at 0819 w/5F grps. (Sabo, CA)

**8241.5:** USCGC Mariposa (NDOP, WLB-397) at 0520 wkg Commsta Boston; USCGC Salvia (NODS, WLB-400) at 0614 wkg Commsta New Orleans, then QSY 6961 kHz for RTTY. USB & duplex wkg on 8765.4 kHz. (Sabo, CA)

**8277:** Crunch and Lucky talking re wx on beach and wind speed. Were wondering where Snorkel, Rabbit and Shark have gone. USB at 0040. (Harwood, CA)

**8471:** A7D, Doha, Qatar in CW at 0946. (Tubbs, Desert Shield)

**8544:** YL/SS in AM at 0707 w/5F grps. Same YL on 8056 kHz at same time, nut not simulcast. (Sabo, CA)

**8723:** Sydney, Australia trying clear net because u/i stn playing music on same freq. General confusion until music ended then normal ops w/pp's. 1228-1233. USB. (Dube, WA)

**8728.2:** OM/EE and u/i language in USB at 1457 w/voice mirror "This is LANARCA radio, maritime radio telephone service." (Tubbs, Desert Shield)

**8753:** JGO, Tokyo Japan w/"Test Transmission" announcement in EE then in JJ and tfc list in JJ. USB mode. (Dube, WA)

**8778:** U/i net in USB 1305-1320. Tactical calls hrd incl N9L, POS, P1G, J8A, L2W, I1F, N8N and R4E. Stns were making commo chex. Hrd daily & callsigns appear change every 24 hrs. (Dube, WA)

**8828:** ZKZK, Auckland, New Zealand Volmet w/aero wx at 0823; KVM70, Honolulu Volmet w/aero wx at 0826. All in USB. (Dube, WA)

**8855:** Centro Asuncion, Paraguay and Centro La Paz, Bolivia exchanging aeronautical info in SS at 1206 on SSB. Brazilian airline flight Vasp 783 w/position report to Centro Brasilia and Centro Manaus in EE on SSB at 1441. (Benevolo, Brazil)

**8859:** Very strange noise here for most of day. Sounds like "Star Trek" phaser. Have hrd it for many weeks. (Mason, England)

**8861:** Lufthansa 512 wkg Dakar Aeradio (FIR) w/position rep. Good sigs on both. Dakar ref'd 2ndary of 3452. USB at 0430. (Sabo, CA)

**8872:** YL/SS in AM at 0619 w/5F grps. (Scalzo, PQ, Canada)

**8873:** YL/SS in AM w/Atencion then about five 2F grps & finished up w/5F grps w/Final x2 from 0715 to 0725. Carrier sig present until about 0740. (Dube, WA)

**8879:** OM/EE in USB at 1713 w/"This is Iceland Radio." Also planes wkg Harare, Zilongwe & Maputo. (Tubbs, Desert Shield)

**8912:** Roadrunner wkg Omaha-86 in USB at 0345 on Customs Service YC channel. (Sabo, CA)

**8942:** Singapore ATC wkg u/i a/c & tells pilot that secondary freq was 11396 kHz. Hrd at 1348; MEDEVAC 099 wkg Manila asking for VHF freq; Singapore wks All Nippon 876 at 1403; United 097 at 1411 & American 554 at 1419. All three sent position reports. USB mode. (Dube, WA)

**8950:** Conversation in Chinese by u/i USB stn at 0317. (Bednarski, BC, Canada)

**8964:** AGA2, USAF Hickam AFB w/coded msg at 0835 in USB. (Dube, WA)

**8970:** AM carrier here 1100-1108. Then YL/GG w/100 x3 37508 41 until 1113. Then five tones & into 5F grps. Also on 10255 kHz. (Mason, England)

**8972:** Woodpecker-2 wkg Blue Star in USB from 0743-0745. Woopecker-2 ref'd having "2 targets of interest" and advised Blue Star to stand by on "CRATT." Skyking-101 cld Woodpecker-2 but no joy. (Sabo, CA); A/c 91713 wkg B6P w/tfc at 0347. At 0420 B6P wkg E5B. Went scrambled at 0438. USB mode. (Hill, MI)

**8975.5:** AXF, RAAF, Sydney, Australia; YL wkg Sunbolt Twin C w/ft info at 1238, then clg Convoy 613 at 1252 but no answer. USB mode. (Dube, WA)

**8984:** NOR, AIRSTA San Diego in USB at 0317 advised Y60-L to QSY to 5696 kHz but a/c cudn't hear her. (Sabo, CA)

**8989:** U/i stn in USB at 0015 w/strings of alpha/numeric tfc. (Bednarski, BC, Canada)

**8992:** United 1822 clg Bangkok in USB at 1725. (Tubbs, Desert Shield)

**8993:** MAC 9000113 wkg McDill AFB in USB w/Autovon pp to Carbon Copu at 0104. MAC 90013 said to be based at Westover AFB, MA. (Hamlin, NY)

**9017:** Jidicate w/unanswered calls to Errand Boy for sig check, then jidicate & WAR46 to Good Punt from 0400-0404; Abstainer established comm's w/McClellan at 0613, then data sigs followed. USB mode. This is SA-C X-904 channel. (Sabo, CA)

**9032:** Haven clg Britannia 896 in USB at 0141. This is an RAF freq. (Hamlin, NY)

**9222:** YL/SS hrd at 0330 w/5F grps. Ended at 0351. Few weeks later she hrd again at 0314. (Bednarski, BC, Canada)

**9230:** YL/SS in AM at 0410 w/5F grps. (Sabo, CA)

**9240:** YKL/EE in USB at 2304 w/5F msg until 231. (Margolis, IL)

**9726:** YL/cc in AM at 0907 w/4F grps each x2. (Sabo, CA)

**9865:** VTK, Tuticorin Naval, India in CW at 0921 w/band list. (Tubbs, Desert Shield)

**10000:** WVVH, Hawaii in AM at 1728. (Tubbs, Desert Shield)

**10243:** YL/Yiddish in USB at 0428 w/3\*2F grps. (Sabo, CA)

**10305:** Acrobat wkg u/i a/c re status of refueling & other flight-related matters in USB at 1012. Acrobat listed as Andrews AFB. This freq listed at NASA alloc. (Sabo, CA)

**10692.2:** Stn w/LOAD QRA DE M5M then into 5L grps. CW 2135-0025. (Scalzo, PQ, Canada)

**10855:** YL/SS in AM at 0934 w/5F grps. (Sabo, CA)

**10870:** WGY912, FEMA Facility at Berryville, VA hrd at diff times. DF bearings seem indicate xmtrs at various locations being used or diff directive arrays utilized. (White, ME)

**11055:** Andrews AFB wkg SAM 970 in LSB at 0036. SAM 970 on gnd in Dakar, Senegal said to be a/c formerly used as AF-1 by JFK and LBJ. (Hamlin, NY); Andrews AFB in USB at 0247 wkg AF-2 w/pp, then w/brief comm's to AF-1. (Sabo, CA)

**11070:** GKF wkg B3F in USB at 0016 w/comms re eqpt problems. (Hamlin, NY)

**11142:** KRH50, US Embassy, London, England w/QSX info in CW at 1759. (Scalzo, PQ, Canada)

**11176:** MAC 70166 in USB at 0030 asked for wx at Andrews AFB. Flight told divert to Roanoke, VA. Pilot said he wud make one try at Andrews and if no go wud divert to Roanoke. Bob Hope, who was on MAC flight, was to call Pres. Bush. Pp made and Pres. thanked Mr. Hope for entertaining the troops. During monitoring 0030-0120 freqs 13244 and 15015 kHz USB also used. (Briley, MN)

**11217:** German AF 014 to unhrd grd stn wi/rdo chk. Mentioned this was the whiskey freq. USB at 2150. (Scalzo, PQ, Canada)

**11220:** (Also see 11494 item) Utah-99 w/comm's to Slingshot, then asked for pp to Autovon nbr (Air Logistics Center, Utah), to which 99 passed encrypted tfr. Utah-99 back to Slingshot at 2029 re permission exit net which did after Slings hot authentication challenge. USB mode 2022-2031. (Sabo, CA)

**11226:** Moondust wkg Bentworth in USB 0010-0013 on SAC X-905 channel. Tried set up secure comm's. (Sabo, CA); Advertise wkg Cigarette, & Noon Time wkg Appraisal for rdo chex in USB at 2159. (Hill, MI)

**11233:** Rescue 464 wkg Trenton Military for pp to RCC. On SAR for two missing snowmobilers in Quebec. USB at 2156. (Hill, MI)

**11239:** N67 Heavy w/pp to North Island. A/c id'ed as Boeing 707 ECK in USB at 0110. (Harwood, CA)

**11243:** USAF, SAC "Pathology" w/coded msg foll by multiple tfr requests w/"Pathology" standing by for tfr by no response at 0243 in USB. Off at 0245. (Dube, WA)

**11288:** Slingshot wkg Almighty in USB at 0653 on Customs Service YD channel. (Sabo, CA)

**11395:** Paraguayan AF Department (presumably) in SSB at 1906 furnishing aeronautical data to other stns using tactical id's "Japon," "Holanda," and "Alemanha" in SS. (Benevolo, Brazil)

**11396:** Qantas-51 wkg Djakarta w/position report in USB at 1052. (Sabo, CA)

**11494:** Pork Pie wkg u/i stn w/coded tfr in USB at 2209 on channel S-311. (Hill, MI) Slingshot & Utah-99 trying establish comm's. Slingshot requested QSY to S-312 but Utah-99 asked for freq in clear since he didn't have designators. Slingshot then advised move to 11220 kHz. USB 2018-2022. (Sabo, CA)

**12342.4:** C7N wkg Commsta Guam in USB at 0711. Duplex w/13113.2 kHz. (Sabo, CA)

**12364:** Ship, Gulf Lancer wkg WLO, Mobile, AL in USB at 2230 for pp to Harvey Base, LA. Harvey on 13135 kHz. (Hill, MI)

**12440:** Phony callign stn in CW at 1250 w/QWAF QWAF QWAF DE QLXC QLXC QLXC QRU IMI then signifying either QSY or AR (Hall, Japan)

**12747:** YL rpts MIW2 in USB at 0406. (Sabo, CA)

**12813.2:** XFM, Manzanillo, Mexico w/CQ mkr at 0051. (Scalzo, PQ, Canada)

**12837:** UUTW, u/i Soviet vessel w/RR telexes in CW at 1009. (Tubbs, Desert Shield)

**12950:** YL rpts SYN2 in USB at 0407. Noted still going strong at 0422. (Sabo, CA)

**13113:** NMO, USCG COMSTA Honolulu clg USCG cutter Polar Sea in USB at 1827 but no answer. (Dube, WA)

**13160:** Coastal stn LPL, Buenos Aires, Argentina wkg passenger vessel Royal Viking Sea (C6DM3) in EE. SSB at 1512. (Benevolo, Brazil)

**13181:** X6W w/coded mgs at 1844 in USB than X6W asked S6O to re-initiate at 1845. Others hrd were X2W clg B2X at 1847. (Dube, WA)

**13185:** Coastal stn Juncao, Brazil (PPJ) in Rio Grande, RS contacting Brazilian Navy research vessel Barao de Tefe, (PWBT) which probably in S. Atlantic Ocean near Antarctica. PP language, SSB at 2245. (Benevolo, Brazil)

**13201:** King 79 wkg McClellan at 1827 w/pp to Rescue Ops—reported cracked windshield (outer pane) over POGO, will complete mission then return Suffox County. At 1837 MAC 70007 wkg McClellan w/pp to McCord Meteo, wx info. (Parks, GA)

**13205:** RAAF Townsville (AKH) wkg Aussie-131 in USB at 0532. (Sabo, CA)

**13333:** Speedburd 225 in USB at 1956 clg Speedbird London (British Airways) while flying over Canada. (Margolis, IL)

**13430:** VTK 3/4/5/6/7, Tuticorin Naval, India in CW at 1214 w/mkr. (Tubbs, Desert Shield)

**13500:** Three Mexican maritime stns in USB 2215-2241. Stns blvd be San Blas, Puerto Cortes & Baja Cali-

fornia Sur. Place names mentioned were Zona Naval San Blas, Ensenada, Puerto Cortes, Baja California Sur, three ships, & San Blas. (Webb, CA) Possibly Mexican Navy comms? Puerto Cortes is the Hqs of the 2nd Naval Zone. (Ed.)

**13815:** Nabol in La Paz, Bolivia w/msg to Inca Peru in SS at 1322 on SS. Later hrd Nabol Bolivia and ZPK, Asuncion, Paraguay exchanging comm reports in SS at 2005. These stns are members of the Inter-American Naval net. (Benevolo, Brazil)

**13826:** U/i stn wkg NNNONPA, Palmer Station, An

tartica at 0150; at 0644 NNNONRI, Port Hueneme, CA wkg NNNONVX, Camp Shields, Japan w/pp's. (Sabo, CA)

**14458.5:** CFARS net in USB at 0505 incl CIW201, CIW2101, CIW2105, & CIW2109. (Sabo, CA)

**14760:** NNNONUW, NAS Whidbey, WA wkg NNNONRI, Port Hueneme, CA in USB at 1755. (Sabo, CA)

**15055:** Two u/i stns, Bolivia and Tango Bravo 2 w/SS oprs passing msgs in SSB at 1415. Initial contact thru u/i stn Paraguay. (Benevolo, Brazil)

**15732:** YL/EE in AM at 1534 w/3+2F grps. (Margolis, IL)

**15875:** USCG LORMONSTA Yokota (NRT) wrk LORSTA Marcus Island (NRV6), Iwo Jima (NRT2), Hokkaido (NRT9), Gesashi (NRT3), and Barrigada (NRV) w/comm's re some sort of calibration ops. Lots of talk re polarity of LPA's, and countdown to insertion. USB at 0401. (Sabo, CA)

**16382:** WUH, USACE, Omaha, NE in USB at 1836 w/comms w/WUB5, Corps of Engineers station at unk location in North Atlantic Division. (Margolis, IL)

**16500:** Two u/i Brazilian vessels, owned by "Transportes Maritimos e Fluviais S.A. —FLUMAR", exchanging crew info in Portuguese language. SSB at 1920. (Benevolo, Brazil)

**16534.4:** D9K wkg USCG CAMSPAC re switching RTTY freq from 21 megs to 29 megs. USB at 1834. (Sabo, CA)

**16805:** Soviet vessel USPD in CW at 1132 w/telexes in RR. (Tubbs, Desert Shield)

**16921.2:** CLS, Industria Pesquera Radio, Cuba w/QSX 12549/8366 kHz in CW at 0105. (Scalzo, PQ, Canada)

**17245:** PPO, Olinda, Brazil wkg Brazilian vessel Maruim in Portuguese on SSB at 2045. (Benevolo, Brazil)

**17275.6:** U/i stn in USB at 1703 w/pips, 1 per sec. (Margolis, IL)

**17552:** KWL90, US Embassy, Manila, Philippines in CW at 0039 w/QRA/QSX mkr. (Margolis, IL)

**17937:** A/c "65" w/position report to Lima, Peru in USB at 2039. (Sabo, CA)

**17952:** Guard Dog clg Ambush on YF in USB at 2158. No joy. (lasted for 20 mins). (Hill, MI)

**18005:** Prolong wkg Spatula w/sig check on PACAF "T" channel, then advised that this was primary, and "U" (21754) 2ndary. Then, Readiness wkg Prolong. Also ref'd "Mike Upper" channel (14755). USB from 2003-2111. (Sabo, CA)

**18060:** SAM 970? wkg Andrews AFB, setting up RTTY. USB at 1729. (Hill, MI)

**18154:** TAD, MFA, Ankara, Turkey in CW at 1837 after sending RTTY t/c. (Margolis, IL)

**18980:** Radio Netuno and Arauco, Chile in comms in SS. Comms started thru Radio Balboa on 18990 kHz SSB at 1330. Stns are members of the Inter-American Naval net. (Benevolo, Brazil)

**18981.8:** Possible Indonesian stn in CW at 1418 w/transmission in unknown language, possibly Malay. (Webb, CA)

**20185:** Comms from Space Shuttle in USB at 2246 being retransmitted from Huntsville. (Bednarski, BC, Canada)

**20560:** U/i CW stn at 1507 w/msg in 5F grps. T=0. (Margolis, IL)

**20720:** PPR, Rio de Janeiro, Brazil wkg Brazilian vessel Merety (PPWA) in SSB at 1600. Ship in Red Sea enroute to Barcelona, Spain. T/c in Portuguese. (Benevolo, Brazil)

**20870:** YL/SS in AM at 0030 w/4F grps. (Harwood, CA)

**20970:** CFARS net in USB at 1943: CIW202 & CIW605 (Ontario) wkg VXN91 (not hrd). CIW605 was relaying pro hockey scores to VXN91 from CIW202. After that much talk w/VXN91 re 0200 QRX. At 1955, CIW671 cld CIW605, then wrkd CIW605 and CIW202. CIW671 advised he was new to net. (Sabo, CA)

**20992:** SLHFB "U" in CW at 1434. (Margolis, IL)

**21754:** Rpts of "Strong Box Strong Box stand by for communications test call" for about a minute, then Devil Fox came up and made test call to various stns incl Safe Deposit. USB on PACAF channel U. (Sabo, CA)

**21770:** YL/EE in AM at 1631 w/3+2F grps. (Wiemken, IL)

**22701:** YI/SS in LSB at 2334 w/conversation re hre clg u/i individual on u/i ship. (Bednarski, BC, Canada)

**23402.5:** Atlas wkg Flint-730 in USB at 1838 on Customs Service R channel. (Sabo, CA)

**23642:** KSW78, US Embassy, Athens, Greece in CW at 1557 w/QSX info. (Scalzo, PQ, Canada)

**25165:** LPL, Buenos Aires, Argentina in SSB at 1855 announcing in SS t/c to other Argentine stns, among them Mendoza, Manuel Belgrano, Albamar 4, Albamar 2, and Tamar. (Benevolo, Brazil)

**25674.9:** U/i Mexican voice net at 2125 in AM & LSB w/conversation in SS re some type of measurements & movement of a needle. Town of Guadalajara was mentioned. (Webb, CA)

## Subscribe Now and Save 12 Issues—Only \$19.95

For 25 years,  
our people have  
endured long hours  
and tough  
working conditions  
for no pay.



And 9 out of 10 would  
do it again.

TO FIND OUT WHY  
call

(316) 263-2100

or write

REACT INTERNATIONAL, INC.

242 Cleveland

Wichita, KS 67214

# PIRATES DEN

BY EDWARD TEACH

## FOCUS ON FREE RADIO BROADCASTING

The Den received an incredible amount of mail from you folks! I'll start with logs of the newer or more unusual stations and we'll see how far we get.

At least one pirate was tying into the Gulf situation. Joshua Wilkes in Kentucky heard **Radio Free North America** with rock and roll for "the American troops in Saudi Arabia". The station claimed to be using a phone relay to a remote AM transmitter. Joshua says a prankster using the ID "Scud Missile Control" was breaking in on the broadcast. This was on 7415 between 2343 and 2355. Jim O'Connell in Massachusetts has the station signing off at 0010 with "Good night, America; Good morning, Saudi Arabia" and a promise to return next week. Jim says he heard mention of an address in Pennsylvania.

**KUSA** - Radio Wisconsin was found by Chris London in Minnesota on 8412.5 between 1450-1539 sign off. Announced as 300 watts into a vertical antenna and mentioned they were on frequencies in the 11 and 49 meter bands. No address given. Robert Raudenbush in Oregon had them at 0340 on 7415 ID'ing as the Radio Service of Wisconsin and Stanley Mayo in Maine caught them announcing frequencies of 25840, 6210 and 7415, announcing power as three kilowatts and using slogans "KUSA-Dairyland" and "KUSA-Wisconsin". This station was later busted by the FCC.

Another Wisconsin-based station (perhaps the same one?) is **WKAR-"Wisconsin's Kick-ass Radio"** heard on 7415 at

0500 by Pat Murphy in Virginia. Pat says he lost the signal to QRM after about 10 minutes.

Ken Johnson in British Columbia heard **Folk Radio** on 7412 at 0453 closing and advertising pirate t-shirts.

**Radio Covert** was airing an episode of the Amos 'n Andy Show on 7415 when Tim Johnson of Illinois heard them at 2344. They went off abruptly at 2304.

**WORK** (that's Workers Operating Radio Knobs) was snagged by Chris London on 7415 at 2330-2350 with programming dedicated to the working man. The sign off included an ID and slogan in CW. Wellsville address for this one. Tim Johnson had this one, too, on 7413 at 2315 using the song "Working in a Coal Mine" as bridge music.

I hadn't seen any reports for **Radio Mauser Worldwide** in awhile, until Mario J. Filippi in New Jersey reported them on 7490 at 0001-0009 with Beatles music and host Dr. Selsun. The address was given as PO Box 55553, Trenton, NJ 08638.

Skip Harwood in California found the **Voice of Radio Freedom** on 7415 at 0250-0316 with light rock and two IDs. No address announced. Skip notes the modulation and signal strength were excellent.

**WHO** (not the real one on 1040-MW) was heard on 7416 at 0059 sign on to 0131 close by Robert Ross of Ontario. IDs as the Voice of Free Radio from Galafry (?), (That's the home planet, I think, Bob), and announcing power as an average 100 watts output. Address is PO Box 452, Wellsville, NY 14895. Jeff Foster of Michigan had them at about the same time.

**KNBS**, the so-called Voice of the California Marijuana Cooperative, was heard on 3470 at 0235 by David Lausten in Pennsylvania. Many comedy bits were aired and the Wellsville address announced. Pat Murphy found them on 3474 at 0200.

Shaun Rockland of Wisconsin had the **Canadian Bootlegger** on 7416 at 0215 announcing the Wellsville address. Shaun, along with Jeff Foster, monitored a string of other stations in a QSO here. I avoid reporting QSO's, but will here as there were some unfamiliar stations included: KLV5, Action Radio, Pancho Villa Radio, KGUN, WHDA and Samurai Radio.

Action Radio was 7415 at 2250, reports Pat Murphy. They were running parodies and heavy metal. ID went "... from the city of three rivers, in our underground studios, this is Action Radio ..." Foster heard them playing segments from the now defunct KUSW, Salt Lake City.

Robert Ross checks in with some great Europirate logs: Pirate Freaks Broadcasting Service on 6285 at 0418; Weekend Music Radio on 6239.9 at 0456; Live Wire Radio



on 6276.9 at 0450, an unidentified on 6230 at 0608 and a tentative second log on PFBS on 6295.3 to 0558. Also heard was Radio Orangutan in Holland on 6205.9 at 0833. We all wish for your kind of success with the Euros, Bob!

**Hope Radio International** seems one of the most active pirates these days. If you need this one check the 7413-7418 range. They've also been heard on 3472 and 7382. The time frame runs from as early as 2100 to well into the evening hours. The program often includes a segment of pirate radio news hosted by the Radio Animal.


**WJDI**, something of old timer, ran a special broadcast on 1620. This one seems to show up every now and again. The address is given as PO Box 5821, Kingston, NY 12401. Thanks to all of you who sent reports on the above two stations.

Skip Harwood reports that **Zodiac Radio** has begun sending out QSL's again. Skip also says that **Radio Anarchy** says they "blew their transmitter on 9900" and only get two reports for broadcasts on this frequency.

Jeff Foster heard a station he tentatively ID'd as **Radio Fog** on 7415 at 0253, though it amounted only to an announcement about a later broadcast and mention of an address which wasn't picked up.

A reminder that, though they may sometimes sound like it, neither Radio New York International nor Radio Free New York are pirate stations. RNI was at one time. Both are independently produced programs aired over licensed station WWCR in Tennessee, 7520 KHz.

Thanks to all who reported this month, and please keep that mail coming this way! I really appreciate hearing from you! Operators, how about sending me details about your stations, equipment, plans and such? Station photos are much wanted, too! ■



This is the production studio of the Voice of Bono, normally relayed by other pirate stations. (Thanks: Voice of Bono)

# SCANNING VHF/UHF

BY CHUCK GYSI, N2DUP

## MONITORING THE 30 TO 900 MHz "ACTION" BANDS

**A**s the summer starts to unfold before us, it's the season when the scanning action gets hot with the weather. Now is the time to tune in those vacation spots and send in those frequencies!

Christian Kocielo, Registered Monitor KCT1DS, from Hadlyme, Connecticut, says he has a Uniden Bearcat BC-1, BC-950XLT and BC560XLT at his listening post. In addition, Christian passes along these frequencies: 160.695, Valley Railroad in Essex and New York City Transit Police; Middlesex County fire, 46.18, 46.26 and 46.04; and New London County fire on 33.96 and 33.90.

From Benson, Minnesota, checks in Dell Hilleren. Dell uses a Uniden BC205XLT handheld as well as a Realistic PRO-2021 scanner in his home. The Radio Shack scanner is attached to a Channelmaster model 5094 scanner antenna mounted about 30 feet above ground level. Dell says he lives in a rural area and likes to listen to police and ambulance units. He's about 10 miles away from the closest base station he listens to and about 25 miles from the next closest base station. He says he can hear the base stations with no difficulty, however, the mobile units sometimes come in broken up. He wonders whether a different antenna, an amplifier or a higher antenna would help receive signals better.

The answer to Dell's question is to say yes to any or all of the three counts. An antenna with better gain would certainly help. First of all, if all the frequencies you are monitoring most are all in the same band, such as VHF high band (150-174 MHz), a single band gain antenna will do better than an antenna that is designed to function on three or four bands or more. Next, an amplifier also might help in your situation. However, keep in mind that if the signals are real noisy, the amplifier also will amplify that noise on your receiver. It certainly would be worth a try. If at all possible, it's always best to mount an amplifier at the antenna, rather than at the radio. This allows the amplification to be done at the antenna and enhances the signal before it experiences loss in the coaxial cable as it travels to the radio. An active antenna such as the Dressler VHF/UHF versions available from Gilfer Shortwave in New Jersey works in this fashion, but in all in one self-contained unit that mounts on the mast, antenna and amplifier in all.

Lastly, a higher antenna also will help with your reception. However, raising it another 5 feet won't do the trick. To get a significant and noticeable improvement in signal, you would almost have to double your height for starters. If your antenna can "see" the signals line of sight on what you want to



*Here is the Astoria, IL, listening post of David Law. Included with the Cobra SR-10 scanner are a couple of shortwave receivers so David doesn't miss any of the action.*

hear, it will help your reception. In addition, make sure you have a good quality coax cable, especially if you are running the cable for a stretch of 50 feet or more. Most scanner enthusiasts prefer Belden 9913 cable because of its low-loss properties. Keep in mind that all these things all together will make a difference on how well you receive. For instance, I have antennas mounted on my tower at 20 feet that receive better than antennas mounted at 50 feet. It depends on all the above factors put together. Experiment by changing things around one step at a time and see what improves your reception best. Don't go into it whole hog and come out disappointed!

Ted Sorge of Myrtle Beach, South Carolina, writes to Scanner Scene to ask if he put 800 MHz crystals into his Regency ACT-R-106 crystal scanner whether it would receive signals from the 800 MHz band. He also wonders whether 800 MHz crystals are available. First, you can have crystals cut for any frequency, even out of band, by any reputable crystal manufacturer. They may charge more for such a service, but it is available. Next, if you were to put 800 MHz crystals into a scanner designed to receive only VHF and UHF bands, the radio would not receive 800 MHz signals because the scanner does not have an RF front end that is needed to detect the 800 MHz band. You might receive some interference on such an arrangement if you were lucky, such as a broadcast station, but it would be the radio

"spazzing out" at best. The only 800 MHz crystal scanner ever made was a Bearcat and not too many seem to be around. If you come across a used one of these radios, which also receive the other VHF and UHF bands with crystals, then you could tune in 800 MHz signals with the proper crystals.



Ted also passes along a few frequencies for the Myrtle Beach resort areas: Myrtle Beach police, 154.800; Myrtle Beach fire, 154.100 (F-1), 154.175 (F-2); Myrtle Beach Rescue Squad, 155.160; North Myrtle Beach fire, 154.2200; North Myrtle Beach police, 154.860; North Myrtle Beach public works, 154.025; new Horry County police data, 860.5875; old Horry County police, 154.725; Horry County rural fire, 154.400.

John Callahan of Houston, Texas, writes in to request information on becoming a "registered monitor". John is referring to those distinctive IDs issued to scanner hobbyists to identify them to others in the hobby as well as to agencies and others they may write to. My own Register Monitor ID is KPA3CA. The PA means it was issued to me when I was living in Pennsylvania and the 3 designates the amateur radio call district that Pennsylvania is in. You can obtain information on becoming a registered monitor by writing to: CRB Research Books, PO Box 56, Commack, NY 11725.

Al Lasoya from Channelview, Texas, writes in response to the steps mentioned in

*(Continued on page 50)*

# COVERING THE COMPLETE RADIO SPECTRUM




from  
**Billboard Books**

## CALLBOOK SUPPLEMENT 1991

Published June 1, 1991, the supplement covers the combined activities in both the North American and International Callbooks for the preceding six months. This one supplement lists thousands of new licenses, address changes, and call signs and changes.  
272 pages. 8<sup>3</sup>/<sub>8</sub> x 10<sup>7</sup>/<sub>8</sub>.  
Item # 087026. (paper) \$10.00

## THE M STREET RADIO DIRECTORY, 1990 ED.

by The Editors of the M Street Journal. This updated resource presents a comprehensive listing of more than 11,000 AM, FM and Shortwave broadcasting stations in the U. S., Canada, and northern Mexico, with complete information included about each.  
606 pages. 6 x 9. Item # 075680. (cloth) \$29.95




## NORTH AMERICAN CALLBOOK 1991

*The North American Callbook* lists the calls, names, and addresses for more than 500,000 licensed amateurs in all countries of North America from Panama through Canada, including Greenland, Bermuda, and the Caribbean islands, plus Hawaii and the U.S. possessions.  
1,592 pages. Item # 08700X. (paper) \$29.95

## WORLD RADIO TV HANDBOOK 1991

edited by Andrew G. Sennitt. "The authoritative reference book for anyone seeking information on radio and television around the world."—Radio Australia. Features country-by-country listings of long-, medium-, and short-wave stations by frequency, time, and language; a guide to worldwide broadcasts in English. 608 pages. 5<sup>3</sup>/<sub>4</sub> x 9.  
Item # 077926. (paper) \$19.95




## INTERNATIONAL CALLBOOK 1991

The International Callbook lists more than 500,000 licensed amateurs in countries outside North America. Its coverage includes South America, Europe, Africa, Asia, and the Pacific area (exclusive of Hawaii and the U.S. possessions).  
1,720 pages. Item # 087018. (paper) \$29.95

## THE TRAVELER'S GUIDE TO WORLD RADIO, 1991 ED.

edited by Andrew G. Sennitt. Especially designed for the business or recreational traveler, this book offers—in a handy size and graphic format—details of English radio broadcasts accessible in major international travel destinations.  
128 pages. 7<sup>1</sup>/<sub>2</sub> x 3<sup>3</sup>/<sub>4</sub>.  
Item # 077667. (paper) \$9.95



Available from your local electronics dealer.

### Using FM Repeaters: No Code Needed

Unless you've been on an extended visit to the northern plateaus of Tibet, you've no doubt heard about the FCC's landmark codeless Technician-class amateur license. For the first time in US history, an amateur license can be yours merely by passing two relatively easy exams totaling 55 questions—and there's not even a reference to Morse code!

As of February 14, 1991, Technicians are allowed full amateur privileges above 30 MHz. They're not allowed to operate on the HF amateur bands (except those Technicians who were licensed before the new license took effect), but they have full access to the exciting world of VHF, including popular repeaters on 6 and 2 meters and above, which brings me to this month's topic.

#### Repeaters

One of the most exciting enhancements in Amateur Radio was the development of repeaters. These remote receiver/transmitter combinations went into widespread service in the 1960s, and their use on 2-meter FM boomed in the '70s. Today, there are thousands of these "machines" operating nationally (you can probably access several in your area), and the number is growing. FM repeaters operate on 10 and 6 meters, 223, 440, 902 and 1240 MHz, and many are crosslinked to two or more of the above bands.

Repeaters bestow increased capabilities on even low-power hand-held or mobile transceivers. For example, you could be walking through a downtown park and chatting with a friend 50 miles away thanks to the repeater mounted high atop a water tower or a nearby mountain ridge. The same goes for the VHF rig in your car. Some repeaters are part of extensive networks, allowing a ham with a hand-held radio in Arizona to converse with another ham in Los Angeles. Their signals travel back and forth through several "linked" repeaters.

Privileges available to codeless Techs are a powerful incentive to join the ranks as an Amateur Radio operator. And repeaters are only part of the fun. There are satellites, amateur television, packet radio and more—but I'll have to save those for later. What are you waiting for?

#### Repeater Etiquette

For veteran repeater users, this may be old hat. But there are always new hams appearing on the bands, and a review never hurt anyone.

Here are some standard dos and don'ts

for using VHF/UHF FM repeaters:  
*Don't*

1) "Kerchunk" the repeater. This refers to keying your mike without saying anything just to "see if you can hit the machine." It's illegal to transmit without giving your call sign and it's rude to operate someone else's station anonymously.

2) Be long-winded. Keep your transmission brief so you don't tie up the machine—it might be needed for more urgent

communications.

3) Talk over the repeater ID. Some people want to know what repeater they're hearing and if you transmit on top of the repeater's call sign, it's hard to copy.

4) Use CW abbreviations and most Q-signals. Say "location" or "home" instead of "QTH"; "moving to (frequency)" instead of "QSY"; "clear" or "out" instead of "QRT"; don't say "hi" for laughter—just laugh, already. You have a name, not a "handle";



*This is not some sort of "half sine-wave antenna!" Members of the Monsanto ARA operated special-event station AAOA October 27-28, 1990, to commemorate the silver anniversary of the St. Louis Gateway Arch. They made more than 320 QSOs with 41 states and several DX stations.*

you say "yes," not "roger that." Have you ever seen "destinated" in any English dictionary? Avoid numbly replying, "very good on the . . ." to acknowledge the other operator's comments. You get the idea! Speak naturally, abbreviations are unnecessary on FM: the sound quality is excellent.

Do

1) Leave pauses between transmissions. "Tailending" others makes it difficult for a station to join a conversation or report an emergency.

2) Acknowledge breakers as soon as you hear them. Then, turn the transmission over to them as soon as you can to find out what they have to say. Keep your transmission short.

3) Remember to give your station identification at least every 10 minutes.

4) State your name when you join an unfamiliar group; you'll be more rapidly accepted if you let the other repeater users know who they're talking to.

5) Stick to normal English. No one's impressed by an earful of muddled "hamese." Does the following conversation sound familiar? What would you think if you overheard this at a dinner party?

"KA5XYZ, WB5ZYX, handle here is Joe, Juliett Oscar Echo, You're DFQ to my QTH in Clunkertown, over."

"KA5XYZ for ID. Very good on the Clunkertown, Joe. Handle here is Tom, Tango Oscar Mike. I'm about to QSY to seven-nine; the road goes over a hill ahead and I'll probably lose the machine soon, hi."

Roger that, Tom. We just destinated here at the home QTH so I'll pass along my best 73s to you and yours and hope to catch you further on down the log. Hope we can talk again soon. KA5XYZ, this is WB5ZYX, pulling the big switch."

Now let's de-garble this:

"This is WB5ZYX, and my name is Joe. I hear you fine in Clunkertown, over."

"This is KA5XYZ. My name's Tom. I'm about to switch to the seven-nine repeater; the road goes over a hill ahead and I'll probably be out of range soon."

"Okay, Tom. I just reached my house, so I'll sign off now. Nice meeting you and 73. This is WB5ZYX, clear."

Remember, the whole point is to communicate clearly and effectively. Logic and common sense will pull you through almost any situation. Guard against the impulse to preach or attack someone else's skill on the air. And keep our valuable Amateur Radio bands clean, clear and classy by using good manners and common sense.

For information on the repeaters in your area, see *The ARRL Repeater Directory*, available from ARRL at the address listed below. It's updated every year and provides complete listings of regular and special-purpose repeaters all across the country.

Send your photos, comments and questions to me at ARRL, Department PCN, 225 Main Street, Newington, CT 06111. See you on the repeater!

## New Code Free License!




# HAM RADIO BEGINNER'S PACKAGE

Enjoy amateur radio privileges above 30 MHz including voice (FM and SSB), and digital (packet radio) modes without having to pass a code test! The FCC has dropped the code requirement for the Technician Class License. Besides local communication on repeaters, with the proper equipment you can communicate through satellites and even bounce signals off the moon. Sometimes there are band openings that provide communication for hundreds—even thousands of miles!

Getting in on all this fun is simple. Just study the material in ARRL's **Tune in the World with Ham Radio**, **The ARRL Technician Class License Manual**, and **The FCC Rule Book**. You'll be ready to pass the 55 question exam in no time—and there are exam sessions given by volunteer examiners every weekend all over the country.

**Tune in the World (book only)** covers the basics of the electronics and FCC regulations covered in the first part of the exam. **The Technician Class License Manual** emphasizes the more advanced material found on the second part of the exam. **The FCC Rule Book** has all of the amateur radio regulations and important interpretations of the rules.

If you want to expand your operations to the 80, 40, 15 or 10-meter bands, you can still take the 5 wpm code test. For study, use the code learning cassettes in the **Tune in the World (kit)**. This package can be used to study for the Novice Class exam which requires code, but has only the basic 25 question written exam.



### ORDER FORM

I would like to order the following:

- Tune in the World (book only) \$14.00
- Technician Class License Manual 6.00
- The FCC Rule Book 9.00
- Tune in the World (kit with code learning cassettes) 19.00

Please add \$4.50 for UPS shipping and handling

Enclosed is my check or money order for \$\_\_\_\_\_ or charge my:  VISA

Discover  MasterCard  AMEX

Signature \_\_\_\_\_

Acct No \_\_\_\_\_

Good from \_\_\_\_\_ Expires \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip/PC \_\_\_\_\_

PC



The American Radio Relay League

225 Main Street

Newington, CT 06111 USA

**JRC****NRD-525 HF Receiver**

- Receive 90 kHz to 34 MHz V/UHF With Optional CMK-165 Converter
- 200 Memory Channels
- AM, FM, U/LSB, RTTY, FAX
- Multi Scan Feature

**CALL TODAY!****ICOM****IC-R9000****THE FINE ART OF LISTENING**

- Continuous, All-Mode Receiver Covers 100 kHz to 2 GHz
- 1,000 Memories
- Advanced CRT Display
- Direct Digital Synthesizer System

**CALL FOR ALL DETAILS!****ICOM****IC-R71A****SUPERIOR PERFORMANCE RECEIVER**

- USB, LSB, AM, RTTY and Optional FM
- Covers .1 to 30 MHz
- 32 Memory Channels
- Multi Scanning Functions
- Keyboard Frequency Entry

**CALL TODAY!****KENWOOD****R-5000****HIGH PERFORMANCE RECEIVER**

- Covers 100 kHz to 30 MHz
- 100 Memories
- Keyboard or Main Dial Station Selection
- Programmable Scanning

**CALL TODAY FOR DETAILS!****Amateur and SWL Accessories****HAMTRONICS, INC.****M, T, W (9-6)  
Th, F (9-8)  
Sat (9-3)****4033 Brownsville Road, Treose, PA 19047****For Service & Info (215) 357-1400 For Orders (800) 426-2820 FAX 215-355-8958**

CIRCLE 49 ON READER SERVICE CARD

**Beaming In** (from page 4)

those who misuse it, but those are obviously the ones who caused the regulations to be established demanding that licensees heed the use to which their facilities are put. At the very least, and if only to protect themselves from FCC hassles and/or civil suits, ham licensees should be anxious to see that blatantly commercial, fraudulent, deceptive, malicious, and libelous messages are not propagated via their licensed stations. A defamatory message originated by a single operator, once fed into the nationwide packet network, could cause hundreds upon hundreds of operators whose stations repeated the message to become co-defendants in a fantastic lawsuit. Think about it.

Not that I have the answer for how to solve these problems, and I realize all the difficulties involved in even trying. Still, I don't feel they can be completely ignored. Somewhere between free speech, the march of technology, the logistics of reading and evaluating every message, and the unimpeded growth of packet radio, there's probably a solution kicking around somewhere.

There's a definite problem. Those who operate packet stations should be seeking a solution rather than attempting to distance themselves from the situation. The man once said that if you aren't part of the solution, then you may be part of the problem.

cating radiobeacons (EPIRBs) and emergency locator transmitters (ELTs) that operate on 121.500 MHz and 243.000 MHz.

EPRIBs and ELTs are small battery powered transmitters used to send a distress signal. EPIRBs are carried on ships and ELTs are carried on aircraft. They may be activated automatically or manually and the transmitted distress signal is identical for both. The distress signal functions both as an alarm to alert others that a ship or aircraft is in distress and as a beacon to aid search and rescue personnel.

The distress signal may be received by overflying aircraft and nearby ship or land stations, if they are monitoring the distress frequency and are within range of the EPIRB or ELT, or by low orbiting satellites that are part of the COSPAS-SARSAT tracking system. When received by this system, the transmitted distress signal is retransmitted in its entirety to a ground station. The ground station measures the Doppler shift of the carrier frequency transmitted by the EPIRB or ELT, processes the Doppler shift using digital signal processing techniques in correlation with the satellite's position in orbit, and arrives at an approximate location of the EPIRB or ELT on the earth's surface.

The technical changes the Commission had made will make this technology more dependable and improve the effectiveness of this system.

**Washington Pulse** (from page 32)

KF2XEF, Ericsson Paging Systems, Inc., new experimental to operate on frequencies 940-952 MHz and 862-868 MHz to test and demonstrate its CT-3 Wireless PBX System. FX&MO: Washington, DC and Anaheim (Orange City), CA.

KF2XEG, Nynex Science and Technology, new experimental to operate on frequencies 1850-1990 MHz to test and evaluate TDMA & CDMA radio technologies for use as part of the local exchange carrier distribution system. FX&MO: Boston, MA; New York, NY; and White Plains, NY.

KF2XEH, Omni-Point Data Company, Inc., new experimental to operate on frequencies 902-928 MHz, 2400-2483.5 MHz and 5725-5850 MHz for development of CT-2 and PCN technology. MO: Continental U.S.

KF2XEI, Telepoint Personal Communication, Inc., new experimental to operate on frequencies 940-941 MHz to develop, test, and demonstrate CT-2 and PCN technology. FX&MO: Atlantic City, NJ.

KF2XGX, American Radio Relay League, Inc., new experimental to operate on frequency 149.195 MHz for emergency communication experiments. FX: Newington, (Hartford), CT.

**Availability Of Updated Cuban Broadcast List**

An updated list of Cuban broadcasting stations dated December 1990 is now available. Members of the public may obtain a copy of the Commission's calculated Cuban Standard Broadcast List from Downtown Copy Center, 1114 21st Street, N.W.,

Washington, D.C. There will be a fee for this document.

The FCC has updated the list of Cuban radio stations known to be operating on the 107 channels allocated for AM broadcasting. The list shows, to the extent possible through off-the-air observations, the calculated location and operating power of each observed Cuban station.

In order to determine the existence and level of interference to United States AM radio broadcast stations for the purpose outlined in Part 1, Subpart M of the Commission's Rules, Cuban stations will be presumed to be operating at the location and power listed. The regulations of Subpart M establish standards, requirements, and procedures that the FCC will apply in making findings as to whether applicants qualify for relief from Cuban AM broadcast interference.

The FCC will update the list as changes are noted.

Inquiries concerning the Commission's responsibilities relating to the Radio Broadcasting to Cuba Act should be directed to Henry Straube of the Mass Media Bureau at (202) 254-3394. Technical questions relating to the list should be directed to Rockie Patterson of the Field Operations Bureau at (202) 632-6345.

**EPIRB Modulation Requirements Modified, Clarified**

The FCC amended Parts 80 and 87 of its rules to modify and clarify the technical characteristics of emergency position indi-

# HOW I GOT STARTED

We invite readers to submit, in approximately 150 words or less, how they got started in the communications hobby. Please submit this information typewritten if possible, or at least easily legible if not typewritten. If you have a photo of yourself taken recently, or when you got started, please include it with your story. We cannot acknowledge or return material, whether or not it is used. Your information need be submitted only once, we'll keep it on file. All submissions become the property of *Popular Communications*.

Each month we will select one to be used in this section. Entries will be evaluated taking into consideration if the story they tell is interesting, amusing, or unusual. We reserve the right to make any editorial changes to improve style or grammar, or to adjust length.

The writer of the letter used each month will receive a 1-year gift subscription (or subscription extension if already a subscriber) to *Popular Communications*.

Address all entries to: How I Got Started, *Popular Communications*, 76 North Broadway, Hicksville, NY 11801.

## Our Winner For June

This month's winner is Leon Dabbs, of Montclair, CA. He told us:


"You'd have to say it began because I'm a railfan. Even as a child in Texas, I used to stand by the tracks and watch the steam locomotives of the *Cotton Belt* roll by. After I

graduated from high school, I served in the USAF, and upon my discharge I settled in California. My interest in trains continued, even as the age of steam engines gave way to diesels.

"One time, when I was train watching at Cajon Summit in San Bernardino, I noticed a fellow railfan using an unusual radio. He gladly explained to me that it was a scanner that he used to receive communications between train crews and their dispatcher. He said it helped him to know where the trains were, and generally added enjoyment to train watching.

"The next day I had a Bearcat 210XL. Although I had originally bought it just to hear railroad communications, it soon opened up a whole new world for me. My monitoring interests widened. That naturally brought me into contact with *Popular Communications*, and the magazine familiarized me with an even broader view of the communications hobby. And it explained about things such as reception reports, QSL's, UTC, and showed me that this was a hobby that was shared by many people around the world.

"That inspired me to buy a Panasonic RF-2200 from an ad in *POP'COMM*. It was a wonderful introduction to SWL'ing, and I have now added Yaesu FRG-7 and FRG-8800 receivers to my station. I still enjoy watching trains, but now that I've been introduced to scanning and shortwave, I spend plenty of time monitoring."



Leon Dabbs at his monitoring post in Montclair, California.

## PICKS UP A WHISPER 50 FEET AWAY!

The model WAT-50 miniature FM transmitter uses a 4-stage circuit NOT to be confused with a simple wireless microphone. Simply snap the unit on top of a 9V battery and you can hear every sound in an entire house up to 1 mile away! Use with any FM radio. Tunes to any frequency from 70mhz - 130mhz. Easy to assemble kit includes all parts and instructions. Only 29.98 tax incl.

The WIRELESS TELEPHONE TRANSMITTER model WTT-20 is only about the size of a dime, yet transmits both sides of a telephone conversation to any FM radio with crystal clarity. Completely automatic. Uses power from the telephone line itself - never needs a battery! Up to 1/4 mile range. Tunes from 70mhz - 130mhz. Easy to assemble kit includes all parts and instructions. Only \$29.98 tax incl.

Call or send MO, VISA, MC for immediate delivery. Single kit orders include \$1.50 S&H. FREE SHIPPING on orders of 2 or more. All orders shipped by U.S. Mail. COD add \$4.00. Personal checks allow 21 days.

**DECO INDUSTRIES**  
BOX 607, BEDFORD HILLS, NY 10507  
914-232-3878

CIRCLE 48 ON READER SERVICE CARD

## NextDay Reception Reports

Two-Color Printing  
Rainbow Cardstock  
100 200 300  
\$19.95 \$24.95 \$29.95

Specify:
 

- Receiver
- Antenna
- Your 40-Word Personal Message

Special Reports on 8-page and C&E. Postcard New York City, New York

Fill in the top part and send to:  
NextDay Reception Reports, Dept. 1  
Box 50662-P, Provo, UT 84605

Do Not Order a 2021 version of the Receiver. See Table 97-2002-1

• Command Attention • Send Clear Reports • Speed Replies • Save Time •  
Box 50662-P • Provo, UT 84605 • **AntennasWest**  
Order Hotline: 800-926-7373

CIRCLE 5 ON READER SERVICE CARD

## GILFER — first in Shortwave


JRC NRD-535 — the next generation in high performance HF receivers.



All the features: gen. coverage, 0.1 to 30 MHz in AM, USB, LSB, CW, RTTY, FAX, and Narrow FM. Tunes to 1 Hz with direct digital synthesis. Advanced ECSS operation for phase-lock AM. Variable bandwidth control. 200 memory ch. with scan and sweep. Triple superhet circuit. Superior sensitivity, selectivity, and image rejection. Dual width noise blanker, notch filter, 24 hr. clock/timer, fluorescent display, digital S meter, Squelch, RF Gain, Attenuator, AGC & Tone controls. Optional RTTY demod. Most comprehensive computer interface.

### VISIT GILFER'S STORE

Easy to find, accessible from New York City. Take Garden State Parkway (NE portion of N.J.), Exit 172. Gilfer is in the center of Park Ridge, opposite the Borough Hall. Store hours: M-F 10am-5pm, Sat. 10am-5pm.



Order operators: 1-800-GILFER-1  
(1-800-445-3371) NJ 201/391-7887

**GILFER SHORTWAVE**  
52 Park Ave. • Park Ridge, NJ 07656

CIRCLE 65 ON READER SERVICE CARD

# COMMUNICATIONS SHOP

**Advertising Rates:** POP'COMM subscribers are entitled to one FREE 30-word, non-commercial classified ad per year. Enclose subscription name label with ad copy. For those people not in the previously mentioned group, non-commercial ads are 30 cents per word, including abbreviations and addresses; minimum charge \$6.00 per issue. Ads from firms offering commercial products or services are \$1.00 per word; minimum charge \$20.00 per issue. Boldface words are \$1.20 each (specify which words). Leading key words set in all caps at no additional charge. All ads must be prepaid in full at time of insertion; a 5% discount is offered for prepaid 6 time insertions. All ads must be typewritten double spaced.

**Approval:** All ad copy is subject to Publisher's approval and may be modified to eliminate references to equipment and practices which are either illegal or otherwise not within the spirit or coverage copy of the magazine.

**Closing Date:** The 10th day in the third month preceding date of publication. Because the advertisers and equipment contained in Communications Shop have not been investigated, the Publisher of Popular Communications cannot vouch for the merchandise listed therein. Direct all correspondence and ad copy to: PC Communications Shop, 76 N. Broadway, Hicksville, NY 11801.

**MEN OF ACTION AND ADVENTURE** - Order our 50-page catalog! Books and videos on surveillance and countersurveillance, espionage, private investigation, new identity, improvised explosives, revenge, firearms, survival, and many other outrageous and controversial subjects. Get yours today! Send \$1.00 to: PALADIN PRESS, P.O. Box 1307-1EP, Boulder, Colorado 80306.

**PRO-2004/5/6 OWNERS** - Search-and-Store finds unknown frequencies automatically. Internal no-holes installation - Keyboard control - Wired-tested-postpaid: Ten channel \$24.95 - Selectable to 255 channels \$44.95. US checks or MO. SASE for information. Key Research, POB 846P, Cary, NC 27512-0846.

**NEW UNIQUE! CB LOG BOOK** Limited offer, send \$5.00 to BERMAN PUBLISHING, Suite 155, 17090 Van Buren Blvd, Riverside, CA 92504

**NEW! AIR-SCAN 5TH EDITION** by Tom Kneitel. Complete guide to aero comms. Now in gigantic 192-page large-size format containing 60,000 + listings, including 2-30 MHz HF, 118 to 174 MHz VHF, 406 to 512 MHz UHF, and 800 MHz listings. Covers civil, military, private, and unlisted landing areas, heliports, and seaplane bases. Control towers, ground, approach/departure, FSS, unicoms, multicomms, crop dusters, air-ambulances, federal ops, traffic 'copters, aviation business, airline enroute, airport security/fire, etc. throughout USA. All Canadian mil. civilian airports and seaplane bases listed, plus lots more, including how-to text on aero monitoring. Most comprehensive aero frequency guide ever compiled. Only \$14.95 + \$3.50 postage to USA/Canada/APO/FPO. NY State residents add \$1.13 sales tax. From: CRB Research Books, Inc., P.O. Box 56, Commack, NY 11725, or ask your favorite communications dealer.

**COMMODORE 64 HAM PROGRAMS**—8 disk sides over 200 Ham programs—\$16.95. 29¢ stamp gets unusual software catalog of Utilities, Games, Adult and British Disks. Home-Spun Software, Box 1064-PC, Estero, FL 33928.

**MTC-101** Microphone Test Center—repair and test any CB microphone only \$64.95 S/H included—send to **LORD/WYATT COMMUNICATIONS**, 30 East 54 Street, Brooklyn, NY 11203. (718) 493-3778 7 PM-10 PM EST \$15.00.

**FOR SALE:** A pair of 5 channel Aerotron walkie-talkies on California Highway Patrol frequencies (low band), in working condition. Included are the batteries, and rubber duckie antennas. Radios \$75.00 each, charger \$45.00. Contact: Jim Rosenbluth, PO Box 21143, Washington, DC 20009.

**BC-200, BC-205, R-4030 OWNERS. MODS** to improve reception, increase battery performance and release blocked 800 MHz frequencies. **EASY**, how-to instructions, diagrams and parts. **ONLY \$10.00 COMPLETE!** Or SASE for details. RF Tronics, Dept PC, 15 Butterfield Road, Agawam, Mass 01001.

**DESCRAMBLERS: OAK M35B, \$39.95.** Also Jerrold, Zenith, Scientific Atlanta, etc. Guaranteed. Cable Plus, 14417 Chase #481-K Panorama City, CA 91402. 1-800-822-9955.

**SURVEILLANCE TELEPHONE:** Monitor room conversation, \$175.00. Room and telephone conversation, \$275.00. Catalog, \$300. Listen Electronics, 603 Elgin, Muskogee, OK 74401. 1-800-633-8277.

**BLIND, bedridden, veteran.** Seeks donations of new or used shortwave radio, pc, fax machine, or music cassettes. I'm lonely, would like penpals. Please help. Write: Richard Jastrow, 5909 West 6th St., Hollywood, CA 90036, or call (213) 938-5347.

**WORLD SCANNER REPORT:** Monthly newsletter by author of SCANNER MODIFICATION HANDBOOKS offers do-it-yourself scanner alterations, mods, hints, tips & tricks. \$4/issue or \$15/6-mos; \$25/year; \$45/2-yr. Canada + 10%; foreign + 20%. SASE for info: **COMMTRONICS ENGINEERING**; PO Box 262478-P; San Diego, CA 92196-2478.

**DISPLAY YOUR TICKET OR QSL CARD** engraved with remarkable detail on anodized aluminum, handsomely mounted on walnut. One of a kind item. Great gift for Ham friend or club member. Free info. ONE-CALL, Box 34308, Los Angeles, CA 90034-0308. (213) 441-0193.

**SCANNER/HAM RADIO MODIFICATION HANDBOOKS; FREQUENCY DIRECTORIES - AERONAUTICAL, GOVERNMENT, MILITARY;** books by CRB, TAB, GROVE, ARRL; others. GRE products. Phone Orders, VISA/MC. CATALOG SAMPLER - FREE or full CATALOG \$1.00 (refundable). **DOYLE COMMUNICATIONS-DPC**, Route 8, Box 18, Lake Pleasant, NY 12108. (518) 548-5515.

**UNDERSTANDING TELECOMMUNICATIONS** Ronald R. Thomas (W8QRY). A single-source reference to the entire field of telecommunications. Available from TAB Books, Blue Ridge Summit, PA 17294-0850.

**RADARS** Wanted: X-band marine aviation. WWII to 1970. Civilian, military. Parts, test equip. Working or not especially USP 4, APS 10, 15 TPS 10. Delay lines for UPM 11A. SHF, Box 10215, PGH, PA 15224.

**NEW MFJ-1278** modem inc. manual and MFJ-1278 multicom software for Commodore 64. \$200. Contact: Steve Kittelsen, 1711 511th. #224, Bozeman, MT 59715.

**WISCONSIN SCANNING NEWSLETTER.** Send your freq.'s & ideas. All those who include a SASE + \$1 S&H will receive the first complete copy free. AJC Inc., W17912 Pearl Dr., Dept. PC., Muskego, WI 53150-9608. (414) 679-9442.

**SCANNER MODIFICATION INSTRUCTION MANUAL.** Complete modification instructions for the PRO2005, PRO2006, PRO34, BC760XLT, BC950XLT, BC200XLT & BC205XLT. Remote Control for PRO2005, PRO2006, BC760XLT & BC950XLT. Transportable power ideas. Increase PRO2006 speed. Pictures, diagrams frequency lists and more. **ONLY \$10.** Add 100 Channels to the BC100XLT \$3. Catalog and copy of **EAVESDROPPING FOR FUN AND PROFIT** \$3. RF PRODUCTS, P.O. Box 1084, Montgomery, AL 36101.

**BC200XLT** with cellular, \$249. **BC760XLT** with cellular, \$269. 9" cellular 800 antenna perfect for scanners, \$16. UPS COD (205) 244-2050. RF PRODUCTS, Box 1084, Montgomery, AL 36101.

**WOW! UNDERSTANDING & REPAIRING CB RADIOS** by Lou Franklin. **Giant 380-page technical book picks up where THE "SCREWDRIVER EXPERTS" GUIDE leaves off. Includes circuit descriptions and troubleshooting guide for virtually all CB radios: 23 and 40-channel, crystal and PLL, solid-state and tube. AM, FM, SSB, CW, American, British and export models. Covers test equipment, transistor basics, synthesizers, receivers, transmitters, power supplies, T/R switching, antennas, interference, parts and accessory sources. Over 350 illustrations plus huge subject index. Moneyback Guarantee! Only \$29.95 plus \$3.50 U.S. & Canadian Air Mail, VISA/MC accepted. Free catalog of unique CB books, plans, and modification kits with order. Catalog only, \$2. **CBC INTERNATIONAL INC., BOX 31500PC, Phoenix, AZ 85046. Thousands of satisfied customers since 1976.****

**TOMCAT'S BIG CB HANDBOOK**, by Tom Kneitel. Just published, 221 large pages, fully illustrated. Complete guide to worldwide AM, SSB, Freeband, 27 MHz operations. Everything they never told you (legal & otherwise) from world's leading CB authority. Only \$13.95 (plus \$3.50 postage to North America) from CRB Research Books, Inc., P.O. Box 56, Commack, NY 11725. (NYS residents add sales tax). Dealer inquiries invited.

**SCANNER FREQUENCY SEARCH SERVICE.** Hear all there is to hear SASE to: Heald, 6886P Jefferson Street, North Branch, MI 48461.

**TUNE In On Telephone Calls.** Tom Kneitel's new 160-page book. Everything you need to know to effectively use a scanner and communications receiver to eavesdrop on private telephone calls from homes, offices, cars, ships, aircraft, trains. Explanatory text, photos, extensive listings section covers USA/Canada on HF, VHF, UHF, and above; thousands of locations, frequency assignments. Explains equipment, best techniques, laws regarding monitoring cellular, cordless, ship/shore, high seas, Air Force 1, airliners, 1-way paging, more. Only \$12.95 (plus \$3.50 postage to USA/Canada/APO/FPO) from CRB Research, Box 56, Commack, NY 11725. NY residents add sales tax. Dealer inquiries invited.

**MID-CANADA'S LEADING DISTRIBUTOR** of CB's, scanners, export gear and more. Uniden, Cobra, AOR, Wilson. Discounted prices. International orders welcome. **COMMTELCO ELECTRONICS**, P.O. Box 1551, Winnipeg, Manitoba, Canada R3C 2Z4. 1-204-774-9313.

**SCANNER MODIFICATION HANDBOOK VOL.1** by Bill Cheek ("Doctor Rigormortis"). New 160-page book. More than 20 performance improvement modifications. Simple step-by-step instructions, many photos. Primarily PRO-2004 & PRO-2005, soem for PRO-34, BC-200/205XLT, BC-705XLT, BC-705XLT. Restore blocked out bands, speed ups scanning rate, disable "beep," increase number of channels, improve squelch action, add an S-meter, interface with shortwave receivers, etc. Make the PRO-2004 & 2005 into a 6,400 channel scanner; put 3,200 channels into the PRO-34! Plus, cellular frequency charts, antenna info & mods, inside info on frequency management, operating hints, emergency power supplies, scanners & the law, lots more! Only \$17.95, plus \$3.50 shipping to addresses in USA/Canada. Residents of NY State add \$1.35 tax. **Big 220 page VOL.2** with 18 more mods for PRO-2004/5/6, PRO-34, PRO-2022, BC-760/950XLT, BC-200/205XLT, now available, \$17.95 plus \$3.50 shipping. NY state residents include \$1.35 tax. If both books ordered at the same time, send only \$4.50 shipping. Order from CRB Research Books, Inc., PO Box 56, Commack, NY 11725.

**TANDY COLOR COMPUTER III 512K** Cocco System & BBSer. Library of all Cocco Publications since Feb. 1981. Deluxe mouse, Epson printer FX86x serial board 8151, TD128, Cocco Max III Disto 1 controller, 3-in-1 card, C-DOS, ADW3 ext, R/S DOS, Magnavox amber drive 0/1 Sony 80 track 3 1/2", drive 2/3 tandem 40 trk 5 1/4", TEC 35 trk ultimaterm V4.0/ Courier modem auto dial/auto answer 1200 BPS/2400BPS CompuServ -70275, 457//Genie//People Link//Delphi-User Name (TICTOC). Local BBS (Cocco Fido/Relaynet) (718) 816-7792, (212) 579-2869, (718) 667-4470.

**SHORTWAVE GUIDE** Current listing, easy to read, all items converted to EST. Free Fact Sheet. \$4.00 to REB, 139 Dorrance Ave., Wyoming, PA 18644.

**UNIDEN HR2510/2600/2830/LINCOLN**, Realistic HTX-100 Covered in "The Uniden Cookbook". Performance data, upgrades, diagrams, more! \$18 plus \$2 S&H POMO/Certified check: KC4YHGH, POB 907, Satsuma, AL 36572.

**YAESU FT 727r** Duel/bander w/x-battery and drop-in charger & speaker/mike and headset speaker/mike & mobile charger/adaptor - \$400. A.E.A. computer patch CP-1 - \$70.00. A.E.A. TI-1 RTTY tuner - \$40.00. LORAD XR-70 all channel marine transceiver - 12v - \$90.00. S.M.R. all channel marine handie/talkie w/ weather - \$90.00. Radio Shack line printer VIII - \$90.00. Radio Shack - LT1400 lap top computer - IBM compatible - \$475.00.

**NEW AR-1000** w/cellular \$369. **AR-2500** w/cellular \$69. **AR-3000** w/cellular \$895. **BC-200XLT** w/cellular \$259. **BC-760XLT** w/cellular. **BC-800XLT** w/cellular \$249. **SONY ICF-2010** \$359. Antennas, Directories, CBs, shortwaves, much more!! 1991 new and used gear price sheets only \$1.25. And we take trades!! Galaxy Electronics, Box-1202, Akron, Ohio 44309. (216) 376-2402 9-5pm EST.

**CW? NO PROBLEM.** You can increase your speed, no matter how many times you've failed before. **Results guaranteed** when you follow the instructions. **PASS Publishing's CW Mental-Block Buster** program helps you **explode mental blocks** that hold you back. Based on 40 years of research, the **CW Mental-Block Buster** uses guided meditation, dynamic visualizations, and powerful affirmations to blast through mental blocks. **You can do code!** That means new bands, more contacts, more fun! (This is not a CW practice tape.) The **CW Mental-Block Buster** audio cassette and practice booklet are only \$24.95 ppd. in the US (NY residents add \$1.87 sales tax). (Quantity discounts available for classes.) PASS Publishing, P.O. Box 570, Stony Brook, NY 11780.

**PAY TV AND SATELLITE DESCRAMBLING 1991 EDITION** IS OUR BIGGEST AND BEST EVER VOLUME OF DESCRAMBLING CIRCUITS, TURN-ONS AND BYPASSES FOR CABLE, WIRELESS AND SATELLITE TV. ONLY \$14.95. OTHER EDITIONS OF THE PAY TV SERIES ARE ALSO AVAILABLE. **VOLUME 1 (THE BASICS OF ALL SYSTEMS)** \$14.95. **BUILD SATELLITE SYSTEMS UNDER \$600** \$12.95. **WIRELESS CABLE HANDBOOK** \$9.95. ANY 3/\$29.95 OR 5/\$44.95. **SCRAMBLING NEWS MONTHLY** HAS THE LATEST INFORMATION ON THE "PLAIN VANILLA" DESCRAMBLERS WHICH EMULATE B-MAC, VCII PLUS AND ORION. PLUS THE LATEST NEWS, CIRCUITS ETC. \$19.95/YR. SAMPLE \$3. ALL NEW CATALOG \$1. C.O.D.'S ARE OK (716) 874-2088.

**Scanners**, CBs, Antennas, Frequency books, Marine Two-Way, VHF handi-talkies. Write for free brochure. HPR, Box 19224, Denver, CO 80219.

**ICOM IC-R1** Communications Receiver - Handheld portable scanner. Wideband frequency coverage: 100 kHz to 1300 MHz continuous coverage. Signal strength indicator. 100 memories. 10 banks of search frequencies. FM, Wide FM and AM modes. Selectable channel separation: 0.5, 5, 8, 9, 10, 12.5, 15, 20, 25, 30, 50 kHz. Clock and power on/off timers. Built-in NiCd battery. Many other features. Uses same accessories as other ICOM hand-helds. Includes AC adapter/charger, antenna, carrying strap, and belt clip. Dimensions 1.9"W x 4"H x 1.4"D, weight 9.9 oz. New with warranty. \$495. (703) 222-7554.

**PAN-COM INTL CATALOG.** Over 350 Kits, Plans, Books about Licensed/unlicensed AM/FM broadcasting, Ham/CB/SW/DX amplifiers, 1750M transmitters, Surveillance devices, Computers/Software, Science Projects, MORE. \$1.00 refundable. Box 130-P06, Paradise, CA 95967.

**NEW! 7th Edition: Top Secret Registry of Government Radio Frequencies**, by Tom Kneitel. Grown to gigantic 240-page! 1000's of new listings, frequencies, stations for all scanner owners, nationwide. Includes: FBI, DEA, Customs, Secret Service, FCC, Immigration, Border Patrol, U.S. Attorney, ATF, Treasury, Fed. Prisons, U.S. Marshal, CIA, Postal Service, NSA, NORAD, USAF, USN, Army, USMC, FAA, NASA, DOE, NRC, FEMA, Dept. Agriculture, National Parks, USCG, EPA, DOT, V.A., UHF aero (225 to 400 MHz) listings, bugs & surveillance freqs, agents' lingo, codes, many more agencies, lots more info! Expanded Canadian listings. Only \$19.95, plus \$3.50 postage to N. American addresses. NY State residents add \$1.50 sales tax. Order now from CRB Research Books, P.O. Box 56, Commack, NY 11725. Dealer Inquiries Invited.

**THE NEW YORK MONITOR NEWSLETTER**—a monthly Newsletter that provides CB'ers with the latest up-to-the-minute Technical information—Radio Repair and Modification—Phase Lock Loop (PLL) Circuit/Expander—**2 YEAR COURSE IN ELECTRONIC COMMUNICATION** and much much more!! \$24 per year mail to **LORD/WYATT COMMUNICATIONS, P.O. Box 030128PCD, Brooklyn, NY 11203-0001.**

**RADIO MONITORS NEWSLETTER OF MARYLAND FOR THE SERIOUS SHORTWAVE AND SCANNER LISTENERS.** PO Box 394, Hampstead, MD 21074. For a one year subscription: **\$15.00. Sample copy: one dollar.**

**Radio Newyork International!** Listen for us every Sunday night at 9 pm (Eastern), 8 pm (Central), 6 pm (Pacific) over WWCR, 7520 kHz. All of your favorites: Al Weiner, Randi Steele, Dan Lewis, Pirate Joe, John P. Lightning, & more! Live call-in at 1-(800)-736-9764. QSL's (send SASE) from RNI, PO Box 270, Flushing, NY 11352. Spend your Sunday nights with RNI!

**SURVEILLANCE-COUNTERMEASURES!** Transmitters, detectors, phone security, night vision, stunguns, secret devices, restricted books, **MORE! GUARANTEED LOWEST PRICES! HUGE CATALOG \$5.00 (REFUNDABLE)** Protector, P.O. Box 520294-D, Salt Lake City, UT 84152.

**CW Lite** is the **easiest** Morse code training method in the world, bar none! And it is the **fastest**, too. Just close your eyes and relax. This powerful **hypnosis cassette tape** does the rest. **Subliminals** speed you along! Only \$14.95 ppd in US (NY residents add \$1.12 tax). Order today! **PASS Publishing**, Box 570, Stony Brook, NY 11790.

**MAKE BIG \$\$\$!** Become an American Electronics Dealer! Great profit opportunities for new businesses since 1965. Call Todd Parker, 1-800-872-1373.

**225-400 MC RECEIVERS** Tunable, Government Reconditioned. Satcom Antennas 240-270 MC Military Helical Type. New (419) 726-2249.

**TRAVEL! HIGH INCOME!** Radio Officers needed for ship-board employment. Must have FCC Second Class Radio-Telegraph license and background in electronics. Salary approximately \$4,000 monthly to start including vacation plus full benefits. Rae Echols, W7FFF, American Radio Association, 5700 Hammonds Ferry Road, Linthicum Heights, MD 21090.

**SURVEILLANCE** - Audio/Video/Infra-red/Laser. Law Enforcement, Industrial, Private. 500 Item Catalog \$7.00. Security Systems, 3017E Hudson, New Orleans, Louisiana 70131.

**ANTIQU** radios, tubes, wiring diagrams, & literature, send 2 stamps to VRS, PO Box 541 (PC), Goffstown NH 03045 for large list.

**GRUNDIG** Satellit 500 for sale. Excellent condition. Original carton, manuals, AC adaptor, front covers, recordings attenuator cable and UPS shipping. \$365. Call Jason at (714) 356-9703 evenings.

**WANTED:** New scanner enthusiast needs frequency information for Erie, PA and surrounding area. Please send any information including 10-codes to David Malinowski, 556 1/2 East 21st., Erie, PA 16503.

**WANTED:** Fox BMP 10/60 scanner. Must be in excellent working condition. Charles Neveggall, 7253 State Route 197, Celina, OH 45822. (419) 586-5471.

**GRUNDIG** Satellit 500 new in box, alphanumeric readout, synchro, bass and treble, sideband, etc. - \$400. Call (516)431-1257 evenings.

**INFO** tech M6000 v2 decoder with Magnavox 12" monitor. Excellent for VHF packet. Both in mint condition. Must sell both together for \$495.

**MORSE code got you down?** Why let a mental block stand between you and upgrading? Use PASS Publishing's **CW Mental-Block Buster to blast through those barriers.** Just follow the instructions for 30 days—**Results Guaranteed!** Based on 40 years of research, the **CW Mental-Block Buster** uses guided meditation, dynamic visualizations, and powerful affirmations to blast through mental blocks. **You can do code!** That means new bands, more contacts, more fun! (This is not a CW practice tape.) The **CW Mental-Block Buster** audio cassette and practice booklet are only \$24.95 ppd. in the US (NY residents add \$1.87 sales tax). (Quantity discounts available for classes.) **PASS Publishing**, P.O. Box 570, Stony Brook, NY 11780.

**FREE ICOM, YAESU, KENWOOD TRANSCEIVER MODIFICATIONS!** SCANNER MODIFICATIONS AND KEYBOARD TRICKS ALSO! **NO PARTS TO BUY!** (207) 674-3556 FOR TAPED INFORMATION.

**THERE'S MORE TO DX THAN SHORTWAVE!** TV-FM is hot now and mediumwave AM always abounds with DX. Veteran DX'er John Zondlo shows you how to get the most from these DX-packed bands in *Discover DX'ing*, the ultimate intro to TV-FM-AM DX'ing. Send \$5, *Discover DX'ing*, Box 770228, OKC, OK 73177.

**801-SCAN - ULTIMATE SCANNING SYSTEM for DOS** PC! 801-SCAN for ICOM R7000 or R9000 transforms your receiver! Version 3 now includes full event logging. Upgrade to serious software! IBM/clone w/640K required. Program from \$94.95, interfaces from \$59.95. Demo program \$2.55. Specify receiver. Check or M.O. only. Free information. 801-SCAN, 397 Dal-Rich Village #212, Richardson, TX 75080.

**TOUCH TONE DECODER** Decode, store, and display touch tone (DTMF) digits directly from your scanner, **tape recorder telephone line.** Decode dialed numbers received on cordless, cellular! Plans, PC board and IC's available! Send SASE for information. HB Technologies, P.O.B. 2771-P, Spring Valley, CA 91779.

**CANADIAN'S** Discounted prices on Uniden Scanner's, CB's Cordless and Cellular Phones and Accessories. Send for FREE listing or request quotation. Cellular Communications, 83 Galaxy Blvd., #39 Rexdale, ONT M9W 5X6.

**FREE CLASSIFIED ADS.** (Deadline: May 10, 100 word maximum) in the SWL. The only SWL swapper/scanner classified publication. Buy/sell/swap shortwave receivers, scanners, freqs., hamgear, computers, more. For free ad or free sample issue call - 800-745-8951 anytime, or write Brendale's/SWL's, POB 1135, Pepperell, MA 01463.

**COMMUNICATION ARTS ITS BEST.** AR-1000, \$379, AR-2500 \$463, AR-3000 \$879, BC200XLT \$269. We also sell a variety of CBs, Radar Detectors, Phones, Ans. Machines and Accessories. **FREE SHIPPING.** V/MC. **Turbo Electronics**, PO Box 8034, Hicksville, NY 11802. Questions Welcomed. (516) 938-1946.

**Amateur Radio** no Morse code requirement license approved by FCC effective Feb. 14, '91. Complete details with question and answer pools, rules & regulations. Send \$15.00 for everything you need to obtain Amateur license to Dan Mobley, 1800 Williams St., Valdosta, GA 31602.

**GRE** super converters and amplifiers, connectors, Coax, ARRL books, Surplus tubes. ATKINSON & SMITH, INC., 17 Lewis St., Eatontown, N.J. 07724. 1-800-542-2447.

**BUY direct our top quality uninterruptible power system**—at substantial savings. These extremely reliable products available in wide range of power rating to accommodate a variety of user needs. Write today for free catalog, features a broad range of our power conditioning products. Send us your name, address, plus \$1 for postage & handling to: **ALPINE INDUSTRIES, 9126 Medill, Franklin Park, IL 60131.**

**World Probe**  
**\$29.95** World Band/Scanner Antenna  
 + \$3 P & H • Cuts Noise • Improves Reception • Indoors or Out • Works with all World Band Portables and Scanners • Sleek 6-ft Probe with Integral 25-ft Low-Loss Shielded Feedline • Fully Insulated and Weather Sealed • Decorator White Design •  
**AntennasWest** Box 50062-P **FREE** Storage Pouch & Universal Connector Kit  
 801 373 8425 Provo, UT 84605  
 Order Hotline **800-926-7373**

CIRCLE 5 ON READER SERVICE CARD

**Advertiser's Index**

AMC Sales, Inc. . . . . 27  
 ARRL . . . . . 75  
 Ace Communications, IN . . . . . 80, Cov. III  
 Antenna Supermarket . . . . . 43  
 Antennas West . . . . . 58, 77, 79  
 Antique Radio Classified . . . . . 58  
 Associated Radio . . . . . 37  
 Barry Electronics . . . . . 60  
 CBC International . . . . . 60  
 CRB Research . . . . . 59  
 Cellular Comm III . . . . . 60  
 Cellular Security Group . . . . . 57  
 Chilton Pacific Unlimited . . . . . 60  
 Communications Electronics . . . . . 19  
 DECO . . . . . 77  
 Datametrics . . . . . 37  
 Delta Research . . . . . 64  
 Electrolert . . . . . 60  
 Electron Processing . . . . . 33  
 Electronic Engineering . . . . . 64  
 Electronic Equipment Bank . . . . . 1  
 Excellent Technology . . . . . 64  
 Franklin Video Group, The . . . . . 60  
 GRE America, Inc. . . . . 11  
 Gilfer Shortwave . . . . . 77  
 Hamtronics, Inc. . . . . 76  
 ICOM . . . . . Cov. II, 42  
 JoGunn Ent. . . . . 30  
 Kenwood U.S.A. Corp. . . . . Cov. IV  
 Klingenfuss Publications . . . . . 37  
 Lentini Communications . . . . . 50  
 MFJ Enterprises, Inc. . . . . 13  
 OEI OPTOElectronics . . . . . 5, 7, 39  
 Pacific Cable Co. . . . . 61  
 POP'COMM Bookshop . . . . . 47  
 QSL Kit . . . . . 50  
 React International . . . . . 70  
 Republic Cable Products, Inc. . . . . 58  
 SGC, Inc. . . . . 34  
 Scanner World, USA . . . . . 8  
 Signal Engineering . . . . . 57  
 Software Systems Consulting . . . . . 53, 59  
 Somerset Electronics . . . . . 12  
 Systems & Software Int'l . . . . . 58  
 Universal SW Radio . . . . . 3, 34  
 World Radio TV Handbook . . . . . 73  
 Xandi Electronics . . . . . 61

**Reach this dynamic audience with your advertising message, contact Don Allen, N9ALK at (217) 344-8653, FAX 217-344-8656.**


**Readers can obtain free information on products advertised by the above companies, as well as for some editorially mentioned products. Simply circle the appropriate number printed below an advertisement onto the card bound into this issue.**



# AOR Scanners.

Great Performance. Great Service. Great Value.

Free Freight  
25-Day Money-Back Guarantee  
Toll-Free Service and Support  
No Credit Card Surcharge  
One Year Warranty



**AR1000** **\$399**

1000 Channels. 8-600MHz, 805-1300MHz

**Standard Features:**

- Extremely compact size.
- Continuous coverage (except UHF TV 600-805)
- Antenna attenuator switch, 10db.
- Manual tuning knob.
- Earphone jack, 3.5mm.
- AM, FM and wide band FM tuning modes.
- Backlighted LCD display.
- 10 Scan Banks, 10 Search Banks.
- Selectable Priority Channel.
- Delay, Hold Features.
- Selectable Search Increments, 5-955KHz.
- Permanent memory backup.
- 4 AA Ni Cad batteries included.
- AC adaptor/charger.
- Carry Case.
- Cigarette Lighter Charger.
- Belt Clip.
- Earphone.

**Options:**

- External Speaker. Mobile Mount. MS190 \$19.50
- Extended Warranty. 2/3 yrs \$45/\$55

**Specifications:**

- Coverage: 8-600, 805,1300MHz
- Sensitivity: .35uV NFM, 1.0uV WFM, 1.0AM
- Speed: 20 ch/sec. scan. 40 ch/sec. search
- IF: 561.225, 58.075, 455KHz or 10.7MHz
- Increments: 5 to 955KHz selectable/ 5 or 12.5 steps.
- Audio: .4 Watts
- Power: Input 9 - 13.8 V. DC
- Antenna: BNC
- Display: LCD
- Dimensions: 6 7/8H x 1 3/4D x 2 1/2W. 12oz wt.

**AR950** **\$239**



100 Channels. Low, Air, High, UHF & 800MHz.

**Standard Features:**

- Extremely compact size.
- Unrestricted 800MHz coverage.
- 100 channels permanent memory.
- Earphone Jack & Attenuator.
- Delay, Hold features.
- Channel 1 Priority.
- 5 Scan Banks, 5 Search Banks.
- Telescopic and Flexible Antennas w/ BNC connector.
- AC & DC Power cords w/ mtng hardware.
- One Year Limited Warranty.

**Options:**

- Base type antenna  
25 to 1000MHz w 50' coax. AS300 \$59.95
- Mag Mnt Mobile Antenna. 15' coax. MA100 \$25.00
- Cigarette Lighter power adaptor. CP100 \$4.00
- External Speaker  
with mobile mount. MS100 \$19.50
- Extended Warranty. 2/3 yrs \$40/\$55

**Specifications:**

- Coverage: 27-54, 108-174, 406-512, 830-950MHz
- Sensitivity: .4uV Lo,Hi. .8uV Air. .5uV UHF. 1.0uV 800
- Scan Speed: 15 ch/sec.
- IF: 21.4MHz, 455KHz
- Increments: 10,12.5,25,30
- Audio: 1W
- Power: 12.8VDC, 200MA
- Antenna: BNC
- Display: LCD w/backlight
- Dimensions: 2 1/4H x 5 5/8W x 6 1/2D. 14oz wt.

**We offer 100's of communications products.**


**AR3000**

**\$995**



**AR2500**

**\$499**



**2016 Channels. 1 MHz to 1500 MHz**

**Standard Features**

- Continuous coverage
- AM, FM, wide band FM, & BFO for SSB, CW.
- 64 Scan Banks.
- 16 Search Banks.
- RS232 port built in.
- Includes AC/DC pwr crd. Antenna, Mntng Brckt.
- One Year Limited Warranty.

**Options:**

Earphone.	EP200	\$2.00
External Speaker. Mobile Mount.	MS190	\$19.50
Extended Warranty. 2/3 yrs.		\$65/75
Mobile Mounting Bracket.	MM1	\$14.90
RS232 Control Package	SCS2	\$295.00

(software & cable) offers spectrum display and database.

**Specifications:**

Coverage:	1 MHz - 1500MHz
Sensitivity:	.35uV NFM, 1.0uV WFM, 1.0AM/SSB/CW
Speed:	38 ch/sec. scan. 38 ch/sec. search
IF:	750.00, 45.0275, 5.5MHz 455KHz
Increments:	5,12,5,25 KHz
Audio:	1.2 Watts at 4 ohms
Power:	Input 13.8 V. DC 300mA
Antenna:	BNC
Display:	LCD, backlighted.
Dimensions:	2 1/4H x 5 5/8W x 6 1/2D Wt. 1lb.

**400 Channels. 100KHz to 2036MHz.**

**Standard Features:**

- Extremely compact size.
- Continuous coverage
- Attenuation Programmable by Channel.
- Manual tuning knob.
- Tuning increments down to 50Hz.
- AM, FM, wide band FM, LSB, USB, CW modes.
- Backlighted LCD display.
- 4 Scan and Search Banks, Lockout in Search.
- 4 Priority Channels.
- RS232 control through DB25 connector.
- Delay, Hold Features.
- 15 band pass filters, GaAsFET RF amp.
- Sleep and Alarm Features.
- AC adaptor/charger. DC power cord.
- Telescopic Antenna.

**Options:**

Earphone.	EP200	\$2.00
External Speaker. Mobile Mount.	MS190	\$19.50
Extended Warranty. 2/3 yrs.		\$65/75
Mobile Mounting Bracket.	MM1	\$14.90
RS232 Control Package	SCS3	\$295.00

(software & cable) offers spectrum display and database.

**Specifications:**

Coverage:	100KHz - 2036MHz
Sensitivity:	.35uV NFM, 1.0uV WFM, 1.0AM/SSB/CW
Speed:	20 ch/sec. scan. 20ch/sec. search
IF:	736.23, (352.23) (198.63) 45.0275, 455KHz
Increments:	50Hz and greater
Selectivity:	2.4KHz/-6db (SSB) 12KHz/-6db (NFM/AM)
Audio:	1.2 Watts at 4 ohms
Power:	Input 13.8 V. DC 500mA
Antenna:	BNC
Display:	LCD
Dimensions:	3 1/7H x 5 2/5W x 7 7/8D Wt. 2lb 10oz.

**To Order Call 1•800•445•7717**

In All 50 States and Canada. 24 Hours a Day. Fax Orders: 1-800-448-1084, 24 Hours a Day.  
**ACE Communications Monitor Division 10707 E. 106th Street, Fishers, IN 46038**  
 Int'l Voice# 317-842-7115. Int'l Fax# 317-849-8794.  
 Service and Support Lines: Mon-Fri 9a.m. to 9p.m., Saturday 10-4. EST  
 MasterCard, Visa, American Express, Checks, Approved P.O.'s. & C.O.D. (add 5.00)  
*Prices and specifications subject to change.*

# KENWOOD

## Hear it All!



### R-5000

**R-2000**  
High performance receivers

Scan the world bands with Kenwood's R-5000, R-2000 and RZ-1. Listen in on foreign music, news, and commentary. Monitor local police, fire, and other public safety services, as well as the Marine channels, and the many other services.

*(The VHF converter options must be used in the R-5000 and R-2000.)*

### R-5000

The R-5000 is a high performance, top-of-the-line receiver, with 100 memory channels, and direct keyboard or main dial tuning—makes station selection

### RZ-1

Wide-band scanning receiver



The RZ-1 wide-band, scanning receiver covers 500 kHz-905 MHz, in AM, and narrow or wideband FM. The automatic mode selection function makes listening

super easy! Other useful features include programmable scanning, large, built-in speaker, 110 volt AC or 12 volt DC operation (with optional DCK-2 cable), VHF capability (108-174 MHz) with the VC-20 option, dual 24-hour clocks with timer, and even voice frequency readout with the VS-1 option.

easier. One hundred memory channels with message and band marker, direct keyboard or VFO frequency entry, and versatile scanning functions, such as memory channel and band scan, with four types of scan stop. The RZ-1 is a 12 volt DC operated, compact unit, with built-in speaker, front-mounted phones jack, squelch for narrow FM, illuminated keys, and a "beeper" to confirm keyboard operation.

**Optional Accessory**  
• PG-2N Extra DC cable

### R-2000

The R-2000 is an all band, all mode receiver with 10 memory channels and many deluxe features such as programmable scanning, dual 24-hour clocks with timer, all-mode squelch and noise blankers, a large, front-mounted speaker, 110 volt AC or 12 volt DC operation (with the DCK-1 cable kit), and 118-174 MHz VHF capability with VC-10 option.

### Optional Accessories R-2000:

- VC-10 VHF converter
- DCK-1 DC cable kit for 12 volt DC use.

### R-5000:

- VC-20 VHF converter
- VS-1 Voice module
- DCK-2 for 12 volt DC operation
- YK-88A-1 AM filter
- YK-88SN SSB filter
- YK-88C CW filter
- MB-430 Mounting bracket.

### Other Accessories:

- SP-430 External speaker
- SP-41 Compact mobile speaker
- SP-50B Mobile speaker
- HS-5 Deluxe headphones
- HS-6 Lightweight headphones

KENWOOD U.S.A. CORPORATION  
COMMUNICATIONS & TEST EQUIPMENT GROUP  
P.O. BOX 22745, 2201 E. Dominguez Street  
Long Beach, CA 90801-5745  
KENWOOD ELECTRONICS CANADA INC.  
P.O. BOX 1075, 959 Gana Court  
Mississauga, Ontario, Canada L4T 4C2

# KENWOOD

...pacesetter in Amateur Radio  
CIRCLE NO. 10 ON FREE INFORMATION CARD

Specifications, features, and prices are subject to change without notice or obligation.