

COPYRIGHT 1923 By BERTRAM W. DOWNS

All Rights Reserved

Introductory Note.

,

R ADIO, as a means for entertainment, education and the dissemination of general information, has reached a high degree of development.

Standard radio instruments themselves have reached a degree of excellence comparable to the precision work in fine motor cars.

The "Trouble Finder" portion of the title of this booklet should not be taken as an insinuation that radio sets are continually out of operation; for such is not the case.

The normal condition of a radio set is a healthy one. This booklet is offered as an instructor in the proper operation of a radio set, comparable to the instruction book which every wise owner of a motor car will buy.

Contents.

	P	age
1	Facts That Everyone Interested in Radio Should Know	5
2	On Aerials	7
3	On Loud-Speakers and Amplifiers	10
4	On Tuning	11
5	Radio Batteries	13
6	Most Common Radio Questions and Answers	14
7	In Case of Trouble	17
8	Popular Misconceptions Corrected	19
9	The Correct Way to Test a Set	20
10	In Closing	21
11	Radiophone Broadcasting Stations in North Amer- ica, Classified Alphabetically by Calls	22
1.2	Radiophone Broadcasting Stations in North Amer- ica, Classified Alphabetically by States and Cities	34
13	The Continental Code	34 40

Facts That Everyone Interested in Radio Should Know.

- Long distance stations ordinarily can not be heard with a crystal detector set.
- 2. A vacuum tube regenerative set, using only one tube, will bring in signals from nearly the same distance as a set having an audio-frequency amplifier. The amplifier only serves to increase the strength of signals brought in by the detector tube, for the purpose of operating a loud-speaker or making the signals louder in the phones.
- The night range of sending and receiving stations is much greater than the daylight range. Do not expect to hear stations a great distance away in the daytime.
- 4. There are nights, rare in winter, and common in the summer, when it is impossible to bring in distant stations. This is due to atmospheric conditions beyond our control. This condition should be met philosophically as something that can not be avoided, and not used as the basis of a complaint to the radio dealer who sold you your set.
- 5. A radio set will not work satisfactorily when the storage battery or B batteries are nearly run down. Have the storage battery charged and get new B batteries. B batteries should last six months, and often last several years.
- 6. Never get impatient with your set. Nine chances out of ten a man familiar with radio can find your trouble in a half minute. If you will take the trouble to familiarize yourself with the principles of radio you can do the same. There is a reason for every radio trouble.
- 7. Don't talk about the wonders and mysteries of radio, and the scientific and delicate sets that have made it possible, and then condemn the dealer or manufacturer when your set won't work with the aerial disconnected, the vacuum tubes burned out, or the batteries connected with the polarity wrong. A scientific instrument must be treated in an intelligent manner.
- 8. If you have not learned to tune properly, but manage to tune in one long distance station, don't condemn your set because you do not hear them all. The fact that you heard one distant station shows that the set is all right; all you need is patience and practice, and you will be able to get the same ones as your neighbors.
- 9. Don't expect to get louder or clearer music when your vacuum tubes are turned up brighter than normal. If anything, the material you receive will be less loud and there will be unpleasant noises introduced. A slight overload on the tubes will make them burn out in a fraction of their normal life.

- 10. Radio does not change overnight. The set that you buy today will be good a year from today, and probably for many more years. The long-distance receiving sets in thousands of homes at present are practically identical, with a few minor refinements, to the sets that were used by radio-telegraph enthusiasts five years ago. If you have postponed getting a good radio set because you are waiting for a big change in radio, you are missing more enjoyment than the individual who puts off buying an automobile for the same reason. Radio is not new—it is not a fad; popular interest has merely become more widespread in the past year. Radio telephone broadcasting has been conducted on a small scale for years; and radio telegraph broadcasting, for a decade or more.
- 11. Don't expect your radio set to act like a phonograph. You can't push the button for grand opera or jazz and get it. You will hear many stations better than over a phonograph, but some of them can not be heard over a loud-speaker, for the reason that they are out of your range. When you analyze it, you will realize that this fact lies at the root of the lure of radio. The fascination is in the uncertainty of the thing; always something new, greater distances to cover, and the ever-increasing mystery of the science. If you just had to push the button to bring in anything you wanted to hear, you would discard the set in a month. As it is, the experience of those who have followed radio since its inception decidedly indicates that "once a radio fan, always a radio fan."



On Aerials.

T HE aerial is the part of the radio system which "catches" the radio waves and leads them to the receiving instrument, where the waves are transformed into sounds corresponding to those sent out at the broadcasting station.

Aside from underground aerials, condenser aerials, "Beverage wires," and other unusual constructions, there are two popular types which are most in favor at the present time:

1. The Fint-Top Acrini. This type is in use in fully 95% of the receiving stations. It consists of one or more wires, from 25 to 50 feet high, suspended by insulators from two supports. For the reception of broadcasting programs, the ideal length is from 100 to 150 feet, with the mean length, 125 feet, probably the best for signal strength.

There is, however, a tendency toward the use of shorter aerials in connection with the highly efficient present-day Sets. Two causes contribute to this tendency:

- a. The use of an aerial from 60 to 80 feet in length makes it possible to "tune out" or eliminate undesired stations much better than is possible with an aerial of two times that length. In the face of the rapidly increasing numbers of broadcasting stations, this becomes an advantage of decided importance.
 - b. Radio sets have reached a point of efficiency where the energy picked up by short aerials, such as the above, is sufficient to give excellent results over long distances, and the increased selectivity of the short aerial often outweighs the advantage derived from the use of an aerial of greater length.

The length of an aerial for broadcast reception should . never exceed 150 feet.

There is absolutely no advantage to be gained by using more than one wire for receiving. The direction in which an aerial of this length points is of practically no importance.

A flat-top aerial should not be parallel to high power electric lines, unless they are 25 feet or more away. An aerial in the open country is ordinarily more effective than one in a congested residence or business district.


The lead-in wire from a flat-top aerial should be free from obstructions, and well insulated. It should touch as few insulators as possible, so as to eliminate possibility of electrical leakage. The lead-in should make good contact with the flat-top portion, and should, if possible, be soldered. Connection with the overhead wire should be as near to the end of the horizontal span as possible. If such an arrangement is not practical, the lead-in may be attached near the center of the flat-top portion, and only a slight loss in efficiency will be suffered; probably so slight as to be unnoticed. Refer to diagram for sketch of an aerial.

2. Loop or Coil Aerinis. Loop aerials are coming more or less into favor where it is not possible to erect an outdoor aerial. They are satisfactory for short distance reception with a vacuum tube detector, but only satisfactory for long distance work when used with a radio frequency amplifier of at least two or three stages in addition to the vacuum tube detector and, if desired, audio frequency amplifiers. Loop aerials are supposed to have the advantage of receiving only from the direction in which they are pointed, but this characteristic has been greatly exaggerated in many of the reports in circulation. No ground connection is used with a loop, which is in fact nothing but a tuning coil, enlarged to such proportions that it serves to pick up the waves from the sending station, and pivoted so that it may be pointed in any direction.

Lightning Protection. With a loop or an indoor aerial there is of course no need for lightning protectors. In the case of the outdoor aerial, the condition is somewhat different. During a lightning storm the aerial picks up a considerable amount of static electricity, which should have a fairly easy path to the ground, in order to protect the receiving instruments. The danger is not that the lightning will strike the aerial and then set fire to the house; if lightning strikes an aerial it burns up the wire before it gets to the groundbut the static charges coming from flashes of lightning some distance away are liable to do some harm if not provided for by a grounding switch or protector of some kind. In this connection the vacuum type of protector is most highly recommended. As a means of protection it is highly effective, and it may be employed with the very minimum of loss in efficiency of the receiving system. As far as actual danger to the house is concerned, the metal cavetroughs or gutters present a greater fire hazard than an aerial.

The Ground. Except in cases where a loop aerial is employed. a good ground connection is a necessity. The best ground is usually a water pipe (faucet, radiator, or the like) connecting with a city water-works. A gas pipe makes a good substitute. In the country, a metal plate buried deep in moist earth will serve, or a "counterpoise" may be used. This consists of another aerial only a few feet above the ground, and constructed like the overhead aerial. This gives excellent results, but involves more difficulty in construction than does the direct connection to a water pipe. In every case the connections between the instruments and the ground should be as short as possible.

δ



A typical antenna system for a radio receiving station.

On Loud-Speakers and Amplifiers.

LOUD SPEAKER is not an amplifier.

A loud speaker can not be connected directly to a crystal set, or to a vacuum tube set laving only one tube. A loud speaker can only transform the electrical energy into an amount of sound-energy of about the same value. That is, the amount of electrical energy received in the aerial is not enough to fill a room with sound, when transformed into sound-energy by the loud speaker. This electrical energy must first be amplified, by an instrument called a "Vacuum Tube Amplifier."

Many receiving sets include a two-stage amplifier; if this is the case with your set, it will operate a loud speaker without any additional equipment. If your set has only one vacuum tube, you must first add a two-stage amplifier before you can have satisfactory results with a loud speaker. Recognition of these facts will prevent disappointment when buying a loud-speaking horn.

In general there are two types of vacuum tube amplifiers, each serving its particular purpose:

- The Audio-frequency Amplifier (Tone-frequency amplifier) is used to increase the strength of the signals received by the detector tube, after they have passed through the detector. Where the incoming signals are too weak to operate the detector tube, it is useless to try to increase them with audio frequency amplifiers. A one-stage amplifier strengthens the sound about 7 times; a 2-stage amplifier makes the sound about 50 times as loud. More than 2 stages of audio frequency amplification can not ordinarily be used without producing "howling."
- 2. The Radio-frequency Amplifier is used to increase the incoming current before it is fed into the detector. Thus signals that would not be strong enough to operate the detector are amplified so that a good response will be made by the detector tube, after which the intensity of the sound may be increased by the use of an andio-frequency amplifier. The tuners used with radio frequency amplifiers are simpler than the ones ordinarily used with sets without the radio-frequency feature. However, the radio-frequency amplifier is somewhat more complex than the audio-frequency type.

If you do not know just what type of set you want, ask your radio dealer; he can tell you just what you can expect from any radio set.

On Tuning.

N INETY-FIVE per cent of radio "troubles" are caused by ignorance or disregard of the rules of tuning. It is surprising to find what a change in one's viewpoint is made when a radio set is purchased. Before we own the set radio is a most mysterious science; wonderful in the extreme. After we get the sct, most of us expect to sit down and hear stations thousands of miles away, without paying any attention to the operation of the set according to instructions.

Turning the dials at random is not tuning. You may run into some stations by accident, but the chances are that you will hear nothing but the near-by stations that you can't help but tune in.

Just as the violinist tunes his instrument to the plano that is to accompany him, so you must tune your instrument to resonance with the sending stations. Not only that, but you have several separate circuits that must be in tune with one another as well as with the broadcasting station. The first thing for the beginner to do in starting to tune in a station is to turn on the filament of the vacuum tube. If you have amplifiers, turn on the amplifier tubes first, as They should they do not need a very careful adjustment. be slightly less bright than an ordinary electric light, except in the case of the new dry-cell tubes or those with an oxide-coated filament, which should be dull red. Tubes burned too bright give fainter signals and more harsh nols-Tubes es, and last about one-tenth as long as tubes burned at the proper temperature. The detector tube adjustment is very important, and it should be burned at a temperature lower than the point where a hissing sound can be heard. After regulating the detector, advance the tickler, or plate inductance (this is marked on most sets, and is usually the farthest dial to the right on the tuner), to about one half its capacity or a little more. Now turn the primary con-denser and switch (this is usually at the left, and marked "tuner") until a sound is heard like a whistle, or if the dial is moved past very rapidly, a chirp of a bird. Now turn back the dial until this whistle is heard loudest, and then reduce the value of the tickler, meanwhile holding the whistle at its loudest point, until the whistle becomes blurred, finally melting into the voice or music at the sending station. It is possible to tune in stations with the tickler advanced too far; but this will be unstable, and the set is liable to start to howl when the hands are moved. On the other hand, the tickler should be exactly at the place where the whistle disappears, for below this point it will be impossible to hear distant stations. The sum this all up:

1. Advance tickler to half or three quarters position.

 Turn primary, or tunor adjustments until a whistling sound is heard. 3. Stop at this point, and reduce the tickler until the whistling sound disappears, meanwhile varying the tuner so that the whistle is held at its greatest intensity until it completely disappears. At this point the voice will be heard.

A little practice will make this operation scem very simple; yct if this procedure is not followed, it is probable that no distant stations will be heard at all. These instructions apply only to regenerative sets, but unless your set is regenerative or has a radio frequency amplifier, very few long distance stations will be heard under any conditions.

Note.

.

When these instructions are followed, that is, picking up the carrier wave of the sending station by advancing the tickler, your own receiving set becomes a source of interference for your immediate neighbors, due to the radiation of energy by your detector tube. Should you have some neighbors with receiving sets, you should learn to tune with the tickler adjusted to the point just below where the detector begins to oscillate, that is, to make the carrier waves audible. It requires much more skill and familiarity with the instrument to do this, but with the increasing numbers of receiving stations, it becomes a duty to your neighbors to learn to keep your set from oscillating. The owner of a radio set should consider the rest of the radio public, and the best way to do this is to learn the fundamentals of radio from a good text book or radio class. and study the principle and operation of his own set conscientiously. A little practice will show you how the set sounds just before it reaches the oscillating point, and you should strive to keep your tickler at this critical adjustment at all times. This will give you the best results, and cause practically no interference to other stations.

12

•

E VERY owner or prospective owner of a radio set should know the function and care of radio batterles. The following outline gives a brief explanation of this subject.

The "A" battery. The purpose of this battery is to light the filament of the vacuum tube. In the case of the standard vacuum tubes this is a six-volt storage battery, although some of the newer tubes will operate on a single dry cell. When the dry cell tubes are used, the filament should be lit only to a dull red. Attempts to bring about a white heat, as in an electric light, will result in the destruction of the filament. The large tubes, for use with a storage battery, should be brought to a temperature slightly below that of an electric light. The storage battery should be kept well charged at all times, as the best results are obtained when the battery is fully charged. For this purpose, either use a home charging outfit, or else send the battery to a local garage or battery station. Add distilled water to the storage battery is exceedingly small, and a "B" battery for this reason will last for months, and sometimes for a year or more. When worn out, a "B" battery should be thrown away, as except in the case of storage B batteries, when discharged, they are useless.

In leaving the set, there is no need to turn off anything but the rheostat, as this automatically disconnects the B batteries. In the case of sets containing an A battery potentiometer (this is rarely found except in the case of a radio frequency amplifier) it is advisable to disconnect one of the wires leading from the storage battery to the set, as the potentiometer causes a slight drain on the A battery.

Never connect the B battery in place of the A battery. The B battery, though small in comparison to the storage battery, will burn out the filament in a flash. The purpose of the B battery is merely to furnish a local current, which somewhat increases the strength of the received signals or music. Vacuum tubes will not operate without a "B" battery.

B batteries are ordinarily composed of a number of small dry cells, moulded in one block. The usual size is 22½ volts, maximum, per block. These 22½ volt batteries can also be had in a number of sizes, all of which will perform the same function, but the larger ones will give a greater number of hours of service.

For use with the ordinary vacuum tube detector, one of these batteries is sufficient. It will be noticed that there are a number of binding posts or taps on a B battery, each one labeled a different voltage. This is because some detector tubes require lower voltages than others. By experimenting with your particular tube you will be able to determine just what voltage is best for your tube. Ordinarily this will be about 18 volts.

For use with an amplifier tube, 45 volts is customary, although as high as 100 volts may be used. The higher voltage may be secured by connecting a number of 22 ½ volt blocks together, or B batteries may be bought in units of 45 volts or more per block. Although the voltage applied to the detector tube must be carefully selected, this is not the case with amplifiers, which are, in radio parlance,

Most Common Radio Questions and Answers.

- Q. Instead of making my aerial a straight wire, can I get the same result by doubling it back and forth, or around corners?
- A. No. The portion which doubles back, unless separated from the rest of the aerial by considerable distance, tends to counteract the effect of the other portion. The simpler your aerial is, the better. If you must have an a erial as short as 20 or 30 feet, some advantage may be obtained by forming it from four or five parallel wires, insulated at each end, and connected together at the lead-in end, and not connected together at the free end. This construction is recommended for aerials built in the attic. If firmly constructed, it may serve as a clothes line in the daytime. Rather good results may be had from such an aerial, in connection with a good regenerative set, or with a stage or two of radio frequency amplification. However, an outdoor aerial is always advisable.
- Q. Can more than one pair of phones be used?
- A. Yes. There is very little loss of efficiency when more than one pair of phones are connected. In all cases the phones should be connected in series, that is, tip to tip, with the two free tips inserted in the "Phones" binding posts or plug.
- Q. Can two radio sets use the same aerial?
- A. As a rule this is decidedly not satisfactory. Re-radiation from each receiving set tends to produce squeals and howls in the other.
- Q. Can the vacuum tubes be operated directly from the house current, or through a small transformer?
- A. A few advanced experimenters have been able to do this, by the use of an elaborate filtering apparatus to remove the hum of the generators. If you wish to avoid the storage battery, use the new dry cell vacuum tubes, which are adaptable to most sets.
- Q. What can I do to tune out nearby stations, and hear the long distance ones?
- A. Some local stations are so strong that they can not be tuned out. A number of things can be done to reduce such interference:
 - 1. Use an acrial of about 60 feet in length, one wire.
 - 2. If your set has a primary variable condenser, keen the setting near minimum, using a greater amount of inductance in the primary tuning coll. If your set has a fixed primary condenser, such as in the Westinghouse Radiola Senior or a condenser mounted on the same shaft as the tuning coil, such as the RC set of the same manufacturer, you will find

that it is easier to tune out interfering stations with a small variable condenser (3 or 5 plates) connected between the lead-in and the set.

- 3. Eliminate the ground connection, and in its place connect another aerial (counterpolse). For very best results this ahould lie under the main aerial, but any other aerial will serve. Results that are obtained from such a combination are fully equal to the results that are obtained from the use of a ground, and the counterpolse is often better. Practically all transmitting stations use a counterpolse in preference to a direct ground connection.
- 4. By using a loop aerial and a three-stage radio-frequency amplifier you will obtain somewhat better selectivity. The loop receives best when it is pointed in the general direction of the sending station, and will cut out local or other stations when it points at right angles to the direction of the interforing station. The writer believes that the advantages of loop reception have been somewhat over emphasized, although there are unquestionable advantages to be obtained.
- Q. I try to follow the instructions on tuning, etc., but I can not hear the long distance stations unless the vacuum tube is burning very bright. What is wrong?
- A. One of a number of things may account for this:
 - 1. The tube may actually be defective. Try it out in a friend's set.
 - 2. Your aerial may be of poor design. An aerial longer than 150 feet will make the set act this way, and so will an aerial that is parallel to other wires which are grounded. If the aerial is very low, say 20 feet above the ground, and over 100 feet long, the same effect may be noticed.
 - 3. The voltage of the B battery may be too low, due to use, old age, dropping, or other mistreatment. Try another B battery.
 - NOTE: Don't underestimate the services of a good "radio doctor." Nearly every city has one or more, and there will undoubtedly be many more of these specialists in the near future. A few dollars spent on expert service is much better than burning out tubes and buying a lot of extra "radio patent medielnes" that your friends will advise.
- Q. What is the best type of set to build or buy?
- A. All standard sets represent good value for the money. Practically all regenerative sets will give the same results. It is possible to build at least 50 different styles of regenerative sets, all of which will give the same results. If you are not experienced in radio you will be safest in asking your dealer for his advice. when buying a new set. In building a set for your own use, it is a pretty safe rule to avoid the "freak" hook-ups that appear in some of the more sensational radio magazines, and follow the standard designs. The main thing to seek is simplicity of control, so long as efficiency is not sacrified.

- What about the electric wires for an aerial, with Ο. an aerial plug?
- an aerial plug? The only way to tell if this will be satisfactory is to try it in your own house. Aerial plugs will operate in about 75% of the cases, and it is difficult to predict where they will or will not operate. Ordinarily aerial plugs are not satisfactory in new apartment houses, where the clectric wiring is carried in metallic pipes or cables. Where they will work, aerial plugs seem to be settificatory as a model are light the ad-А. to be as satisfactory as a good aerial, with the ad-ditional'advantage of simplicity and freedom from protective devices.
- Q. Would you advise the construction of a "super-regen-erative" set?
- of super-regeneration will be adapted to sets that will Α. be fairly dependable and simple to operate. At present these sets are in the laboratory stage, and only experienced radio men can obtain any degree of success with them.
- Q. Can a storage battery from an automobile be used with a radio set?
- Yes, providing due care is taken not to use a voltage too high for your vacuum tubes. A six volt battery is right for the standard tubes, and if your car has a 12 yolt battery, it will be necessary for you to use only Α. half of the battery at one time.

.

- Q. A. Can I use a tree as an aerial support?
- Yes, but this is not advised. Place a spring or strip of strong ruhber between the tree and the insulator, to prevent the wire from breaking in a wind storm. The greatest disadvantage is the change in wave-length of the aerial so supported. due to swaying in the wind.
- ۵. I sometimes hear the whistle of a carrier wave, but on trying to tune it in, there will be a click in the phones.
- and the wave will disappear entirely. 1. You may have too much B battery voltage for your Α. detector.
 - If the carrier wave is very weak, it is probable 2. that the sending station is out of your range entirely.
 - You may have mistaken a wave from a local re-ceiving set for the carrier wave of a transmitter. You will, of course, not get any music from such 3. a wave.
- Q. Some nights the air scems to be full of subdued howls. whistles, and groaning noises that I can not tune out.
- А. The main cause of this type of interference is radia-tion from local receiving sets that are improperly operated. This is getting to be a serious matter in the larger eities. The same type of interference comes from a number of broadcasting stations sending at once. In addition to radiating their individual waves, the interaction between the waves of two or more stations produces the whistling that you have noticed. Refer to some text book on radio or physics; subject: heterodyne or "beat" action. Two remedies for this are possible: A material decrease in the number of sending stations, or development of transmission on waves of less than 50 meters.

In Case of Trouble.

D ON'T pack up the set and take it back to the dealer. You wouldn't do this with an automobile when it ran out of gasoline. Your batteries may be run down, your vacuum tube burned out, the phone cord broken, or there may be some other minor defect. A careful examination will reveal the trouble.

If the vacuum tube will not light:

1. It may be burned out.

1

- 2. The A battery may be dead.
- 3. There may be a broken connection within the set or in the cord from the battery to the set. If it is factory built the chances are that the trouble is not in the set.
- If the tubes light only dimly the battery is quite certain to be partly discharged.
- 5. One of the prongs on the tube socket may be bent. preventing contact.

If rattling noises are heard with the signals:

- There may be atmospheric electricity in the air (static). This is not the fault of your set, and there is no way to tune it out.
- There may be a broken-down transformer or arc light in your locality. Disconnect the aerial and ground wires from your set; if the noise ceases, it is due to one of the above causes.
- 3. A dead, or nearly discharged, A or B battery will cause such a noise. Ordinarily, when this is the trouble, the noise will not begin at the first moment the rheostat is turned on, but will begin after a short period, and get so bad that nothing else can be heard.
- 4. If rattling noises are heard only when the dials are turned, it is practically cortain that there is a loose connection in the set, the exact location of which can be found by finding which dial produces the noise, and then examining the instrument connected with the dial. Sometimes a wire will break inside the insulation, and when the set is farred it will make and break the circuit, causing a periodic rattling noise.

If you have a regenerative set, a good aerial, and you hear the local stations loud and clear, but can't hear any long distance:

 You have not learned to tune your set. There is no other explanation. Read the part on "tuning." (Exception: bad atmospheric conditions).

If the set is "paralyzed," and nothing seems to come in:

- 1. You may have the detector tube in the amplifier socket.
- 2. You may have too much B battery voltage on the detector.

- 3. The tickler may be advanced too far.
- The phone cord may be broken or the phone plug short-circuited.
- If the set howls when the hands are moved:
 - 1. Tickler is advanced too far.
 - 2. If a home-made set, you may have neglected to shield the panel with metal.

If signals are louder with one tube than when using the amplifier:

- 1. The "A" battery connections are reversed, or
- If a home-made set, you may have reversed one of the amplifying transformers or

ł

- 3. You may have neglected to make one of the connections to the amplifying transformers.
- 4. It is possible that one of the amplifier tubes is defective. This may be tested in the detector socket, as an amplifier tube makes a fairly good detector. If signals come thru the amplifier tube fairly strong, it is probably all right.

If there is a continual singing noise when the amplifiers are used:

 This will not occur in a well designed set. It is caused by the tubes or amplifying transformers being too closu together. If available space is limited, place the transformers at right angles. It is not advisable to use more than two stages of audio-frequency amplification.

If your vacuum tube burns out in a short time:

- 1. You may have burned it at too high a temperature Don't expect a replacement if this is the case.
- 2. If it is a standard storage battery tube with an incandescent filament, it may have been burned at too low a temperature. Tungsten filaments will wear out as quickly when burned too low as when they are burned too high. If burned too low the filament crystallizes; if too high, it evaporates rapidly.
- 3. If you think the burn-out was due to an actual defect, send the tube to your dealer, advising him of the circumstances. He will send the tube to the manufacturer, who will examine the filament under a microscope and if the tube was defective you will get a replacement without charge. Don't expect the dealer to replace the tube at once. He is put to enough expense in sending in the tube for you, paying the express, and keeping book records of it.

Popular Misconceptions Corrected.

P OPULAR crcdulity has been taken advantage of in many instances by the spreading of propaganda designed to create a demand for certain instruments used in radio. In some cases this has been originated through ignorance, by writers uninformed; in other cases there has been a deliberate attempt to mislead, and create a demand for the supposed "cure-all." Some of the resulting misconceptions are taken up below:

- 1. Ohmic resistance is not a basis for the scnsitivity of radio receivers ('phones). Impedence is the important thing, but this varies with the signals received, so it is impossible to rate the phones by any fixed standard of impedence. The best pair of receivers ever used by the writer had a resistance of 2,200 ohms. Many receivers with a resistance of 3,000 to 6,000 ohms are markedly inferior to low priced receivers of 2,000 ohms. In fact, the writer is favorably impressed toward any manufacturer who omits a statement of the resistance of his phones when advertising them. High resistance looks impressive, but "it doesn't mean anything."
- 2. There is no radio set that will eliminate static.
- 3. It is difficult in the extreme to eliminate interference from local broadcasting stations. Don't expect too much from loop aerials, selective tuners, and the like. Local stations usually can not be tuned out, because they "force" themselves in, regardless of whether they arc tuned in or out.
- 4. Do not expect amplifying transformers with a high step-up ratio to always give best results. Many 9-to-1 transformers are inferior to 3½-to-1 types. There are good ones of each style. Remember that the transformer can not add energy; the B batteries do that.
- 5. Very long aerials will not bring in loud signals from broadcasting stations. Aerials over 150 feet in length make tuning more difficult, give weaker signals, and bring in more static. More than one wire will not increase the effectiveness of your aerial, except in the case of exceedingly short ones—say 20 feet in length.
- 6. A radio aerial is not so much of a fire hazard as it is sometimes reported to be. This is not meant to indicate that lightning arresters are not worth while, for protection of the radio apparatus, however. If you have a good protector the house and instruments are as safe as if you did not have a radio at all. Without a protector the house is safe, but slight damage might result to the instruments if lightning struck in the back yard.

The Correct Way to Test a Radio Set.

O NE subject that should be understood by every owner of a radio is that of tracing out the trouble in his set. The procedure is as follows:

First, obtain a circuit drawing of your set. Your dealer will supply you with such a drawing of a factory built set, but if you have an instrument made by a reputable manufacturer, the chances are against trouble in the set. To locate trouble in a home-made set, you will of course refer to the diagram by which you made it.

ł

١

You will need a small dry cell and a pair of phones for testing. First test the phones by touching the tips on the battery terminals. If you do not hear a loud click, the trouble lies in the phones. Connect wires to the battery and touch them to the terminals of each phone. If a response is not given by the phone being tested, there is either an "open circuit" or a "short circuit" within that phone. If both phones test O. K., the trouble lies in the phone cord, and a new one should be purchased.

If the phones are found all right, they will then serve as part of the testing outfit. Connect one of the phone tips to one terminal of the battery. Connect a wire to the other side of the battery, and then connect another wire to the free phone tip. Now, when the tips of these two wires are touched together a click will be heard in the phones.

Now refer to your diagram, and test each instrument for open or short circuit. For testing coils (variometers, tapped coils, vario-couplers, etc.), touch one of your wires to one end of the coil in question, the other being connected to the opposite end of the coil. A click should be the result.

In testing condensers, it is best to disconnect one wire from the condenser, and this must be done if the condenser is shunled by a conductor of any sort. A condenser that is correct, will not produce a loud click in the phones. When first touched there will be a very faint click, caused by the instrument discharging through the phones, but the second or third time the test is applied, there should be no click in the phones. If the click is heard, the condenser is defective.

After testing the condensers and tuning coils, test out the wiring between these instruments, with the tubes out of their sockets. As an example, this is the way one should proceed in testing out a single circuit tuner, after having tested the condensers and tuning coils:

- Test from "aerial" binding post to series condenser. This should show a closed circuit, evinced by the click in phones.
- Test from other side of condenser to primary tuning coil. Should be closed circuit.
- Test from other side of same coil to ground binding post. Should be closed circuit. This completes the aerial-toground circuit.

- 4. Now test from series condenser to grid condenser. This will show closed circuit, if wiring is correct.
- 5. Test from other side of grid condenser to the prong on the detector socket marked "G." Should be closed circuit.

Follow this scheme of testing until the trouble is located in the instruments or wiring. Due to the differences in sets, it is impossible to give a strict rule for testing all makes. It is a good idea for a beginner to test out his set this way when he first gets it, and thus familiarize himself with the procedure in testing. Let us repeat that the greatest pleasure from radio comes to him who learns the "Why" and "How" of his set, and finds a thrill of achievement when he has located his trouble unaided. The greatest development of radio will only come when every radio owner is educated in the principle and operation of his set. As was pointed out before, an improperly operated receiving set can become a source of

annoyance to other listeners, and in order to do the fair thing for the rest of the radio public we must first understand how to operate our instruments. This understanding can come only from study, coupled with practice.

In Closing.

R ADIO is here to stay. It will not be many years before the home radio set will be a necessity of the first order.

As a source of entertainment it is in a class by itself. As a means of education and a force for better government, its possibilities can not be over-emphasized. It does not require a visionary to foresee the day when country schools will be absolutely dependent on radio stations miles away. for the larger portion of the curriculum. The highest development of democracy will come about through the discussion of national problems and questions before an audience of the nation-possibly the whole civilized world, Let us, then, all "do our blt" to bring about the greatest radio development. Let us encourage the study of radio in schools; let us study it ourselves; learn to operate our sets so as to cause a minimum of annoyance to our neighbors; and feel that we have done our share to bring about a revolution in the methods of education and communication-the bases of civilization.

-1

21

Radiophone Broadcasting Stations in North America, Classified Alphabetically by Calls.

AGI, Presidio of San Francisco, Cal. Signal Corps, U. S. A. AQG, Canton, O., Hdqtrs, 135th F. Artillery O. N. G. ASG, San Antonio, Tex. U. S. Army, Camp Travis. AV7, St. Paul, Minn. Minnesota National Guard. CFAC, Calgary, Alta., Can. Western Radio Co. Ltd. CFCA, Toronto, Ont., Can. Toronto Star. CFCB, Vancouver, B. C., Can, Marconi Co. CFCE, Halifax, N. S., Can. Marconi Co. CFCF, Montreal, P. Q., Can. Marconi Co. CFCF, Iroquois Falls, Ont., Can. Abitibi Power & Paper Co., Ltd.

Ltd. CFCI, Walkerville, Ont., Can. Motor Products Corp. CFCN, Calgary, Alta., Can. W. W. Grant Radio Ltd. CFCX, London, Ont., Can. The London Advertiser. CFPC, Fort Frances, Ont., Can. International Radio De-

velop. Co.

CFTC, Toronto, Ont., Can. The Bell Telephone Co. CFTC, Vancouver, B. C., Cun. Victor Wentworth Odlum. CFTC, Montreal, Que., Can. Can. Westinghouse Co., Ltd. CHBC, Calgary, Canada. W. W. Grant Radio Ltd. (Morning Albertan.)

CHCA, Vancouver, B. C., Can. Radio Corp. of Vancouver, Lid.
CHCB, Toronto, Can. Marconi Co.
CHCB, Toronto, Can. Marconi Co.
CHCF, Winnipeg, Man., Can. Can. Westinghouse Co., Ltd.
CHCF, Winnipeg, Man., Can. Western Radio Co., Ltd.
CHCF, Winnipeg, Man., Can. Western Radio Co., Ltd.
CHCS, London, Ont., Can. London Radio Shoppe.
CHCX, Montrcal, Que., Can. B. L. Silver.
CHCC, Toronto, Canada. Metropolitan Motors Co.
CHXC, Ottawa, Ont., Can. J. R. Booth, Jr.
CHYC, Montreal, Que., Can. Northern Elec. Co.
CJBC, Montreal, Que., Can. James Gordon Bennett.
CJCB, Nelson, B. C., Can. Vancouver Sun.
CJCF, Vancouver, B. C., Can. Vancouver Sun.
CJCG, Winnipeg, Canada. Manitoba Free Press.
CJCG, Winnipeg, Canada. Manitoba Free Press.
CJCH, Toronto, Ont., Can. Micean, Holt & Co., Ltd. CHCA, Vancouver, B. C., Can. Radio Corp. of Vancouver,

۰١

- CJCH, Toronto, Ont., Can. CJCI, St. John, N. B., Can. CJCN, Toronto, Ont., Can. CJCN, Toronto, Ont., Can. CJCN, Toronto, Ont., Can. CJCS, Halifax, N. S., Can. Co.

- CJCY, Calgary, Alta., Can. Edmund Taylor. CJGC, London, Ont., Can. London Free Press. CJVC, Winnipeg, Man., Can. Tribune Newspaper Co. CJSC, Toronto, Ont., Can. Evoning Telegram. CKAC, Montreal, Can. La Presso. CKCB, Winnipeg, Man., Can. T. Eaton Co., Ltd. EKCD, Vancouver, B. C., Can. Vancouver Dally Province. CKCE, Toronto, Ont., Can. Can. Ind. Telephone Co. CKCR, St. John, N. B., Can. Jones Elec. Radio Co., Ltd. CKCS, Montreal, Que., Can. The Bell Telephone Co. CKCS, Toronto, Ont., Can. Westinghouse Co., Ltd. CKCC, Toronto, Ont., Can. Radio Equipment & Supply Co., Ltd. Ltd. CKOC, Hamilton, Ont., Can. Wentworth Radio Supply Co.,
- Ltd.
- CKQC, London, Ont., Can. Radio Supply Co. CKQC, Winnipeg, Man., Can. Salton Radio Eng. Co. DD5, Denver, Colo. Fitzsimmons General Hospital. DM4, San Antonio, Tex. U. S. Army, Kelly Field. DM4, San Antonio, Tex. U. S. Army, Brooks Field. DN4, Denver, Colo. Colorado National Guard. KDBZ, Bakersfield, Calif. Frank Seifert. KDBZ, Engression Provide Statemark Seifert.

- KDBZ, Bakersheld, Calif. Frank Seifert.
 KDKA, E. Pittsburgh, Pa. Westinghouse Elec. & Mfg. Co.
 KDN, San Francisco, Calif. Leo J. Meyberg Co.
 KDDW, New York, N. Y. S.S. America.
 KDPM, Cleveland, O. Westinghouse Elec. & Mfg. Co.
 KDPT, San Diego, Calif. Southern Elec. Co.
 KDYI, Salt Lake City, Utah. Salt Lake Telegram.
 KDYM, San Diego, Calif. Savoy Theater.
 KDYO, San Diego, Calif. Carlson & Simpson.
 KDYQ, Portland, Ore. Oregon Inst. of Technology.
 KDYQ, Paradona, Calif. Pasadona Star-News Pub. Co.

- KDYR, Portland, Ore. Oregon Inst. of Lechnology. KDYR, Pasadena, Calif. Pasadena Star-News Pub. Co. KDYS, Great Falls, Mont. Great Falls Tribune. KDYV, Sait Lake City, Utah. Cope & Cornwell Co. KDYW, Phoenix, Ariz. Smith Hughes & Co. KDYX, Honolulu, T. H., Hawali. Honolulu Star-Bulletin Co. Ltd.
- KDZA, Tucson. Ariz. Arizona Dally Star. KDZB, Bakersfield, Calif. Frank E. Sjefert.

- KDZE, Seattle, Wash. The Rhodes Co. KDZF, Los Angeles. Callf. Automobile Club of Southern California.

- KDZG, San Francisco, Callf. Cyrus Pierce & Co. KDZII, Fresno, Callf. The Herald-Buford Co. KDZI, Seattle, Wash. Seattle Radio Assn. KDZK, Reno, Nev. Nev. Mchy. & Elec. Co. KDZI, Ogden, Utah. Rocky Mountain Radio Corp.
- KDZM, Centralia, Wash. Hollingworth Hdwe. & Radio Sup-KDZM, Centrana, A. S. ... ply Store. KDZP, Los Angeles, Calif. Newberry Elec. Corp. KDZQ, Denver, Colo. Win. D. Pyle. KDZR, Bellingham, Wash. Bellingham Pub. Co. KDZT, Seattle, Wash. Seattle Radio Assn. KDZW, San Francisco, Calif. Claude W. Gerdes. KDZZ, Everett, Wash. Kinney Bros. & Seppell.

- KFAC, Glendale, Calif. Daily Press. KFAD, Phoenix, Ariz. KFAE, Pullman, Wash. State College of W. KFAF, Denver, Colo. Western Radio Corp. KFAJ, Boulder, Colo. Univ. of Colo. State College of Washington.

ŧ

KFAN, Moscow, Idaho. The Elec. Shop. KFAP, Butte, Mont. Standard Pub. Co. KFAQ, San Jose, Calif. City of San Jose. KFAR, Hollywood, Calif. Studio Lighting Service Co. KFAS, Reno, Nev. Reno Motor Supply Co. ICFAS, Reno, Nev. Reno Motor Supply Co. KFAT, Eugene, Ore. Pac. Radio Co. KFAU, Boise, Ida. Boise H. S. KFAW, Santa Ana, Calif. Radio Den. KFAW, Santa Ana, Calif. Radio Service. KFHA, Lewiston, Ida. Ramey & Bryant Radio Co. KFHB, Havre, Mont. F. A. Buttery & Co. KFBB, San Diego, Calif. Calif. Radio Lab. KFBE, San Luis Obispo, Calif. R. H. Horn. KFBE, Tacoma, Wash, First Presbyterian Church. KFBH, Boise, Ida. Boise Radio Supply Co. KFBJ, Boise, Ida. Boise Radio Supply Co. KFBK, Sacramento, Calif. Kimball-Upson Co. KFBR, Sachmento, Cant. Kimban-Opson Co. KFBL, Everett, Wash. Leese Bros. KFBN, Astoria, Ore. Cook & Foster. KFBN, Oakland, Calif. Borch Radio Corp. KFBQ, Prescott, Ariz. Savage Elec. Co. KFBS, Trinidad, Colo. Chronicle News & Gas & Elec. Supply Co. KFBU, Laramie, Wyo. Bishop N. S. Thomas. KFBV, Colorado Springs, Colo. Clarence O. Ford. KFC, Seattle, Wash. Northern Radio & Electric Co. KFCB, Phoenix, Ariz. Nelsen Radio & Diectric Co. KFCB, Phoenix, Ariz. Nielsen Radio Supply Co. KFCC, Wallace, Ida. Auto Supply Co. KFCD, Salem, Ore. F. S. Barton. KFCF, Walla Walla, Wash. Frank A Moore. KFCII, Billings, Mont. Electric Service Station, Inc. KFCH, Billings, Mont. Electric Service Station, Inc.
KFCK, Colorado Springs, Colo. Colorado Springs Radio Co.
KFCL, Los Angeles, Collif. Los Angeles Union Stock Yards.
KFCQ, Casper, Wyo. Motor Service Sta.
KFDA, Baker, Ore. Adler's Music Store.
KFDD, San Francisco, Calif. Mercantile Trust Co.
KFDD, Bolse, Idaho. St. Michael's Cathedral.
KFDS, San Francisco, Calif. John D, McKee.
KFED, San Francisco, Calif. John D, McKee.
KFED, San Francisco, Calif. John D, McKee.
KFED, Casper, Wyo. Meier & Frank Co.
KFED, Polytechnic, Mont. Billings Polytechnic Institute.
KFFA, San Diego, Calif. Dr. R. C. Shelton.
KFFE, Pendleton, Ore. Eastern Oregon Radio Co.
KFGG, Astoria, Ore. Astoria Budget. KFGG, Astoria, Ore. Astoria Budget. KFGII, Stanford Univ., Calif. Leland Stanford Jr. Univ., KFI, Los Angeles, Calif. Earle C. Anthony, Inc. KFV, Yakima, Wash. Foster-Bradbury Radio Store. KFZ, Spokane, Wash. Doerr Mitchell Elec. Co. KGB, Tacoma, Wash. Tacoma Daily Ledger-William A Mullins Elec. Co. KGG, Portland, Ore. Hallock & Watson Radio Service. KGN, Portland, Ore. Northwestern Radio Mfg. Co. KGO, Altadena, Calif. Altadena Radio Lab. KGU, Honolulu, Hawaii. The Honolulu Advertiser. KGW, Portland, Ore. Ship Owners Radio Serv Ship Owners Radio Service Inc. (Daily Oregonian.) KGY, Lacoy, Wash. St. Martins College.

KHD, Colorado Springs, Colo.
KHJ, Los Angeles, Callf. Los Angeles Times.
KHQ, Seattle, Wash. Louis Wasmer.
KJΩ, Sunnyvale, Calif. Radio Shop.
KJΩ, Stockton, Calif. C. O. Gould.
KJR, Seattle, Wash. Northwest Radio Service Co.
KJS, Los Angeles. Calif. Bible Inst. of Los Angeles.
KLB, Pasadena, Calif. J. J. Dunn Co.
KLN, Del Monte, Calif. Montercy Elec. Shop.
KLS, San Francisco, Calif. Warner Bros. Radio Supply Co.
KLS, Sakland Calif. Oakland Tribune KLP, San Francisco, Calif. Colin B. Kennedy Corp.
KLS, San Francisco, Calif. Warner Bros. Radio Supply Co.
KLX, Oakland Calif. Oakland Tribune.
KLZ, Denver, Colo. Reynolds Radio Co.
KMG, Reedley, Calif. Lindsay-Weatherill & Co.
KMJ, Fresno, Calif. San Joaquin Lt. & Pr. Co.
KMO, Tacoma, Wash. Tacoma Times. (Love Electric Co.)
KNI, Eureka, Calif. T. W. Smith.
KNJ, Boswell, New Mex. Roswell Public Service Co.
KNN, Los Angeles, Calif. Bullock's.
KNT, Aberdeen, Wash. Grays Harbor Radio Co.
KON, Los Angeles, Calif. Radio Supply Co.
KOB, State College, N. M. N. M. College Agri. & Mech. Arts.
KOG, Los Angeles, Calif. Holzwasser Inc.
KOF, Detroit, Mich. Detroit Polic Dept.
KPO, San Francisco, Calif. Hale Bros., Inc.
KQV, Pittsburgh, Pa. Doubleday-Hill Elec. Co.
KQV, Pittsburgh, Pa. Doubleday-Hill Elec. Co.
KSD, St. Louis, Mo. St. Louis Post-Dispatch.
KSU, San Francisco, Calif. The Emporium.
KSS, San Francisco, Calif. The Emporium.
KSS, Jong Feach. Calif. City Dye Works & Laundry Co.
KUW, Scattle. Wash. First Presbyterian Church.
KUS, San Francisco, Calif. City Dye Works & Laundry Co.
KWG, Stockton, Calif. Dertable Wireless Telephone Co.
KWG, Stockton, Calif. Herald Pub. Co.
KWG, Stockton, Calif. Herale Pub. Co.
KWG, Sto gers.) KYG, Honolulu, Hawaii. Electric Shop. KYW, Chicago, Ill. Westinghouse Elec. & Mfg. Co. KYY, San Francisco, Callí. The Radio Telephone Shop. KZC, Seattle, Wash. Public Market & Department Store Co. KZAI, Oakland, Callí. Western Radio Institute (Hotel Oak-KZN, Salt Lake City, Utah. Deseret News. KZV, Wenatchee, Wash. Wenatchee Battery & Motor Co. KZV, San Francisco, Calif. Atlantic-Pacific Radio Supplies Co. NOF, Anacostia, D. C. U. S. Navy Dept. PWX, Havana, Cuba, Cuban Telephone Co. WAI, Dayton. O. McCook Field, U. S. Army. 25

<text>

Inst.

- WOAT, Rapid City, S. D. S. D. State School of Mines.
 WCAU, Philadelphia, Pa. Philadelphia Radiophone Co.
 WCAV, Little Rock, Ark. J. C. Dice Elec. Co.
 WCAV, Quincy, Ill. Quincy Elec. Supply Co. (Quincy Herald).
 WCAX, Burlington, Vt. Univ. of Vt.
 WCAX, Burlington, Vt. Univ. of Vt.
 WCAX, Burlington, Vt. Univ. of Vt.
 WCAX, Milwaukee, Wis. Kesselman-O'Driscoll Music House.
 WCAZ, Quincy, Ill. Whig-General.
 WCE, Minneapolis, Minn. Findley Elec. Co.
 WCK, St. Louis. Mo. Stix Baer & Fuller (Grand Leader).
 WCN, Worcester. Mass. Clark Univ. Dally.
 WCN, Worcester. Mass. Clark Univ. Dally.
 WCN, Detroit, Mich. The Detroit Free Press.
 WDAA, Nashville, Tenn. Ward Belmont School.
 WDAF, Kansas City, Mo. Kansas City Star.
 WDAF, Kansas City. Mo. Kansas City Star.
 WDAF, Kansas City. Mo. Kansas City Star.
 WDAH, El Paso, Tex. Mine & Smelter Supply Co.
 WDAI, Syracusc, N. Y. Hughes Radio Corp.
 WDAK, Hartford, Conn. Hartford Courant.
 WDAK, Shreveport, La. Centenary College and Glenwood Radio Corp.
 WDAN, Shreveport, La. Cutomotive Elec. Co.

- kins. Drake Hotel.
 WDAG, Brownsville, Pa. Hartman-Riker Elec. & Mach. C
 WDAG, Philadelphia, Pa. Lit Bros.
 WDAS, Worcester, Mass. Samuel A, Waite.
 WDAV, Muskogee, Okla. Daily Phoenix.
 WDAX, Centerville. lowa. First Nat'l Bank.
 WDAY, Muskogee, Okla. Daily Phoenix.
 WDAY, Mushoge, N. D.
 WDN, Washington, D. C. Church of the Covenant.
 WDY, New York, N. Y. Ship Owners Radio Service.
 WDY, Roselle Park, N. J. Radio Corp. of America.
 WDY, Tuscola, Ill. James L. Bush.
 WEAA, Flint, Mich. Fallain & Lathrop.
 WEAB, Fort Dodge, Iowa. Standard Radio Equip. Co.
 WEAG, Terre Haute, Ind. Baines Elec. Service Co.
 WEAF, New York City, N. Y. Am. Tel, & Telf. Co.
 WEAF, New York City, N. Y. Am. Tel, & Telf. Co.
 WEAF, New York City, N. Y. Am. Tel, & Telf. Co.
 WEAI, Wichita, Kans. Lander Radio Co.
 WEAI, Wichita, Kans. Lander Radio Co.
 WEAJ, Grove City, Pa. Grove City College.
 WEAM, North Plainfield, N. J. Burough of N. Plainfield.
 WEAN, Providence, R. I. The Shepard Co.
 WEAAF, Baltimore, Md. News & American Pub. Co.
 WEAF, Mahington, D. C. The Hecht Co.
 WEAF, Mushville, Neb. Sheridan Elec. Service Co.
- WDAQ, Brownsville, Pa. Hartman-Riker Elec. & Mach. Co.

- WEAW, Anderson, Ind. Arrow Radio Lab. WEAX, Little Rock, Ark. T. J. M. Daly. WEAY, HJUSTON, TEX. Will Horwitz, Jr. WEB, St. Louis, Mo. The Benwood Co., Inc. WEH, Tulsa, Okla. (300 S. Main St., E (300 S. Main St., Eldorado, Kans.) Midland Refining Co.

- Midland Refining Co. WEV, Houston, Tex. Hurlburt-Still Elec. Co. WEV, Houston, Tex. Hurlburt-Still Elec. Co. WEV, St. Louis, Mo. St. Louis Univ, WEY, Wichita, Kans. Cosradio Co. (Wichita Beacon.) WFAA, Dallas, Texas. Dallas News and Dallas Journal. WFAG, Superior, Wis. Superior Radio Co. WFAC, Superior, Wis. Superior Radio Co. WFAC, Superior, Wis. Superior Radio Co. WFAG, Salina, Kans. Watson Weldon Motor Supply Co. WFAG, Waterford, N. Y. Radio Engineering Lab. WFAH, Port Arthur, Tex. Elec. Supply Co. WFAJ, Asheville, N. C. Hi-Grade Wireless Instrument Co. WFAM, St. Cloud, Minn. Granite City Elec. Co. WFAQ, Cameron, Mo. Cameron Radio Co. and Mo. Wesleyan College.

- WFAR, Sanford, Me. Hall & Stubbs.
 WFAR, Sanford, Me. Hall & Stubbs.
 WFAR, Sanford, Me. Hall & Stubbs.
 WFAT, Sioux Falls, S. D. Argus Leader.
 WFAT, Sioux Falls, S. D. Argus Leader.
 WFAU, Boston, Mass. Edwin C. Lewis.
 WFAV, Lincoln, Neo. Univ. of Neb.
 WFAW, Miami, Fla. Daily Metropolis.
 WFAY, Independence, Kan. Daniels Radio Supply Co.
 WFAZ, Churleston, S. C. S. C. Radio Shop.
 WFI, Philadelphia, Pa. Strawbridge & Clothier.
 WFO, Dayton, O. Rike-Kumher Co.
 WGAB, Houston, Tex. QRV Radio Co.
 WGAB, Ensenda, Porto Rico. Escuela Hispano Americana de Radio Telegrafia, Inc.
 WGAI, Shenandoah, Ia. W. H. Gass.
 WGAI, Shenandoah, Ia. W. H. Gass.
 WGAI, Lancaster, Pa. Lancaster Elec. Supply and Construction Co. tion Co.
- WGL, Philadelphia, Pa. Thos. F. J. Howlett. WGAM, Orangeburg, S. C. Orangeburg Radio Equipment WGAM, Orangeburg, S. C. Orangeburg Radio Equipment Co.
 WGAM, Orangeburg, S. C. Orangeburg Radio Equipment Co.
 WGAM, Pensacola, Fla. Cecil E. Lloyd.
 WGAQ, Shreveport, La. Glenwood Radio Corp.
 WGAR, Fort Smith, Ark. Southwest Amcrican.
 WGAT, Lincoln, Neb. Ara. Legion, Dept. of Neb.
 WGAU, Wooster, O. Marcus G. Limb.
 WGAW, Altoona, Pa. Ernest C. Albright.
 WGAX, Washington C. H., O. Radio Elec. Co.
 WGAZ, South Bend, Ind. South Western Radio Co.
 WGAY, South Bend, Ind. South Bend Tribune.
 WGI, Medford Hillside, Mass. Am. Radio and Research Corp.
 WGM, Atlanta, Ga. Atlanta Constitution.
 WGV, New Orleans, La. Interstate Elec. Co.
 WGV, New Orleans, La. Interstate Elec. Co.
 WGAY, Schenectady, N. Y. General Elec. Co.
 WHAA, Ioava City, Ia. State Univ. of Ia.
 WHAA, Ioava City, Ia. Cole Bros. Elec. Co.
 28

WHAD, Milwaukee, Wis. Marquette Univ.
WHAE, Sloux City, Ia. Automotive Elec. Service Co.
WHAF, Pittsburgh, Pa. Radio Elec. Co.
WHAG, Cincinnati, O. Univ. of Cincinnati.
WHAI, Joplin, Mo. John T. Griffin.
WHAI, Davenport, Ia. Radio Equip. & Mfg. Co.
WHAK, Clarksburg, W. Va. Roberts Hdw. Co.
WHAI, Clarksburg, W. Va. Roberts Hdw. Co.
WHAI, Clarksburg, M. Va. Roberts Hdw. Co.
WHAI, Rochester, N. Y. Univ. of Rochester.
WHAM, Rochester, N. Y. Univ. of Rochester.
WHAP, Decatur, Ill. Dewey L. Otta.
WHAR, Atlantic City, N. J. Paramount Radio & Elec. Co.
WHAS, Louisville, Ky. Courier Journal and Louisville Times Co. WHAQ, Washington, D. C. Semmes Motor Co.
WHAR, Atlantic City, N. J. Paramount Radio & Elec. Co.
WHAS, Louisville, Ky. Courier Journal and Louisville Times Co.
WHAY, Wilmington, Del. Wilmington Elec. Spec. Co.
WHAV, Wilmington, Del. Wilmington Elec. Spec. Co.
WHAW, Tampa, Fla. Pierce Elec. Co.
WHAY, Huntington, Ind. Huntington Pub. Co.
WHAZ, Troy, N. Y. Rensselaer Polytechnic Inst.
WIB, Kansas City, Mo. Sweeney Auto & Tractor School.
WHD, Morgantown, W. Va. W. Va. University,
WHK, Cleveland, O. Warren R. Cox.
WHA, Waupaca, Wis. Waupca Civic & Commerce Assn.
WIA, Neidgewood, N. Y. Times Printing & Pub. Co.
WIX, Des Moincs, Iowa. Iowa Radio Corp.
WIA, Neidgewood, N. Y. Tomes Printing & Pub. Co.
WIA, Bes Moincs, Iowa. Iowa Radio Corp.
WIA, Waupaca, Wis. Waupca Civic & Commerce Assn.
WIAR, Rockford, Ill. Josiyn Automobile Co.
WIAF, New Orleans. La. Nola Radio Co.
WIAF, New Orleans. La. Nola Radio Co.
WIAH, Newton, Ia. Continental Radio & Mfg. Co.
WIAF, New Orleans. La. Nola Radio Co.
WIAF, Milwakee, Wis, School of Engineering.
WIAQ, Marion, Ind. Chronicle Pub. Co.
WIAR, Barlington, Ia. Hawk-Eye Home Elec. Co.
WIAF, Tarkio, Mo. Leon T. Noci.
WIAY, Binghamton, N. Y. N. Y. Radio Lab.
WIAY, Binghamton, N. Y. N. Y. Radio Lab.
WIAY, Mashington, D. C. Woodward & Lothrop.
WIAZ, Miami, Fla. Flager St., Elec. Supply Sales Co.
WIAZ, Miami, Fla. Flager St., Elec. Supply Sales Co.
WIA, Mikkeesport, Pa. K. & L. Elec. Co.
WIA, Mashington, D. C. Conthental Elec. S News). News). WJAF, Muncie, Ind. Muncie Press and Smith Elec. Co. WJAG, Norfolk, Neb. Norfolk Daily News. WJAH, Rockford, Ill. Central Park Amusement Co. WJAJ, Dayton, O. Y. M. C. A. WJAK, Stockdale, O. White Radio Lab. WJAL, Portland, Me. Victor Radio Corp. WJAM, Cedar Rapids, Ia. D. M. Perham. WJAN, Cedar Rapids, Ia. D. M. Perham. WJAN, Peoria, Ill. Peoria Star and Peoria Radio Sales Co. 29

.

٨

- WJAP, Duluth, Minn Kelley Duluth Co. WJAQ, Topeka, Kans, Capper Publications. WJAR, Providence, R. I. The Outlet Co. WJAS, Pittsburgh, Pa. Pittsburgh Radio Supply House (Pittsburgh Leader).

- (Pittsburgh Leader), WJAT, Marshall, MO, Kelley-Vawter Jewelry Co. WJAZ, Cleveland, O. Union Trust Co. WJAZ, Chicago, Ill. Chicago Radio Lab. WJD, Granville, O. Dennison University. WJH, Washington, D. C. White & Boyer Co. WJK, Toledo, O. Service Radio Equipment Co. WJX, New York, N. Y. De Forest Radio Telephone & Telegraph Co.
- WJZ, Newark, N. J. Westinghouse Elec. & Mfg. Co. WKAA, Cedar Rapids, Ia. H. F. Paar. WKAC, Lincoln, Neb. Star Pub. Co.

- WKAZ, Clear Kiplus, Id., H. F. Padr.
 WKAZ, Lincoln, Neb. Star Pub. Co.
 WKAF, Wichita Falls, Tex. W. S. Radio Supply Co.
 WKAF, Wichita Falls, Tex. W. S. Radio Supply Co.
 WKAF, Wichita Falls, Tex. W. S. Radio Co.
 WKAF, Okamah, Okla. Okfuskee County News.
 WKAK, Okemah, Okla. Okfuskee County News.
 WKAK, Montgomery, Ala. Alabama Radio Mfg. Co.
 WKAF, Granston, R. I. Wilcox Flint.
 WKAS, Springfield, Mo. L. E. Lines Music Co.
 WKAW, Beloit, Wis. L. M. Turner.
 WKAY, Gainesville, Ga. Brenau College.
 WKAY, Gainesville, Ga. M. Zamolski Co.
 WKN, Memphis, Tenn. Riechman-Crosby Co.
 WKN, Memphis, V. O. Andrighta, College, MKAY, Milkes-Barre, Pa. Landanbar Radio Shop. (Daily Oklahoman.) Oklahoman.)

- WKY, Oklahoma City, Okla. Oklahoma Radio Shop. (Daily Oklahoman.)
 WL2, Fairfield, O. U. S. Army.
 WLAB, Carrollton, Mo. George F. Grossman.
 WLAG, Raleigh, N. C. N. C. State College.
 WLAD, Hastings, Neb. Arvanette Radio Supply Co.
 WLAF, Lincoln, Neb. Johnson Radio Co.
 WLAG, Minneapolis, Minn. Operated by Cutting & Washington Radio Corp for: L. S. Donaldson Co., Findley Electric Co., N. W. National Bank, N. W. Farmstead, Powers Merc. Co. Sterling Elec. Co., E. E. Atkinson Co.
 WLAH, Syracuse, N. Y. Samuel Woodworth.
 WLAJ, Waco, Tex. Waco Elec. Supply Co.
 WLAM, Bellows Falls, Vt. Vermont Farm Machine Co.
 WLAM, Springfield, O. Morrow Radio Co.
 WLAN, Houlton, Me. Putnam Hdw. Co.
 WLAQ, Kalamazoo, Mich. A. E. Schilling.
 WLAG, Kalamazoo, Mich. A. E. Schilling.
 WLAR, Marshalltown, Ia. Meikel Music Co.
 WLAS, Hutchinson, Kans. Hutchinson Grain Radio Co.
 WLAY, Pensacola, Fia. Elec. Shop, Inc.
 WLAW, New York, N. Y. New York Police Dept.
 WLAX, Greencastle, Ind. Greencastle Community Broadcasting Station. (Putnam Elec. Co.)
 WLAY, Fairbanks, Alaska. Northern Commercial Co.

 - WLAY, Fairbanks, Alaska. Northern Commercial Co.

WLAZ, Warren, O. Hutton & Jones Elec. Co.
WLE, Minneapolis, Min. Univ. of Minn.
WLK, Indianapolis, Ind. Hamilton Mfg. Co.
WLW, Cincinnati, O. Crosley Mfg. Co.
WMAB, Okiahoma City, Okia. Radio Supply Co.
WMAG, Cazenovia, N. Y. C. B. Mercdith.
WMAD, Rock Port, Mo. Atchinson County Mall.
WMAF, Dartmouth, Mass. Round Hills Radio Corp.
WMAG, Liberal, Kans. Tucker Elec. Co.
WMAH, Lincoln, Neb. General Supply Co.
WMAH, Inncoln, Neb. General Supply Co.
WMAH, Lincoln, Neb. General Supply Co.
WMAH, Trenton, N. J. Trenton Hdw. Co.
WMAM, Bcaumont, Tex. Beaumont Radio Equipment Co.
WMAH, Trenton, N. J. Trenton Hdw. Co.
WMAH, Columbus, O. First Baplist Church.
WMAK, Chicago III. Chicago Daliy News.
WMAH, Waterloo, Ilowa. Waterloo Electrical Supply Co.
WMAY, Auburn, Ala. Ala. Polytechnic Inst.
WMAY, Auburn, Ala. Ala. Polytechnic Inst.
WMAY, Auburn, Min. Paramount Radio Corp.
WMAY, Auburn, Me. Aburn Elec. Co.
WMAY, Manor, Ga. Mercier University.
WMB, Auburn, Me. Aburn Elec. Co.
WMA, Manor, Ga. Mercier University.
WMB, Bowling Green, Ky. W. H. Riley.
WMAB, Bowling Green, Ky. W. H. Riley.
WMAG, Cresco, Ia. Rothert Radio Englineering Co.
WMAF, Bowling Green, Ky. W. H. Riley.
WAAF, Boson II. Ala Radio Dist. Co.
WMAF, Bowling Green, Ky. Wikes-Barre Radio Repair Shop.
WNAH, Chicason J. C. Cubueday-Hill Elec. Co.
WMAF, Bowling Green, Ky. Wikes-Barre Radio Repair Shop.
WNAH, Bowling Green, Ky. Wikes-Barre Radio Supply Co.
WMAF, Bustitan, Kans. Manhattan Radio Supply Co.
WMAF, Bustitan, Kans. Manhattan Radio Supply Co.
WNAF, Bustita, Kans. Manhattan Radio Supply Co.
WNAF, Bustita, Kans. Manhattan Radio Supply Co.
WNAF, Haidephia, Pa. Leknok Co.
WNAF, Buiter, Mo. C. C. Rhodes.
< WLAZ, Warren, O. Hutton & Jones Elec. Co. WLH, Minneapolis, Minn. Univ. of Minn. Co., N. J. WOAA, Ardmore, Okla. Dr. Walter Hardy. WOAB, Grand Forks, No. Dak. Valley Radio. WOAC, Lima, O. Maus Radio Co. WOAD, Sigourney, Ia. Friday Battery & Elec. Co. WOAE, Fremont, Neb. Mediand College. WOAF, Tyler, Tex. Tyler Commercial College. WOAF, Elvidere, III. Apollo Theatre. WOAH, Charleston, S. C. Palmetto Radio Corp. WOAI, San Antonio, Tex. Southern Equip. Co. WOAJ, Pansons, Kans. Ervin's Elec. Co. Dr. Walter Hardy.

.

WOAK, Frankfort, Ky. Collins Hardware Co. WOAL, Webster Grove, Mo. William E. Woods. WOAN, Lawrenceburg, Tenn. J. D. Vaughan. WOAQ, Portmouth, Va. Portsmouth Radio Assn. WOAK, Kenosha, Wis. H. P. Lundskow. WOAS, Middletown, Conn. Bailey's Radio Shop. WOAT, Wilmington, Del. Boyd Martell Hamp. WOAS, Middletown, Conn. Bailey's Radio Shop.
WOAT, Wilmington, Del. Boyd Martell Hamp.
WOAU, Evansville, Ind. Sowder Bowling Piano Co.
WOAV, Erie, Pa. Pa. National Guard.
WOAY, Erie, Pa. Pa. National Guard.
WOAY, Trenton, N. J. Franklin J. Wolff.
WOAY, Birmingham, Ala. John W. Wilder.
WOAZ, Stanford, Tex. Penick Hughes Co.
WOCE, Akron, O. Buckeye Radio Service Co.
WOII, Indianapolis, Ind. Hatfield Elec. Co. (India Star) (Indianapolis Star.) Star.) WOI, Ames. Ia. Iowa State College. WOK, Pine Bluff, Ark. Ark. Light & Power Co. WOO, Philadelphia, Pa. John Wanamaker. WOQ, Kansas City, Mo. Western Radio Co. WOR, Newark, N. J. L. Bamberger & Co. WOS, Jefferson City, Mo. WOV, Omaha. Neb. R. B. Howell. WOU. Omaha. Neb. R. B. Howell. WOU, Omaha, Neb, Metropolitan Utilities Dist. WOZ, Richmond, Ind. Palladium Printing Co. WOZ, Richmond, Ind. Palladium Printing Co.
WPA, Fort Worth, Tex. Fort Worth Record.
WPAA, Waco, Neb. Anderson & Webster Elec. Co.
WPAG, Okmuigee, Okla. Donaldson Radio Co.
WPAD, State College, Pa. Pa. State College.
WPAD, Chicago, Ill. W. A. Wieboldt & Co.
WPAF, Council Bluffs, Ja. Peterson's Radio Co. Inc.
WPAH, Waupaca, Wis. Wis. Dept. of Markets.
WPAI, New Haven, Conn. Doolittle Radio Corp.
WPAK, Fargo, N. D. N. D. Agricultural College.
WPAK, Fargo, N. D. Superior Radio & Tel. Equip. Co.
WPAM, Topeka, Kans. A. Werbach & Guettel.
WPAM, Beloit, Kans. R. A. Ward.
WPAM, El Paso, Tex. St. Patrick's Cathedral. WPAM, Topeka, Kans. Awerbach & Guettel. WPAM, Houston, Tex. Levy Bros. Dry Goods Co. WPAR, Beloit, Kans. R. A. Ward. WPAT, El Paso, Tex. St. Patrick's Cathedral. WPE, Kansas City, Mo. Central Radio Co. WPG, New Lebanon, Ohio. Nushawg Poultry Farm. WPI, Clearfield, Pa. Elec. Supply Co. WPJ, Philadelphia, Pa. St. Joseph's College. WPM, Washington, D. C. Thos. J. Williams, Inc. (Washing-ton Daily News) ton Daily News.) WPO, Memphis, Tenn. United Equip. Co. WQAA, Parkesburg, Pa. Horace A. Beale, Jr. WQAL, Mattoon. Ill. Cole Tel. & Telg. Co. WQAB, Springfield, Mo. Southwest Missouri State Teachers College. WQAK, Dubuque, Ia. Appel-Higley Elec. Co. WQAK, Dubuque, Ia. Appel-Higicy Elec. Co. WQAR, Lincoln, Neb. Am. Radio Co. WQAQ, Abliene, Ark. West Tex. Radio Co. WQX, Chicago, 111. Riverview Park, Walter A. Kuehl. WRAA, Houston, Tex. Rice Institute. WRAA, Houston, Tex. Rice Institute. WRAA, David City, Neb. Jacob Carl Thomas. WRAU, Amarillo, Tex. Dally News. WRAY, Scranton, Pa. Radio Sales Corp. WRIC, Hamilton, O. Doron Bros. Elec. Co. WRL, Schenectady, N. Y. Union Collego Radio Club.

ŝ

WRM, Urbana, Ill. Univ. of Ill.
WRP, Camden, N. J. Federal Inst. of Radio Telg.
WRI, Dallas, Tex. City of Dallas.
WRW, Tarrytown, N. Y. Koenig Bros.
WSAJ, Grove City, Pa. Grove City College.
WSAS, Lincoln, Neb. Neb Dept. of Agriculture.
WSAV, Houston, Tex. C. W. Vick Radio Const'n Co.
WSB, Atlanta, Ga. Atlanta Journal.
WSL, Utica, N. Y. J. & M. Elec. Co.
WSN, Norfolk, Va. Shipowners Radio Service, Inc.
WSY, Birmingham, Ala. Alabama Power Co.
WTAC, Johnston, Pa. Penn Traffic Co.
WTAU, Tecumseh, Neb. Ruegy Battery & Elec. Co.
WTAW, College Station, Tex. Agricultural and Mechanical College of Tex. WTAW, College Station, Tex. Agricultural and Mechanical College of Tex.
WTG, Manhattan, Kans. Kansas State Agricultural College.
WTP, Bay City, Mich. Ra-Do Corp.
WWAC, Vaco, Tex. Sanger Bros.
WWAX, Laredo, Tex. Wormer Bros.
WWII, Canton, O. Daily News Printing Co.
WWI, Dearborn, Mich. Ford Motor Co.
WWJ, Detroit, Mich. Evening News.
WWL, New Orleans, La. Loyola Univ.
WWX, Washington, D. C. Post Office Dept.
WWX, New York City, John Wanamaker.
IXAD, Pawtucket, R. I. Standard Radio & Elec. Co.
2XI, Schenectudy, N. Y. General Elec. Co. Test Call.
2XJ, Deal Bench, N. J. Am. Tel. & Telg. Co.
3XW, Parkesburg, Pa. Horace A. Beale, Jr.
SYN, Washington, D. C. Nat'l Radio Inst.
DAILU, Louisville, Ky. Darrell A. Downard.

.

Radiophone Broadcasting Stations in North America, Classified Alphabetically , by States and Cities.

State, City, Call

State, City, Call

Alabama:

Auburn, WMAV Birmingham, WOAY, WSY Mobile, WEAP Montgomery, WKAN

Arizona:

Phoenix, KDYW, KFAD, KFCB Tucson, KDZA, KFDH

Arkansas:

Fort Smith, WCAC, WGAR Little Rock, WCAV, WEAX Pine Bluff, WOK

California:

Altadena, KGO Bakersfield, KDZB, KYI Berkeley, KQI, KRE Del Monte, KLN El Monte, KUY Eureka, KNI Fresno, KDZH, KMJ Glendale, KFAC Hanford, KFBD Hollywood, KFAR Loog Beach, KSS Los Angelcs, KDZF, KDZP, KFCL, KFI, KHJ, KJS, KNN, KNV, KOG, KUS, KWH, KXS, KYJ, Modesto, KXD Oakland, KFBN, KLX KZM Pasadena, KDYR, KLB Reedley, KMC

- KVQ San Diego, KDPT, KDYM, KDYO, KFBC, KFFA, KON, KYF
- San Francisco, AG1, KDN, KDZG, KDZW,

KDZX, KFDB, KLP, KLS, KPO, KSL, KUO, KZY San Jose, KFAQ, KQW San Luis Obisno, KFBE Santa Ana, KFAW Stanford Univ., KFGH Stockton, KJQ, KWG Sunnyvale, KJJ Taft, KFEB Colorndo: Boulder, KFAJ Colorado Springs, KFBV, KFCK, KHD Denver, DD5, DN4;

KDZQ, KFAF, KFDL, KLZ Trinidad, KFBS

Connecticut: Bridgeport, WKAX Greenwich, WAAQ Hariford, WDAK Middleton, WOAS New Haven, WCJ, WGAH, WPAJ

Delaware: Wilmington, WHAV, WOAT

District of Columbia: Anacostia. NOF Washington, WDM, WEAS, WHAQ, WIL, WIAY, WJH, WMU, WPM, WWX, 3YN

Floridn: Jacksonville, WDAL Miami, WFAW, WIAZ Pensacola, WGAN, WLAV Tampa, WDAE, WEAT, WHAW West Palm Beach, WKAH

1

State, City, Call Georgiat Atlanta, WGM, WSB College Park, WDAJ Decatur, WAAS Gainesville, WKAY Macon, WGAK, WMAZ Savannah, WHAO Idahot KFAU, KFBJ. Boise, KFDD Lewiston, KFBA Moscow, KFAN Wallace, KFCC Illinoist Belvidere, WOAG Chicago, KYW, WAAF. WBU, WDAP, WGAS, WJAZ, WMAQ, WNAJ, WPAD, WQX Decatur, WBAO, WCAP, WHAP WillAr Peorla, WJAN Quincy, WCAW, WCAZ Rockford, WIAB, WJAH Springfield, WDAC Tuscola, WDZ Urbana, WRM WQAL Indiana: Anderson, WEAW WNAM. Evansville, WOAU WOAU Fort Wayne, WFAS Greencastle, WLAX Huntington, WHAY Indianapolis, WLK, WOH Marion, WIAQ Mishawaka, WBAQ Muncie, WJAF Blebmond WOZ Richmond, WOZ South Bend, WGAZ Terre Haute, WEAC West Lafayette, WBAA Iowa: Ames, WOI Burlington, WIAS Cedar Rapids, WJAM, WKAA Centerville, WDAX Council Bluffs, WPAF Cresco, WNAG Davenport, WHAI, WOC Davenport, WHAI, WOC Des Moines, WGF, WHX Dubuque, WQAK Fort Dodge, WEAB Iowa City, WHAA

.

State, City, Call Le Mars, WIAU Marshalltown, WLAR Newton, WIAH Shenandoah, WGAJ Sigourney, WOAD Sioux City, WEA WEAU. WHAE Vinton, WIAE WHAC. Waterloo, WMAR, WRAN Kansast Anthony, WBL Atwood, WEAD Beloit, WPAR Eldorado, WAH Emporia, WAAZ Hutoblason WI Hutchinson, WLAS HUICHINSON, WLAS Independence, WFAY Liberal, WMAG Manhattan, WNAK, WTG Parsons, WOAJ Sallna, WFAD Topeka, WJAQ, WPAM Wichita, WAAP, WEAH, WEY WEY Kentucky: Bowling Green, WNAB Frankfort, WOAK Franklo, Wille, Wille, WKAG, WLAP, 9ARU Poducah, WIAR Waco, WPAA Louislanat New Orleans, WAAB, WAAC, WCAG, WGV, WIAF, WWL Shreveport, WDAN. WGAQ Maine: Auburn, WMB Houlton, WLAN Portland, WJAL Sanford, WFAR Maryland: WCAO. Baltimore, WCAO WEAR, WKC, WNAY Massaehusetts: Boston, WAAJ, WFAU, WNÁC WNAG Dartmouth, WMAF Medford Hillside, WGI New Bedford, WDAU Springfield, WBZ Worcester, WCN, WDAS

State, City, Call Michigan: Ann Arbor, WMAX Bay City, WTP Dearborn, WWI Detroit, KOP, Detroit, WCX. WWJ East Lansing, WKAR Flint, WEAA Kalamazoo, WCAP. WLAQ Lansing, WHAL Saginaw, WIAW Minnesota: Duluth, WJAP, WMAT Hutchinson, WFAN Minneapolis, WBAH. WBAD. WCAS, WLAG, WLB, Northfield, WCAL St. Cloud, WFAM St. Paul, WAAH, AV7. Missourie Butler, WNAR Cameron, WFAQ Columbia, WAAN Undependence, WPAG Jefferson City, WOS Joplin, WHAH, WJAC Kansas City, WDAF, WHB, WMAJ, WOQ. WPE Marshall, WJAT Rockport, WMAD Rockport, WMAJ St. Joseph, WEAK St. Louis, KSD, WCK, WEB, WEW, WMAY Springfield, WIAT, WKAS, WQAB Tarkio, WIAT Webster Grove, WOAL Montana: Billings, KFCH Butte, KFAP Great Falls, KDYS Havre, KFBB Polytechnic, KFED Nebruska: David City, WRAR Fremont, WOAE Hastings, WLAD WKAM, Lincoln, WFAV, WGAT, WIAX, WJAB, WKAC, WLAF, WMAH, WLAF, WQAP, WSAS Norfolk, WJAG

State, City, Call Omaha, WAAW, WCAW, WDV, WIAK, WNAL, WOU, WOV Rushville, WEAV Tecumsch, WTAU University Place, WCAJ Waco, WPAA Nevadar Reno, KDZK, KFAS New Hampshire: Laconia, WKAV New Jersey: Atlantic City, WHAR Camden, WRP Deal Beach, 2XJ Jersey City, Jersey WNO WAAT. WANG Moorestown, WBAF Newark, WAAM, W WJZ, WOR, 2XAI N. Plainfield, WEAM Ocean City, WIAD Paterson, WBAN WBS. Roselle Park, WDY Trenton, WMAL, WOAX New Mexico: Roswell, KNJ State College, KOB New York: Albany, WNJ Binghamton, WIAV Buffalo, WGR, WWT Canton, WCAD Cazenovia, WMAC Ithaca, WEAI Lockport, WMAK Newburgh, WCAB New York, KD(WBAY, WDT, WE KDOW New York, KDOW, WBAY, WDT, WEAF, WJX, WLAW, WWZ Poughkeepsle, WFAF Rochester, WHAM Ridgewood, WHN Schenettady, WGY, WRL, 2XISyracuse, WBAB, WDAI WFAB, WLAH, WNAN Tarrytown, WRW Troy, WHAZ Utica, WSL Waterford, WFAG North Carolina:

Asheville, WFAJ Charlotte, WBT Raleigh, WLAC

State, City, Call North Dakotas Fargo, WDAY, WPAK Grand Forks, WOAB Wahpeton, WMAW Obio: Akron, WOE Athens, WAAV Canton, WWB Cincinnati, WAAD. WHAG, WIZ, WLW. WMH Cleveland, KDPM, WHK, WJAX Columbus, WBAV. WCAH, WMAN, WPAL WEAO, Dayton, WA1. WFO. WJAJ WJAJ Defiance, WCAQ Fairfield, WL-2 Granville, WJD Hamilton, WBAU, WRK Lebanon, WPG Lima, WOAC Marietta, WBAW Springfield, WNAP WLAM. Stockdale, WJAK Toledo, WBAJ, WJK Warren, WLAZ Washington C. O., WGAX Wooster, WGAU Youngstown, WMC WAAY. Oklahoma: Ardmore, WOAA Enid, WNAF

Muskogee, WDAV Norman, WNAD Okemah, WKAK Oklahoma City, WKY. WMAB Okmulgee, WPAC Tulsa, WEH, WLAL

Oregoni

٤

Astoria, KFBM, KFGG Corvallis, KFDJ Eugene, KFAT Hood River, KQP Marshfield, KFBH Medford, KFAT Derdlora, KFAT Pendleton, KFFE Portland, KDYQ, KFEC KGG, KGN. KGW. KQY Salem, KFCD

State, City, Call Pennsylvania: Altoona, WGAW Bridgeport, WBAG Brownsville, WDAQ Brownsville, WDAC Clearfield, WPI Crafton, WAAX Easton, WMAP Erie, WOAV, WSX Grove City, WSAJ Johnstown, WTAC Lancaster, WGAL McKaesport WY McKeesport, WIK Parkesburg, WQAA Philadelphia, WDAR, WFI, WIP, WNAT, WCAU. WGL, W00. WPJ Pittsburgh, KDKA, KQV, WCAE, WHAF, WJAS KDKA, Scranton, WLAO, WRAY State College, WPAB Villanova, WCAM Wilkes-Barre, WKAZ, WNAH WBAX. Rhode Island: hode Isingu. Cranston, WKAP Edgewood, WEAG East Providence, WKAD WJAR South Carolina: Charleston, WFAZ. WNAQ, WOAH Orangeburg, WGAM South Dakota: Rapid City, WCAT Sioux Falls, WFAT Vermillion, WEAJ Yankton, WAJU, WNAX Tennesseer Knoxville, WNAV Lawrenceburg, WOAN Memphis, WKN, WPO Tezage Abileno, WQAQ Amarillo, WDAG, WRAU Austin, WCM, WNAS Beaumont, WMAM College Station, WTAW

37

Dallas,

Fort

WRR

WPA

WDAO, WFAA.

WBAP,

El Paso, WDAH, WPAT Fort Worth, WBAP

State, City, Call Galveston, WHAR, WIAC Houston, WCAK, WEAY, WEV, WGAB, WPAN, WRAA, WSAV Laredo, WWAX Orange, WKAL Fort Arthur, WFAH San Antonio, AS6, DM7, WCAR, WJAE, WOAI Stanford, WOAZ Tyler, WOAF Waco, WJAD, WLAJ, WWAC

Utahı

Ogden, KDZL Salt Lake City, KDYL, KDYV, KZN

- Vermont: Bellows Falls, WLAK Burlington, WCAX
- Virginia: Blacksburg, WEAE Fortress Monroe, WNAW Portsmouth, WOAQ

Washington

Aberdeen, KNT Bellingham, KDZR Centralia, KDZM Evereti, KDZZ, KFBL Lacey, KGY Pullman, KFAE Seattle, KDZE, KDZT, KFC, KHQ, KJR, KTW, KZC Spokane, KFDC, KFZ Tacoma, KFBG, KFEJ, KGB, KMO Wnlla Walla, KFCF Wenatchee, KDZI, KZV Yakima, KFV

West Virginia:

Charleston,	WAAO
Clarksburg,	WHAK
Huntington,	WAAR
Morgantown	, WHD

State, City, Call Wisconsin: Beloit, WKAW Beloit, What Kenosha, WOAR Madison, WGAY, WHA WAAK Milwaukec, WAAK, WCAY, WHAD, WIAO Neenah, WIAJ Superior, WFAC Waupaca, WIAA, WPAH Wyoming: Casper, KFCQ, KFDF Laramie, KFBU Alnska: Fairbanks, WLAY Hawnii: Honolulu, KDYX, KGU. KYQ Porto Rico: Ensenada, WGAD San Juan, WKAQ Canadat Calgary, CHBC, CHCQ, CFAC, CFCN, CJCY Edmonton, CHCC, CJCA Fort Frances, CFPC Halifax, CFCE, CJCS Hamilton, CKOC Iroquois Falls, CFCH Kitchener, CJCF London, CFCX, CHCS, London, CFCX, CJGC, CKQC Montreal, CFCF, CFZC. Montreal, CFCF, CF7 CHCX, CHYC, CJI CKAC, CKCS Nelson, CJCB Ottawa, CHXC Regina, CKCK St. John, CJCI, CKCR Toronto, OFCA, CF7 CHCB CHCZ CHU CJBC. ĈFTC, CHCB, CHCZ, CHVC, ĊĴĊĦ, CJCN, CJCD, CJSC. CKCE. CKCZ. CKKC Vancouver, CFCB, CFYC, CHCA, OHOC, CJCE, CKCD Walkerville, CFCI Winnipeg, CHCF, CJCG, CKCB, CKZC, CJNC

١

4

Cuba: Havana, PWX

Every Radio Enthusiast Should Read This Book By The Ded.o Same Writer WRITTEN SO IT CAN BE UNDERSTOOD he Explainsthe theory and operation of DHON Radio in plain Eng-How It Works ... What It Costs lish. Everything You Want to Know About Radio to What to Buy Complete - - How to Make and Now In Its Operate Radio Sets - Answers All Your Questions 8th Edition PRICE FIFTY CENTS 96 Pages BERTRAM W. OOWNS ----SAINT PAUL MINNESOTA Fully Illustrated M. K. THOMEN. PETROLEUM IMPORT & EXPORT CO., New Orleans, Ls. "..... believe it is the finest specimen of plain English and tech-ical information that I have ever seen. I wish that more men could give us their thoughts as clearly and concisely as you have." MR. W. R. HERSTEIN. Gen. Mgr. ELECTRIC SUPPLY CO., Memphis, Tenn. "I have taken occasion to read a great many books on the subject, and I believe I can say without hesitation that your book is undoubtedly the bast I have yet seen." Ŀ MR. M. P. RYPINSKI (In charge of Radio Sales). WESTINGHOUSE ELEC. & MFG. CO. "The book should meet a real need." .70 AT YOUR DEALER'S OR MAILED Postpaid on Receipt of 50c, Stamps, Check or Coin. BERTRAM W. DOWNS, Publisher ST. PAUL, MINN. 2126 Iglehart Ave.

Strate -Enforcier here beh dry ţ. W. 2. . . Α N — -B --- -0 __ __ C --- -P - -- - -D __ - -Q --- -E -R - -F - - - -S - - -G — — -Т — Н - - - -U - - ----I - -V J - - -W - --- -К — - -X — - - -Y -----L - -- - -М — — Z — — Period - - - - - -Interrogation -- --- - - - -·Error - - - -Comma - -_ 6 _ -1 - -2 7 ----____ 3 - -8 — — 4 9 ----5 0. Continental (International Morse) Code