
# LAFAYETTE Gift Guide

CATALOG NO. 79 • 1940



Madio Mine Television Inc.

Formerly WHOLESALE RADIO SERVICE CO., Inc.

**World Radio History** 



### 5 TUBE A. C.- D. C. SUPER

TIERE'S your chance to get that extra set you've H wanted and at a price far below what you had expected to pay! This excellent performer is at home in any room-put one in the kitchen, den or library. It has full, natural tone and power to spare. Try one for 30-days, at our risk!

ANTENN-AIRE, built right into the set, literally pulls the stations in. No need to connect any messy aerial or ground wires either. You just turn it on and tune in. It gets all the domestic broadcast stations (range from 528 to 1730 kilocycles).

"BEAM" POWER, meaning clear natural tones with great volume, is included. The superhet circuit uses 12SA7, 12SQ7, 35L6GT "Beam" output tube and a 35Z5GT rectifier. A fine 5" dynamic speaker is used. PLASTIC HOUSING, affording new beauty and lustre; available in either Walnut or Ivory.

Model BB-22 In Walnut Case

Aire". With tubes. For 110 volts a.c. or d.c. Size: 91 x71 ex512" deep. Shpg. wt. 9 lbs. Aire". With tub 91 x71 ax512" dec Code BANIO. YOUR COST....

Model BB-23 In Ivory Case 

IT'S as easy to use as your toaster—as entertaining as any small radio can be—and it bears a typical Lafayette low-price tag! You'll like its smart styling, too, for the Plastic case adds charm to the room.

NO AERIAL OR GROUND: Absolutely no wire connections to make—just plug into the nearest outlet, turn on and tune. A unique arrangement makes use of the power line itself for an aerial.

"\*BEAM POWER" OUTPUT: This results in distortionless, high power output—the reason for the excellent tone quality afforded. "Bantam" tubes are used throughout: 12SA7, 12SK7, 12SQ7, 50L6GT "beam" tube and 35Z5GT rectifier tube.

ILLUMINATED DIAL: Airplane type, full vision. Calibrated in meters and kilocycles. Tuning range covers the domestic broadcast bond.

Model E-64 In Walnut Case

Lafayette 5-Tube A.C. D.C Superhet complete with tubes, in Walnut plastic case, Size 8x5x5 a" deep, deep, Shpg, wt. 10 lbs.

Code EMBER. YOUR COST.....

Model E-65 In Ivory Case

As above, in Ivory finished case. Code EQUAL. YOUR COST For 220 volt adapter cord. add.

### Full

### 4-TUBE A. C.-D. C. TRF

That's why this new Lafayette is so well suited for use as an auxiliary radio or as a gift that will be appreciated. It's hou ed in an attractively styl a PLASTIC case that adds charm to its surroundings and it costs no more than an average pair of shoos! Four working tubes plus a ballast are used in the a.c.-d.c. circuit: 6KTGT, 6JTGT, 25L6GT "BEAM POWER" tube (this accounts for the exceptional power and clarity), 25Z6GT recurier and BM55B ballast. A 5" matched dynamic peaker reproduces the output. All the domestic broadcast stations are within it tuning range, and adjustments are simplified by the use of an illuminated full-vision dial.

Model JA-89 In Walnut Case

Latayette 4-Tube A.C.-D.C. Compact in Walnut plastic case  $10^1/4\pi534x51^2$ " deep. With all tubes and factory attached aerial wire. For 110 volts a.c. or d.c. Shpg. wt. 11 lbs. Code AGLOW. YOUR COST...

Model JA-93 In Ivory Case

Entire contents copyrighted, 1939, by RADIO WIRE TELEVISION, Inc. Printed, published and distributed by R.W.T., Inc., New York, N. Y., U. S. A.



it's different, it has MORE worthwhile fea-

I T'S new it's different, it has MORE worthwhile features and it's easy on your pocketbook. It provides "console-tone" performance and it's styled to please. These models feature "ANTENN-AIRE" that eliminates the need for aerial or ground (on broadcast band only); SHORT-WAYE COVERAGE that brings in foreign short wave stations and many amateurs, etc., on the 16.6 to 52.7 meter band; broadcast reception from 540 to 1650 kc. UNUSUAL TONE AND VOLUME due to the "Beam Power" output stage and fine dynamic speaker. Uses 6SA7GT, 6SK7GT, 6PSGT, 6SQ7GT 25L6GT "beam" tube, 25Z6GT rectifier and BM49B ballast; TELEVISION SOUND INPUT (or phono) terminals on chassis. (or phono) terminals on chassis

Model D-72 (Walnut): Complete with all tubes. For 110 volts a.c. or d.c. 121/2x7x734". Shpg. wt. 15 lbs. Code volts a.c. or d.c. 12½x7x7³4". Shpg. wt. WALES.
YOUR COST EACH.....

Model D-73 (Ivory): As above, in Ivory Code

\$13.95 WATER 

6-TUBE A.C. Models 6SA7GT, 6SK7GT, 6P5GT, 6SQ7GT, 6K6GT, and Use: 6SA7GT, 6SK7GT, 6P5GT, 6SQ7GT, 6K6GT, and 5W4GT rectifier MODEL D-76, Walnut, Code WHIST, YOUR COST...\$13.95 MODEL D-77, Ivory, Code WOLFE, YOUR COST...\$14.95

Radios

YOU'LL enjoy the convenience of perfected push-button tuning you'll be pleasantly surprised by the "big-set" tone quality and volume you'll ad-mire the sleek gracefulness of the plastic cabinet!

MAGIC "ANTENN-AIRE", built right into the set, gets all the stations clearly and does away with bothersome aerial and ground wire connections. You can tune all the domestic broadcast programs in the range from 540 to 1650 kc.

FINGERTIP TUNING, simplest ever devised, permits instant selection of any one of five of your favorite stations. Stations can be set in a jiffy, and settings can be changed whenever desired.

CRYSTAL CLARITY of tone is insured by the use of a "beam" power tube feeding into a matched dynamic speaker. Tubes used: 12SA7, 2—12SK7's. 12SQ7, 33L6GT "beam" tube and a 3525GT rectifier.

Model FE-5 In Walnut Case

Ladayette 6-Tube A.C.-D.C. Superhet, With tubes. For 110 volts a.c. or d.c. 11134x7162x634". Shpg. wt. 11 lbs. \$11.95

Model FE-6 In Ivory Case

### ay anywhere-AC or DC

### TUBE A.C.-D.C. SUPER

SMART styling excellent performance-new, plified methods of operation! These are all in-herent characteristics of this new Lafayette super-het. Ideal for use as an auxiliary set and it makes a fine gift item too

BUILT-IN "ANTENN-AIRE" gets all the stations with ample volume, and there are no messy aerial or ground wires necessary


TOUCH-A-BUTTON TUNING permits automatic se-lection of any one of your six favorite stations. There's a manual control knob on the side for other stations. Range from 540 to 1650 kc.

"BEAM" POWER OUTPUT provides clear, distortionless tones with power to spare. Five "Bantam" tubes are used, including: 12ABGT, 12K7GT, 12Q7GT, 35L6GT "Beam" output tube and 35Z5GT rectifier. A fine Permanent Magnet Dynamic speaker reproduces the output faithfully.

Model BE-79 In Walnut Case

Model BE-78 In Ivory Case

Same as above, in Ivory finished case \$10.95
Code BALAD YOUR COST
For 220 volt adapter cord, either model, add...75c





### STUBE AC. DC 2BAND

HERE is a present set with "presentity" the radio that you'll choose for your bedroom, denor inches. It distinctive trying plus the fine and caried enterthinest it affords gives it a high range in the Latayette "value parade". When you see and hear this set, you'll want it.

The fine tone quality, high sensitivity and selectivity characteristics, the entra power all or made possible by the encellently engineer of upurhal circuit which features:

"ANTENN-AIRE", a built-in loop seried for broad cast reception only. Under normal conditions it is recessary; terminals for connecting one are incorporated.

\$2.00

are incorporated

TWO BAND RECEPTION: the set tunes from 105 to 556 meters to bring you the domentic programs, and from 42.8 to 115 meters for foreign short-ways at

from 42.8 to 1.5 meters for foreign short-way to tions, an attent calls, itc.

MODERN SUPERMET CIRCUIT uses five of the latter type tubes plus a bellet. The are: 6.88CT. 1.70T.
68Q7G. 25L6GT "BEAN POWER" output tube.
25Z6GT rectifier and 5.4.95 bellet. The cruit operates on either alternation of direct current.
SIDE-RULE DIAL, tully entited d and well minated, make critical tuning simple.

Other features include: Automatic Volume Control, matched dynamic speaker, efficient baffle.
Dimensions are: 11½" wide, 7" high and 65 deep.

Model JA-87 In Walnut Case Lafayette 5-Tube A.C.-D.C. 2-Band Superhet in Walnut plastic case. For 110 volts a.c. or d.c. Shog.

15 lbs. Code ACORN. YOUR COST. Model JA-84 In Ivory Case

Same as above, in Ivory fielshed can. Same Code ADULT. YOUR COST For 220 volt adapter cord add



COST. To 120 volt 0 00 cycle a.c. operation add.

Iba. C

I COULDN'T DO WITH-OUT MY NEW LAFAYETTE RADIO. I LIKE IT MORE EVERY DAY!

NOW I HAVE A RADIO OF MY VERY OWN! -I CAN LISTEN TO THE PROGRAMS I WANT! JUST WHAT MY DEN NEEDED. AND BOY-THEY'RE EASY ON THE BUDGET!

### Latayette 6TUBE 2 BAND AC. DC Custom Bu









TUNING

ALL the qualities of a fine console radio are emA bodied in this deluxe custom built compact receiver!
Extra sensitivity better tone quality greater ease of operation—the magic "Antenn-Aire"—all these, and more, are yours to command when you own model BB-27. Prove to yourself that this performer is unique, that it's a BETTER BUY by trying one in your own home for 30 days at our risk!

The new, improved superhet circuit features:
"ANTENN-AIRE", the amazing new Lafayette development which, under normal conditions, eliminates the need for any outside aerial when tuning in the broadcast band. For short wave reception, an external antenna is required, and terminals for its connection are provided on the chassis.

AUTOMATIC STATION SELECTION: six buttons on the front panel permit instant selection of any one of six of your favorite stations. Buttons can be set in a few min-

front panel pormit instant selection of any one of six of your favorite stations. Buttons can be set in a few minutes settings can be changed at will.

SHORT-WAVE RECEPTION: in addition to the standard domestic broadcast band 1528 to 1600 thlocycles), this receiver provides foreign short-wave coverage from 25 to 65 meters (4.6 to 12.2 mc.).

TUNING "EYE" located in the dial, allows VISUAL station adjustments and makes critical short-wave station settings a simple matter.

tion settings a simple matter.

EFFICIENT SUPERHET CIRCUIT, providing excellent sensitivity and selectivity, uses the latest type tubes: 128A7 first det-osc., 128K7 i.f. amp., 128Q7 sec. det., a.v.c. and first audio, 35L6GT power tube, 3525GT rectifier and 6ABS tuning indicator.

TONE CONTROL, continuously variable, permits com pensation for various room acoustics.

Other features: provision for phono or TELEVISION SOUND input; matched dynamic speaker.

### Model BB-27

For 220 volt adapter cord, add.....



Encased in The Newest Plastic

HERE is the 1940 radio style leader! It's refreshingly new it's different it's distinctive. You'll be proud to show it off to your friends for it has all the qualities of a priceless jewel. Lustrous Catalin, in either Onyx or Ivory makes this matchless beauty possible.

And hand in hand with the cabinet goes fine radio entertainment, performance that sets a new

And hand in hand with the cabinet goes line radio entertainment performance that sets a new high standard for compact receivers. The excellently engineered 5-Tube superheterodyne circuit incorporates features that are not usually associated with sets selling in this price range. For example:

For example:

"ANTENN-AIRE", the latest Lafayette development, eliminates the need for any outside aerial or ground wires. No connections to make other than for electric power no messy wires to clutter up the room! Provision for outside aerial is included, for use in outlying districts.

FINGER-TIP TUNING, by means of convenient hy placed buttons, permits instant selection of any one of your four favorite stations. There's manual tuning too, of course, with an illuminated full-vision dial.

DISTORTIONLESS RECEPTION, due to the

full-vision dial.

DISTORTIONLESS RECEPTION, due to the use of the latest type "Beam" Power tube. Tubes used: 125A7, 125K7, 125Q7, 50L6GT "Beam" tube and a 35Z5GT rectifier. Tuning range covers the domestic broadcast band from 540 to 1720 kc. A matched Permanent Magnet type dynamic speaker reproduces tones with great clarity.

COMPACT AND LIGHTWEIGHT, so that you can use it in any room in the house. It's at home anywhere, and it will add beauty and charm to its surroundings. Overall size: 91% wide, 612" high and 614" deep. Net weight about 11 lbe.

Same as above, in Ivory catalin case.

For 220 volt adapter cord, add .... 75c

Code ELITE. YOUR COST EACH EITHER MODEL

# MARK

You will like the model D-42 you should own one.

Not only because it is attractive in appearance, even though that is important too, but because it brings you to ment. It is easy to SEE the value you get, but you must ment. It is easy to SEE the value you get, but you must to try it in your own home for 30 days at our risk!

When you get if you will be amazed at the many When you get it you will be amazed at the set important features incorporated in this set. There is the important features incorporated in this set. There is the Magic "Antenna Airse" that enables you to use the set in any room in the house by merely plugging it into the in any room in the house by merely plugging it in othe nearest outlet. No aerial and no ground wires to bother nearest outlet. No aerial and no ground wires to bother nearest outlet. No derial and no ground wires to bother nearest outlet. When the Magic Eye that enables you to "see" Then there is the Magic Eye that enables you to "see" then there is the Magic Eye that enables you to "see the tone control for adjusting the best reception possible. And erence. A large easier-to-read slide rule dial with all erence. A large easier-to-read slide rule dial with all erence. A large easier-to-read slide rule dial with all three reception bands clearly indicated. The American three reception bands clearly indicated. The American three reception bands rom 540 to 1850 kc. (182-556 meters); broadcast band from 540 to 1850 kc. (182-556 meters); and from 7.5 to 24 mc. (13-40 meters) and from 7.5 to 24 mc. (13-40 meters) and from 7.5 to 24 mc. (13-40 meters) if its audio amp.; 686GT as second det. and a.v.c.; 68CGT as if and a of 1850 km and from 7.5 to 24 mc. (13-40 meters) if and grow of the foreign some for a second det. and a.v.c.; 68CGT as if and a of 1850 km and from 7.5 to 24 mc. (13-40 meters) if and a of 1850 km and from 7.5 to 24 mc. (13-40 meters) if and a of 1850 km and from 7.5 to 24 mc. (13-40 meters) if and a of 1850 km and from 7.5 to 24 mc. (13-40 meters) if and a of 1850 k

Latayette 7-Tube 3-Band A.C. Super with built-in "Antenn-Aire". Complete with tubes. For 110 volts 60 "Antenn-Aire". Complete with tubes. For 110 volts 60 scycles a.c. Size: 181/4" wide, 101/4" high and 9" deep. Shpg. wt. 25 lbs. Shpg. wt. 25 lbs. Sapp. wt. 25 lbs


## 7-Tube 3-Band AC-DC Model D-33

7-Tube 3-Band AC-DC Model D-33

Do you travel-or live in a d.c. neighborhood? Then you'll want the Model D-33. It has all of the features of the Model D-42 de-cribed above-only the tube of the Model D-42 de-cribed above-only the tube complement has been changed. The Model D-33 employs: 65A7GT as osc. converter; 65K7GT i.f. camp.: ploys: 65A7GT as osc. converter; 65K7GT i.f. camp.: "beam" output tube: 25Z6GT rectifier; 6US "magic "beam" output tube: 25Z6GT rectifier; 6US "ma

# uyelle

with MAGIC ANTENN-AIRE



STRIKES A NEW NOTE

### TUBE AC ZBAND

POR quality at a mighty reasonable price try the Model D-26. This excellent table model performs brilliantly both on the standard American broadcast and its European short wave bands. Try it at our risk right in your own home for 30 days and be convinced!

You will marv I at the many features we have built into this set. The Magic "Antenn-Aire" that does away with all cerials on the broadcast band an outside aerial should be used with the short wave band and connections for one are provided). The specially selected wave bands: the first covering the American broadcast band from 540 to 1850 kc. 182-556 meters) and the second covering the popular European band from 5.7 to 18 mc. (16.7-52.7 meters).

And we have looked toward the future too by incorporating input connection for phono or TELEVISION SOUND. A fully illuminated alide-rule dial, powerful automatic volume control and a mathed 6" dynamic speaker that reproduces all tones with excellent fidelity are just a few more of the outstanding features of this remarkable receiver. The highly efficient "bantam" tube superhet circuit employs: a 6SA7GT as osc.-converter; 6SK7GT as i.f. amp.; 6PSGT as second detector and a.v.c.; 6SQ7GT first audio; 6K6GT power output tube and 5W4GT rectifier. The Model D-26 is housed in an attractive cabinet of selected Walnut veneers in a style that will blend harmoniously with any period of furnishings in any room in the home.

### Model D-26

Lafayette 6-Tube A.C. 2-Band Superhet with Magic Antenn-Aire, Complete with tubes. For 110 volts 60 cycles a.c. Size: 1734" wide, 934" high, 834" deep. Shpg. wt. 22 lbs. Code WHELM.
YOUR COST

EACH

For 220 volts, 40/60 cycles, add......\$2.00

### 6-Tube 2-Band AC-DC Model D-9

MAGIC ANTENN-AIRE



## IN BEAUTY AND SUPERB TONE FIDELITY

Quality Recewers within reach of everyone

## STUBE AC 3BAND WITH 8" Dynamic Speaker

WITH 8"Dunamic Speaker

The many control of the control of your self that it's control of your self that you can the your control of your self that you can tune you can tune your self that you can tune your can tune you can tun

that and the track of the control of

Laborette B. Tub A.C. 3-Band Superhet with built-in A.C. 3-Band Superhet with built-in Complete with tub's For 110 volts, 60 and 101 " high, 914" deep.

10- 220 volts, 10 60 cf class a.c., add



### TURE AC SINGLE B

8 INCH DYNAMIC SPEAKER

This receives are been especially designed for the music lovel for the uniat rest of multi-wave reception, but who demand true high fidelity reception on the broadcast band only. Every circuit requirement in manufacture. We present it for your apposed knowing that you will be more than pleased with its full rich tone with its attractive appearance, and with its unusually low price! Check the feature listed below compare with other sets solling at two thome and remember, we give you fully 30-days trial in your own home at our rich!

the price and remember, we give home, at our risk!

"ANTENN-AIRE" it eliminates the need for unsightly aerial wires (except in outlying districts). Pulls in all stations with volume to spare.

TUNING "EYE" insures hairline tuning accuracy by VISUAL means. There's a large, call brated slide-rule dial, too.

EXTENDED RANGE—from 540 to 1730 kilocycles.

EXTENDED RANGE from 540 to 1730 kilocycles Includes the popular high fidelity stations HIGH SENSITIVITY: the "bantam" tube circuit uses: 6SA7GT converter, 6P5GT osc., 6SK7GT i.d. amp., 6P5GT second det., 6SQ7GT first audio 6K6GT output, 5W4GT rect., 6U5 "eye". Sensitivity and selectivity are unusually good 8" DYNAMIC SPEAKER aftine quality unit that reproduces every note in the scale with "studio" brilliance materials "liv" 3-POSITION TONE CONTROL permits compensation for variou room acoustics TELEVISION SOUND INPUT jack on chassis provide for this future type of ontertainment. PHONOGRAPH TERMINALS so that a reord

planer can be attach d with east

### Model D-69

Antene Aire" Complete with tubes. For 110 olt 60 cycle a.c. Size: 18 2" wide 101" nich, 9 deep Shpc wt 18 2" Spec wt 18 2" Spec

For 20 volis, 10 60 cycles a.c. ada

AGIC ANTENN-AIRE



World Radio History

## LAFAYETTE BATTERY PORTABLES

NO WIRES TO ATTACH


JUST TUNE IN

SELF-POWERED · FINE TONE

WITH MAGIC ANTENN-AIRE







### 5-TUBE 2-BAND "AERO"

The "Aero" has been especially designed for aviators, pilots, and those interested in aviation communications. It incorporates a long-wave band for the reception of all domestic AIRPLANE BEACON STATIONS and also includes a HEADPHONE JACK so that clear reception can be obtained even when the receiver is used in a plane in flight. The "Aero" is compact, lightweight (only 141, pounds with batteries), durable and easily portable all teatures necessary for aviation adaptations. And the price is compactable level.

all features necessary for aviation adaptations. And the price is remarkably low!

The long wave band covers from 770 to 2000 meters (150 to 390 kc)—will bring in European long-wave stations when used in Europe. Standard domestic broadcast programs are received in the range from 540 to 1540 kc. Circuit features include: "ANTENNAIRE", a built-in loop that eliminates the need for any external aerial or ground connections except where reception is very difficult (terminals for outside aerial included); SELF-CONTAINED receiver obtains all necessary power from one 112-volt "A" and two 45-volt "B" batteries; current indicator in dial; full-vision dial; attractive airplane luggage case with leather carrying handle. Tubes: 1A7G, 2-1N5G's, 1H5G and 1A5G. Just turn it on and tune-in!

### Model E-92 2-Band "Aero"

Lafayette 2-Band "Aero" Portable with tubes. Size: 11 x6 as 

### 5-TUBE DELUXE PORTABLE

THE most sensational radio to be developed in years! A bale statement to make, but the Rover has proven its superiority in actual use. Its remarkable sensitivity, its unusually fine tone quality, its ability to pull in all the domestic stations makes the receiver a stand-out value! The stamp of approval has been placed on the Rover by the research laboratory you will add your plaudits when you own this superior sel! The Rover operates entirely from self-contained batteries. There are no "current" problems and NO CONNECTIONS TO MAKE! Just turn it on and tune-in. The exceptional 5-tube superheterodyne circuit uses 2-INSG's, IA7G, IHSG and ICSG, and features: matches 6" PM dynamic speaker; low-drain tubes; current indicator; full-vision dial. Batteries required: one 1½-volt "A" and two 45-volt "B"'s. Sturdy airplane luggage case has leather handle.

### Model BB-70 "Rover"

Lafayette 5-Tube Battery Portable with tubes. Size: 7x13 1x8" deep. Shpg. wt. 21 lbs.
Code BABLE.
YOUR COST, LESS BATTERIES.
K20145 Kit of batteries for above.

\$2.45

### **4-TUBE LIGHTWEIGHT**

A a y to carry as a brief ca—and a good little prioring too. The "Petite" measures only 12½x71 x51." and weigh only 12 pounds complete with batteries, yet it brings in the domestic stations with satisfactory quality. Take one with you the nettime you havel. You'll never have to think about current, outside aerial, ground or anything else. The Petite carries its own power supply, its own built in aerial. NO WIRES TO CONNECT. just turn on and tune.
Four low-drain tubes are used in the superhet circuit, including: 1A7G1. 1N5G1. 1H5GT and 1C5GT. Power is supplied by special compact batteries that provide approximately 200 to 250 hours of ervice.

The entire mechanism is housed in a neatly styled portable that's covered with durable alligator grain leatherette: It has a sturdy carrying handle.

### Model S-50 "Petite"

Lafayette "Petite" 4-Tube Lightweight Battery Portable com-Shpg. wt. 17 lbs. Code PETAL.
YOUR COST, LESS BATTERIES
K20164 Kit of batteries for above....

**NOTE:** Although our famous 30-day home trial guarantee applies to all Lafayette battery sets, batteries thems lives (for obvious reasons) are not subject to return for



SPECIAL BOOK PORTABLES

FROM SELF-CONTAINED BATTERIES

### 6-TUBE 3-BAND PORTABLE

Letayette has done it again! The sensational periods has three fusing beasts, operates in self-sensational periods, 110 volts a.e. or 110 volts d.e. it has built in Magic Antens-Aires that aliminate the need for external auritals in most locations (where certain are needed they can be attrached to terminate provided).

SPECIAL TURING RANGES. The three specially selected turing ranges are as follows: 11. to 51 meters for both farrige and domestic what were suitions, 184 to 556 meters for domestic broadcast stations, and 750 to 140 meters for European long-wave stations when in Europe and Avisition Secone Signals and Weather Reports. A nearghone jack is provided for use in succept where mater and propellar noise interfer with hearing. Other footures include: a current indicates to remain a von that the set is on, a current supply change over switch, a full vision dial and a study simplane luggings cass.

THE SUPPLE POWER CIRCUIT Employs the following tubes: 1-1A/CI converter 2 REGIT 1. amplifiers, 1-1MSGT detecter, avec and let audio 1 20507 as "beam lower" output on batteries and 1-70L/GI as rectifier and output on electric line.

Model CC-58A "Cosmopolitan"

### Model CC-58A "Cosmopolitan"

### 5-TUBE 2-BAND PORTABLE

Short wave reception as well as standard broadcast band reception is yours with this new Largy the Portuble. It covers the foreign and domestic thent wave bond from 5.9 to 18.0 mc. as well as the .40 to 1600 kc. American broadcast bend. A bush in Magic Asterna-Aire chiminates the need for an aternal aerical on the broadcast band, thousand, where reception is difficult, and for the short wave band, tandard actial counselions are provided).

The highly efficient supernet arount employs the following tubes: 11A7G converter, 1 MSG i.t. amplifier, 1 MSG detector, a.v.c. Ist cutile 11A5G and output amplifier and 1332/4G7 sectimer. A special feature of this excellent portuble is the very low current drain. Avernore 'B' battery life is approximately 125 hours. And like all Largy the n. 1 Postublee, it can also be used as 110 volts a.s. and 115 volts d.c. ruly a universal receivest fibout wave as well as hondoust receivest formed as being operation.

Other leadures include a state rule dial accurately collisticated for hoth brands, at on indicates, pilot light on AC-BC), etc. Housed in an attunctive displace language case with cover and padded acade. Dimensions 12" w. x.75 d. x.11 high high.

Latayette 3-Tube 2-Band "3-in-1" Partible complete with tubes. For operation on self-contained batteries, 110 volts a.c. or 110 volts d.c. Batteries required: 1-6 V. "A" and 2-45 V. "B", Shpq. \$18.95

Code ENVOY. LESS BATTERIES 18.95
YOUR COST, LESS BATTERIES 52.65
R21062 Battery Kit for above set 52.65
For 229 welt operation adopter, add 75c

### 5-TUBE "3-in-1" PORTABLE

Here is a radio styled to the minutel This seasoned Tourist is ready to accompany you wherever you go to entertain you on runmand. It works anywhere trom self-contained botteries, from 110 walts a.c. or 110 walts d.c. And there are NO WIRLS TO CONNECT! You has turn it on mad hime, its extended tuning range brings all the popular domestic programs with good tone and mare thus ample volume.

A near airpinuse inagange case houses the 5-tube superhet chassis, loop derial, spacker and butteries. The tubes used include: 1-1A7G, 1-1NBG, 1-1BBG, 1-1CMG and 1-3524GT rectilier. Botteries required: 1-45 volt "F and 1-5 volt "A". Current drain is low, butteries have a life of approximately 200 hours.

Model E-80





# rayettes



12 TUBE AC-DC THREE BAND SUPERHET

CUSTOM built throughout, this deluxe Lafayette receiver has been designed for those desiring the finest in radio performance. It has the mighty voice of Stentor the matchless tone quality of a rare Stradivarious. You can "tune in on the world", too, because of its extended range.

And for those who love the music of the old masters, or who want to build their own old masters, or who want to build their own programs, we have made available the deprograms, we have made sometimes shown be-

programs, we have made available the deluxe phonoradio combinations shown below. The beautiful mantle cabinet illustrated above houses the powerful 12-tube superheterodyne chassis that features: LIMITED WORLD COVERAGE: three bands cover from 540 to 1750 kc, 7.2 to 22.5 mc and from 2.35 to 7.6 mc. Included in this range are the domestic broadcasts, foreign shortwave programm, amateur calls, experimental stations and many others of great interest.

PUSH-BUTTON TUNING: Eight buttons are on the front panel, six for instant selection of any one of your six favorite stations, one for "on-off" and one for changeover to manual tuning. Buttons are easy to adjust, and once set, require no further attention.

"ANTENN-AIRE", built-in, permits broad-cast reception without the need for external aerial (except in outlying districts). SUPERHET CIRCUIT: uses following 12 tubes: 6SK7 r.f. amp. on ALL bands, 6K8 converter, 6B8 i.f. amp. detector and a.v.c., 6Z7G a.f. amp. and phase inverter, 4-25L6's in push-pull parallel output stage, 6U5 tuning "eye", amp. and phase inverter, 4.25L6's in pushpull parallel output stage, 6U5 tuning "eye",
2.25Z5 rectifiers and 6A7 converter for pushbutton tuning. Power output is fully 8-waits.
VISUAL TUNING permitted by the cathode
ray tuning "eye" tube.
SLIDE RULE DIAL, illuminated and fully
calibrated, makes manual tuning easy.
CONCERT SPEAKER, electro dynamic type,
provides excellent tone quality. Mantel
models have 8" speaker; console models
have 12" speaker.

models have 8" speaker; console models have 12" speaker.
TELEVISION SOUND and phono input provided for by means of tip jack and switch.
LONG WAYE MODELS: both mantle and console models are available in a special 4-band receiver. An additional band covering from 814 to 2135 meters is incorporated, to get European long-wave stations, aviation signals, weather reports and others. (No push buttons on these models.)

Other circuit features include: TONE CONTROL that compensates for various room acoustics; Automatic Volume Control to acoustics; Automatic Volume Control to minimize fading; oversized parts. Both mantle and console cabinets are constructed of the finest Walnut veneers.

### MANTEL MODELS Model CC-47

Lafayette 12-Tube 3-Band A.C.-D.C. Push Button Superhet complete with tubes, in Button Superhet complete with tubes, in Walnut mantel cabinet. For 110 volts, a.c. or d.c. Size: 251/2" wide, 121/4" high, 1114" deep. Shog. wt. 43 lbs. Code GLINT. YOUR COST \$57.50

### CC-48 Long-Wave Model

Same as above, but without push-buttons and with additional European long-wave band covering from 814 to 2135 meters.
Shpg. wt. 43 lbs.
Code GIRTH. \$57.50 YOUR COST

For 220 v. operation, either model, add \$3.50



### - AUTOMATIC -PHONO-RADIO COMBINATIO

Model CC-41 Aut. Combination Lafayette 12-Tube 3-Band A.C.-D.C. Push-Button Superhet complete with tubes and Garrard RC-11 Automatic Record Changer. In console cabinet 35" high, 29%" wide, 1734" deep. For 110 volts, a.c. or d.c. Shpg. wt. 135 lbs.

Code GLAZE. YOUR COST

Model CC-46 With Single Record Player

Same as above, but with Garrard UCS-G Single Record Player assembly in place of the automatic record changer. Shpg. wt. 120 lbs.

Code GEMIN. YOUR COST

\$107.50

### SPECIAL LONG WAVE SETS Model CC-68 Aut. Combination

Lafayette 12-Tube 4-Band A.C.-D.C. Superhet. Has no push-buttons, but includes European long-wave band from 814 to 2135 meters. With all tubes and Garrard RC-11 Automatic Record Changer. In console cab-inet, For 110 volts, a.c. or d.c. Shpg. wt. 135 lbs. Code GLARE. \$119.95 YOUR COST.....

Model CC-81 With Single Record Player

Record Player assembly in place of the automatic record changer. Shpg. wt. 120 lbs.

\$107.50

\$107.50

\$107.50

\$107.50

\$107.50

\$107.50

# Latayette COMPACT COMBINATIONS Enjoy the Vouble Luxury of RADIO and RECORDINGS



### PHONO-COMBINATION & TUBE AC SUPER


PICTURED here is the Anstocrat of the compact themodernanding high quality radio reception plus limited a productions and it must these requirements in worrespect. Prove its performance by trying one in your own home for 30-days, at our risk!

THE RADIO: A powerful 8-tube 3-band superheterodyne that brings in broadcast programs, foreign short wave stations, amateur calls etc. Bands are: 540 to 1650 kc., 42.5 to 136 meters and 13 to 40 meters. Receiver has the builting MAGIC ANTENNAIRE. Tubes used: 68A7GT, 6P5GT, 6SK7GT, 6P5GT, 6SG7GT, 6KGGT, 5W4GT rectifier and 6U5 tuning "eye" tube Three position tone control is included. For complete description of radio, refer to page 7 (model D-71). THE PHONOGRAPH: Incorporates a powerful G.I. constant speed motor with 12" turntable. Will play 10" and 12" records with the top closed. A wide rang Autor CRYSTAL PICK-UP reproduces the nature musical range with excellent fidelity. Switch target from radio to phono.

### Model D-85 Combination

Latayette 8-Tube 3 Band A.C. Superhet Combination Complete with tubes. For 110 volts, 60 cycles a.c. only Similar wide, 131." high 11" de p. Shpel wit 41 bs. Cod WALON SUPERMENT STATEMENT OF STATEMENT STATE \$3.00 For 220 volt operation, add

### PHONO-COMBINATION



TUNE in on your tavorite radio program or play the record of your choice! The Little Symphony provides this diversit is performance with a degree of quality that is sure to please you Apartment dwellers particularly will appreciate the compact construction the entire assembly can be placed on any convenient table. Try one for 30-days at our risk!

The radio portion of the assembly comprises a well engineered six-tube superheterodyne that features: TWO TUNING BANDS covering from 170 to 555 meters for domestic station and trom 16 to 51 meters for the popular foreign short-way programs; EXCELLENT TONE AND VOLUME afforded by the 6-tube circuit that uses 6A7 o.c. modulator, 6D6 i.i. amp. 6Q7C first addio, 76 detector and a.v.c. 41 output and 84 rectifier FULL TONE CONTROL to compensate for acoustic conditions SIMPLIFIED TUNING by means of the illuminated slide rule dial. The record playing mechanism makes use of: a tangen of a static CRYSTAL PICK-UP; a constant speed rim driven motor with turntable that takes either 10" or 12" records can be played with lid closed). Switch throws from radio to phono. The entire assembly is housed in a compact Walnut cabin measuring only 18" wide, 12", "high and 133" deep.

### Model S-43 Combination

\$3.00 For 220 volt a.c. operation, add.



### PHONO-COMBINAT

It's ministure in size and "ministure" in price too! But there's nothing ministure about the quality and diversity of entertainment often d by mood S-19. It brings you all the radio programs on the demestic broadca t band PLUS your own selection of recorded music. It compact construction makes it ideal for the small apartment, or it can be used as an auxiliary set. We'd like you to try one at home for 30 days, at our risk. The radio portion of the assembly fettins. "ANTENNAIRE", built-in, that eliminates the need for any outside used or ground connections except in the most unusual case. Provided to externed acrial are included. HIGH POWER AND GOOD TONE are in aired by the use of late type tubes, including the first own of the case of the conditions of the case of the conditions of the conditions of the case of the conditions of the conditions of the case of the conditions of the case of the conditions of the conditions of the case of the conditions of the case of

and 3 Company Control to the works on either a.c. or a.c. spaces on a control circuit, all was a self-starting rim-drive lives a control with turntable and an ASTATIC CRYSTAL PICK-UP that provide true fidelity response Either 10" or 12" records can be also a with the lid closed!

CABINET constructed of selected Walnut veneers in a pleasing two toos of the drubb of high polished finish.

#### Model S-49 Combination

Latarette Tube Phono-Radio Combination complete with tubes. For 110 volts 80 creies a c. only Size: 1414" wide, 13" deep, 10 e" high with 110 closed Shpc. vi. 10 lbs. Cod. PINCH.



# You can't beat THESE NEW LAFAYETTES for Economy, style and performance

### 8 TUBE 3BAND AC SUPERHE

U NQUESTIONABLY one of the most sensational values ever offered by Lariayette or anyone else! An exceptionally fine 8-tube 3-band Superhet a handsome American Walnut veneer console of modern design—at the price you would normally expect to pay for the cabinet alone! Not a "close-out"—not a "discontinued model"—but a current new model that has all the features you only expect to find in the more expensive sets! We know that it is one of the grandest "buys" we have ever offered—and we feel sure that you will think so too—that's why we say. "Try it at our risk, in your own home, for 30 days!" And we are sure that you won't need 30 days to make up your mind—the minute you look at it you'll say, "My, what a beautiful cabinet" and then, after listening to it for an evening, you'll agree that it's a "swell" radio!

The powerful superheterodyne circuit, combined with the large 12" dynamic speaker, provides such good, clear reception that you will think you are right inside the broadcasting studio. The full rich low tones, and the crystal clear high ones, are a delight to the ear. There is no straining to catch a phrase, every word is as clear as a bell. And there is volume to spare—a push-pull "beam power" output stage takes care of that.

The three tuning bands are covered as follows: 1750-545 kc. (171-556 meters), 2.2-6 mc. (50-136 meters), and 6-22 mc. (13.6-50 meters) & large slide-rule dial has each band accurately calibrated, and the cathode ray tuning "your and the cathode ray tuning the tenters of the cathode ray tuning the cathode ray t

meters), 2.2-6 mc. (50-136 meters), and 6-22 mc. (13.6-50 meters). A large sliderule dial has each band accurately calibrated, and the cathode ray tuning "eye" insures hairline accuracy in tuning at all times.

Remarkable sensitivity and selectivity are provided by the powerful superhet circuit. Eight tubes are employed including PUSH PULL BEAM POWER TUBES in the output stage. These insure high power reception with a minimum of distortion. Tube complement includes: a 6K8G oscillator-mixer, a 6D6 i.f. amplifier, a 6Q7G second detector, a.v.c. and first audio, a 6F5G phase inverter, two 6V6G "beam power" tubes in the output stage, an 80 rectifier and a 6U5 cathode ray tuning "eye" tube. The output is a full 8 watts-much more than you'll ever require for home use. But this reserve is important, for it insures clear, distortionless reception no matter where you set the volume control. Other features include: a tone control to compensate for various room acoustics; phonograph terminals (may also be used for Television Sound connection) for addition of a record player.

MODEL BS-3: Lafayette 8-Tube 3-Band A.C.
Console complete with tubes.
For 110 volts, 50-60 cycles a.c. Dim.: 41" high, 2634"
your Cost. For 220 volt, 40/60 cycle a.c. operation, add.....\$3.00



TUBE BBAND ACDC SUPERHET



TONE CONTROL

★ With Exclusive Magic Antenn-Aire Triple Automatic Volume Control Action \* Beam Power Output Amplifier Tubes \* Continuously Variable Tone Control

TAKE it with you anywhere you wish for this new Lafayette has the built-in Magic Antenn-Aire that eliminates the need for an external aerial of any kind for the standard broadcast band. Just plug it in and listen to the finest reproduction you have heard in a long time. It makes listening a new and exhilarating experience.

Three Bond Coverage

Three Band Coverage
Three Tuning Bands provide a variety of reception as follows: 174 to 546 meters, for Domestic Broadcasts and Police Signals, 50-136 meters, for Ameter, Aircraft and Foreign Short-Wave Broadcasts; and, 13.6 to 50.4 meters for additional Foreign Short-Wave broadcasts, High Sensitivity and Selectivity is obtained as a result of the use of a 3-gang condenser and RF pre-selection stage which is employed on the broadcast band.

8" PM Speaker

8" PM Speaker
Provides real fidelity of tone; crystal clear Triple
Automatic Volume Control Action is employed to
eliminate fading and blasting. A Continuously
Variable Tone Control permits adjusting the tone
to the individual taste. Sturdy, Rugged Chassis
Construction, with oversize parts. Tubes used:
2-6B6's; 1-6K8G; 1-6Q7G; 1-76; 2-25L6G "BEAM"
Power output tubes 1-25Z5; rectifiers 1-6U5 tuning
"eye." The modern duo-grained cabinet will please
the most critical. Its beauty is further enhanced by the most critical. Its beauty is further enhanced by a streamlined "louvre-type" speaker grille-work, and a Large Illuminated Slide-Rule Tuning Dial. Cabinet dimensions are: 2214x101/2x111/8" high.

MODEL CC-57

For Universal operation on 110-220 V., add...\$3.00

World Radio History

TUNES TO 13 M



8 Tube Superheterodyne Circuit

Three glass and five metal tubes are employed in the highly efficient superheterodyne circuit. This circuit provides a high degree of small this circuit provides a high degree of small this many circuit. The tubes included are as follows: 1 - 55K7 as Rf amplifier, 1 - 65K7 as Occillator first Detector, 1 - 65K7 as Audio amplifier, 1 - 675G as Section Detector, 1 - 65K7 as Audio amplifier, 1 - 575G as Rectifier and 1 - 575 as Tuning Indicator, Sensitivity is 2 increased absolute on the standard and intermediate bands and 5 microvity on the short wave band. volts on the short wave band

### Console and Table Models

This are Lafayette is available in both console and This are Largy the is available in both console and table models. They are identical in all respects except for cabinet, speaker and Magic Anisma Aires. The Table Model is housed in a very attractive lay-down style cobinet of beautifully matched and limit had wilnut veners. It has a specially designed if speaker that has been curefully matched to the struct. The Console Model is noused in a "modified modern" type console cabinet that is very attractive. This model has larger "Mogic Anisma-Aires" and a larger 12" matched dynamic speaker.

### Model BB-2

The Latayette 8-Tube 3-Band Durd Antenn-Aire Superhet in a beautiful modern style key down Mantal cubinet as illustrated at top of page. Matched Walnut veneers polished to a high gloss ranke this an especially attractive receiver that will blend with any period of furnishings It is compact enough to be established with any portable yet large enough to have examined team quality. Overall dimensions are: 21% long 13% high and 11% deep. Has all at the features described above and incorporates on 10 degrades peaks. It comes complete with tubes and instructions. For 110-120 walts 50 cycles in 70 watts. Shep, wt. 40 % 15 ibs. Code HENIM.

YOUR COST.
The model is also available for operation on 110-250.



Illustrated directly above is the Console Model of the Lafayette 6-Tube 2-Band Buck Antenn-Aire Superhet. The exquisitely grained hardwood cabinet is at once an outstanding piece of turniture and an acoustically correct housing for the marvelous receiver. With its matched 12" dynamic speaker it covers a range of frequencies from the lowest to the highest tones with an american Habity Overall dimensions. 16" by 11% by 16" high. For 110-120 wells 50/60 cycles a.c. The Magic Antenn Aires in this model are semewhat larger than those used in the table model and are the most efficient ever designed, providing excellent reception in practically all locations. Shipped complete with tables. Shipp wt. 53 lbs.

Code BISCH.

MAGIC DUAL ANTENN-AIRE

For 220 volts 40/60 cycles a.c. add ... \$2.50

# Lafayette AUTOMATIC PHONO RADIO COMBINATION

### THE MUSIC YOU WANT TO HEAR THE WAY YOU WANT TO HEAR IT

### **BTUBE 3 BAND AC SUPER**

THIS delune custom built high-fidelity phono-radio combination brings you everything you want to hear . . . the way you want to hear it! The finest of radio reception, the way you want to hear it! The finest of radio reception, domestic or loreign short-wave programs, or unexcelled record reproduction—at the flip of a switch! You get a new, ultra-cenvenient method of operation, too. For any one of your six favorite ro its stations, you need only press a button—and to listen to a complete symphony, you need only turn a knob. Seems mirroulous, doesn't it? We want you to prove to yourself that this set does all we claim for it and more try one in your own home for fully 30 days, put it through all its paces. AT OUR RISK!

THE RADIO section of this combination incorporates the most advanced circuit tectures, including:

AUTOMATIC PUSH-BUTTON TUNING that permits instant selection of any one of six pre-selected stations at the touch of a button. Stations are easy to set (from the panel) and settings can be changed as desired.

DUAL "ANTENNAIRE" eliminates the need for any aerial or ground connections. One loop is designed for most efficient broadcast reception, the other for best short-wave reception. A specially matched antenna coil permits the use of an external cerial when the receiver is operated in localities where reception is difficult.

localities where reception is difficult.

LIMITED ALL-WAVE COVERAGE: In addition to bringing in LIMITED ALL-WAVE COVERAGE: In addition to bringing in the popular donestic broadcasts, this set tunes the most interesting foreign stations, amateur and experimental calls, etc. The eluming bands are: 173.4 to 568 meters, 42.8 to 136 meters and 13.7 to 2.8 meters, 0ther features are: 12" SYMPHONIC DYNAMIC SPEAKER that insures wide-range reponce, cathode ray tuning "eye", amplified Automatic Volume Control, dial indicators for tone and band-in-use, full range TONE, CONTROL, etc.
Tubes used are: 65K7 r.f. amplifier, 65K7 oscillator-constrer, 65K7 i.f. timp., 6H6 second detector, 65K7 audio amp., 5V6G output, 5Y3G rectifier and 6U5 tuning indicator.

### Famous GARRARD Automatic 'Changer

The world tamous Garrard Automatic 'Changer' The world tamous Garrard Automatic Record Changer, almost human in operation, is employed for optimum record performance. By stacking up to eight records on the spindle other 10" or 12") you can enjoy approximately forty minutes of unlaterupted entertainment. Just think of it!—a complete symptomy while you relax in the comfort of your easy main. The 'changer will repeat any record at will—or reject my record you don't want to hear. The mechanism requires no attention, is fool-proof and precise in operation. A special eigh-fieldty pick-up is used to insure unusually fine tonal rongs. Each note is full bodied and "alive" you get "in the studio" quality everytime. For those desiring it, a more simple combination is available. This model employs a single record player (Garrard model AC6G) in place of the automatic changer.

Custom Designed Console

**Custom Designed Console** 

A thing of beauty a joy to behold. Custom built from beau-ufully grained matched walnut veneers, this console will be at home in the finest surroundings. The full-hinged top conceals all control panels



Lafayette 8-Tube A.C. 3-Band Superhet Phono-Radio Combination complete with tubes. With built-in Dual "Antenn-Aire". For 110-120 volts, 50-60 cycles a.c. Dimensions: 29% "wide, 173%" deep, 35" high. 135 lbs

Code BLAZE.

YOUR COST

MODEL 8B-8 COMBINATION: Same as above, but has Garrard model AC6G single record player in place of the automatic record changer. Plays 10" and 12" records, singly. Shpy. wt. 119 lbs.

Code BLIMP. YOUR COST

For 220 volt, 40/60 cycle operation, either model, add

\$5.00



★ Six-Station Push-Button Tuning

With Built-In Magic ANTENNAIRE

compact receiver ways associated with the large console models models selling at far more than the low price quoted below. We'd like you to COMPARE model FE-28 with other larger radios. Try one in your home for fully 30 days, at our risk, and prove to yourself that this set gives you more for your money.

Most modern circuit refinements have been utilized in the construction of this set. Some of the features are:

"ANTENNAIRE", a built-in loop aerial which, under normal conditions, eliminates the need of any outside aerial or ground connections for broadcast reception. Terminals for external aerial are included (required for efficient short-wave reception).

included (required for efficient short-wave reception).

TOUCH-BUTTON TUNING of any one of your six favorite stations
Stations can be set from front of panel, and settings can be changed
easily whenever desired.

easily whenever desired.

TWO-BAND TUNING provides reception of all the domestic broad cast programs plus the popular foreign short-wave stations. Rangure: 540 to 1720 kc. and 16.4 to 54.6 meters.

"BEAM POWER" OUTPUT stage insures distortionless reproduction with more-than-ample power. Tubes used: 12A8GT converter 12SK7 i.f. amp., 12SQ7 second detector, a.v.c. and first audio 12Q7GT inverter. 2-35L6GT's in push-pull "Beam" output stage, and a 35Z4GT recitiier. A matched 6" speaker is employed. Other teatures: Full Tone Control; tip jacks and switch for phono of TELEVISION SOUND INPUT.

### Model FE-28

Latayette 7-Tube 2-Band A.C. Superhet complete with tubes. For 110 volts 50-60 cycles a.c. Size: 18x8<sup>3</sup>4x9<sup>3</sup>4" high. \$22.75 Shpg. wt. 22 lbs. Code HABIT YOUR COST

For 220 volt 40 60 cycle a.c. operation, odd

\$2.50

# Lafayette Fully Automatic TUBE 3 BAND AC SUPER AND PHONO-RADIO COMBINATION...





TRULY marvelous radio receiver, avail-A able as a straight radio, or as a combination including either an automatic record changer, or a single record player. It incorporates a host of features including:

Dual built-in Antenn-Aires

Push Button Tuning,

Automatic Bass Compensation,
Static Control Circuit,
Cathode Ray Eye Tuning Indicator,
RF Amplifier Stage on each band,
Improved 12" Electro-Dynamic Speaker,
Phono or Television-Sound Connection.

Phono or Television-Sound Connection.
No effort has been spared to make this a truly fine receiver. You will marvel at the case with which you bring in each station clearly and full-toned. You will enthuse at the faithful, undistorted reproduction of the large 12" dynamic speaker. And you'll be pleasantly surprised at the low price.

The dual built-in Antenn-Aires in most uses eliminate the need for outside aerial or ground connections. In locations where reception is difficult, however, an outside aerial may be recuired and terminals are

aerial may be required and terminals are provided for its connection. One Antenn-Aire is for the broadcast band—the other for the short wave band.

Listen to radio at its best. The superheterodine circuit incorporates many features that make radio listening a pleasure. A static control circuit minimizes inter-station

static control circuit minimizes inter-station noise and reduces static noises. It functions on any r.f. signal.

The Push Button Tuning greatly simplifies the tuning in of those stations to which you listen most often. And the magic eye enables you to tune in visually "right on the nose"—even without actually hearing the station. station

A highly fidelity switch enables you to listen to high fidelity stations the way they should be heard. A twist of the knob and the band is narrowed to cut out undesirable noise when listening to stations not capable of covering such a wide band.

of covering such a wide band.
All of the popular foreign and domestic station frequencies are covered by the three tuning ranges available. These ranges are as follows: 21.9 mc. to 7.0 mc. (13.7-42.8 meters), 2.1 mc. to 7.0 mc. (42.8-137 meters), and 528 kc. to 1730 kc. (173.5-568 meters). A unique indicator on the dial shows which band is in use and the large slide rule dial is accurately calibrated and well illuminated making it easy to read.

The tubes employed include: 6SK7 r.f. amplifier (on all bands), 6SA7 converter, 2-6SK7's as i.f. amplifiers, 6H6 as diode detector and a-v.c., 6F5G audio amplifier, 6F8G driver, 2-6V6G's as "beam power" amplifiers, 5Y3G rectifier and a 6U5 cathode ray "eye" tube. Audio response of the circuit is from 40 to 7500 c.p.s. Sensitivity is one microvolt absolute (500 milliwatts output) on standard and intermediate wave bands, 3 microvolts on shortwaye band. 3 microvolts on short-wave band

#### COMBINATION MODELS

Model BB-12 incorporates all of the feature listed above plus a Garrard Automatic Rec ord Chamger. This changer will play eight 10" or eight 12" records in sequence pro viding up to almost 40 minutes of recorded

viding up to almost 40 minutes of recorded entertainment. A complete concert without going near the instrument once you have started it. You may, however, reject any record at will by merely turning a knob. Model BB-13 employs the same make of record player but will only play one record at a time. Reproduction is equal in every respect to the previous model since the same fine quality crystal pickup is employed. And the cabinets are identical.

#### **BB-11 In Console Cabinet**

Lafa ett 11-Tube 3-Band A.C. Superhet complete with tubes, dual Magic Antenn Aires and 12" dynamic speaker in the Console Cabinet a illustrated above. Overall dimensions: 40¼" high. 28" wide and 14½" deep. Shpg wt. 75 lbs. For operation on 110/120 volts 50 60 cycles a.c. Code BRAWN.

YOUR COST

\*64.50

### **BB-12 Automatic Combination**

BB-13 With Single Record Player
Same as BB-12 above but with Garrard AC6G Single Record Player
in place of the automatic record changer. Shpg. wt.
118 lbs. Code BUDGE. YOUR COST.
For 220 volt 40/60 cycles operation add.
55.00
For complete descriptions of Garrard Players see Pg. 72 in Cat. 78





**World Radio History** 

# four Choice of Cabinets

PLUS THE MIRACULOUS VERSATILITY OF FULLY-AUTOMATIC La fayette

PHONO-RADIO COMBINATIONS

### II TUBE A.C. 3 BAND SUPER

THE fine array to 11-Tube 3-Bend a.c. Superart in a combination with either the Garrard Automatic Record Changer, or the Garrard Single Record Player, in new analysis in either of two very entractive consoles.

For you who prefer authentic period furniture we old our 18th Century Chippendal "Period" node.

And for you who favor a 20th Century design wells our beautiful "Modern" model.

They are both very popular designs with interior according to the control of the co

As noted above, both models incorporate the Lalay the 11-Tube 3-Band Superhet which is described in detail on page 15. This excellent radio incorporate such outstanding features as: Dual Magic Antoni Airo's, Purchastion Tuning, a large 12" Concert Speaker. Static Control Circuit, Autometic Bass Booster, four position Trans Centrol. Magic Tuning Eye, etc. It is a radio that and with the best and is capable of both domestic and loveling inception. Reproduction is clear and life-like.

THE RECORD REPRODUCERS

THE RECORD REPRODUCERS

Both made is are available with either the tamous Garnerd Automatic Record Changer, or the equally farnow Garnerd Automatic Record Changer, or the equally farnow Garnerd Tand Smith R cord Play r. The Automatic Changer of play eight 10" or eight 12" records in aguenc of the classification of the Changer. With the Sarge leavest Player the records must be changed individually both employ the famous Garnerd Crystal Player the records must be changed individually both employ the famous Garnerd Crystal Player the records must be changed individually both employ the famous Garnerd Crystal Player the record in the proposed of the proposed proposed in the condition of the proposed in the propos are under the top cover where they are readily accomply

THE MODERN MODEL

THE MODERN MODEL

Nothing is quite as r breking as sampletty and amplicity is the outstanding mutual of Modern design. Smooth flowing line—the chambles of sperfluous decoration—are characteristic of go d medern design. In this new Latayett comool these features reach a new perfection. Smooth rounded corn is, carefully inset a granels and the rhythmic repetition of narrow beins either peaker grille make this a truly entroncing cabinet. The tateful employment of contrasting traight and hard acing d Walnut v neers further in reases its attack in s. Mand finishing results in a deep, uch lust that hard wontage of this model is the fact that the door set of the party of the wood. A parlianted not be left open when the instrument is played. The small door at each ide of the party grille are corner to comparison in to record storage. compartments for record storage

#### BB-16 Automatic Combination

\$134.95

### BB-17 Non-Automatic Comb.

Same 2 the above mad I but with a County
A6C ingle record player in plac of the situ
matic changer. Will olay both 10" and 12"
records. See page 72 of County I for complete de oripitent. Show at 200 fbs. Code
BELUX. BE ID.
YOUN COST COMPLIE.
For 220 volt, 40,60 cycle op ration, etter at
the above models, add

# LIONELTRAINS

ALL DUTFITS ON THIS PAGE HAVE A TRANSFORMER

### "027" Series No. 1073W Freight Train Outfit

Here is a freight train outfit with a locomotive of the streamlined type similar to the one spotlighted at the World's Fair. This streamlined beauty has six drive. This streamlined beauty has six drive wheels and is as speedy as it looks. A wheels and is as speedy as it looks. A built-in reversing mechanism permits you built-in reversing mechanism permits you make it go forward or backward by ream on the control. And a built-in whistle has an unusually realistic tone. The complete outfit includes:

mote control. And a built-in whistle has an unusually realistic tone. The complete outfit includes:

1 No. 1688 Locomotive
No. 1689 W T nder
No. 1689 Oil Tank Car
1 No. 1680 Oil Tank Car
2 Section 1013 Curv d Track
2 Section 1018 Straight Track
1 UTC Lockon
1 No. 1040 Combination Transformer
1 No. 1040 Combination Transformer
and Whistle Controller.
and Whistle Controller.
Note that this outfit comes complete with transformer and is ready to operate the transformer and is ready to operate the moment you get it. The train is 44 inches long and the track supplied will form an oval 27½ by 363% inches.

No. 1073W "027" Freight Train Outfit

No. 1073W "027" Freight Train Outfit complete with transformer. Shpg. wt. 14 Uss. List Price \$11.75.

No. 1073 Outfit
The above outfit is also available without the whistle and then includes a smaller transformer without the whistle central teature.

No. 1073 Freight Train Outfit less whistle and with No. 1029 Transformer, Shpq. wt. 12 lbs. List Price \$7.95.



"027" Series No. 1087W

"027" Series No. 1087W
Freight Train Outfit
This interesting train of freight cars
is hauled by an accurately detailed
four-drive-wheel locomotive. The
boiler and cab of the locomotive are
die-cast and have a wealth of interesting detail. You can run it forward
or backwards and operate its realistic whistle entirely by remote control. The whistle can be blown when
the train is still or running at any
speed. The cars furnished are attractively enameled in bright colors. The
complete outfit including:
1-No. 1664 Locomotive

No. 1664 Locomotive No. 1689W Tender

No. 1679 Box Car
No. 1680 Oil Tank Car
No. 1682 Caboose
Sections 1013 Curved Track
Sections 1018 Straight Track

1-UTC Lockon
1-No. 1040 Combination Transformer and Whistle Controller.
Note that this outfit comes complete with transformer ready to operate. The train is 44 8 inches long. Track supplied forms an oval 2715" by

No. 1087W - '027' Freight Train Outfit complete with transformer. Shpg. wt. 15 lbs. List Price \$13.75. \$9.79

No. 1087 Outfit

The above outfit is also available without the whistle and then includes a smaller transformer without the whistle control feature.
No. 1087 Freight Train Outfit less whistle and with No. 1029 Transformer. Shpg. wt. 13 lbs.
List Price \$9.95
YOUR COST "027" Series No. 1097W Completely Electrified Freight Train Outfit

This new model is one of the "grand-est" values we have ever seen. It is completely "electrified" having all of the new Lionel features such as "elec-tric remote control couplers." "electric remote control couplers," "electrically unloaded lumber and gondola cars", "operating crane", "built-in whistle", "electric floodlight car", etc. The big six-drive-wheel locomotive hauls the long five car train with ease and can be operated forward or reverse at will by remote control. The complete train includes:

1-No. 1666 Locomotive

1-No. 2620 Electric Floodlight Car

1-No. 3651 Electric Lumber Car

1-No. 3652 Electric Gondola Car

No. 3552 Electric Gondola Car No. 2682 Caboose No. 160 Unloading Bins Sections 1013 Curved Track Sections 1018 Straight Track No. 1019 Track Set

1 No. 1019 Track Set
1 UTC Lockon
1 No. 1040 Combination Transformer and Whistle Controller
The complete train is 60% inches long.
The track supplied forms an oval 27½

by 54 inches. Note that a transformer is supplied with this outfit and that is supplied with this outhit and that it is complete and ready to operate the moment you get it. The track set supplied is used with the electrically operated lumber and gondola cars for dumping and all the others for un-

coupling.

No. 1097W-"027" Completely Electrified Freight Train Outfit complete with transformer. Shpg. wt. 21 lbs.

List Price \$25.00.

\$17.81

D

### "027" Series No. 1089W Freight Outfit

Hauled by the largest locomotive made in "027" gauge this is a really impressive outfit at a very reasonable price. The locomotive is die-cast, accurately detailed and "scale proportioned". It has six large drive wheels and an interesting drive gear. The locomotive alone stands 3" high and with its tender is 16" long. It has a built-in whistle that is very realistic. It can brun forward, stopped and reversed at will entirely by remote control. All cars have remote-control "electric couplers". The complete outfit includes:

1-No. 1666 Locomotive
1-No. 2689W Tender
1-No. 2680 Oil Tank Car
1-No. 2680 Oil Tank Car
1-No. 2680 Caboose
8-Sections 1013 Curved Track
3-Sections 1018 Straight Track
1-No. 1019 Track Set

No. 1019 Track Set UTC Lockon No. 1040 Combination Transformer and Whistle Controller.

World Radio History

### ALL "D27" DUTFITS INCLUDE TRANSFORMERS

### WATCH THE LIDNEL DO ALL THE THINGS A REAL TRAIN DOES!



### "027" Series No. 1091W Freight Train Outfit

A Lionel Freight Train Outfit that includes an abundant opportunity for thrills and action. It whistles, reverses, uncouples and unloads-entirely by remote control! The big six-drive-wheel broometive hauls the four car freight train with ease right up to the unloading bin a case right up to the unloading bin a car slides a load of coal. The complete train includes

car slides a load of coal. The complet train includes
1-No. 1666 Locomotive
1-No. 2689W Tender
1-No. 2689W Tender
1-No. 2689W Tender
1-No. 2689 Dir Tank Car
1-No. 2680 Oil Tank Car
1-No. 2682 Caboose
1-No. 160 Unloading Bin
8-Sections 1013 Curved Track
5-Sections 1018 Straight Track
1-No. 1040 Combination Transformer and Whistle Controller.
A generous supply of realistic artificial coal.
Note: That this outfit includes the

Note: That this outfit includes the transformer and is ready to operate the moment you get it. The train is 54 inches long and the track supplied forms an oval

long and the track supplied forms an oval 271/2 by 54/4 inches.
No. 1091W — "027" Freight Train Outfit with whistle and transformer. Shpg. wt. 13 lbs. List Price \$19.50.

YOUR COST......\$13.90

No. 1091 Train Outfit 

"O" Gauge No. 139W

Freight Train Outfit
A big "O" Gauge die-cast Locomotive hauls this beautiful freight train at a merry clip. The loco is die-cast with an unusual number of details of scale model accuracy. of details of scale model accuracy. The cars have electric remote-controlled couplers and the train is equipped with a built-in whistle. The oil tank car is brightly colored and carries the Shell insignia. The lumber car is loaded with logs. Complete outfit includes:

1—No. 229 Locomotive

1—No. 2654 Oil Tank Car

1—No. 2655 Voli Tank Car

1—No. 2655 Lumber Car

1—No. 2657 Caboose

8—Sections OC Curved Track

1—Section OS Straight Track

1—RCS Track Set

1—UTC Lockon

1—Whistle Controller

The overall length of the train is

"O" Gauge No. 141W

Freight Train Outfit

A heavy-duty "O" gauge motor supplies the power for this realistic six-drive-wheel locomotive. Both Locomotive and Tender are die-cast and accurately detailed. The six drive wheels are of the modern disc type and bear the Baldwin name. The train has a built-in whistle and all cars have electric remote-controlled couplers. They are beautiful cars and all cars have electric remote-controlled couplers. They are beautiful cars enamelled in bright colors. The Oil Tank Car carries the Shell insignia and is in the well known yellow and red colors. The complete train includes:

1—No. 224 Locomotive

1—No. 224W Tender

1—No. 2654 Oil Tank Car

1—No. 2657 Caboose

8—Sections OC Curved Track

3—Sections OS Straight Track

1—RCS Track Set

1—UTC Lockon

1—Whistle Controller

The Locomotive and Tender alone meas-

The Locomotive and Tender alone measure 171/4" the complete train 44" long. The track supplied forms an oval 511/8"

0 "027" Series No. 1095W Freight Outfit

Here is an outfit that will keep you amused for hours at a time! There are so many things that you can do! A husky six-drive-wheel steam type locomotive, hauls a train of cars around a large oval track with three tracks running the length of the oval. A pair of remote control switches permit switching the train to either

mainline track.

And then there is the coal bunker that has an automatic chute which can be remotely controlled to load up the coal car. A manually operated endless chain of buckets scoops the coal out of the supply well and dumps it into the top of the bunker. You run the train alongside the bunker, press a button, and down pours the coal into the dump car. Now run the train around to the unloading bin, press another button, and you dump the coal out of the car into the bin!

We haven't the space here to tell you all of the other interesting things you can do with this outfit, such as the electric spotlight car, the built-in whistle, the remote control electric couplers, etc. But just look at all you get in this outfit!

get in this outfit:

in this outfit:

No. 1666 Six-Wheel-Drive Locomotive

No. 2689W Whistling Tender

No. 3659 Electric Dump Car

No. 2680 Oil Tank Car

No. 2620 Electric Searchlight Car

No. 2657 Caboose

No. 96 Coal Elevator

No. 160 Unloading Bin
pair—No. 1121 Electric Remote Control Switches

Sections 1018 Straight Track

1019 Track Set

1019 Track Set UTC Lockon No. 1040 Combination Transformer and Whistle Controller

Controller
Large Supply of Artificial Coal.
The train is 52 inches long overall. Note that the transformer is included. Shpg. wt. 29 lbs.
No. 1095W-Freight Outfit as described.
List Price \$29.50. YOUR COST

# LIONELO GAUGE

"O" Gauge No. 143W A Freight Train Outfit

This outfit is an exceptionally fine value. This outfit is an exceptionally fine value. The large No. 224 locomotive furnished the large No. 224 locomotive furnished once and has six driving wheels of the ance and has six driving action. It is 3" a very impressive driving action. It is 3" to dilled the fill of the fill of the fill of the state of the state of the fill of the unloading bin. All cars roll off into the unload



"O" Gauge No. 145W Freight Train Outfit

One of the most versatile outfits that Lionel has ever offered. Three of its cars unload electrically by remote control. It has an operating crane. A whistle. And all cars have electric couplers. You can duplicate almost every operation of a real railroad by remote control. You can go forward, stop and reverse at will, You can dump a lead of coal from your capl car—unload a by femole control. Told can go lotward, stop and reverse at will. You can dump a load of coal from your coal car—unload a consignment of barrels from your gondola car—or roll a shipment of logs off the flat car—entirely by remote control by just pressing a button! The powerful crane can be used in numerous ways but the most popular will be the litting of one of your derailed cars back onto the track after a wreck. You can also uncouple any car by remote control. The locomotive has six disc type driving wheels with the name Baldwin on them. Train is 6034" long and track supplied forms an oval 511/6 by 30% inches. Outfit includes:

1—224 Locomotive

1—3652 Electric Dump Car

1—3650 Crane Car

1—3651 Electric Lumber Car

2657 Caboose
Sections OC Curved Track
Sections OS Straight Track

3-Sections OS Straight Track
1-RCS Track Set
1-UTC Lockon
1-Whistling Controller
3-160 Unloading Bins
No. 145W Outfit with whistle. Shpg. wt. 22
lbs. List Price \$23.50.
YOUR COST
The type "Q" Trainmaster Transformer will operate this train. Type "R" which is larger will provide extra power for many additional electric accessories.

"O" Gauge No. 151W Freight Train Outfit

Here is a complete coaling outfit. The powerful looking No. 225 Locomotive with its six modern disc type driving wheels lens projected headlight and its air compressors on one side of the engine, make this a very realistic heavy freight. The engine is 3½" high and with its coal filled tender is 173½" long. Three electrically operated dump cars dump their load of coal automatically at the touch of a remote control button. And the coal elevator is also entirely electrically operated. Coal is placed in the well and at the touch of a button an electric motor drives a chain of buckets to take it to the loft. a chain of buckets to take it to the loft. The touch of another button opens the gate and the coal slides down the chute into the coal cars. The track furnished with the outfit forms an oval 511/8 by 30% inches. Outfit includes:

inches. Outlit includes:

1-225 Locomotive

1-225 W Tender

1-97 Coal Elevator

3-3659 Dump Cars

3-160 Unloading Bins

1-2657 Caboose

8-OC Curved Track

3-OS Straight Track

1-RCS Track Set

1-UTC Lockon

1-Whistling Controller.

Large Quantity of Artificial Coal

The length of the train overall is 51% inches.

inches.
No. 151W-Outfit complete with whistle.

Shpg. wt. 29 lbs. List Price \$32.50. YOUR COST.... The above outfit can be operated with a Type "Q" Transformer but a type "R" of greater capacity will provide for the addition of many accessories.

### "O" Gauge No. 193W Freight Train Outfit

Hauled by a huge whistle-equipped 2-6-4 type locomotive this completely equipped work train is an impressive outfit. The No. 226 Locomotive and its tender alone are 21½ inches long! It is a die-cast scale model that is very realistic. The complete train includes everything necessary for a construction, wreck, or work train. The gondola car has a set of tools and the crane car is powerful enough to lift a car onto the track with ease. A twin floodlight car with adjustable lamps will flood the scene of operations with plenty of light. The lights can also be kept lit while the train is running. Electric remote control couplers permit uncoupling any car by merely pressing a button. All operations, starting, stoppermit uncoupling any car by merely pressing a button. All operations, starting, stopping, reversing and uncoupling can be performed at a central location. The train is 65 inches long and sufficient track is supplied to make an oval 611/4 by 307/8 inches in size. Outfit includes:

l-226 Locomotive l-2226W Tender

-2812 Gondola Car with tools -2810 Crane Car

-2820 Floodlight Car -28217 Caboose -Sections OC Curved Track -Sections OS Straight Track

-RCS Track Set
-UTC Lockon
-Whistle Controller

No. 193W - Outfit with whistle. Shpg. wt. 27 lbs. List \$37.50. \$26.72 YOUR COST.....

The Type "R" Trainmaster Transformer will operate this train. However, the larger, more powerful, Type "V" Trainmaster Transformer is recommended since this will allow for the addition of more accessories.



### GAUGE LIONEL

### SWITCHING ENGINE FREIGHT OUTFITS

"O" Gauge Nos. 239-239B-241 and These new outlits have a switching engine and tender that can be uncoupled from the other cars by remote control—anywhere—at anytime—on any kind of track! Locomotive and tender are perfect scale models with die-cast cab and boiler, chromium plated drive rods and stainless steel pipes. Electric bell with a deep tone rings continuously or can be turned off by a lever.

lever.
All outfits have the same equipment except for size of cars. Engine and tenders match car sizes. Train includes: box car. oil tank car. caboose, 8 OC curved track, 3 straight track, 1 RCS track set. UTC lockon, No. 169 uncoupling and reversing controller. Note that all cars have standard remote control couplers for uncoupling on RCS track section only—only engine with tender uncouples anywhere.

No. 239—Same as above but without bell.
List Price \$29.50.
YOUR COST.

\$21.02 List Price \$29.50.
YOUR COST
No. 241B—Outfit as described with 2800 series cars. With bell. Shpg. wt. 21 lbs. List Price \$36.50.
YOUR COST
No. 241—Same as above but without bell. List Price \$32.50.
YOUR COST
TO A SERVER List Price \$32.30.


YOUR COST.

TYPE "Q" TRAINMASTER TRANSFORMER
WILL OPERATE ANY OF THE ABOVE
TRAINS BUT THE LARGER TYPE "R"
TRAINMASTER TRANSFORMER WILL PROVIDE FOR MANY ILLUMINATED OR AUTOMATIC ACCESSORIES

MATIC ACCESSORIES.

WITH LOCOMOTIVES

THAT UNCOUPLE ANYTIME Pectrically



"OO" Gauge Midget Scale Model Trains Nos. 0080-0082-0090 and 0092 Super-Detailed Engine and 4 Car Train Modified Engine and 3-Car Train 

No. 0090W—With 2-rail Track. Whistle equipped. Nos. 003 Locomotive, 003W Tender, 0046 Box Car, 0046 Coal Car, 0045 Oil Car, 0047 Caboose. Il Curved Track, 1 Connection Track, 1 Whistling Controller. Train is 41" long. Track 50" in diam. Shpg. wt. 17 lbs. List \$42.25. \$30.11

No. 0090—As above but without whistle. List \$37.50. \$26.72 \$28.32

YOUR COST.....

"OO" Gauge Cars & Kits "OO" Gauge Cars & Kits
Assembled Cars and Car Kits
for 2-rail or 3-rail "OO"
gauge outfits. Kits contain
everything required - even
enamel, decalcomanias and
a brush. Only tools needed
are a hammer, screwdriver
Car - 534"; Hopper (Coal) Car - 5½"; Caboose - 456". Shpg. wt. 5 lbs.

Car Kits for 2 or

3 rail 3 rail
No. Type
No. 0044K—Box Car
No. 0045K—Oil Tank
No. 0046K—Hopper
No. 0047K—Caboose
List \$2.75.
YOUR COST ANY
ABOVE \$1.96

Assembled 2-rail Cars Type No. No. Type
No. 0044 Box Car
No. 0045 Oil Tank
No. 0046 Hopper
No. 0047 Caboose
List \$3.00. YOUR COST ANY ABOVE \$2.14

YOUR COST.

Assembled 3-rail

No. Type
No. 0014—Box Car
No. 0015—Oil Tank
No. 0016—Hopper
No. 0017—Caboose List \$3.00.
YOUR COST ANY
ABOVE \$2.14 "072" Series No. 767W
"O" Gauge Freight Train

"O" Gauge Freight Train

An extra large modified scale model Hudson Locomotive, with six-wheel-drive and four wheel pilot and trailer trucks, together with a twelve wheel fuel oil tender forms the power unit of this fine train. It is a beautifully designed and detailed locomotive that is very realistic. The "072" track, which is necessary because of the length of the locomotive, differs from other "0" gauge track because of its wider radius. This tracks forms a circle 72" in diameter instead of the normal 28½". The complete train consists of the following: 1-No. 763 Locomotive
1-No. 2634W Whistle Tender
1-No. 2214 Box Car

plete train consists of the land of the la

"OO" Gauge Track and Switches

"OO" Gauge 3-rail Track No. 0051 Curved Track No. 0052 Straight Track long. List 35c. YOUR COST EACH.

\$21.38

YOUR COST EACH.

No. 0065 - 1/2 Straight track.

3/6" long. List 35c.

YOUR COST EACH.

No. 0066 - 5/6 Straight track.

List 40c.

YOUR COST.

"OO" 3-rail Crossover. 25°

No. 0070 –90 degree intersection. List \$2.50. YOUR COST EACH...\$1.78

"OO" Gouge 3-Rail Remote Control Switch

Switch motors so small they do not interfere with parallel tracks. Non-derailing. Red and green lights on both switch and controller. List \$10.00.

No. 0072— PER PAIR.

2-Rail Track Most realistic track made Forms 50" cir 

\$30.00.

YOUR COST.

No. 0082W — With 3-rail Track. Similar to 0092W but 3-rail track makes an oval 41" by 27" List \$32.25.

YOUR COST.


No. 0082—As above but without whistle. List \$27.50.



### Add to Your Fun with Additional Cars

"027"-"0"-"072" & Standard Gauge

Type of Car	Lionel No.	For Gauge	Length	Electric Couplers	YOUR
Sevellight	2620	0 & 027	616	Yes	\$2.67
Searchlight	620	0 & 027	1014	No	1.96
Twin Flood	520	Standard	11	No	3.92
Twin Flood	2820	0 & 072	8	Ye	3.92
Twin Floori	820	0 & 072	81,	No	3.21
Coal Car	2816	0 & 072	87	Yes	2.67
Coal Car	816	0 & 072	8	No	1.96
Co I Car	2653	0 & 027	634	Yer	1.96
Coal Car	653	0 & 027	654	No	1.25
Gondola Car*	2812	0 & 072	8	Yes	2.50
Gondela Car*	812	0 0 072	8	No	1.78
Gondola Cart	2652	0 & 027	664	Yes	1.78
Gondola Cart	652	0 & 027	6	No	1.07
Oil Tank	515	Standard	1156	No	2.50
Oil Tank	2815	0 & 072	87	Yes	2.67
Oil Tank	815	0 & 072	8	No	1.96
Oil Tank	2054	0 & 027	6	Yes	1,96
Oil Tank	654	0 & 027	50.5	No	1.25
Olaervation	2601	0 & 027	93	Yes	2.50
Observation	601	0 & 027	91	No	
Pullman	2600	0 & 027	91.	Yes	1.96
Pullman	600	0 & 027	91	No	2.32
Bugunge	2602	0 & 027	91	Yes	1.78 2.67
Bazzaige	602	0 & 027	91	No	2.14
Dump Car	2659	0 & 027	63	Yes	1.96
Dump Car	659	0 & 027	64	No	1,25
Cram	2810	0 & 072			
Crame	810	0 & 072	11	Yes	6.23
Crane	2660	0 4 027	11 8a	No	6.06
				Yes	3.21
Cattle Car	2813	0 & 072	87	) es	2.67
Cattle Car	813	0 d 072	87	No	1 96
Cattle Car	2656	0 & 027	67	Yes	1,96
Cattle Car	656	0 & 027	67	No	1.25
Refrigerator	514R	Standard	115	No	2,50
Refriverator	2814R	0 & 072	87.	Yes	2.67
Refrigerator	814R	0 & 072	87	No	1.96
Box Car	2814	0 & 072	87	Yes	2.67
Box Car	814	0 & 072	87	No	1.96
Box Car	2655	0 & 027	67	Yes	1.96
Box Car	655	0 & 027	678	No	1.25
Caboose	517	Standard	11° g	No	2.67
Caboose	2817	0 & 072	87	Yes	2.67
Cabouse	817	0 & 072	8.	No	1.96
Cahouse	2657	0 & 027	65 *	Yeu	1.96
Calcius	657	0 & 027	0 8	No	1.32
Flat Car!	511	Standard	1112	No	2.14
Flat Cart	2811	0 & 072	87	Yes	2 50
Flat Cart	811	0 & 072	87	No	1.78
Flat Cart	2651	0 & 027	6 .	Yes	1.78
Flat Cart	651	0 & 027	6. 8	No	1.07
* Includes 4 Bu	rrale + In	sludes 2 Bass		aludar I w	



### **Electrically Operated Freight**



DUMP CAR

### **Electrically Operated** Flat Car With Lumber

Flet Car With Lumber
Nickeled states hold in a real
load of lumber your train
rolls to a stop with the flat car
alongside the unloading bin a
flip of your linger and the bottom of the car tilts and out roll
your logs Now send the
"empty" to the yards touch
the button ... car is uncoupled.
No. 3651 For "O" and "0.7"
6. "lorg.

6 '' long.
YOUR COST
No. 3811 Fo 'O' and "072" 8°1' long. YOUR COST ... \$3.21



### Electrically Operated Dump Car With Coal

Dump Car With Coal
This car is furnished complete
with a bakelite unloading bin
and a sack of artificial coal. It
will dump the coal by remote
control and also has electric
couplers. Like all the cars in this
series it requires either the RCS
or 1019 Trackset. (See page L-6).
No. 3659 - For "O" and "027"
Gauge. 634" long.
YOUR COST.
No. 3859 - For "O" and "07287%" long. 87." long. YOUR COST....



### **Electrically Operated**



### Electric Merchandise Car With Cases

One of the most ingenious cars One of the most ingenious cars ever designed. By remote control you open the door and dump out a shipping case! And you get 12 such cases with each car plus a bakelite unloading bin. Car has electric couplers that enable you to uncouple the cars by remote control. Car is 8% of 100 and 3% high. This car is for use with "O" and "072 and 

# TRACKS LIONEL



### "O" Gauge Track

13%" wide. Double flange for greater strength. Perfectly ingreater strength, Perfectly insulated and tested.
OC—Curved track. 11" long.
OS—Straighttrack. 101/4" long.
1/2OC—1/2 section curved track, 5 inches long.
1/2OS—1/2 section straight track. 5 inches long. 

### "072" Wide Radius

### Standard Gauge

Double flange for greater strength. Oxidized black ties. C-Curved track, 16" long. S-Straight track, 14" long. Any above. List 350 YOUR COST.....

### UTC Lockon

A universal connector for use with any style or gauge track except "OO". Clamps rigidly. makes perfect contacts. Shpg. wt. 1 lb. List 40c.

### "027". Gauge Track

Double rigid turned back flange rail. Three black ties on curved and straight secon curved and straight sections. Over-size insulators on third rail.

No. 1013—Curved track, 9½".

No. 1018—Straight section 8".

List 15c. Either type above, YOUR COST..... 10°


### Solid Rail Track

### Extra Track Pins

OC-18 - Steel track pins. For all track. List 10c per dozen. YOUR COST. 

5c each.
YOUR COST, EACH.
1013-17—Steel pins for "027"
track. List per dz. 10c.
YOUR COST, per dozen.

### REMOTE CONTROL



"027" Gauge

low voltage. List \$6.75. No. 1121—Pair. \$4.80

"O" Gauge

Non-derailing type. Molded bakelite base. Lamps at switch and controller. 10½" long. Pair: 1-right, 1-left. Shpg. wt. 6 lbs. List \$11.50. No. 022—Pair. \$8.20


"072" Gauge

Non-derailing type with red and green lights at both switch and control head.143% inches long. Shpg. wt. 8 lbs. List Price \$13.50. No. 711—Pair. \$9.60

Standard Gauge

Non-derailing type with red and green lights at switch. Heavy steel base with best fibre insulation. Shpg. wt. 7 lbs. List Price \$13.50. No. 223—Pair. YOUR COST. \$9.60

MANUAL TYPE



**SWITCHES** 

Has red and green lights at both switch and remote control. Swivel rails act fast at low voltage. Shpg. wt. 4 lbs. List \$6.75.

No. 1121-Pair. \$4.80

WOZ/\* Gauge

Hand lever operated. Solidly constructed of steel and perfectly insulated. 91% inches long. 51% wide. Shpg. wt. 2 lbs. List Price \$2.75.

No. 1024-Pair. YOUR COST... \$1.96

"O" Gauge

By means of a lever at the side of the control box the swivel rail and signal light are turned. Shpg. wt. 4 lbs. List Price \$6.95.

No. 042-Pair.

YOUR COST....\$4.95

"072" Gauge

Actuated by means of a lever on the base which also changes the signal light, 14% inches long. Shpg. wt. 7 lbs. List Price \$7.50.
No. 721-Pair.
YOUR COST. YOUR COST ....

Standard Gauge

Lever on base changes switch and rotates signal light. Shows red one way—green the other. 15¼" long. Shpg. wt. 6 lbs. List Price \$7.50. No. 210-Pair. \$5.35

### REMOTE CONTROL TRACK SETS



#### "O" Gauge BUMPER



A big, husky bumper built just like its real-life counterpart. There is a brightly lit warning YOUR COST

No. 41 CONTACTOR





### CONTROLLER

Can be used to start, stop or reverse locomotives equipped for remote control. Made of steel, Silver contacts. Wire included. Shpg. wt. 1 lb. No. 88-List \$1.00.

### **Grade Crossings** No. 1021 Crossover

90 degree crossover, black enamel base, to match ties of "027" gauge track. Bakelite center insulator at intersection 73/6" square. Shpg. wt. 1 lb List \$1.00.

### "O" Gauge Crossovers .

No. 020 - 90-degree crossover. On steel base, bakelite insulation. 83% square. Shpg. wt. 1
1b. List \$1.50. \$1.07 YOUR COST ...

Solid Rail 90° Crossing Similar in appearance to the crossing illustrated above but with solid rail track. Wt. 2 lbs. List \$2.75.
No. 730-YOUR COST \$1.96

### GRASS

8 ounce bags of specially pre-pared artificial grass. Not to be confused with cheaper 'dime store" type. Bright green color. Shpg. lb. wt. 1 lb

ER BAG. 22

### No. 720 Crossover Illustrated "072' Crossover

No. 720 — 90-degree crossover mounted on embossed steel base. Bakelite block insulation. 14½" sq. List \$2.25. \$ 1.60

Standard Gauge Crossover No. 20 - 90-degree crossover mounted on ribbed steel base. Bakelite block insulation. 1134" sq. List \$2.00. YOUR COST..... \$1.43

Remote control operated switch similar to illustration at top of page but with solid rail track. Shpg. wt. 8 lbs. List \$15.00. No. 731—Pair. \$10.69

Solid Rail R.C. Switch

#### LUBRICANT

Replaces ordinary oil and assures efficient operation for a longer period of time. Life of working parts is greatly increased. Especially designed for model trains. 2 oz. tube.

No. 925. List 25c. 18c



Type "Z"-250 Watts

Type "Z"—250 Warts
Binding posts are provided for 4
independent circuits, all having
a controllable range of from 0 to
25 volts. Size 7½" wide, 8" long,
6½" high. For 115 volts, 60 cycles a.c. Bakelite case. Built-in
circuit breaker and warning
light. light. List Price \$12.50. YOUR COST.....

\$8.90



Conventional transformer without circuit breaker. Standard tap switch regulation for train speed. Can be used for illuminated and for illuminated and automatic accessories. For use with any of the trains listed under type "Q" above. List \$3.75. YOUR \$2.67 COST



No. 91
Automatically shuts
off current in case
of short circuit. Red
warning light on top
of breaker shows
when short occurs. A
mighty useful device for any model rail-road. Shpg. wt. 3 lbs. List \$3.50 YOUR \$2.50

WARNING SIGNAL No. 69N Protect your cross-ings with this auto-matic warning bell. Rings when train approaches crossing — stops when it has passed. For any gauge track. Com-plete with contactor plete with contactor and full instructions. Steel bells simulate those on a real railroad. Wt. 2 lbs. No. 69N. List \$2.75. \$1.96 YOUR

### AUTOMATIC LIGHT TRAIN CONTROL— 99N

As train passes over contactor red light shines and train is stopped. After an instopped. After an interval red goes out, green shines. Light changes to yellow after last car is passed. 111/4" H. Contactor and 2 lock-one supplied. Shore ons supplied. Shpg. wt. 3 lbs. List \$5.50 YOUR COST . 3.92

### ARTIFICIAL COAL

An excellent imitation that is very realistic. Dustless and easily handled. You should have at least a few bags on hand. Shpg. wt. 1 lb. No. 206. List 25c.
YOUR COST. 18°

### TRAINMASTER" TRANSFORMERS

●BUILT-IN CIRCUIT BREAKER ●MULTIPLE CIRCUITS ●VOLTAGE GAUGES ●4 SIZES TRAINMASTERS have built-in circuit breakers with red warning light, green "power-on" light, multiple circuits, ½ volt step controls that eliminate rheostats, voltage and "miles-per-hour" calibrations on controls, direction-control that enables you to stop the train then start it again the same direction without touching the rein the same direction without touching the reverse button. Types "V" and "Z" have bakelite cases, "Q" and "R" enameled steel.

### Type "V"-150 Watts

Type "V"-150 Watts
Binding posts are provided for
four independent circuits each
having a controllable range of
from 0 to 25 volts. Dimensions:
71/2" wide, 8" long, 612" high.
Bakelite case. Built-in circuit
breaker and warning light.
List Price \$10.00.
97.12

#### Type "R"-100 Watts


Type "R"—100 Watts
Binding posts are provided for 2
independent circuits both having
a controllable range from 0 to
25 volts. In addition there are
fixed voltage pinding posts for
accessory operation. 5" wide,
5½" long, 4¾" high. Built-in circuit breaker.
List \$8.00. EACH...... \$5.70

### Type "Q"-75 Watts

with accessories

Following shows transformer to use for trainer only. With accessories use next larger size Typ Q: all "00", 138(W), 139(W), 140(W), 141(W), 143(W), 145(W), 146(W), 147(W), 149W, 151W, 239[B], 241 B] 267(W), 299W. Letter in () indicates this type also Type R: 190W, 191W, 193W, 194W, 195W, 197W, 366W, 367W, 369W, 377W, 709W, 755W, 758W, 759W, 767W, 768W, 769W. Type Y: 358W, 371W, 378W, 396W. Type Z: Like V, with accessories.


Type "O"—75 Watts
Control knob can be used to regulate output in ranges of 8 to 18
volts or 14 to 24 volts depending upon posts used. Additional posts for accessories deliver 6.8, or 14
V. 5½" L.x5" W.x448" H. Built-in circuit breaker. Steel case.
List Price \$5.75.
YOUR COST



#### 440N Light-Position Twin-Signal Bridge

Twin-Signal Bridge
Three lights are illuminated in each signal head at a single time; vertical for "Go", horizontal for "Stop". Actually controls train, stopping, starting or permitting through runs. Signals are for use on either single or double track and are sperated independently by means of the remote control board which is included with the bridge. Direction of lights can be reversed. Complete with four Lockons. 201/2" wide, 14" high. Shpg. wt. 11 lbs. List \$11.50.

List \$11.50. YOUR COST ..... \$8.20



### Electric Coal Bunker

simplified coal storage bunker which affords all of the fun of remote control car loadtun of remote control car loading without the use of a bucket elevator. Coal is poured by hand into the funnel at the top of the loft. At the touch of the remote control button a gate on the inside of loft is opened pen mitting the coal to pour down chute into waiting car. A quantity of coal as well as a remote control button is furnished. control button is furnished. Overall height of the elevator is 12". Shpg. wt. 6 lbs. No. 98— Coal Bunker. List \$3.95.

YOUR \$2.80

### Electric Coal Elevator

This electric elevator is similar to the one described at the left to the one described at the left but also includes an endless chain of buckets which scoops the coal from a well and dumps it into the top of the elevator. This bucket chain is driven by an electric motor. The remote control furnished with this out fit contains two buttons—one for the motor the other for the qute. When the gate is opened the coal slides down the chute and pours into the waiting car. Overall height is 12½", base 7 by 12 inches. With large quantity of coal. Wt. 7 lbs. No. 97-List \$7.50.



### Whistling

the station and a realistic whistle is heard.
Especially suitable for 25 cycle current
where built-in whistle cannot be used. Not
suitable for outfits using type 1029 transformer. Shpg wt. 2 lbs. No. 48W. List Price

\$2.14 YOUR COST .....

### Mazda Bulbs

For all Lionel Trains and Accessories.

No. 27 – 12 volt 1/2" round lamp. For all "O" gauge equipment. 10°

EACH No. 28 - 18 volt 1/2" round lamp. For all Standard gauge equip.

round lamp. For the ment.

YOUR COST EACH.

No. 39-12 volt 3/4" heart-shaped globe. For Nos. 57 and 58 Lamp Posts.

YOUR COST EACH.


No. 40-18 volt 3/4" heart-shaped globe. For use with numbers 61 and 67 Lamp Posts and all Stations.

YOUR COST EACH.

World Radio History

A simple way to add a whistle to any train outfit. Regular Lionel whistle unit is built into this attractive station. Press the lever on the side of histle is heard, cycle current to be used. Not pe 1029 trans-48W. List Price \$2.14

Train Control Type 82N
This one is even more realistic than the one described above. than the one described above. When the train approaches the semaphore arm is down and the semaphore arm is down and the light is red. The train stops automatically. After a short interval the arm raises, the green light the arm raises, the green light on its way. Action is entirely automatic. Overall height 1494". Bulb, wires, two lockons and a contactor are furnished with each unit. It is simple to install and complete instructions are furnished with each semaphore. As many of these units as desired may be installed on a single system. Shog. wt. 4 lbs. No. 22N-List \$6.75.





## REALISM! ACTION! LIONEL Accessories

OPERATING WATCHMAN

No. 1045

A clever electrically operated accessory that will put a lot of action and interest in your railroad. When the train approaches his station the watchman waves his little red flag to warn auto drivers warn auto drivers warn from the watchman waves his little red flag to warn auto drivers warn for the warn auto drivers warn for the warn auto drivers warn auto drivers warn auto drivers warn auto drivers and the stops after the train has passed. He stops after the train has passed, and track except "OO" solid rail and standard agauge. It is 7" high. Base is finished ard g



Watchmon's Shanty With Ringing Bell No. 76 A new acces

model railroad. For use with any track except "OO" gauge, Its action is entirely automatic. When a train draws near the bell begins to toll a warning. As the last car passes the bell stops ringing. Signal, shack and base are made of heavy steel, attractively enameled. It comes complete with a No. 41 contactor and necessary wine. Practically all owners of model railroads will appreciate this accessory as a gift because it is new this year and was never before available. Shpg. wt. 4 lbs.

No. 76—List \$3.75.

\$2.67

No. 76-List S YOUR COST.



One of the most ingenious, and still one of the most popular, accessories ever designed by Lionel. Gateman is inside proaches. When locomotive draws near, door swings open, and gateman rushes at last car has passed gateman returns to his shack and door closes. For Mo. 45N—List \$3.95. EACH.

**Automotic Crossing Gate** 

As train ap-proaches red light flashes on and gate is lowered. When train passes light goes off and gate rises. Gate is 11 inches long. Il inches long.
For any track except "OO" gauge.
Complete with conficte with contactor and wire. Shpg. wt. 2 lbs. List \$2.75. No. 77N

EACH ... \$1.96

**Automatic Illuminated** Double Arm Crossing Gates

that is true to scale and life-

like in action.

For any style track except "OO" gauge, Gates have both pedestrian and 

**Automatic Illuminated** Crossing Gate

No. 46

This gate is exactly the same as the double gate described at the left but is

a single gate only, for one pedes-trian walk and a roadway half the width. 6 inch arm. Illuminated lantern and automatic in operation as described for double gate. For any track except "OO" gauge. Shpg. wt. 2 lbs. List \$3.00.

No. 46-YOUR COST.....



Curved Tunnel No. 123

For all "O" gauge outfits except Nos. 193W, 197W and those with wide radius track. Constructed of felt composition. 183¼" long, 16½" wide and 9" high. Portals 4½" wide and 5½" high. Shpg. wt. 9 lbs. List \$3.75.

No. 123
\*2.67 \$2.67 YOUR COST....



Illuminated Platform

No. 156 is a new beautifully designed illuminated station designed infimitated station platform that will be found useful for intermediate station stops. Fence divides platform from end to end. Illuminated by two lamps under root. Show wit 2 lbs. roof. Shpg. wt. 3 lbs. No. 156 -List \$2.75. YOUR

\$1.96



Illuminated Diner

An interesting scenic addition to any outfit. Interior is illuminated. Base is landscaped attractively. 10½" wide, 3" high. Shpg. wt. 3 lbs. List \$2.50. No. 442—YOUR COST.....\$1.78



Single Span Bridge

single Span Bridge
Bridges of this type are used
on the rights-of-way of nearly
all railroads. For "O" gauge
track. Deeply embossed
heavy steel, brightly enameled. Complete with one section of track. Shpg. wt. 2 lbs.
No. 270—
List \$2.00. EACH.

Lamp Posts



No. 58 - A graceful design similar to the posts used in big cities. Baked enamel ivory finish. Equipped with globe. The post is 7½" high. Shpg. wt. 1 lb. List \$1.50.

EACH. \$1.07 No. 56 - Commonly used in parks and arkways Green enameled base. List

EACH. \$1.25



Freight Handling Set

Treight Tondling Set Two hand trucks, a dump truck and a baggage truck. Each has wide, strong, diecast wheels and is finished in enamel. Shpg. wt. 2 lbs. No. 163—List \$2.75.
YOUR COST.....\$1.96



If your train is headed by a steam type locomotive, this water tank will add a great  Floodlight





EACH ... \$2.67

## ISTUBE A.G. (A) EBAND SUPER

### **AUTOMATIC RADIO-PHONO COMBINATIONS**



**World Radio History** 

ustom Built Beauty Ethigh Fidelity

### Two Favorite LAFAYETTE Models

LOVERS of tine music . . these new Lafayette Combinations were especially designed for you. You, who thrill to the beautiful compositions of the old masters, will appreciate more than anyone else how well Lafayette engine a have succeeded in bringing you a new conception of radia and recorded reproduction.

These Combinations are more than just ordinary radios with provision for playing records. They are musical insuraments designed to bring you the utmost enjoyment from your favorite recordings and radio broadcasts Listen to a Lafayette Combination a thrill is waiting for you!

#### THE RADIO

For radio reception a highly sensitive 3-Band Superhet receiver is employed. It covers three tuning bands: 13.7 to 42.8 meters, 42.8 to 137 meters and 173 to 588 meters. Thus including all of the most popular broadcasting stations on the short wave bands as well as on the standard American broadcast hard. short wave bands as well as on the standard American broadcast band. Several important features are incorporated to insure the finest possible reception dual "Anten-Aires" that eliminate ordinary aerials in most locations (outside aerials can be used where reception is difficult. Push-Button Automatic Tuning, Cathode Ray Tuning Eye e 12" Concert Dynamic Speaker, Static Control Circuit Automatic Volume Control Circuit, RF Amplifier Stage for all bands, Beam Power Amplifier Stage, etc. The 11-tube radic circuit employs 1-65K7 r.f. amplifier on all bands 1-65A7, converter, 2-65K7 r.f. amplifiers, 1-6ff diode detector and a.v.c., 1-6P5G audio amplifier, 1-573G rectifier and 1-605 tuning indicator. The tone control has four positions (1) normal (2) high note reduction, (3) bass boost (4) bass boret plus high note expansion (high fidelity). The audio frequency range is essentially flat from 40 to 7500 cycles (high tidelity) Power output is 10 watts.

#### THE RECORD REPRODUCER

THE RECORD REPRODUCER

The new Ladayette Combinations incorporate what is undoubtedly one of the finest record reproducers ever designed. While part of the radio circuit together with the large 12" Concert Sp aker, is used, a separate Volume Expander Amplifier accounts in a large measure for the most thrilling reproduction of recordings you have ever heard. This expander puts back into the music the complete volume range of the original. A volume range that could not be recorded faithfully because of technical limitations present in all disc recording. This expander amplifier employs 1-6C8G twin triode tube, 1-6R7, 1-6C5 and 1-6ZY5G rectifier. Both models are available with either the famous Garrard Automatic Record Changer that will play eight 10" or eight 12" records in sequence automatically, providing almost 40 minutes of entertainment at a single loading, or the equally fine Garrard Single Record Player.

### UPRIGHT CONSOLE MODELS

BB-13 Latayette 15-tube 3-Band A.C. Combination in Upright Console Cabinet with built-in dual Antenn-Aire and with Garrard RC-10 Automatic Record Changer. With tubes 40. "high, 26 4" wide, 1812" deep. For 110 120 volts, 50 60 cycles a.c. Shpg. wt. 170 lbs.
Code BEVEL.
YOUR COST COMPLETE.

\*129-95

BB-19 Same as the above but with the Garrard model AC6G Single Record Player instead of the automatic changer. Shpg. wt. 155 lbs. Cod. BLANC. \$114.95

#### LOWBOY CONSOLE MODELS

BB-20 Latayette 15-Tube 3-Band A.C. Superhet with built-in dual Antenn-Aire and Garrard RC 10 Automatic Record Changer in Modern Lowboy Console. With tubes 37" wide, 3312" high and 1814" deep. For 110 120 volumes 50.60 cycles a.c. Shpg. wt. 215 lbs.
Code BLOND.
YOUR COST COMPLETE. \$149.95

RB-21 Same a above but with Carrard ACC or sing Record Player instead of the automatic record changes Shop wt. 200 lbs. Code BOXER \$136.50
For 220 volts, 40 60 cycles a.c. (any above) add. \$5.00

# GENERAL (%) ELECTRIC



### An Unusual and Very Useful Gift

\*For the Home Use it from the nursery to your bedroom, or living room, so that you can hear the baby cry. From the dining room to the basement playroom, or shop, to call the boys to dinner. From the dining room to the kitchen, or house to garage, etc.

\*For the Professional Man—Doctor, Dentist, Lawyer, etc. Be-tween the office and reception room, office and nurses, or stenographer's quarters, etc.

\*For the Merchant Between the sales-counter and stock-room, executive and general offices, receiving department and stockroom, etc.

\*For the Farmer-Takes the place of a private telephone between the house and barn, etc. Need not be picked up to be answered. Also fine for listening in on the barn from the house at night.

## Handy Phone A COMPLETE SYSTEM FOR ONLY \$1395

Once again Lafayette's tremendous purchasing power brings you a sensational bargain! A genuine GENERAL ELECTRIC Handy Phone System that listed for \$49.90 for only \$13.95! A reduction of \$36.00 (List) on a product made by one of the world's leading manufacturers. It seems almost unbelievable that there are so many applications for a loud-speaker phone system of this type. There is hardly a place you can think of where such a system cannot serve some useful purpose. The woman in the home will appreciate the steps it saves her in calling the children from the basement playroom. A mother will appreciate the peace of mind she gets from listening in to the nursery and knowing that the baby is still asleep.

But, even more important than all of these, it is first of all a loud-

that the baby is still asleep.

But, even more important than all of these, it is first of all a loud-speaker telephone system. A system that can be used for voice communication between two or more points at will. The person called at the Remote Station need not pick up a phone but remains where he is, and carries on the conversation in a normal tone of voice!

The basic system consists of the Master Station and one Remote Station. As many as four Remote Stations may be used. One or all may be called at the same time. They can be up to 2,000 feet away and are connected with ordinary two wire twisted lamp cord. Will operate on either A.C. or D.C. (115-125 volts) 25/50/60 cycles.

G.E. Handy Phone System—Consisting of one Master Station with tubes and one Remote Station. Less wire.

Shpg. wt. 15 lbs.

YOUR COST SPECIAL.

\*13.95

Shpg. wt. 15 lbs.

YOUR COST SPECIAL...

Remote Station only —List \$9.95. YOUR COST SPECIAL....



### 5TUBE "3 in 1" RAMBLER Super

"I'll entertain you no matter where you go," says the Rambler with charming lack of modesty. But it can afford to brag, for it is remarkably versatile. When you own a Rambler it's really like owning three different sets. It is just like having a set for a.c. operation—another for d.c. operation—and another for use when there is no current at all and you must use batteries. You see the Rambler was designed by engineers so that it will operate on all three sources of supply—AC—DC—or self-contained batteries!

Take one with you on the boat, on the train, out in the field on a picnic, or on your travels from hotel to hotel where you never will know what type of current to expect next! Just turn it on and tune to your favorite station—then sit back and listen to a really fine set. You'll be surprised at the fine tone quality. And there is power to spare, too. That is because the 5-tube superhet circuit makes use of a "beam power" tube that insures clear, natural tones. The tubes used include: 1-1A7GT, 1-1N5GT, 1-1H5GT, 1-3Q5GT "beam" tube and 1-35Z4GT rectifier.

The bulltin "Antenn-Aire" eliminates the need for an aerial except in outlying districts (terminals for outside cerial included). Batteries required: 1-7½ V. "A"; 2-45 V. "B".

Model T-56 Rambler

Lafayette 5-Tube "3-In-One" Portable. Complete with tubes. Size:

Lafayette 5-Tube "3-In-One" Portable. Complete with tubes. Size: 12-2" wide, 944" deep, 634" high. Shpg. wt. 22 lbs. Code CANOE. YOUR COST, LESS BATTERIES. K20155-Kit of Batteries for above. \$2.60

5TUBE 2 BAND 1/2 VOLT Super

TACK of power line facilities need no longer bar you from the finest possible radio reception. With this new Lafayette 5-tube 2-band Superhet you can have "dily reception" of the standard broadcast channels and foreign and domestic short wave channels. The single battery pack used as the source of power for this new Lafayette will provide, under normal conditions, approximately 850 hours of service!

Among the outstanding features of this Lafayette model you will find: 2-band reception covering 540 to 1730 KC (556-173.5 meters) and 5.9 to 18 MC (51-16.7 meters); 5 low drain tubes (1-1A7G, 2-1N5G's, 1-1H5G, 1-1A5G); matched permanent magnet dynamic speaker continuously variable tone control; flash illuminated slide rule dial and many others that you would expect in only the largest receivers.

The receiver is housed in an unusually attractive walnutfinished hardwood cabinet. Space for the battery pack is provided inside the cabinet itself.

#### Model E-59

Latayette 5-Tube 2-Band 1½ volt Superhet complete with tubes. Dimensions: 18¼x11x10¼" high. Shpg. wt. 19 lbs. Code EAVES. 70UR COST Less Batteries. K20165-Special 1½ V. "A" and 90 V. "B" Battery Pack for above. Wt. 28 lbs. YOUR COST. \$3.45



# QUALITY AT ECONOMY PRICES 10% additional discount . . .

six months guarantee . . .

Latayette receiving tubes are guaranteed for a period of six months from the date of pur-chase (burnouts and broken tubes are not re-placeable). This is the most liberal guarantee made by any manufacturer-your assurance of perfectionl

On all purchases of 25 or more Latayette re-ceiving tubes. an additional discount of 10% from the net prices shown will be allowed. Servicemen and dealers will find it profitable to take advantage of this opportunity to save money.

### LAFAYETTE GLASS TYPE TUBES

		0	I	AF	AYET	TE	
CTORY	SEAL	(	JLAS	S '	TYPE	TU	BES
TYPE	NET		NET			TYPE	NET
01A	\$0.27		\$0.65		\$0.26		\$0.26
1A4		6B7		27		57	.33
1A6		6C6	.33			58	.33
1B4	.61	6C7	.90			59	.72
185)	49	6D6	.33			71A	.30
2551	.43	6E5	.49	33	.54	75	.33
1C6	.61	6E7	.75	34	.60	76	.26
1F4	.49	6F7	.61	35	.37		.38
1F6	.65	6G51	.49	36	.39	78	.36
17	.39	6U5 1	.49	37		79	.61
2A3		6N5	.61		.45		.26
2A5	.39	6T5		391		81	.85
2A6	39	6Y5		44	.39	82	.40
2A7		6Z5	.61		34		.48
286		10	.99			83V	.66
287		12A		43		84 1	
2E5		12A5	.69			6Z4	.47
2G5		12A7	.59	3	.49	- ,	.38
5 <b>Z</b> 3		12 <b>Z</b> 3	.49		.45	-	.38
6A3		19	.61			V99	.60
6A4		24A	.37			X99	.60
6A6		25B5	.60			183	
6A7		25Y5	.70			485	.90
6AB5		25Z5	.70		.49		.80
OADS	./3	7373	.39	23	.49		120

#### LAFAYETTE G-SERIES TUBES

TYPE	NET	TYPE	NET	TYPE	NET	TYPE	NET
0Z4G	\$0.60	5U4G	.40	6F8G	\$0.59	657G	\$0.51
1C7G	.61	5V4G	.63	6G6G	.61	6T7G	.49
105G	.61	5W4G	.39	6J5G	.38	6U7G	.39
1D7G	.61	5X4G	.39	6J7G	.39	6V6G	.49
1E4G	.61	5Y3G	.26	6J8G	.75	647G	.60
1E5G	.61	5Y4G	.28	6K5G	.39	6W5G	.68
1E7G	.85	6A5G	.95	6K7G	.36	6W7G	.61
1F5G	.56	6A8G	.41	6K8G	.58	6X5G	.48
1F7G	.65	6AC5G	.45	6L5G	.50	6Y6G	.61
1G4G	.49	6AE5G	.75	6L6G	.61	6Y7G	.75
1G5G	.61	6AE6G	.49	6L7G	.59	627G	.70
1G6G	.61	6AF6G	.60	6N6G	.69	6ZY5G	.50
1H4G	.33	688G	.59	6N7G	.59	25A6G	.45
1H66	.49	6C8G	.60	6P7G	.90	25B6G	.53
1J5G	.72	6D8G	.60	697G	.39	25L6G	.50
1J6G	.59	6F6G	.36	6R7G	.39	25N6G	.70

### LAFAYETTE ALL-METAL TUBES

TYPE 5T4 5W4 5Z4	\$0.80	TYPE 6F6 6H6 6J5	\$0.49 .39	TYPE 6L6 6L7 6N7	\$0.81 .60	TYPE 6SC7 6V6 6X5	NET \$0.61 .70
6A8 6B8 6C5 6F5	.61	6J7 6K7 6K8	.49	6Q7 6R7 6S7	.60 .61	12SC7 25A6 25L6 25Z6	.60 .60 .61

### LAFAYETTE "GT" SERIES TUBES

TYPE	NET	TYPE	NET	TYPE	NET	TYPE	NET
1A5GT	\$0.75	6F5GT	\$0.39	6T7GT	\$0.68	25A7GT	\$.79
1A7GT	.61	6H6GT	.50	6V6GT	.49	25B8GT	.75
1C5GT	.75	6J5GT	.39	6X5GT	.58	25D8GT	.75
1G4GT	.61	6J7GT	.45	12A8G1	.44	251.6GT	.50
1G6GT	.68	6K5GT	.48	12B8GT	.75	25 <b>Z</b> 6 <b>G</b> T	.39
1H5GT	.49	6K6GT	.45	12F5GT	.39	32L7GT	.75
INSGT	.61	6K7GT	.37	<b>12J5GT</b>	.39	35L6GT	.50
1P5GT	.78	6K8GT	.60	12J7GT	.49	35Z4GT	.35
1Q5GT	.61	6P5GT	.36	12K7G1	.37	35 <b>Z</b> 5 <b>G</b> T	.39
1T5GT	.61	6Q7GT	.39	12Q7G	T .39	45 <b>Z</b> 5 <b>G</b> T	.49
2W3GT	.36	6R7GT	.50	125A7G	T .57	50L6GT	.61
3Q5GT	.75	6SA7G1	.52	12SF5G	T .49	70A7GT	.75
5W4GT	.45	6SF5GT	.52	12 <b>SJ7</b> G	T .50	70L7GT	.75
6A8GT	.44	6SJ7G1	.45	125K7G	T .40	117L7GT	.80
6AC5G	T .50	65K7G1	.40	125076	T .48	117Z6GT	.75
6C5GT	.50	6SQ7G	T .45	25A6G1	.50		

### LAFAYETTE "LOCK-PIN" TUBES

TYPE	NET	TYPE	NET	TYPE	NET	TYPE	NET
7A4	\$0.67	7B5	\$0.67	7C5	\$0.67	7Y4	\$0.67
7A6	.67	7B6	.67	7C6	.67	35A5	.67
7A7	.67	7B7	.67	7C7	.67	35Z3	.67
7A8	.67	788	.67	7E6	.67		

For the benefit of those who have not received a copy of our catalog No. 78, in which our recent name change was announced; we wish to state: first, that our name ONLY has been changed; second, that our executive staff, personnel and sales locations remain UNCHANGED; third, that our long established policies (for over 20 years) of rapid service, low money-saving prices and guaranteed merchandise all remain UNCHANGED.

Thus, when you deal with Radio Wire Television, Inc., you are still doing business with the SAME company formerly known as WHOLESALE RADIO SERVICE COMPANY, Inc.

FREE! LAFAYETTE LOG BOOK With Every Purchase of ASK FOR IT!

# ette "MYSTERY" record players



'Junior' Model

This efficient device plays your records through any radio, regardless of make or age — and there are NO CONNEC-TIONS TO MAKE. A built-in transmitter actually "broad-casts" recorded mu-sic to your receiver. You merely plug into a 110 volt a.c. outlet, tune your set to the mystery play-er frequency and

er frequency and your radio reproduces the recorded selection. Equipped with a high fidelity Astatic tangent arm CRYSTAL PICK-UP and a powerful constant-speed motor (78 r.p.m.) with 9" turntable. Plays 10" or 12" records. Volume control on panel or you can use the set volume control. /ack for toy mike provided. Housed in attractive Walnut case 1514" high, 1314" wide, 714" deep. K21871 "Junior" Mystery Player complete with tubes. For 110 volts, 60 cycles a.c. Shpg. wt. 17 lbs.

### "Senior" Model

The finest wireless record player on the market to-day! Unsurpassed in tonal quality and in opera-

with the famous
Shure "Zephyr"
CRYSTAL PICK-UP that provides highfidelity reproduction.
Has world renowned
GARRARD governor
controlled motor complete with auto matic stop and speed regulator. The oscil-



regulator. The oscillator employs three tubes instead of the usual two. There are absolutely NO CONNECTIONS to make, other than to plug into any 110 volt outlet. Volume control and switch located on panel. Has separate jack for toy mike connection. In fine Walnut case with folding hinges: 1514," high, 1314," wide, 714," deep. Shpg. wt. 22 18x K21872 "Senior" Mystery Player, complete with tubes. For 110 volts, 60 cycles a.c.

\*23.95

### latavette

The finest home electric record player available. Can easily be attached to any radio receiver; full instructions are included. Models are available for either a.c. or a.c.-d.c. operation. All models are furnished with CRYSTAL PICK-UPS to insure wide range reproduction. Motors are of excellent quality, governor controlled, and provided with speed-regulators and automatic stop switch. Volume control and switch mounted on panel. Panel also contains a needle cup and tone arm rest for the pick-up. Entire mechanism is housed in a fine Walnut cabinet that has folding hinges. Cabinet has high polished finish, and measures 714" high, 1514" wide, 1314" deep. All models will play either 10" or 12" records with the lid closed. Refer to listing at right.



### A.C. Models

K21860 Lafayette Electric Home Player with Astatic crystal pick-up, and motor with 10" turntable. For 110 volts, 60 cycles Shpg. wt. 18 lbs.

COST

\$15.25

K21861—Same as above, but with Shure "Zephyr" pick-up and GARRARD motor with 12" turntable. Shpg. wt. 19 lbs. \$20.95

### A.C.-D.C. Model

K21862 Similar to K21861 above, but with GARRARD universal a.c.-d.c. motor. Shpg. wt. 20 lbs. \$26.95

#### Wireless Model VA-20

(Top)—Designed for use with any radio, regardless of make or age, and without the need for any connections other than a.c. power. Has RCA constant speed motor with felt-covered turntable, tangent arm CRYSTAL pick-up, volume control and switch and pilot light current indicator. Plays either 10" prior right current indicator. Plays either 10" or 12" records. Housed in rich brown bake-lite case 12½" wiele, 8½" deep and 5" high. Operates from distances up to 30-50 feet from the radio For 110 volts, 60 cycles a.c. K21968 VA 20 Wireless Record Player, with tubes. Shpg. wt. 8 lbs.







RECORD PLAYER TABLE (illustrated at left) A beautiful walnut finished table especially designed to be used with table type record players either electric or mechanical. Shelf with dividers holds 120 records or 8 twelve-pocket albums. Size: 24½" long, 20" wide, 15" deep. No records or albums furnished. Wt. 35 lbs.

Model 903—YOUR COST

\$6.25

FLOOR MODEL SPEAKER CABINET (illustrated at right). Specially designed cabinet for use with any type speaker. Incorporates reflex principle where back wave reinforces front wave. Beautiful walnut finish, highly polished. Interior completely lined with sound absorbing material. Large baffle area with cutout for 12" speaker. Overall dimensions are 32¼4" high, 22" wide and 13½" deep. Amply large to place the average laydown type mantel cabinet radio on top. Very soundly constructed. Shpg. wt. 50 lbs. \$17.95 Woodel 968—YOUR COST

### Model R93-F "Economy" Player

An inexpensive instrument that quickly converts any modern radio into an electri-cal radio-phonograph combination. Plays both 10" and 12" reco.ds. Includes a cushion mounted constant speed motor, latest type feather-touch crystal pick-up in bakelite arm, and volume control and switch. Pickarm, and volume control and switch. Pickup arm easily tilted for insertion of needle,
Has plug for RCA sets; requires switch and
cable for other makes. Brown bakelite
cabinet 11 % wide, 9% deep, 3" high.
K21850—Shpg. wt. 10 lbs.
YOUR COST
K22006. Switch and

K22006 Switch and cable.




## GENERAL ELECTRIC Floor Conditioner









★ Cleans: Linoleum, Wood, Rubber, Tile, etc.

\* For Homes, Offices, Stores, Resorts, etc.

★ Easier to Use Than a Vacuum Cleaner \* 2 Sets of Brushes and 2 Polishing Pads

Made by General Electric, the world's leading manufacturer of electrical appliances for the home and office, this electric floor conditioning machine is one of the finest ever designed. It cleans, waxes and polishes all types of flooring—and takes all the drudgery out of this work. It's easier to use than the ordinary home vacuum cleaner, too, for there are no messy dirt-bags to clean or dirt to dispose of.

The same machine has an original list price of \$49.95 and it comes complete with brushes and polishing pads. Now. because of our tremendous purchaing power, you get the opportunity to buy this machine at a sensationally low price! The quantity is extremely limited, however, so send in your order today and avoid disappointment.

The machine is beautifully constructed of the finest quality materials. Die-cast aluminum housings, steel gears, a powerful long-life motor that is amply ventilated, a correctly proportioned handle these are but a few of the many outstanding features of this unit. Every care has been taken in its manufacture to insure finest performance and maximum life. It comes to you complete with two sets (8) of polishing brushes, coarse and fine, and two polishing pads. All accessories are easy to attach. Equipped with a long length all-rubber cord and plug set. Operates from any standard lighting circuit, 110-120 volts A.C. or D.C. Fully APPROVED BY THE GOOD HOUSEKEEPING INSTITUTE, of Good Housekeeping Magazine. Ideal for homes, offices, night clubs, summer resorts—in fact wherever there are hardwood, tile, terrazo, etc. floors.

\*\*X25457-Shpg. wt. 20 lbs. Original list Price \$49.95.

\*\*YOUR COST SPECIAL. WHILE THEY LAST\*

**RED SEAL Hand** Vacuum Cleaner

Its whirl wind su per-suction gets all the dirt—wherever hides. Ideal for day-to-day cleaning for tidying ors, etc



Removable straight-bristle brush. Compact, light (4<sup>1</sup><sub>2</sub> lbs.). Tailored dust bag has wire spring support. Unbreakable die-cast frame, 

### Coffee Dispenser

This handy kitchen acces-sory is ideal sory is ideal for the modern The "Crystalkitchen. Pak" d Pak" dispenser is de-signed for housewife utility; one click of the handle in either direction releases just the right amount of coffee for a perfect coffee-making brew. The dis-penser is made with a rigid, transparent cylin-der that is light and un-

der that is light and un-breakable; shows at a glance when coffee is needed. The unit is easily attached to the wall with the aid of a special bracket which is furnished. Metal parts are plated. Top cover is tight maintains coffee flavor for long periods. Shpg. wt, 2 lbs.

### "Wrinkle Proof" Iron

A new Universal (Landers, Frary and Clark) iron that lightens the labor of ironing. Finger-tip con-trol gives the ex-act heat needed, without watching, without guessing. Low heat for delicate



silks; medium for cotton, etc.; high for heavy damp fabrics. The automatic adjustable thermostat maintains the correct heat. Features the new Wrinkle-proof Round Heel—irons backward and sideways as easily as forward. Iron is fully chromium plated. Comes with approved 6-ft. iron cord and plug. For 110-120 volts A.C. only. Shpg. wt. 6 lbs K25482

YOUR COST.....



### **Automatic** Toaster Set with "Pop-Up" Tooster

This Buffet Service embodies the at-tractively styled Automatic Toaster and has been tashioned to take full advantage of its convenient fea-tures. The carry-ing tray is de-signed with com-fortable through-

grip handles and back for safe portability. Panels for holding the four variculared pottery relish dishes and the bread board are removable. so that the tray may be used without this standard equipment. Two chrome-plated bread racks are included to hold bread or toast. The tray is 20x16" and is Walnut finished; the bread board is maple.

The toaster toasts two slices of bread, both sides at once, to any pre-selected degree of brownness. When the toast is finished, the rack rises automatically and the current is shut off. The entire unit is finished in gleaming Chromeplate with black Textolite base and control knobs. Has long-life nickel-chromium heating unit, mical insulated, and is provided with an attached 6-foot cord and rubber plug. cord and rubber plug.

K25479 G.E. Complete Buffet Service Set with Automatic "Pop-Up" Toaster Shpg. wt. 22 lbs. List \$19.95. YOUR COST, COMPLETE. \$14.95

G.E. Automatic "Pop-Up" Toaster only. Shpg. wt. 7 lbs. K25398—List Price \$16.00. SII \$11.98

### "HOTPOINT" Juicer and Mixer

This efficient house-This efficient house-hold aid mixes, beats whips, ex-tracts juices and does many other jobs neatly, quickly and without waste. The portable mixing unit can be used on unit can be used on its base, or removed from it for use at the sink or stove. Pow-ered by the latest type G.E. motor that requires no atten-tion. Motor speed is variable in three

variable in three steps; convenient switch is adjacent to the streamlined handle. Motor and base finished in stain proof cream enamel with green trim. Standard equipment includes: portable mixer unit, mixer base, double beater, large and small Glasbake bowls, rubber spatula, JUICF-O-MAT automatic juicer (consists of juice bowl with adjustable spout, centrifugal strainer, pressure lever and oil dropper). Complete with attached all-rubber cord and plug set. Operates at 110-120 volts a.c. or d.c. Shpg. wt. 25 lbs.

K25029 List Price \$24.95. YOUR COST....

NOTE: Space limitations prevent listing of the many accessories for the mixer that are available. These consist of: slicer and sheller, tood chopper, pea sheller, drink mixer and many others. We can make prompt deliveries. Write for prices



# Practical Electrical Appliances



- ★ Variable Speed A.C.-D.C. Motor
- ★ Genuine Stainless Steel Beaters
- ★ With 71/2" and 9" Mixing Bowls
- \* Complete With Juicer Attachment

### **RED SEAL Mixer and Juicer**

It mixes, beats, stirs, extracts fruit juices! And it's priced to help you SAVE. Any housewife will take pride in the ownership of this deluxe kitchen aid. It features: full powered motor that drives through the thickest batter; variable kitchen aid. It features: full powered motor that drives through the thickest batter; variable speeds, with convenient adjustment control, to meet every mixing need; one-hand portability—the motor easily detaches from the mixer frame for hand mixing; mixing bowls revolve automatically; adjustable tray; genuine stainless steel beater blades; beater shafts work in oilless bearings; convertible to a juicer in a jiffy; opaque 7½ and 9" ivory glass mixing bowls; rubber feet; ivory enamel finish that is easy to keep clean; handle and front of motor shell hand buffed and polished; Zamak aircooled, self-lubricating motor operates on 115 volts a.c. or d.c.; Underwriters' Listed. Furnished complete with attached 6-foot all-rubber cord and plug set. The entire machine is compact, and can easily be stored in the close to pantry. Sturdily constructed to give a long, satisfactory service. Furnished complete with detailed instructions. Shpg. wt. 14 lbs. K25478—Red Seal Mixer and Juicer Assembly. List Price \$14.50.

YOUR COST EACH,

YOUR COST EACH, COMPLETE.

### **Approved 3-Heat Pad**

Finest quality 12x15" heating pad. Has built-in 3-position switch for low, medium or high heat. Multithermostat safety control on each range. Has extra soft, flexible thermostat safety control on each range. Has extra soft, flexible downy covering. Patented wetproof interlining. Element insulated. Costs about ½ cent per hour to operate. Wt. 2 lbs. \$1.79. K25422-YOUR COST.. Similar to above, but 12x14½". Has flannel covering. No interlining. Shpg. wt. 2 lbs. \$1.29. K25423-YOUR COST.



#### CORONA Kitchen Clock



streamlined bad lamp that casts a "spot light" directly on the reading matter. Fine quality, not to be confused with cheap imitations. Features: powerful magnifying lens, ball and socket joint to permit turning to any angle, universal clamp with felt lining, pull chain socket. Finished in durable bronze. Less bulb. Shpg. wt. 3

K25437-YOUR COST....



### CHIEFTAIN Executive

Beautifully modern self-starting electric clock styled for the desk of the busy executive. Tells time at a glance. Large Arabic numerals show hour, minutes and seconds. Housed in molded mottled Walnut plastic case 73/4x4x4". For 110 volts, 60 cycles a.c. only. Shpg. wt. 5 lbs. K25388--Walnut

K25476-Black YOUR COST EACH. \$2.98 .....\$2.85 Lots of 3, each.


#### "HOT DONUT"

The indispensable HOT WATER HEATER. Simple to use. Just plug into any 110 volt line, a.c. d.c., and immerse the Hot Donut in water. In a jiffy, you get steaming hot water for washing dishes, for baby's bottle, for shaving or bath water, etc. Bright finished aluminum with all-rubber cord and plug. K25477

YOUR COST EACH..... .....\$6.65 10 For







### WHITE CROSS **Electric Sandwich Toaster**

### WHITE CROSS Automatic **Two-Slice Toaster**

### **ELECTROMIX E-50**

A combination electric mixer and whipper in one. Equipped with a powerful Vidrio built motor, tested and approved by Underwriters' Laboratories Inc. Handy finger-lip control switch stops beater instantly. Metal top and motor housing finished in green baked enamel. Graduated bowl of heavy crystal glass, capacity 1-pint. Detachable stainless beater. Easy to clean. Mixer unit is portable, and can be used with other containers. Whips cream, beats eggs, mixes drinks, etc. With Approved rubber cord and plug set. For 110-120 volts 60 cycles a.c. only. Shpg. wt. 4 lbs.

K25055-Model E-50 Electromix.

YOUR COST

# ERECTOR SETS for the Embryo Engineer







### No. 31/2 ERECTOR

Intermediate Set. Comes with new hig base plates, angle gir-ders, big rad base wheels, new skystripper jurts, etc. Builds der-ticles, weiking beam engine, lift hidden more remover trucks also direct a kystripers, etc. How To Moke Em book gives complete instructions in ottractive box 10x10x12. All ports of structural steel Supp. wt 5 lbs. List 23.50.

2709 YOUR COST \$2.60

### No. 61/2 ERECTOR

super builder with an induction motored electhe engine of the period of the control of the period of t the cutit such as windmill pump sirplane beacon pile driver and numerous other mod-In that operate under their own power. Include minicitute house we. Include minicture house to be deep tender watchman, treated for the Course with a "how-to-late Em" book that talled in truction for building does not interesting hings. Comes in METAL cabinet with hinged top cover. Size.

K25459 YOUR COST \$5.95

### No. 41/2 ERECTOR

The furnous set with the power-ful mechanical motor. No wires, botteries or transformer necesbotteries of transforms accept arry Makes all sorts of devices that work lots of fun for the young captiness. Builds horizon-tal segine windfull, trip hom-mer, trucks, etc. Miniature house mer trucks st. Mimorale soller, for bridge tender, ticket seller, wratchmen, etc., is furnished. Also includes girders, large wheels, huse plotes, etc. How-To-Make-Em" book gives complete instructions for building light. plets instructions for huitding many interesting models. In ar-tractive hinged cover box lin. 10 x2 m Shog wt 5 lin. List \$5.00. \$5.00 K25098 YOUN CONT \$3.75

### No. 71/2 ERECTOR

The Electric Engine Set. Electric engine with year shift operates two increments each of which can be independently stopped, started as reversed lifeting lights illuminate the models. This curful builds all types of started and includes a boiler, large where the plates, cours, planten and other parts. However, the following a boiler, large where the book gives explicitly and other parts. How to make the book gives explicitly and the course of the cou Make Im book give explicit of highly attending the functions for a host of highly attending the function. Pecked in a study METAL orbinst that measure 18 x10 x3 Shop wt 14 lbs. List 10.00 K25097

YOUR COST. \$7.50





No. 81/2 ERECTOR

· Electric Motor

 Lifting Magnet
The Engineers het Designed for the more advanced enlityo angineer, this delute outfit contains a ner this delive outil contains a 110 voir reversing electric engine and a powerful litting moment. Builds many interesting and entertaining moment training models, such as ferria wheel, bridges, di drilling right magnetic crane dericks, etc. Includes lights ministrate house, increased number of boss planes, our of the containing of th fit gives complete details for con 21 lb. Li K25416 YOUR COST 9.70




### No. 101/2 ERECTOR

The Electric Train Set. This outfit fea locomolive with circle of track. Addi-

locomotive with circle of trock Additional equipment builds to additional equipment builds to additional equipment builds to additional equipment builds and one section one mechanism and one electrical that operates from my 110 volt on light allocation and sweath novements and section and sweath novements and section and section

\$22.45 OUR COST





### No. 310 Microscope Outfit

A de use outli containing the protonional type Research Microscope with J-base objective. Re-carch Microscope with 3-bose objective, vivet cution trust and pulsared country and carefully attended and policied leases of optical gloral Microscope is 10.7 high with draw tub extended and has magnification from 15 to 550 diameters. Outlit also includes the Poloroid Junior Microscope Manual and Polorizing Affectments. An casastment of chemicals

ixing Attractment. An assertment of chemicals makes possible many interesting experiments.

Also included are 10 binlogical speciments, slide lates corresponding Canada bai sam, asserted biological trans dissecting needle, rubber bulb pip tte, two zets, brush glass dropping rod and a 62-page Instruction Menual. In woose cabinet 18 101 x4"

K25461-5 hpg wt. 1 lb. Line 10.00 YOUR COST

No. 207 Rescorcis decrease Only: Complete with wood cabinet that has zet with blank slide Shps w 5 lb

K25128-1 is \$ \$5.60





#### No. 10 DeLuxe Chemistry Outfit

Housed is a strongly constructed laboratory style wood cabinet containing both built in and removable test tube racks, metre and peste, alcohol lamp, blow torch, gas generator and namerous other useful pieces of enumerant. The No. 10 Chameratt Manual assertions had seventiff and entertaining experiment in chamitary and che under angion apparatus in the lambary and che under angion plating and alcoholing describes belowing and the construction of Laboratory Apparatus plans the mysteric of forming and blowing glas plus the plan has building many as ful pieces of laboratory equipment. Chemicall formulae and Symbols clausity and into the construction of chemical formulae and the explanation of

equipment. Chemicral formulae and symbols clearly with the construction of chemical formulae and the explanation of chemical symbols. Housed in a weed cabinet that is finished in Mahegany. Overall size, when closed lixely when opened 42x1114" shop wt. 14 los. K25022-List Price \$10.00
YOUR COST COMPLETE OUTFIT

## Entertaining . Educational Gifts





It's revolutionary! It rolls out—rolls up—takes a moment to set up, and it fits all "O" gauge equipment. With Flex-I-Track, the train set is ready for Flex-I-Track, the train set is ready for use in a jiffy, and there are number-less interesting track layouts you can make. It will run around table and chair legs—it curves evenly and makes shapes impossible to obtain with any other type of track. Flex-I-Tracks are sturdy, too—a grown man can stand on the tracks without bending them. Has natural wood ties, just like the real railroad tracks. Modern. like the real railroad tracks. Modern-ize your miniature railroad the new way, the modern way — with Flex-I-Track, Supplied in two sections total-Track, Supplied in two sections total-ling 10 feet (1-six foot and 1-four foot length). Packed in an attractive car-ton. Shpg. wt. 4 lbs. per carton. List \$3.50. K25368-YOUR COST.....\$2.45

### FLEXI-I-TRACK Frog Switch

It's a replica of the real frog switches. It automatically sets itself, regardless of the direction in which the train is running, and thus prevents wrecks.

ning, and thus prevents be used It's reversible, too; can be used for either right or left hand curves. Made of molded bakelite, For gauge. List \$2.00.

YOUR COST.....

### **BUDDY "L" Printing Press**



With this realistic printing with this realistic printing press, any youngster can do a real professional printing job. Personal cards, stationery, little newspapers and the like can be set up. made ready and printed. Operates on the same principles as the real presses. Highly entertaining and in.

### "REAL Phones"

Two-way telephones that operate on standard dry cells and give REAL talking service. Phones are of the cradle type; signal buzthe cradle type; signal buzzers contained in the base. Set consists of two sets of cradle type phones, 35-feet of twisted wire and full in structions. Two cells required for each phone. Shpg. wt. 5 lbs. K17373—YOUR COST, Less Cells.....



100-Feet of indoor, 3-conductor wire. Wt. 3 lbs. K20896-YOUR COST ..... 100-Feet of outdoor, 3-conductor wire. Wt. 3 lbs.

K14026-YOUR COST......\$1.87

### MARVEL Phones

For inter-communication in homes, offices, etc. Swell fun for boys, too. Works up to 2000 feet. Talks and signals just like commercial phones. Use two cells at each Use two cells at each phone for distances up to 750-ft.; four for more. Comprises two complete phones, 35-ft. of wire and Inst. Wt. 4 lbs. K14024—Less Cells.

\$2.65 K20133—Eveready Cells for above. EACH.....



**50 00** 阿爾

VOCAGRAPH

A.C. Electric

**Record Player** 

All-Metal Case

An excellent quality record player in a sturdy all-metal housing. For use

**BUDDY "L" Savings and Recording Bank** 

Here at last is the kind of bank every child will en-joy—really enjoy putting money into. And that's be-cause he has a complete record of his savings; a pass book all his own, and an opportunity to surprise
Mother and Dad by his or
her thrift. With slight encouragement from parents, couragement from parents, the habit of saving may be planted early. Operation is simple. Deposit the coin (takes pennies, nickels, dimes or quarters), insert the pass book in the slot provided and press the lever. The coin is safely out away, and a com-

out away, and a complete entry of the amount is recorded. Made of heavy gauge metal, beautifully colored. 6-7/16x6-5/16x3\%". Shpg. wt. 3 lbs.

# YOUR COST EACH 93°

### DeLuxe A.C. Electric Record Player In Walnut Case

Here's a record player that's "toy-like" in price but far from a toy in quality of reproduction and construction. It has features never before of-

fered in a machine sell-ing at so low a price: new type synchronous, constant speed a.c. electric motor that speed a.c. electric motor that has no reducing gears and con-sumes only 4 watts; felt covered turntable that will take all 10" or 12" records; "on-off" toggle switch on panel; efficient sound switch on panel; efficient sound box that reproduces music and voice with surprising fidelity; modern Walnut veneer cabinet with contrasting trim. Compact, and easy to use—just plug into the nearest 110 volt a.c. line (60 cycles). Size: 12½x9½". Shpg. wt. 6 lbs.

K21866—YOUR COST.





### Toy Record Albums

Children love music - that's why these kiddie records make such popular gifts. They're educational, entertaining and lasting. Each album contains FOUR double-faced 7" reccontains FOUR double-faced 7" records — all electrically cut. Albums
have attractive colorful kiddle designs on cover. Shpg. wt. 2 lbs.
K25463—Nursery Songs
K25464—Merry Games
K25464—Merry Games
K25466—Medleys
K25466—Medleys
K25466—K25465—K3



K25470-Lullabys K25471—Christmas Cheer K25472—Yankee Doodle K25473—Uncle Don

ord player in a study all-metal housing. For use in the home, class room, school dormitory, play-house, etc. Engineered for fidelity of musical tone quality, handsomely designed in royal blue crackle finish, its astonishingly low price brings the world's ranking music within the reach of every purse. Has a constant speed A.C. electric motor with turntable for all records up to 10". Noiseless in operation. "On-off" switch on panel. Equipped with fine quality orthophonic type sound box mounted on an all-metal tone arm. Furnished with altached cord and plug set. Operates on 110 volts, 60 cycles a.c. only. Shpg, wt. 6 lbs.

K21865-YOUR COST.



ARGUS Models A, A2 and A2F Improved models of the famous pioneer American candid camera. New lens mountings, improved shutters (4 speeds up to 1/200 second, time and bulb and new built-in exposure meters on models A2 and A2F only). All models have fast f:4.5 lenses. Lens in model A2F is in a focusing mount that permits focusing as close as 1½ ft. without attachments. Exposed metal is highly polished, chrome plated. Use standard 18 or 36 exposure rolls of 35 mm. film. PH1739 Model A. f:4.5 lens in fixed mount. No exposure meter). POST-PAID IN U.S.A. ONLY. \$10.00 PAID IN U.S.A. ONLY.

YOUR COST

PH1740 Model A2 with f:4.5 lens in fixed mount and built-in exposure meter. YOUR COST

(P.P. in U.S.A.)

PH1741 Model A2F similar to the above but with focusing mount (focuses as close as 18") f:4.5 lens and built-in exposure meter. and built-in exposure meter.

YOUR COST
(P.P. in U.S.A.)

16.16 Fig. 16.5 Iens
15.00 PH9488—Portrait attachment for any of above cameras. YOUR COST. 90c PH9691—Eveready cowhide case for above models. EACH. \$2.98



Smartly styled this new Argus camero Smartly styled this new Argus camerc is so tiny that it easily fits into the purse or pocket. Precision Argus con struction assures perfect performance Color photography is economical since it takes either single or double frame pictures. Uses standard Kodak Bantam, Kodak Kodachrome, special Arguspan or Arguspan Dufaycolor-M film. Takes either 12 pictures 1x1½" or 24 1x34" pictures on a standard roll. The triplet Anastigmat f:6.3 lens is fully color corrected. Lens openings roll. The triplet Anastigmat f:6.3 lens is fully color corrected. Lens openings are marked for various conditions. Built-in optical view finder, tripod socket and collapsible lens mount. PH1743—Argus Model "M" Camera. YOUR COST—POSTPAID IN U.S.A. \$7.50

\$7.50 PH9631—Deluxe leather carrying case complete with hand and shoulder strap, and belt loop. YOUR COST (SHIPPED POSTPAID IN U.S.A.) \$1.50

LENS
ACCESSORY KIT
For ARGUS "A"
Series Cameros
In order to get the
most out of your
"A" Model Argus
(A, AF, A2 6, A2F)
you should have
this complete accessory kit. It concessory kit. It con-tains all the items

you need for getting the most out of your camera. Each item may be purchased separately but you save by buying the complete kit at one time.

Stock	Part		
No.	No.	Description	FACH
PH9547	S-1	Lens Shade	\$0.45
PH9488	S-2	Portrait Attach.	90
PH9548	S-3	Copying Attach.	90
PH9565	S-4	2x Yellow Filter	3 00
PH9566	S-5	4x Yellow Filter	. 1.00
PH9216		Rubber Lens Car	1.00
PH9917	S.7	Accessory Case	3.25
		TPAID IN U.S.A.	. 1.00
PH9949	Com	plate Vit of	ONLY
		plete Kit of the	above
items ic	or mo	dels A or A2 co	meras.
YOUR (	COST	COMPLETE SE	00
POSTPA	DIN	COMPLETE \$5	.vv

PH9947 Complete Kit for model AF or A2F Cameras. Due to their focusing mounts, portrait and copying attachments are not required, instead a red filter and a safety screw are supplied. YOUR COST COMPLETE \$5.00

Red Filter To get that extra dark sky effect. PH9567 YOUR COST .....\$1.50 from 3 feet to infinity.

Two models are available. Both alike in every detail except for the photoflash equipment. The Model C3 has it—the Model C2 has not. Cases are of die-cast aluminum covered with pin seal leather and trimmed with bright chromium plated metal. A remarkable value for a camera with so many precision features. PH1742—Argus Model C3 Camera complete with photoflash equipment including built-in synchronizer, reflector, battery case and attachments. As illustrated.

YOUR COST

(POSTPAID IN U.S.A. ONLY) (POSTPAID IN U.S.A. ONLY).. PH1542—Argus Model C2. Has all the features of above model except the built-in synchronizer. YOUR COST (POSTPAID IN U.S.A. ONLY)...\$25.00

from 3 feet to infinity.

New! ARGUS Model C3 With Built-in Flash Synchronizer

With Built-in Flash Synchronizer
For brilliant fast action shots under any lighting conditions. This new Model C3 incorporates a built-in flash synchronizer that synchronizes the shutter and flash.

A fast lens, the Cintar f:3.5 triple Anastigmat, plus a fast shutter, with speeds from 1/5th to 1/300th second (plus "bulb" position), assures perfect "action stopping" pictures. The built-in coupled range finder assures accurate focusing from 3 feet to infinity.

ACCESSORIES MAKE GRAND GIFTS PH9630—DeLuxe Eveready case of top grain cowhide for Argus C3. Shpg. wt. 2 lb. PH9614—As above, but for Argus C2. Either Case, YOUR COST EACH (Not Post-

paid) \$4.49
PH9634 DeLuxe photo flash attachment case for Argus C3 reflector, battery case and attachments. Shpg. wt. 2 lbs.
YOUR COST (Not Postpaid) \$1.98

### ARGUSPAN Pine Grain Film For Argus "M"

And All Makes of Bantam Cameras



Only film of this type will provide the exact characteristics required to insure perfect exposures when using the model M according to directions Provides 12 1x11/2" or 24 1x3/4" exposures. (Dufay color provides 12 and 24 respectively.

PH3200-ARGUSPAN Regular black and white..... 35° PH3201—ARGUS Dufovcolor color film

PH9487 C-77 Portrait Lens. EACH. \$1.00 PH9537 C-78 Copying Lens. EACH. 1.00 ALL ABOVE POSTPAID IN U.S.A. ONLY. COMB. SUNSHADE AND FILTER HOLDER PAGE 35

is desired you save \$1.50 by ordering-

Portrait and Copying Attachments

YOUR COST COMPLETE.

\$10.00

LENS ACCESSORY KIT
For Models C, C2 and C3
For "C" series cameras. Complete Kit
contained in beautiful Cordovan leather
case that holds 2 rolls of film as well
as accessories. May be purchased complete or each item separately.
No. Part Description EACH
PH9546 C60 Lens Shade \$2.00
PH9542 C61 2x Yellow Filter 1.25
PH9543 C62 3t Gruen Filter 1.25
PH9544 C-63 4x Yellow Filter 1.25
PH9545 C-64 5x Red Filter 1.25
PH9916 C-65 Leather Case 2.75
PH9916 C-65 Leather Case 2.75
If the Complete Kit to the above 7 items
is desired you save \$1.50 by ordering-

LENS ACCESSORY KIT


**World Radio History** 





BABY BROWNIE SPECIAL! Molded in tough plastic. White molded push button shutter release and winding knob. black molded body. Molded beat push molded body. Molded wire with the state of the body braided handle also gats as a site who body. Braided handle also gats as a site who body prevent accidental opening of care while carrying it. Fixed locus menical while carrying it. Fixed locus menical while carrying it. Fixed locus menical policies. Makes 8 pictures 1.56 x2½. State of the state of t

BABY BROWNIE REGULAR







### AGFA Shur-Shot" Special

Deluxe models of the Shur-Shot take excep-Deluxe models of the Shur-Shot take exceptional pictures and are beautiful and rugged. Take 8 full-size or 15 to 16 half-size pictures on the same roll of film. With built-in portrait lens and Built-in Yellow Filter. Have two brilliant finders.

\*\*H1665 - Model B2. Takes 8 pictures 21/xx31/4" or 16 13/px21/4" on B2 (120) roll film. List Price \$2.95 YOUR COST POSTPAID IN U.S.A.. \$2.51

PH1666 Model D6. Takes 8 pictures 21/2x41/4" or 15 21/gx21/2" on D6 (116) roll film. List Price \$3.35 YOUR COST \$2.85

### **KODAK Bullet Camera**

A most intriguing little picture maker. Built A most intriguing little picture maker, built on folding-camera principle but with an ingenious spiral mount instead of a bellows. Lens comes out to picture-taking position with a single turn. Picture size: 15/821/2 inches. (Uses No. 127 film.) Meniscus lens. Shutter has snapshot and bulb actions. Molded construction, raised ribbing, glossy black finish. Has eyelevel finder and removable back for Quick Loading.

PH1550-List Price \$2.00 SHIPPED POSTPAID 

PH9665 Leather case for above with strap. List Price 85c YOUR COST......79°


### **KODAK Brownies**

The widely known, easy to use box cameras that produce 8 excellent pictures.

PH1558—Six-16. Regular Diway lens. Picture 2½x4¼". Includes Portrait lens. \$2.77 List \$3.25 YOUR COST....

PH1559—Six-20. Jr. Meniscus lens. Picture size 21 4x314" (No. 620 film).
List \$2.00 YOUR COST.....\$1.70

PH1557—Six-20. Regular Diway lens. Picture 214x314". Includes Portrait lens. \$2.43
List \$2.85 YOUR COST.....\$2.43 ALL SHIPPED POSTPAID IN U.S.A. ONLY







### **EASTMAN KODAK SIX-20** BULL'S EYE CAMERA

As modern and up-to-the-minute as the world of tomorrow. This new Eastman Kodak six-20 Bull's Eye Camera makes unusually fine and clear "album size" 2½/43/4" pictures. And it is so simple to operate that even a child can take good pictures. Just sight and snap and your photo finisher will do the rest. You get 8 pictures on a standard roll of No. 620 film which is obtainable everywhere. The camera is very sturdy with its durable wear-resisting case molded of glossy black plastic. The carrying handle is braided and all metal is plated and polished. Has tubular spy glass view finder. The Meniscus lens is fixed focus for objects from 8 feet to infinity. Instantaneous and time action shutter.

List Price \$2.75
PH1527—YOUR COST
POSTPAID IN U.S.A.
PH9633—Fabric carrying case with shoulder strap. List \$1.10. YOUR COST.......98c modern and up-to-the-minute as the

### **ALL METAL Candid Camera**

• Spevar F:7.7 Achromatic Lens

This All Metal Case Candid Camera is offered at a price that has never before been equalled! Spevar F:7.7 Achromatic 2-element lens; four diaphragm openings at f:7.7, 11, 16 and 22; time and snapshots; fixed focus—no guessing of distances; telement distances the distance of the statement of the stat scopic finder; steel body; takes 16 pictures 11/4x15%" on standard 127 film. Guaranteed for one year. SHIPPED POSTPAID IN U.S.A. ONLY.

PH1725-List Price \$3.95 YOUR COST..... \$1.95

PH1724-Same as above but with Meniscus lens and 1 diaphragm opening. List \$1.25
YOUR COST—
POSTPAID IN U.S.A.

98°

PH9660 - Eveready Carrying Case for either of the above cameras complete with shoulder strap. List \$1.00 YOUR COST POSTPAID IN U.S.A.

**World Radio History** 

### KODAK Six-16 and Six-20 **Brownie Specials**

Strikingly new in appearance, compactness

# MILLIONS Choose THESE AMERICAN FAVORITES

### AGFA'S FAMOUS "CLIPPER" CAMERAS


These remarkable cameras have already established an enviable reputation for themselves. They employ the well known "candid" principles of compactness and

"candid" principles of compactness and ease of operation. But most important of all they do make really fine pictures. Pictures that are large enough for your album without enlargement 2½x2-1 16". You get 15 of them to a standard size PD-16 (616) roll of film.

The Clipper is very sturdily constructed and beautifully finished. Bellows are eliminated by the use of an extension tube the same principle used in the most expensive candids. The built-in optical direct view finder provides a brilliant image and a hinged back makes loading of film very easy and simple. loading of film very easy and simple. The steel body is covered with a specially designed wear resistant material of attractive whipcord design.

Two models available, difference being

\$4.50



### **FALCON-FLEX**



**ROLLS TWIN 620** 



The camera with the full size view finder. Takes the popular  $21/4 \times 21/4$ " square picture that eliminates the need for turning the camera on its side in order to fit a horizontal picture. Takes 12 pictures on a standard 8 exposure roll of No. 120 (B-2) film. Two types of lenses are available. Both are equipped with stop openings and a shutter for both time and instantaneous exposures. American made and fully augranteed. 

A beautiful candid type camera that takes 16 album size pictures  $2^14x1^5$ g" on a standard No. 620 size roll film. The Rollax lens is mounted in a shutter having both time and instantaneous positions. The camera body is of aluminum with a built-in optical view finder. The bakelite back is fitted with a fully cushioned pressure plate. A built-in tripod socket is also provided.

No focusing is necessary with the fixed focus lens thus assuring accurately focused pictures at all times within the range of the lens. A specially designed Eveready Carrying Case with shoulder strap is furnished with each Rolls Twin 620 Camera. This case is so made that the camera need not be removed from the case to take a picture. Merely drop the hinged front of the case and you are ready to 

Eastman precision construction makes these new

Two new Agfa cameras that take pic-tures anytime and anywhere. Detach-able flash units take any type bulb and

require 2 pen-lite batteries.

Model 82 Shur-Flash takes a pictures
21 x3 a" on No. 120 film 82). Has fine
meniscus lens and optical view finder.

Finished in black enamel. PH1672 Model B2 Shur-Flash less tamp 

### Vest Pocket "Jiffy" Kodak



PH9619 Cowhide Case with strap. EACH...\$1.89 PH9462-Portrait Attach-

### EASTMAN "Jiffy Kodaks"

Famous Eastman precision construction makes these new Jiffy Kodaks outstanding in value and performance. Unusual in design, these cameras are very compact when closed yet make large pictures that can be mounted in your album without enlargement. Excellent lens equipment provides wire sharp negatives that can be enlarged several fold without loss of detail. Models Six-16 and Six-20 are equipped with the "near and far" Twindar lens. All have vertical and horizontal view finders giving brilliant right-side-up images. Bellows are self extending at the touch of a button-press one button and the camera opens press another and you have taken your picture. Jiffy Kodaks are simple to use and a joy to own. The all-metal body is covered with pin seal leather and all-exposed metal is either satin-finish or highly polished. Loading the camera with film is extremely easy due to the unique construction of the back. Accessories available include a tailor fitted case of genuine cowhide and a portrait attachment that enables you to get up close for a large size image. We can also supply a complete assortment of optical glass filters and precision mounts—see page 35. PH1545—Jiffy Kodak Six-16 Series II with Twindar lens. Takes 8 pictures 2½x4¼" on 616 film. List \$8.25.

YOUR COST—POSTPAID IN U.S.A. ONLY.

PH9628—Cowhide Case with shoulder strap for above. \$2.45 PH9465—No. 7A Portrait attachment for Six-16.

95. PH9540—Six-20 Series II with Twindar lens. Takes 8 pictures 2½x3¼" on 620 film. List \$7.50.

96. 75
PH9629—Cowhide Case with shoulder strap for Six-20. \$1.95 PH9629—C





Series No. 2

The Kodak Juniors, Series No. 2, are among America's most popular favorites. Opening to picture-taking position with a single pull on the bed support, they get into action quickly and easily. Equipped with both reflecting and direct view finders, giving a choice of sighting from waist or eye level. For lens equipment, you can have either the readily focused Kodak Bimat or a single lens that requires no focusing whatever. Both are mounted in reliable shutters and are fully capable within their intended picture-making ranges. And when your picture has been taken, your camera closes at the touch of a one-finger bar release. The Six-16 models take 8 pictures 2½ x4¼" on 616 film; the Six-20 models take 8 pictures 2½ x3¼" on 620 film. Two tripod sockets. Black pin-grain covering with bright nickel trimmings.

PH1520-Kodak Junior Six-20 with Kodak Bimat lens; speeds to 1/100 second. List \$10.00.
YOUR COST \$9.00
PH1521-Kodak Junior Six-16 with Kodak Bimat lens; speeds to 1/100 second. List \$11.50.
YOUR COST \$10.35
PH1555-Kodak Junior Six-20 with single lens; snap and time adjustments. List \$7.75.
YOUR COST \$6.98
PH1556-Kodak Junior Six-16 with single lens; snap and time adjustments. List \$9.25.
YOUR COST \$6.98
YOUR COST \$3.33
PH9629 - Cowhide case with shoulder strap for Six-20 series.
YOUR COST \$1.95
PH9628 - Cowhide case with shoulder

### 

No.	Type	For Use With	Each
PH9466	6A	PH1520	95c
PH9465	7.A	PH1521	95c
PH9452	В	PH1555	64c
PH9462	13	PH1556	74c

A brand new series of Kodaks with sharp anastigmat lenses and new Kodak-made shutters. The Kodex shutter has the following speeds: 1/25, 1/50 and 1/100th second plus time and bulb. The Kodamatic shutter: 1/10, 1/25, 1/50, 1/100 and 1/200th second, time, bulb and delayedaction. The Supermatic shutter: 1 second, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/200 and 1/400th sec., time, bulb, delayed-action.

A choice of four lenses is also available including f:8.8, f:6.3, f:4.5 and a special f:4.5. All are anastigmats. Bodies of the cameras are made of aluminum afloy and covered with Kodadur (f:4.5 "special" models are covered with pin seal leather). All have waist-level as well as eye-level optical finders, push-to-open and push-to-close bed-release buttons and body shutter releases, and two tripod sockets.

Type Lens	Lens Mt. Diameter	Type Shutter	Model Six-20	List Price	YOUR	Model Six-16	List Price	YOUR
F:8.8 F:6.3 F:4.5	33 mm.	Kodex Kodex Kodamatic	PH1563 PH1564 PH1565	\$14.50 17.00 25.00	\$13.05 15.30 22.50	PH1567 PH1568 PH1569	\$16.00 19.50 29.00	\$14.40 17.55 26.10
F:4.5 Specio	1 ‡	Supermatic	PH1566	37.50	33.75	PH1570	42.50	38.25

\*Lens Mount diameter: Six-20 29 mm.; Six-16 32 mm. tLens Mount diameter: Six-20 32 mm.; Six-16 33 mm. ±Lens Mount diameter: Six-20 32 mm.; Six-16 38 mm.

	PORTRAIT A	TTACHMENTS	FOR KODA	VIGILANTS	
					EACH
Stock No.	Type No.	For Use	With		
5110450	C 8	DMIESE	DMIEAA	DIMIERO	
PHY45U	OA	. , , , . FFI 1303	FFIIJOO	FF11300	
PHOALL	6A		PH1564		
1117400		D143 F 4 2	DIATECT	DMITTO	
PH9465	7A				
DIMOATA	22		PH1570		1.49

CARRYING CASES FOR KODAK VIGILANTS AND MONITORS
Sheath Style
Eveready Style

Sheath Style
Heavy bridle leather sheath style case with hand and shoulder strap.
PH9651-For Six-20's.
PH9652-For Six-16's. Each....\$2.49

Eveready Style
Heavy bridle leather eveready style
with hand and shoulder strap.
PH9647 - For Six-20's.
YOUR COST
PH9648-For Six-16's. Each. \$3.89

### KODAK MONITORS Six-20 and Six-16

KODAK MONITOK
Kodaks with double exposure prevention,
automatic film stop and exposure counter.
Regular f: 4.5 lenses equipped with Kodamatic Shutters having speeds of 1/10,
1/25, 1/58, 1/100 and 1/200th seconds,
bulb action and delayed-action timer.
Special f: 4.5 Anastigmat lenses have
Supermatic Shutter and speeds of 1 second, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100,
1/200, and 1/400th seconds, bulb action
and delayed timer. All have waist level
and eye level optical view finders. Two
tripod sockets.

PH1571—Kodak Monitor Six-20 with f:4.5 lens (diam.-32 mm.) and 5-speed Kodamatic shutter, List \$30.00, YOUR COST
POSTPAID IN U.S.A.....\$27.00

PH1572-Kodak Monitor Six-20 with f:4.5 Special lens (diam.-32 mm.) and 9-speed Supermatic shutter.
List \$42.50. YOUR COST...
PH1573-Kodak Monitor Six-16 with f:4.5 lens (diam.-38 mm.) and 5-speed Kodamatic shutter. List \$35.00.
YOUR COST
POSTPAID IN U.S.A..
PH1574-Kodak Monitor Six-16 with f:4.5 Special lens (diam.-38 mm.) and 9-speed Supermatic shutter. List Price \$48.50.
YOUR COST
POSTPAID IN U.S.A..
PH9450-Type 5A Portrait Attachments for





PERFEX Forty-Four - An AMERICAN Legder

Now, at last, you can buy a truly fine 35 mm. candid camera that is entirely American made. And, what is more, it is priced low for so splendid an instrument. Every worthwhile feature is incorporated in this fine camera including a coupled range finder, an exposure meter, a focol plane shufter, a flash synchronizer, etc. The lens is a fully corrected Anastigmat available in both f:3.5 and f:2.8. Lenses are interchangeable with telephoto and other types as desired. An automatic film transport advances the film exactly one exposure each time and automatically cocks the shutter. The local plane shutter provides speeds from I full plane shutter provides speeds from 1 full second to 1/1250 second and has provision for bulb operation. Both the correct shutter speed and diaphragm setting are easily determined by means of a built-in

easily determined by means of a built-in exposure meter.

The case is of die-cast aluminum covered with leather and trimmed with altractive chrome plate. The camera body measures 5-9/16x1-9/16x2-23/32 inches and weighs approximately 22 ounces. The camera uses standard 35 mm. film in either 18 or 36 exposure rolls for both black and white or full color.

PH1775 Perfex 44 with 13.5 Anast lens YOUR COST POSTPAID \$37.50 IN U.S.A. \$7.50 PH1776 Perfex 44 with super speed 1:2.8 Anastigmat lens YOUR COST POSTPAID \$47.50 PH9688 Eveready Case for above cameras. YOUR COST ... \$5.00
ACCESSORIES MAKE EXCELLENT GIFTS
PH8023 Flash Unit consisting of reflector, socket and battery case with attachments. Less bulb and batteries.
YOUR COST ... \$6.00 PH9594 Lafayette Combination Sun-shade and Filter Holder for either of the above cameras. YOUR COST \$1.98 PH9583 Latayette Precision Filter Mount. YOUR COST.

LAFAYETTE Optical Glass Filters For use in sunshade and mount listed above. 75c Red (A) PH9473 Portrait lens to fit above mounts



The latest American made super-speed candid camera at a price within the reach of everyone. Incorporates features usually found only in the most expensive foreign made cameras, including: shutter speeds from 1/20 to 1/1000 second; built-in photoflosh synchronizer; automatic film transport coupled with the film winding knob to prevent double exposures; automatic exposure counter; brilliant parallax correcting view finder; focusing by 17 graduations from 18 inches to infinity. Uses quick loading, economical 35 mm, film (36 exposure rolls), Weighs 18 ounces and measures 5 7/16x2½x13%". Polished aluminum case with genuine leather covering. Furnished with fine TRICOR f:3.5, 35 mm. focus lens. \$25.00 PH1832 YOUR COST, POSTPAID IN U.S.A. PH9687—Eveready cowhide carrying case for above...

PH9687—Eveready cowhide carrying case for above....\$4.49
PHOTO-FLASH UNIT: Attaches to above in a jiffy. Consists of a chromium plated reflector, battery case, flashbulb housing and attachment clip. Less battery ond bulb.

PH8025—Shpg. wt. 3 lbs. YOUR COST.........\$4.84
PH1971—75 mm. fi-3.5 Mercury Telephoto Lens.....\$21.50
PH9248—Mercury Rapid Winder—just a press of a finger and you're ready for the next shot. Easily attached....\$2.50
PH9538—Mercury Lens Shade for fi-3.5 model.....\$1.00
PH9539—Mercury Lens Shade for fi-2.0 model....\$1.95
Film For Mercury Cameros (include postage)
Type 18 exp. EACH 36 exp. EACH
ULTRAPAN S.S. PH3405 39c PH3402 49c
MICROTOMIC PH3404 34c PH3401 44c
ULTRACHROME PH3403 29c PH3400 39c

49c 44c 39c MICROTOMIC ULTRACHROME DUFAYCOLOR PH3400 PH3072

**MERCURY Exposure Meter** 

A unique, highly accurate and easy-A unique, nighty accurate and easy-to-use exposure meter for the Mercury camera. A compact extinction type that mounts firmly on the standard equipment clip. It eliminates costly guesswork by checking illumination accurately. accurately.
PH2725—YOUR COST \$2.00 Languages





EACH


Designed and manufactured by the most famous American maker of photographic equipment these "easy-on-the-pocket-book miniatures" are outstanding values in the camera market. Modern American methods make possible fine precision construction at a price anyone can afford to pay. And this same precision construction makes these new 35 mm. models capable of producing excellent results in both black-and-white and full natural color. natural color

natural color.

Three models are available offering a choice of three lens speeds; each lens is mounted in its companion shutter. All models have metal bodies covered with fine pin seal grain leather. Top and bottom plates are in satin finish chrome. All models include a folding optical type eye level view finder that provides a brilliant upright image; finger tip focusing from four feet to infinity by means of a revolving lens mount; an automatic exposure counter that keeps you informed of the amount of film left in the camera; a film centering and locking device. In addition to these features the f:3.5 and f:4.5 models incorporate double exposure prevention that makes it pracdevice. In addition to these features the f:3.5 and f:4.5 models incorporate double exposure prevention that makes it practically impossible to take two pictures on the same film or to forget to wind the film between exposures; automatic shutter setting that winds the shutter for you each time you set the camera for the next exposure; and delayed action that gives you time to get into the picture yourself. In other words these new miniatures are complete including every feature you need to make pictures that you will treasure your whole life. need to make pictures that you will treasure your whole life. PH1540—With Kodak Anastigmat Special f:3.5 lens, Kodamatic shutter with 5 speeds to 1/200th second and delayed action. List Price \$33.50

\$30.15 YOUR COST POSTPAID IN U.S.A. ONLY. PH1539—With Kodak Anastigmat f:4.5 lens, Diomatic shutter 4 speeds to 1/150, delayed action. List Price \$24.50 YOUR COST

YOUR COST
POSTPAID IN U.S.A. ONLY
PH9450 Portrait Attachment for above cameras (5A)....95c
PH1538—With Kodak Anastigmat f:5.6 lens and Kodex shutter
3 speeds to 1/100 second. List Price \$14.50
YOUR COST POSTPAID IN U.S.A. ONLY
\$13.05 \$13.05



### Miniature SPEED GRAPHIC

The Gift of Gifts!

A favorite with press photographers and the camera most amateurs hope some day to own. Versatility plus! Includes two shutters focal plane and Compun with built-in focal plane shutter flosh syn-hronization; genuine leather double extension bellows smooth acting helical gear and rack focusing; interchangeable lens boards; ground glass focusing tadditional range finder focusing optional); wire frame finder and tubular finder with parallax adjustment and interchangeable lens matching masks. Uses plates, cut film or film packs 2½ "x3½". Has rising and falling front and 9" bellows extension. Shutter speeds from 1 full second to 1 1000 second. PH1826 -2½ x3½" Speed Graphic with 4½" f:4.5 Kodak Anastigmat lens. With 1 cut film holder or 1 plate \$99.90 holder. YOUR COST

POSTPAID IN U.S.A. ONLY.

PH1830 Same as PH1826, but includes a Kalati internally coupled range finder. List Price \$138.00. \$124.20

POUR COST POSTPAID IN U.S.A. ONLY.

PH1825 Same as PH1826 but with 43%" f:4.5 Bausch & Lomb

YOUR COST POSTPAID IN U.S.A. ONLY .... 124.20
PH1825 Same as PH1826 but with 49% ft.4.5 Bausch & Lomb
Tessar Lens. YOUR COST
POSTPAID IN U.S.A. ONLY
PH1831 Same as PH1825, but includes a Kalart internally coupled range finder. List Price \$143.00.
YOUR COST POSTPAID IN U.S.A. ONLY
Write for data on Mendelssohn Speedgun Synchronizer (as

illustrated).

### ACCESSORIES MAKE WONDERFUL XMAS GIFTS

PH9360 21/4x31/4" Graphic Press Cut Film Holder. EACH 52.48
PH9361 2 4x31" "Graphic Film Pack Adapter. EACH... \$4.28
PH9661 Grain Leather Carrying Case for 21/4x31/4" Speed
Graphic and 6 film holders. YOUR COST \$8.98

### Series B GRAFLEX A Favorite for Many Years

A Favorite for Many Years

Famous as the camera that lets you see the picture right side up right up to the moment that you snap the picture. Full size ground glass focusing accounts for the many prize-winning action stopping pictures that this camera is famous for Focusing with the actual taking lens entirely eliminates parallax difficulties. The dependable Graflex tocal plane shutter provides a choice of 25 shutter speeds from 1 5th to 1 1000th second. And a razor sharp 1:45 Kodak Anastigmat lens assures brilliant negatives that make "contact quality" enlargements.

A rotating back permits instantaneous changeover from vertical to horizontal subjects or vice versa. Designed for use with standard film packs or the economical cut film, it permits a wide choice of negative material. A unique cut film magazine permits loading 12 films within a single holder this holder is available as an accessory as listed below. Two sizes of this series of Graflex cameras are available—a 21x314" size and a larger 31xx414" size.

PH1828-21x314" Series B ervelving back GRAFLEX, 512" (1:4.5 Kodak Anast, lens and film pack adapter \$1.90 PH1829-31x444" Series B GRAFLEX with revolving back and 614" 1:4.5 Kodak Anastigmat lens and film pack adapter. YOUR COST POSTPAID IN U.S.A. ONLY

ACCESSORIES MAKE WONDERFUL XMAS GIFTS

### ACCESSORIES MAKE WONDERFUL XMAS GIFTS

PH9363 Graflex 214x314" Cut Film Magazine (12 septums) YOUR COST PH9365 Graflex 31/4x41/4" Cut Film Magazine (12 septums) \$12.95 YOUR COST PH9364 Graflex 21,x31, Cut Film Holder, EACH PH9366 Graflex 31,x41, Cut Film Holder, EACH

### A GRAFLEX-MADE

All of the important features incorporated in the larger camerus made by Graflex are also incorporated in this extra compact National Graflex. Full size right side up ground glass focusing; fast and dependable focal plane shutter; automatic film course, and slow, are just a few counter and stop; are just a few of the many outstanding features of this remarkable camera.

### Fast B & L Tessar Lens

The lens is the fast, sharp cutting f:3.5 Bausch & Lomb Tessar capable of making brilliant negatives. Shutter speeds up to 1 500th second are available. A combination that will stop accommunition that will stop ac-tion and provide perfect expos-ures even under adverse lighting conditions. Picture size of 21/4x 21/2" is amply large for use with-out enlarging.

### Precision Construction

Entirely "American made" and precisely built of the finest materials, this is a truly outstanding picture maker A built-in exposure guide and micro-focuser add to ease of operation.



### MINIATURE CAMERA

PH1827 National Graflex Series II with 75 mm. 1:3.5 Bausch & Lomb Tessar lens. Speeds to Lomb Tessor lens. Speed to 1 500 sec. T & B.\$78.75

PH9702 Sportsman's Carrying Case (plush lined). PH9338 Direct View Finder. \$4.49

EACH

PH9490 Sun Shade, EACH \$1.39

PH2482 Accessory Self Timer, for both delayed exposures and slow speeds from 10 sec. EACH \$3.59

PH9491 Copying Attachment working distance 18"). Ea. \$2.49

PH9492 Copying Attachment working distance 12"). Ea. \$3.29

Wratten Filters in mount: PH9493 K.1 Lt. Yellow | PH9494 K.2 Md. Yellow | PH9495 X.1 Lt. Green | PH9496 X.2 Md. Green | PH9497 Sky Filter | PH9498 A Red | PH9499 G Orange | 1 Each s3.19

\$3.59



YOUR COST
PH9603 Heavy cowhide, velour lined case
with strap. YOUR COST
\$3,95
PH9404 Focar supplementary lens for better portraiture perspective and telephoto
work with double extension cameras.

PH1785 9x12 cm. (3½x4-11/16") Lafayette Foldex Camera. Zeiss Tessar f:4.5 lens (diameter 42 mm.) With ground glass back, 3 plate holders and film pack adapter. \$59.95 Shpg. wt. 4 lbs. YOUR COST....

PH9602 Heavy cowhide velour lined case with strap. YOUR COST ... \$3.95 PH9461 Focar supplementary lens for better portraiture perspective and telephoto work with double extension cameras. (42 mm). YOUR COST ... \$2.49

Shpg. wt. 5 lbs. \$36.95 Shpg. wt. 5 lbs. YOUR COST ...

### EXTRA PLATE AND CUT FILM HOLDERS

For 6.5x9 CM. Cameras

For 9x12 CM. Cameras

### FOTH DERBY CAMERAS (Illustrated at top right)

lightweight precision weighing less than 12 ounces and measur-ing only 4\%4x2\%4x1\%". These fine mini-cameras use the latest type delayed action focal plane shutter with speeds up to 1/500 second. Rapid lenses make possible excellent finished results. Large tube sight excellent finished results. Large tube sight view finder facilitates finding of subject. Finely ground lenses produce negatives that will permit enlargements of contact print quality. The Foth Derby takes 16 exposures on standard vest pocket (No. 127) film. 15/8x114/\*. Shutter speeds provided are: from 1/25 to 1/500 second. time and bulb. Front lens focusing with calibrations clearly engraved on a polished metal ring. Genuine leather bellows with spring actuated struts for suport when extended. Sturdy formed allumout when extended. Sturdy formed allumout when extended. port when extended. Sturdy formed aluminum body with grained leather covering. With cable release and full instructions.

Two models of this famous camera are available differing only in the speed of the lens. All other features are the same. PH1730-Foth Derby Mini-Camera with 1:3.5 Foth Anastigmat lens. Lens diameter \$19.35 29 mm YOUR COST.....

PH1731—Foth Derby Mini-Camera with 1:2.5 Foth Anastigmat lens. Lens diameter, 29 mm. YOUR COST.....

Portrait attachment for either above. PH9481-YOUR COST EACH......\$1.38

ABOVE SHIPPED POSTPAID IN U.S.A.

PH9690 Eveready case of top-grain cowhide with flat front. "Supersewn". Has carrying and shoulder straps. For either of the above models. Shpg. Wt. 1½ lbs. YOUR COST ......\$2.98

### SUPER SPORT DOLLY

Takes either of two popular "album size" pictures. Employing No. 120 film it will make either 12 exposures 2½x2½" or 16 exposures 1½x2½" in size. A coupled splitimage type range finder sets the lens for an accurately focused picture every time. It definitely eliminates the loss of pictures because you forgot to set the lens or esti-mated the distance incorrectly. A table or chart on the back of the camera gives the hyperfocal distance of the lens which tells you just how many feet are in focus at you just how many feet are in focus at various diaphragm settings. The extra fast Schneider Xenar f:2.8 lens together with the Compur shutter (speeds from 1 second to 1/250th second) makes it possible for you to take pictures even under adverse lighting conditions. And a delayed action setting on the shutter permits you to get into the picture yourself.

PH1528—Super Sport Dolly as described YOUR COST \$67.50 POSTPAID IN U.S.A.

PH9615 Eveready Carrying Case for above camera. Wt. 2 lbs. YOUR COST.....\$6.95

PH1734—Super-Sport Dolly without range finder. Meyer Trioplan 1:2.9 lens in Compur shutter. Lens diameter. 33 mm. YOUR COST POSTPAID IN U.S.A.

PH9612-Cowhide Case for above....\$1.95

### VEST POCKET DOLLY

A miniature version of the Super-Sport Dolly. (Does not have range finder). Takes 8 exposures 11½x2 or 16 exposures 1½x21½" or standard No. 127 (V.P.) film. It has a fine Corygon f:3.5 lens in a Compur shutter with speeds from 1 second to 1/300th second plus Time and Bulb positions. Lens diam. 29 mm. The all-metal body is covered with attractive and duroble lecthes. with attractive and durable leather.

PH1735 YOUR COST POSTPAID IN U.S.A. \$26.55 PH9616 Leather Case for above. EA., \$1.95



# EXPOSURE METERS

### FOR PERFECT NEGATIVES







### **WESTON Junior Meter**

A more corport model at a price well within your rach. Are casily adjusted calculator forms part of the meter dial where it is asily read. Calculation merely involves the setting of the "light reading" over the "emulsion speed" value and a range of seventeen different shutter speeds with corresponding aperture stops can be read directly. Shutter speeds run from 1/1000 second to 60 seconds. Aperture values from f:2 to f:32. Film speeds from .7 to 200 Weston are provided for. Operation is extremely simple, in fact the meter can be used with one hand. Like all Weston products this one too is ruggedly built to give many years of satisfactory service. The meter movement has jewelled bearings and the outer case is of molded bakelite. the outer case is of molded bakelite.
PH2703-YOUR COST \$12

\$13.95 POSTPAID IN U.S.A.......
PH9904—Leather Zipper Case

### DE JUR Exposure Meter

The Dejur Exposure Meter is shaped to fit the hand for one hand operation. It is easy to read because of the large legible scale and easier to use. Readings are based 

### PHOTRIX S. S. Meter

A very compact and extremely sensitive photo-electric cell exposure meter for both still and movie cameras. It is suitable for both artificial and natural light. The photo-cell is recessed so as to be shaded from the "sky light" for greater accuracy outdoors. The calculator is calibrated for Scheiner and Weston film speeds from 11 to 38 Scheiner, and 1.5 to 800 Weston. Dia-physical populations in half stoos from fil.5 to to 38 Scheiner, and 1.5 to 800 Weston. Diaphragm openings in half stops from f:1.5 to f:36 and exposure times from 1/2000th of a second to I full minute. The meter scale is calibrated for quick accurate reading. The smooth streamlined case is of molded bakelite and equipped with an attractive neck cord. Complete easy-to-understand instructions are furnished with each meter. structions are furnished with each meter. PH2718—YOUR COST POSTPAID IN U.S.A. ONLY. \$16.88

Leather zipper carrying case. PH991S-YOUR COST



### DUREX Meter For Still & Cine

A very compact - vest m tr of the xtinction yee. Very any to use. Can be operated with one hand easily. It is calibrated in Weston

calibrated in Weston speed ratings and can o used under a wide ange of lighting conditions there will list or natural daylight with equal accuracy. It witable for both black and white and full natural color photography. Overall dimensions on 1 x x 5 16" hadde of the new durable and attractive plastic Polystyrene it weighs a mere 2 ounces. A handy and attractive molecular plastic crass of Blue Tenite is furnished at no enter characteristic and turnished with each meter. Operation is a laple that you only need read the instruction at the color of the color of



### **UNIVEX Exposure Meters**

UNIVEX Exposure Meters
Two types — one especially
designed for still cameras—
the other for movie cameras.
Both are extinction type
meters and cover practically
all film speeds and diaphragm settings. Molded of
durable black plastic with
matching molded cases having screw top covers. Easy to
use with all necessary intormation engraved right on
the meter. SHIPPED POSTPAID IN U.S.A. ONLY.
PH2712—Still.
PH2713—Cine.
\$1.95

### PHAOSTRON **Exposure Meter**

A radically new and different exposure meter in which a known light source is compared with the unknown. Comparison is easily made and very accurate. Eliminating the use of an electrical current measuring meter it is very sturdy and durable. Covers a wide range of film speeds and exposure times and

# a firm foundation for good work

### American-Made **All-Metal Tripods**



Designed especially for portable use, these all-metal tripods are extremely compact and very use, these all-metal tripods are extremely compact and very sturdy. Head is constructed to precision standards and finished in bright chrome, Upper leg sections are black enameled, lower sections polished brass. Each section is fitted with retractable pins to lock sections. Tripod

4 Section Tripod A Section Tripod
A remarkably fine four section
tripod. Reversible head with
stud for American type cameras
on one side and European type
on other. Closed 15½" Open
48½". Shpg. wt. 4 lbs. \$2.19
PH8552 YOUR COST
PH9921—Carrying Case .....98c

5 Section Tripod Extends from 1614" to 5812". Similar to four section model. Shpg. wt. 5 lbs. PH8551 YOUR COST \$3.95

PH8551 YOUR COST
PH921 Carrying Case ... 98c
7 Section Tripod
Where extreme compactness is
desired this model will be found
ideal. Closed 111½", extends to
481½". Similar in other respects
to the above models. Shpg wt.
4 lbs.
PH8565 YOUR COST
4.89

PH9922 Carrying Case 986 Rubber Tips. Set of 3 for all tri pods. PH9217 YOUR COST 106


### **New! Lafayette Aluminum Tripods**

A tripod that is different! Easy to handle because it is compact. Steady as the rock of Gibraltar because it is designed right. Easily adjusted because of its new sure-grip clutches. Adaptable for indoor or outdoor use because of its reversible tips. Attractive in appearance because of its special "anodized" finish.

dired" finish.

No effort was spared to make this one of the most outstanding tripods on the market today. Made of aluminum, it is conveniently light, yet is exceptionally sturdy and rigid. A new type of "sure-grip" clutch device will permit adjustments of the tripod at any desired height, yet will not scratch the metal. Top head is also of heavy aluminum and is broad enough to support view cameras. It is also so beveled as to permit free panning action. By a practical screw arrangement, the tripod can stand on either rubber or speared tips. Finished by ANODIZING—a hardening and finishing process which prevents scratches and abrasions and adds to its beauty!





The tripod you can carry in your pocket. Clamp it anywhere and there is your tripod, tilt-top and all. Can also be used as a tilt-top on a standard tripod. Clamp lined with felt. Shpg. wt. 2 lbs.

PH8601 YOUR COST ... \$1.19


Tilt-Top For use with any camera and tripod All metal heavily nickeled. Felt pad to protect camera.

Winged set screw fastens top securely in

any position. Shpg. wt. 2 lbs. PH8616 YOUR COST.







Illustrated above is the Thalhammer Thrity Senior fitted with PH8614 see below) Pan and tilting head. It is light enough for your miniature and sturdy mough for your 5x7". A specially designed die-cast top and thoroughly seasoned hardwood assure absolute rigidity. Exclusive "Surefoot" feet offer instant choice of either soft rubber padsor sharp claws. Extends to 62 closes to 33". Wt. 6 lbs. PH8568 Thrifty Senior complete

PH8568 Thrifty Senior complete with Pan-head.
YOUR COST. \$14.85 PH8569 Tripod alone.\$7.65 PH8614 Pan-head alone. \$9.00

PH9925 Carrying Case Thrifty-10

A somewhat lighter model Se-lected seasoned wood lacquered. Metal parts baked black enamel.
"Surefoot" feet. PH8613 (see below) pan-head. Extends to 60" closes to 32". Shpg. wt. 4 lbs.
PH8570 Complete with Pan-\$9.00 YOUR COST PH8571 Tripod alone. YOUR COST

PH8613 Pan head alone. \$4.95 PH9925 Carrying Case



### ROYAL Tilt-Top

A remarkable, easy to use tilt-top, all movements of which are controlled by the handle alone-Heavy enough to be used with the larger amateur motion pic-ture and etill compares. Smooth the larger amateur motion picture and still cameras. Smooth in operation with positive lock at any position. Stud fits all American type cameras. Can be used with any make tripod Beautifully made of accurate die-castings and machined brass. Brightly polished chrome plate. Colored plastic handle. POSTPAID IN U.S.A. \$5.85



Precision construction and perfect design make this one of the finest Tilt-tops ever offered. Velvety smooth in operation with positive one hand lock at any position. Smooth "panning" control eliminates "jerky" unsteady pictures. Graduated scale at base greatly simplifies making "pan" shots in sequence with a still camera. Has standard stud for American type cameras. Attractively finished in brightly polished chrome. Wt. 3 lbs.

PM8617—YOUR COST Precision construction and per-

### VICEROY Tilt-Top

Made of steel and brass plated with rust resisting polished nickel. Precision workmanship. Very attractive substantial Catalin handle. Easily and quickly set and locked at any position. Smooth panning action at any angle. May be used with any tripod. Has standard American style stud to fit any experience. style stud to fit any camera. Especially designed for use with miniature cameras of any make. Excellent precision con-struction and fine material.


PH8619 YOUR COST . . . \$2.49



### "TILT-RITE" Tilt-Top

truly remarkable value in an all-around tilt-top suitable for 

# Get the Best out of Your Camera



### Lafayette Mounts and Filters for Still Cameras

New precision made mounts that greatly simplify the changing of filters and portrait Jenses. They snap securely into position yet are easily removed. Can be adjusted to take care of slight variations in camera lens sizes from the standard sizes listed below.

### FILTER MOUNTS ONLY

Type A will take 25 mm. filters and portrait lenses; type B 32 mm.; and type C 39 mm. See listing below for filters and portrait lens.

Stock		Stock		Stock	
No. Type	Diam.	No. Typ	e Diam.	No. Type PH9585 C	Diam.
PH9574 Å	21 mm.	PH9580 B	28.5 mm.	PH9585 C	37 mm.
PH9575 A	23 mm.	PH9581 B	29.1 mm.	PH9573 C	39 mm.
PH9576 A	24 mm.	PH9582 B	30 mm.	PH9586 C	42 mm.
PH9578 A	25.5 mm.	PH9583 B	32 mm.		
PH9579 B	27 mm.	PH9584 B			
Type A Liste YOUR COST	Above- EACH	69°	Type B o	and C Above-COST-EACH	89°

### 25 Millimeter OPTICAL GLASS FILTERS

PH9504—Light Yellow (K-1)
PH9505—Medium Yellow (K-2)
PH9512—Light Green [X-1]
PH9512—Light Green [X-1]
PH9529—Orange (G)
PH9529—Orange (G)

### 32 Millimeter OPTICAL GLASS FILTERS

PHYSIS-LIGHT Tellow (K-1)	PHYS 18 - Medium Green	(A-Z)
PH9516-Medium Yellow (K-2)	PH9519 Red (A)	
PH9517 Light Green (X-1)	PH9549 Orange (G)	75
Any type listed above YOUR C	OST-EACH	/3

### 39 Millimeter OPTICAL GLASS FILTERS

PH9508—Light Yellow (K-1)	PH9510 Medium Green	(X-2)
PH9509 - Medium Yellow (K-2)	PH9511 Red (A)	
PH9514-Light Green (X-1)	PH9568 Orange (G)	95°
Any trena listed whoma VOIID Co	OCT FACU	43

# SAYMON



### Combined Range Finder and Exposure Meter

Made in America by Saymon-Brown, this new instrument combines a range finder with the equally necessary exposure meter. Precision made and highly accurate the range finder measures any distance from 2.6" to infinity with the last calibration before infinity at 300". The exposure meter gives information direct without requiring any "setting" before or after use. Complete with case.

\$6.75 PH9329YOUR COST POSTPAID IN U.S.A.

Range Finder only. Same as the above but without the exposure meter feature. With Case.
PH9330-YOUR COST POSTPAID IN U.S.A. ONLY.

4.75 PH9331-Bracket to attach either model to camera...

### **New! Lafayette Combination Sunshade** and Filterholders

Made of strong yet light duraluminum. Precision made to exacting specifications they effectively shield the lens from light flare but do not cut into the picture area even at minimum aperture values. They are also designed to hold the Lafayette Optical Glass Filters (or any similar type) and the Lafayette Portrait Attachment Lenses and are so made that filter glasses can be easily changed. Type A takes 25 mm. filter, type 8 32 mm. and type C 39 mm.

No. Type	Diam.	No. Type	Diam.	No. Type	Diam.	
PH9587 Å	23 mm.	PH9592 B	29.1 mm.	PH9597 C	37 mm.	
PH9588 A	24 mm.	PH9593 B	30 mm.	PH9598 C	39 mm.	
				PH9599 C	42 mm.	
		PH9595 B				
DLIGEOT D	20	DMOEGA C	26			

### FILTER AND LENS POUCH

Will hold six of the optical glass filters listed on this page Convenient method of carrying and protecting filters.
PH9223 YOUR COST.

### SPECIAL GIFT COMBINATIONS

Combination consists of one of the combination Latayette Sunshade and Filter Holders, one medium yellow, one red. one orange and one medium green filters. and a Latayette Lens Pouch as described above. Be sure to specify size of sunshade desired. Refer to listing above to see which filter size must be purchased.

SPECIAL COMBINA-Filter Size

Stock No.

Regular Value TION PRICE

25 mm. 32 mm. PH9444 PH9445 \$4.69 4.98 \$5.18 5.47 7.78 Portrait Attachment Lenses (Fit plain and combination mounts)
PH9472-25 mm., 45c PH9473-32 mm., 49c PH9474-39 mm., 65c



**De JUR** RANGE FINDER

### The Range Finder With the Brighter Image

A new design permits a much brighter image than is available in A new design permits a much brighter image than is available in most range finders. This extra light makes it possible to focus far more accurately and with much less eye strain. In addition, the extended eye piece simplifies the centering of the image and does not permit extraneous light to enter the viewing lens. Larger and sharper focusing methods assure more exact and easier focusing. The range scale is from 2 feet 6 inches to infinity with the last calibration before infinity at 300 feet. Instrument comes complete with a sling, a genuine cowhide case and accessory brackets. Made in U.S.A. and fully guaranteed by the manufacturer. PH9336 Defur Range Finder.



Lafayette Lens Cleaner Special neutral solution that contains no soap or alkali. 1 oz. bottle. PH9229 EACH .

Lafayette Lens Tissues Especially made for cleaning lenses. 50 pages 4x6"
PH9219 EACH

Lafayette Safety Straps Screw into tripod socket.
Braided.
PH9225 Wrist Strap ... 29c
PH9226 Neck Strap ... 59c



lopes and a set of index cards, Any Size.....

### ECONOMY ACCESSORIES

Beautiful levant grain cases Beautiful levant grain cases made of one piece and sturdy enough to withstand years of service. Snap-on hinged tops. In three sizes; No. 1 for 35 milimeter and Bantam negatives; Ido. 2 for vest pocket (127) negatives; No. 3 for No. 116 and No. 120 negatives, All provided with 100 superfine glassine envelopes and index cards. Short

**Negative Files** 

with 100 superfine glassine envelopes and index cards. Shpg. wt. 3 lbs.
PH9409—Size 1
PH9410—Size 2
PH9411—Size 3
EACH

STATE PROJECTS 1
PH 100 superfine glassine envelopes and index cards. Shpg. wt. 3 lbs. Extra packets of 100 glassine envelopes plus index cards. PH9412—For size No. 1. PH9413—For size No. 2. PH9414—For size No. 2. PH9414—For size No. 3. PH9414—For size No. 3. PH9414—For size No. 3. Iupes and a set of index cards. Any Size



### **Negative Preservers**

Why take the chance of ruin-Why take the chance of ruining your negatives? Pictures of loved ones that you may never again be able to take. These film envelopes are especially designed to protect film negatives. They do not contain any harmful oils or chemicals that might affect the film emulsion. "Thumb-cut" for added convenience when handling negatives.

tives.			
		YOUR (	COST
Stock	Env.	Per	Per
No.	Size	100	200
PH9429	23/4×23/4"	39c	69c
PH9430	23/4×33/4"	39c	69c
PH9431	33 4×43/4"	49c	89c
PH9432	41/8x51/8"	54c	98c
PH9433	51/8x71/8"	79c \$	1.44
	- 76 70		

# Still Camera Film



ROLL AND PACK FILM



Verichrome is an excellent orthochromatic film with a double coating to guard against over and under-exposure. Super XX is a fast panchromatic film that is extremely sensitive making possible successful pictures even under poor lighting conditions. Panatomic X provides extremely fine grain for perfect big enlargements.

	SHIPPED	POSTP/	AID IN U.S	A. ON	LY.		
	Verich	ome	Panator	nic X	Super	XX P	on.
Size	No.	Each	No.	Each	No.		ıch
127	PH3114	23c	PH3123	27c	PH310		
620	PH3115	27c	PH3124	32c	PH310		
616	PH3116	32c	PH3125	36c	PH310		
120	PH3117	27c	PH3126	32c	PH310		
116	PH3118	32c	PH3127	36c	PH310		
124	PH3119	41c				-	
130	PH3120	41c			04-04-1-1		
118	PH3121	41c					
122	PH3122	50c					35
100	KODAK E				1-11-		

KODAK Film Pock (12 Exposures)

520 is 2	1/4x31/4"; 518	is 31/42	41/4"; 541 is 9x12 c	m.; 523 is 4x5"
	Verich	rome	Super XX Pan.	Panatomic X
Size	No.	Each	No. Each	No. Each
520	PH2912	54c	PH2900 63c	PH2903 63e
518	PH2913	90c	PH2901 \$1.08	PH2904 \$1.08
541	PH2914	99c	PH2902 \$1.17	PH2905 \$1.17
523	PH2915	\$1.04	PH2911 \$1.26	PH2906 \$1.26

Agfa is acknowledged as a leader in the manufacture of fine film emulsions. ALL AGFA FILM SHIPPED POSTPAID IN U.S.A. ROLL FILM

				KULL	PILM			
Plenc	chrome	The c	all grou	nd fav	orite for	all cam	OFGC	
	PH3300				01 30c			20
110-	PH3303	35c	611	-PH33	04 35c	12	2 PH330	55c
Fast	and Par	chrome	atic Film	ns-For	speed a	nd color	halance	
Siz		Super		er Pan			Fino-	Any
212		enachr		preme				
107 4							Pan	Type
127 (		PH330		H3339	PH33		H3336	27c
	(B2)	PH331		H3340	PH33	28 P	H3337	32c
620 (	PB20)	PH331	il P	H3341	PH33	29 P	H3338	32c
116	[D6]	PH331	2 P	H3342	PH33	2.5		36c
616	(PD16)	PH331	3 P	H3343	PH33	20		36c
122 (		PH331						
122 (	307							59c
		FILE	M PAC	CKS (	12 Expo	sures)		
520 i	s 21/4 x 31	4" - 5	18 is 31	4×41/4"	- 541 is	9x12 cm	- 523	e 4v5"
	Super P	lena-	,	*****		Pan		
Size	chron		Each	6 Fo		eme	Each	6 For
520	PH29		63c	\$3.5		946		
							68c	\$3.83
518	PH29		1.04	5.8			1.13	6.38
541	PH 29		1.13	6.3	B PH2	948	1.26	7.14
523	PH29	39	1.17	6.6	PH2	949	1.35	7.65
			Sup	er Pa	n Press			
520	PH294	2 4						
						2943	1.13	6.38
541	PH294	4 1.	26 7.	14 5	23 PH	2945	1.35	7.65



Supplied in two types: Express Superchrome and Panchromosa. Both types are double coated to insure the widest latitude in conjunction with extremely high speed. Express Superchrome is orthochromatic; Panchromosa is sensitive to all colors of the visible spectrum. Average shpg. wt. 1 lb.

FAMOUS	GEVAERT	ROLL	AND	PACK FII	LM	
wo types: Ex-	Express Supr	erchrome	Ro	II Film (8 exp.)	Pan	chromosa
ome and Pan-	No.	Each	Type	Size	No.	Each
th types are	PH3275	17c	G27	15/ax21/2"	PH3280	22c
to insure the	PH3276	19c	G20	21/4×31/4"	PH3281	24c
	PH3277	24c	G16	21/2×41/4"	PH3282	27c
e in conjunc-	PH3278	24c	G616	21/2×41/4"	PH3283	27c
tremely high	PH3279	19c	G620	21/4×31/4"	PH3284	24c
Superchrome		GEVAE		Film (12 expos		
atic; Panchro-	PH2955	40c	P20	21/4×31/4"	PH2960	50c
ve to all colors	PH2956	70c	P18	31/4×41/4"	PH2961	85c
spectrum. Av-	PH2957	80c	P41	9x12 cm.	PH2962	95c
t. 1 lb.	PH2958	89c	P23	4x5''	PH2963	\$1.05

KODAK BANTAM FILM
For Kodak Bantam cameras and Argus Model M cameras.
PH3000-FX828. Panatomic X. 8 exposures 23 EACH
PH3002-XX828, Super XX. 8 exposures 2 for 45c
NEW KODAK 35 MM. FILM
PH3003-FX135. Panatomic X. 36 exposures <b>86°</b> EACH
PH3005-XX135, Super XX. 36 exposures 2 for \$1.71
PH3014—FX135, Panatomic X, 18 exposures 54°
PH3016-XX135, Super XX, 18 exposures EACH
The state of the s
KODAK BULK 35 MM. FILM-271/2-Ft. LENGTHS
PH3024 Panatomic X. In can\$2.25
PH3025—Super XX. In can\$2.25
KODAK BULK 35 MM. FILM-50-Ft. LENGTHS
PH3026-Panatomic X. In can
PH3027—Super XX. In can\$3.60
ALL KODAK FILM LISTED ABOVE POSTPAID IN U.S.A.
ONLY.

Refilis Only (36 Exposures)
PH3009—Express Superchrome. EACH.
PH3010—Panchromosa. EACH
UNIVEX MERCURY FILM (Include Postage)

18 exp. PH3403 PH3404 36 exp. PH3400 PH3401 EACH Description EACH Ultrachrome 39c 29c 34c 44c Microtomic Ultrapan S.S. PH3402 PH3405 





	-
AGFA 35 MM. FILM	
ALL AGFA FILM IS SHIPPED POSTPAID IN U.S.A. ONLY	
Description 36 exp. Each 20 exp. Each	
Ultra Speed Pan. Contax PH3050 90c	
Ultra Speed Pan. Leica PH3051 90c PH3066 59c	
Superpan Supreme. Contax PH3052 90c	
Superpan Supreme, Leica PH3053 90c PH3067 59c	
Finopan. Contax PH3054 90c	
Fine Grain Plenachrome. Leica PH3056 81c PH3069 54c	
PH3057-Special for Argus. Superpan Supreme, 18 exp., 45c	
AGFA BULK 35 MM. FILM-271/2-Ft. LENGTHS	
PH3058-Ultra Speed Pan, notched, In can\$1.62	
PH3059-Superpan Supreme, notched. In can\$1.62	
AGFA BULK 35 MM. FILM-55-Ft. LENGTHS	
PH3064 Ultra Speed Pan, notched. In can\$3.15	
PH3065—Superpan Supreme, notched. In can\$3.15	
AGFA MEMO 35 MM. CARTRIDGES	
For the new Memo "double frame" and the old Memo	
"single frame" cameras. Provide 24 double frame or 48	
single frame exposures.	
PH3060 Ultra Speed Panchromatic EACH	
PH3061 Superpan Supreme	
PH3061 Superpan Supreme 59°	
PH3063-Fine Grain Plenachrome, EACH54c	
DUPONT 35 MM. FILM (Postpoid in U.S.A.)	
PH3035-Superior Pan for Leica, Argus, etc. 36 exp77c	
PH3034—Superior Pan for Leica, Argus, etc. 18 exp50c	
PH3036 Superior Pan for Contax. 36 exposures77c	
PH3041 Fine Grain Parpan for Leica, Argus, etc. 36 ex-	
PH3040 Fine Grain Parpan for Leica, Argus, etc. 18 ex-	
posures	
PH3042—Fine Grain Parpan for Contax. 36 exposures77c	
PH3037 Infra red film cartridge for Leica	
PH3038—Infra red film cartridge for Contax	
PH2030 2714 ft notched bulk Superior Dan	
PH3039271/2 ft. notched bulk Superior Pan 1.62	

### MOVIE, and CUT FILMS

### EASTMAN KODAK MOVIE FILM



Wide exposure latitude coupled with precision processing by Eastman technicians is the basis for Eastman popularity. Both black and white and full color Kodachrome film is processed free.

16 Millimeter Film

100 Foot	Rolls		50 Foot 1	Rolls
No.	EACH	TYPE	No.	EACH
PH2850	\$4.05	Safety Film		
PH2852	5.40	Super X Pan	PH2851	\$2.93
PH2854	6.08	Super XX Pan	PH2853	3.38
PH2856	8.10	Kodachrome	PH2855	4.28
PH2858	8.10	Kodachrome A	PH2857	4.28
Standard I 8 mm. F			50 Foot 11	
No.	EACH	TYPE	No.	EACH
PH2869	\$1.80	Panchromatic		
PH2868	2.03	Super X Pan	PH2876	\$3.15
		Super XX Pan	PH2877	3.60
PH2870	3.38	Kodachrome	PH2878	4.50
PH2871	3.38	Kodachrome A	PH2879	4.50
ALL A	BOVE FILM	SHIPPED POSTPAID	IN U.S.A. ON	LY



### DUPONT 16 MM. Regular Film



### AGFA 8 MM. Movie Film

TWIN EIGHT HYPAN REVERSIBLE provides greatly increased resolving power, brilliance, sensitivity and is balanced for both 



### KIN-O-LUX 16 MM. Movie Film

No. 1 is for general use; No. 2 is fine grain, semi-chromatic, faster than No. 1; No. 3 is Super Sensitive Panchromatic with a full color range.

No. 1-Green Box			
PH2830-50-Foot Roll.	6	-	00
YOUR COST	-	А	.80
PH2831 -100-Foot Roll			.\$2.70
No. 2—Red Box			
PH2832 50-Foot Roll.			25

YOUR COST. 2.25 PH2833-100-Foot Roll No. 3—Lavender Box

-50-Foot Roll. \$3.15



### **GEVAERT 8 MM. Movie Film**

For maximum speed use Panchro Super Reversal. For unbelievably fine grain use Panchro Micro-grain. For a good orthochromatic outdoor emulsion use Ortho. All are standard double-eight to fit most cameras—pre-scored for easy separation. Processed FREE.

Stock No. Type Panchro Sup. Rev. Panchro Micro Weston Rating EACH 24-Day 16-Tung \$1.79 12-Day 8-Tung 1.79 16-Day 6-Tung 1.59 PH2897 PH2898 Ortho



### AGFA CUT FILM

Isopan for greater speed, finer grain, Super-pan Press for speed. Triple S Pan is a fast portrait film. Isopan Film (New Type)

Stock		Cartor	1 6	Cartons
No.	Size	of 12		For
PH4032	21 4x31 4"	45c		\$2.39
PH4031	21/2×31/2"	45c		2.39
PH4033	6.5x9 cm.	49c		2.49
PH4034	31/4×41/4"	68c		3.69
PH4035	9x12 cm.	81c		4.79
	Super Pan	Triple	Ctn.	6 Ctns.
Size	Press	SPan	of 12	For
21/4×31/4"	PH4043	PH4036	49c	\$2.49
21/2×31/2"	PH4042	PH4040	49c	2.49
6.5x9 cm.	PH4044	PH4039	58c	3.19
31 4x41/4"	PH4045	PH4037	76c	4.19
9x12 cm.	PH4046	PH4038	89c	89
COLUMN TO			- 100	1000



### DEFENDER CUT FILM

XF Ortho is a fast orthochromatic film especially suited for press photographers, XF Pan Press and XF Pan are panchromatic.

XF Ortho

6 Cartons	Stock		Carto	n 6	Cartons	Stock
For	No.	Size	of 12		For	No.
\$2,39	PH4058	21/4×31/4"	41c		52.19	PH4008
2.39	PH4057	21 2x31/2"	41c		2.19	PH4007
2.49	PH4059	6.5x9 cm.			2.39	PH4009
3.69	PH4060	31/4×41/4"	59c		3.19	PH4010
4.79	PH4061	9x12 cm.	72c		4.29	PH4011
Ctn. 6 Ctns.		XF Pan	XF	Ctn.	6 Ctns.	
f 12 For	Size .	Press	Pan	of 12	For	Size
49c \$2.49	21/4×31/4"	PH4062	PH4050	45c	\$2.39	21/4x314"
49c 2.49	21/2×31/2"	PH4066	PH4054	45c	2.39	21/2×31/2"
58c 3.19	6.5x9 cm.	PH4065	PH4053	49c	2.49	6.5x9 cm.
76c 4.19	31/4×41/4"	PH4063	PH4051	68c	3.69	31/4×41 4"
89c 89	9x12 cm	PH4064	PH4052	81c	4.79	9x12 cm.
001	40 11				ALL	
THE STATE OF THE S	OR FI	IM FO	RST		CAM	FRAS
					AL IVI	



### EASTMAN CUT FILM

Portrait Pan for fine gradation. Panatomic X for fine grain. Super XX for maximun speed and color sensitivity.

Panatomic X

Stock		Carton	1 6 (	Carton
No.	Size	of 12		For
PH4008	21 4×31/4	" 45c		\$2,39
PH4007	21/2×31/2	" 45c		2.39
PH4009	6.5x9 cm	. 49c		2.49
PH4010	31 4×41 4	' 68c		3.69
PH4011	9x12 cm	. 81c		4.79
	Portrait	Super	Ctn.	6 Ctns.
Size	Pan	XX	of 12	For
21/4×314"	PH4000	PH4012	45c	\$2.39
21/2×31/2"	PH4004	PH4016	45c	2.39
6.5x9 cm.	PH4003	PH4015	49e	2.49
31/4×41 4"	PH4001	PH4013	68c	3.69
9x12 cm.	PH4002	PH4014	81c	4.79
ALC: UNKNOWN BOOK				



### DUFAYCOLOR FILM

ALL DUFAYCOLOR FILM SHIPPED POSTPAID IN U.S.A. ONLY Film Pack (8 exposures)

Type	Similar	to Sto	ock No.	Siz	9	EACH
FP20	520		H2950		31,4"	\$2.75
FP18	518 541		H2951		41/4"	4.50 5.00
FP41			H2952	9×12		
Type	Similar to	Im (6 exp Stock No.		EACH	PH5060-	r Manual
27	127	PH3250	15/8×21/2"	\$0.90	YOUR CO	ST 25c
20	120	PH3251	21/4×31 4"	1.25	Dufaycolo	
M20 16	620 116	PH3252 PH3253	21/2×41/4"	1.25	Developin PH2621—	g Kit
MIA	616	PH3254	21/2×41/4"	1.75	FACH	\$1.50

**Dufaycolor Film for Miniature Cameras** 

33 mm. daylight loading Dufaycolor film cartridges. For all types of miniature cameras, 18 exposures. SHIPPED POSTPAID.

PH3070-For Leica, Argus, Marvel, Kodak Retina. \$1.40 ea.



### 35 MM KODACHROME FILM

Price includes processing at Eastmon Laworatories. 18 exposures. PH3022-K-135-For use in day-light or in artificial light with special filter. \$2.25

PH3023-K-135A—For use in artificial light without filter or daylight with filter.

YOUR COST 2.25

BANTAM KODACHROME For Bantam and similar cameras. PH3020-K-828—For daylight.

PH3020-K-828—For daylight.
PH3021-K-828A — For Artificial light.
EITHER TYPE EACH.
KODACHROME IS POSTPAID IN U.S.A.





Daylight type can be used in arti-ficial light with filter. Prices include processing when 3 or more films are sent at one time to Eastman, POSTPAID IN U.S.A. Kodachrome for Daylight.

Stock			C	arton
No.				of 6
PH4078	$-21/4 \times 31$	/a"		\$3.51
PH4079	-6.5x9			
PH 4080	-31 4x41	A		4./3
PM4081	-9x12 c	m		5./6
W 4				
Koaacn	rome ''i	TOP	Art.	Light
DM 4003	2121	/ **		23 21
LU4007	-21,4x31	4	!	33.31
DHARGS	-6.5x9 d			2 92
LUANOS	-b.oxa c	m		3.03
PHANGA	-31/4×41	. 11		4 73
PH4085	_9x12 c	TTD.		5 76



Make 8mm Movies At less than snapshot cost

### EASTMAN KODAK CINE EIGHTS

Model 60

The fast, sharp f:1.9 Anastigmat lens employed in the model 60 Cine-Kodak Eight makes possible splendid movies even with very little light. This ultra-fast lens focusses accurately on all subjects from 2 ft. to infinity. The camera is sturdy and compact, for easy handling. Its precision built mechanism and interchangeable lens assures. and interchangeable lens assures wide versatility. An optical view finder is built into the folding handle. Covered in attractive

leather. PH2006 - Model 60, less case, List \$67.50 YOUR COST . \$60.75 PH2000 Model 60 complete with compartment case. YOUR \$70.65

ALL EASTMAN CINE-KODAK EIGHTS SHIPPED POSTPAID IN U.S.A.


Models 20 and 25

Similiar to model 60 but have fixed focus lenses of lower speed. Powerful motor, automatic footage in dicator, full vision view finder and locking release button that permits taking your own picture.
PH2010 Model 20 with f:3.5 Angs-

tigmat lens.
List\$29.50. YOUR COST. \$26.55
PH2011 - Model 25 with f:2.7 Anas-

tigmat lens.
List\$42.00. YOUR COST \$37.80 List\$42.00. YOUR COST > 1.00 Cowhide carrying case for above. With hand and shoulder straps. Wt. 2 lbs. PH9627 EACH \$2.89 Eveready Type cowhide case for above. With shoulder strap. Wt. 3 lbs. PH9639 EACH \$5.98 Filters for Cine-Eights PH9521 - Yellow Filter \$9c PH9455 - Portrait Attachment 74c

Kodachrome Filters
PH9534 Haze Filter S1.39
PH9535 Photoflood Filter 1.39
PH9536 Type A Daylt. Filtr. 1.39



### **UNIVEX Cine Cameras**

"WORLD'S FAIR" MODEL: New, improved models featuring: fully corrected high speed lenses; supplied with sunshade: interchangeable lens mount; powerful, dependable, and quiet running spring motor; built-in through the camera optical view finder; special shutter automatically compensates for sky alarse and always expenses for sky alarse and always expensive. inder; special shuter dutomatically com-pensates for sky glare and always stops in closed position, snaplock hinged cover. Excellent for use indoors with photofloods. Attractively finished in antique bronze with chromium trim. A sturdily built and com-pact camera that stands-out as a truly remarkable buy!

PH2002-Univex Camera with f:4.5 lens Shpg. wt. 4 lbs. \$14.77 PH2004—Univex Camera with Wollensak 1:3.5 Anastigmat lens. Shpg. \$21.27 wt. 4 lbs. YOUR COST.....

### Special Low Priced Model A-8

Similar to the above, but has f:5.6 lens and has attached frame view finder in place of the through the camera unit.

PH2003-Shpg. wt. 4 lbs. YOUR COST.

FILM: In standard (or orthochromatic) and Ultra-Pan (panchromatic). In spools of 30 feet, for daylight loading.

PH2825 Standard PH2826-Ultra-Pan

TELEPHOTO LENS: 1-Inch f:3.5 lens at a real low price. Gives double magnification; ideal for sport shots or for portraiture. Fits all models. PH1970 YOUR COST. \$10.72

Eveready case with shoulder strap for any of the above cameras. Wt. 2 lbs.

PH9689—YOUR COST........\$1.89



### FILMO Double 8 Cameras

Since 1907 Bell and Howell have been Since 1907 Bell and Howell have been famous as manufacturers of quality motion picture equipment used in professional studios in Hollywood and other film producing centers. All ot the knowledge gained in producing this equipment has been utilized in the design of the popular Filmo Double 8 Cameras. Smallest and lightest of personal movie cameras, they are also the simplest to operate. Film can be loaded in daylight in a few moments. No careful. the simplest to operate. Film can be loaded in daylight, in a few moments. No sprockets to thread and no loops to torm. A rotary shutter gives accurate, uniform exposure. Four speeds available, depending on the model selected. Lenses are f:3.5 and f:2.5 amply fast for all normal work, including color film. In addition, a single frame exposure device permits making cartoons or trick titles. Case is of die-cast aluminum alloy. Provisions have been made to permit alloy. Provisions have been made to permit the use of other lenses; masks are attached to the view finder for use with 1 inch and  $1\frac{1}{2}$  inch lenses.

and 1½ inch lenses.

PH2065—Filmo "Companion" (134-G) with f:3.5 lens, four speeds: 8/16/24/32 frames per second.

\$49.50

BOTH ABOVE POSTPAID IN U.S.A.

A complete listing of popular 8 mm. home movie subjects will be found on page 43.



### **KEYSTONE K-8 Cameras**

Clear, bright, "professional-type" pictures are easy to take with these fine Keystone cameras. Use standard low cost 8 mm. flim, either black and white or color-

cameras. Use standard low cost 8 mm. flim, either black and white or color.

The model K-8 has been especially designed for your needs. It has all the teatures necessary to make sharp, clear pictures, yet is simple to operate and very sturdily built. The fully corrected high speed lenses are of the universal type with fixed focus that is correct for both close-ups and distant shots. An exposure chart is fastened to the face of the camera where it is always handy and provides a ready means for determining the correct setting for various lighting conditions. A powerful spring motor has sufficient reserve power to take several long scenes with a single winding. Three speeds are provided: normal, s-1-o-w motion and fast. An automatic footage indicator keeps track of the amount of film exposed film is left in the camera. Either the standard 25-foot double length of film or the new 30-foot single length can be used. The camera measures only 65-fex 234x134" and weighs only 1 lb. 12 oz.

PH2026-Model K-8 with f:3.5 lens. List \$26.50 YOUR COST \$23.85

PH2027 Model K-8 with f:2.7 lens List \$34.00 530.60 YOUR COST ...

BOTH MODELS SHIPPED POSTPAID IN U.S.A.

PH9642 Cowhide carrying cas shoulder straps for above models. YOUR COST ... ..... \$2.29

PH9641—Eveready de luxe carrying case for above models. YOUR COST.......\$3.98



### 16 MM. Magazine Cine-Kodak

Film is supplied in 50-foot magazines which slip right into the camera. Footage indicator shows amount of unexposed film remaining. Magazines can be removed from camera when partly or totally exposed. Three shutter speeds; 16, 32 and 64 frames per second. Kodak Interchangeable f:1.9 lens. "Pulse" button posts you on the length of your shots. List \$117 50. POSTPAID.

PH2007-

\$105.75 

### Model K 16 MM. Camera

Loads in a jiffy with 50 or 100 foot rolls of black and white or full color Kodachrome. Simple to operate, dependable and efficient. Has fast Anastigmat f:1.9 lens suitable for use under all light conditions. Can be oper-ated at half speed as well as normal speed. Tootage indicator shows amount of unex-posed film remaining. Handy exposure guide shows proper lens opening for vari-ous light conditions. Both eye-level and waist-level view finders are provided.

SHIPPED POSTPAID IN U.S.A. ONLY. PH2009 List \$80.00. \$72. 572.00 

### Model E 16 MM. Camera

A low cost, high quality Cine-Kodak that's inexpensive to own and operate. It features: Kodak Anastigmat f:3.5 lens; fixed focus to insure clear, sharp pictures from a few feet to infinity; three speeds: normal, intermediate and s-l-o-w motion; dual footage indicators; eye-level optical view finder; extremely simple loading and threading; powerful spring motor with folding winding handle on the side of the camera. Case provided with sturdy carrying handle. Can be used with either black and white or full color film. SHIPPED POST-PAID IN U.S.A. ONLY.

PH2008—Model E. List \$39.50. \$35.55 YOUR COST. Carrying case for above. 9H9617—Shpg. wt. 3 lbs. EACH..... \$6.95

### FILMO 141-A 16 MM. Camera

Ideal camera for beginners and for those who take movies only occasionally, and at the same time giving advanced workers the features they most desire in a camera. Film for the model 141 comes ready-threaded in a sealed cartridge holding 50 foot. It's the Kodak film MAGAZINE with built-in footage dlal, and is available in black and white or in full color Kodachrome. Among the important features are: PROJECTED AREA VIEWFINDER that is positive in action. It permits no shifting of the field when the operator's eye wanders from the center of the eyepiece. FOUR SPEEDS at 8, 16, 24 and 32 frames per second. SINGLE FRAME EXPOSURE: push the starting button up and a single frame is exposed. This device permits making of animated cartoons and titles. The starting button is guarded against accidental contact. and may be locked up to keep the

camera in operation. GOVERNOR, precision type, maintains correct speed throughout the run. POWERFUL SPRING provides for 12½ feet of film per winding. EXPOSURE GUIDE built into the side of the camera tells correct lens setting for every light condition. ROTARY SHUTTER assures uniform exposure. Size: 1-15/16x3\%x5\%".

Filmo 141-A with Taylor-Hobson 2.7 lens. \$115.00 1-inch f:2.7 lens. YOUR COST.... SHIPPED POSTPAID IN U.S.A. ONLY.

Compartment case for above. Of top grain cowhide. Holds camera and two 50-foot magazines. POSTPAID IN U.S.A. ONLY. PH9645-YOUR COST ....

Sheath case for camera only. Top grain cowhide. With strap. POSTPAID IN U.S.A. ONLY. \$4.50 PH9646-YOUR COST



NOTE: We can supply you with any Bell and Howell equipment not listed here. Please write for prices.

A splendid series of 16 mm. cameras suitable for use with black and white or full color film. All have the following features: WOLLENSACK LENS, universal focus with mechanical iris; DAYLIGHT LOADING,—camera may be loaded in broad daylight; INTERCHANGEABLF LENS MOUNT—to be set to any type lens; EXPOSURE CHART showing how to adjust lens to various light conditions; VISUAL FOOTAGE INDICATOR showing exact length of exposed film: MONOCUexact length of exposed film; MONOCU-LAR VIEW FINDER built right into the camera; SPRING MOTOR withstands severe service and winds like a clock; AUDIBLE FOOTAGE INDICATOR to deter-

**KEYSTONE 16 MM. Cameras** 

MODEL A-3, THREE SPEEDS: Has f:3.5 lens and three speeds: nor-

mal, intermediate and s-l-o-w motion. \$27.95 

Cowhide carrying case for any of the above models.
PH9637-YOUR COST.....



Irwin 16 MM. Magazine Film Price includes processing and reel.
"Ortho" is for daylight use. "Pan" is supersensitive for universal use.
Feet "Ortho" EACH "Pan" EACH 30 PH2810 \$1.09 PH2812 \$1.69
40 PH2811 1.39 PH2813 1.98

Irwin Dufaycolor Film
Prices Include Processing
PH2800-30 ft. YOUR COST....\$3.79
PH2801-40 ft. YOUR COST.... 4.69
SHIPPED POSTPAID IN U.S.A.


### IRWIN 16 MM. Magazine Loaders

CENTURY MODEL: Cheaper to operate than a snapshot camera—and you get living pictures! This smart model (not illustrated) features: f:4.5 achromatic lens; optical spy-glass finder; footage indicator; powerful spring motor. Uses standard Irwin film. Fin-ished in black and chrome.

with carry strap.
PH2053—
PH2053—
YOUR COST
S11.79
PH9601-Case for above \$1.90
IMPERIAL MODELS: Shown.
Latest models. Have all features of the Century, plus
f:190° flag type shutter; 6
diaphragm stops; Anastigmat lenses; sunshade on lens; built-in view finder. PH2051-f:4.5 lens.

YOUR \$19.95 COST.
ALL IRWIN CAMERAS ABOVE
POSTPAID IN U.S.A. ONLY.
Leather case for above
models. POSTPAID.
PH9650 YOUR COST \$3.15

# FAMOUS 8M M PROJECTORS GIVE LIFE LIKE CLEAR PICTURES



### FILMO 8 MM. PROJECTOR

Not just another movie projector but a real projection machine that provides brilliant theater-quality pictures equal in sharpness and clearness to those shown in the finest motion picture theaters. It is especially designed to meet the requirements for successful use by the amateur. Among its many outstanding features is the complete film protection that greatly increases the life of your films. They cannot be scratched by the projector because the picture area of the film never contacts the mechanism. All film guidance is by the edges of the film and a specially designed shuttle minimizes perforation wear.

Rrilliant Illumination

### Brilliant Illumination

Brilliant illumination is obtained by a direct lighting system employing a 400 or direct lighting system employing a 400 or 500 watt (depending upon model chosen) lamp and an extra fast i:1.6 lens. An 11 to 1 shuttle and shutter movement eliminates flicker. Fully enclosed gears drive the feed and takeup reels and there are no chains or belts exposed or used. Accurately made gears assure quiet operation and long life.

Focusing is simple and smooth and all operating adjustments are quickly and easily made even in dim light. Construction is unusually sturdy. Base and lamphouse are die cast metal and a powerful motor drives the projector and provides a powerful draft of air to cool the lamp. Capacity of the projector is 200 feet of film, enough for a 17 minute show.

PH2260—Filmo Model 122-A for 110 volts a.c. or d.c. with 400 watt lamp.

YOUR COST

POSTPAID IN U.S.A. ONLY 118.00

PH2261—Same as above but with 500 watt lamp. YOUR COST \$118.00

EXTRA PROJECTION LAMPS
PH8133-400 Watt, 115 V. EACH....\$
PH8134-500 Watt, 115 V. EACH....\$

### KODASCOPE 8 MM.

### **PROJECTOR**

A fitting companion to the very papular Cine Kodak's. Despite its reasonable price it is very efficient. A torced draft ventilation system, actuated by a powerful ractor, prolongs the life of the projection bulls and keeps the film and the mechanism cool. The bulb employed is a 300 watt projection lamp which together with the fast lens system, provides splendid pictures up to 40 inches in size. Built with great precision and each part is fitted and finished with great care. The Model 50 is easy to oporate. Anyone can thread, frame and focus this machine at the first try. It has a capacity of 200 feet of film and the film is easily rewound by motor. The projector can be operated on either d.c. or d.c. on 110 volts 25 to 60 cycles. The machine is beautifully finished in dull black and chrome. All necessary adjustments such as tilting, etc., are provided.

PH2220-Kodescope Model 50 Projector com-

PH2220-Kodascope Model 50 Projector com plete with 300 watt lamp. List Price \$39.00 YOUR COST

POSTPAID IN U.S.A. ONLY PH9826—Sturdy Carrying Case for above Shpg. wt. 2 lbs. YOUR COST ...\$3.29

### KODASCOPE EIGHT Model 70

A brand new Kodascope Eight that features, a fast f:1.6 lens, simplified threading, 3 way single control switch, and powerful A.C.-D.C. motor. All bearings are prelubricated. May be used with 300, 400 or 500 wait projection lamps. PH2221-Model 70 less lamp. List \$59.50 YOUR COST POSTPAID IN U.S.A. ONLY \$3.55 PH9827-Sturdy and handsome carrying case for Kodascope 70. List \$9.00. \$7.89

### KEYSTONE M8 AND R8 **PROJECTORS**

Made by a manufacturer who has been famous for many years as an outstanding producer of a complete line of motion pic-

producer of a complete line of motion picture equipment. These two 8 mm. Projectors are excellent values incorporating many fine features. Both have a.c.-d.c. motors for operation on either d.c. or a.c. 110 volts 25-60 cycles.

The Model M8 employs a powerful 300 watt lamp and has a fully achromatic lens that assures perfect, clear black and white or full color pictures. A highly polished reflector adds to the efficiency of the lamp by concentrating light ordinarily wasted onto the film. onto the film.

onto the film.

The entire projector is mounted on a heavy cast iron base equipped with soft padded feet. A tilting device is easily adjusted to any desired angle. Either 200 feet or as much as 400 feet of film can be used providing up to 34 minutes of entertainment with a single loading.

The projector is so designed that threading and focusing are extremely simple. Forced draft ventilation and motor rewind are provided for.

The Model R-8 is similar to the M-8 but has a faster f:1.85 lens and a more powerful 500 watt projection lamp. It, too, has a capacity of 400 feet of film.

PH2210—Model M-8 with Achromatic lens

PH2210—Model M-8 with Achromatic lens and 300 watt projection lamp. List \$39.50 YOUR COST POSTPAID IN U.S.A. ONLY

PH2211-Model R-8 with f:1.85 lens and 500 watt projection lamp. List \$55.00 YOUR COST POSTPAID IN U.S.A. ONLY 49.59

PH9816—Carrying Case for either model. Shop. wt. 2 lbs. YOUR COST......\$3.95

### UNIVEX 500 Watt Model P500

This remarkable projector throws a large brilliant picture on a screen 5 by 7 feet in size. A powerful 500 wattl tamp together with a highly polished reflector and a condensing lens provide the intense light required to accomplish this feat. The projection lens is an ultra fast f:1.6 of 1" focus. Despite this high power lighting system the projector is very cool in operation because of a powerful double inlet fan running in oiless bearings. The entire frame of the projector is of die cast metal assuring perfect alignment and long life. The forced draft cooling system is so efficient that it permits the projection of "stills." All controls are centralized on a single panel. This makes for greater operating ease.



### 8 MM. PROJECTOR

The controls provided include a speed control for the motor, a master safety switch, a separate lamp switch and a pilot lamp socket. The projector is designed for operation on either d.c. or a.c. from 105 to 120 volts. Capacity of the projector is 200 feet of black and white, or color, film.

PH2252-Univex 500 watt Projector, with lamp

and one reel YOUR COST POSTPAID IN U.S.A.


PH9803—DeLuxe Carrying Case for above.

POSTPAID IN U.S.A. ONLY PH8127-500 Watt G.E. lamp for above. YOUR COST-POSTPAID IN U.S.A.... \$3.75

# AMERICAN 16 MM PROJECTORS - FOR THEATRE







### **KEYSTONE Model A-72**

A reasonably priced is mm. Leystone Projector with a 1:3.5 linely ground and polished 2" achromatic lens. Employs a 100 wett (500 wett may be used) pre-focus lamp. Forced draft mote driven ventilation. High speed electric rewind, AC-DC motor. Copacity 400 feet it reel furnished). Very aimple to thread—single sprecket for hoth feed and take-up assuring absolute synchronization. Offset lamphouse permits ready access to film gates. Full tilt adjustment. Smooth simple forming control. Beautiful heat resistent finish with platted metal parts highly polished. List Price 544.50. Shpg. vt. 25 lbs. PH2206—Leystone Model A72 6.

Model A-75 Projector

A sturdy projector for flowless, flicker-free results. Throws pictures up to 40x52". Fea-tures include: 500 watt pre-focused lomp; ventilating fon to keep lamp. film and mechanism roof: universal a.c.d.c. motor for 115 voits 25-30 cycles; fine 1:25 achro-motic projection lens; manual frames; 400 mone projection lens, monual tramer; 400 feet coponity (I real furnished). Comes complete with film splicing kit and full operating instructions. List Price \$55,00, PH2264-YOUR COST POSTPAID IN U.S.A. ONLY. \$49.50

Model A-81 (Shown)

A super delure model that throws a picture up to 14 feet wide. Furnished with a 750 wast pre-focus lamp and a f-1.85 modiforism 2" leas fully achromatic. Other features include: forward and REVERSE projection; STIL picture framer; worm year filting device; rapid motor rewind. This beautifully designed and built projector has all the controls centralized and a pilot light in the base permits appendion in dim light. The base and lump house me heavy die controls and amplication of all modes and amplications and am ings and assure accurate alignment of all

working parts. PH2205 Model A-81. List Price \$63.50. POSTFAID IN U.S.A. ONLY. PH9811 Currying case for above models Shop, wt. 2 lbs. OUR COST. 53

### FILMO 750 Watt "FILMO MASTER"

Unquestionably one of the finest moderately Dequesionably one of the finest moderately priced 16 mm projectors on the market infinity quar driven. No belie as chains any where inside or out. The querie are silent, being fully enclosed by rigid aluminum discostings. It is requirely furnished with a 750 wait lump but may also be used with 300, 400 or 550 wait lumps where full brilliancy is not desired as required. The lens is the same 36H 2 inch f.1.6 lens that is used on all of the higher priced Bell 6 Bowell markings.


lowell machine.

32 here are in Illumination
A Magnilie Condenser is furnished with such projector. This increase the Illumination and projector. This increase the Illumination opposition of the projector of th

paceword, all action on the ecrem taking place back and.

Still Projector. Illus movement may be stooped to project any single film from a castill picture. A misty that is outend to only protects film from hard. Cap. 400 lect. 14262-111mg "16 mm. Hare Caster" Projector with 750 wait 110 V lemp, 1 m l and carrying case. YOUR COST 139.00

NOTE: We can supply Standard 16 mm. Sound Projectors on ord s. Write for prices and literature describing them in detail.



### KODASCOPE Model EE

A remarkable projector of a very law price. Throws 16 mm. picture up to 8 feet wide. Supplied with the finest Kodek fil. & lens. Eany to thread frame and focus. Extremely quiet in operation. Preverial a.c. d.c. motor, Provided with 30 till device. No belta to odjust when rewinding. Six major bearings require no ciling. Other features: tondem pull-down for steady projection; handy rewind clutch; power for cooler.

PH2215-Model EE projector with f:1.6 lens. less lamp. YOUR COST.....

Sturdy currying case for the above model.

ALL ABOVE POSTPAID IN U.S.A.

### GENERAL ELECTRIC 115 V. Projection Lamps

Finest available lamps for projectors. Highly efficient, long life and precision construction are inherent characteristics. Each lamp pre-tested before shipment Op-erate on 110-120 Volt a.c.d.c.

NOTE: 15% Discount from prices shown below when orders amount to \$5.00 or more (except on Bell and

order amount to \$5.00 or more (except on Bill and Howell projection lamps).

PH8130 00 Watt Prefects. For Ampro, Keysons A.72, A.74. B.63, D.59. \$2.20

PH8125 200 Watt Prefects. For Kodasco & 50. ER. E. J. K. Errstons L.8. A.74. A.72, B.63 and A.H.

YOUR COST EACH. 2.90

PH8126 300 Watt Prefects. For Kodasco & 50. ER. E. J. K. Errstons L.8. A.74. A.72, B.63 and A.H.

YOUR COST EACH. 2.90

YOUR COST EACH. 2.90

Halls 750 Watt Prefects. For Tystons A. E. G. L. 2.0.

YOUR COST EACH. For Tystons A. 50. OUR COST EACH. For Tystons A. 5. Cost EACH. For Call 16 mm. Bell A Hewell Projectors. 115 V.

YOUR COST EACH. 5. 5. 5. 75

PH8131 400 Watt Prefects. For call medels & mm. Bell & Howell Projectors. 115 V.

YOUR COST EACH. 5. 5. 75

PH8134 500 Watt Prefects. For call medels & mm. Bell & Howell Projectors. 111 V.

YOUR COST EACH. 5. 5. 75

PH8134 500 Watt Prefects. For call medels & mm. Bell & Howell Projectors. 111 V.

YOUR COST EACH. 5. 5. 75

PH8134 500 Watt Prefects. For call 8 mm. Bell & Howell Projectors. 111 V.

PH8134 500 Watt Prefects. For call 8 mm.

### AC-DC ZEPHYR 16 MM. Projector

Employs 200 Watt lamp: condenser lens, precision projection lens; forced draft ventilation; AC-DC motor; variable speed control. \$15.95

PH1972 til.5 3' lens for mole brilliant projection EACH 55.49 PH1973 El.0 1' lens for large pictures 58.75 Carrying Case..... \$5.79

COMBINATION OFFERI PH2653 - Century Camera \$11.79 PH2241 - Zephyr Projector, 15,95


PH2244-Total Value ...... \$27.74 SPECIAL ...... \$24.95

World Radio History

### "HOLIDAY SPECIALS" HOME MOVIE PROJECTORS







### **KEYSTONE**

**Movie Projectors** 

### Model E-829 16 MM. Projector

Model E-889 8 MM. Projector

Like above, but for all 8 mm. movies. PH2212-YOUR COST

Hand Crank Models
Same as the above, but without motor. Hand driven.
PH2216—Model E-725, 16 Millimeter.
PH2217—Model E-885, 8 mm.
YOUR COST, EITHER MODEL.
\$2.2

### Model E-848 16 MM. Projector

Model E-848 16 MM. Projector

A fine machine that has features usually associated
with projectors selling at much higher prices. Features
include: Universal A.C.-D.C. electric motor; built-in
speed control; forced draft ventilation through the
lamphouse; 3-color attachment; advance feed take-up
sprocket; reflector; concentrated filament bulb with
135-watt rating; new base with swivel for angle projection; spring belt holders to prevent loss of belts;
auxiliary hand crank; motor rewind; nickeled carrying
handle; approved attached cord and plug set. Furnished with two 200-foot metal reels (capacity 400-feet).
Full 15-minute show possible. Shpg. wt. 12 bs.
PH2206

57.49 YOUR COST

MODEL E-891 8 MM. PROJECTOR: Same as above, but \$7.49 for 8 mm. film. PH2218-YOUR COST

### Model E-853 16 MM. Projector

Model E-853 16 MM. Projector

Here is a fine projector that will please the most critical home movie devotee—yet it is priced to fit the limited budget! You can make any amateur movie maker happy, too, by presenting him with one of these machines as a holiday gift. Model E-853 provides brilliant, sharp pictures from any 16 mm. movie film, including full color movies. Among its many features are: unusual brilliancy; air-cooled Universal A.C., D.C. 110-120 volt electric motor with built-in speed control; forced draft ventilating system from motor through to lamphouse; advance feed and take-up sprockets; reflector; elevated base; lamphouse support; three-color attachment; auxiliary hand crank; spring belt retainers that prevent loss of belts; new swivel base for angle projection; special tubular projection lens; nickeled carrying handle; rubber tips on base to prevent marring of furniture. Furnished with two 400-foot metal reels; provides a 20-minute show. Has attached cord and plug set. Underwriters Approved. Sturdy all-metal construction with crackle lacquer finish. Shpg., wt. 13 lbs.

\*\*MODEL E-896 8 MM. PROJECTOR: Same as the above

MODEL E-896 8 MM. PROJECTOR: Same as the above but for 8 mm. movies. PH2219-YOUR COST



### **UNIVEX Projection Lenses**

Recommended for extra brilliance, large images and the showing of color film.

1" f:3 Standard Lens
PH1967 For Normal Use.
YOUR COST
PH1968 For maximum brilliance and large images in a large room.

34" f:1.65 Hi-Lux Lens
YOUR COST

34" f:1.65 Hi-Lux Lens

YOUR COST

34" f:1.65 Mi-Lux Lens
PH1969 For large brilliant images in a small room. Especially suited for color film.
YOUR COST


\$5.95 EACH ABOVE SHIPPED POSTPAID IN U.S.A.

### **UNIVEX Projection Lamps**

Fine quality. Have pre-focused filament and special base for Univex projectors. PH8135 Standard Lamp for Model P-8 Pro 50° YOUR COST PH8136 High Intensity Lamp for Model P-8 Projector.
YOUR COST
PH8137 Standard 125-Watt Lamp for Model
PU-8 Projector.
YOUR COST
PH8138 High Intensity Lamp for Model ALL SHIPPED POSTPAID IN U.S.A.



### IRWIN 8 MM. "Zephyr"



### **UNIVEX 8 MM. Projectors** A.C. Model P-8

An efficient 8 mm. projector that will project ALL 8 mm. film, including color film and professionally made movies which may be bought or rented. Among its features are: f:3 1" lens; forced draft ventilation; automatic rewind; separate switch for moautomatic rewind; separate switch for motor and lamp; manual framer; tilt device; easy threading; quiet operation. Fully guaranteed. Provides steady, flickerless per formance. Shpg. wt. 14 lbs. PH2250 A.C. Model P-8. YOUR COST \$16.05

Compartment Carrying Case 

CARTOONS 8 mm.	No. of Con-
TERRY TOON CARTOONS 8 mm.	100
TERRY-TOON CARTOON 550 PL	- 0.0
00 Ft. BEANSTALK JACK: Juckie climbs PH4141 the mugic stells and wins the bot- the mugic stells and wins the phant burspens PH4143	2000
BEANSTALK JACAS wins the bot-	N ESCHALA
PH4140 BEANSTALE mile and wins the mile the mile and the mile alone.  It with the gluth.  BH4142 GRAND UFROAR: What happens a hand and and and and and and and and and	
UPROAR: Whend	-
PH4142 Share the sudience the fun. PH4145	
when the mudeace of tun. of the operat loads of tun. of the operat loads of tun. HOLLAND DAYS: Former Al has a HOLLAND DAYS: Former on	
PH4144 HOLLAND DAYS: Former at the Month of	
local of chasses of the fun-	
PH4146  JUST CLOWN Dugit to the construction of the circle	
PH4146 JUST CLU In the cities of the phase o	
PH4148 PANDORA child opens the box and PH4151	
THE VAN WINELE DE STATES	
PH4150 his adventures. Merry mice and PH4155	
PH4162 THE PIRATE leg pirate. The famous PH4165	The same of the sa
INTILE BOY BLUE: I'm and her	The second
PH4164 LITTLE hym . Mary nursery hym . Mary wolf. of PH416	
lamb, Bo AND JULIET: Shades in all	The state of the s
PH4166 ROME Par! Rom o Mouse etc. Sha spl ndor-Pretty Juliet, etc. his spl ndor-Pretty Juliet, etc. 50 F	
his spl ndor pretty juliet, 8 mm	
16 mm. SEE (AUTHER) Includes actual PH41	
SEE (AUTHERITION PH41) WAR IN EUROPE: Includes actual WAR IN EUROPE: Includes actual PH41 PH4192 PH41 PH4193 PH41 PH4194 PH41 PH4195 PH41 PH4195 PH41 PH4195 PH41 PH4195 PH4195 PH4196 P	83
bombine of 1939. Corona PH41	63
PH4102 SPECIAL: Pope Pius All ph41	
PHAIRS SPECIAL: Pope Learniful. Lion Impressive Francis from Tibet; PHAI LION IMPRESSIVE NO. 1: Pandos from Tibet; PHAIRS LISSUE NO. 1: PANDOS from Tibet; PHAIRS LISS	1000
PH4122 ISSUE NO. in walkers; etc. Tranks in ac- PH4	125
lupcine NO. 4: Super Tonas balls, Per-	1000
PH4124 Human cannon Butter	127
forming Lions in Jungle,	
PH 2 15 UE Dat d vile; tc. World's PH	1124
SPEC: San Francisco	-0
PH412 SPECIAL:  PH412 SPECIAL:  PH412 SPECIAL:  PH412 SPECIAL:  PH412 SPEC:  PH413 SPEC:  PH413 SPEC:  PH414 SPEC:  PH415 SPEC:  PH415 SPEC:  PH415 SPEC:  PH416 SPEC:  PH416 SPEC:  PH416 SPEC:  PH417 SPEC:  PH417 SPEC:  PH417 SPEC:  PH418	<b>54</b>
All Diller FACE	35
YOUR COST 100 Foot Reals Above	mm.
PHAIL Sam. 50 Foot Reals Above.  ALL Sam. 50 Foot Reals Above.  TOUR COST FACH.  SPORT SUBJECTS  ALL IS ME. SPORT SUBJECTS  PROCEEDINGS (full of action).	50-Ft.
TA WITH SPURI	H4139
	H4131
	DH4133
	PH4135
PH4132 Hand Whisle, tarpon, etc.)	PH4137
	PH4171
132 134 135 136 136 137 138 138 139 139 139 139 139 139 139 139 139 139	-114772
PHALTO See Golbo Hoop). Wild West).	PH4173 PH4175
Bide Em Cowbey (Wild	PH4177
HAT Finds Your Fi hing.	PH41/9
	PH4181
HATTA Set Revels (champs and setc.).	8 mm. 50-Ft.
AND PARA	PH4155
100 Wonder City	PH4103
	PH4105
PH4102 Vertice Level (atory of little)	PH4107 PH4109
Paris the Decutiful Paris (the Empire).	PH4111
H4101 London Copilla Spots.	PH4113
H4110 America High Spots.	PH4115 PH4117
PH 12 Canada Italy The Eternal City.	PH4119
Hands and the End of the Empire). Hands and the End of the Empire). Hands and the End of the Empire). Hands and the End of the End o	PH4121
at the U.S.	PH4185 PH4187
PH 120 A Day at the Zoo. PH 120 A Day at the Capital of the U. S. PH4 4 We hington. Capital of the U. S.	PH4189
PH 120 Wa hington, Capital of the PH 184 Wa hington, Capital of the PH 186 Ball, the Paradise list. PH 188 'Firston, the Golden Gat City. PH 188 'Firston, the Golden Gat City. PH 188 'Firston the Time in Toyland.	
PH 188 Fri CO, HOLIDAY SPECIAL	PH4191
	\$1.59
PH4188 PASCO, HOLIDAY SPECIAL PH410 Christma Time in Toyland. PH410 Christma Time in Toyland. PH410 Christma Time in Above. ALL 18 mm 190-Foot Rels Above.	\$3.35
100-FOGT IV	
ALL HOUSE MACH	ws
Special Full Length Sho	available in
The state of the s	





### POPEYE THE SAILOR

POPEYE THE SALLO	"spinach-
POPEYE THE SALES.  Hildrious enties of the world famous enter.  Popeye always triumphs in the	end.
eater. Dan 11th	50-Ft. PH4200
son-Ft. Innal.	PH4204
PH4203 Pope Ve The Juck	PH4206 PH4208
pu4207 india 3 miles	1.59
PH4209 Market Heel Above.	2.98
Any 8 mm. 50-Foot YOUR COST FACH Any 16 mm EACH	7.40
Any 16 mm FACH YOUR COST EACH	OONS

### WALT DISNEY CARTOONS

Children from six to maty act am for Dinay's mail to make of course. Mickey and civilized world into many mail the acclaim quanto them. Make the kids happy 'showing' them.

th	Elus	32-	-UPV	in
DC	MAL	D.	DUCK	200

them. Mc	DONALD DUCK in	mm. 50-Ft.
16 mm.	Titl	PH4230
	The Ham Actor. Getting the Hook.	PH4234
PH4233 PH4235		PH4256

# PH4256 PH425 PH4260 PH4257 Mickey's Olympic Games. PH4259 Mickey Goes Hunting. PH4261 The Dog Catcher. PH4263 Mickey Goes Courting.

Any 8 mm. 50-Foot Reel Above. \$1.19
YOUR COST EACH.
Any 16 mm. 100-Foot Reel Above. \$2.69
YOUR COST EACH.

# CHARLIE CHAPLIN MOVIES

The little man with the trick mustache, cane and to dout feet is the reconsized laugh symbol of the world. Everyon and him and love him.

PH4280 PH4282 PH4284 PH4286 world. Every home to the land to the land

### TARZAN OF THE APES

The adventure of the jungle God will hold you spelbound no matter what your age of sex might be. Farzan is the superman who lives a danger packed life but his strength and intelligence carry him through every predicament.

packed l	ugh very predicament.		8 mm.
him thro	Title		PH4274
200-F4.	the Boy.		PH4276
PH4275	Tarzan, the Boy. Iar an to the Rescue. Tar an's Revenge.		PH4278
PM42//	1 Qovende.		89°
	50-Foot Reel Abo		
VOUR (	OOSI EACH Reel Above.	- \$1	1.59
Any 16	Bill. To age		
YOUR	COST EACH	films	cannot

NOTE: for abvious reasons, films cannot be returned for credit or exchange.




Special Full Length Shows
All a mm. 50 foot reels listed above are available in
TORR COST FER RELL
All 16 mm. 100 foot reels listed above are available
in 140 foot tull rength editions.

YOUR COST PER RELL

Full Length Shows With SOUND All 15 mile el chor ate available in 350 fool all league editions with SOUND. \$16.95

### BELL and HOWELL 8 Millimeter Titler

With the new title making unit Filmo o min came a user can film their own title with a making the filler consists of a vibration proof page tal with a title care holding year filmo 8 mm. came rath top. A research the longs. Correct streams and finders from Japanese and finders from Japanese against the consistency and finders from Japanese against and reflector for the learny. Correct and the political form and the grant of the constraint of the co PH2417 YOUR COST \$25.00








### EASTMAN KODAK 16 MM. Movie Film Enlarger

Makes large negatives (21 n414") from any frame of 8 mm. or 16 mm. black and white or Kodachrome movie film. Thus alarged negatives can be used to make primi at snapshot cost. U. No. 616 film Full instructions are furnished. SHIPPED POST-PAID IN U.S.A. ONLY PH2510—List 515.00 \$13.50





### **Movie Titlers**

A will constructed afficient litting outfit that havin be included on the account of the every home move make. It not a did of every home move make I not a did of every home move make I not a did on the included. The number of the included. The fitter is all a to with a character or yealine fine to with a character or yealine fine to with a character or yealine for account focus. With instruction, Shpg. 1. 4 lbs.
PH2409 For 8 mm. Keystone cameras.
PH2416 For Bell and Howell Double 8 mm.
YOUR COST EACH.
ANY TYPE ABOVE.

PH2415 For Bell and Howell 16 mm.

### CINE-KODAK Titler

A sturdy unit that make professional looking titles. Very easy to use. After completing your title card, place it in the titler's easel properly lighted by daylight or photofloode. The titlers auxiliary lens brings the standard lens into focus on the card. The titler comes with as I, lens mount. 100 title cards and an instruction book. For use with all 8 mm. or 16 mm. Cine Kodaks. Ship. It. 1bs. PH2407—List Price \$6.50.

### **KEYSTONE Titler**

Designed especially for use with K y tone cameras. Fade in, fade out, disolve, animated, progressive and other types of title can be made either by sunlight or artificial light. The titler cames complete with a package of mottle art paper on which titles can be typed or hand be treated to the copying lens is sealed in position to insure accurate focus. Camera lipe into position without can or clamps. Attractive browners titled in the copying lens is sealed in position to insure accurate focus. Camera lipe into position without can or clamps. Attractive browners titled in the copying lipe in the copy

PH2418 For 8 mm. Camera.
PH2419 For 16 mm. Cameras.
YOUR COST EL HER TYPE.... \$5.59

### **UNIVEX Titler**

Designed for use with the Univer "8" eight Designed for use with the Universe of Agint millimeter camera. Sturdy all-metal construction. Furnished complete with a silver pencil for writing titles and 12 black cards. SHIPPED POSTPAID IN U.S.A. \$2.50

"How To Make Movies" 

### Title Board Sets


A simple inexpensive means for producing clean here title to home movine. Enable you is not any adding title a minimum of ffort, of contain \$9.12 board with parallel greene over with black left and 100 double ing celluloid left is that fit into the groot of Alocontain alphabet comparture in for and directions. Shop, wt. 3 lbs.

PH2412 YOUR COST ... \$2.98

Similar to above, but contains. 9x12" board 104 12" metal lefters, centering board, alphabet compartment box and full directions. Shop, wt. 2 lbs.

PH2404 YOUR COST ... \$5.79

Similar to above sets, but contains: 183 32 white felt lefters, 15 die-cut silhouettes, on 14x18" background, centering board we were and alphabet box. Full directions. Shop, wt. 2 lbs. 



### Movie Film Chests

These well built, inexpensive chests solve 

PH9901 - 12-Reel Capacity. Shpg. wt. 5 lbs.
YOUR COST—
EACH

16 MM. Chests
PH9902-6-Reel Capacity. Shpg. wt. 5 lbs.
YOUR COST—
EACH

2.29
EACH

EACH PH9903 12-Reel Capacity. Shpg. wt. 10 lbs. YOUR COST \$3.25

### **Humidors and Reels for Movie Film**

Humidors are constructed of heavy gauge aluminum. Reels are made of heavy aluminum with patented sprocket feature that enables their use on all types of reel arms. 8 mm. reels have 200 foot capacity; 16 mm. reels have 400 foot capacity. PH2463 8 Millimeter Reel PH2465 8 Millimeter Humidor PH2467 400 ft. 8 Millimeter Reel EACH ... 39c PH2468 Humidor can for 400 ft. 8 mm. reel EACH ... 39c PH2464 16 Millimeter Reel ... 39c EACH

# IMPROVE YOUR MOVIES Make your own Titles




Crystal Beaded Screen

a practical scary to handle crystal beaded acreen. Absolutely no halation in front or at the aids. Reflects four times the light of a diffract screen within an analy of 25 degrees. Relief type, an a starty wood base. Has metal past support. Crystal beaded surface is 30745. Supp. wt. I has \$4.49

BEADED TABLE MODEL: As above, but with easel arone for inhis use. Without the easel, can be lung from a book or acil. Detaching the easel brace allow the error to be rolled and slowed compactly, 12×30°. Show wt. 5 lbs. List Price \$5.00 2.19

Special Silver Screen



Crystal Boaded Screen Tripod

A fine quality 30 to one and afficient crystal beaded surface Frame constructed of strong but lie have gut metal tubing Can be set up quickly and easily, and when so in use it can be folded into a next compact unit. The height of the screen is adjustable. \$12.95 YOUR COST....

PH2757 - 36x48 Crystal Boad a Tripo Screen. 15.95



DeLuxe Beaded Screen

Deluse movie acreen that employs the highly efficient "headed" reflecting surface that increases the hightness of your pictures without increasing wattons of your projection imms. It measures 30x40° and is housed in a compact, light weight carrying case that has samp lock featoners and a study carrying handle. Case is covered with black leatherstie. High melal acreen support is also contained in the case. Ecreen unrolls tust like a window shade. The metal wapper to the concentration of the case, across unrolls had like a window shade. The metal top bar allected to the across away distributes the apring rolls r leasing, having the across surface free of pults or ripples. Shog, vt. 5 lbs.

PH2750-30x107 Screen YOUR COST.

Extra Lara Model: Similar to the above but \*10.95 PH2751-YOUR COST....



KEYSTONE DeLuxe Splicers

For a mm. silent and for 14 mm. silent or 16 mm. sound film. Makes a patch splice; no acroping and no water. Precision made to insure quick, occurring results. Splice is atrong and clean. No detached parts or loose parts to hundle. Entire unit is mounted on a sturdy wood bare. Metal parts heavily plated. Outlit includes a handy 1-ource bottle of little cement, ideal for repearing arm specces holes without cutting the film. Shpa. wt. 3 lbs.

PH2429-DeLuze Splicer for 16 mm, silent or nd film.





### SEEMANN "Splicemaster" For 8 and 16 mm. Reels

Splicer and geared rewinds assembled, Splicer and geared rewinds assembled, ready for use, as attractive cushioned baseboard. Splicer makes clean, efficient splices easily, and occumendates both 8 and 18 millimeter films. Fins acquirately, set. Complete with bothe of film tement and instructions. Less resh. Shpg. wt. 4 hs. \$5.85



**KEYSTONE** Editing Outfit

Provides shorply focused million image to viewer. Viewer mounted on a wird for moving out of position for spin-ag, For use with both 8 and 10 millioner film. Ha two gasted revision mounted on hardwood how. Come complete with both of lime coment and water bettle. With cord and play for use on 110 volts, o.c. or d.c. 21 miles W. Wi. 1 hs. PH2442-YOUR COST.....

### **KEYSTONE** Splicing Kit

An all-metal durable splicer, water bettle, bettle of film coment, scraper and cutter for 9 or 16 mm. films. Shoe, wt. 2 lbs. 890 1942422-YOUR COST.

Film Coment

**BELL & HOWELL Film Coment** Safety film coment that splices ideally all safety film. Round bottle has combination ook and brush; square bottle has scraw cap and brush. Both I-ounce.

PH2459-Square Bottle 25c



Editor

de ica de ica ita your projecter, Provides a bright charinag of vily

rame. Easy to operate. FN2441-POSTPAID IN U.S.A. \$1.95



### BELL and HOWELL 8 MM. Film Editor

A complete outili comprising a pair of geored rewinds, a splitting device and a specially designed film viewer. Geored rewinds wind film in either direction and occommedate 8 mm, reels up to 200 feet capacity. This is drawn through the viewer channel; whenever it is stopped, a magnified brilliantly illuminated image of a single frame is coal on the viewing across, about 114° with, Screen is shielded, includes fromce bottle of film caneat. Viewer lamp operates on 110 volts a.c. or d.c. SHIPPED POSTPAID IN U.S.A. ONLY

YOUR COST....



### **BELL and HOWELL Splicer**

A complete, adialactory splicer at a moderate price. Handles 1s mm. seemd, 1s mm. silent and 8 mm. film, and modera to accurate, strong, plinble diagonal splice. Mounted on a wood base and equipped with a hang serager blode, I cause bottle of water and I-olance bottle of film cament.

SHIPPED POSTPAID IN U.S.A. ONLY

### CONTACT PRINTERS-FAMOUS ELWOOD ENLARGERS



throughout and beauti-fully finished in black wrinkle enamel with polished chrome and nickel wrinkie endmel with poished carome and nickel trimmings. Both models feature: ample ventilation; film guides for 35 mm. strip film; non-rusting adjustable steel masking bands; etched metal scales for masking bands calibrated in ½" divisions; special hinged metal side door for agay areas to ground glass for dealing; sockets divisions; special hinged metal side door for easy access to ground glass for dodging; sockets for one red and two white lights, any size up to 60 watts-red light on continuously—white light automatically controlled by opening and closing cover; sponge rubber pad plus pressure springs assure uniform contact between negative and paper over the entire surface. Complete with ruby bulb and instructions. Both models operate on either a.c. or d.c.
PH8650—Albert Printer for negatives from 35 mm. to 5x7". Size: 11½x9½x6½"."
YOUR COST
POSTPAID IN U.S.A. ONLY
PH8651—Albert Printer for negatives from 35 mm.

PH8651—Albert Printer for negatives from 35 mm, to 4x5". Size: 11x8x6".

YOUR COST POSTPAID IN U.S.A. ONLY.....



All-Metal CONTACT PRINTER

A new method of making the actual exposure permits the use of this printer as both a printer and a safelight. The safelight is always on and

always on and is not controlled by the operating lever. The Vice-roy will accommodate all

roy will accommodate all negatives from 35 mm. to metal guides set for accurate 3/16" margins. Masking bands are adjustable and easily accessible. Sponge rubber coated and double hinged pressure back assures uniform pressure over the entire negative area. Hinged top for easy cleaning and bulb replacement. All metal construction—steel and brass. Compact size 7x7x8½". PH8666—Viceroy 4x5" Printer as described. YOUR COST

POSTPAID IN U.S.A. ONLY.....



ARGUS

This machine simplifies the enlargement

fies the enlargement of 35 mm. negatives and the cost is very low. Entire unit is housed in a portable all-metal cabinet 734 x534x10½". It comes complete with a prefocused lamp and is complete with a prefocused lamp and is larger than the prefocused lamp and is larger than the cover down. There are no adjustments to make. Uses standard Argus Bromex paper 234x41¼" in size. Handsomely finished, and sturdily constructed, this compact instrument makes an ideal gift. Operates on 110-120 V. 50-60 cycles a.c.
PH2515—ARGUS Speed Printer.
YOUR COST POSTPAID IN U.S.A. ONLY

This STUDIO Model 5x7 inch Enlarger fills every requirement of the professional and amateur. Its sturdy construction and patented light system makes all kinds of projection printing easy, results are uniform and certain. It can be fastened to the wall, screwed to the top of the table, or placed in a horizontal position for projection. Enlargements and reductions can be made. (Reductions cannot be made with a lens over 6½"). Either films or glass plates may be used from the smallest size up to 5x7". Focusing is by means of a standard type of rack and pinion gear with a positive lock adjustment. The reflector (patented) is of copper, silvered and highly polished. A 100 watt lamp (opal or full frosted enlarging) is recommended. The upright is cast iron and all woodwork is of mahogany, mortised and tenoned for maximum strength. The negative carrier may be inserted from either side. Over-This STUDIO Model 5x7 inch Enlarger fills every tive carrier may be inserted from either side. Over-all height is 55".

all height is 55".
PH2523-Elwood 5x7" Studio Model Enlarger with one 100 watt bulb and 4 ft. extension cord, less lens.
POSTPAID IN U.S.A. List \$30.00.
PH9918-"PLIOFILM" cover for above......\$1.35
PH9244-Miniature attachment permitting the use of all small size films up to 21/4x31/4".
POSTPAID INU. S.A. List \$15.00.
\$13.50

YOUR COST
PH1957-61/2" f:6.3 Anastigmat lens for use with the above enlarger in barrel mount with iris diaphragm. POSTPAID IN U.S.A. List \$28.50 \$19.95
YOUR COST

### 21/4x31/4 Inch Model AM

### 21/4x21/4 Inch Model BM

21/4x21/4 Inch Model BM

An outstandingly fine enlarger for all miniature films from 35 mm. to 21/4x21/4". The light system in this model consists of a 100 watt opal enlarging bulb and a single condensing lens. The light is set at a fixed position and requires no adjustment. The entire enlarger is made of machined castings which insure rigidity and eliminate vibration. All working parts operate smoothly and accurately. The body is raised and lowered on a 11/2" diameter chrome plated tube for the desired picture size and fastens into position with an eccentric clamp. It is beautifully finished with a baked blue-black wrinkle finish. The negative carrier is finished in dull black. This carrier is of the glassless type and does eliminate part of the trouble from dust specks. The column is 30" long and the enlarger will provide up to 10 diameter enlargements with a 3" lens. But any lens from 2" to 31/2" may be used. The lens mounting is equipped with multiple threads for focusing and operates very smoothly. A red screen is also provided to swing in front of the lens while adjusting the paper on the easel. The easel or baseboard is laminated and 12x22" in size. PH2521-Model BM Enlarger with 21/4x21/4" negative holder. Less lens. List Price \$18.00.

YOUR COST
POSTPAID IN U.S.A. ONLY.

\*\*Ifectagmatic"\* Fixed Focus Printer

ARGUS "Electramatic" Fixed Focus Printer

The 35 mm. enlarging printer that thinks for you! It accurately checks each negative with two photo cells and electrically times the exposure making a perfect print every time. Fixed focus. Takes all 35 mm. film-individually or in strip form. Makes prints 23/4x41/4". Separate negative density and paper contrast controls. Similar in appearance to Speed Printer. For 110 V. 60 cycles a.c. or 110 V. d.c. PH2540 YOUR COST
POSTPAID IN U.S.A. ONLY

# FOR FUN IN PHOTOGRAPHY-GET A GOOD ENLARGER

### **SOLAR Enlargers**

Solar enlargers are made in two types-"miniature" with adjustable condensing lenses— and "senior" with improved ground glass

adure with dajustiple contensing tenses and "senior" with improved ground glass diffusion for the larger size negatives.

The Miniature type employs adjustable condensers so that the light produced by the bulb is always focused directly at the enlarging lens for perfect even illumination. Other features include a counter-balanced head, micrometer focusing, scientific stacktype ventilation, heavy chrome plated standard, dustless negative carrier, etc. Two sizes are available the first for single or double frame 35 mm. negatives—the second for all negatives up to 2½ x3½" including 6.5x9 cm. PH2530—35 mm. Solar Enlarger complete with 2" f:4.5 lens.
PH2531—2½x3¼" Solar Enlarger with 3" f:4.5 lens and 1 negative carrier (specify size

PH2331
1:4.5 lens and 1 negative car
desired).
EITHER SIZE, YOUR COST
Dustless Negative Carriers for "Solars."
PH8602 35 mm. PH8603 Half Vest Pocket.
PH8605 21 (x214" PH8606 21 4x314".
PH8604 Full V.P. (11 6x212").
YOUR COST EACH, Any Size
SOLAR 4x5" Enlarger
The Senior 4x5" model has diffused type illumination dustless negative carrier, etc.
PH2532 4x5" Solar Senior Enlarger, with 1
4x5" negative holder, baseboard and bulb.
Less lens.
444.55 desired). EITHER SIZE, YOUR COST \$44.55

SOLAR 5x7" Enlarger Complete with foot switch, bulb and base-board. Glass negative carrier). Less lens. PH2533 \$47.25 YOUR COST. \$47.25
51/4" Lens for 4x5" and 5x7" Enlargers
Fully corrected 1:4.5 (51/4") anastigmat lens.
With iris diaphragm.
PH1954 YOUR COST. \$18.89

### ARGUS "Argostat"

New 35 mm. Enlarger. Brilliance in illumination is achieved through an offset light-source in which the light is reflected from a flashed opal projection lamp by an optically flat mirror to a pair of condensing lenses. Remote focusing control is an ingenious arrangement whereby approximate focusing is accomplished at the baseboard by a large handwheel giving a vernier adjustment. Other features include: rigid, rugged construction, dust-free film book and cool operation. PM2522—Argus Argostat less lens.

ARGUS "EA" and "EAE" Models These models employ the reflex lighting system similar to the above models but are for use with Argus A, A2, AF and A2F cameras. Have optically corrected condenser lenses and tension type negative holders. Swinging built-in red filter and 14x14" hardwood base. PH2506 Argus Model EAE with easel and 100 watt lamp. YOUR COST \$17.50 PH2505 Argus Model EA as above less easel. YOUR COST YOUR COST POSTPAID IN U.S.A.....\$14.75 PH9918—Dust Cover for any enlarger..\$1.35



**Enlarging Lenses** 

Enlarging Lenses
Sharp cutting anastigmats in barrel mount with iris diaphragm for all types of enlargers. Use 2" size for negatives up to 1x1½"; and 3" for negatives up to 6.5x9 cm. (214x314").
PH1950 2" 1:3.5 \$9.95
PH1951-3" f:3.5 10.95
PH1953-3" f:4.5 9.95







FEDERAL Model 230

For negatives 21/4x31/4", or smaller. This Enlarger has an illumination system that supplies the best tem that supplies the best advantages of both con-denser and diffusion by the use of a 4½" condenser lens and a ground glass diffusion plate. An opal lamp mounted on an adjustable rod together with a parabolic reflector provides an intense light source that reduces exposure time. Enduces exposure time. duces exposure time. En-tire head of the enlarger is counter-balanced on a steel tape for one hand operation. Upright post is of steel plated and high-ly polished. Enlargements up to 8 times can be made directly on the head-and directly on the baseboard

up to 20 times on the
floor, Both f:6.3 and f:4.5 floor. Both f:6.3 and f:4.5 lenses are available as noted below. A very convenient book type negative carrier is supplied and either dustless metal plates or glass pressure plates may be used. Carrier has pressure release for adjusting negatives while in the enlarger.

tives write in the enlarger.
Focusing is accomplished by means of a balanced micro-lever permitting extremely accurate focusing. Shpg. wt. 25 lbs.
PH2516—Federal Model 230 with f:6,3 anastigmat

lens in barrel with iris diaphragm. \$32.95
YOUR COST
PH2517—Federal Model 245 with ft4.5 anastigmat
lens in barrel with iris diaphragm. \$37.45
YOUR COST

FEDERAL Model 505A

(Not illustrated). This very popularly priced model has earned an excellent reputation for itself. It is similar in appearance to the Model 120 illustrated below but does not have the easel type baseboard. Will take all negatives from 35 mm. to 21/4x21/4" square. Has 31/2" f:8 achromatic lens and enlarges to 5 diameters on its 12x14" baseboard. Built-in red safety filter. PH2512—Federal No. 505A Enlarger, complete with f:8 lens and lamp.

YOUR COST
PH8129—Extra enlarging lamp. . . . 15c

### FEDERAL Model 120


An excellent low priced enlarger that will take all negatives from 35 mm, to 2½x3¼". It has a fine Fedar f:6.3 lens and will Fedar f:6.3 lens and will provide up to seven linear magnifications on the baseboard. A square standard assures absolute alignment and rigidity. The special book-type negative carrier is furnished with a complete set of masks for the various negatives izes and a ous negative sizes and a specially designed focus-ing strip. A double dif-fusing system assures even illumination over the entire programs

tusing system user even illumination over the entire negative area. The lamphouse is so designed that ample ventilation is maintained at all times so that the negatives will remain cool even under prolonged exposure. A switch for the lamp is provided on the connecting cord. The baseboard is a specially designed easel with adjustable masking bands and a paper placement chart. PH2S13-Model 120 complete with f:6.3 lens and 125 wattenlarging lamp.




**World Radio History** 

## Fine Prints Come from Well Equipped Dark Rooms



### **ALBERT Automatic Easel**


The enlarging easel that does everything. Automatic centering for various standard paper sizes eliminates the need for hifting the easel—set it once under the center of the enlarger and you can keep it there no matter what size of paper you use 5x7", 8x10" or 11x14". It has an automatic border measuring scale that gives you the right size borders for any size print you set it for. Automatic spring setting of the masking bands eliminates the need for set screws. Automatic frame support holds the frame locked in an upright position when changing paper yet releases instantly when lowered. Positive contact of masking bands at all points prevents fuzzy borders. Non-warping easel board surfaced with Masonite. Inlaid rubber strips under base prevent slipping. Metal frame work finished in chrome. Easel surface finished in non-reflecting metallic lacquer. SHIPPED POSTPAID IN U.S.A. ONLY.



## Lafayette Superior

An improved all-metal enlarging easel at a proce that means savings for you. Features include: takes all standard sheets up to 11x14", double masking bands, 2" wide, have metal supporting guides; masking bands lock into position and are provided with a lift stay that keep the bands upright and out of the way when not needed; marginal release device permits making of accurate borders up to 2"; margin release has calibrated scale; base has white focusing surface that is easy to keep clean; full 11" and 14" etched side scales; base provided with non-skid strips. All chrome trim. Shpg. Wt. 6 lbs. An improved all-metal enlarging easel at a wt. 6 lbs. PH9305 YOUR COST.....


ECONOMY MODEL: Similar to above, but without the marginal release device, masking band lift-stay and without chrome trim. Shpg. wt. 5 lbs. PH9304-YOUR COST.....



### **PRINCETON DeLuxe Easel**

One of the finest enlarging easels available. Of the constant center type. The masks consist of four strips of heavy gauge formed steel 1½" wide, which hold the paper firmly and produce a sharp, clean border line. Margins are instantly variable from a hairline to the full width of the masking strip. Each pair of masks is operated by a single control button. Moving the control button moves both border strips symmetrically toward or away from each other; all four masks are set by two motions and centering of the pairs is automatically maintained. Baseboard is provided with set grooves for 4x5, 5x7, 8x10 and 11x14" paper. Surface of the baseboard is finished in a special silver lacquer. The frame is heavy metal. Sideralls have special Photogold finish which absorbs blue rays and reflects only harmless rays. Entire unit is precision built. Shpg. wt. 8 lbs.

YOUR COST \$11.48



### **Porcelain Trays**

One piece drawn steel trays with heavy coat of baked on white porceloin enough. Rounded corners; pouring lip. Impervious to

chemica!	oction.		TOUR
Stock	Print	Shpg.	COST
No.	Sizo	Wt	EACH
PH8200	5x7°	l lb.	39c
PH8201	8x10"	2 lbs.	69c
PH8202	10x12"	2 lbs.	89c
PH8203	11x14"	3 lbs.	\$1.19
	OL ACCTI	PRIN Ton	

### GLASSTEEL" Trays

Deluxe trays, made of seamless drawn steel

No.	Size	Wt.	EACH	3 FOR	
PH8206	4x6"	1 lb.	27c	72c	
PH8207	5x7"	2 lbs.	36c	96c	
PH8208	8x10"	2 lbs.	54c	\$1.39	



### **Foot Switch** Salayette For Enlargers

Eliminate any possibility of enlarger vibra-tion by substituting this foot switch for the line cord switch normally supplied. It also leaves both hands free for work such as dodging, spot printing, etc. Frame is of cast steel with baked grey crackle finish. Switch will handle 3 amperes. Socket provided for enlarger plug. Excellent for controlling some of the lights used in indoor photography, in studios, etc. Furnished with 6-foot length of rubber covered approved cord and attach-



rubber covered approved cord and attachment plug. For amateur and professional use. Shpg. wt. 5 lbs. PH9245 YOUR COST EACH.....



### **HAYNES MCM Photometer**

Determines the exact printing time and exact contrast of paper to match each negative. Exact exposures can be determined in less than 30 seconds. Uses the time tested "grease spot" method of light measurement. Calibrated scale reads directly in SECONDS. Includes bulb and attached cord and plug. Works on 110 volts a.c. or d.c. SHIPPED POSTPAID IN U.S.A. ONLY PH2717—YOUR COST.

HAYNES Gray-Scaler
A simple device for producing gray totales
of laboratory quality for all your enlarging papers. Supplied with 15 page manual of instructions.
PH5087-POSTPAID. YOUR COST. . 69°



### KAIKO All-Metal **Enlarging Frames**

Precision made. Have white fo-fusing surface. Each provides a standard 1/8" border all around.

Migia, light	weight.	W 1. 3	IDS.
No.	Size		EACH
PH8709	4x5"		\$1.09
PH8710	5x7"		1.09
PH8711	8x10"		1.49
PH8712	11x14"		1.71



### "SEE-SHARP"

Handy focusing device that brightens and magnifies the image projected on the sensitized paper. New, improved model with crossed hoir lines for greater accuracy. Easy to use. Comprises Monel metal stand, ground agas, mitter and magnifier. Exglass, mirror and magnifier. Extremely compact. POSTPAID IN U.S.A. ONLY.
PH9246 EACH ..... \$1.89



### **Enlarger Cover**

Made of durable, heavy gauge, non-cracking, and non-inflammable "Pliofilm" that fully protects your enlarger from dust, acid, moisture and heat. The properties of "Pliofilm" also prevent tarnishing. It may be easily cleaned with a damp cloth. Overall size 23" wide by 30½" long. Has draw string on base. \$1.35



### **MAXIM** Enlarging **Exposure Meter**

DIRECT reading, efficient optical type meter that will last indefinitely. No moving parts no bulb no current to consume. Just place on baseboard and read for proper exposure times. In molded case. With instructions, Shpg. wt. 1 lb. PH2702 -EACH.....



### **KODAK Timer**

As we accurate timing of printing exposures. Convenient tilting base. Can be attached to wall or other surface. Powerful spring wound motor. Range I to 60 minutes. Full sweep second hand, smaller minute hand. Glass bezel, all metal case. SHIPPED POSTPAID IN U.S.A. PH2483—YOUR COST ... \$4.49

### HANKSCRAFT

A.C.-D.C. Timer
All electric timer that's automatic
in operation. Takes the guesswork
out of printing. You dial the time on
your enlarger light just like you
dial a phone number. The Hanksdial a phone number. The Hankscraft Timer permits you to instantly set the number of seconds exposure wanted (range up to 60 seconds), light turns off and on automatically as you set the dial. Hands are I fit free for dodging and other work. Attractively housed in a black bake lite case with attached 6-foot cord and plug. Operates on 110 volts a.c. (6 amps.) or d.c. (2 amps.) "On-off" witch on case. Fully guaranteed. With instructions. SHIPPED POST-PAID IN U.S.A. ONLY. \$7.98

### F-R Interval Timer

Provides accurate check on enlargement or development time Range from one minute to 55 minutes; bell rings when time is up. Dependable spring wound motor made by a famous clock maker. Large white numerals. Sturdy metal case with black lacquer finish. SHIPPED POSTPAID IN U.S.A. ONLY. 53.25 YOUR COST ....

### **LUXOR Photo Timer**

Double duty timer. Has large, full vision sweep second hand. Accurate check on exposure time. Smaller hour and minute hands in center of 

### Focus Chart

(Not shown.) A handy, useful device that insures highly accurate focus-ing. Placed in the negative carrier of the enlarger prior to the negative to be printed. Consists of a ruled 





### ARK ROOM NECESSITIES



**Brownie Safelight Lamp** 


nto any electric outlet. Two salelight 

rectangular, for above lamps.
No. Series For Use With
H8742 2 Rapid Ortho Film No. PH8742

Bromide Papers, Slides, Process Film Contact Papers (Velox, Aso) Pan films and plates (Pan. SS., etc.) PH8744 00 YOUR COST, ANY TYPE PER PAIR... 59°

**EASTMAN Safelight Lamp** 

To be hung directly over work table. Has 5x7" interchangeable safelight glass. Series 2 (for fast ortho film) glass furnished as standard quipment. All metal body. Shpg. wt. 3 lbs. PH8701—Less 10-Watt Bulb YOUR COST. YOUR COST SAFELIGHT GLASSES: 5x7". Use for each type described above under Brownie lamp. PH8746—Series OA PH8748—Series 3 PH8747—Series OO PH8749—Series 2 EACH



Stained glass. All rated at 8 candlepower (about 10 watts). Dark amber for contact and enlarging papers. Dark ruby for ortho film. Frosted green for panchromatic film. AC-DC. No. Color EACH 

### **LAFAYETTE Blotter Book**

Consists of 18 pages of the finest white blotting paper with waxed separators. Takes prints up to 9x12". Plastic binder. Wt. 2 lbs.

Regular 65c value. PH8691-EACH.....48

### **BRADLEY Trimming Boards**

BRADLEY Trimming Boards

High quality trimmers with tempored steel blades with spring tension "blade raising" d vice; re-inforced tables marked into 14" squares with white lines on green background; ruler divided into 1/16" calibrations.

PH8400-61/2" blade. Shpg. Wt. 5 \$1.98

Ibs. YOUR COST

PH8401-812" blade. Shpg. Wt. 6 \$2.49

PH8402-1012" blade. Shpg. \$2.98

Wt. 7 lbs. YOUR COST

PH8403-121/2" blade. Shpg. \$4.98

Wt. 8 lbe. YOUR COST

PH8404-151/2" blade. Shpg. \$4.98

Wt. 8 lbe. YOUR COST

PH8404-151/2" blade. Shpg. \$4.98

Wt. 8 lbe. YOUR COST

PH8404-151/2" blade. Shpg. \$4.98

Wt. 8 lbe. YOUR COST

PH8404-151/2" blade. Shpg. \$4.98

Wt. 8 lbe. YOUR COST

PH8404-151/2" blade. Shpg. \$4.98

Wt. 8 lbe. YOUR COST

PH8404-151/2" blade. Shpg. \$4.98

YOUR COST

YOUR COST



### M.P.A. Paper Safe

Deluxe Model. For protecting enlarging papers. Sturdy wood cabinet covered with fine leatherette. Light tight. Gravity operated sliding door. Four shelves for paper up to 8x10"; two shelves may be converted into four compartments for 5x7" paper. Holds about 1/2 gross of paper on each shelf. Shpg. wt. 4 lbs.

\$3.98 PH8719-YOUR COST.

Standard Model: Similar to the above, but slightly smaller and with spring-hinged top door.

PH8718-YOUR COST.

S.49

S.49

S.49

S.49

S.49

S.49




### "LOCK-SHARP"

PH8723 As above, but for paper up to 11x14". SHIPPED POSTPAID IN U.S.A. ONLY. . \$4.19



### G.E. Opal White Enlarging Bulbs

G.E. Opal White Enlarging Bulbs
Natural opal white glass bulbs that diffuse the light excellently. For use in enlargers. Operate on 110-120 volts a.c. or d.c.
DEALERS—NOTE: 33-1/3% discount will be allowed from prices quoted below on purchase of six or more bulbs. (May be assorted).
PH8120—No. 211. 75 watts. 100 hours normal life.
PH8121—No. 212. 150 watts. 100 hours normal life.
ANY TYPE ABOVE.
YOUR COST—EACH
PH8123—No. 301. 300 watts. 100 hours normal life.
PH8124 No. 302. 500 watts. 100 hours normal life.
ETHER TYPE ABOVE.
YOUR COST—EACH
YOUR COST—EACH
S. 500 watts. 100 hours normal life.
ETHER TYPE ABOVE.






Ground and polished lenses guaranteed free from imperfections. Optically perfect. For enlargers, slide projectors, etc. 3" lens covers up to half v.p.: 44" up to 214x314"; 6" up to 9x12 cm. Shpg. wt. 1 lb. Sturdy lens mounts recommended

LENS			MOU	NT
No. EACH PH1961 \$0.75 PH1962 1.09 PH1963 2.89	3"	Focal L'gth. 41 .'' 71 '' 9"	No. PH9570 PH9571 PH9572	EACH \$1.39 1.89

# GET THE FULL BEAUTY OUT OF YOUR SLIDES

A deluxe instrument that throws brilliantly clear images from No. 828 Bantam or 35 mm. Kodachrome transparencies or black and white film positives. It incorporates a high quality cand white film positives. It incorporates a high quality cand condensing lenses in Three condensing lenses and a 100-woth tilament procession lamp complete the optical system. The projection lamp is enclosed in a special shell containing glass wool that acts as a heat absorber; prevents overheading wool that acts as a heat absorber; prevents overheading of the slide being projected. Steel slide carrier, sliding type, is smooth in action. Tilt knob permits 10-degree tilt above normal. Switch on back. Die-cast aluminum body has black of the slide being projected. Steel slide carrier, show the project of the slide being projected. Steel slide carrier, show he had black of the slide being projected. Steel slide carrier, show he had been smooth in action. Tilt knob permits 10-degree tilt above type, is smooth in action. Die-cast aluminum body ac. of containing the project of the slide being projected. Steel slide carrier, show he had been smooth in action. Tilt knob permits 10-degree tilt above type, is smooth in action. Die-cast aluminum body ac. of containing the project of the slide being projected. Steel slide carrier, show the project of the slide being projected. Steel slide carrier, show the project of the slide being projected. Steel slide carrier, show the slide being projected as the slide being projected. Steel slide carrier, show the slide being projected as the slide s KODASLIDE Projector Model 2





### **KODASLIDE Model 1**

A small, efficient machine for the projection of 2x2" Kodachrome slides or black and white film positives. For 35 mm. or Bantam film. Sturdily made of molded material, its base measures 2%x5½"; height 4%. Optical system consists of a spherical glass reflector, a 100-watt T-8 bulb and three condensing lenses. A special heat-absorbing allaes prevents overheating. The fine 4" condensing lenses. A special near-absorbing glass prevents overheating. The fine 4" projection lens gives excellent definition with flat field. Has smooth acting slide carrier; tilt-adjustment. For 110 volts a.c. or d.c. SHIPPED POSTPAID IN U.S.A. ONLY. \$18.50 YOUR COST




### ARGUS Model DP "Vitalite"

New model utilizes an advanced optical system that gives new brilliance with perfect flat field. Projects 35 mm. or Bantam film mounted in 2x2" glass slides. Has 5-inch focal length f:3.6 lens and is furnished with a 100-watt projection bulb. All metal construction, die-cast base, streamline design. Finished in grey with red trim. With 9-ft. cord and plug with snap switch.

PH2256

\*22.50

\$22.50 YOUR COST ALL ABOVE SHIPPED POSTPAID IN U.S.A.



### ARGUSLIDE Model CP

The Argustide Projector makes use of a tine optical system to insure brilliant pro-jections with flat field illumination. Ideal jections with flat field illumination. Ideal for showing 35 mm. slides in black and white or in full color. Equipped with a color corrected 4" focal length lens of the S.V.E. type. Comes complete with a special powerful 100-wat projection bulb, slide carrier, cord and plug set. Operates on 110-120 volts, A.C. or D.C. All metal body finished in black crackle and has tilt adjustment.

PH2255-YOUR COST

PH9806-Comb. Carrying Case...\$5.00 ALL ABOVE SHIPPED POSTPAID IN U.S.A.




### KAIKO All-Metal Slide File

A new all-metal slide file in which you can keep 150 2x2" slides ready for projection. Each slide is numerically indexed in an individual slot, and the subject of the slide is noted in the space provided inside the lid. Slides are fully protected against rattling and breaking; easily inserted or removed without damage to the binding tape. Case is made of steel, finished in maroon ripple lacquer. Provided with metal carrying handle and two clasp fasteners. Shag. Wt. 4 lbs. \$2.29 wt. 4 lbs. PH9420-YOUR COST



### **CHROMASCOPE Slide Viewer**

An attractively styled METAL VIEWER for Kodachrome stills. Supplied complete with a magnifying or enlarging glass, lamp, automatic switch and 6-feet of rubberized cord with bakelite plug. It measures 6" wide, 5" high. The unit is lightweight and easy to use. Just place the slide on the viewing mount, turn the switch and examine through the enlarging glass. All details of Kodachrome or black and white slides are strikingly brought out. SHIPPED POSTPAID IN U.S.A. ONLY.
PH2439
YOUR COST.



### MARSHALL'S Slide Binder

Accurately machined heavy metal slide-

Glass Slides



### **DUFAYCOLOR Metal Slide Mounts**

Package of 12 easy-to-use slide mounts for 35 mm. transparencies in convenient aluminum frames for projection or viewing. Container acts as an efficient file, with slot for each mounted slide and provisions on cover for recording titles. POSTPAID IN U.S.A. List Price \$1.25.

PH8689—YOUR COST.

598

### SCOTCH TAPE

Waterproof, pliable masking type that will not wrinkle or curl.

Black Tape
PH9211-1/2x360"...30c
PH9212-1x360"...40c
ALL ABOVE SHIPPED POSTPAID IN U.S.A.





**VARISCOPE** All-Purpose Telescopes

For maximum magnification at a minimum price there is nothing like a good telescope. And these new Variscopes are among the finest values on the market. They have the unusual ability to change from one power to another instantly merely by sliding the calibrated "power" tube in or out. Various powers as indicated below are marked on the tube for quick setting. They are beautifully made telescopes with precise achromatic objective lenses and heavy chrome plated brass tubes. The four sections slide one within the other to make a very compact unit that is easily carried about in its leather carrying case. As listed below they are available in three different power ranges. The largest and most powerful having a range of from 10 to 40 powers! This is an excellent glass for the yachtsman and hunter. Leather case with all models.


No. Magnification Extended Closed Obj. lens Shpg. wt. EA.
PH10051 10 to 20 Power 17½" 634" 23 mm. 2 lbs. \$7.4.
PH10051 10 to 30 Power 21" 734" 31 mm. 3 lbs. 9.89
PH10052 10 to 40 Power 26¼" 8¼" 33 mm. 4 lbs. 12.59



SPORT **GLASSES!** 

Just the thing for watching the theatre stage, foot-ball games, hockey, races, track meets. s wimming meets, fights, meets, fights, wrestling matches, plays and any in-

They bring the action right up close. You wear them just like glasses—adjust them once for any distance—then sit back and enjoy yourself. Each pair guaranteed by the American manufacturer. Shpg. wt. 2 lbs. 



### "TOURIST" Field Glass

A popular medium size field glass at a price well within the reach of everyone. An excellent glass for the sports fan for following indoor and outdoor sporting events. Easily held and adjusted with one hand. It is a well made glass sturdily built and will give years of satisfactory service. Fine, clear, polished lenses provide a brilliant image. A carrying case, as illustrated, is furnished with each glass. Shpg. wt. 2 lbs. Made in France. in France.
PH10001-YOUR COST. \$4.95

### DE LUXE CHEVY CHASE

A deluxe achromatic field glass for use at the theater, at indoor sporting events, at the ball park or for nature study. Pocket size. Il Ligne. Its brilliant luminosity makes it adaptable for a wide range of purposes. Precisely constructed and beautifully finished with genuine Morocco leather. Newly designed eye cups. Light in weight and easily held and focused with one hand. Designed for long satisfactory service. A strong genuine leather sports type carrying case is furnished with each glass. Case is equipped with a leather neck strap. Made in France, PH10002— PH10002 YOUR COST .....

### "PATHFINDER" Field Glasses

A powerful three power binocular that is excellent for nature study, horse racing, indoor sports and for night use. It has great light power and remarkably clear definition. Fully achromatic. Precision construction throughout. Newly designed eyecups. Smooth accurate focusing Regulfully finished. designed eyecups. Smooth accurate focusing. Beautifully finished and covered with genuine Morocco leather. Sturdy design assures long and satisfactory life, With a black leather sports case. PH10003—Wt. 3 lbs. \$11.49

### "HUNTER" 8x26 PRISM Binoculars

Prismatic construction keeps this powerful binocular compact despite its eight power magnification. It is particularly well liked by the naturalist and racing fan who needs brilliant luminosity, wide angle coverage and sharp definition. It is quick focusing, compact and very durable. Beautifully finished with genuine Morocco grain leather. Individual eye piece adjustment to fit the glass to each eye accurately and a body adjustment to fit the glass to the distance between the eyes. PH10000—Wt. 3 lbs. \$18.95 Prismatic construction keeps this



### CAPE COD WEATHER GLASS

A true reproduction of the old original glass barameter as used by the famous Cape Cod fishermen and whalers for many years. It operates on the same principle as the Anerold Barometers. Hand made of glass with a specially designed wall bracket. It requires seventeen hand operations to make the glass alone. Accurately indicates all variations of barometric pressure—an accurate means of determining changes in the weather in advance. Complete instructions regarding its use, so that you can become your own "weather man" are furnished. are furnished.

### Pedometer

Measures the miles you walk each day. Just attach it to your belt or pocket and it will measure any distance up to 100 miles. Accurate-can be adjusted for any step between 15 and 41 inches. Same size as a man's pocket watch. Polished nickel plated case. White dial with legible black figures and division markings. Clear glass crystal. An excellent gift for the boy scout, salesman and others interested in checking up on the distance they walk each day to improve their health. PH10048—

\*2.39

YOUR COST .....



### SWISS Model "Plan" Compass



A precision built, radium dial com-A precision built, radium dial compass. Highly accurate, Ideal for map reading and for setting and keeping a course. Heavy metal case. Sighting window with reflecting mirror enables you to locate position and maintain bearings. Jewelled floating dial. Shpg. wt. 1 lb.

HAVE YOU A COPY OF OUR MASTER 44-PAGE CAMERA CATALOG?

If you have never received a copy of our master 44-page camera catalog, or if your present copy is mutilated, just fill out the coupon below, paste on a penny post card and drop it in the mail. You'll want this guide to better values in cameras, film, enlargers, and other equipment.

PADIO	WIRE TELEVISION, Inc. (Camera D	
KADIO	WIRE IELEVISION, INC. (Camera D	IV.
	100 Sixth Ave., New York, N. Y.	
	TOU SIXITI MYE., NEW TOPE, N. T.	


100 Sixth Ave., New York, N. Y.
Send me FREE catalog No. 77.
My Name Is
My Address Is

City..... State..... State.



### KALART Micromatic Speed Flash

Enables you to get those hard-to-get night shots and action shots and action
shots every
time. Adjustable
for time delay
by 1/1000 part
of a second. Can
be used with
practically any



MINI - FLASH
The ideal universal flash
gun for amateur and progun for amateur and pro-essional photographers. It is novel in design, simple to mount, simple to synchronize mount, simple to synchronize and simple to operate. The finch fan type reflector is collapsible, yet sturdy in construction and will withstand "heavy" service. It is of the Aplanatic type and will not throw a "spot". The action is positive with a specially built all-metal cable drive to the camera shutter and can be operated from a cable release or from a button on the case. Other features: reflector adjustable to take all standard size bulbs; gun type trigger for



### Series-Parallel Hi-Low Switch

An extra heavy duty multiple switch de-signed for photo-graphic lighting con-trol. Consists of a graphic lighting con-trol. Consists of a heavy duty double-pole double-throw switch mounted in a metal case having four recentrales. For

line cord. Can be used with four No. 1 photofloods can day of the cord. Can be used with four No. 1 photofloods connected at once, or two No. 2 photofloods. Four No. 2 photofloods connected at once, or two No. 2 photofloods. Four No. 2 photofloods can be used for short periods (up to 5 minutes) without overheating. Switch has two positions; in first position, full voltage is ing. Switch has two positions; in first position, full voltage is applied to the connected lamps; in second position, voltage is reduced 50%. Thus, when setting up "shots", reduced is reduced 50%. Thus, when setting up "shots", reduced is reduced 50% at a can do make sposing easier. Reduces eye strain, generated heat and makes posing easier. Reduces eye strain, generated heat and makes posing casier. Reduces eye strain, generated heat and makes posing casier. Reduces eye Strain, generated heat and makes posing caser. Reduces eye Strain, generated heat and makes posing caser. Reduces eye Strain, generated heat and makes posing caser. Reduces eye Strain, generated heat and makes posing caser. Reduces eye Strain, generated heat and makes posing caser. Reduces eye Strain, generated heat and makes posing caser. Reduces eye Strain, generated heat and makes posing caser. Reduces eye Strain, generated heat and makes posing caser.



### Photoflash Bulb Holder

handy flash bulb holders. Two types available. No. 1 has a 5" diameter reflector; No. 2 has a 7" reflector. Both have spring clamp that permits moving of reflector to take any size bulb. Lamps are fired by two dry cells contained in the handle. A safety catch prevents accidental firing of the lamp. Supplied with batteries. Excellent for use by amateur and professional alike. Batteries are easy to remove and can be replaced in a few moments. Shpg. wt. 3 lbs.


PH8004—No. 1 With batteries loss flock bulb.

PH8004—No. 1. With batteries, less flash bulb. PH8005—No. 2. With batteries, less flash bulb YOUR COST EACH .....



### DRAUCKER Photoflood Calculator

For movies or stills. A guide to properly balanced lighting. Gives proper exposure data to insure good pictures. No amateur or professional should be without one. Price includes booklet "Guide to Better Pho-







		POST	PAID IN C.S.	A
Stock Model No. No. PH8080 1 PH8082 1 Day PH8081 2 PH8083 2 Day PH8084 2R* * Special "mu	750 watts 750 watts 7500 watts 7500 watts	Current Drain 250 watts 250 watts 500 watts 500 watts 500 watts	Life EACH 2 Hrs. \$0.20 2 Hrs50 6 Hrs40 6 Hrs. 1.10	FOR \$0.80 2.00 1.60 4.00 4.40
and reflector.	Has inside in	00		

GENERAL ELECTRIC Photoflash Bulbs No. 7 is 4" long. All for 3 to 125 volts a.c. or d.c. except
No. 11 and No. 16 which are for low voltage operation.
No. Model Lumen Sec. Flash Fach 6 FOR
PH8056 7 25 to 30,000 1/50 Sec. 15 .60
PH8059 11 18 to 22,000 1/65 Sec. 12 72 Lumen Sec. 25 to 30,000 18 to 22,000 40 to 45,000 50 to 60,000 .18 PH8059 1/55 Sec. 1/40 Sec. 15 16 80 1/50 Sec. 1/15 Sec. 3.00

180,000



### WABASH Superflash Bulbs

Employ patented "Sure Fire" hydrolanium all wire elements that give 100% usable light, split second synchronization and "long peak" flash of uniform intensity. Have famous blue "Safety Spot" and new Safety Jocket that eliminates flying glass hazard. Note these new low prices.

No. 0: "Peanut" Size. 22,500 lumen meral work.

14 66
40

seconds, 1/30 sec. flash. For general work. PH8050-YOUR COST EACH..... No. 1: Light output 30,000 lumen seconds, flash duration 1/25 sec.; Small size. For synchronization. 17° PH8051-YOUR COST EACH..... 80° Press 40,000: Light output 40,000 lumen seconds, flash duration 1/22 sec. For press work.
PH8076 - YOUR COST EACH..... 17° 80° No. 2: Light output 56,000 lumen seconds, flash duration 1/20 sec.; For distant work.
PH8052-YOUR COST EACH. .22° \$1.00 No. 2A: Light output 75,000 lumen sec., flash duration 1/12 second. .27° For synchronization.
PH8053-YOUR COST EACH. \$1.20 6 For. No. 3A: Light output 100,000 lumen seconds, flash duration 1/14 sec. For color work, large areas, etc. 32° 6 For... \$1.40 No. 3: Light output 140,000 lumen seconds, flash duration 1/14 sec. For large areas; distance. PH8055-YOUR COST EACH.... 54° 6 For... \$2.40

PH8058




(A) A sturdy, heavy duty stand for use with reflectors or spitiuhn. Available in three and four section models. Three section model from 25" to 36".

A course of illustrated on stand above) is available to adapt the stand for use with two or more diagno type reflectors.

PH650 Three Section Stand. Shops. wt. 5 lbs.

\$2.49

OUR COST
Hate I am Se tion Stand. Shpg wt. 8 lbs.
OUR COST
Hate I am to fit 3- ction arend. Shpg. wt. 2 lbs.
OUR COST, there I pe Above.
(1) Heavy span aluminum reflector 12" in diameter. Specially corrected effecting affine with a smooth satin finish. Provides mailinum even illuminaries over a reasonably wide area. Socket broat threat fitted to the reflector. Insulation will resist high teachers at which photo-flood lamps operate. Heavy rubber re-inducted "cable in 6 feet long. A cowerful steel spring clamp quinped with soft rubber-padded each is swivel-mounted through "double ball" joint to the reflector.



### LAFAYETTE Twin ADJUSTOLITES

A new and vastly improved model of this popular twin reflector. A new seriescoupled arm with meshed-teeth locking-type universal joints permits an astonishingly wide range of adjustment. The specially designed, three section tripod is very sturdy and readily locked into position. Two 11" diameter aluminum reflectors accommodate either the No. 1 or No. 2 Photofloods, and are mounted on ball joints for easy operation. Each reflector is fitted with a push-switch type socket and 8-ft. cord. Shpg. wt. 12 lbs. PMS564 Twin Adjustolites, less bulbs. List Price \$7.50

### NEW AND SENSATIONALLY DIFFERENT! The "Hi-Lite" Spotlight

An entirely new conception of photographic lighting. New in every sense of the word, from a specially designed 3200 Kelvin color temperature lamp (recommended temperature for Kodachrome) to a streamlined die-cast aluminum-silicon housing.

Rodachrome) to a streamlined die-cast aluminum-silicon housing. New in its ability to use a lamp with a light output of over 4,750 lumens, yet giving an efficiency equal to many ordinary 100-500 wait spotlights with a drain of 200 waits at 120 V.

Amateur and Professional alilie will appreciate its entreme compactness, its micro-fecusing centrol which regulates the light beam from a sharply defined spot to a diffused flood with an infinite variety of adjustment in between. And, with its specially designed heat resisting Pyrex Fresnel lens and chrome-plate non-tarnishina spun-aluminum beam cone atrator, it has no color fringes and is ideal for portraiture and studio work, particularly in color. Despite it power one high efficiency it is surptimally compact, in auring only to 16.3. "Ad "A dicast united by the auring only to 16.3. "Ad "A dicast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad "A discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring only to 16.3. "Ad discast united by the auring o Shpg. wt. 8 lbs. YOUR COST...

\$15.89 Entra 3200 Kelvin, 200 cit, 120 volt, high ifficincy 25-hour lamp. Tatches sensitivity of new pan films closely.

\$1.50





### RAPIDRY **Electric Print Dryers** Standard Model

Il ustrated at the left is the standard mod l Rapidry of a new low pricel Y t with exactly the same to a

with enactly the same features and constructional quality as when sold for \$2.00. Without the terroive plan it is suitable for smooth semi-matte or matte finished paper surfaces, for classy paper the prior are tirst placed on the chromium plate and placed on the drying surface. An automatic thermostat keeps the heat at a constant temperature so that overhanding a southing of the prints is impossible. The feature is not present in any other unit of the price. The best nightness backing element is employed and is large enough to answer uniform heat over the entire drying surface. Finished in two toned bused crystal. in two-toned buked crystal.

PH8695-Shpq. wt. 7 lbs. YOUR COST. \$3.89

### Special DeLuge Model

hat illustrated. This new model has a flat drying surface that produces absolutely flat prints with no roll or curvature. It has a built in 14:20 chromium plated furrotype and will take several additional plates making a total area up to 42 by 50 inches. Spring taution keeps the specially woven convex agran true irrespective of the number of plates in use. Stardy discussions are an account of the number of plates in use. Stardy discussions and assures the fautest drying time with no danger of accorded ar cracked prints. Shep, wt. 10 lbs.



Black Enamel Ferrotype Plates

These highly polished, bakedenamel ferrotype piates will produce lustrous, glossy print.
No. Size Shpg. Wt. EACH
PH8501 10x14" 2 lbs. Ex. H. y. 24c
PH8502 12x17" 2 lbs. Ex. R. y. 39c
PH8503 14x20" 2 lbs. Ex. H. y. 49c


Chromium Ferrotype Plates M to plate hearly plated with hard chromium and buffed to a mirrorlike surface. Shpg. -t, 2 lbs. No. Sisa EACH No. PH8514 PH8515 10x14" 14x20"

Latayette Ferrotype Polish

Metal Frame Print Rollers

Finest grade live rubbs ruill the runtarced cores. Wt. 1 lb. EACH 148870 4 roller 148871 6 rules 148872 4 roller 148872 4 roller 148872 4 roller 148872

# Improve your prints with the proper mounting



### **CLASSIC and MODERNE Easel Mounts**

These very attractive easel mounts are made of heavy stock that will stand a great deal of service. They are fitted with a clear sheet of Kodaloid for protecting the surface of the print. The back and easel are of unique design that permits inserting or removing the print at will yet keeps the print absolutely flat. Classic and Moderne are alike except for the design on the from

	Print	CLASSIC	MODERNE	YOUR	PER
Type	Size	Stock No.	Stock No.	COST EA	DOZ
Vertical	5x7"	PH5200	PH5203	29c	\$2.79
Vertical	8x10"	PH5201	PH5204	49c	4.69
Horizontal	10x8''	PH5202	PH5205	49c	4.69

### **ULTRA MATTE Mounts and ULTIMO Folders**

As stated by a world-famous photographer, "No print is fit to be seen in good company until it has been carefully spotted and mounted". Ultra and Ultimo Mounts and Folders provide a quick and easy method for mounting your prints attractively. The actual work involved in pasting the print into position with Lafayette Fotostick takes but a moment and the results will surprise and please you. Both Ultra Mounts and Ultimo Folders are made of antique paper with feather deckeled edge. Ultimo Folders have a front flap or cover—Ultra Mounts do not have a cover.

		RTICAL M	HOUNT	SAND	FOLDERS		
For	Outside	ULTRA		Per	ULTIMO		Per
Prints	Size	No.	EACH	Dz.	No.	EACH	Dz.
31/2×5"	51/2×71/2"	PH5153	10c	94c	PH5186	12c	\$1.14
5x7"	7x10"	PH5154	10c	98c	PH5187	15c	1.49
61/5×81/2"	91/2×13"	PH5157	15c	\$1.49	PH5188	24c	2.24
8×10"	111/2×15"	PH5160	17c	1.64	PH5189	25c	2.49
11x14"	16×20"	PH5162	28c	2.69	PH5190	39c	3.69
IIAIT	LONDO						0.0.
	HOR	IZONTAL	MOUN	ITS AN	D FOLDERS		
5x31/2"	63/4×6"	PH5164	10c	94c	PH5191	12c	\$1.14
7x5"	9x8"	PH5165	10c	98c	PH5192	15c	1.49
81/2×61/2"	111/2×11"	PH5168	15c	\$1.49	PH5193	24c	2.24
10x8"	131/2×13"	PH5171	17c	1.64	PH5194	25c	2.49
14x11"	19x17"	PH5173	28c	2.69	PH5195	39c	3.69
					FOLDERS		
	(con be	used eith	er hori		or vertically	y }	
21/4×31/4"	41/2×51/2"	PH5184	7c	64c	PH5196	8c	74c
21/2×41/4"		PH5185	8c	74c	PH5197	9c	89c

### **SALON 16x20" Exhibition Mounts**

CLASSIC



This is the style of mount used by most salon exhibitors for their py most sain exhibitors for their prize winning prints. Made of deluxe antique surfaced material with a neatly beveled opening. Verticol Horizontol Stock No. Opening Stock No. PH5180 8x10" PH5181 Opening 8x10" 11x14"

YOUR COST-ANY TYPE. 28c

### **FOTO-STIK** A Better Photogrophic Adhesive Cement

MODERNE

The newest and finest liquid mounting adhe-sive ever devel-oped for photographic use. Superior to ordinary rubber ce-ment in every way. Applied ment in every way. Applied like thin muci-lage it flows freely; yet, when dry, sur-plus can be erased by rub-bing with the finger tips. PH9415-4-ounce

bottle. YOUR COST..... 29c PH9416-1-pint can. Shpg. wt 2 11X14 PH5183

But Ph5183

But

### PHOTOMAILER—Print Mailing Envelopes

Protect valuable photographs, drawings and similar articles that should be shipped flat by mailing them in the Photomailer. With this unique mailer you make a neat, firm, sturdy, light-weight parcel that requires a minimum of postage. Unusual protection is assured by the staunchness of the H & D corrugated board. It requires no great part with a property light seal stamp and seal

quires no paper, no twine, no paste. Just	sear, stamp and	sena.
PH5147-51/2x73/4", EACH 8c	Per Dozen	77c
PH5148-81/2×101/2". EACH	Per Dozen	\$1.14
PH5149-111/4x143/8". EACH15c	Per Dozen	1.44

### Leather Photograph Albums

The original "loose leat" style photograph albums that have been America's favorites for many years. Beautifully made and very attractive. An excellent method for keeping your valuable photos in proper sequence and in the proper setting. Genuine leather with 50 pages. Additional pages can be added at any time. Rich silk tasseled cord binding. "Photographs" on cover in gold. Refills—1 Doz.

			Kennz-I	DOZ.
No.	Size	EACH	No.	EACH
PH9425	7x11	\$0.95	PH9426	19c
PH9400	10x12	1.95	PH9401	39c
PH9402	11x14	2.95	PH9403	49c

Nu-Ace Mounting Corners: Black only. Approx. 100 to package. PH9404—YOUR COST...8c 4 for... 4 for ... 29C

### Spiral Bound Albums

New type photo albums that open FLAT because of the unique spiral binding. Consist of 50 blank black pages of heavy paper between durable Fabricoid covers. The binding is entirely covered; books are neat and attractive. Provide an excellent means for keeping your favorite prints in proper sequence and in a truly prints in proper sequence and in a truly artistic setting. Offered at a real "money saving" price. They are available in both vertical and horizontal styles. Vertical style makes an attractive library volume. PH9438—Horizontal type. 7" high by 11" wide, Shpg. wt. 2 lbs

PH9439 Upright type. 10" high by 8" wide. Shpg wt. 2 lbs.
YOUR COST EACH, Either type

### **FOTOFOLIO Albums**

The new streamlined method of mounting and preserving snapshots. Convenient liand preserving snapshots. Convenient brary volume size. POSTPAID IN U.S.A. PH9418 "DeLuxe" Model. Genuine leather cover. Capacity 224 pictures. \$4.89 PH9405—Heavy Levant grain "Range Finder" model. Capacity 224 pictures. Gum-med hinges fastened to leaves. \$2.95 YOUR COST EACH ... PH9406—"Tourist" model, "Kivar" cover.
Holds 192 prints.
YOUR COST EACH.

\$1.69 Holds 192 prints. PH9407—"Projector" Model. 192
prints. With 25 tabs. YOUR COST... 95°
PH9408—Pkge. of 25 tabs....8c 4 for 29c

# FILM TANKS AND Accessories



### F-R Adjustable



### Roll-Film Developing Kit

practical time and money-saving outfit built around

roll-film tank (described above); one 8-ounce bottle of concentrated X-33 developer, enough to make 16 ounces of solution; one 8-ounce bottle of concentrated Fixol acid-fixing hardening solution, actual to make up 16 ounces; two stainless steel film clips; complete in tructions. All units are contained in a compact carefrond but had can be used for storage. Amateurs and professionals all he will find this outfit handy and economical. SHIPPD FOSTPAID IN U.S.A. ONLY. \$2.66 PH2608 YOUR COST.

### *Cafavette* Adjustable Roll-Film **Developing Tank**

The low price quoted makes this new tank a real buy in any season specially attractive for that Christmas gift you'll be needing. Reel is fully adjustable for all roll film from 35 mm. (full 36 exposure) to No. 116. Tank and reel constructed of durable Bakelite that is unaffected by whole chemicals stain word and a waterwine. Operations by

and reel constructed of durable Bakelite that is unaffected by photo chemicals, stein proof and non-warping. Operations, except actual film leading, may be carried out in daylight, Bakelite agitator supplied. Shpg. wt. 2 lbs.

PH9267 YOUR COST

Elkay Rote Reel only for above tank. Takes cut film and film pack of stribed helow).

PH9264 Rote Reel Only YOUR COST

PH8694 Lafayette glass tank thermometer, Range 45° to 90° F. YOUR COST—EACH

79c

\_Lafayette Roll-Film Developing Kit

complete rollfilm developing outfit built around the Latayette Adjustable tank list

Shpg. wt. 5 lbs. PH2609 YOUR COST.....





For Cut Film and Film Pack From 35 mm. to 21/2×31/2". Loads 12 Negatives Tempered Bakelite



### **ELKAY Adjustable Tank**

The Elkay adjustable rapid-loading tank develops, washes and fixes in daylight. Solution contacts all films evenly, bubbles will not form on the negatives. Drains Solution contacts all films evenly, bubbles will not form on the negatives. Drains through plug at base without tilting or turning tank. Loads a dozen negatives at a time. Molded negative holders won't erode or stain. Holders fit 6x9 cm. 2½xx½/4, 8x12 cm. and 4x5. Foolproof fixture prevents any errors in loading negatives. Tank-cover is absolutely light-tight. Tank body of Vulcanite. POSTPAID IN

### **ELKAY Roto-Reel Tank**

A new developing tank for cut film or pack film. Made entirely of tempered bakelite-impervious to chemicals and non-staining. Takes all sizes from 35 mm. to 2½x3½". Uses less solution and produces beautiful negatives. The new Roto-Reel is made with negatives. The new Hoto-Heel is made with 12 fan-like grooves which spiral out from the center of the core. To load, slip each negative into a groove. Negatives are held firmly and without buckling. Top cover is light-tight. Complete with agitator.

SHIPPED POSTPAID IN U.S.A. ONLY.

### **ALBERT Electric Agitator**

ALBERT Electric Agitator
For the first time, an electric agitator at a price within the reach of every amateur. Automatic in operation, the Albert Agitator provides true "scientific" agitation—an automatic continuous gentle intermittent action that eliminates the danger of underor over-agitation often resulting from unscientific hand operation. Prevents directional development which causes streaks and silhouette effects, coarse grain, foam, etc. Consists of an efficient motor that operates on any 110-volt a.c. or d.c. line that drives the tank holder. Mechanism is sturdy and foolproof and completely enclosed. and foolproof and completely enclosed.
Impervious to chemical action. With cord
and plug. SMIPPED POSTPAID IN U.S.A.
PH3376— YOUR COST, less tank...... 3.56

### Thermometers

PH8697-Tank typ, a left for tank or tray use. Curved graduate 30 to 120 degree F. 39° YOUR COST... 39° PH8698-Lafayette Stirring rod with flattened and for crushing and tirring chemicals. 20 to 180 dign. 59° YOUR COST... 59° YOUR COST... 59° PH3699 F-R tank typ tot any diviloping to any divioning tan. 0 to 50 a are F. Po id 1.00



### **FAG Developing Tank** For 35 MM, 828 and 127 Films

For 35 MM. 828 and 127 Films
Think of it—a genuine daylight film developing tank for the ridiculously low
price of 98c! It is made of Tenite, a cellulose-acetate product noted for its sturdy
qualities. This material is tough and resilient—good insurance against cracking
and chipping. Not affected by photographic developing solutions or by heat
up to 140° F. It has an adjustable reel
and will take 35 mm. (18 exposure), 828
and 127 roll films. It requires only 7½
ozs. of solution. Complete with agitator.

SHIPPED POSTPAID IN U.S.A. PH9265 YOUR COST SPECIAL.



### **DUPONT** Sponges

Unbeatable for drying negatives. Early cleaned, No. 4 size. PH8673— ....31°

### "ECONOMY" Dark Room Outlit

A very reasonably priced outfit for both developing and printing that is up cally designed for those desiring to start with just them desiring to start with just the nace sary sentials. Each ten has been curfully. Each ten has been curfully. Each condition has been curfully and the scart without resorting to any material method. It provides an excellent foundation for the beginner to the high skill manage in oder to co more deaned work. It is an excellent gift for the younger corrowing just beginning to get interested in photography.

ZШ	un. Hem	LIST
3	4x6" Ace Truys	-75c
1	Abjusting Print Frame.	400
	Thermaneter	
	Buby Bulb	
	Tubes Developer	
	4 on Graduate	
	21/2#41/4" Contact Paper	
_	V2 lb. Box Acid Fixer	
	Glass Surning Rod	
ш	Instruction Book	100

52.60 Total List Value Neatly Based, Bape W. 5 189. PH2106 YOUR COSTS 1.89



FAYFTTF

LAFAYETTE DeLuxe Darkroom Outfit

litustrated above is our very best darkroom outfit. Note how complete it is and the time quality of the varieus components.

1. Glass Stirring Red
1. 3 s. battle Ferro. Polish

Special Thermometer
445 Ace Rubbest Trays
Film Washes
Large Ruby Buils
Print Tongs (1-red, 1-blank)
10:14 Ferrotype Flates
47 Delune Fran Holler
MQ (developer) Tubes
2 of Conduction

1 9 oz. Graduate PH2605—Total List Price Value—\$6.65 YOUR COST COMPLETE IN CARTON

1 3 s. 52th 1 1413. Form 1 Florned Cloth 0 3 s. Constact Paper 1 1 b. And First 2 Stunden Steel Clips 1 Expour Guld Book 1 Book "Amateur Photography

\$4.49

### "JUNIOR" Dark Room Outfit

Priced only a little higher than our Economy outfit, the Junior Printing and Developing Outfit Printing and Developing Outing provides a much wider range of the developing of the former. It includes larger trays and a larger printing frame as well as like the anead printing paper is larger to the contact printing paper is larger the enabling you to print the printing paper is a negative or to the it up into a larger number of smaller size prints. Another feature is the inclusion of two books—one general information and one apparers.

Quan. Item Use

one on exposure.

Quan. Item Ust
1 3' and Print rame 75c
2 Special Thermoster 75c
3 456' Ac Tays 60c
1 1 lb. For Acid Front 25c
5 Tube Developer 25c
1 Ruby Rulb 25c
20 3' xx Contact Paper 25c
1 4 o. Class Contact Paper 25c
2 Stainter Bed 5c
Stainter Bed 15c
2 Stainter Bed 15c
1 Book on America at Photography 25c .25c



### FOTO-ART and TROJAN "Make-Your-Own Greeting Cord" Outfit

complete outilt for moking your own Christman Greating Core it extremely to u.e. The hard part the lettering has

part the lettering has already been done for your baby, your house or your last var a Christian tree place it together with one of these pecasilly prepared and the gentre in a print trans and you are all set to go. There are two outfits, one with four marks and are with to marks arch with a different greating; and an embouring frame and roller. Space is provided to manufact on a gative marks. Shop, wt. 2 lb. PH2610-FOTO-AR Greeting Card Set with four marks. \$1.66
PH2611-TROJAN Greeting Card Set with two masks.

930

COUR COST.

YOUR COST



Christmas Greeting Folders

Chrismas Greeting Folders
rolders ofter the simple to method of all to red. Your own personalized Christmas Creeting Card. You do not have to be able to do you or normalized of all the series of the continuous control of the series of the chrismatic of the control page 18 2-1/16x3 1/16. The delicato "Holly" design of the cover is most attractive, yet a subject of the method of the cover is most attractive, yet a subject of the cover is most attractive, yet a subject of the cover is most attractive, yet a subject of the cover is most attractive, yet a subject of the cover is most attractive, yet a subject of the cover is most attractive.

PH5175 Vertical Opening PH5177 Fort said Opening

Each 50 25 for 980

GFA "CYKON" Photographic Xmas Card

It "Xmas Cards in Ko hmir (pebbled surface with a light
in the in Ivory or White. Doublewt. Contact contact.

Z Dor. NET
Contrast
H. dium
PH5942 41c
PH5946 9c
Med. Hard
PH5943 41c
PH5947 9c
PH5944 41c
PH5944 41c
PH5947 9c
PH5944 41c
PH5944 41c b n inith Color C

41c PH5945 Mad. Hord ENVELOPES TO MATCH ABOVE CARDS 500 for \$2.19 108 for 40s 12 for 12c

MARSHALL'S Oil Colors

remement transparent oil paints for coloring photo-graphs Spread evenly and smoothly. Easy to apply, no mixing or brushes

Complete No. 2 Set

For advanced color work.
Contains twenty 12x2"

For adverted opint work.

Contains twenty 12x2"
the sof colors to take care
of every requirement. Also
contains one tube of
medium a bottle of turpentine, a bottle of varnish, cotto
drier, extender, glass palette, tin cup and instructions. Shog.

6 lb. Regular Price \$4.90
PH9240—YOUR COST.

Student Set

Student Set

Contain eight 22 tubes of colors, prepared medium, cotton, start, and instructions. Shag, wt. 2 lbs. PH9241 YOUR COST.



### Complete Photo

Improve your best in actives on produce each limit from seemingly hopsiles segative. The complete out fit is contained in a rectal case and includes a built in mining pulsite. It considered to a rectal case and includes a built in mining pulsite. It considered to the contained of the contained



Paper and Cellulos SCOTCH TAPE

llack Paper Tape. Ideal for manifung of framing prints.

Red Cellulos Scotch Tape. Expecially fine for learning angulys.

PH9215 792". YOUR COST PIR ROLL

Trensperent Cellulos Scotch Tape. A very popular tape

and appearance of the determine the property of the prints of the pr

**World Radio History**