

73 AMATEUR RADIO

International Edition

JUNE 1990
ISSUE #357
USA \$2.95
CAN \$3.95

A WGE Publication

5 New Antenna Projects

15m SFA . . . 2m portable quad
. . . 40m big signal . . . backward
inverted L . . . concentric combo.

Go Gauss-busting—
make and calibrate your own meter

Use your 80m receiver on VLF

HF FAX for your PC

Pyramid Phase III—it's adjustable

How's the service at ICOM?



The "Ray Gun" Special

Have a Field Day with your Ray Gun



ICOM

IC-735 HF Transceiver
With One
Year Warranty!

ROCK SOLID

"The seven IC-735's used at P40V performed well. Their excellent dynamic range contributed to our victory at P40V. The IC-735 is a true champion!"

Dale Green, VE7SV

ICOM's IC-735 is the world's most popular HF transceiver for three simple reasons: **Performance, Size and Reliability.** With the highest performance, smallest size, and best customer satisfaction of any HF transceiver, the IC-735 is the undisputed champion for fixed, portable or mobile operations.

- **Field Proven 100W Transmitter** with 100% duty cycle. Proudly backed with ICOM's full one-year warranty.
- **105dB Dynamic Range Receiver** includes passband tuning, IF notch, adjustable noise blanker, and semi or full CW QSK.



- **Conveniently Designed.** Measures only 3.7"H by 9.5"W by 9"D. Great for mobiling or portable operation!
- **Optional AH-2 Automatic Tuning Mobile Antenna System** covers 3.5MHz-30MHz.
- **All HF Amateur Bands and Modes** transmits all U.S. HF amateur bands. General coverage receiver.
- **12 Tunable Memories** operate and reprogram like 12 separate VFO's. Supreme flexibility!

Additional Options: SM-8 or SM-6 desk mic, PS-55 AC power supply, AT-150 automatic antenna tuner for base operation.

ICOM's IC-735... the radio with the rock solid reputation! See it today at your local ICOM dealer.

ICOM America, Inc.,
2380 116th Avenue N.E., Bellevue, WA 98004
Customer Service Hotline (206) 454-7619
3150 Premier Drive, Suite 126, Irving, TX 75063
1777 Phoenix Parkway, Suite 201, Atlanta, GA 30349
ICOM CANADA, A Division of ICOM America, Inc.,
3071 - #5 Road, Unit 9, Richmond, B.C. V6X 2T4
All stated specifications subject to change without notice or obligation. All ICOM radios significantly exceed FCC regulations limiting spurious emissions. 735989


ICOM
First in Communications

NO OTHER FULL DUPLEX PATCH OR REPEATER CONTROLLER GIVES YOU SO MUCH FOR SO LITTLE

FULL DUPLEX AUTOPATCH USING DUAL BAND RADIOS...

Most people are within radio range of their base station 90% of the time. Why not install an 8200 and enjoy your own private full duplex mobile telephone system? Only 3 connections are required. The 8200 provides both full duplex and half duplex operation.

(Inquire about Private Patch V for simplex operation. Operates in enhanced sampling or VOX modes...user selectable.)

ADVANCED AUTOPATCH FEATURES...

The 8200 incorporates many features which are simply not available in any other product. For example...

90 Phone Number Auto Dialer: The 8200 will store (in non-volatile memory) 90 phone numbers which can be dialed with abbreviated two digit key codes. The auto dialer is programmable over the air or with the built-in keyboard.


Last Number Redial: Redialing the last number called is reduced to a single digit (plus access code).

Hookflash: Operates call waiting etc. Simply press * three times. Only CSI has it.

Call Progress Tone Detection: Busy signals and second dial tones are detected and cause automatic disconnect. Ample time is allowed for dialing second dial tones when required.

Powerful Toll Protection: One to four digit sequences can be restricted. For example, you could lock out 0, 1, 976 and 911. Additionally, digit counting will prevent dialing more than 10 digits. A separate 2 to 6 digit toll override code allows making toll calls when desired. Re-arm is automatic.

Dial Access Remote Base: The 8200 can be accessed and controlled from any telephone. Call up and drop into the system from your desk phone at lunch hour!



Ringout Selective Calling: Ordinary calls can be received using ringout (reverse patch) and mobiles can be selectively called using regenerated DTMF.

Optional ANI access codes: This option will allow up to 50 separate (remotely programmable) 1 to 6 digit access codes. A call can only be disconnected with the code that initiated the call. Thus eliminating sabotage disconnects.

AN ADVANCED REPEATER CONTROLLER...

The 8200 is a powerful repeater building block and is perfect for all private and club systems.

The 8200 contains everything necessary to convert any receiver and transmitter into a powerful repeater. Only one connection to the receiver and two to the transmitter are required.

Menu style programming is accomplished with the built in keyboard and display. The user can select a 3 digit repeater up/down code, CW ID message, CW ID interval, hang time, activity timer time, and you can even select any Morse character as a courtesy beep!!

An optional plug-in CTCSS board converts the 8200 to private use. The incoming CTCSS is filtered out and replaced with fully regenerated tone. 32 tones are dip switch selectable.

STANDARD FEATURES...

- Line in use detection
 - 90 number auto dialer
 - Redial
 - Hookflash
 - User programmable CW ID
 - Regenerated tone/pulse dialing
 - Selectable activity, timeout and hang time timers
 - 3 digit repeater on/off code
 - Two remotely programmable 1-6 digit autopatch connect codes. (Regular and Toll Override)
 - Powerful toll protection
 - Remotely controllable relay (relay optional)
 - Ringout (reverse patch)
 - Busy channel ringout inhibit
 - Ring counting
 - Auto answer
 - Telephone remote base
 - DTMF-DTMF selective calling
 - Courtesy beep (any Morse character)
 - Automatic busy signal and dial tone disconnect
 - MOV lightning protectors
 - Non-volatile memory
- And MUCH more!



CONNECT SYSTEMS INC.

2064 Eastman Ave. #113

Ventura, CA 93003

Phone (805) 642-7184

FAX (805) 642-7271

LETTERS

Dear Wayne

Jim Kocsis WA9PYH: It looks like what you said about selling the RF spectrum is a real possibility. People who don't think we could lose spectrum space should read page 15 of the February *RF Design* magazine. Oh well, this is just a hobby, right? Keep up the good work at *73 Mag*.

I'm saving to bid for 3 kHz on 220. . . Wayne.

Jeff Markel KD2HN: I've been almost completely QRT for most of the last ten years. Part of that is due to family time and money constraints, but most of it can be attributed to the senility of ham radio. As you have written over and over, most hams seem to be over 60, so their interests and concerns are not mine. I'd like to rag chew with folks my own age. Age isn't the only problem. Every time I've tried hamming I've been turned off by rag chews which amount to name, weather, rig and 73s. Any attempt at a real conversation brings, "Well, it's been a real nice QSO. 73 and see you down the log." It was simple, too discouraging. An up note. . . I recently came across some hams close to my age in my area, so maybe I'm back. I've got a TNC coming and, for the first time in years, am thinking of upgrading.

Eugene Drake N6ORO: Why doesn't ham radio grow? Ask my son. He's 23, has an Advanced ticket and proctors VEC exams. When the fellows he's Elmered have tried the HF bands, they are pushed off by: "It's time for our net now, please move." Never an offer to join the net as a guest. I'm going to try packet. Keep rattling the cage, Wayne.

I hate that too. When some officious op comes on and demands I move because I'm on the frequency of a net which will be starting soon, I'd like a 50 kW amplifier and a rhombic for his direction. . . Wayne

Joel Jones W4JQB sent a clipping about the Agilis packet spread spectrum module getting FCC approval. This service will "share" our 902-28 MHz band. Well, as we lose more of the band to commercial developers, there's an opportunity for ham entrepreneurs to go into business. Says Joel, "I remember your campaign back in the '70s to save 220, but look what happened. Looks like the ARRL, with their current initiatives (or lack thereof), is stomping ants on the front porch while elephants are coming in the back door."

Steve Uhrig W3SWS sent a brochure from L-Tronics about the new Personal Emergency Locator Transmitter (PELT) service the FCC has proposed for the 220-222 MHz band they just took away from us. It looks as if the FCC doesn't know just what to do with it. Well, like the 902 packet deal, at the least this is another good opportunity for ham entrepreneurs to use their technical smarts and get into the PELT business. The idea is to set up systems to help lost or hurt hikers.

Bob Kern KL7NC: I've been meaning to write you concerning the various topics you've talked about in your editorials over the years I've been reading your great magazine. The March editorial about desktop publishing and your new publica-

From the Hamshack

tion idea really got my juices flowing. We bought our first Mac four years ago, then bought another and another. We now produce our weekly paper on the Macs. They're easy to use and have saved us thousands of dollars. The paper has enabled us to buy a three-story building and feed eight families. Two or three people, a small office, a couple Macs and a Laser-Writer are all that's needed. Now, that confounded ARRL Automatic Station proposal. . . have they gone truly bonkers, or are they just trying very hard to kill the wild-fire growth of the packet/AMTOR message handling system in favor of their old NTS system? In spite of needed improvements, packet is the most efficient traffic-handling system yet devised for ham radio. Since putting my PBBS on the air 8 months ago, it has handled nearly 15,000 pieces of traffic to and from other automatic stations up and down the West Coast. . . and my little station is just a spur off the main traffic networks. N6VV handles that much traffic in a month! The ARRL's proposal to jam all the packet, RTTY and AMTOR automatic stations into 10 kHz sections of each band is sheer madness. The 40m proposal (7030-7040 kHz) is particularly diabolical in that it will bring the CW people into the fray as well.

Could the proposal's main purpose be to protect the rapidly fading old ARRL traffic net system? It makes sense to me. . . Wayne

Jack Goldsworthy KA6EPF: The Santa Barbara ARC has just started new classes, with 30+ in the Novice class. Many are under 21. We also have a class in a private school. We're trying to do it right. I'll have pictures later.

Send the pictures, send the pictures. . . Wayne

Jeff Kinsman NH6VH: As I am a new Technician, you may be interested in my perspective. Amateurs seem to be a rather closed society. . . they don't volunteer much information about the hobby. I had to really hunt down someone to help me with my ticket to break into the hobby. The local club didn't provide any classes. Now, the code. . . I truly believe that code is holding the hobby back. Technology had outdated the code. It belongs with other outdated facets, like crystal sets and tubes. It's fun to play with and be nostalgic about, but out of the mainstream. Forcing people to learn the code to pass the exam needlessly burdens our hobby and is jeopardizing our future. How long will the FCC hold bands open that we aren't using?

"Gib" Gibson W7JIE: Thank you for your many "good" editorials. . . particularly April, where you mentioned amateurs' poor showing in public service. For several years now Wayne Moddison K6DOW and I have been publishing a small booklet which lets hams know about the public service events around Seattle. There are 52 listed, along with who to call and their phone numbers, for those interested in participating. We have over 3,000 hams around here. How many help? Never enough for the need. The booklet was first put out at our expense, but this year ICOM picked up the tab in return for an ad on the back cover. We also list all the local repeaters. At least out here we're doing

something about public service and ham participation. Note, on Aug. 3rd there is a Seafare Torchlight Parade. This alone takes 60 hams to provide the communications needed. . . and we do it! How do we get publicity for all the work we do? Our two ham PR experts are "retired and too busy," so we go ahead and do it anyway.

The booklet is a great move. . . good use for desktop publishing. But every club needs to appoint PR people and see that they get news of public service activities to the newspapers, radio and TV media. Think of public service having two objectives. . . one to help, the other to advertise amateur radio and help interest youngsters in our great hobby. I suppose I'll have to write more editorials on how to get PR. Just what you wanted, more of Wayne's editorials. . . Wayne

Klaus Spies WB9YBM: The state police gave me a warning for wearing an ICOM HS-10 headset. My explanations that it covers only one ear were ignored.

Check the law and see if it says headphones are illegal. . . note the "s." If a single headphone is illegal in Illinois you need a new law. The human ear system is incredibly efficient when it comes to separating sounds. You can have deafening music in one ear and still hear a pin drop with the other. If one headphone is illegal that's crazy. The idea is to force motorists to be able to hear car horns. I don't see any difference between a one-phone headset and a car telephone handset. . . and either beats the heck out of expecting to hear traffic sounds over some car audio systems, which are up there in hearing loss levels. Let's check the state car laws and get 'em cleaned up if they are out of touch with technology. . . Wayne

Dick Banter KB7DKT: What is needed is more how-to material. Something like your CB to 10m articles, but covering 6m, QRP and so on. It's a hassle to get all the parts.

We're trying to get as many projects as possible backed up with parts kits such as those from Ramsey and A & A Engineering. . . Wayne

Lawrence Guerrero NX2V: OK, Wayne, here goes. This is the first time I've ever written to a magazine, but I feel compelled to say: I agree with everything you have said in your editorials and I enjoy them! Now the bad news. In my area there is a ham club which meets every two months. Why? Most of the members are old-timers and have nothing better to do, so once a month is out of the question. What are they doing in terms of getting new hams into our ranks? Nothing, as far as I can see. Is no-code the answer to all this? Absolutely not! Am I for no-code? Absolutely yes! And I'm one of those hams who did it the hard way, from Novice to Extra step by step.

Matt Burgess WA4JDY: I used to think of you as that proverbial doomsayer in New Hampshire, a sort of crackpot with a ham ticket. I owe you an apology. I have begun to realize that all the things that I thought were baloney coming from you were right on the money. I dug out the last year of *73* and reread every one of your editorials [Gasp! . . . Wayne]. You are hitting the mark a good 95% of the time. Please keep it up. I am busy trying to get other local hams to check out your ideas and give them a chance. Obviously nothing else has worked over the past decade, so what have they to lose?

Richard Davis W9KK: I've been in radio and electronics since 1938 and have ex-

perienced most of the things on which you've commented. I've seen a lot of changes and I've had to change constantly to keep up with the advances. The military services and the US government are changing, too. They are not teaching, wanting or using electronic technicians as we knew them. They are going toward circuit board replacers.

James Arconati KE0QU: I remember when you talked about FM and repeaters, and I thought, "Maybe there will be a few users who are interested." I modified a T43 and watched as the whole nature of VHF amateur radio changed. You started telling us about personal computers and the opportunities there. I bought an Apple II and had a ball, but missed the dollars I could have made. When you said satellite TV was a winner, I was already building an earth station, but I wasn't ready to follow your advice and make some money. Through the years your ideas have taken a few energetic individuals to new heights of success. Your own efforts have certainly changed ham radio and many areas of the electronics industry. Your offer in the March issue hit me at the right time.

Richard Ashley N5IZC: I'm in agreement on license fees. Few hams realize how much a few dollars would probably help the FCC take a bit more notice of amateurs and think us less a nuisance. If you can spend hundreds or thousands of dollars on transceivers and antennas, what's a few bucks for a license? If you want something, you should be willing to pay a little for it.

Steve Smith WA6SOC: Thank you for your magazine! Otherwise I would assume that ham radio is really as outdated and boring as most of the on-the-air conversations are. You are correct about RTTY and packet being where the action is. One reason is that these modes require us to compose our thoughts and reiterate them in a logical manner (something you don't find too often on 75m phone). Re getting newcomers, many people I invite into my shack are either frightened by the complexity of the equipment or unable to muster any enthusiasm for such an arcane hobby. I wonder if the code-free license would even have any takers? Keep up the good fight. Some of us actually do care.

Subscription problems do occur, accompanied by highly irritated letters from the injured. Let me spell out the facts of magazine life in the '90s. When I started 73 in 1960 the subscription rate was \$3 a year. If we'd kept up with inflation that would be about \$60 a year now. Instead, we use the best fulfillment service we have been able to find (in Colorado) and have been able to keep our rates to under \$20 through automation and computerization. This means much less customer service and the frustrations of dealing with a computer when you don't pay on time, send a slightly wrong QTH, etc. If you send the \$60 we'll personally handle your subscription, just like we did 30 years ago. Otherwise, if a problem develops, be patient and we'll eventually get the confounded computer system working for you. I see another huge postal rate hike coming, so obviously subscription rates will have to go up again. I really hate what they've done to foreign postage. . . which used to be very reasonable and now is absolutely ridiculous. . . when, oh when, will Congress allow private competition into this stupefying mail monopoly? . . . Wayne

THE TEAM

PUBLISHING STAFF

Wayne Green W2NSD/1
Jim Morrisett K6MH/1

EDITORIAL STAFF

Wayne Green W2NSD/1
Jim Morrisett K6MH/1
Bill Brown WB8ELK

Hope Carrier
Linda Reneau KA1UKM

Joyce Sawtelle
Mike Nugent WB8GLQ

Arnie Johnson N1BAC
David Cowhig WA1LBP

Mike Bryce WB8VGE
Michael Geier KB1UM

Jim Gray W1XU/7
Chuck Houghton WB6IGP

Dr. Marc Leavey WA3AJR
Brian Lloyd WB6RQN

Andy MacAllister WA5ZIB
Joe Moell K0OV

Bill Pasternak WA6ITF
Arless Thompson W7XU

Bob Winn W5KNE

ADVERTISING STAFF

Ed Verbin
Pamela Dass

Ron Harper
Lisa Niemela

Donna DiRusso
1-603-525-4201

1-800-225-5083

PRODUCTION STAFF

William Heydolph
Alice Scofield

Susan Allen
Linda Drew

Viki Van Valen
Ruth Benedict

Dale Williams
Peri Adams

CIRCULATION STAFF

Rodney Bell
Janet LaFountaine
To subscribe: 1-800-289-0388

BUSINESS STAFF

Tim Pelkey
Jerry Bellerose
1-603-525-4201/FAX 4423

Editorial Offices

WGE Center
Forest Road, Hancock NH 03449
603-525-4201

Subscription Services

1-800-289-0388

Colorado/Foreign Subscribers

call 1-303-447-9330

Wayne Green Enterprises is a division
of International Data Group.

Reprints: The first copy of an article
\$3.00 (each additional copy—\$1.50).
Write to 73 Amateur Radio Magazine,
WGE Center, Forest Road, Hancock,
NH 03449.

73 AMATEUR RADIO

TABLE OF CONTENTS

FEATURES

- 10 The Field Day Special—
The "Ray Gun"**
A concentric combo Mode B
antenna. KA5DNP
- 14 TNC Connect Alarm**
Did anyone call while I was
out? DA1AU/WB9EGA
- 18 COSIN: The Computer Student
Information Network**
High school credits for ham
radio. WB2MIC
- 22 Big But Cheap!**
Put a big signal on 40 meters for under
\$20. K1NIT
- 24 Two Meter Portable Quad**
Sturdy, easy to build. K3YWY
- 30 Tune in on the New Frontiers
of VLF**
A simple converter brings the low low
bands in on 80 meter
receivers. WD4PLI
- 34 Experimental Gaussmeter**
Low cost, easy construction. KB4ZGC
- 36 Standard Magnetic Field
Generator**
Build an instrument to calibrate your
gaussmeter. KB4ZGC
- 40 ICOM Service Survey**
It's almost painless. WB6NOA
- 45 Backward Inverted L Antenna**
This low-band wire antenna is a good
performer on both transmit and
receive. W1GV
- 57 The SFA on 15 Meters**
Does the job without drawing the
neighbors' attention. KA8OGD
- 66 Memories**
Dr. Hess takes a look backward for the
seventh time. W6CK

- 84 Be a Ham**
The invisible fraternity. N6SIW

REVIEWS

- 12 Pyramid Phase III PS-25**
An adjustable power supply. N1CTI
- 21 FCC Study Diskettes**
For MS-DOS computers. KA9CSO
- 26 PC HF Facsimile 4.0**
Easy FAX reception for your PC.
. K9EYY
- 54 Pipo Communications P-7
DTMF Pad**
A quick and easy analog-to-digital tone
converter. W5PFG, W5ORW

BOOK REVIEWS

- 28 A Radio Journal 1912-1940**
A book full of memories. NA5E
- 37 The Cuckoo's Egg**
Tracking an electronic spy. WA5ZIB



Check your magnetic field! See page 34.

Cover by Alice Scofield

DEPARTMENTS

- 70 Above and Beyond**
72 Ad Index
58 Ask Kaboom
82 ATV
76 Barter 'n' Buy
32 Circuits
88 de K6MH
73 Dealer Directory
85 DX
17 Feedback Index
38 Ham Help
17 Ham Profiles
51 Hamsats
50 Homing In
72 Index: 6/90
2 Letters
38 Looking West
4 Never Say Die
62 New Products
48 Packet Talk
88 Propagation
78 QRP
7 QRX
61 RTTY Loop
74 73 International
79 Special Events
77 Tech Tips
**86 Uncle Wayne's
Bookshelf**

FEEDBACK . . . FEEDBACK!

It's like being there—
right here in our offices!
How? Just take advantage
of our FEEDBACK card
on page 17. You'll notice
a feedback number at
the beginning of each
article and column. We'd
like you to rate what you
read so that we can print
what types of things you
like best. And then we
will draw one Feedback
card each month for a
free subscription to 73.

FB

Editorial Offices

WGE Center
Hancock NH 03449
phone: 603-525-4201

Advertising Offices

WGE Center
Hancock NH 03449
phone: 800-225-5083

Circulation Offices

WGE Center
Hancock NH 03449
phone: 603-525-4201

Manuscripts Contributions in the form of manuscripts with drawings and/or photographs are welcome and will be considered for possible publication. We can assume no responsibility for loss or damage to any material. Please enclose a stamped, self-addressed envelope with each submission. Payment for the use of any unsolicited material will be made upon publication. A premium will be paid for accepted articles that have been submitted electronically (CompuServe ppn 70310,775 or MCI Mail "WGEPUB" or GENie address "MAG73") or on disk as an IBM-compatible ASCII file. You can also contact us at the 73 BBS at (603) 525-4438, 300 or 1200 baud, 8 data bits, no parity, one stop bit. All contributions should be directed to the 73 editorial offices. "How to Write for 73" guidelines are available upon request. US citizens must include their social security number with submitted manuscripts.

73 Amateur Radio (ISSN 0889-5309) is published monthly by WGE Publishing, Inc., WGE Center, Forest Road, Hancock, New Hampshire 03449. Entire contents © 1990 by WGE Publishing, Inc. No part of this publication may be reproduced without written permission from the publisher. For Subscription Services write 73 Amateur Radio, PO Box 58866, Boulder, CO 80322-8866, or call 1-800-289-0388. In CO call 1-303-447-9330. The subscription rate is: one year \$24.97; two years \$39.97. Additional postage for Canada is \$7.00 and for other foreign countries, \$19.00 surface and \$37.00 airmail per year. All foreign orders must be accompanied by payment in US funds. Second class postage paid at Hancock, New Hampshire and at additional mailing offices. Canadian second class mail registration number 9566. Microfilm Edition—University Microfilm, Ann Arbor, MI 48106. Postmaster: send address changes to 73 Amateur Radio, PO Box 58866, Boulder, CO 80322-8866.

Contract: See where natural ham curiosity gets you? Upon finishing reading the first sentence, you have formally contracted with 73 Magazine to be our grassroots ad sales person. Recognizing that we give you more ham fun for the buck than the rest, it should be a cinch to make this clear to every dealer and manufacturer you contact, and exhort them to advertise with us. Remember: More ad pages = more articles. So where does ham curiosity get you?—more great home-brew for you!

NEVER SAY DIE

Wayne Green W2NSD/1



220—Now What?

When the FCC took our 220-222 MHz away for UPS, the big deal was that UPS would be using an amplitude compandered SSB narrow-band system. I said baloney, ACSSB has never worked worth a hoot, despite tub-thumping *QST* articles on it... and even a section devoted to it in *The ARRL Handbook*. Sure enough (snicker), UPS hasn't been able to make it work and is reported to be turning to NBFM. This has got to be enormously embarrassing for whoever in the FCC did the spaghetti job on the rules when they took the two MHz away from us and then got the new commissioners to stonewall the situation.

I suspected something had gone seriously awry with the UPS deal when the FCC started frantically looking for something else to justify taking our band... like an emergency locator transmitting system (ELTs) for hikers.

No-Code—Again? (Ho Hum)

The FCC has again (sigh) proposed a no-code license (RM9055). Well, to be just a tad more accurate, they've moved the recent ARRL no-code petition fairly intact into rulemaking. Should I gloat? Nah... but I can't help grinning smugly. And wonder of wonders, since this was Invented Here (as opposed to Not Invented Here... NIH), I doubt the League will cudgel their member clubs to rise up en masse in horror this time... the tactic which so thoroughly defeated the last FCC no-code try. You've probably already forgotten about that, right? In another year it'll never have happened.

By now you should know my no-code opinions, but you probably don't. I explain them at hamfest talks and amaze hundreds of listeners when I repeat what I've written so many times in my editorials. Ask me what I think about no-code. OK, lucky you asked. I think a no-code license which appears to offer some real benefits to beginners will make it easier to get new hams licensed... but only after we've managed to attract them to our hobby.

The ARRL/FCC proposal sure doesn't offer much. The proposed Communicator license would be good only above 222 MHz. The good news is that all future newcomers won't find many hams to talk with way up there.

What few are there generally use those bands for remote repeater control or linking, and would likely welcome Communicators like a new case of intermod. We're talking hostile territory, with very few friendly natives. Just what we need to encourage the newcomers to our great hobby.

So other than having to buy ham gear which will be of little use when they upgrade their tickets, having no one much to talk with, and being restricted to short-range contacts, what benefits do we have to offer Communicators? Remember, this'll be the only entrance path to the hobby. That ought to quickly cull out 99% of those dumb enough to bother getting a license. We may be able to cut down on the present pathetic trickle of newcomers even further this way.

If the ARRL's secret agenda was to finish off what's left of amateur radio, they could hardly have come up with a better rulemaking proposal... nor submitted it at a better time.

But let's say that, as usual, Wayne is dead wrong. Let's say that the Communicator license does offer enough fascinating operating to keep newcomers coming into the hobby and that, encouraged by the fun they're having on our UHF bands, they do eventually learn the stupid code and upgrade. Let's say that they don't bog down almost totally as the Technician Class has. Let's say that for some reason which is completely unimaginable to me right now, they do upgrade... what do we have then?

Unless we are somehow able to attract youngsters to the Communicator license, we won't be much ahead of where we are right now. And that means we are going to have to make the biggest basic change in amateur radio in history. We're going to have to start advertising and promoting our hobby... selling it to youngsters like any other product. This means building our visibility so youngsters will be aware that amateur radio exists. It means mercilessly promoting it in every available medium.

We sit grumbling because our kids are playing with computers instead of hamming. Gee, how did that happen? Well, it wasn't God; it was good old-fashioned advertising and promotion. It's called marketing these days. The computer companies are spending

tens of millions to make sure that kids are playing with Nintendo and computers... and we're spending zilch or less to sell 'em amateur radio. Tell me money doesn't talk.

Sure, ham radio is a nonprofit hobby. Well, fine, we're going to nonprofit ourselves right out of business. Nintendo and the other computer games don't hold a candle to the fun of amateur radio. Worse, hamming used to get 80% of our newcomers into high tech careers. What does Nintendo prepare kids for, other than McDonalds table wiping? Thank heavens the minimum wage has just been raised!

If we ever do decide as a group to make an effort to take advantage of the PR opportunities which are open to us, we'd better have an attractive no-code entry ticket available, not the proposed Communicator Class. I'd sure like to see it with at least the Novice phone privileges.

We have ham moles in radio and TV stations everywhere, so we could get tons of free exposure. What we lack is an organization to generate the material. What little has been done so far has been absolutely terrible... more a turnoff than a turn-on for newcomers. Every time the ARRL has invested big bucks in a PR video, they have been unable to prevent themselves from turning it into a self-congratulatory epic instead of a commercial selling the benefits of hamming. Sure, we hams love to see videos telling us how great we are. But kids need to see videos on how they can have fun, not how a few obviously wealthy hams are enjoying talking with the world from their zillion dollar stations. Wrong message.

Since it would be substantially more difficult technically than the Novice test, the proposed Communicator Class license exam would be like starting out as a Tech, only without that dreadful 5 wpm code requirement. How much would the added technical requirement tend to inhibit newcomers from getting this license? The only difference between the Tech and the General license is code, so essentially we'd have beginners starting out on an equal footing with Generals, except that their code skill lack would prevent them from using the normal Novice, Tech, and General bands. Wouldn't this disparity tend to put more emphasis than ever on the perceived impor-

tance of the code as an obstacle? Yet the basic reason this new license was proposed was in recognition of code's irrelevance to commercial and military communications in the '90s. There's something gone really wrong with what's happened as opposed to what we desired and expected.

How About...

The proposed Communicator license does have the benefit that it would replace the Novice and Tech licenses. Well, almost. There's a proposed /AC suffix for Communicators who pass the 5 wpm code test. This will permit them to use the Novice and Tech bands. Talk about waffling, good grief!

With the hobby gradually withering away, perhaps it's time to shuck off the kluge structure that's been jerry-built for us. I like the idea of combining the Novice and Tech licenses. And, to my mind, the 5 wpm code test is only two or three hours of effort away from no code test at all, so what's all the fighting about? Let's make the entry license no-code and, as with the proposed Communicator, give the Tech level test.

Our Advanced Class is left over from the old Class A. Let's combine it with the Extra, and be done with it. We don't give the Extras all that many additional frequencies, anyway. That would give us about 150,000 Advanced/Extra Class licensees. Let's just call 'em Advanced Class... and keep the code requirement at 13 wpm. Remember, even the ARRL agreed in their Communicator petition that the code isn't as important as it used to be.

Then, if we lump the General and Techs together... again, the only difference between the classes is the code requirement... and add in the Communicator which is also technically equivalent, and we'll have a new General Class with about 220,000 licensees. That'll get us down to three classes, with about the right number per group. 90,000 Novices, 220,000 Generals, and 150,000 Advanced.

It's the old Keep It Simple (KISS) approach. Haven't we suffered enough from our caste system? What do we think we are, India? And look at the mess castes have made there!

Where's NIAC?

My original intention was to try and get the ham industry to cooperate in order to build a small National Industry Advisory Committee which could work with the FCC toward rebuilding our hobby.

Two problems came up. One was the almost complete lack of interest on the part of the ham industry in supporting an advisory group. Fewer than 25 of the over 750 ham industry firms volunteered to help... a matter of investing \$100. The other was President Bush's incredible delay in appointing new commissioners.

The last of the new commissioners had just barely learned where their offices were when the Communicator

Continued on page 80

KENWOOD

The Future is Here!



Kenwood — producing the finest Amateur Radio products for over three decades — introduces you to our world of affordable, high-quality, high performance products for today's active Radio Amateur. From HF to VHF, from base to mobile to HT, there's surely a Kenwood radio that will fit your needs and budget.

Being Number One means that we are committed to offer you the finest line of Amateur Radio products in the world. Take a look at the station equipment most winning contest and DXCC Honor Roll operators use. Read the Product Reviews. Compare our rigs against the rest. You'll see that we really are the best.


As the "pacesetter" in Amateur Radio, Kenwood continues to incorporate tomorrow's techniques and innovations into practical products today. Digital Signal Processing (DSP) in the TS-950SD is only one example. SSB Slope Tuning, the original "Dual Bander" concept, built-in antenna tuners for HF rigs, and many other techniques were all developed by Kenwood, and imitated by others. Leading edge technology, and superior field-proven performance — That's the Kenwood Experience!

KENWOOD U.S.A. CORPORATION
COMMUNICATIONS & TEST EQUIPMENT GROUP
P.O. BOX 22745, 2201 E. Dominguez Street
Long Beach, CA 90801-5745

KENWOOD ELECTRONICS CANADA INC.
P.O. BOX 1075, 959 Gana Court
Mississauga, Ontario, Canada L4T 4C2

KENWOOD

...pacesetter in Amateur Radio



1) TH-26AT: Compact HT. 2) BC-11: Rapid Charger for TH-26AT. 3) TH-315A: 220 Deluxe HT. 4) TH-75A: Dual Band HT. 5) BC-10: Compact Charger. 6 & 7) TM-631A/731A: 144-220/144-450 MHz FM Dual Banders 8) PS-50: Heavy Duty Power Supply. 9) TS-440S: HF Transceiver w/AT-440 (shown w/supplied MC-43S). 10) SP-430: External

Speaker. 11) R-5000: High Performance Receiver. 12) HS-6: Small-size Headphones. 13) SP-430. 14) TM-2530A: Deluxe 2m, 25 W FM Transceiver (w/optional MC-48B mic.). 15) TM-3530A: Deluxe 220 MHz, 25 W FM Transceiver. 16) TM-701A: 144/450 MHz Compact Dual Bander Mobile Transceiver. 17) TM-231A/331A/431A/531A: 144, 220, 450, 1200 MHz Compact Mobile Transceivers. 18) TS-811A: 70 cm, 25 W and 19) TS-711A: 2m, 25 W, All Mode Base Station Transceivers. 20) PC-1A: Phone Patch (FCC part 68 Registered). 21) SW-2100: SWR/Power Meter. 22) TS-940S: Deluxe HF Transceiver w/AT-940 installed. 23) SP-940: Matching External Speaker. 24) SP-31: External Speaker. 25) TS-790A: All Mode Tri-band Satellite Transceiver. 26) PS-31: Matching Power Supply. 27) PS-430: Power Supply. 28) AT-250: External Automatic Antenna Tuner. 29) TS-680S: 160-6 m Multi-Bander. 30) TS-950SD: HF Transceiver w/DSP. 31) SP-950: Matching External Speaker. 32) SM-230: Deluxe Station Monitor. 33) TL-922A: HF Linear Amplifier. 34) MC-85: Multi-function Desk Mic. w/3 outputs and tone controls. 35) HS-5: Deluxe Headphones. 36) MC-80A: Base Station Mic.

KENWOOD

...pacesetter in Amateur Radio

All-mode
tri-bander!

Warp Drive!



TS-790A Satellite Transceiver

The new Kenwood TS-790A VHF/UHF all-mode tri-band transceiver is designed for the VHF/UHF and satellite "power user." The new TS-790A is an all-mode 144/450/1200 MHz transceiver with many special enhancements such as automatic uplink/downlink tracking. Other features include dual receive, automatic mode selection, automatic repeater offset selection for FM repeater use, VFO or quick step channel tuning, direct keyboard frequency entry, 59 memory channels (10 channels for separate receive and transmit frequency storage), multiple scanning and multiple scan stop modes. The Automatic Lock Tuning (ALT) on 1200 MHz eliminates frequency drift. Power output is 45 watts on 144 MHz, 40 watts on 450 MHz, and 10 watts on 1200 MHz. (The 1200 MHz section is an optional module.)

- **High stability VFO.** The dual digital VFOs feature rock-stable TCXO (temperature compensated crystal oscillator) circuitry, with frequency stability of ± 3 ppm.
- **Operates on 13.8 VDC.** Perfect for mountain-top DXpeditions!
- **The mode switches confirm USB, LSB, CW, or FM selection with Morse Code.**
- **Dual Watch allows reception of two bands at the same time.**
- **Automatic mode and automatic repeater offset selection.**
- **Direct keyboard frequency entry.**
- **59 multi-function memory channels.** Store frequency, mode, tone information, offset, and quick step function. Ten memory channels for "odd split."
- **CTCSS encoder built-in.** Optional TSU-5 enables sub-tone decode.
- **Memory scroll function.** This feature allows you to check memory contents without changing the VFO frequency.

- **Multiple scanning functions.** Memory channel lock-out is also provided.
- **ALT—Automatic Lock Tuning—on 1200 MHz eliminates drift!**
- **500 Hz CW filter built-in.**
- **Packet radio connector.**
- **Interference reduction controls:** 10 dB RF attenuator on 2m, noise blanker, IF shift, selectable AGC, all mode squelch.
- **Other useful controls:** RF power output control, speech processor, dual muting, frequency lock switch, RIT.
- **Voice synthesizer option.**
- **Computer control option.**

Optional Accessories:

- **PS-31** Power supply • **SP-31** External speaker
- **UT-10** 1200 MHz module • **VS-2** Voice synthesizer unit
- **TSU-5** Programmable CTCSS decoder
- **IF-232C** Computer interface • **MC-60A/MC-80/MC-85** Desk mics • **HS-5/HS-6** Headphones
- **MC-43S** Hand mic • **PG-2S** Extra DC cable

KENWOOD

KENWOOD U.S.A. CORPORATION
COMMUNICATIONS & TEST EQUIPMENT GROUP
P.O. BOX 22745, 2201 E. Dominguez Street
Long Beach, CA 90801-5745
KENWOOD ELECTRONICS CANADA INC.
P.O. BOX 1075, 959 Gana Court
Mississauga, Ontario, Canada L4T 4C2



Complete service manuals are available for all Kenwood transceivers and most accessories. Specifications, features, and prices are subject to change without notice or obligation.

Satellite Packet

Lack of timely medical information is a leading cause of death in the developing world, according to global health experts. SatelLife, a not-for-profit organization based in Cambridge, Massachusetts, and Moscow, is working to correct this problem by using PacSats, low-altitude store-and-forward satellites, and briefcase-size packet ground stations. With a ground unit costing about \$2,000, a health worker in the field can receive and transmit instructions, consultations, and messages.

Following the December 1988 Armenian earthquake, SatelLife facilitated the delivery of packet radio equipment to disaster workers, helping locate more than 6,000 people. In 1989 a SatelLife healthlink was established between medical workers from Moscow's Ninth Children's Hospital and specialists from the Shriners Burn Institute in Boston. This link, in cooperation with the San Francisco/Moscow Teleport, is now allowing American burn experts to consult with Soviet physicians on the treatment of young victims of a recent Soviet train wreck.

Most recently, SatelLife has agreed to provide direct satellite transmission of urgently needed medical information to Polish physicians, according to Executive Director Dr. Charles Clements. This is the first medical information retrieval service to use direct satellite transmission. SatelLife will provide the Central Medical Library in Warsaw with USATs (Ultra-Small Aperture Terminals) first, and eventually provide each medical academy and institute in Poland with them. The USATs, connected to FAX machines, will receive medical data from the privately owned Pan-American Satellite-1. Microspace Communications, a subsidiary of Capitol Broadcasting Company that has donated three years to this project, will provide transmissions to Europe and the US.

The one-year-old organization, overseen by an international board of distinguished scientists and physicians, is in daily contact with its office in the Soviet Union. Through a 1987 agreement, the Soviet Academy of Sciences will launch SatelLife's satellites free of charge. For more information, call (617) 661-6468. *TNX Sharyn Cooper, Cudaback Strategic Communications, 11-B Mt. Auburn St., Cambridge MA 02138.*

Dove Crisis Averted

Last March 14, AMSAT learned that the DOVE Microsat on-board computer had crashed: The DOVE transmitter was in a key-down condition, blocking the uplink command channel. This inhibited the normal on/off cycling of the transmitter. Only a carrier with

minimal packet data was being sent on the 145.825 MHz general downlink.

On March 17, Dave Blaschke W5UN and Microsat guru Bob McGwier N4HY helped solve the problem. N4HY owns what is believed to be the world's largest private 2m antenna, which he uses for moonbounce operation. He transmitted a reset command sequence to DOVE, his 32.5 dBi array providing nearly 2 MW (megawatts) EIRP.

AMSAT members carefully restored control of the spacecraft at the optimum time in the battery cycle, and commanded the S-band transmitter on. Telemetry from the S-band downlink will be analyzed for clues that might help in understanding the circumstances surrounding the software crash. DOVE controllers advise that the 145.825 transmitter will be off the air until new software can be loaded.

The DOVE (Digital Orbiting Voice Encoder) concept was formulated by Dr. Junior de Castro PY2BJO of Brazil AMSAT (BRAMSAT). It was inspired by the educational use made of the Russian-Canadian Skitrek operation carried out on UO-11 during the Winter/Spring of 1988. The idea was to produce a satellite capable of transmitting synthesized voice and common digital modes in a widely available frequency band, such as FM. *TNX W5YI Report and QCWA Journal.*

What's Happening to 220?

The United Parcel Service may be on the verge of dropping ACSSB (amplitude modulated single sideband) and going to FM in its recently purchased 220 to 222 MHz. II-Morrow, the UPS subsidiary building the ACSSB gear, is having trouble making it work properly. Reportedly, the pilot tone that locks the system will not accept a 200 cycle drift. Rumor has it that II-Morrow may soon announce that the radios will be FM with 2.5 kHz channel spacing.

One of the primary reasons the FCC gave for reallocating 220-222 MHz to land mobile was for its use in development of new, narrow band technologies. If they end up using FM, a congressional investigation of UPS, II-Morrow, and the whole procedure used in transferring the spectrum might well be in order. *TNX Watts New.*

Romania: Ham Gear Needed

Hams in Romania need donations of amateur radio gear to get their nation back on the air. After the revolution, it became apparent that most of the amateur equipment in Romania had been destroyed. They need practically everything, from working radio gear and transformers to parts and components, and even coaxial cable.

Responding to an appeal from YO3CD,

Alec Allen GM5VS of Amcomm Corp. has offered the organization's London location as a central collection point for donations. He will also arrange for transportation of the donations to Bucharest.

Any contribution must be *well-cushioned* to prevent damage in shipping, and securely packaged. It must also include a QSL card from the sender, to permit a return card from the recipient. All packages will be passed unopened, except possibly by customs inspectors.

Send donations to Romanian Appeal, Alec Allen GM5VS, %Amcomm, 373 Uxbridge Road, Acton, London, WR3 9RH, United Kingdom. *TNX Amateur Radio Newslines.*

Don't Get Zapped!

Lightning is lightning, but is it the same everywhere? No, it isn't, according to Richard Orville, an atmospheric scientist working at the State University of New York in Albany. Orville used a satellite network of detectors to analyze lightning along the East Coast in 1988. His findings were reported in the January 1990 issue of *Nature*, and later in *Horizons*, a newsletter from Best Power Technology, Inc.

In a study of five million lightning strikes, the average current in a Florida lightning bolt was 45,000 amperes. In comparison, New England lightning bolts averaged "only" 25,000 amperes. To put this in perspective, the average home uses a 200 amp service for the microwave, TV, heating and cooling systems, electric stove, and garage door opener.

The Tampa, Florida, area has been known as the "lightning capital of the world." There, according to the US Weather Service, storms produce an average of 1,300 strikes a day during the summer thunderstorm season.

As many hams have discovered, knowing the properties of lightning and how to protect yourself, other people, and your equipment, is an important topic. *TNX to Paul Marshal K4AVU.*

ARRL to Fight for Novice?

In PR Docket 90-55, the FCC proposes abolishing both Novice and Technician Class licenses, and replacing them with the Communicator Class license. The ARRL says that this proposal differs substantially in philosophy from what the League had envisioned. In the February 1 edition of the *ARRL Letter*, Executive Vice President Dave Sumner K1ZZ noted, "While the League will not have an official position on the FCC proposal until one is adopted by the Executive Committee or Board, it is fair to say that we have long placed great importance on the . . . Novice license as a means of entry into amateur radio."

Sumner said it wouldn't be an overstatement that in the past as well as in the present, the League deems the Novice license as essential, but he cautioned that the amateur community might want to wait and study the entire text of the FCC's no-code license proposal before taking a stand.

Sumner did not mention any need to retain the Technician Class license. Most observers feel that the ARRL may use the Technician Class as a bargaining chip, but view the Novice Class as a non-negotiable must.

For the past few years, the Technician Class has been the fastest growing of all license classes, an unforeseen result of splitting Element 3 into 3A and 3B for Novice Enhancement. Indications are that in another few years, the Technician Class could become the dominant license class and wield the most political force in the amateur radio community. *TNX Amateur Radio Newslines.*

Ingenious Use for CW

In 1884, Thomas Edison, widowed and nearly deaf before age thirty, used his inventive genius to court and win his second wife, Mina Miller. He taught her Morse code so that they could communicate privately in the presence of friends, relatives, and Mina's younger, more handsome suitors. Even in the most crowded, noisy room, they could tap out private messages on one another's palm. This gave Edison an advantage none of the other suitors had!

Later that year, on an excursion in the mountains of New Hampshire with friends, Mina's family, and Edison's five-year-old daughter, Edison cut through the QRN with Morse and asked Mina to be his wife. She blushed as he eagerly waited for her reply, and tapped out "Yes." *TNX B-N-T Bulletin.*

Avoid Battery Mix-ups

Mixing alkaline and zinc batteries creates a pressure explosion when you connect several in parallel. The explosion is big enough to split the end cap of an explosion-proof flashlight and blow it off.

Of seven brands inspected, the Eveready Alkaline Energizer was the only battery incorporating a warning label about mixing battery types. Since it appears that major manufacturers are converting from carbon zinc to alkaline mix, the possibility of mixing battery types is increasing. To avoid this hazard, check your batteries. *TNX ESS-ZED Newsletter.*

Frequency Relocations

Novice, Technician, and beacon changes, possible and current! On March 1, based on petition RM-6594 by Bradley Wells KR7L, the FCC announced that it proposes to change authorized CW frequencies for Novice and Technician Class operators in the 80 meter band from 3700-3750 kHz to 3675-3725 kHz. Although at present Novices and Techs may only transmit CW in 3700-3750, Canadian

stations use that segment for voice. Wells argues that this results in considerable QRM between US and Canadian stations, and that relocation would reduce interference in the 80 meter Novice segment. The FCC requests comments from the amateur community.

The FCC has amended its rules by relocating the frequency segments used by automatically controlled beacon stations operating in the 2m and 70cm amateur bands. This action is a response to an ARRL petition requesting that the beacon subbands be changed from 144.02-144.06 MHz to 144.275-144.300 MHz on 2m and from 432.07-432.08 MHz to 432.300-432.408 MHz in the 70cm band. The ARRL's request to relocate the 220 MHz beacon subband from 220.05-220.06 MHz to 220.275-220.300 MHz was denied. *TNX ARRL, Amateur Radio Newslines, and HALO.*

MIR Operations

Soviet cosmonauts Anatoly Soloviev U6MIR and Alexander Balandin U7MIR may have resumed amateur radio activity on MIR, the Soviet space station. According to AMSAT, reliable sources report that the cosmonauts are transmitting on 2 meters, primarily on 145.50, but they may also be found on 145.550 MHz. The most probable time of operation is after 18:00 UTC and anytime on weekends.

The report is that the new radio brought up by U6MIR and U7MIR wasn't functioning properly, and the cosmonauts were using the equipment left by U2MIR and U4MIR. It seems they plan to replace the nonfunctioning rig soon, possibly on an unmanned supply mission. *TNX AMSAT and Watts New.*

WARC-92 Committee

FCC Commissioner Sherrie Marshall and Francis Urbany, Director of International and Agency Relations, BellSouth Corporation, have been appointed co-chairpersons of the FCC's Advisory Committee for the World Administrative Radio Conference in 1992.

The Advisory Committee will counsel the commission on the preparations for WARC-92 and make and develop recommendations for the US proposals and positions on topics addressed at the conference.

ARRL Executive Vice President David Sumner K1ZZ has been named to serve as one of the 35 members of the FCC WARC Advisory Committee. Committee members, selected from both the business and academic communities, represent a diversity of telecommunications interests.

Waco Weather Watchers

If boughs are breaking in Waco, Texas, because of severe weather, chances are good the National Weather Service will be quickly informed by hams from the Heart of Texas Amateur Radio Club. Jim Lovett, the club's president, says, "The weather bureau's radar is very good, but to confirm

what's actually happening, and for certain reports required by FEMA, they need visual reports of actual damage, and that's what we do." FEMA is the Federal Emergency Management Agency.

The Waco radio club mans a permanent amateur radio station, installed in last January, at the National Weather Service facility at Waco Regional Airport. Before this station was installed, the club used the equipment of whatever radio operator was asked to go to the weather station, which sometimes caused delays as the operator fetched his equipment. Lovett says, "Quite often the connections were different, and we had a variety of different types of equipment. . ."

The radio operator on duty calls other radio operators who go to pre-established sites to watch and report on the weather. Up to 45 amateur radio operators participate. The hams also work closely with the Waco-McLellan County Office of Emergency Management. *TNX AP and R.A. Matias.*

RV Radio Net

The Good Sam RV Radio Net, covering most states and Canada, handles traffic for RVers on trips. The 400 members, who also belong to the National Good Sam Club, discuss RV problems and activities.

The net meets Monday through Friday at 10:00 a.m. EST on 7292 during the winter, and at 10:00 p.m. during the summer. You can check in up to 20 minutes before the hour. The net also meets on Tuesdays at 8:00 or 8:15 p.m. EST on about 3888.8, and Sundays on 14.240 at 3 p.m. EST.

Anyone interested is welcome to check in. For more information, send an SASE business size envelope to Jack Russell KG5IO, PO Box 207, Golden TX 75444. *TNX B-N-T Bulletin.*

Ham Help Survey

Thanks to all of you who responded to the "Ham Help" survey. Last December 1989, letters were sent to all the people who had had an entry in "Ham Help" during the previous eight months. The enthusiastic, often warm, responses we received reassure us that "Ham Help" is a valuable service for the ham community.

Of the 80+ people queried, only four reported no results. The rest received the help they needed, and some got more than they'd expected, such as new friendships, or reunions with old friends they hadn't seen for years.

"Ham Help" is staying in 73!

TNX . . .

We appreciate your letters, newsletters, and calls. You can also reach us on Compu-Serve ppn 70310, 775, MCI Mail "WGEPUB," GENie "MAG73," and the 73 BBS at (603) 525-4438, (300, 1200, 2400 baud) 8 data bits, no parity, one stop bit.

MFJ's Deluxe 300 Watt Tuners

... gives you ham radio's most popular tuner with *built-in dummy load*, a *peak* reading (and average) Cross-Needle meter, *full 1.8-30 MHz* coverage, antenna switch, balun and a full one-year *unconditional* guarantee for only ... \$149.95

MFJ-949D

\$149⁹⁵

- Peak reading meter
- Built-in dummy load
- Covers 1.8 to 30 MHz
- 1 year guarantee



You won't find all the MFJ-949D features in any other 300 watt tuner, not even at twice the price — or twice the size.

Put the most power into your antenna

The MFJ-949D Deluxe 300 watt tuner matches your rig to virtually any antenna from 1.8-30 MHz so you get maximum power out.

It tunes out SWR on verticals, dipoles, inverted vees, random wires, beams and mobile whips fed by coax, balanced lines and wire.

Lighted peak reading meter

MFJ's *peak* (and average) reading Cross-Needle meter shows you SWR, forward and reflected power — all in a glance. Shows peak SSB power.

The meter is illuminated for easy reading in dim light. Has light switch. Lamp requires 12 V.

Built-in dummy load

A built-in 300 watt 50 ohm dummy load makes tuning up your rig sooooo easy. It reduces needless QRM and saves your finals.

You'll find it handy for testing and repairing your rig, setting power level, adjusting your mike gain and more.

An external dummy load can cost you *another \$30* — plus it takes up valuable space at your operating position and requires another cable.

Full 1.8 to 30 MHz coverage

Make sure the tuner you're considering covers *all* the HF bands ... the MFJ-949D does.

Plus more . . .

You get an antenna switch that lets you select 2 coax lines (direct or thru tuner), random wire

or balanced lines and built-in dummy load. You get a 4:1 balun for balanced lines.

Unconditional Guarantee

You get a full one year unconditional guarantee. We will repair or replace your MFJ-949D (at our option) *no matter what* for a full year.

Others may give you a 90 day limited warranty. What do you do after 90 days? Or before 90 days if they say, "Sorry, it's your fault"?

SWR and maximum power into your antenna.

After all, isn't that why you use a tuner?

High efficiency and a compact size

The MFJ-949D uses a single high-Q airwound coil that takes up a minimum of space without mutual coupling problems.

You get a highly efficient tuner that puts maximum power into your antenna *and* a compact 10x3x7inch size that fits right into your station.

Competing tuners using two tapped coils require a large cabinet — not just to house the coils but also to help reduce detrimental coupling between the inductors. The result? *A tuner that's bigger than your radio.*

Easy to tune

With the MFJ-949D once you select the correct inductance, you can turn on your transmitter and tune *both* capacitors for minimum SWR.

Tuners with *two* tapped coils make tuning clumsy, slow and tedious.

You have to turn off your transmitter *each time* you adjust either of the two inductors. Then turn it back on to readjust the capacitor and to check for acceptable SWR.


MFJ tuners — Made in the USA

You get the most tuner for your money because MFJ tuners go directly from our factory to your dealer. We're not just an importer adding profits, tariffs and import charges.

Get yours today!

Why settle for an imitation when you can own an MFJ original? Get your MFJ-949D today!

New MFJ Deluxe 300 Watt Tuner



If you don't need a dummy load but want *all* the other features of the MFJ-949D choose the new MFJ-948 for only \$129.95.

The MFJ-948 features a *peak* reading *lighted* meter with a built-in lamp switch, a one year unconditional guarantee and is made in the USA.

Remember, with MFJ you're getting proven performance and reliability from the most trusted name in antenna tuners.

Precise control for minimum SWR

The MFJ-949D gives you more precise control for minimum SWR than any tuner that uses two tapped inductors.

Why? Because the two continuously variable capacitors in the MFJ-949D give you infinitely more positions than the limited number on two switched coils.

This gives you precise control to get minimum

Why Choose an MFJ Tuner?

Hard-earned Reputation: There's just no shortcut. *MFJ is a name you can trust* -- more hams trust MFJ tuners throughout the world than all other tuners combined.

Proven Reliability: *MFJ has made more tuners for more years than anyone else* -- with MFJ tuners you get a highly-developed product with proven reliability.

First Rate Performance: MFJ tuners have earned their reputation for being able to match just about anything -- *anywhere*.

One year unconditional guarantee: That means we will repair or replace your MFJ tuner (at our option) *no matter what* happens to it for a year.

Continuing Service: MFJ Customer Service Technicians are available to help you keep your MFJ tuner performing flawlessly -- no matter

how long you have it -- just call 601-323-5869.

Your very best value: MFJ tuners give you the most for your money. Not only do you get a *proven* tuner at the lowest cost -- you also get a one year *unconditional* guarantee and *continuing* service. That's how MFJ became the world's leading tuner manufacturer -- by giving you your very best value.

Choose your MFJ tuner with confidence! You're getting proven performance and reliability from the most trusted name in antenna tuners. Don't settle for less. Get yours today!

Nearest Dealer/Orders: 800-647-1800

MFJ MFJ ENTERPRISES, INC.
Box 494, Miss. State, MS 39762
(601) 323-5869; TELEX: 53 4590
FAX: (601) 323-6551; Include s/h.

MFJ . . . making quality affordable

MFJ's 1500 Watt Tuner

MFJ-962C
\$229⁹⁵



For a few extra dollars the MFJ-962C lets you use your barefoot rig now and have the capacity to add a 1.5 KW PEP linear amplifier later. It covers 1.8 to 30 MHz.

You get MFJ's new peak and average reading Cross-Needle SWR/Wattmeter.

You also get a 6-position antenna switch and a teflon wound 4:1 balun with ceramic feed-thru insulators for balanced lines. Measures just 10 3/4 x 4 1/2 x 14 7/8 inches.

The Field Day Special— The “Ray Gun”

A Concentric Combo Mode B Antenna

by Jack Douglas KA5DNP

Several years ago I was invited to speak to a new local ham club, the Northwest Area Radio Society, about amateur satellite operations. This led to my joining the club, and soon our first Field Day activity was under way.

I took along the basics for operation on RS 5 and RS 7, the simplest way of earning satellite operation bonus points. After a while I heard the beacon from the best pass we were to experience, and then a beautiful “CQ Field Day” call.

At that moment, our HF CW station was changing operators. When the new operator came on I went running to ask for a 15-minute break in the CW activity, but to no avail. They simply did not understand that I had only 15 minutes to earn the bonus points and that their powerful CW signal was not kind to a high-sensitivity Mode A receiving system. Alas, no satellite operation that Field Day!

In 1988 I didn't give much thought to satellite operation at Field Day, but while I was at our site an idea hit. Maybe I could use the all-mode 2m in my car to hit RS 10/11. Then if a friend with HF in his car could pull up door-to-door with me, maybe we could make a contact. It worked! We made a good con-




Photo A. The “Ray Gun” Mode B concentric combo antenna installed for Field Day operation. Note the string (horizontal line from the mount, lower right corner of the photo) used to adjust the elevation.



Photo B. The antenna installed at the motor home operating point.

tact, but it could hardly be called a real satellite operation. Somehow we slipped this one in between CW calls from the “real” Field Day station.

In early spring of 1989 the club Field Day chairman called to ask if I would make a satellite effort for Field Day. I was non-committal until a friend, Ken Edinborgh W5BKK, said we could use his radios if I could get an antenna set up.

I have operated on the high-flying birds (Oscars 10 and 13) for over five years using home-brew “Armstrong” operated antennas. Maybe I could construct a simple antenna system, thus avoiding the need for taking down someone's antenna system just for Field Day. This resulted in the “Mode B Concentric Combo,” dubbed “The Ray Gun” by one of the fellows at Field Day.

What is the Ray Gun?

The Ray Gun is a 5-element 2m quad with a ten-turn 70cm helix wound inside it, concentric on an eight-foot wooden closet pole boom. The quad is an adaptation of information from the *The Satellite Experimenter's Handbook* and the 1986 *ARRL Handbook*. The helix is an adaptation of a design passed on to me by Jim McKim W0CY. (I used Jim's information to construct my home station 70cm antenna—the only 70cm antenna I have ever used!)

Photo A shows the Ray Gun in all its glory mounted at the Field Day site. (The thin horizontal line running to the right is the string used to vary elevation.) Photo B shows the antenna installed next to the motor home of Vince Hayes KC0LM, which was the operat-

ing point. Photo C shows the antenna in its “test mounting” (a rope thrown over my breezeway). We made sixteen contacts from the “test mounting” setup. Not too shabby, since elevation and azimuth weren't easy to change!

The Ray Gun is mounted on a 2” x 2” pole. A tie string handles elevation; azimuth changes are made by rotating the pole. With this setup our station logged 40 contacts on the Saturday night pass of AO-13, albeit with some difficulties from rains.

The advantage of the Ray Gun is that you only need to haul one antenna to Field Day, along with one small pole and some rope and tent pegs. The disadvantages are that there will be some desense because the two systems are so interlaced, and problems with wooden construction materials getting wet and reducing the efficiency of the 70cm helix. Note that I have referred to the antenna as a Mode B combo. This is because with the actual setup we had, be it antenna design or whatever, desense on Mode J was simply too great to allow operation.

I didn't have to buy anything to build this antenna—I already had everything I needed. If you want to build your own “Combo” I estimate you can buy everything for less than \$50.00. An operational Mode B antenna for fifty bucks is not too common an animal!



Photo C. The “Ray Gun” in its “test mounting” (a rope thrown over KA5DNP's breezeway).




Figure 1. Constructing the 2 meter beam.




Figure 2. Constructing the helix.




Figure 3. Final construction details.

Construction Details

I began by constructing the 2m beam (see Figure 1). The central boom is a 1 1/4" wooden

closet pole eight feet long. (You can use less but it's nice to have plenty to work with.) The elements are squares made from 3/16" copper tubing (the tubing size is not critical). The

element supports are made from 5/16" dowels. (Again, their diameter is not critical.) The insulator on the driven element was fashioned from a piece of plexiglas. The elements are connected to the dowel supports by the system Jim McKim W0CY used in his helix. (See Figure 1 for details.) The dowel supports are mounted to the "boom" by drilling 11/32" holes 1/2" deep in the boom. Fill the holes with fresh carpenter's glue and force the dowels into place.

The elements are not mechanically strong. I found it helpful and practical during construction to suspend the boom on small ropes thrown over the ceiling joists of my garage. The finished antenna is held up by a fitting on the boom. The mechanical integrity is more than adequate when supported in this manner.

The key element of the helix (Figure 2) is the reflector. The exact overall dimensions are not critical. To quote W0CY: "The helix is about the most tolerance-forgiving of any antenna." He used a 30" diameter circular reflector; I used a 24" x 30" rectangular reflector on my home base and a 14" x 27" rectangle on the Ray Gun because that is what I had on hand. However, I suggest you use something at least 24" x 24". A good source material is the design-punched aluminum sheets sold by most do-it-yourself stores for kick panels for screen doors. However, they are thin and you will have to brace them by bolting on flat metal or small angle iron strips, also available at local stores. The center area piece must be stronger. It can be made from an old aluminum rack panel or something similar. It should be 9" x 9", or a 10" circle (not critical as long as it is big enough to mount the 4" offset feedpoint). Bolt it to the larger reflector plate.

Refer to Figure 3 for the construction details of the next steps. Drill or cut a hole in the center large enough to allow the boom to pass through. (I suggest 1-5/16".) Place a second hole, to accommodate a panel mount "N" connector, 4" off center. Attach three 2" x 2" right angle brackets to the reflector at the edges of the center hole (at 120 degree angles). This can be done by drilling and bolting, using 6-32 bolts. The idea is to have the brackets placed so that when the boom is run through the center hole it can be secured by radiator hose clamps tightened around the brackets. Later you can "match" the antenna by varying the capacitive coupling between the first half turn of the helix and the reflector screen. The sweat-soldered copper on the first half turn facilitates this procedure.

When the reflector assembly is ready, set it aside and mount the helical element. Run strips of 3/4" by 1/4" molding parallel to the boom, with their outside edges 8" apart. (See Figure 2.) Lay them against the quad support dowels and hold them in place with C clamps. Use a small drill, sized to fit toothpicks, to drill holes through the molding and the dowels. Pin the molding in place by putting round toothpicks through the holes and gluing the toothpicks in place. Cut small notches in the outer edge of each molding at 6" intervals, offsetting notches on one molding 3" from

73 Review

by David A. Manson NICTI

Pyramid Phase III PS-25

Adjustable power supply.

Number 5 on your Feedback card

PYRAMID SOUND
1501 60th St.
Brooklyn, NY 11219
Tel. (718) 436-1616
Price Class: \$90



This summer I was finally able to retire my tube rig and buy a clean, used ICOM IC-735, but limited funds precluded buying a matching power supply. So out came a recent copy of *73 Magazine* to check out the alternatives.

The supply I chose and the subject of this review is the Pyramid Phase III adjustable regulated power supply, model no. PS-25. I have also seen this supply under the Tenna brand name. The PS-25 was purchased for around \$90, including shipping, and comes with a two-year warranty.

This supply, rated at 25 amps continuous and 27 surge over a range of 10 to 15 VDC, has separate front panel meters to display current and voltage. The ON/OFF switch doubles as the power ON indicator, and it goes out if the built-in protection circuitry detects an overload and shuts down the supply.

Straightforward Design

Set-up is quite simple. I used the mobile cable supplied with my radio to connect the supply to the rig. The combination binding posts and banana jacks on the front panel can be unscrewed completely to allow the ring connectors on the cable to be used without modification. After turning the supply on you can adjust the voltage as desired with the front panel control.

Initially I had some concerns that the voltage control might be inadvertently bumped, but the rack-type handles on the front of the supply protect both the ON/OFF switch and the voltage control.

The supply is enclosed in a metal enclosure measuring 9"W x 5"H x 12"D with black matte finish. All controls are located on the front panel, including the fuse holder. The quality of

construction is quite excellent, and a schematic was included with the supply. The circuitry uses an integrated regulator chip with standard RCA 2N3055 NPN pass transistors.

The pass transistors are mounted on two large heat sinks on the rear of the cabinet, and have never been more than warm to the touch even after extended high current load (100 watts FM).

Due to the quality of construction, two-year warranty, and the discount price, this could be the best power supply buy of the year. I highly recommend it for the amateur on a tight budget. It is also excellent as a variable power supply for the test bench. *The PS-25 is available from National Tower Company, PO Box 15417, Shawnee Mission KS 66215. Phone: (913) 888-8864.* **73**

Field Day Special, continued from p. 11.

those on the other molding. Just below the vertex of each notch, drill a very small hole to use for a wire tie.

Varnish all of the wood to waterproof it. When the varnish has dried, wind in your element, fitting it in the notches and tying it with wire ties to hold it in place. The windings should be clockwise when viewed from the back end, where the reflector of the quad is located. (This is where you will mount the helix reflector.) Leave both ends of the element long enough to allow room for forming end fittings.

If you're using coax, remove the outer insulation from the back end of the helical element. (See Figure 3.) Whatever is used for the element, sweat on a 1" x 6" arc-shaped copper plate (made from tooling copper or any kind of thin copper sheeting). Flatten the end (being sure the braid and center conductor are in electrical contact if you are using coax) and firm it with solder. Drill a small hole just large enough so that it can be slipped over the soldering tip of a panel-mount "N" connector. The outer end of the element should be cut off just past the last tie so that it is stable. If you are using coax, connect the braid to the center conductor and waterproof the end with tape and coax seal.

Now slide the reflector onto the boom and up to the point where the end of the element can be soldered to the "N" connector. Push it forward enough so that the first half turn (the one with the copper plate on it) is very close (about 1/2" to 3/4") to the reflector. Slip two hose clamps on the reflector.

The Match

If you have the antenna suspended on ropes, and it is not too close to other objects, you can now test the match. The dimensions control the match on the quad. The actual match is not critical for Mode B because you will not use the antenna for transmission, but try for a good one because you might want to use your Ray Gun on Mode J.

"The advantage of the Ray Gun is that you only need to haul one antenna to Field Day."

To match the helix, slide the reflector back and forth (closing and opening the gap between it and the first half turn of the element) until you get a match. It should be easy to get ratios below 1.1:1. When you have a match, tighten the hose clamps so the reflector cannot move. The antenna is now complete, but you still need to do some more work before you mount it.

Get six feet of 1 1/4" ID metallic EMT pipe. Depending on the actual finish on your boom, the EMT will slide over the back end or you may have to sand the boom down slightly. When it does fit over the boom, slide it up against the ends of the brackets holding the reflector. With the antenna suspended so that the feedpoint of the quad is on the bottom, drill a 1/4" hole through the EMT and the

boom, parallel to the ground and about six inches back from the front edge of the EMT pipe. Rotate the antenna 90 degrees and drill another hole two inches back from the first. A bolt through either of these holes will suspend the antenna. The hole you use will depend on which orientation seems to work best for you.

A wooden pole 2" x 2" 8-12 feet long can serve as the mounting pole. You will need a piece of 2" ID very heavy duty PVC about four inches long. By cutting the corners off the pole on one end for a distance of about a foot, you should be able to slide the PVC over it as a collar. It should shoulder at the end of the length where the corners of the pole have been cut. Three holes in the collar at 120 degree angles, fitted with small eye bolts, will provide places to tie on three pieces of light rope or heavy nylon cord. These can be run to tent pegs to hold the pole up, yet the pole can still be rotated to change azimuth. A hole through the top of the pole and a bolt long enough to go through the mounting holes on the antenna and the pole provide a single point mount for the antenna. The EMT should be cut off as necessary so that the front of the antenna will drop down when the antenna is suspended on the single bolt. Drilling a small hole in the back end of the EMT and running a nylon cord through this hole to a tent peg will provide a means of setting elevation.

Now you have a Ray Gun concentric Mode B antenna! **73**

Contact Jack Douglas KA5DNP at 2019 Willow Point Drive, Kingwood TX 77339.



IsoLoop™ HF ANTENNA

REVOLUTIONARY COMPACT DESIGN

Once again AEA has achieved a significant engineering breakthrough with its high-performance, low profile HF IsoLoop antenna. Performance isn't compromised by its small size. Operate your favorite HF band (14 to 30 MHz frequency coverage) from areas with restrictive zoning ordinances or apartments and condos. Or take it with you on vacation. . . it's the ideal go-anywhere portable antenna. And it's the only antenna you need to cover 14 to 30 MHz. ONE antenna instead of numerous dipoles and without any traps!

150 Watts. Rated up to 150 watts, the IsoLoop transmits and receives on any frequency between 14 to 30 MHz. When mounted with the loop in the horizontal plane, the radiation pattern is omni-directional and horizontally polarized, with the gain of a dipole. Maximum radiation is at low angles which is ideal for DX operation. The IsoLoop may also be mounted with the loop in the vertical plane to provide a null in a desired direction. Tuning is provided by a precision stepper-motor and a small remote control box, the LC-1.

The IsoLoop does not need ground radials and its balanced, shielded feed-loop isolates the feedline from the antenna. The IsoLoop is well-isolated from the feedline. Like AEA's Isopole antennas, your signal is radiated by the antenna and not the feedline. With end-fed antennas, the outside of the coax becomes part of the antenna, resulting in noise and computer hash pickup and increased TVI problems.

High-Q Design. One of the unique features of the IsoLoop is its inherent High-Q. The IsoLoop can be considered a very sharp tunable filter that radiates. The narrow bandwidth suppresses harmonics from your transmitter reducing TVI problems. It also attenuates out-of-band signals from nearby transmitters that could overload your receiver.

Compact. The IsoLoop is square, with rounded corners, and measures 32 inches on a side and weighs only 12 pounds. Because of the IsoLoop's small size, it makes a perfect attic or balcony antenna. It's also excellent for portable operation, recreational vehicles or camp-site use. A rotator is not necessary when used in the omni-directional, horizontally polarized mode.

Revolutionary. The AEA IsoLoop antenna represents years of research and development. Others may try to imitate the IsoLoop, but none can match the patent-pending design.

AEA also provides technical support from the factory or through your personal computer and modem on CompuServe's HamNet. If you are already a CompuServe member, just type GO HAMNET at any CompuServe prompt. For a free introductory CompuServe membership, call 1-800-848-8199 and ask for representative #48.


AEA Brings You A Better Experience

Advanced Electronic Applications, Inc.


2006-196th St. SW/P.O. Box 2160 Lynnwood, WA 98036 206-775-7373

Specifications subject to change without notice or obligation. Dealer Inquiries Invited. Copyright 1990. Stand optional.

CIRCLE 65 ON READER SERVICE CARD



IsoLoop LC-1 control box with variable speed tuning.



IsoLoop precision stepper motor provides accurate tuning.

TNC Connect Alarm

Did anyone call while I was out?

by Mark Schmidt DA1AU/WB9EGA

Packet has brought hundreds of hams back into the fold of activity. We can pass emergency services traffic faster than we can generate it (try that with CW). Entire packet stations can fit inside a briefcase and be set up in minutes. For me, this mode was a way I could indulge in my two vices—computer and radio—simultaneously. I'm having a ball! 99.9% of my operation is packet.

The Problem

Like most stations, mine is in one room, and I didn't want to spend my free time sitting in front of the computer waiting for someone to call. I needed something which would signal me when someone connected. The TNC's "ring"(*) parameter sends three bells on a connect, but what if I wasn't around to hear it?


An Idea is Born

Browsing through the KPC-2 TNC manual in the section about the RS-232 port, I found on line 8, the Data Carrier Detect, that "when connections exist, the line will be true." Rereading it, I eventually saw the makings of a hardware connect alarm.

If unconnected, the line will be false (a minus voltage). If I connect to someone, or someone connects to me, it will be true (a positive voltage). When I or they disconnect, it goes false again. Armed with these facts, there are three things this hardware connect alarm will have to do for me: detect the transition from false to true, give me a signal if the status is true, and save the true status until I reset it.

The Answer

You can do it all with a single flip-flop. It must be positive edge triggered with an asynchronous reset. Although I haven't tried them all, several fit this requirement: the 7474, 74109, 74174, 74175, 74273, and the CMOS versions 4013, 4027, 40174, and 40175. Read the specs to pick the one that suits the inputs/outputs you want.



Schematic of the TNC connect alarm.

I chose the 74LS74 (low power Schottky version) D Flip-Flop. Construction details are based on the 7474. Although the 7474 contains two flip-flops, you need only one. If you find a use for the other one, let me know. The circuit I came up with is simple. The whole thing is very small; you can build it on a PC board 1½" square. You'll need +5 volts to power the 7474, but you don't have to add a battery. You can pick it off from the TNC's regulator.

RS-232/TTL Level Conversion

RS-232 signal levels can vary anywhere between -3 and -25 for false and +3 to +25 for true, so you need to convert the negative voltage to 0 and the positive to +5, the allowable limits of the 74xx TTL series. The diode on pin 8 takes care of the negative voltage and the 5.1 volt zener diode takes care of the positive voltage. Think of them as protection for the 7474.

Any negative voltage at the RS-232's pin 8 results in 0 voltage at pin 3 of the 7474, and any positive voltage greater than 5 volts is held to +5 volts. The Set and Reset pins are held high, as is the D input. When a connect occurs, the negative to positive transition at pin 8 of the RS-232 will convert to a 0 to 5 volt clocking pulse for the 7474. At that time, whatever is on the D input (a high) will appear at the Q output. Also the opposite (a low) will be at the \bar{Q} output. It will stay that way until the Reset (pin 1) is momentarily brought low. What could be easier?

The Signaling Device

Choose whatever you want for the signaling device. It can be visual, like a simple LED or even a strobe light, or something audible, like a buzzer, horn, or siren. Why not go remote and integrate it into a short range pager like I saw in the May 1986 issue of 73. It's up to you. You are limited only by your imagination.

The Q and \bar{Q} outputs are low power, so if you intend to use a large device, use a relay.

Mounting

This unit is very small and easily fits inside the TNC. There's room on the faceplate to mount an LED and a reset switch. Tap into pin 8 from the inside.

Now maybe for some reason, you don't want to mount it inside the case. You're going to use a strobe light and siren, and you might as well mount the board someplace else. In that case, the +5 volts for the 7474 will have to be routed externally to wherever your board will be. While you have the TNC open, take a look at the RS-232 jack. You will see

that many of the pins are unconnected. Solder a wire from the output on the 7805 regulator to an unused pin on the jack. I used pin 13. Now you have everything you need available at the jack: ground (pin 7), +5 volts (pin 13), and the status (pin 8).

CMOS Considerations

Although I have not yet made a CMOS version, there are a few things you should keep in mind. Since CMOS can operate at higher voltages than the 5 volt TTLs, you may want to use 12 volts to power the chip. It just so happens that 12 volts is already on pin 25 of the KPC-2. You don't have to reroute power to the RS-232 jack. Also, you may not need the 5.1 volt zener. Experiment and see.

Operation

Using this couldn't be simpler. When someone connects to you, or you connect to them, the alarm will be activated and stay that way until you reset it. But if you're running multiple streams, there's something you should be aware of. Let's say you're connected on stream A and not on stream B. If you are on stream A and change to stream B, you will change from a connected to an unconnected state; when you change back to stream A, what happens? You guessed it. The alarm will activate. It doesn't distinguish streams—it sees just a simple unconnected to connected state change. Other than this little quirk, which we can do nothing about, it works as advertised.

Parts cost me nothing since I had all the parts in stock, but everything new shouldn't cost more than \$3 (excluding strobe and siren) and all are available from Radio Shack.

Four out of Four

This project uses common and cheap parts (two of the four requirements for any of my projects). Construction is fast and simple (the other two requirements). It'll give your packet operations a little something extra.

Packet is the best thing to happen to amateur radio in a long time. We're doing things unheard of on any other mode. Let's use it wisely, but most of all... enjoy! 

Mark T. Schmidt DA1AU/WB9EGA, Box 1001, APO NY 09104. He writes, "Here in Germany, no-code is alive and well... CW is a mode, not THE mode."

Parts List

1	74LS74 D Flip-Flop	1	2.7k resistor
1	5.1 volt zener diode	1	0.1-0.01 µF capacitor
1	1N914/4148 diode	1	flashing LED
2	1k resistors	1	SPST switch
3	10k resistors		



rf enterprises

We specialize in antennas and towers!
Call us for all your amateur needs.

YAESU



FT-1000D

FT-767GX; FT-757 GX-II; FT-747GX; FT-736R;
Handhelds for 2M, 220, & 440MHz; Mobile rigs;
Dualbanders; and other Yaesu equipment &
accessories. Call!

ICOM



IC-735

160-10M, General Coverage Receive, Dual VFO
& 12 Memory Channels, QSK, Compact.

SPECIAL!

ICOM 2 Meter Mobile FM Transceivers
CALL US!

TEN-TEC



OMNI V

OTHER TEN-TEC PRODUCTS:

- Model 561 Corsair II HF Transceiver
- Model 585 Paragon
- Model 425 Titan Linear Amplifier
- Model 420 Hercules Solid State HF Amplifier
- Model 238 Antenna Tuner

ANTENNAS & TOWERS

CUSHCRAFT

- A3S Tribander
- A4S Tribander
- R5 (10,12,15,17,20) **SPECIAL!!**
- AP8 (80 - 10 Vertical)
- AV5 (80 - 10 Vertical)
- A50-5 5-el 6M. beam
- 617-6B 6 Mtr "Boomer"
- ARX-2B Ringo Ranger II
- A147-11 11-el 146-148MHz
- 215WB 15-el wide band 2M
- 32-19 19-el. 2M beam
- 4218XL 18-el 2M Boomer
- 424B 24 el. 432 MHz
- AOP-1 OSCAR pack

Call for prices on the entire line!

ROHN TOWERS:

SELF-SUPPORTING

(6 sq. ft. model)

BX64 64 ft.\$499

(10 sq. ft. models)

HBX40 40 ft.\$289

HBX48 48 ft.\$374

HBX56 56 ft.\$489

(18 sq. ft. models)

HDBX40 40 ft.\$349

HDBX48 48 ft.\$464

(Ratings based on 10 ft. boom.)

GUYED TOWER SECTIONS

25G, 45G, 55G & accessories

Call for current prices.

New! 7 ft. UPS shippable 25G sections

FOLD-OVER TOWERS

Call for current prices.

TELEX/hy-gain

Crank-up towers: 37 -70'

- TH7DXS: 7-el. tribander
- TH5 Mk2: 5-el tribander
- Explorer-14: tribander
- Discoverer: 40 Meter beams
- 205BAS: 5-el, 20 M. beam
- 204BAS: 4-el, 20 M. beam
- 155BAS: 5-el, 15 M. beam
- 105BAS: 5-el, 10 M. beam
- 18HTS: 80-10 M. vertical
- 18ATV/WBS: 80-10 M. vertical
- V2S: V3S; & V4S
- 215-DX: 15 el. 144 MHz beam
- 7031-DX: 31 el. 432 MHz beam
- 64BS & 66BS: 6 Meter beams
- OSCAR Link Antennas

Complete inventory. Call for prices.

ACCESSORIES

MFJ



989C TUNER

Complete MFJ inventory!

HEATH

- SB-1000 Linear Kit
- SA-2060 Tuner Kit
- HT's Packet Gear
- HW-9 QRP Rig
- Twin Band Mobile Xcvrs

Call us to order HEATH gear.



PK-232

Morse, Baudot, ASCII, AMTOR,
Packet, Facsimile, & Navtex



AT-300 TUNER

ISOPOLES & M² ANTENNAS

KLM

- KT34A\$409.00
- KT34XA\$599.00

HF Monobanders, VHF, UHF, & OSCAR
antennas in stock.

ALPHA-DELTA

- DX-A Sloper\$46.95
- DX-CC\$79.95
- DX-DD\$65.95

HUSTLER

- 6BTV 80-10 mtr vertical\$139.95
- 5BTV 80-10 mtr vertical\$124.95
- G6-144B 2 mtr base antenna\$89.95
- G7-144 2 mtr base antenna\$124.95

Complete mobile systems.

BUTTERNUT

- HF6VX Vertical, 80-10M.
- HF2V Vertical, 80 & 40M.
- HF5B Compact beam, 20-10M

We have all Butternut accessories.

DIAMOND

Our best selling dual band antennas.
Antennas for 2 meters and 440 MHz.

ASTRON POWER SUPPLIES

- | | | |
|---------------------|---------------------|----------------------|
| RS-4A\$ 39.95 | RS-7A\$ 49.95 | RS-12A\$ 69.95 |
| RS-20A 88.95 | RS-35A139.95 | RS-50A199.95 |
| RS-20M109.95 | RS-35M159.95 | RS-50M219.95 |
| VS-20M124.95 | VS-35M174.95 | VS-50M232.95 |



NYE VIKING MBV-A



rf concepts



AMERITRON AL-80A

WIRE & CABLE

BELDEN COAX: (Performance....not problems)

- | | |
|-------------------------------|--------------------------------|
| 9913 low loss\$0.49/ft. | RG8X (9258).....\$0.24/ft. |
| RG-213/U (8267) \$0.49/ft. | RG-11A/U (8261) \$0.45/ft. |
| RG-8/U (8237)\$0.39/ft. | RG-58A/U (8259) \$0.19/ft. |
| RG-8/U (8214)\$0.43/ft. | RG-59/U (8241) ..\$0.20/ft. |
| | RG-214/U (8268).....\$2.99/ft. |

COPPERWELD ANTENNA WIRE:

Solid: 12 ga...\$0.12/ft.; Solid: 14 ga...\$0.09/ft.; Stranded 14 ga...\$0.10/ft.

ROTOR CABLE:

Standard (6-22, 2-18) . . . \$0.23 Heavy Duty (6-18, 2-16) . . . \$0.39/ft.

We stock Amphenol Connectors and Andrew Heliax.
Connectors Installed!

VISA Mastercard

Personal checks verified with
Telecheck

Prices subject to change without notice.
Shipping additional except as noted.
Returns subject to 15% restocking fee.

ORDER TOLL FREE

1-800-233-2482

Shipping info., Technical, Inside Minnesota, & DX

218-765-3254

FAX: 218-765-3308

rf enterprises

HCR Box 43

Merrifield, MN 56465

More than a sourcea solution.



"You're miles ahead with Larsen." Rick Woodsome, Communications Consultant Woodsome and Associates, Boulder, Colorado

When the directors of the Coors International Bicycle Classic needed a sophisticated mobile communications system, they turned to communications consultant Rick Woodsome. As a communications specialist, Woodsome knows what it takes to make a communication system work.

That's why he turned to Larsen Antennas.

"You don't pull off the largest sports event in the Western Hemisphere without good communication. And you don't have good communication without the right equipment.

"Larsen antennas were instrumental in making last summer's Coors Classic an overwhelming success. They were key to our entire communication network.

"Without Larsen, it would have been uphill all the way."

Rick Woodsome



Larsen Antennas The Amateur's Professional™

See your favorite amateur dealer or write for a free amateur catalog.

IN USA: Larsen Electronics, Inc., 11611 N.E. 50th Avenue, P.O. Box 1799, Vancouver, Washington 98668 (206) 573-2722.


IN CANADA: Canadian Larsen Electronics, Ltd., 149 West 6th Avenue, Vancouver, B.C. V5Y 1K3 (604) 872-8517.

THE AMATEUR'S PROFESSIONAL.

Larsen Kūlrod® and Kūlduckie® antennas provide amateurs the same advantages enjoyed by commercial two way radio users. Both combine top performance with the long range dependability you want.

See your dealer for the complete line of Larsen antennas and permanent and temporary mounts. You can buy with confidence, because they're all backed by Larsen's No Nonsense Warranty for a full six months.

For a professional approach to amateur radio, tune in to Larsen.



FEEDBACK

In our continuing effort to present the best in amateur radio features and columns, we recognize the need to go directly to the source—you, the reader. Articles and columns are assigned feedback numbers, which appear on each article/column and are also listed here. These numbers correspond to those on the feedback card opposite this page. On the card, please check the box which honestly represents your opinion of each article or column.

Do we really read the feedback cards? You bet! The results are tabulated each month, and the editors take a good, hard look at what you do and don't like. To show our appreciation, we draw one feedback card each month and award the lucky winner a free one-year subscription (or extension) to 73.

To save on postage, why not fill out the Product Report card and the Feedback card and put them in an envelope? Toss in a damning or praising letter to the editor while you're at it. You can also enter your QSL in our QSL of the Month contest. All for the low, low price of 25 cents!

Feedback # Title

- 1 Letters
- 2 Never Say Die
- 3 QRX
- 4 Field Day Special
- 5 Pyramid Phase III PS-25
- 6 Ham Profiles
- 7 COSIN Network
- 8 FCC Study Diskettes
- 9 Big But Cheap
- 10 Two Meter Portable Quad
- 11 PC HF Facsimile 4.0
- 12 Radio Journal 1912-1940
- 13 Tune In VLF
- 14 Circuits
- 15 Experimental Gaussmeter
- 16 Standard Magnetic Field Generator
- 17 Looking West
- 18 Ham Help
- 19 ICOM Service Survey
- 20 Backward Inverted L Antenna
- 21 Packet Talk
- 22 Homing In
- 23 Hamsats
- 24 Pipo Communications DTMF Pad
- 25 SFA on 15 Meters
- 26 Ask Kaboom
- 27 RTTY Loop
- 28 New Products
- 29 Memories
- 30 Above & Beyond
- 31 Ad Index 6/90
- 32 Keyword Index 6/90
- 33 Dealer Directory
- 34 73 International
- 35 Barter 'n' Buy
- 36 Tech Tips
- 37 QRP
- 38 Special Events
- 39 ATV
- 40 DX
- 41 de K6MH
- 42 Propagation
- 43 The Cuckoo's Egg
- 44 TNC Connect Alarm
- 45 Be A Ham?

HAM PROFILES

There are no "average" hams!



Photo A. Sixteen-year-old Aaron Greiner KB0BDY stands between his father, Keith AK0Q, and his grandfather, Loren Greiner W0GTW.

Third Generation Ham

When still a child, Aaron Greiner KB0BDY began participating in amateur radio by watching his father. Eventually, the code "rubbed off" on him. The code test was easy, and with only a little study Aaron did well on the written test.

Says Aaron, "I love to get on the air and try for DX contacts using CW. One reason why I love to use CW so much is that I can tell my Spanish teacher that I really don't need to know Spanish to talk to someone in Spain because I almost always use CW instead of voice."

"I am currently a sophomore at Dowling High School in Des Moines,

Iowa, and I'm very active on the soccer team. I'm also learning to fly remote controlled airplanes, and I carry a newspaper route for the *Des Moines Register*."

On his 16th birthday in January 1990, Aaron became the third generation of the Greiner family to achieve the General Class license. Aaron's grandfather, Loren, was the first Greiner to become a ham. He received his General Class license in 1947. Now he holds an Advanced Class license with the call W0GTW. Aaron's father, Keith AK0Q, has had an Extra Class license since 1984. He was first licensed in 1962 as a General Class operator. **73**




Photo C. Gilbert Monroe AL7KU (right) of Fairbanks, Alaska, has an eyeball QSO with Joel Pinto PT2KU (left) of Brazil, at the latter's QTH. Sr. Pinto designed the T-shirts for the first 2m group in Brazil.

Goldmine of Ham Experience

Gilbert Monroe AL7KU, known to friends as "Gil," first became interested in radio in 1930 at the age of eight. His brother and a friend built a spark-gap transmitter out of a Ford Model T ignition coil. They used a "kitty-whisker" and galena crystal with the tuning coil wrapped on a round Quaker Oats box for the receiver. It transmitted about five blocks. Gil was deeply impressed, but "... it was 21 years later that I finally managed to get the code down well enough to get a ham ticket (13 wpm)."

AL7KU was first licensed in 1951 in Fairbanks, Alaska. At that time he worked for the Geophysical Institute at

the University of Alaska doing research on radio propagation. He supervised a group who developed a wave-tilt method of determining earth resistivity. For many years now, Gil AL7KU has been a gold miner.

His major interest in ham radio is DXing, and his top enjoyment is eyeball QSOs with foreign hams. Each year he takes a three-month vacation to Central or South America. He has learned to speak Spanish very well.

Last February, Gil traveled to Brazil to meet Joel Pinto PT2KU, who was first licensed in 1949. In 1975 PT2KU set up the first 2m station in Brazil. AL7KU and PT2KU enjoyed reliving ham operations from the old crystal-



Photo B. In addition to ham radio, Todd Tittle KF7LX enjoys fishing, horseback riding, waterskiing, and photography.

A Capable Ham

When Todd Tittle KF7LX was 14, he earned his Novice license, and within a year he had achieved his Advanced Class license. Todd's favorite part of ham radio is meeting new people.

Todd is another third-generation ham. His grandfather, W.C. Brown, Sr. W6ECO, would be delighted to see his great grandson's enthusiasm for the hobby. Bill, Jr. W6TAO, Todd's grandfather, has been active in amateur radio for the past 38 years.

Last July KF7LX was elected secretary/treasurer of the Western Country Cousin's net. At 15 years-old, he was the youngest of the 1838 members. (The election was close, and according to "Lee" Dedrickson WB7EZI who submitted this material, "...there were many unfavorable comments made by the losers who thought a person had to be on the verge of senility to handle the job. One such comment was, 'I don't trust young people.' Our answer to that was, 'Maybe we had better parents than them.'") Seven months later, Todd had proved himself capable of an outstanding job.

Todd is also the Treasurer of the CUBS Amateur Radio Society of Sedro-Woolley High School. He and his fellow CUB members have placed first and second in the summer Field Day competition among Educational Clubs Class 1A (which includes high schools and colleges).

In his "spare" time, Todd maintains high scholastic standards, and enjoys fishing, horseback riding, waterskiing, and photography. He is a certified scuba diver.

(Lee WB7EZI would like to give this message to the old-timers: "Welcome and encourage the young people, or your nets will be as dead as you are already acting.") **73**

controlled 6L6-807 rigs up through their present day computer setups. Gil AL7KU visited the LABRE QSL bureau in Brasilia and was able to hand-carry a three-inch stack of cards to the QSL manager in Anchorage, Alaska. Next winter, Gil will head for VK-land. **73**

COSIN: The COmputer Student Information Network

High school credits for ham radio.

by Jozef Hand-Boniakowski WB2MIC

We've been hearing a lot of talk about the demise of ham radio and rejuvenating our ranks, but we don't hear enough about the accomplishments of amateur radio operators in this area.

Five years ago I escaped from the grind of living in New Jersey, moved to the Green Mountains of Vermont, and began working for Burr & Burton Seminary, a private non-sectarian high school in Manchester, Vermont. I already had 12 years' experience running a public school radio club, with 12-year-olds getting their Novice licenses and 15-year-olds getting their Extras.

I sold my ham radio background and 22 years in amateur radio to the Burr & Burton administration as an asset that would enhance education. I called the press and a few articles appeared in the local papers.

The administration agreed to list the course as "Introduction to Electromagnetic Theory" in the school catalog, making certain that it was specified as amateur radio—a passport to travel, excitement, and friendly people—and clearly stated that students would earn credits toward graduation. The course would be open to everyone, with no prerequisites and no possibility of failure.

Luring Them

At the weekly Monday morning assembly at the school, I gave a short talk to the student body about one student's (Peter KAIRMN, now DL8KBQ) success at getting his Novice ham license. Then, having arranged for Ed Bort KT1Q to stand by his 2m rig, I pulled out my ICOM IC-32AT, held it up close to the microphone, and called him. He congratulated Peter over the air, via repeater, with an audience of 317 students, faculty, and guests watching! Talk about making an impression! (Fair warning: Test the public-address system beforehand. Nothing can be worse than RF causing problems with the PA.)

On another occasion, I recorded a dozen QSOs from stations that I had worked on HF. I made certain that these stations were spaced around the globe as far as possible. I asked each of the strongest QRM-free stations to pass along slowly, with good enunciation, a



Rob Putis KAIURY, Paul Donahue KAIURX and computer science teacher Jozef Hand-Boniakowski WB2MIC broadcast over the Burr & Burton Seminary's ham radio setup.

greeting to the school and a one-line description of the station's location and the transmitting ham's name.

You can imagine the results! Chins dropped. Each student felt as if the hams in far-off places were talking directly to them. Then I described ham radio and how simple it was to get a special transmitting license to talk back. I built up the prospects of having a ham ticket as an asset, useful when applying for college or for jobs after graduation. That the applicant, in his or her spare time, studied for and obtained an FCC Amateur Radio License is impressive!

Catching Them

Most schools have a high-traffic area with bulletin boards. I took 40 QSL cards from different countries and made an attractive display, challenging the students to match the card with the country names below. This display passed along the excitement of talking with people in far-off places. Many students learned about rare DX places such as Bouvet, the Seychelles, St. Pierre, etc., that they'd never heard about before.

During the joint Soviet-Canadian Ski-Trek over the North Pole in 1988, I made 44 copies of the packet messages that arrived at the WB2MIC COSIN (COmputer Student Information Network) BBS, tracking the team's progress. I gave a copy to each teacher, administrator and staff member. I included


magazine articles describing the expedition, AMSAT packet messages, and suggested school activities. I let everyone know that there was a ham radio satellite, OSCAR-10, up there with a digitalker on board that they could listen to with a handheld or scanner. I arranged to be on hand to visit any classroom that wanted me and my HT.

Reeling Them In

I teach Computer Science, Science 9, and General Math. The school's ham shack is located in my computer room. There are eight IBM Model 25s, one tied into an AEA PK-232 multimode controller. The HF radio is always available during homeroom period, between classes, or after a programming assignment has been completed. There is also an R2000 general coverage shortwave radio. "Listen for yourself to Glasnost," I challenged them. "Do you have a report to do on current events or contemporary problems? Tune into the 'Voice of that Country' and roll the tape recorder." During Mission 32 of the Space Shuttle *Columbia*, the R2000 was running full-time in the background, copying WA3NAN from the Goddard Spaceflight Center. Dozens were exposed to communications, SWling and ham radio daily during the duration.

I let the social studies teachers know that all this is at their disposal. At the hamfests I look for used equipment, such as old Hallicrafters or Nationals, and sell them to the teachers at cost.

The most luck I have with ham radio in the classroom is with packet radio. COSIN was five years in the making. It consists of a BBS located at my home QTH in Wells, Vermont, a digipeater located atop Northeast Mountain to cover most of eastern New York and west Vermont, and a desire to make packet radio the new "pen pal" medium. On behalf of any student, an amateur may send a packet message all over the region or the country. We do this quite often, as messages addressed to "ALL@ALLBBS." Some students are interested in corresponding with other kids in a foreign language, others are seeking out Holocaust



INSIDE VIEW — RS-12A

ASTRON POWER SUPPLIES

• HEAVY DUTY • HIGH QUALITY • RUGGED • RELIABLE •

SPECIAL FEATURES

- SOLID STATE ELECTRONICALLY REGULATED
- FOLD-BACK CURRENT LIMITING Protects Power Supply from excessive current & continuous shorted output
- CROWBAR OVER VOLTAGE PROTECTION on all Models except RS-3A, RS-4A, RS-5A.
- MAINTAIN REGULATION & LOW RIPPLE at low line input Voltage
- HEAVY DUTY HEAT SINK • CHASSIS MOUNT FUSE
- THREE CONDUCTOR POWER CORD
- ONE YEAR WARRANTY • MADE IN U.S.A.

PERFORMANCE SPECIFICATIONS

- INPUT VOLTAGE: 105-125 VAC
- OUTPUT VOLTAGE: 13.8 VDC ± 0.05 volts (Internally Adjustable: 11-15 VDC)
- RIPPLE Less than 5mv peak to peak (full load & low line)
- Also available with 220 VAC input voltage



MODEL RS-50A




MODEL RS-50M



MODEL VS-50M

RM SERIES



MODEL RM-35M

19" × 5 1/4" RACK MOUNT POWER SUPPLIES

MODEL	Continuous Duty (Amps)	ICS* (Amps)	Size (IN) H × W × D	Shipping Wt. (lbs.)
RM-12A	9	12	5 1/4 × 19 × 8 1/4	16
RM-35A	25	35	5 1/4 × 19 × 12 1/2	38
RM-50A	37	50	5 1/4 × 19 × 12 1/2	50
• Separate Volt and Amp Meters				
RM-12M	9	12	5 1/4 × 19 × 8 1/4	16
RM-35M	25	35	5 1/4 × 19 × 12 1/2	38
RM-50M	37	50	5 1/4 × 19 × 12 1/2	50


RS-A SERIES



MODEL RS-7A

MODEL	Continuous Duty (Amps)	ICS* (Amps)	Size (IN) H × W × D	Shipping Wt. (lbs.)
RS-3A	2.5	3	3 × 4 3/4 × 5 3/4	4
RS-4A	3	4	3 3/4 × 6 1/2 × 9	5
RS-5A	4	5	3 1/2 × 6 1/8 × 7 1/4	7
RS-7A	5	7	3 3/4 × 6 1/2 × 9	9
RS-7B	5	7	4 × 7 1/2 × 10 3/4	10
RS-10A	7.5	10	4 × 7 1/2 × 10 3/4	11
RS-12A	9	12	4 1/2 × 8 × 9	13
RS-12B	9	12	4 × 7 1/2 × 10 3/4	13
RS-20A	16	20	5 × 9 × 10 1/2	18
RS-35A	25	35	5 × 11 × 11	27
RS-50A	37	50	6 × 13 3/4 × 11	46


RS-M SERIES



MODEL RS-35M

MODEL	Continuous Duty (Amps)	ICS* (Amps)	Size (IN) H × W × D	Shipping Wt. (lbs.)
• Switchable volt and Amp meter				
RS-12M	9	12	4 1/2 × 8 × 9	13
• Separate volt and Amp meters				
RS-20M	16	20	5 × 9 × 10 1/2	18
RS-35M	25	35	5 × 11 × 11	27
RS-50M	37	50	6 × 13 3/4 × 11	46

VS-M AND VRM-M SERIES



MODEL VS-35M

MODEL	Continuous Duty (Amps)			ICS* (Amps) @13.8V	Size (IN) H × W × D	Shipping Wt. (lbs.)
	@13.8VDC	@10VDC	@5VDC			
VS-12M	9	5	2	12	4 1/2 × 8 × 9	13
VS-20M	16	9	4	20	5 × 9 × 10 1/2	20
VS-35M	25	15	7	35	5 × 11 × 11	29
VS-50M	37	22	10	50	6 × 13 3/4 × 11	46
• Variable rack mount power supplies						
VRM-35M	25	15	7	35	5 1/4 × 19 × 12 1/2	38
VRM-50M	37	22	10	50	5 1/4 × 19 × 12 1/2	50

RS-S SERIES



MODEL RS-12S

MODEL	Continuous Duty (Amps)	ICS* Amps	Size (IN) H × W × D	Shipping Wt. (lbs.)
• Built in speaker				
RS-7S	5	7	4 × 7 1/2 × 10 3/4	10
RS-10S	7.5	10	4 × 7 1/2 × 10 3/4	12
RS-12S	9	12	4 1/2 × 8 × 9	13
RS-20S	16	20	5 × 9 × 10 1/2	18

survivors, and some just want to reach out to others.

Through packet BBS I met Brian Riley KA2BQE, author of the impressive PRMBS (Packet Radio Mailbox System) ROSERVER. (I highly recommend this software if you want to run a BBS, especially if you wish to use it in a school.) Brian's original message, "Where have all the brains gone," caught our attention. I opened access to the BBS for the student body so that they could meet Brian via packet.

Brian is a Vietnam Marine Corps veteran, wounded in action. His stubbornness and a lot of luck accounts for him being alive today. Brian asked if students would be interested in interviewing him about his prewar, combat, and postwar experiences. Many have taken the opportunity. Ham radio via packet offered the youngsters the opportunity to pre-plan their questions and ask them anonymously (if they choose to) in non-real-time, without apprehension.

Carrying the Torch

As hams and educators, it's our responsibility to take the initiative and make inroads to and with our youth. Excitement rubs off. So do apathy and boredom. There are dozens and dozens of ways to express our excitement over our hobby to young people. We have to be creative in our approach. I have barely begun to mention the possibilities. Some other ideas I have tried or contemplated include: a suitcase packet station that travels with the

environmental studies class (relaying data for computer analysis back to kids in the classroom), a statewide (or nationwide) on-the-air chess tournament via ham FS and SSTV, and a model rocket club using ham radio for coverage the way Walter Cronkite did it in his best days. Incidentally, Walter is now a ham!

The ARRL has recently renovated the WIAW club station, purchasing Harris commercial equipment. Instead of spending thousands of dollars for such an extravaganza, the League would have been better off equipping a few vans with roving ham gear. They could have hired teachers for full-time travel, like NASA does, to hit the road and give daily assembly presentations during the school year. Imagine hamming all day! Teaching! Traveling! The assembly presentation would have quick-setup OSCAR-13 ground stations, FS/SSTV and impressive Tesla coil demonstrations, spark-gap transmitters, etc. You could even string a dipole for 10 meters and bring out a small portable exercycle with a volunteer pedaling to produce 12 VDC for a Uniden HR-2510 and another volunteer QSOing at the mike.

My next project is to get a 220 MHz novice repeater on the air for use by students and adult hams interested in talking with students, learning new topics, discussing new ideas, debating contemporary issues, etc. I have approached the local business community for funding, mentioning that ham radio with student participation will "offer" the communi-

ty a "service" by the installation of the repeater. I then ask if they are interested in helping fund the project in return for services rendered. (To those of you who object by saying that this is "business," I say "bull feathers." It's no different from a club newsletter asking for funds to help finance a repeater.) So far, most of the contributions have come from non-ham sources. The hams are still saying: "Can't do."

Think about the educational uses of a repeater. Teachers could have ham radio coverage of their classes for those who want to return to school! How about a question-and-answer session between the governor and a social studies class on a wide area coverage repeater, or a weekly net session by a retired person who is knowledgeable on a particular topic? Approach your local school with such prospects. You'll be surprised at how receptive the administration is and how successful you can be.

Ham radio is a way of life for me. As are kids and education—the two are best of friends. With a little effort the hobby can grow and the US will see a new pool of engineers and scientists who are excited about future technological prospects. It is up to us, the nonmembers of the "Silent Keys," to keep ham radio from seeing itself on that list. **73**

Contact Jozef Hand-Boniakowski WB2MIC at RR #1, Box 1010, Wells VT 05774.

Hi Pro Repeaters ELCO

MAGGIORE ELECTRONIC LAB.

Manufacturers of Quality Communications Equipment

- Repeaters
- Links
- Remote Base
- VHF, UHF
- Receivers
- Transmitters
- Antennas




- Standard and Computerized Controllers
- Standard and Computerized Auto Patches
- Duplexers

Hi Pro 'E' EXPANDABLE REPEATER SYSTEM

- A NEW CONCEPT IN REPEATER DESIGN, THE HI PRO "E" IS AN EXPANDABLE REPEATER WITH THE FOLLOWING FEATURES: A BASIC REPEATER WHICH WOULD INCLUDE A COMPLETE RECEIVER, TRANSMITTER, COR, FRONT PANEL CONTROLS AND INDICATORS, LOCAL SPEAKER AND MIC JACK AND CAPABLE OF FUTURE EXPANSION. ALL HOUSED IN AN EXTREMELY RUGGED, ENCLOSED, 19-INCH RACK MOUNTABLE CABINET.
- THIS SYSTEM CAN BE EXPANDED AT TIME OF PURCHASE OR CAN BE AN AFTER-PURCHASE ADD ON. THE ADD ONS ARE—HIGHER POWER, 110/220 VAC POWER SUPPLY, IDENTIFIER, AUTO PATCH, OR COMPUTER CONTROLLERS. IN ADDITION TO THESE ADD ONS AN ADDITIONAL RECEIVER AND TRANSMITTER CAN BE MOUNTED INTERNALLY FOR USE AS CONTROL LINKS, REMOTE BASE OR DUAL BAND OPERATION, ETC.
- AN EXTENSION PANEL IS AVAILABLE FOR LOCAL MONITORING OF THE REPEATER AND CONTAINS ALL NECESSARY METERING, STATUS LIGHTS AND INDICATORS. ALL ADD ONS ARE AVAILABLE FROM THE COMPANY AND ARE COMPLETE INCLUDING INSTRUCTIONS.

MAGGIORE ELECTRONIC LAB.



600 Westtown Rd. West Chester, PA 19382 Phone (215) 436-6051 FAX (215) 436-6268 Telex 499 0741 MELCO

WRITE OR CALL FOR OUR COMPLETE CATALOG

73 Review

by Angelo J. Polvere KA9CSO

FCC Study Diskettes

For MS-DOS computers.

Diamond Systems, Inc.
PO Box 48301
Niles IL 60648

Tel. (312) 763-1722

Price Class: \$40, Novice tape.

Put together the wide proliferation of personal computers and the desire to attract young people into the hobby of amateur radio, and you come up with the study courses on diskettes offered by Diamond Systems, Inc., of Niles, Illinois. You don't have to be young or a computer whiz, however, to make good use of these study courses. The young, dynamic leadership of this software company, who also provides instructional material for other fields, such as aviation and paramedics, has designed a course which is user-friendly, effective, and best of all, is a lot of fun.

The diskette comes in a sturdy box containing an easy-to-follow, well-written explanation for use on computers with the MS-DOS operating system. Each course provides all the information necessary to take the FCC test for which it was prepared. The Novice Edition contains a theory section and a code practice section.

The theory section includes over 370 questions taken from the latest release by the FCC Volunteer Examiner Program. These are the actual questions and multiple choice answers you will find on the tests administered by Volunteer Examiners. The code section permits the student to select his own code speed and to shape the characters to his liking. For example, even though the code speed of 5 words per minute is chosen, the characters can sound as if they were sent at 13 wpm. This enables the student to upgrade his speed capability more easily.

The theory menu contains a list of subjects for the student to select from, such as Rules and Regulations, Practical Circuits, and seven other categories. The user can generate a typical 30-question test, choose random questions on a subject, or select questions from the entire database. Each question ap-

pears on the screen with four multiple-choice answers. The student can either select what he thinks is the correct answer, or he can request help. The help screen gives a detailed explanation of the question, in which is contained the correct answer. The student then returns to the question screen and selects an answer.

Score is kept by the computer, and the screen shows the number of correct and incorrect answers, and the number for which help was requested. Results from each training session are kept on the diskette in a separate file for each individual student, so that more than one member of a family or club can use the same diskette. For later training sessions the student can review questions missed on the previous session, resume where he left off, or select new random questions.

Answers are greeted with encouraging remarks on the screen, such as "no way" for an incorrect answer or "good going" for the right one. The variety of these remarks is such that it holds the attention of the student like a game.

Other features include the ability to print code practice and to adjust the tones for one's hearing preference. The Code section provides a number of practice QSOs, random characters or the ability to create a text file to your own liking. The entire course is fun to take, and even seasoned amateurs might want to give it a try to hone their skills or to just check up on their own forgotten knowledge.

I took the Novice test, and confess to not getting a perfect score, hi. With trepidation I intend to take the tests for the higher grades, which Diamond Systems also offers, even though I hold an Advanced ticket. Corresponding disk and diskette license courses for Technician, General, Advanced and Extra Class are available direct from Diamond Systems, or from Erickson Communications, Amateur Electronics Supply, Heath Co., and other amateur outlets, at affordable prices, and are well worth getting.

73



Photo. Diamond Systems offers its instructional material on both of the most popular disk sizes.

B & W PRESENTS A WINNING COMBINATION



1500W

MODEL PT2500A LINEAR AMPLIFIER

The Barker & Williamson PT2500A Linear Amplifier is a completely self-contained table-top unit designed for continuous SSB, CW, RTTY, AM or ATV operation. Intended for coverage of all amateur bands between 1.8 MHz and 21 MHz. Two type 3-500z glass envelope triodes provide reliability and rapid turn-on time.

FEATURES INCLUDE:

- Full 1500 watt output
- Pi-network input for maximum drive
- Pressurized plenum cooling system
- DC antenna relay for hum-free operation
- Illuminated SWR and power meters
- Vernier tuning for accurate settings
- Pi-L output for greater harmonic attenuation

Ruggedly constructed of proven design, this amplifier reflects the manufacturer's critical attention to details—such as the silver-plated tank coil for maximum efficiency. Cathode zener fuse and internal/external cooling are among the protective and safety devices employed. Input and output impedances are 50 ohms.

Dimensions: 17" wide x 19" deep x 8"½ high
Weight: 80 lbs. (shipped in 3 cartons to meet UPS requirements)

Price: **\$2175.00** FOB Factory.
Price includes one year limited warranty.

Call or write factory for complete specifications.



1500W

MODEL VS1500A ANTENNA COUPLER

The Barker & Williamson VS1500A antenna coupler is designed to match virtually any receiver, transmitter or transceiver in the 160 to 10 meter range (1.8 to 30 MHz) with up to 1500 watts RF power to almost any antenna, including dipoles, inverted vees, verticals, mobile whips, beams, random wires and others, fed by coax cable, balanced lines or a single wire. A 1:4 balun is built in for connection to balanced lines.

FEATURES INCLUDE:

- Series parallel capacitor connection for greater harmonic attenuation.
- In-circuit wattmeter for continuous monitoring.
- Vernier tuning for easy adjustment.

Front panel switching allows rapid selection of antennas, or to an external dummy load, or permits bypassing the tuner.

Dimension (Approx.): 11" wide x 13" deep x 6" high

Weight: 6½ lbs.

Price: **\$499.00** FOB Factory.
Fully warranted for one year.

ALL OUR PRODUCTS MADE IN USA
BW BARKER & WILLIAMSON
Quality Communication Products Since 1932
At your Distributor. Write or Call
10 Canal Street, Bristol, PA 19007
(215) 788-5581

Big But Cheap!

Put a big signal on 40 meters for under \$20.

by Bill Crowley K1NIT

Forty meters is truly a DXer's dilemma. There's plenty of DX to be worked, but you need more than a barefoot rig with a dipole. Big antennas and big linears require even bigger money.

I don't have big money so I set out to find an inexpensive solution. The criteria: The antenna had to be fixed-directional (preferably to the north to take advantage of polar F-layer propagation), it would hopefully have 3 dB points at least 30 degrees apart yet still produce some useful gain, it had to fit on my 55-foot tower and half-acre house lot, and it had to be **CHEAP**.

First up was a four-element log-periodic dipole array (LPDA) as described on page 21 of the August 1986 issue of *QST* ("Construct a Wire Log-Periodic Dipole Array for 80 and 40 Meters," by John J. Uhl KV5E). Everything I had ever heard about LPDAs proved to be true. They are difficult to tune, but if and when you hit it right, they provide tremendous results. The LPDA fulfilled all the parameters except that the beamwidth was extremely narrow, something on the order of 15 degrees when constructed according to the article. Since the front support for the antenna was a maple tree in the front yard (very hard to relocate for a better antenna heading) that meant I had a dynamite signal into Japan, and the rest of the world heard me better when I used my dipole. Time to look for a better solution.

The Path to Success

The solution came in the form of a cross




Figure 1. Director/reflector center piece (not to scale).




Figure 2. Antenna view from overhead (not to scale).

between the LPDA and a good old-fashioned three-element yagi. I used absolute minimum spacing between the elements (0.1 wavelength) because at 40 meters even that covers a lot of space. However, if the boomlength is not a problem, you can get a slight gain improvement by wide-spacing the elements, and the elements will actually be shorter. See Table 1 for comparative dimensions.

The antenna is simplicity itself—three pieces of wire, which if purchased new at Radio Shack, should set you back less than \$15! Add in another three dollars for insulators, and that's all you need.

Cut the elements in accordance with Table 1; note that the director and reflector are each one single piece of wire. The center insulator of the driven element on my version is a ceramic dogbone, because I happened to have one lying around. If you have a 1:1 balun, use it, or if you want to make a center insulator out of PVC, acrylic plastic, Bakelite or petrified wood, have fun. Anything will work.

I made the reflector and director center pieces out of 1/4" acrylic, and then slid them on the elements and held them in place with liberal amounts of plastic electrical tape. Crimp-on connectors either side of the center piece would probably also work as well. Try to avoid solder because it can create a rigid area next to the centerpiece which could lead to physical failure because of repeated flexing when the wind blows. The "boom" is 3/16" nylon rope, but just about anything you have around the shack will probably work *EXCEPT* yellow polypropylene rope which deteriorates rapidly when exposed to the ultraviolet radiation in sunlight.

The secret to success for this antenna is to angle the elements forward about 30 degrees, à la the LPDA. This simple maneuver will add about 3 dB forward gain, the same as doubling your output power, and it won't cost a penny extra!

I used a 500-pound test nylon string to keep the elements parallel. Despite the misgivings of several local "experts," the whole antenna made it through a Maine winter with no problems.

My "dipole" is actually a trap "tripole" with two different length elements on one side of the balun to increase the bandwidth on 80/75. On 40, however, the elements are the same length. The performance figures for the antenna described here are mostly just observed estimates

(that's one step above an educated guess) but from on-the-air comparisons with the dipole the forward gain seems to be in the neighborhood of 12 dB, the front-to-back ratio about 20 dB, and the front-to-side ratio about 30 dB. The beamwidth is approximately 35 degrees, giving reasonable coverage from Asia to Europe to the Middle East with its 355 degree aim point. Stations I can't even hear with the dipole are head and shoulders above the noise level on the yagi.

The antenna does have one disadvantage. When the rest of the locals come over to check out your new weapon, they'll probably drive right past your QTH the first time—everybody knows a killer array this good will be visible from miles away! So if you're tired of not being heard on 40 meters and the spare bucks are few and far between, give this \$20 giant killer a try. You won't be disappointed. **73**

Contact Bill Crowley K1NIT at RFD 1, Box 1589, Hallowell ME 04347.

Table 1. Element Dimensions

0.1 wavelength element spacing:	13.86 ft.
Reflector:	70.42 ft.
Driven:	66.83 ft.
Director:	65.49 ft.
0.15 wavelength element spacing:	20.79 ft.
Reflector:	69.79 ft.
Driven:	66.48 ft.
Director:	64.79 ft.
0.2 wavelength element spacing:	27.72 ft.
Reflector:	69.01 ft.
Driven:	66.13 ft.
Director:	63.66 ft.
0.25 wavelength element spacing:	34.65 ft.
Reflector:	68.17 ft.
Driven:	65.19 ft.
Director:	61.69 ft.
0.3 wavelength element spacing:	41.58 ft.
Reflector:	67.61 ft.
Driven:	65.85 ft.
Director:	61.27 ft.

Note: Dimensions are calculated based on a design frequency of 7100 kHz, which should result in an SWR of less than 2.5:1 across the entire band, under most applications.

Materials

Quantity	Item	Source	Price	Total Cost
3	Antenna wire	RS 278-1329	\$ 4.99	\$14.97
6	End insulators	RS 278-1333	2/\$0.69	2.07
1	Dogbone insulator	Fleamarket	\$ 0.50	0.50
				Total \$17.54

GREETINGS & GOOD NEWS FROM THE HAMS AT

RAMSEY

ELECTRONICS INC.

The worldwide acceptance of professional Ramsey service and lab equipment is giving us a chance to take a fresh look at the always-growing lineup of economical Ramsey ham kits and Mini-kits. Now that we're set up in our new factory building, we're working to make all our kits more fun and interesting than ever to build and to use. As we release both new kits and familiar ones with new step-by-step assembly manuals, we first want to say **THANK YOU** to all of you who have built our kits from brief instruction sheets. **YOU** are the people who showed us that U.S. hams, hobbyists and young newcomers really **DO** want to save money, learn and have fun by building your own electronic gear. Thanks!

If you've built our kits before, send us an SASE with your next order (marked with kit model number), include proof of purchase, and we'll be glad to send you the new instruction book as soon as it is ready.

If you can't make it to a major hamfest soon, call us, fax or mail your order for some of those kits that you've been wanting to try out. Check our Condensed Kit Listing on this page: Ramsey Kits are easier and more fun than ever!

Our Order Terms remain simple and friendly, and we hope to hear from you soon.

73 from the Hams at Ramsey!

John, N2HWA/VP5JR
Jim, KB2FEC

Bruce, WA2TMC
Tom, WA2YTM

COM-3

THE COMMUNICATIONS
SERVICE MONITOR THAT
WORKS HARDER FOR LESS.



TERMS: 10-day money-back guarantee • MC, Visa, personal checks welcome • COD is USA only and costs an extra \$4, and we need certified check or cash on COD's over \$50 • All shipping is UPS, so we need street address • Try to plan a \$20 order or add \$3 for handling on under-\$20 orders • NY customers must add 7% sales tax • Add 6% for shipping to a maximum of \$10 • Customers outside USA, add 15%
Warranty: 90 days on kit parts, 1-year parts & labor on factory-wired units.

RAMSEY

Spring-Summer 1990 KIT NEWS

• **A \$25 CMOS ELECTRONIC KEYSER WITH SIDETONE!**
Why pay the same price for a "code practice oscillator" when the CW-7 will give you an ear for perfectly-formed CW and will also key your rig? Manual includes money-saving ideas on making keyer paddles too!
CW-7 Electronic Keyer Kit, \$24.95 □ Case and Knob Kit, \$12.95

• **GET IN ON 30 METER CW FUN!**
Build a compact HR30 direct conversion receiver or QRP30 transmitter or both and enjoy leisurely 10.1 Mhz. DXing on family or business trips! Like our other popular QRP transmitters, our new 30-meter model features 8-10 KHz. VXO tuning, switch for choosing between 2 crystals, receiver protection T-R jack and comes with 10.107 Mhz. crystal.
HR-30 Receiver Kit, \$24.95 □ QRP-30 VXO Transmitter Kit, \$29.95

• **RAMSEY TRANSMITTER KITS
FEATURE INTERNATIONAL QRP FREQUENCIES!**
That's right — your QRP-80, 40 or 20 Meter Transmitter comes complete with a 3.060, 7.040 or 14.060 crystal, plus front-panel switching for an additional crystal of your choice.

• **A TRUE HF-VHF ACTIVE ANTENNA FOR \$25!**
You can pay lots more for an active receiving antenna, but we think you'll be happier with the price as well as the HF-VHF switcheable performance of our new AA-7 Active Antenna. Includes whip antenna.
AA-7 Active Antenna Kit, \$24.95 □ Case and Knob Kit, \$12.95

• **RAMSEY Factory-Wired VHF POWER BOOSTERS:**
These rugged RF power amps with receiver preamp turn your favorite 2M or 220 MHz. HT into a 25-40 watt powerhouse for a fraction of the cost of a mobile rig! Install several permanently for versatile VHF work.

• **ATTENTION TEACHERS & SCOUT LEADERS:**
Ask for our new pamphlet ED-1 which details special support and pricing for group kit-building projects. Please specify number of kids to be involved and age range.

RAMSEY

PHONE ORDERS CALL

716-924-4560

FAX 716-924-4555

RAMSEY ELECTRONICS, INC. 793 Canning Parkway, Victor, NY 14564

CONDENSED KIT & PRODUCT LISTING ■ ASK FOR FREE CATALOG!

RAMSEY

FREQUENCY COUNTERS

"If it's built by Ramsey, it's Reliable."

CT-70	139.95	20Hz-550MHz Frequency Counter
CT-90	169.95	10Hz-600MHz Frequency Counter
CT-50	189.95	5Hz-600MHz Frequency Counter
CT-125	189.95	10Hz-1.25GHz Frequency Counter

FREQUENCY COUNTER ACCESSORIES

OV-1	59.95	0.1 PPM Oven Time Base
ET-1	11.95	External Time Base Kit
BP-4	8.95	NiCad Pack for all Counters
RA-1	14.95	Ham/SWL Receiver Adapter Kit (For CT-50 only)
PS-1	89.95	1.5 Ghz. Prescaler (wired & tested)
PS-2	59.95	600 Mhz. Prescaler (Kit: 49.95)
PS-2	69.95	Audio Frequency Multiplier (Kit: 49.95)
PR-2	49.95	Broadband Amplifier; low noise, high gain
LP-1	16.95	Low Pass Probe
HP-1	16.95	HI-Z Probe
DC-1	13.95	Direct Probe
AW-1	8.95	Telescoping Whip Antenna
RF-1	19.95	Sniff-It RF Probe for VDM//VTVM//Counters/Scopes
TB-7	4.95	Tilt Bail Kit for Counters
HX-1	5.95	Heavy Duty Transformer for Counters, MM7 Kit
CT001	1.00	Booklet: "How to Use Your Frequency Counter" (booklet free upon request with SASE)

SWL AND MONITORING RECEIVERS

See also our versatile FR-146 FM receiver for 135-175 Mhz.

SR-1	24.95	4-11 Mhz. AM Shortwave Receiver Kit
CSR-1	12.95	Shortwave Receiver Case Kit
AR-1	24.95	AM 108-138 Mhz. Aircraft Band Receiver Kit
CAR-1	12.95	Aircraft Receiver Case Kit
SC-1	24.95	Automobile AM Radio Shortwave Converter Kit
CSC-1	12.95	Case Kit for SC-1
CLG-1	2.95	Quality Cigarette Lighter Power Cord

HAM HF-BANDS KITS & STATION ACCESSORIES

CW-7	24.95	CMOS CW Keyer with Built-In Sidetone
CA-CW	12.95	Case and knob kit for CW-7 Keyer
HR-20	24.95	Amateur 20 Meter Receiver Kit
HR-30	24.95	Amateur 30 Meter Receiver Kit
HR-40	24.95	Amateur 40 Meter Receiver Kit
HR-80	24.95	Amateur 80 Meter Receiver Kit
HR-160	24.95	Amateur 160 Meter Receiver Kit
CHR-1	12.95	Case and Knob Kit for HR-series Receiver Kits
QRP-20	29.95	VXO 20 Meter Transmitter Kit with 14.060 crystal "A"
QRP-30	29.95	VXO 30 Meter Transmitter Kit with 10.107 crystal "A"
TX-30	39.95	6-watt 10.1-10.120 Mhz. 2-crystal VXO Transmitter
QRP-40	29.95	VXO 40 Meter Transmitter Kit with 7.040 crystal "A"
QRP-80	29.95	VXO 80 Meter Transmitter Kit with 3.560 crystal "A"
CQRP-1	12.95	Case and Knob Kit for Transmitters
AA-7	25.00	Active Antenna Kit for HF and VHF
CA-AA	12.95	Case and Knob Kit for AA7 Active Antenna

CT-90 9 DIGIT 600 MHz



\$169.95 WIRE INCLUDES AC ADAPTER

HAM & MONITORING VHF-UHF KITS AND ACCESSORIES

FR-146	29.95	Amateur 2-Meter and FM 135-175 Receiver Kit
FR-10	29.95	Amateur 10 Meter FM Receiver Kit
FR-220	29.95	Amateur 1.25 Meter (220 Mhz.) FM Receiver Kit
CFR-7	12.95	Case and Knob Kit for FM Receiver Kits
SA-7	14.95	Broadband Preamp Kit (20 db. 100 KHz-1GHz.)
PR-10	17.95	Ham Two-Meter Preamp Kit
PR-20	17.95	220 MHz Preamp Kit
PR-40	17.95	440 MHz Preamp Kit
PA-10	69.95	Two-Meter Power Booster (wired & tested)
PA-20	69.95	220 MHz. Power Booster (wired & tested)
PA-44	79.95	440 Mhz. Power Booster (late Spring 1990)
PA-1	27.95	2-Meter Power Amplifier Kit
TR-1	6.95	RF-Sensed T-R Relay Kit
P-64	49.95	Packet Radio Kit for Commodore 64/128 HF or VHF
JM-7	12.95	RF Modulator/6-Meter ATV Kit

MAJOR HOBBY & FUN KITS

MM-5	24.95	25-Tune MelodyMaker/3-Door Doorbell-Annunciator
FM-7	29.95	Stereo FM Transmitter [NEW for 1990!]
SS-7	29.95	Speech Scrambler Kit
CSS-7	12.95	Speech Scrambler Case Kit
CT-127	29.95	Binary Thermometer Kit
SG-7	89.95	SPEED-Y Personal Radar Kit (Yes, it REALLY works!)

THOSE FAMOUS & FUN RAMSEY MINI-KITS ...

FM-1	5.95	FM Wireless Kit
FM-2	7.95	FM Wireless Kit with Mike Preamp Stage
MC-1	2.95	Sensitive Mike Cartridge
FM-3	16.95	Wireless FM Minimike Kit with case, battery
FM-4	12.95	High-Power FM Mike Kit
PB-1	14.95	Telephone Transmitter Kit
FR-1	14.95	FM Receiver Kit (tunes approx. 70-130 MHz.)
BN-9	5.95	"Super Sleuth" Multi-Purpose 2-watt LM380 Amp Kit
ML-1	8.95	Color Organ Kit
MB-1	4.95	"Mad Blaster" Kit (also can be LOUD code oscillator!)
BL-1	3.95	LED Blinky Kit (flashes 2 jumbo LED's)
WL-1	6.95	Whisper Light Kit
SM-3	3.95	Siren Kit
UT-5	5.95	Universal 555 Timer-Oscillator Kit (Many applications)
VS-1	6.95	Voice Activated Switch Kit
MD-3	16.95	Microwave (1.3 Ghz.) Intrusion Alarm Kit
TS-1	6.95	Touch Switch Kit (makes 2 complete touch switches!)
TD-1	5.95	Tone Encoder-Decoder Kit
LB-5	9.95	Infra-Red Beam Communications Receiver Kit
LB-6	8.95	Infra-Red Beam Communications Transmitter Kit

AND ... WHILE YOU'RE GETTING YOUR ORDER TOGETHER, remember that your local ham club or repeater association can save many service \$\$\$ for members with an E-Z Pay Lease on ...

COM-3	2795.00	Professional Communications Service Monitor
COM-7	3495.00	Spectrum Analyzer
RSC-10	2495.00	Synthesized Signal Generator

RAMSEY

Two Meter Portable Quad

Sturdy, easy to build.

by Charles W. Pearce, Ph.D. K3YWY

What I needed was a small, rugged 2 meter antenna I could use for various applications, including portable operation. Initially, I wanted to use it as a satellite uplink or downlink antenna without Az-El control, so I also needed a wide beamwidth with reasonable gain. I decided on a 2-element quad, running wire inside $\frac{1}{2}$ " PVC water pipe. The result was a sturdy, waterproof antenna.

To correctly size the elements, I used a test dipole to determine the velocity factor of #14 wire inside the PVC pipe. After plotting SWR versus frequency, I found the resonant frequency. Next, I encased the test dipole in the half-inch PVC pipe and repeated the measurements. The ratio of the resonant frequencies represented the velocity factor, which in my case was 0.98 for a dipole of #14 bare wire. Then I used the factor to adjust the size of the quad elements from their values in air.

Construction Details

The antenna is constructed from $\frac{1}{2}$ " white PVC water pipe and fittings. Table 1. lists the materials. Fig. 1 is a sketch of the driven element and reflector. Table 2. lists the pipe lengths for an antenna resonant at 147 MHz. You can change the resonant frequency by varying the long pipe lengths by $\frac{1}{4}$ " per MHz and the shorter ones by $\frac{1}{8}$ " per MHz. Do not alter the spacer pipes.

To assemble each element, cut the pipes, then insert the wire through the pipe and fittings. Do not glue at this time. Keep the wire as taut as possible. Be sure to leave extra wire so that you can bring the ends out




Photo. Easy to construct and versatile, this portable 2m antenna is also easy to mount.

through the tee for the driven element. For the reflector, cross the wire inside the tee, and spot solder. The driven element is fed with RG-58 coaxial cable. No balun is used. Solder the inner conductor to one side of the loop and the braid to the other side, as far inside the tee as possible. If your solder connections are made outside the tee, the effective lengths of the elements are altered. It is possible to build the antenna this way if the lengths shown in Table 2 are shortened accordingly, but I have not constructed one this way myself.

Assemble the antenna without glue, and check its SWR and resonant frequency. If the resonant frequency is high, you can lower it in the following manner: First, #14 wire with insulation decreases the velocity factor still further. The factor compared to bare wire was 0.97 (for the type of wire I used) as determined from test dipole measurements. Insulating the wire shifts the resonant frequency about 4 MHz. If you are high by 1 MHz, for example, keep three-fourths of your wire bare and insulate one-fourth of it. This would apply to both elements. If you are too low in frequency, trim the pipe lengths as previously mentioned.

Once you're satisfied with the antenna, unsolder the connections and disassemble the pieces. It's best to glue each element separately. Start at an elbow and glue each piece in turn. Do this on a

flat surface to eliminate any twisting on the loops. Cant the tees in the driven element outward a few degrees and those on the reflector inward to account for the different loop sizes. The PVC glue sets up fast, so be careful to do everything right the first time. Make the solder connections as before, then assemble the two elements together. A little caulking or sealant should be used to seal the antenna where the coax exits the antenna.

Performance

The design frequency was 146 MHz, but the antenna actually resonated at 147 MHz, as you can see in Figure 2. However, the antenna is broadbanded enough so that this isn't a problem; the SWR is only 2.25 at 144 MHz. In actual use, as a vertical satellite uplink antenna, I have been able to access RS-10 out to about 20 degrees above the horizon, using 80 watts and a 50-foot RG-58 feedline. As a downlink antenna for OSCAR 13, it enabled me to copy Mode B using a 2 dB NF preamp at the receiver and the same feedline. Even pointed straight up, it allowed me to work all the local repeaters.

Summary

This antenna is inexpensive and simple to construct. It performs well, and gives long service. It is also an interesting learning project, as you gain insight into the concept of velocity factor. It should be easy to design a 3-element version. Although I can't guarantee the velocity factors, you should be able to use this construction method for 50 and 220 MHz. 

You may contact Charles W. Pearce K3YWY at 410 12th St., Emmus PA 18049.




Figure 1. Reflector and Driven Element Layout




Figure 2. SWR vs Frequency

Table 1. List of Materials

Item	Quantity
90 elbow	8
Tee	5
$\frac{1}{2}$ " PVC pipe	16'
#14 wire	16'
PVC glue	as required
RG-58 coax	as required
PVC Pipe Lengths	

Table 2. PVC Pipe Lengths

Size	Number	Use
20"	2	Reflector
9"	4	Reflector
19"	2	Driven element
9.5"	4	Driven element
10"	1	Spacer
3.5"	2	Spacer

108-1000 MHZ RADIO DIRECTION FINDING



- ★ Interference Location
- ★ Stuck Microphones
- ★ Cable TV Leaks
- ★ ELT Search & Rescue



New Technology (patented) converts any VHF or UHF FM receiver into a sensitive Doppler shift radio direction finder. Simply plug into receiver's antenna and external speaker jacks. Models available with computer interface, synthesized speech, fixed site or mobile - 108 MHz to 1 GHz. Call or write for details.

DOPPLER SYSTEMS, INC. P.O. Box 31819 (602) 488-9755
Phoenix, AZ 85046 FAX (602) 488-1295

CIRCLE 13 ON READER SERVICE CARD

➡➡ Contact Advertisers Easily Use your Reader Service Card ◀◀

HUGE NEW 1990 CATALOG

➤ Big 88 page 8½ x 11" Format

- Communications Receivers
- Portable Receivers
- Scanners
- Amateur HF Transceivers
- VHF-UHF Transceivers
- HTs and Mobiles
- Amateur and SWL Antennas
- Accessories and Parts
- RTTY and FAX Equipment
- Books and Manuals

Send \$1 to

Universal Radio
1280 Aida Drive Dept. 73
Reynoldsburg, OH 43068

ELENCO & HITACHI PRODUCTS AT DISCOUNT PRICES

NEW! RSOs (Real-Time & Storage Oscilloscopes) From HITACHI **NEW!**
The RSO - its the new solution
View, Acquire, Test, Transfer and Document Your Waveform Data

4-Channel, 100MS/s Model	Introductory Price
100MS/s (25MS/s on 4 channels simultaneously), 100MHz, 4kw x 1ch., 2kw x 2ch., 1kw x 4ch. VC-6145	\$ 4,695.00
Compact, Full Feature Models	
40MS/s, 100MHz, 4kw x 1ch., 2kw x 2ch.	VC-6045 \$ 3,049.00
20MS/s, 50MHz, 2kw x 2ch.	VC-6025 \$ 2,295.00
Low Cost/High Value Models	
20MS/s, 50MHz, 2kw x 2ch.	VC-6024 \$ 2,049.00
20MS/s, 20MHz, 2kw x 2ch.	VC-6023 \$ 1,749.00

RSOs on Hitachi feature such functions as roll mode, averaging, save memory, smoothing, interpolation, pratriggering, cursor measurements, plotter interface, and RS-232C interface. With the comfort of analog and the power of digital.



V-212 Hitachi Portable Scopes
DC to 50MHz, 2-Channel, DC offset function, Alternate magnifier function
V-525 CRT Readout, Cursor Meas. \$1,025
V-523 Delayed Sweep \$995
V-522 Basic Mode \$895

V-422 40MHz Dual Trace \$795

Compact Series Scopes



Delayed Sweep
Lightweight (13lbs)
2mV Sens
3 Yr Warranty

Model V-1065 Shown

This series provides many new functions such as CRT Readout, Cursor measurements (V-1065/1065/665), Frequency Ctr (V-1065), Sweptime Autoranging and Trigger Lock using a 6-inch CRT. You don't feel the compactness in terms of performance and operation.

V-660	60MHz Dual Trace	\$1,195
V-665	60MHz Dual Trace w/Cursor	\$1,345
V-1060	100MHz Dual Trace	\$1,425
V-1065	100MHz Dual Trace w/Cursor	\$1,695
V-1085	100MHz Quad Trace w/Cursor	\$2,045
V-1100A	100MHz Quad Trace w/Cursor	\$2,295
V-1150	150MHz Quad Trace w/Cursor	\$2,775

20MHz Elenco Oscilloscope
\$375
MO-1251



- Dual Trace
- Component Tester
- 6" CRT
- X-Y Operation
- TV Sync
- 2 p-1 Probes

FREE DMM
with purchase of
ANY SCOPE

SCOPE PROBES

P-1 65MHz, 1x, 10x \$19.95

P-2 100MHz, 1x, 10x \$23.95

Elenco 35MHz Dual Trace
Good to 50MHz \$495
MO-1252



- High luminance 6" CRT
- 1mV Sensitivity
- 6KV Acceleration Voltage
- 10ns Rise Time
- X-Y Operation • 2 Axis
- Delayed Triggering Sweep
- Includes 2 P-1 Probes

All scopes include probes, schematics, operators manual, and 3 year (2 yrs for Elenco scopes) world wide warranty on parts & labor. Many accessories available for all Hitachi scopes. Call or write for complete specifications on these and many other fine oscilloscopes.

WE NOW CARRY COMPLETE LINE OF FLUKE MULTIMETERS Models

- 21F 83
- 23F 85
- 25F 87
- 27F 8050A
- 73 8060A
- 75 8062A
- 77F + More

CALL FOR SPECIAL PRICING

True RMS 4 1/2 Digit Multimeter M-7000
\$135
.05% DC Accuracy
1% Resistance with Freq. Counter and deluxe case

Function Generator Blox
#9600 \$28.95
Provides sine, triangle, square wave from 1Hz to 1MHz AM or FM capability

10 Function Multimeter CM-365
\$65
AC + DC Voltage & Amps Resistance to 2000MΩ Diode, Logic, & Trans test Capacitance to 200uF

Triple Power Supply XP-620
Assembled \$65
Kit \$45
2 to 15V at 1A, -2 to -15V at 1A (or 4 to 30V at 1A) and 5V at 3A
Contains all the desired features for doing experiments. Features short circuit protection, all supplies.

Digital Capacitance Meter CM-1550
\$58.95
9 Ranges
1pF-20,000uF
.5% basic accy
Zero control with case

Wide Band Signal Generators SG-9000
\$129
RF Freq 100K-450MHz AM Modulation of 1KHz Variable RF output
SG-9500 w Digital Display and 150MHz built-in Counter \$249

Digital LCR Meter LC-1801
\$125
Measures: Coils 1uH-200H Caps 1pF-200uF Res 0.1-20M

AC Current Meter ST-1010
\$69.95
1000 Amps Data & Peak hold 8 Functions Deluxe Case

Decade Blox #9610 or #9620
\$18.95
#9610 Resistor Blox 47 ohm to 1M & 100K pot #9620 Capacitor Blox 47pF to 10MFD

Quad Power Supply XP-580
\$59.95
2-20V at 2A 12V at 1A 5V at 3A -5V at .5A
Fully regulated and short circuit protected
XP-575 without meters \$39.95

LEARN TO BUILD AND PROGRAM COMPUTERS WITH THIS KIT!
INCLUDES: All Parts, Assembly and Lesson Manual
Model MM-8000 \$129.00

Digital Triple Power Supply XP-765
\$249
0-20V at 1A 0-20V at 1A 5V at 5A
Fully regulated, Short circuit protected with 2 limit control, 3 separate supplies
XP-650 with Analog Meters \$175

GF-8016 Function Generator with Freq. Counter
\$249
Sine, Square, Triangle Pulse, Ramp, 2 to 2MHz Freq Counter 1 - 10MHz
GF-8015 without Freq. Meter \$179

Starting from scratch you build a complete system. Our Micro-Master trainer teaches you to write into RAMs, ROMs and run a 8085 microprocessor, which uses similar machine language as IBM PC. You will write the initial instructions to tell the 8085 processor to get started and store these instructions in permanent memory in a 2816 EPROM. Teaches you all about input and output ports, computer timers. Build your own keyboard and learn how to scan keyboard and display. No previous computer knowledge required. Simple easy to understand instruction teaches you to write in machine language.
ROBOTICS KIT FOR ABOVE (MM-8010) \$71.95

WE WILL NOT BE UNDERSOLD!
UPS Shipping: 48 States 5% (\$10 Max) IL Res., 7% Tax

C & S SALES INC.
1245 Rosewood, Deerfield, IL 60015
(800) 292-7711 (708) 541-0710

15 Day Money Back Guarantee
2 Year Warranty Prices subject to change
WRITE FOR FREE CATALOG

CIRCLE 356 ON READER SERVICE CARD

THE RF CONNECTION

"SPECIALIST IN RF CONNECTORS AND COAX"

Part No.	Description	Price
PL-259/USA	UHF Male Phenolic, USA made	\$.70
83-1SP-1050	PL-259 Phenolic, Amphenol	.89
83-822	PL-259 Teflon, Amphenol	1.75
PL-259/ST	UHF Male Silver Teflon, USA	1.50
UG-175	Reducer for RG-58	.20
UG-176	Reducer for RG-59 & MINI 8	.20
UG-21D/U	N Male RG-8, 213, 214, large body	3.25
UG-21B/U	N Male RG-8, 213, 214, large body	5.00
9913/PIN	N Male Pin for 9913, 9086, 8214 fits UG-21D/U & UG-21B/U N's	1.50
UG-21D/9913	N Male for RG-8 with 9913 Pin	3.95
UG-21B/9913	N Male for RG-8 with 9913 Pin	5.75
UG-146A/U	N Male to SO-239, Teflon USA	6.00
UG-83B/U	N Female to PL-259, Teflon USA	6.00

"THIS LIST REPRESENTS ONLY A FRACTION OF OUR HUGE INVENTORY"

THE R.F. CONNECTION
213 North Frederick Ave. #11
Gaithersburg, MD 20877

ORDERS 1-800-783-2666
INFO 301-840-5477 FAX 869-3680

PRICES DO NOT INCLUDE SHIPPING
PRICES SUBJECT TO CHANGE
VISA, MASTERCARD, ADD 4%
UPS C.O.D. ADD \$3.50 PER ORDER

CIRCLE 115 ON READER SERVICE CARD

DISCOVER LOW PRICES

PL-259 Nickel/Teflon(r), USA, 69c or \$15/25
PL-259 Silver/Tef. USA, \$1.29 or \$25/25
PL-259 GOLD/Tef. USA, \$1.49 or \$30/25
N (UG-21) for 9913, 9086 etc. \$3.25
UG-255 convert HT BNC to UHF \$1.79

NEW! Flexible 9913-type, low-loss for crank-ups & rotators 59c
RG-8X non-contaminating 23c
RG-8X, 95%, premium 14c
RG-213 Mil-type 31c
#14 ant wire 7c

Cable in 50 Increments Only

BALUNS

Current type(c)
Laboratory Developed
Superior Construction
Unequaled Specifications
11 models for every application

B1-2K 1:1 2KW 'Current' 80-10M \$15.95
B4-1.5K 4:1 Low-loss 1.5KW 80-10M \$17.95
Y1-4K 1:1 4KW 'Current' Beam balun \$23.95
B4-2KX 4:1 Precision 'Current' 160-10M \$35.95

(804) 484-0140

FREE 64 pg. DISCOUNT Catalog. Everything for wire antennas. Allow 4-6 weeks for bulk-rate delivery. Send \$2 for 1st mail. Mention this ad for sale prices. ADD SHIPPING - VISA & MC welcome. Give card #, exp. date, signature. COD add \$3.30 + shipping. Virginia Residents add 4.5% sales tax. Dealer inquiries welcome.

Box 6159 • Portsmouth, VA 23703

CIRCLE 150 ON READER SERVICE CARD

73 Review

by J.S. Gurske K9EYY

PC HF Facsimile 4.0

Easy FAX reception for your PC.

Software Systems Consulting
 150 Avenida Cabrillo, "C"
 San Clemente CA 92672
 Tel. (714) 498-5784
 Price Class: \$99.

Radio facsimile for satellite images has been a long-time interest of mine. I've printed many pictures using home-made machines, photographic paper, and cold cathode light sources. When I saw advertisements in amateur radio publications for PC HF Facsimile 4.0 by John E. Hoot of Software Systems Consulting, I was immediately interested. He claimed he could receive FAX images on a computer monitor using HF signals. They really looked good in the advertisement.

I sent for the program and put it on my computer. To say that I was satisfied would be gross understatement. But let me tell you about it.

The package currently sells for \$99. When you purchase the program, you get: 1. a novel decoder (or demodulator) which requires NO external power source; 2. an audio cassette which describes FAX signals and tells you how to use the program; 3. an excellent manual; and 4. the program on a disk.

Easy Installation

Upon opening the package, I was first struck by the small size of the decoder. It fit on the end of an RS-232 connector. It doesn't require special boards or anything else; it only needs to be plugged into the serial port, either COM 1 or COM 2, of the computer. After plugging in the decoder, you connect the other end of the wire to the audio output jack of your HF receiver.

Loading the program into the computer was standard, with no surprises. The manual covers installation using floppy disks and hard disks, and for running the program on floppy disks only.

The manual instructs you to listen to the audio tape next, which is an excellent idea for this type of program. I have heard hundreds of FAX signals over the years, yet I found the tape very useful. While it cannot generate a picture, the tape does a fine job explaining facsimile signals and what they sound like. The tape is especially a good idea for those with limited experience in listening to FAX signals. It's also an excellent way to learn about the correct way to tune in a FAX signal.

Mr. Hoot has even incorporated a tuning indicator in his program. When you press the "T" key on the computer, the screen turns into a tuning indicator with two reference lines for aligning the tuned signal. The signal from the HF receiver appears as a third line. As you tune the signal, this third line moves up or

down the screen, depending on whether you are tuning up or down. It is only necessary to tune the receiver so this third line lies about $\frac{1}{8}$ " above the top line on the screen for the carrier signal. When the signal starts to shift with the image being sent, the signals will fall between the two reference lines. For those of us who have had to tune FAX signals without such a device, this added touch is yet another reason the program is so user friendly.

Multiple Options

The main menu allows you to capture the image in color or monochrome, save it to disk automatically, go to the tuning scope, change the lines per minute for the type of picture you are receiving, i.e., 60, 90, 120, or 240 lines per minute. You can display the image, view the image, print the image, or zoom to a section of the image. In the file options you can set the prefix, list the directory, and write to or read from a file. Pressing "H" for "hardware" produces another screen with various options.

The first thing to adjust in the "hardware" mode is the timing for your particular computer. The "C" for "clocks per pixel" lets you set the course figure for your timing. Mine needed no changing. The "T" for "timing correction" makes the final adjustment so the picture is vertical on the screen. The 360 which comes with the program was merely changed in small




Photo A. The Earth's disk on Jan. 9, 1990 at about 2 PM CST, with infrared view of streams of water vapor.




Photo B. Full-disk image of the Earth as Hurricane Hugo approaches the coasts of S. Carolina and Georgia.

increments until the picture was straight on the screen. Mine ended up at 220. This is a very easy adjustment to make.

The remaining options on this screen relate to your printer type, graphic card type, monitor type, demodulator port (COM 1 or 2), and scans per line (6 for CGA, 4 for EGA, 3 for VGA). I set mine at 3 because I use a VGA monitor, which produces the best resolution.

I tuned in a FAX signal and printed a picture. It was a full-disk image sent by NAM. When I

WE SHIP WORLDWIDE

Barry Electronics Corp.

WORLD WIDE AMATEUR RADIO SINCE 1950

Your one source for all Radio Equipment!



SEE You June 3rd
HOSARC, Flushing, NY

Technical help offered upon purchase

KITTY SAYS: WE ARE NOW OPEN 7 DAYS A WEEK.
Saturday & Sunday 10 to 5 P.M.

Monday-Friday 9 to 6:30 PM Thurs. to 8 PM
Come to Barry's for the best buys in town.



DRSI

ONV Safety
belts-in stock

YAESU

FT-767GX, FT-757GXII, FT-747GX,
FRG-8800, FT-736R, FT-1000,
FT-4700RH, FT 212/712RH, FT-470

YAESU ICOM

FT-23 IC2/3/4SAT Landmobile HT's
FT411-811-911 IC02AT/32AT ICOM: U16, H16, V100, U400
FTC-1903/1123 IC2/4GAT/24AT MAXON, MOTOROLA,
FTH-2008/7008 IC-A20/U16 YAESU: FTH 2008/7008
UNIDEN, REGENCY, KING,
MARINE ICOM: M5, M56, M700
AVIATION ICOM: A20 H.T., TAD



IC-32AT

IC-H16/U16

MOTOROLA RADIUS
COMMERCIAL RADIOS

TH-75AT

FT-470

Budwig ANT. Products IC-32AT
NEL-TECH DVK-100 Digital Voice Keyer
FLUKE 77, 83, 85, 87 Multimeters

ALINCO

DJ-500T, DR-110T
DR-570T, DJ-160T

FREQUENCY
COUNTERS:
1MHz-1.3GHz

COMMERCIAL
& HAM
REPEATERS
STOCKED.
WRITE FOR
QUOTES

Kantronics
KAM, KPC II,
KPC 2400, KPC IV,
DVR 2.2

Covercraft/Coaxseal Stocked

SHORTWAVE RECEIVERS
STOCKED

JRC-NRD-525,
JST135

MOTOROLA AUTHORIZED DEALER
KACHINA COMMUNICATIONS DEALER

AUTHORIZED
SONY

DEALER

DIGITAL FREQUENCY COUNTERS
OPTOELECTRONICS model 1300 H/A, 0-1300MHz
2210 H, 0-2200 MHz

Long-range Wireless
Telephone for export in stock

BENCHER PADDLES,
BALUNS, LOW PASS FILTERS
IN STOCK

MIRAGE AMPLIFIERS
ASTRON POWER SUPPLIES
Belden Wire & Cable, Int'l Wire
OPTO KEYERS STOCKED

Radios for Business,
Gov't, 2-way, etc.
Stocked & serviced,
call for great prices!

COMET ANTENNAS
STOCKED

HEIL
EQUIPMENT
IN STOCK

Media Mentors—
Amateur Radio Course



Hy-Gain Towers
& Antennas, and
Rotors will be
shipped direct to
you FREE of
shipping cost.

New TEN-TEC
Corsair II, PARAGON,
OMNI V

IX Towers, Antennas,
Mobile Radio mounts
stocked. Call.

AMERITRON AUTHORIZED DEALER

KENWOOD



ANTENNAS
A-S, AES, Cushcraft, Hy-Gain,
Hustler, KLM, METZ, Mosley,
Urban, MODUBLOX, TONNA,
Butternut, Multi-Band

TS440S/AT, R-5000, TS-940 S/AT, TM 231A/
431A, TM-2570A/50A, TR-751A, Kenwood
Service Repair, TM-731A, TS-711/811A,
TH205AT, TH225A, TM-631A, TM-331A,
TS140S, TS680S, RZ-1, TS-790A, TS950SD,
TH-75A, TH26/46AT

AMPLIFIERS
STOCKED:
RF Concepts
Mirage
TE Systems

MARINE RADIOS
ICOM M5, M56, M700TY, M800
AVIATION PORTABLE ICOM A-20

Panasonic

Wanted: HF Radio Technician

VoCom/Mirage/Alinco
Tokyo Hy-Power/TE SYSTEMS
Amplifiers & 5/8λ HT Gain
Antennas IN STOCK

G&G ELECTRONICS ART1,
Air Disk, SWL, Morse Coach

Professional
Soldering
Station
48 Watts
\$79

METRON
KW HF Mobile
Amplifier
Stocked

AR 900 Hand Held Scanner 100
ch. Covers 27-54, 108-174,
406-512, 800-950 MHz

Computer Interfaces
Stocked: MFJ-1270B,
MFJ-1274, MFJ-1224, AEA
PK-88, MFJ-1278T, PK-232 MBX
W/FAX, DRSI PRODUCTS



Alpha Delta
Products
Stocked



EIMAC
3-500Z
572B, 6JS6C
12BY7A &
6146B

AEA 144 MHz
AEA 220 MHz
AEA 440 MHz
ANTENNAS

BIRD
Wattmeters &
Elements
In Stock

MAIL ALL ORDERS TO: BARRY ELECTRONICS CORP., 512 BROADWAY, NEW YORK CITY, NY 10012 (FOUR BLOCKS NORTH OF CANAL ST.)

New York City's LARGEST STOCKING HAM DEALER
COMPLETE REPAIR LAB ON PREMISES

"Aqui Se Habla Espanol"

BARRY INTERNATIONAL TELEX 12-7670
MERCHANDISE TAKEN ON CONSIGNMENT
FOR TOP PRICES

Monday-Friday 9 A.M. to 6:30 P.M. Thursday to 8 P.M.
Saturday & Sunday 10 A.M. to 5 P.M. (Free Parking)

IRT/LEX-"Spring St. Station". Subways: BMT-
"Prince St. Station". IND-"F" Train-Bwy Station"
Bus: Broadway #6 to Spring St. Path-9th St./6th Ave.
Station.

COMMERCIAL RADIOS
STOCKED: ICOM, Motoro-
la, MAXON, Standard,
Yaesu. We serve municip-
alities, businesses, Civil
Defense, etc. Portables,
mobiles, bases, re-
peaters...

ALL
SALES
FINAL

We Stock: AEA, ARRL, Alinco, Ameco, Ameritron, Antenna Specialists,
Astatic, Astron, B&K, B&W, Bencher, Bird, Butternut, CDE, CES, Cushcraft,
Daiwa, Eimac, Henry, Heil, Hustler, Hy-Gain, Icom, KLM, Kantronics, Larsen,
MJF, J.W. Miller, Mirage, Nye, Palomar, RF Products, Saxton, Shure,
Tempo, Ten-Tec, TUBES, Yaesu, Vibroplex, Duplexers, Repeaters, Scan-
ners, Radio Publications, Uniden, Kenwood, Maxon, RFC.

WE NOW STOCK COMMERCIAL COMMUNICATIONS SYSTEMS
HAM DEALER INQUIRES INVITED PHONE IN YOUR ORDER & BE REIMBURSED
COMMERCIAL RADIOS stocked & serviced on premises.
Amateur Radio Courses Given On Our Premises, Call
Export Orders Shipped Immediately. TELEX 12-7670

FAX: 212-925-7001




Photo C. Hurricane Hugo closer up, just off the S. Carolina coast on Sept. 21, 1989.




Photo D. Zoomed image of Hurricane Hugo, from Photo C.

saw the gray scale appear on the computer screen, I knew I had a good program even before the picture was sent. I was surprised to see that even with some noise on the signal (due to a bad antenna connector on my receiver), the picture was better than anything I had seen on a computer screen before.

I have copied many more images in the short time I have had the program, and they

have all been good. I should add that the signal must be good to get a good picture, but this program seems to be more tolerant of noise than anything I have used before.

The accompanying pictures were taken with a Polaroid camera directly from the computer screen. Note the number of shades of gray in the upper left corner of each picture.

Mr. Hoot has even incorporated a long list

of HF stations which send HF FAX signals. The list includes frequencies and times of day as well as the location of the station.

PC HF Facsimile 4.0 by John Hoot is a good buy—it works great! [Ed. Note: Version 4.1 is now being shipped which allows the use of COM 3 and COM 4 serial ports] 

You may contact J.S. Gurske K9EYY at 7240 Highway Y, Lodi WI 53555.

Number 12 on your Feedback card

73 Book Review

A Radio Journal 1912–1940

A book full of memories.

reviewed by Larry Ledlow, Jr. NA5E

A Radio Journal 1912–1940
by Russ Rennaker W9CRC
Published by R&R Press
Kokomo, IN
Softbound, 69 Pages
Price: \$9.00

Author Russ Rennaker W9CRC takes us on an amusing trip down memory lane with his book *A Radio Journal*. The book's 70 pages are chockfull of Russ' own recollections of his first interests in radio as well as wonderful anecdotes related to him by fellow workers in the broadcast industry. Russ' memory seems unclouded as he describes his early adventures. He gives the younger reader a feel for what it was like in the good ol' days, and I'm sure many old timers will find many memories of their own described in the book.

Russ grew up in rural Indiana, part of a farming family, but technology of the day held his attention more than plowing. At ten he discovered radio for

himself after reading *The Sinking of the Titanic*. One chapter of the book described the wireless operator pounding out CQD (the distress signal of the day) in vain as the great ship went down. This chapter captivated Russ' imagination, and he began to explore the library to satisfy his hunger for information on the new technology of wireless.

Thanks to incredibly tolerant parents, Russ continued his own experiments with radio. Bad timing—the Department of Commerce suspended licensing during World War I—prevented him from obtaining an amateur radio license in 1917. In 1920 he finally obtained the call 9CRC.

The young experimenter made quite a reputation for himself building radios just as broadcasting began to take shape. Eventually he went to work for a local radio station as an engineer. From a humble beginning at a local 50 watt station, Russ' career eventually took him to CBS.

Russ has had the pleasure to work with many well known entertainers of the early radio days.

He has also crossed paths with many respected broadcasting engineers. As a result, Russ shares many interesting behind-the-scenes stories about those he worked with. The early days of live "pick ups" were fraught with potential disasters, and the Russ' anecdotes prove Murphy's Law beyond doubt. They also prove radio could be as fun behind the scenes as on the air, although for different reasons.

The book contains a number of fascinating photographs of early equipment, not the least of which is a 2kW quenched gap spark commercial transmitter dating to 1920. Amazing stuff!

In all, readers will find *A Radio Journal* a fascinating trip through time. It is very easy to read and informative. Readers of all ages will probably learn something from Russ' journal. W9CRC provides an entertaining and educational look back at the early days of radio. I can recommend it for a pleasant change from our hectic, high-tech lives of today. 




Dynamite Discovery

Communications Specialists' latest excavation brings to light yet another dynamite discovery—our new dip switch programmable SD-1000. No need to tunnel your way through Two-Tone Sequential decoding anymore. We've mined this amazing unit! Now, for the first time, you can stock one unit that will decode all calls in a 1000-call paging system with $\pm .2$ Hz crystal accuracy. The EEPROM on-board memory can even be programmed for custom tones, and every unit includes group call. Universal switched outputs control your call light, squelch gate and horn. The SD-1000 can

also generate CTCSS and decode Two-Tone Sequential. Its miniature size of 2.0" x 1.25" x .4" is no minor fact either, as it's a flawless companion for our PE-1000 Paging Encoder. We ensure one-day delivery and our one-year standard warranty. Tap the rich vein of Communications Specialists and unearth the SD-1000 or other fine gems.



\$59.95
each



COMMUNICATIONS SPECIALISTS, INC.
426 West Taft Avenue • Orange, CA 92665-4296
Local (714) 998-3021 • FAX (714) 974-3420
Entire U.S.A. 1-800-854-0547

CIRCLE 10 ON READER SERVICE CARD

Tune in on the New Frontiers of VLF

Simple converter brings the low low bands in on 80-meter receivers.

by David Curry WD4PLI

Ever wanted to try Very Low Frequency (VLF) operation, but didn't know how to get into it? If so, and if you have 80m capability, you may want to try this project—the 80AU.

The 80AU provides active whip preamplification of an incoming signal, then upconverts it to the 80 meter amateur band. The unit's 5-element Chebyshev filtering eliminates broadcast and above frequencies. A balanced mixer rejects spurious signals, and it has phantom power capability for remote operation. Used in conjunction with a quality shortwave or 80 meter amateur receiver, this converter accurately converts all frequencies from 5 to 450 kHz, up to frequencies from 3.5 to 4 MHz.

There are many fascinating and unusual signals on the LF and VLF frequencies, as well as the activity within the 1750 meter band (160 to 190 kHz).

You can use any 5- to 10-foot wire for an antenna, but I highly recommend using a Citizen's Band 102" steel whip, available at most electronics stores. With this whip, you can use the converter in remote and mobile operation, or on the top of a roof for clear, unobstructed reception. The wire antenna will also work, and you can use it if you are limited to "invisible antennas," such as in apartment complexes. Longer antennas will work, but they need a small series capacitor at the input port (J1). See the "Operation Requirements" section for more information on this.

The 80AU is very sensitive, so use a separate ground, located directly at the antenna site. A ground rod placed in the earth directly under the active whip and connected to the coax braid or the 80AU box, will provide the best ground reference, clean and free of noise. The coupling method shown in section B of the schematic is an excellent way to separate the two grounds and provide good broadband coverage. If you use this particular circuit, be sure to use battery power to eliminate any coupling to the AC power line.

Whip Placement

The active whip site is CRITICAL. Always locate it away from power lines and above or away from the house and other structures. At




Photo A. Inside the 80AU converter.

my house, the active whip is located right in the front yard near the sidewalk, against a chain link fence. The "higher the better" rule also applies, helping the signal-to-noise ratio by lessening capacitive coupling to structures where noise may be present.

Sometimes just moving the antenna 3 or 4 feet can make all the difference. Experiment

after finding what you think might be the best area. A tree can be an excellent place, when the 80AU is placed on a wood pole at the very top, away from limbs. Use a wooden pole for mounting to avoid rust.

Tune In!

Once you've decided which coupling circuit method to use and you've "planted" your antenna, simply apply power and tune the receiver within the 3.5-4 MHz range. You can use the direct readout in kHz to accurately indicate the frequency if you are using an amateur receiver or any other type of receiver with a calibrated kHz display, either analog or digital. As an example, if you were listening to a signal and the frequency indicated on the dial was 3.680 MHz, then you would actually be receiving a signal at 180 kHz. The "3.5" is dropped or subtracted. This adjustment quickly becomes second nature.

Operation Requirements

The 80AU antenna input uses an SO-238 style plug, which interfaces with PL-259 plugs and banana-style jacks. You can use a longwire antenna by simply inserting a 39 pF capacitor between the 80AU input port and the longwire antenna. This works exceptionally well for untuned, broadband coverage. Tuned antennas can also be used in the manner described above, by coupling the tuned antenna lightly to the 80AU input through a 39 pF capacitor. However, a simple stainless steel 102" CB whip provides the best consistent overall performance for portable and land-based installations.

Coupling Methods

The operation of the 80AU is simple. The unit typically is mounted remotely because it needs to be mounted near the active antenna; and the active antenna typically needs to be mounted away from the house to keep the received noise level as low as possible. For convenience, I power the unit using the coax that conducts the RF from the upconverter to the 80m transceiver.

You must use a coupling device end to apply power to the coax for "phantom" pow-




Figure 1. Schematic for the 80AU converter.

er, and to effectively couple the RF to the receiver. Notice the two methods drawn in sections "A" and "B" of the schematic.

Section A shows a simple resistor-capacitor combination that works well for mobile, remote or "clean" ground systems at home. Most ground systems in homes are "dirty" because the ground, or common, return for the AC power line carries the leftover remains from all the neighbors' light dimmers and power line hash. Also, it's securely cou-

placed in sandy or poorly conductive soil. The active whip will capacitively couple to the coax going to the 80AU and pick up all the noise, even if the 80AU is located far away from the house, where it can also couple to the power lines.

tor leads, and clip when through. Make sure that the bodies of the parts are against the board, and not lifted away after you've finished soldering.

Now insert and solder the capacitors. An oval shape drawn on the board identifies the locations for the capacitors. The polarity of these parts isn't important, but C6 is an electrolytic. It is identified by a small circle with a "+" on the upper left side, indicating where the positive lead should be inserted. Be sure that the negative and positive leads are identified and inserted into the board so that the polarity will match correctly.

Crystal X1 is identified by the frequency on the side of the part, which should be read either 3.499 MHz or 3.500. This should be inserted and soldered. Apply as little heat as possible to solder X1, as the crystal is temperature sensitive.

Final Assembly

Insert the large RF connector through the appropriate hole, from the inside of the box.

Technical Details

Input impedance	22k Ω
Input frequency response	5-450 kHz (450 kHz-3 dB point)
Converter output	3.5-4 MHz broadband
Filter passband ripple	0.4 dB
Mixer noise figure	0.5 dB
Mixer third order intercept point	-17 dBm
Mixer type	Doubly balanced, active bipolar
Power requirements	5 to 18V DC, 12 volts nominal approx. 30 mA

Parts List

Resistors: All 1/4 watt, carbon composition.	
R1-R3	22k Ω R4470 Ω
Capacitors	
C1, 2	47pF NPO 50V DC/10%
C3	30 pF NPO 50V DC/10%
C4, 5, 8	0.1 μ F/50V DC
C6	4.7 μ F electrolytic, 16V DC
C7, 9	470 pF NPO 50V DC/10%
C10	150 pF NPO 50V DC/10%
C11	47 pF NPO 50V DC/10%
Inductors	
L1,3	8.2 mH Miller #70F823AI
L2	9.1 mH Miller #70F913AI
Transistor, IC, Miscellaneous	
Q1	J310 JFET
U1	NE602
X1	3.499 or 3.5 MHz Crystal
T1	Output toroid transformer: Amidon T-37-3 Primary: 26 turns, #26 Ga. (black) Secondary: 5 turns, #22 Ga. (red)
D1	1N753A
2	Pairs of 4/40 nut and bolt, 1/2" length
2	1/4" spacers
1	Aluminum housing, Hammond Mfg. 1590A
1	SO-238 connector
1	BNC connector

Construction

Spread out all the parts so that you can identify them using the the parts list. Be careful when you install the inductors (L1-L3) and the JFET (Q1). The JFET is VERY static-sensitive, so be sure that you and your soldering iron are well grounded. Insert Q1 last to avoid overheating and to reduce the chances of zapping the poor thing.

Use a small soldering pencil (NOT a soldering gun) between 25 and 60 watts, and a good quality rosin core solder. Find the NE602 IC and insert it into the board so that the key at the end of the IC will line up with the key drawn on the component-side silk-screen. Push it through and solder all the leads. Clip excess leads after you're done. Insert all parts from the component side, where the silk-screen is printed.

Then insert diode D1 so that the band around the diode is aligned with the band drawn on the part silk-screen.

Now insert the resistors, using the parts list for correct insertion. The resistors are marked by an "R" showing where the body of the part should be placed. Solder diode D1 and all resis-

pled to the power lines over the course it takes from the power pole to the house. I suggest that you try to ground your system at the house, but even with this precaution there is no guarantee that the ground will "sink" all the noise, especially when the ground rod is




Figure 2. Components layout diagram.




Figure 3. Interface foil pattern.

Once it is in place tighten it with the included bolt. Do the same with the remaining smaller BNC RF connector placed opposite the SO-238. Both connectors should have the solder lugs on the inside of the box.

Next, insert the two screws through the holes in the box from the outside and, holding the screws against the box with your fingers, put the 1/4" spacers over

the length of the screws inside the box. Take the circuit board and feed the screws through the holes marked "S." Then, push the board toward the bottom of the box, with all circuit board components facing toward you. Tighten the two 4/40 bolts against the circuit board to finish mounting the board securely. The spacers will lift the circuit board away from the box enough to prevent accidental shorting.

Cut the wire from J2 and solder it to the solder lug of the BNC connector. Also,

cut and solder the remaining lead from L1 to the solder lug of the SO-238 connector. The body of L1 should rest at a near vertical angle to the circuit board, with the lead to the connector going across almost horizontally. It is important to keep this inductor as vertical as possible to minimize inductive coupling with L2. Also, keep in mind that you don't want L1 to sit too close to the aluminum box. Visually inspect the parts. When you're satisfied, close the lid and tighten the four screws.

Next, look at L1, L2 and L3. These parts are made of many, many turns of very fine wire, and have a manufacturer's number on the side to indicate which inductor to insert into the marked area on the board. All of the inductors indicated on the board are marked by an L. L1 is a little bit different: One lead is pointed toward J1, the terminal of the SO-238 connector, which will be mounted on the housing later. The other lead of L1 is soldered into the hole on the circuit board, just like L2 and L3.

Transformer T1 is a toroid or round transformer with four wire leads, two red and two black. All four leads need to be stripped of their enamel insulation. Use any fine sandpaper to remove the enamel, leaving the four wires bare and ready for soldering. Place the body of the toroid between the holes marked "A,A" and "B,B." The two small black wires, one on each side of the toroid, go into the holes marked "A." The remaining two red wires on each side of the toroid go into the

holes marked "B." Pull the wires through the holes gently but firmly, then solder them well to the solder side. Inspect the solder joints, then clip the excess leads.

Take a small piece of copper wire about 1" long and insert it through the hole marked J2. Solder the wire on the foil side of the circuit board and clip any remaining lead length.

JFET Q1 is last to be inserted, with the shape of the transistor matching the shape drawn on the component side silk-screen. Insert the three leads so that the JFET body remains approximately 1/4" inch from the circuit board. Solder all three leads quickly so that you don't overheat and damage the device. Clip excess leads after soldering.

Check all the parts one last time against the parts list for correct part insertion. Visually check for any accidental solder bridging on the solder side of the circuit board.

A kit for this project, including the circuit board, housing, and all the parts, is available for \$59, postpaid. I will also make just the etched board available for \$7.50, postpaid. Contact Curry Communications, 852 N. Lima, Burbank CA 91505. ☐

David Curry WD4PLI has been a ham for over 15 years. He specializes in RF electronics. Dave is also a professional musician, and owns a small communications business, Curry Communications, which specializes in small electronics kits. Contact him at 852 N. Lima Street, Burbank CA 91505.

Number 14 on your Feedback card

CIRCUITS

Great Ideas From Our Readers

Heathkit HW-8 Speaker

The HW-8 is a fine rig, but you have to use high impedance headphones for listening. Sometimes, two or more people would like to listen at the same time; other times, you might like to listen via a speaker as you work around the shack. Also, some of us hate wearing cans!

draw, and is not a major re-design. Finally, parts are not critical, and they're easy to salvage. If you must buy them, they're inexpensive.

I simply cascaded an extra amp between the receiver's audio output amplifier and the headphone jack. This method also ensures that you can easily restore the rig to its original condition if you want to sell it or try a different experiment.

My solution was a simple complementary push-pull amplifier. This circuit's idling current is only a few milliamperes, and since the voltage gain is around one, oscillation problems are minimized.

Figure 1 shows the circuit. I used a pair of salvaged silicon transistors close to the 2N2222/2N2907 combination. Two silicon diodes (D1 and D2) are used for biasing; any switching or rectifier diodes should be fine.

The values used at R1, R2, and R3 set the current draw. The trade here is between low current and low distortion. For this circuit, an idling current of about 3 milliamperes seems to be a good compromise. R1 and R2 should be the same value to set the idling out-

put voltage at about one-half supply voltage. This is necessary to allow a full swing in output. R3 thermally stabilizes Q1 and Q2, and lowers the gain a little. This is the resistor to change to set the idling current of Q1 and Q2.

C1 is used as a coupling capacitor. Its X_c should be low compared to the speaker at the lowest operating frequency. Using an 8 ohm speaker and 500 Hz, this comes to an ideal minimum value of around 330 μ F. C2 and C3 are for decoupling and RF bypassing. I recommend a value of several hundred pF to around 0.01 μ F for C2, and several hundred μ F for C3. Be sure that all capacitors have a voltage rating of at least 20 volts.

I built this circuit on a small piece of perforated board, tested it for current draw and any excess heat, and verified that it worked, all even before I took the cover off of the rig. This could also make a good output amplifier for many of the direct conversion sets popular in QRP work. In this case, it wound up putting my HW-8 on the air more often than before.

Larry Gotts WA3UKC
Box 490, Susquehanna University
Selinsgrove PA 17870

Improve Drake TR-6 Front End

The Drake TR-6 six meter transceivers originally used TI-588 transistors in the RF amplifier stages. Since the original design, transistors with more gain and lower noise figures have been developed. At present, the best device for the job is the U-310 FET. These are

available from RF Parts, 1320-16 Grand Ave., San Marcos CA 92069 (\$15 minimum order).

If you're at all handy with a soldering pencil, and you have two pairs of hemostats or locking scissor-type tweezers to use as heatsinks, you can easily perform the modification. Remove the bottom cover of the set. Locate the double compartment just to the rear of the REC GAIN control. The second half of the compartment contains a slug-tuned coil (L10) and the two RF amp transistors (Q11 and Q12). Observe the layout in Figure 2 to make the change.

[FETs are easily destroyed by static discharge or excessive heat. Follow all normal anti-static precautions, and use TWO locking-type heatsinks, as the author suggests, when soldering connections common to both devices!—Eds.]

L.J. Hemmis K3VLQ
919 West Gore Rd.
Erie PA ☐




Figure 1. Parts for this modification are easy to find and inexpensive.

The only thing keeping the original circuit from directly driving a speaker is the high output impedance of the rig's transistor audio output amplifier. I came up with a mod to let the rig drive an 8 ohm speaker to a comfortable listening level. It mounts on the back chassis, adds little to the rig's current




Figure 2. The U-310 FET is best for the job.

Improve Your World Image



PC HF FACSIMILE 4.0 \$99

A complete facsimile reception system for the IBM PC or Compatible. Receives up to 16 intensity levels.

Includes:

Demodulator 80 Page Manual
Software Tutorial Cassette
Frequency List Interpretation Guide

Features:

Print on Epson, or HP Laser Jet
Disk Save, Zooming, Image processing
Unattended Image Capture and much more

PC GOES/WEFAX \$250

Designed to receive images directly from U.S. and Soviet meteorological satellites. Includes all of the above feature plus a complete orbital tracking system and resolution of up to 256 gray levels.

Software Systems Consulting

150 Avenida Cabrillo, "C", San Clemente, CA 92672
(714)-498-5784

CIRCLE 250 ON READER SERVICE CARD

MorseMan Plus

THE BEST JUST GOT BETTER!

MorseMan Plus - THE premier Morse Code trainer now incorporates mouse support, improved Farnsworth method, improved code teacher, an expanded information base and many more new features!

MorseMan Plus will take the newcomer from ground level to expert in record time! It is an ideal trainer for the potential ham. MorseMan Plus is great for licensed hams who want to upgrade - no need to wrestle with code tapes or on the air practice when you can use any and all of the advanced features on **MorseMan Plus** - a true random character generator, random word generator, ASCII text file create/send, true random call signs, true random FCC/VEC type tests that keep track of your progress as well as a random, realistic on-the-air QSO simulator that sounds just like the real thing! Plus many, many more options. **MorseMan Plus** even features **CPU INDEPENDENT TIMING** so that you don't have to worry about setting it for your computer!

Unlike other CW trainers, MorseMan Plus was designed by a CW expert (NE4L) who knows what it takes to get to that high level of proficiency. Other trainers don't even come close! (Hundreds of satisfied users can't be wrong!) You can get **MorseMan Plus** for \$24.95 (plus \$2.00 s/h) PLUS the next major update FREE!

If you want to become a licensed ham, upgrade, or just enjoy CW then **MorseMan Plus** is for you! Give us a call at 1-800-525-7235 and order yours today, or order from our BBS at (205)757-1348 (300-19200 baud - 24 hours). Visa/MC accepted.



Renaissance Development
Box 640 - Killen - AL - 35645

CIRCLE 14 ON READER SERVICE CARD

"NEW" DUAL & TRI BAND SUPER "LINEAR" ANTENNAS



MODEL	FREQUENCY	GAIN	POWER	LENGTH	USE
CA-2X4Z	146 MHz 446 MHz	8.2dB 11.5dB	200W	15'4"	BASE/REPEATER
CA-2X4FX	146 MHz 446 MHz	4.5dB 7.2dB	200W	5'11"	BASE/REPEATER
CA-2X4M	140-155 MHz 440-460 MHz	4.5dB 7.0dB	150W	5'	MOBILE
CA-2X4SR	146 MHz 446 MHz	3.8dB 6.2dB	150W	3'4"	MOBILE
CX-902	146 MHz 446 MHz 1.2 GHz	3.0dB 6.0dB 8.4dB	150W	3'6"	BASE/REPEATER
CX-801	146 MHz 446 MHz 1.2 GHz	3.0dB 6.8dB 9.6dB	100W	3'3"	MOBILE
CA-630TN	146 MHz 446 MHz 1.2 GHz	2.15dB 2.15dB 5.5dB	150W 50W	1'5"	MOBILE

NEW! ULTRA COMPACT SWR/POWER METERS



CM-200 144-150 MHz
CM-300 200-250 MHz
CM-400 420-460 MHz
CM-420 140-460 MHz
CM-900 850-950 MHz
CM-1200 1250-1350 MHz

CALL YOUR DEALER



1275 N. Grove St.
Anaheim, CA 92806
(714) 630-4541
FAX (714) 630-7024

DEALERS INQUIRIES WELCOME

CIRCLE 54 ON READER SERVICE CARD

The no-hole, On-Glass[®], mobile antenna that installs in 15-minutes.



- **Capacitive coupling** establishes highly tuned circuit through glass with no measurable signal loss.
- **No ground plane:** Full halfwave design — performance equal to practical 5/8 wave installations.
- **DUO-BOND™ mounting** for firm, fast, waterproof bonding. Removable without damaging car or antenna.
- **No holes:** No vehicle damage; fast, easy cable routing.
- **Models for 2 meter, 220 MHz and UHF amateur bands.**



a member of The Allen Group Inc.
30500 Bruce Industrial Parkway
Cleveland, OH 44139-3996
216/349-8400, Telex: 4332133, Fax: 216/349-8407

"helping the world communicate"[®]

CIRCLE 6 ON READER SERVICE CARD

Experimental Gaussmeter

Low cost, easy construction.

by J. Frank Brumbaugh KB4ZGC

Continuing publicity warns of the danger of continued exposure to magnetic fields generated by everything from toasters, TV sets and electric blankets to amateur radio equipment and high voltage power lines. Wayne Green W2NSD has suggested numerous times in his editorials that hams could use a cheap, simple and sensitive gaussmeter.

This gaussmeter is a junk box project, and represents only one approach to the design of such an instrument. I offer it neither as the only, nor even the best, method of detecting and measuring magnetic fields, but rather as a "foot in the door" design which I hope others will improve upon. I have purposely kept it simple—no bells and whistles—so even a beginning ham can build it at minimum cost and know how to use it.

A gaussmeter will detect only dynamic—moving—magnetic fields, such as those generated by an alternating current. Static magnetic fields, produced by magnets, can be detected only by moving either the probe or the magnet, so that the lines of force, cutting the probe coil, increase and decrease in strength, allowing the gaussmeter to detect and measure them.

Circuit and Winding

The circuit of this experimental gaussmeter is illustrated in Figure 1. When magnetic lines of force cut the coil in the probe, a voltage is induced which is applied to the inverting and noninverting inputs of IC1 in push-pull. This voltage is amplified and then applied through R2 to the base input of a Darlington pair of 2N3904 transistors, Q1 and Q2. This pair of transistors amplifies and inverts the input voltage across the collector resistor, R3.

Collector voltage swing is monitored by a 0–1 mA meter which is zeroed by ZERO potentiometer R6. Thus, meter indication will increase in proportion to the strength of the magnetic field detected. The resistor in series with M1 allows the meter to measure the full voltage swing across R3, which will vary from about 8 or 8.5 volts to near zero volts in the presence of a fairly strong magnetic field.

The instrument is powered by a 9-volt battery, BT1. Current drain is 10 mA with no magnetic field detected, and increases to nearly 15 mA at maxi-



Photo A.

mum. S1, the ON-OFF switch, is a part of the ZERO adjust pot, R6.

Probe Coil

The probe I used, illustrated in Figure 2, is made from the winding of one of the AF filter chokes removed from a US Navy 1020 Hz Range Filter, WW II surplus. The winding consists of approximately 1000 feet of AWG 28 enamel-covered wire. Its DC resistance is 70 ohms. Cross section of the coil is about $\frac{1}{4}$ " x $\frac{3}{8}$ " and the diameter of the pie is approximately 1". The central hole, left when I removed the core laminations, is about $\frac{7}{16}$ " square.

I wrapped the coil in aluminum foil to form an electrostatic shield so the instrument would respond only to magnetic fields, and installed it in a plastic 35mm film can. An aluminum film can would be better, but I didn't have one. The container used to hold the probe coil must be nonferrous—not made of iron or steel. A pair of insulated wires are connected to the ends of the probe coil, and the other ends connect to the two inputs of IC1.

The probe coil is extremely important in this gaussmeter. It must contain enough wire—many turns—so the maximum number

of turns can be cut by the external magnetic field, but the resistance should not be too great or too little. Most hams have small chokes and audio transformers in their junk boxes, and this is the best place to look for your probe coil. You can make a quick check with an ohmmeter and a magnet.

Measure the resistance of your coil, and with the ohmmeter attached, pass the magnet rapidly across the end of the coil. If the ohmmeter swings widely, the coil will probably be usable in your probe. If there is insufficient swing, try another coil. Primarily, the probe requires many turns of wire, but not too great a DC resistance.

Simple but Sensitive

This gaussmeter, though extremely simple, is quite sensitive. With 117V AC 60 Hz applied to the primary of a power transformer, and with no load current being drawn from the transformer, a weak magnetic field will be produced around the (unshielded) transformer. Bringing the probe coil near the transformer will develop nearly full-scale indication on meter M1. Swinging the probe across any magnet—a refrigerator magnet will do—will produce a high peak on the meter as the probe crosses the magnet. Moving the probe across the lower portion of any d'Arsonval meter, or the vicinity of the voice coil on your speaker, will produce the same results.

Parts Used

All the parts I used came from my junk box, which is why I used an LM324 quad op amp, when only one section is used. You can substitute it with just about any comparable op amp. Likewise, though the transistors in the Darlington connection are 2N3904, you can use any similar general purpose NPN transistors: 2N2222, 2N4124, MPS6531, etc. For M1, you can use any meter you might have lying around, up to and including a 10V DC voltmeter.

If you use a more sensitive meter than 0–1 mA, change the value of R5 appropriately, so the meter will measure about 8V DC full scale. Many small 100 μ A and 200 μ A meters are available from most parts suppliers for a dollar or two. You can get the other parts at Radio Shack or from mail order dealers, who will




Figure 1. Schematic of the experimental gaussmeter.



HF Equipment Regular **SALE**
IC-765 Xcvr/ps/keyer/auto tuner..... 3149.00 2699



IC-781 Xcvr/Rcvr/ps/tuner/scope 6149 5295



IC-751A 9-band xcvr/.1-30 MHz rcvr 1699.00 1469
PS-35 Internal power supply..... 219.00 199⁹⁵
FL-63A 250 Hz CW filter (1st IF).... 59.00
FL-52A 500 Hz CW filter (2nd IF).... 115.00 109⁹⁵
FL-53A 250 Hz CW filter (2nd IF).... 115.00 109⁹⁵
FL-70 2.8 kHz wide SSB filter..... 59.00
RC-10 External frequency controller 49.00



IC-735 HF xcvr/SW rcvr/mic (Special) 1149.00 969⁹⁵
PS-55 External power supply 219.00 199⁹⁵
AT-150 Automatic antenna tuner 445.00 389⁹⁵
FL-32A 500 Hz CW filter..... 69.00
EX-243 Electronic keyer unit..... 64.50
UT-30 Tone encoder 18.50

IC-725 HF xcvr/SW rcvr..... (Special) 949.00 799⁹⁵
AH-3 Automatic ant tuner .. (Special) 489.00 379⁹⁵
IC-726 10-band xcvr/6m/.5-30MHz rx 1299.00 1129

- Accessories** Regular **SALE**
- IC-2KL** HF solid state amp w/ps..... 1999.00 1699
 - IC-4KL** HF 1KW out s/s amp w/ps.... 6995.00 5995
 - EX-627** HF auto. ant. selector (Special) 315.00 269⁹⁵
 - PS-15** 20A external power supply 175.00 159⁹⁵
 - PS-30** Systems p/s w/cord, 6-pin plug 349.00 319⁹⁵
 - SP-3** External speaker 65.00
 - SP-7** Small external speaker 51.99
 - CR-64** High stab. ref. xtal; 751A, etc ... 79.00
 - PP-1** Speaker/patch 179.00 169⁹⁵
 - SM-6** Desk microphone 47.95
 - SM-8** Desk mic - two cables, scan 89.00
 - AT-100** 100W 8-band auto. ant. tuner ... 445.00 389⁹⁵
 - AT-500** 500W 9-band auto. ant. tuner ... 589.00 519⁹⁵
 - AH-2** 8-band tuner w/mount & whip 758.00 689⁹⁵
 - AH-2A** Ant tuner system, only .. (Special) 559.00 469⁹⁵
 - GC-5** World clock..... (Special) 91.95 69⁹⁵



★ **Large Stocks**
 ★ **Fast Service**
 ★ **Top Trades**
 at **AES®**

Accessories for IC-765, 781, 725 • CALL for Prices

- VHF/UHF bases** Regular **SALE**
- IC-275A** 25w 2m FM/SSB/CW w/ps... 1299.00 1129
 - IC-275H** 100w 2m FM/SSB/CW..... 1399.00 1199
 - IC-375A** 25w 220 FM/SSB... (Closeout) 1399.00 799⁹⁵
 - IC-475A** 25w 440 FM/SSB/CW w/ps 1399.00 1199
 - IC-475H** 100w 440 FM/SSB/CW (Spec) 1599.00 1269
 - IC-575A** 25w 6/10m xcvr/ps (Special) 1399.00 1099
 - IC-575H** 25w 100w 6/10m xcvr..... 1699.00 1469
- VHF/UHF/1.2GHz mobiles** Regular **SALE**
- IC-28A** 25w 2m FM, TTP mic (Closeout) 469.00 379⁹⁵
 - IC-28H** 45w 2m FM, TTP mic (Closeout) 499.00 389⁹⁵
 - HM-14** Extra TTP microphone..... 59.00
 - UT-28** Digital code squelch..... 39.50
 - UT-29** Tone squelch decoder..... 39.50
 - HM-16** Speaker/microphone..... 34.00



IC-228A 25w 2m FM/TTP mic (Special) 509.00 379⁹⁵
IC-228H 45w 2m FM/TTP scan (Special) 539.00 419⁹⁵
IC-448A 25w 440 FM/TTP mic 599.00 519⁹⁵
UT-40 Pocket beep function..... 45.00
IC-900A Transceiver controller 639.00 449⁹⁵


★ **Closeout Special** ...

IC-900A Transceiver controller with **UX-29H** 2m/25W and **UX-39A** 220/25W band units.
Package Price • \$849⁹⁵

- UX-19A** 10m, 10w band unit..... 299.00 269⁹⁵
- UX-29A** 2m, 25w band unit..... 299.00 269⁹⁵
- UX-29H** 2m, 45w band unit..... 349.00 319⁹⁵
- UX-39A** 220MHz, 25w unit (Special) 349.00 279⁹⁵
- UX-59A** 6m, 10w band unit..... 349.00 319⁹⁵
- UX-129A** 1.2GHz 10w band unit.... 549.00 499⁹⁵
- IC-901** 2m/440MHz xcvr (Special) 1199.00 929⁹⁵
- IC-1200A** 10w, 1.2GHz FM... (Closeout) 699.00 589⁹⁵
- IC-2500A** 35w, 440/1.2GHz FM mobile 999.00 869⁹⁵
- IC-3210A** 25w, 2m/440 FM .. (Closeout) 739.00 499⁹⁵
- IC-2400A** 2m/440 FM/TTP ... (Special) 899.00 699⁹⁵
- AH-32** 2m/440 Dual Band mobile ant 39.00
- AHB-32** Trunk-lip mount..... 35.00
- Larsen PO-K** Roof mount 23.00
- Larsen PO-TLM** Trunk-lip mount..... 24.70
- Larsen PO-MM** Magnetic mount 28.75
- RP-1510** 2m 25w repeater..... 1849.00 1649
- RP-4020** 440MHz 25w repeater..... 2299.00 1999



Use your **CREDIT CARD**



- Hand-helds** Regular **SALE**
- IC-02AT/High Power** 409.00 349⁹⁵
 - IC-04AT 440** (Closeout) 449.00 349⁹⁵
 - IC-2SA 2m ..** (Special) 419.00 299⁹⁵
 - IC-2SAT 2m HT/TTP** 439.00 389⁹⁵
 - IC-3SAT 220 HT/TTP** 449.00 399⁹⁵
 - IC-4SAT 440 HT/TTP** 449.00 399⁹⁵
 - IC-2GAT 2m HT/TTP** 429.00 379⁹⁵
 - IC-4GAT 440MHz, TTP** 449.00 389⁹⁵
- Special ..**
- IC-32AT 2m/440 HT** 629.00 539⁹⁵
 - IC-24AT 2m/440 HT** 629.00 549⁹⁵


- IC-12AT 1.2GHz FM HT/TTP... (Closeout)** 473.00 349⁹⁵
 - IC-12GAT 1w 1.2GHz HT/batt/cgr/TTP** 529.00 469⁹⁵
- Aircraft band hand-helds** Regular **SALE**
- A-2 5W PEP synth. aircraft HT.....** 525.00 479⁹⁵
 - A-20 Synth. aircraft HT w/VOR.....** 625.00 549⁹⁵

For HT Accessories • CALL for Prices

- Receivers** Regular **SALE**
- R-71A** 100kHz to 30MHz receiver..... \$999.00 869⁹⁵
 - RC-11** Infrared remote controller.... 70.99
 - FL-32A** 500 Hz CW filter 69.00
 - FL-63A** 250 Hz CW filter (1st IF) 59.00
 - FL-44A** SSB filter (2nd IF)..... 178.00 159⁹⁵
 - EX-257** FM unit..... 49.00
 - EX-310** Voice synthesizer 59.00
 - CR-64** High stability oscillator xtal 79.00
 - SP-3** External speaker..... 65.00
 - CK-70 (EX-299)** 12V DC option..... 12.99
 - MB-12** Mobile mount 25.99



- R-7000** 25MHz-2GHz receiver..... 1199.00 1029
- RC-12** Infrared remote controller.... 70.99
- EX-310** Voice synthesizer 59.00
- TV-R7000** ATV unit..... 139.00 129⁹⁵
- AH-7000** Radiating antenna 99.00



R-9000 100kHz-2GHz all-mode rcvr ... 5459.00 4699

Due to the size of the ICOM product line, some accessory items are not listed. If you have a question, please call. Prices subject to change without notice.

Top Trades ! • We'll take your Clean Late Model gear in trade towards New ICOM Equipment. Write or Call for our Quote Today!

AES® • Over 33 Years in Amateur Radio
HOURS: Mon. thru Fri. 9-5:30; Sat. 9-3

Order Toll Free: 1-800-558-0411 Toll Free in Wisconsin: 1-800-242-5195
 FAX: 1-414-358-3337

AMATEUR ELECTRONIC SUPPLY® Inc.

5710 W. Good Hope Road; Milwaukee, WI 53223 • Phone (414) 358-0333

AES® BRANCH STORES

Associate Store

- | | | | | |
|--|---|---|---|--|
| WICKLIFFE, Ohio 44092
28940 Euclid Avenue
Phone (216) 585-7388
Ohio WATS 1-800-362-0290
Outside Ohio 1-800-321-3594 | ORLANDO, Fla. 32803
621 Commonwealth Ave.
Phone (407) 894-3238
Fla. WATS 1-800-432-9424
Outside Florida 1-800-327-1917 | CLEARWATER, Fla. 34625
1898 Drew Street
Phone (813) 461-4267
No In-State WATS
No Nationwide WATS | LAS VEGAS, Nev. 89106
1072 N. Rancho Drive
Phone (702) 647-3114
No In-State WATS
Outside Nevada 1-800-634-6227 | CHICAGO, Illinois 60630
ERICKSON COMMUNICATIONS
5456 N. Milwaukee Avenue
Phone (312) 631-5181
Outside Illinois 1-800-621-5802 |
|--|---|---|---|--|




Figure 2. The probe, showing the coil and L1 mounted in a 35mm film can.

probably have better prices.

This experimental gaussmeter is a prototype, purposely made as simple as possible to test the design. It is calibrated in gauss, with calibration points at 50, 75, 100, 150, and 200 gauss. I used a Standard Magnetic Field Generator which I designed for calibration. (See below.) Some of you may have access to

magnetic standards at work, and will know how to calibrate your gaussmeter. Hopefully, some of you will improve upon this design. Let's hear from you!

Important Details

Note in Figure 1 that feedback resistor R1 is not connected to the "-" input as is normally done when you use op amps. This is done on purpose to increase the sensitivity of the gaussmeter. Connecting R1 from the output (pin 1) to the "-" input (pin 2), the normal connection, reduces sensitivity and causes the meter to read backwards. If you do use this connection, adjust the ZERO pot, R6, for full scale meter reading with no magnetic field. Switching this feedback resistor with a SPDT toggle switch will provide two ranges of magnetic field values.

If you wish, you may connect a miniature LED in series with the battery, BT1, to serve as a power-on indicator. This will not increase battery drain, but it will reduce the available operating voltage by about 2 volts, thus reducing the voltage swing monitored by

meter M1. If you decide to use this "free" current source for the LED, change the value of R5 to 4.7k ohms.

Be sure to observe polarity of the LED, which will not be very bright, though brightness will increase with the detection of a magnetic field, using the connection of R1 (see Figure 1). If R1 is connected in the "normal" configuration described in the above paragraph, the LED will grow dim when a magnetic field is detected. **73**

Parts List

BT1	9V battery
C1, C2	47 μ F, 10V electrolytic cap.
IC1	LM324 (one op amp used)
L1	probe coil (see text and Fig.2)
M1	0-1 mA DC meter
Q1, Q2	general purpose NPN 2N2222, 2N3904, 2N4124, MPS6531, etc.
R1, R3	1000 Ω , 1/4W, 5%
R2	4.7k Ω , 1/4W, 5%
R4	1.5k Ω , 1/4W, 5%
R5	3.9k Ω , 1/4W, 5%
R6	1000 Ω , potentiometer with S1
S1	SPST switch on R6

Number 16 on your Feedback card

Standard Magnetic Field Generator

Build an instrument to calibrate your gaussmeter.

by J. Frank Brumbaugh KB4ZGC

Now that you've built your gaussmeter the next step is to build an instrument that will accurately calibrate it. This is an easy project, using a home-brew coil, a potentiometer and a plug-in wall transformer delivering low voltage AC. This instrument will generate standard magnetic fields that can be varied between about 20 and 1,500 gauss. The standard magnetic field is generated inside a solenoid coil. Increasing the current through this coil will increase the level of the field generated.

Figure 1 shows the circuit. Any small power transformer with a secondary voltage of 6 to 15 VAC can be used to power the instrument. I use a plug-in transformer which produces 8.2 VAC, rated at 224 mA, although at times I draw in an excess of 600 mA from it during the calibration process. Potentiometer R1 must be wire-wound, not composition, because of the magnitude of AC current passing through it. I used a 1,000 Ohm pot from my junk box to control coil current, allowing for generation of fields from under 20 to about 1,500 gauss inside the coil. Mount a pointer knob on the potentiometer so that calibration marks can be placed around the control on the panel.

The Standard Solenoid

The most important component is the coil—the standard solenoid. It is inside this coil that the standard fields are generated and where they must be sampled. The coil can be of practically any length. It must be close-wound with enamel-covered magnet wire, and the inside diameter of the coil form must be large enough to accept the probe of your gaussmeter. Coil form material can be of cardboard, plastic, or even a length of copper, brass or aluminum tubing. If a metal form is used (do not use iron or steel) it should be

wrapped with a layer of plastic electrical tape to prevent inadvertent shorting of the coil. I used a plastic deodorant container.

The wire used to wind the coil must be large enough for the maximum current it will have to carry. The greater the strength of the magnetic field, the greater the coil current will be. I used AWG 26 enamel-covered copper wire, close-wound over a 5 cm length, approximately 110 turns. (Be sure to count turns! You will need this information later.) Also, try to make the coil winding length some multiple of 5 cm or 10 cm—5 cm is 5% of one meter, so the number of turns of wire in this length, multiplied by 20, gives the required "number of turns per meter" used to determine field strength in gauss. In the instrument described here, 110 turns multiplied by 20 equals 2200 turns per meter.

Calibration Procedure

Calibration requires measuring AC current in milliamperes. The AC milliammeter should be connected between J2 and J3, while the AC voltage used to power the instrument is fed into J1. Vary potentiometer R1 while noting the AC current. Use this current reading in the formula

below to determine the gauss level of the generated magnetic field:

$$\text{Gauss} = \text{Turns per Meter} \times \text{AC Amperes} \quad (\text{Coil Current})$$

In this instrument, with 8.2 VAC supplied, coil current varied between approximately 0.008 and 0.650 amperes AC.

To calibrate for specific values of field strength, use the following formula:

$$\text{Coil Amperes} = \text{Gauss/Turns per Meter}$$

Mark your calibrated gauss values on the front panel around the pointer knob in increments of your choice.

If your DMM will not measure AC current, you can measure the voltage across the coil—it will be in millivolts. Use this value and the DC resistance of the coil to calculate coil current using Ohm's Law.

Calibrating Your Gaussmeter

Connect a piece of wire between J2 and J3 on the field generator, then connect a lead between one end of the standard solenoid to your gaussmeter common ground. Turn the gaussmeter on and zero its meter. Insert the probe coil into the standard solenoid so it is centered in the middle of the coil. Apply AC power to the standard magnetic field generator. While watching the meter reading on your gaussmeter, rotate potentiometer R1 clockwise to the first calibration point which provides a meter indication. Mark this point on the meter face. Continue setting and marking additional calibration points on your gaussmeter over the full arc of the meter pointer. This procedure will calibrate your gaussmeter. **73**




Figure 1. Standard magnetic field generator.

Contact J. Frank Brumbaugh KB4ZGC at 82 Liddell Street, Buffalo NY 14212-1824.

73 Book Review

The Cuckoo's Egg

Author: Clifford Stoll. Publisher: Doubleday, Bantam Doubleday Dell Publishing Group, Inc., 666 Fifth Avenue, New York NY 10103. Copyright, 1989. Price, \$19.95. ISBN: 0-385-24946-2.

A hacker breaks into the Lawrence Berkeley Lab Unix computer, and no one notices. He carefully calls up a program left earlier. It hatches like a cuckoo's egg in another bird's nest, pretending to belong. The program has been collecting passwords.

The hacker then activates a little-known backdoor in the system software and has control of the computer, all of its functions and the widespread network of the machine's connections to other computers. The hacker has become a super user, able to access any account. Reaching out to closed military computers and US government systems, he picks through directories and downloads files at will. After carefully covering his tracks through the electronic network, he leaves. A small error, 75 cents, turns up in the Berkeley computer's accounting records, a leftover of the hacker's actions. It remains a minor glitch till the new system manager is asked to find the problem.

The Cuckoo's Egg by Cliff Stoll K7TA is a true story of the year-long search for an electronic spy, the "Hanover Hacker." In true Berkeley fashion, Cliff, an astronomer and unlikely computer wizard, does not appear to be a typical computer manager. Wearing T-shirts, faded jeans, long hair and sneakers, he must convince government agencies like the CIA, FBI and NSA that a very serious computer security problem exists. Even with solid proof that computer tampering and potentially sensitive military data is being compromised through holes in supposedly secure systems, he receives little cooperation until the government agencies realize that international espionage is involved.

When he is not at the lab monitoring the hacker's moves, Cliff employs his office PC to watch for the hacker. When triggered, his machine calls his

pager number and, using creative software, sends letters via Morse code through the modem and out to his pocket receiver, telling him who is hacking and from which port on the Berkeley mainframe. Many a night's sleep and shopping expedition are interrupted in this fashion.

With help from Tymnet, a communications company that interconnects computers around the world, the hacker is traced via phone lines across the US, over the Atlantic via satellite, and into the heart of West Germany and the German Datex network. Further traces, done by following relay connections in local phone offices, pinpoint the hacker.

Computer enthusiasts will find the book fascinating as electronic signals are traced through hundreds of computers across the Western Hemisphere. Hams will appreciate the chase, similar to a transmitter hunt on VHF.

Some have complained that there is not enough insight into the West German hacker's motives or the spies behind the scenes. They have missed the point of the book. Here the pursuit, or quest, is the challenge, and the means are more important than the end. At the end of a transmitter hunt, emphasis is on how you got to the goal, not who was there. This is a captivating book, difficult to put down.

Although Cliff's original purpose was to put his computer logbook into a readable format to avoid repeating his story to those asking for details and advice, it has become much more. He has become an authority on computer security. After several weeks on *The New York Times* bestseller list, *The Cuckoo's Egg* has found exceptional interest among the general population as a thrilling and captivating spy story in an electronic world told by an unlikely '60s-style hero.


Before K7TA's "egg" hit the bestseller's lists, I had considerable difficulty locating a copy. If you can't find the book at your local bookstore, try Advanced Electronic Technologies, Suite 173, 5800-A N. Sharon Amity Road, Charlotte NC 28215. Tel. (704) 545-2681. They have it for \$19.95 plus \$5.00 shipping and handling. *The Cuckoo's Egg* is a real winner.

—Review by Andy MacAllister WA5ZIB

ADVERTISING SELLS!

Pamela Dass will be happy to discuss your ad strategy with you.
Call 800-225-5083

CAT-100 AUTOMATIC CONTROL OPERATOR



- ★ Digital Voice Clock
- ★ 120 Channel Scheduler
- ★ Five User Functions
- ★ Control Authorization
- ★ RS-232 Computer Interface

Breathe new life into your "old" repeater controller. Add the CAT-100 to your existing system, and realize the features of controllers costing thousands more.

COMPUTER AUTOMATION TECHNOLOGY INC.

4631 N.W. 31st Ave. Suite 142
Ft. Lauderdale, FLA 33309
Phone: (305) 978-6171

CIRCLE 40 ON READER SERVICE CARD

Enjoy This Martin TOWER and HAZER

Never climb again with this tower and elevator system. MARTIN TOWERS are made of aluminum and specifically engineered for use with THE HAZER. All bolted construction, no welds. Easy to install hinge base, walk up erection, next plumb with leveling bolts in base. Mount antennas and rotor on HAZER in vertical upright position, then winch to top of tower for normal operating position. Guy wires fasten to HAZER or above HAZER at top of tower. Safety lock system operates while raising or lowering. Never can fall. Photo shows HAZER and antenna at top.

SPECIAL TOWER PACKAGE prices include everything but rotor and antenna: 50' M-18 alum. tower kit form, hinged base, concrete footing section, HAZER kit, Phillystran guy wires, turnbuckles, earth screw anchors, 10' mast, thrust bearing, tool kit, rated at 15 sq. ft. antenna load @ 70 MPH, \$1925.95 FOB Boonville.

50' M-13 alum tower, same pkg as above	\$1637.95
40' M-13 alum tower, same pkg as above	1463.80
30' M-13 alum tower, same pkg as above	1294.25
HAZER 2 for Rohn 25 - hvy duty alum 12 sq ft wind ld	311.95
HAZER 3 for Rohn 25 - Std alum 8 sq ft wind ld	223.95
HAZER 4 for Rohn 25 - Hvy galv stl 16 sq ft wind ld	291.95

Satisfaction guaranteed. Call today and charge to Visa, MasterCard or mail check or money order. Immediate delivery.


Glen Martin Engineering, Inc.
R 2, B322, Boonville, MO 65233
816-882-2734
FAX: 816-882-7200



CIRCLE 72 ON READER SERVICE CARD

SCARED OF THE CODE?

IT'S A SNAP WITH GGTE
MORSE TUTOR, THE CHOICE
OF THOUSANDS OF HAMS &
PROSPECTIVE HAMS, PRAISED
IN QST, 73 AND WORLD RADIO!
LEARN IN JUST 12 EASY LESSONS!



FEATURES OF THIS UNIQUE PACKAGE INCLUDE:

- Code speeds from 1 to over 100 WPM
- Standard or Farnsworth modes
- Adjustable tone frequency
- Over a billion random conversations
- Letters, numbers, punctuation and pro signs
- Random characters & words for each lesson
- Display text while listening or after copying
- All parameters remembered between sessions
- Parameters easily changed when desired

For PC-DOS/MS-DOS computers. Available at dealers, thru QST or 73 or send \$19.95 for 5.25" or \$21.95 for 3.5" + \$2 S&H (CA residents add 6% Tax) to: GGTE, PO Box 3405, Newport Beach, CA 92659

CIRCLE 392 ON READER SERVICE CARD

Compact Slinky Indoor Antenna from Antennas West

for Attic, Apartment, Motel, & Portable Use
Small • Simple • Fast • Versatile • Effective •

Complete with 18 ft Decorator white feedline & all-transparent mounting hooks, line, and suction cups for installation anywhere—attic, basement, parlor, bedroom, hallway, staircase—horizontal, vertical, sloping, or bent.

Work all bands 40-10 on basic \$21.95 80-m \$4.95
15' antenna. Manual included: +\$4P&H Coils - \$3P&H

Extend in a minute. Zip out of sight in an instant.
Build your own from scratch. Order TechNote #123-B \$5.95 ppd USA

800-926-7373 Order Hot-Line. For Tech Info call 801-373-8425

CIRCLE 304 ON READER SERVICE CARD

LOOKING WEST

Bill Pasternak WA6ITF
28197 Robin Avenue
Saugus CA 91350

The League Lemming Effect

Have you ever heard of the "League Lemming Effect"? Probably not, since it's a term I coined a few years ago. I was trying to explain to a ham buddy how the league is able to generate massive mailings to the FCC, Congress, and anyone else.

A lemming is a short-tailed, furry-footed rodent most noted for its mass migrations to the sea each year where many drown. Biologists haven't been able to explain this suicidal activity other than describing it as an instinctive reaction to overpopulation (the migrations occur during peak population levels). Instinctive behavior may be fine for lemmings, but humans do not need to rely on instinct alone. Humans are meant to think and reason.

People who react to outside stimuli with little sense of reason are like lemmings controlled by instinct alone. "Trekkies" who would give up their lives and fortunes to fly off to some distant galaxy with Capt. James T. Kirk and his crew on the *Enterprise* are a pretty good example of the lemming effect. Rationally, they know it's an impossibility, but their fanaticism overrides their judgment.

Now, let us apply the lemming effect to ham radio. Just about every major ham publication has its lemmings. So does the ARRL. Sometimes these people are called "groupies." Those who have followed the career of 73's Wayne Green W2NSD call themselves "Wayne Watchers"—a designation that W2NSD once told me he abhors. Most publishers prefer to call their lemmings devoted and politically involved subscribers. The ARRL simply calls them "league members." In all cases, it is you and I who are considered lemmings, albeit never in public.

The lemming effect can be constructive or destructive. For example, when the hams of 220-222 MHz saw the threat of commercial takeover, their leaders were able to use the lemming effect to generate thousands of letters to the FCC in opposition to the change. While it may not have affected the outcome, it has caused a lot of would-be spectrum grabbers to think twice before going after the ham bands.

A decade ago, California attorney Joe Merdler N6AHU taught the ARRL how to arouse its members to political action. Aroused members encouraged congressional sentiment to force the FCC to act on malicious interference. The league was a fast learner; the first success of the "League Lemming" came in 1983. The FCC proposed a no-code license, and league members sat at their typewriters awaiting word from the "gods of Newington" as to whether they should write letters in favor of or opposed to the proposal.

When the ARRL hierarchy indicated that "no code was bad code," every lemming began to write virulent comments echoing the philosophy. Member after member dutifully—instinctively—wrote in support of the ARRL position, probably never bothering to read the proposal itself.

Were you one of those lemmings? Did you help kill no-code back in '83 only because the ARRL told you to? Did you detest no-code only because the ARRL detested no-code? Did you write a letter against no-code only because your ARRL director suggested that you write one? Did you engage typewriter without engaging brain?

Now we come to the 1990s. Seven years have passed. When Fred Maia (W5YI Report and W5YI-VEC) and Don Stoner W6TNS (National Amateur Radio Association) broached the no-code subject once again, the ARRL quickly took the lead in exploring the idea. It publicly formed its own No-Code Advisory Committee, and publicized the committee's work. It never told its members to write the FCC to favor the release of an NPRM on the idea, but it didn't have to. It was what the ARRL didn't say that was obvious. They were not publicly declared against the issuance of the NPRM, so therefore they must favor it. And, dutifully, the "lemmings" wrote in support of the ARRL position on release of a no-code NPRM—but only if it touted the "official ARRL doctrine."

PR Docket 90-55—Yes or No?

But now for the \$64,000 question. The NPRM in the form of Docket 90-55 is out. Will the ARRL support it or try to shoot it down? It's not exactly what the league petitioned for. In fact, it's not really what any of the dozen or so petitioners want. While some of it follows the "league line"—pun intended—it also seems that the FCC is using the occasion to try to lighten its workload a bit. But not the way you might think.

It finally dawned on me the other day that the FCC doesn't want to get rid of the Novice and Tech Class licenses purely because of financial house-keeping. Only the Tech falls there. But to figure it out, I had to stop thinking like a normal human being and assume the position of a Washington bureaucrat.

The bureaucrats want to eliminate the Novice Class license because they fear that too many 11.5 meter "types" are getting Novice licenses without taking legitimate tests. Unlike the testing for other license classes, Novice testing is done outside the VEC system. Rather than considering it a blessing that they now have some control over the 11.5 meter ops by virtue of their obtaining ham tickets fraudulently—and then investigating and prosecuting such offenders—such enforcement is instead seen as a financial burden. While you "lemmings" may be saying, "Wow, what a great way to keep the

CB riff-raff out," you are also praising a government agency for its failure to do its congressionally mandated job.

I believe retention of the Novice Class ticket is essential for us and the ARRL. Not because it's the traditional entry to amateur radio, but rather because it's the logical step up from a limited Communicator privilege. It takes a group of hams that could number in the tens of millions, and removes their isolation from 222-225 MHz and 440-450 MHz FM—where most will probably wind up—and gives them a sample of mainstream amateur radio on 10 meters. It does this with a fairly simple exam of 5 wpm Morse code. The FCC proposal is, in reality, that of going from no-code and minimal theory to 13 wpm code and a test for beginning engineers! Are they trying to create an "RF Ghetto" above 222 MHz? I cannot help but wonder.

If the FCC is adamantly determined to exterminate it, will the ARRL then say—as it did in 1983—that "no code is bad code"? And will all of you who are now in favor of a no-code license still think your own thoughts and write comments on Docket 90-55 that are truly

yours? Or will you again put on your "furry feet" and follow your leaders to the death of our service in the sea of its own mire?

I have no idea what position our ARRL will take. I hope it strongly supports retention of the Novice license, but endorses all other aspects of Docket 90-55. I hope the FCC is willing to negotiate on the Novice license. If they want only four classes to administer, why not Communicator, Novice, General and Extra? That's a logical progression to me, so lets offer it and see how they react. Want to bet it will be unacceptable?

According to an MCI message I recently received from ARRL President Larry Price W4RA, sometime this summer the ARRL will file a public position on no-code, PR Docket 90-55, before the FCC. Will you simply echo the ARRL's position, or will you file—if you haven't already—comments of your own? If you just echo the ARRL line, you are naught but a "league lemming."

I for one hope that you are more than just a lemming. I hope that you are truly a person of your own. de WA6ITF 73

Number 18 on your Feedback card

HAM HELP

Your Bulletin Board

We are happy to provide Ham Help listings free on a space available basis. To make our job easier and to ensure that your listing is correct, please type or print your request clearly, double spaced, on a full (8½" x 11") sheet of paper. You may also upload a listing as E-mail to Sysop to the 73 BBS. Use upper- and lower-case letters where appropriate. Also, print numbers carefully—a 1, for example, can be misread as the letters l or i, or even the number 7. Thank you for your cooperation.

I would like to hear from anyone who could help me set up a radio club at my Shrine temple. Thanks. Charles E. Martin AB4Y, 7103 Shawnee Way, Reynoldsburg OH 43068-5126.

A dedicated Apple IIe user is looking for information and software accessories for the Apple Graphics Tablet & Tool Kit. Any info will be greatly appreciated. Please write first if money is involved. Will trade software. Thanks. Geoff Malta N2HOQ, 5263 Deborah Drive, Piscataway NJ 08854.

Wanted: YAESU FT-625RD memory option. Charles T. Huth, 229 Melmore St., Tiffin OH 44883. 419-448-0007.

Does anyone have the mods for the Heathkit HW-24-h dual-band transceiver/repeater? Any help would be appreciated. Dave Diguseppe, 5685 Hibernia Dr., Columbus OH 43232.

Wanted: Information about any 12-17 meters modifications to HeathKit SB-102. Thank you. Robert Ames N4SXG, 2105 South Indian River Drive, Fort Pierce FL 33450.

I would like to know if anyone is aware of a modification for the Kenwood 2570 to extend the receive frequency range. Hoyt Duff, 2209 Newbern Lane, Virginia Beach VA 23451.

Needed: A copy of the Uniden Shop Manual for the Madison Base Station 11 Meter Radio. I would be glad to pay copying & postage for this manual. Please forward replies to Jerry Ham, PO Box 405, Freehold NJ 07728. Thanks and 73s.

Wanted: Ham programs for the Commodore VIC 20 computer. Terminal, CW, Packet, etc. Please send cost requirements and a description of the programs to Ray Bergeron KA1UMW, 16 Church St., Lewiston ME 04240.

I am working on a directory of publications that pertain to radio communications (electronics, amateur radio, CB, SWL, scanners, etc.). If anyone has anything to contribute to this directory or would like to correspond with me regarding this, please write to Ryan Lughermo, PO Box 413, Midland MI 48640-0413.

Needed: A card extender for an old Harris TR280 1940s radio. Will pay for this item. Gary Dunlap, PO Box 3245, North Shore CA 92254. 619-393-1937.

Wanted: Modification for ICOM-725 for all frequency operation. Rick Thompson N0HKE, 13654 Hidden Creek Drive, Andover MN 55304.

Needed: Schematic for KYOKUTO DENSHI Model FM 144-10srx II, 2m mobile radio. Will pay all cost. Ray Fallin WD0HCH, 253 W. Sumner St., Hartford WI 53027.

I'd like to use my FAX machine on UHF. Could anyone give me information on FAX transmission standards or interface boxes? Also, several years ago, I got QSL cards printed by N&S Print, 2533 W. Orangewood Ave., in Phoenix, Arizona. They've gone out of business. Can anyone tell me who got their plates? TNX. Klaus Spies WB9YBM, 8502 N. Oketo Ave., Niles IL 60648.

MADISON ★ ★ ★ SHOPPER

CALL FOR ORDERS: 1 (800) 231-3057
1 (713) 520-7300 or 520-0050

NEW BEGINNING MAY 15
1 (713) 729-7300 or 729-8800
FAX 1 (713) 358-0051

TEXAS ORDERS CALL COLLECT.
ALL ITEMS ARE GUARANTEED OR SALES PRICE REFUNDED.



New Yaesu FT-1000D Trades wanted
Kenwood TH215A, TH25AT Trade in your old HT
TS440 S/AT Call
New Kenwood TM-731A, mobile Call
ICOM IC-24AT Call



TS 790A Superior 2 Meter 70 cm Rig, 1.2 GHz Option Available Call
BW VS 300A 99.00
Penta 6146B 12.00
Penta 572B 79.00
Penta 3-500Z 99.00
Penta 811A 12.00
Penta 4CX250B 79.00
Icom 765 2695.00
NYE MB5A Tuner 629.00
Alpha Delta Transirap HV 33.00
CSI Private Patch V 489.00

Ampire VHF, UHF GaAsFET preamps Call
831SP-PL259 Silverplate (Amphenol) 1.50
82-61 N Male (Amphenol) 3.50
82-202-1006 N Male (9913) 3.50
Double Female UHF 1.00
UG176 RG8X each .40
Surplus Elbow PL259-SO239 each \$1
Receiving tubes 50-90% off list price Call
3 Amp RF Meter, 2.5" Round New, Boxed 30.00
25 pF/10KV Doorknob Cap 5.00
100mFd/450V axial cap 4.00
Throat Mike (new mil. surplus) 5.00
Yaesu FT 747, 757/III Call
GGTE Morse Tutor 18.00

USED EQUIPMENT

All equipment, used, clean, with 90 day warranty and 30 day trial. Six months full trade against new equipment. Sale price refunded if not satisfied.
(800) 231-3057

POLICIES

Minimum order \$10.00. Mastercard, VISA, or C.O.D. All prices FOB Houston, except as noted. Prices subject to change without notice. Items subject to prior sale. Call anytime to check the status of your order. Texas residents add sales tax. All items full factory warranty plus Madison warranty.

Bird and Belden products in stock. Call today.



New Kenwood TS 950-SD Call
Ameco PT 3 Pre Amp 99.00
Larsen 2-meter on glass 49.95
Anteco 2M, 5/8, Mag. Mount, Comp 25.00
YAESU FT-1000D Call for price



Kenwood TS 140S Call for trade
Van Gordon Windom WA2 44.00
Bird 43, elements/stock Call
Thousands of panel meters 3.95 up CALL
Belden 9913, 8267, 8214 Stock Call
MICA Capacitors Call

3621 FANNIN
HOUSTON, TEXAS 77004

MADISON

JUNE 1
12310 ZAVALLA STREET
HOUSTON, TEXAS 77085

CIRCLE 25 ON READER SERVICE CARD

GAP Airwaves expands its Service to Include 2m and 6m with the CHALLENGER DX-V & DX-VI

Unique Multiband Antennas that Utilize the Patented GAP Elevated Launch Technology

The Revolution in Antenna Design

That...

- Launches RF from an elevated GAP
- Eliminates earth loss
- Comes pre-tuned, No adjustments necessary
- Uses 3 short radials @ 25 feet
- Assembles in less than 30 minutes
- Is self supporting w/drop in ground mount and is 31 feet high



but has NO!!!

- Traps
- Coils
- Transformers
- Baluns
- Resistors
- or Base Insulators

Challenger DX-V \$199*

Total bandwidth on 40, 20, 15, 10, 6, 2 meters
80 KHz on 80 meters

Challenger DX-VI \$219*

Total bandwidth on 40, 20, 15, 12, 10, 6, 2 meters
130 KHz on 80 meters

Best of all the ENTIRE antenna is always active!!

To Order Call—(407) 388-2905

*Plus shipping and handling
Florida residents add 6% tax.



GAP ANTENNA PRODUCTS
6010—Bldg J
N. Old Dixie Highway
Vero Beach FL 32967

CIRCLE 373 ON READER SERVICE CARD

ANNOUNCING

Oklahoma's First EXCLUSIVE Amateur Radio Dealership

- TEN-TEC • ICOM
- BENCHER • HUSTLER
- NCG/COMET • CUSHCRAFT
- KANTRONICS
- B&W • HEIL • ROHN TOWERS
- TELEX/HY-GAIN

Surplus and salvage electronic parts
• Used equipment •

"The Southwest's Low Overhead Dealer"

1-800-7OK-HAMS
(800-765-4267)
(405) 478-2866
FAX (405) 478-4202



9500 CEDAR LAKE AVE SUITE 100
OKLAHOMA CITY, OK 73114

ICOM Service Survey

It's almost painless . . .

by Gordon West WB6NOA

No one likes to send a radio back to the factory for service. It's a real pain to package it up, get it over to UPS, and wait patiently for the factory to fix it. But ICOM has made factory service almost PAINLESS. Its service department is well-structured and customer-oriented.

As soon as ICOM receives your unit, they send you a postcard to acknowledge receipt and the condition of your unit upon receipt. Knowing for sure that your unit was received intact is very reassuring. In addition to confirming that your rig made it, the postcard provides you with your repair tag number, box number, and an estimate on turnaround time.

ICOM Keeps Track

The extensive ICOM computer system tracks your transceiver every second through the roughly two-week repair cycle. The ICOM service team can find your rig quickly, and even tell you how many rigs are ahead of yours.

The ICOM service computer system also monitors repair patterns. Every week, the service manager analyzes these patterns and informs manufacturing of common failures so that they can make changes early to correct them.

Mark Allen WJ7X, former service manager, says, "We also monitor the performance of our bench technicians on our computer system." The computer keeps track of an award-point system for technicians meeting certain service goals. High performance statistics earn positive points, of course; but any unit that comes back with the same problem for repair earns the technician negative points!

Allen WJ7X: "Everything we do goes into the computer where it's carefully analyzed to provide our customers with the best possible service." The computerized readouts even give the number of minutes a telephone line was busy, and the time between incoming calls. For a typical month one year ago, the computer gives these statistics for customer service calls:

- Monthly amateur radio customer service calls: 788
- Land mobile customer service calls: 215
- Marine radio service calls: 419
- First service call question: out of band information
- Second most common question: status of unit in for repair
- Third common question: current product information
- Fourth common question: new product technical information
- Fifth common question: WARC band modification

The Big Two: Time and Money

Amateur radio average turnaround time is 5 working days, and the average repair cost for the most common problems is \$76.20. The hourly charge for out-of-warranty repairs is \$55, with a one-hour minimum charge.




Photo A. Dave Wiegler and Tom Moore KF7GH, Technical Customer Service Supervisor. Gary Fiber KF7XV (not shown) is the customer service phone consultant.



Photo B. ICOM technician repairing a handheld.



Photo C. Good service begins with good test equipment and know-how.

The most common service problem concerns batteries. The most common problem with incoming equipment is damage in shipping due to poor packaging by the customer.

When ICOM technicians repair equipment that the owner has modified for out-of-band use, they take care not to disturb the modification. However, if the modification is causing the problem, they remove the modification.

The most common errors customers make which result in equipment failure are: using an improper power supply, making improper modifications, and not protecting the equipment from lightning.

During the 90-day warranty period for mobile and HT units, and the 1-year warranty period for HF base stations, there is no charge for parts or labor. Even if you did not send in the warranty card, your unit will be repaired under warranty agreement if you send in proof of purchase.

In some cases, when possible, an extra \$25 will expedite repairs in an emergency. Turnaround time for parts orders is one day.

Package It Right, Please!

As noted above, poor packaging by the customer and consequent damage during shipping is a common problem. A bench technician said, "Our client was amazed when we told him his radio had sustained shipping damages—after all, he had carefully wrapped it up in newspaper and sealed it up with nylon tape . . ."

The equipment needs to be WELL-CUSHIONED! Newspaper—even crushed—doesn't work. For further advice, read the section on "Sending In Your Unit" in the Kenwood Corporation Service article in the April issue of 73. Kenwood also listed poor customer packaging as a common problem.

Be sure to include your phone number with your unit, too. "We hope every ham will include their phone number along with their equipment so we might call them up in case we have a problem duplicating the equipment failure. We recommend that all hams use the 73 Magazine request form so we know where to contact them during the day and in the evening. We aggressively call hams by phone to further document the problem with the unit they have sent in," says Tom Moore KF7GN.

Before You Call ICOM

Be sure you have this information on hand for the customer service representative: the type of radio, serial number, date of purchase, and place of purchase. If you've already sent your unit off and received acknowledgment, keep the postcard showing your repair tag number and box number nearby.

Contacting ICOM for Service

ICOM Headquarters, Washington	(206) 454-7619
ICOM Service, Atlanta, Georgia	(404) 991-6166
ICOM Service, Canada	(604) 273-7400
ICOM Service, Irving, Texas	(214) 550-7525



SATELLITE CITY
Communications for the Future

DAN KB0XC — KIRBY KA0ZTS — LOUIS KA0IPN
RON N0KMR — DENISE YL — MALINE XYL

1-800-426-2891

YAESU



Model	Price	Call
FT-767 GX Gen. C. Xcv	2299.00	Call \$
FT-757 GX II Gen. C. X	1280.00	Call \$
FT-7000 15m-160m	2279.00	Call \$
FT-212RH		Call \$
FT-712RH		Call \$
FT-290R All M		Call \$
FT-232R		Call \$
FT-736R		Call \$
FT-470 2m		Call \$
FT-747 G		Call \$
FRG 88		Call \$
FRG 9600 UHF	95	Call \$
FT 690 R/H		Call \$
FT 790 R/H	81.00	Call \$
FT 4700 Dual Band Mobile	99.00	Call \$
FT 411 2 Meter HT	406.00	Call \$
FT 811 440 HT	410.00	Call \$

**YAESU \$
FT-757GX
SPECIAL \$**

ICOM



Model	Price	Call
IC-781 New Deluxe H Rig	6149.00	Call \$
IC-765 Gen. C. Xcv	3149.00	Call \$
IC-735 Gen. C. Xcv	2000.00	Call \$
IC-751A Gen. C. Xcv	2000.00	Call \$
IC-R7000 25-130	2000.00	Call \$
IC-R7100	2000.00	Call \$
IC-228A/H	2000.00	Call \$
IC-28A/H	2000.00	Call \$
IC-28A	2000.00	Call \$
IC-900	2000.00	Call \$
IC-3S AT 2	2000.00	Call \$
IC-2S AT	2000.00	Call \$
IC-4S AT	2000.00	Call \$
IC-48A FM Mobile 25w	2000.00	Call \$
IC-4GAT New 6w HT	449.95	Call \$
IC-38A 25w FM Xcv	489.00	Call \$
IC-32AT 2m/70cm HT	629.95	Call \$

**SPECIAL \$
ICOM 24AT
FOR SUMMER \$**

ALINCO

**SPECIAL
DR-570 "The Mini Repeater"**

DR-110 T 2M Mobile	519.00	Call \$
DR-510 T D/B MBL 2m/70cc	719.00	Call \$
DR-570 Dual Band Mobile	759.00	Call \$
DJ-100T 3w-2m HT	299.00	Call \$
140-150 MHz AMPLIFIERS		
ELH-230G All Mode 30w	95.00	Call \$
ELH-230D Pre-amp 30w	113.00	Call \$
ELH-260D Pre-amp 50w	175.00	Call \$

NOW CANADA

1-800-426-2891
METRO: (612) 786-4475
2663 County Rd. I
Mounds View, MN 55112
Super Minnesota Watts 1-800-279-1503

CIRCLE 332 ON READER SERVICE CARD

**PACKET RADIO
ALL PURPOSE TERMINALS**



DON'T TIE UP YOUR "PC" FOR PACKET RADIO WHEN YOU CAN DEDICATE OUR APT™ to the job. In addition, when not hamming, you can access information services like CompuServe or local bulletin boards with a built in modem.

FEATURES INCLUDE:
Built in Modem, Video or RF Outputs (Allows use of either a monochrome monitor or a TV set), Parallel Printer Port, RS-232 Interface (DB25) for direct connection to PACKET Controller, 40/80 Column, Word Wrap, Acoustical Coupler input, Auto Log-on and more! This terminal originally sold for \$500. Our like new APTs are a bargain at

\$75 each

When adding an AEA PK-232MBX for only \$319, we will pay the freight on both items!!!

Owned & operated by
Bob Grinnell, W0DFDE

**DUST COVERS
BY COVER CRAFT®**

Large selection in stock for most Ham rigs. =
Collins: KWM-2, 32S, 75S, 312B-4 & 5, KWM-380, 30L-1, 51S-1
Drake: R4, T4X, MS4, RV4, SPR4, TR4, MN2000, TR6, L7, L7S
ICOM & Kenwood: ALL MODELS STOCKED!

All for one low price..... **8.95 ea**

**MICROMETALS IRON POWDER
TOROID CORES**

Prices listed for 1-10pcs.
Deduct 10% for over 10pcs/ item

Model	Price	Model	Price
T5-6 35	T30-17 *	T50-2 *	T80-52 .80
T12-2 *	T30-52 *	T50-6 .80	T130-0 3.
T12-6 *	T37-2 .50	T50-17 .90	T157-2 3.
T25-2 .40	T37-6 .60	T50-52 .70	T157-6 3.
T25-6 *	T37-17 *	T68-2 .80	T200-2 3.
T25-17 *	T44-2 *	T68-6 *	T200-6 4.
T30-2 *	T44-6 .70	T68-52 .80	T200-52 3.
T30-6 .40	T50-0 .80	T80-2 *	T225-2B 6.

0 mix - 50-250 MHz, $\mu=1$ - Phenolic Toroidal Coil Form
2 mix - 0.25-10 MHz, $\mu=10$ - HF, good for 160 meters especially
6 mix - 2-30 MHz, $\mu=8.5$ - HF, good thru 10 meters, not below 80
17 mix - 20-200 MHz, $\mu=4$ - NEW material replaces 12 & 22
26 mix - DC-0.5 MHz, $\mu=75$ - Good EMI/RFI, 822ppm Temp Stability
52 mix - DC-0.5 MHz, $\mu=75$ - Excl. EMI/RFI, 650ppm Temp Stability

FERRITE RODS
1/2" X 8" material 43
Excellent for DC-30 MHz applications
\$15 each 4/ \$55

SURPLUS SALES OF NEBRASKA
WHERE THE HARD TO FIND PARTS ARE FOUND AND ON HAND

NEW COLLINS PARTS

Why settle for a cheap copy when you can have an original?

- MANUALS: Brand new, fresh & crisp!! KWM2/A, 30S-1, 32S-3A, 75A-4 - \$39; 75S3B/C, 75S-1, 32S-3 - \$32; 75S-3/A, 32S-1, 30L-1 - \$35; 180S-1, 516F-2 - \$19; 312B-4/5 - \$22; 51S-1 - \$49; 62S-1 - \$65; 32V-3, 75A-3 - \$95; HF-380 (operations) - \$20; 651S-1 - \$165; 136A-1 (blanker) - \$20; Photo copies: HF-380, KWM-380 (service) - \$99; 51M-10/10A or 51M-11 - \$160; PM-2 - \$5; MP-1, 516E-2 - \$30; R-390A, 55G-1 - \$75; 32V-1,2 or 3 - \$65; 51J-2, 3 or 4 - \$50; 62S-1, 75A-1 or 3 - \$49; 399B-4 or 5, 399C-1 - \$15; 671B-1 - \$95; 789T-1 - \$140
- Extension for front feet, Aluminum, tapered, beveled, black; fits rig. \$8ea 5/ \$42
- Paint S-Line trim ring #126, cabinet #180, front panel #250, St James Gray #270 & KWM-380 cabinet, all 12oz spray can or KWM-380 colors, 1/2pt. can \$12.
- Power Cords: 51S-1 \$21.95, 75S-1 \$16.95, 516F-2 hi volt intercon. \$36.95
- Crystals: All frequencies in stock (CP-1) \$8each, 5 or more crystals only \$ 7
- Crystals: BFO (456.350, 453.650 & 455.8 KHz) - \$35; 100KHz calibrator - \$42
- KWM-2A plug-in relays 970-2439-010 (X96) or 970-2439-020 (X97) \$49.95
- KWM-2A RELAY Modification Kit converts open frame to plug-ins (above) \$129 ***** Includes Collins instructions, relays, sockets, bracket and misc parts! *****
- TR relay for KWM-2, 32S or 30L-1, Potter & Brumfield KR-2565-1 \$ 50
- PANEL METERS (new) for most Collins gear. YOUR CHOICE \$85
- Mechanical Filters S-Line CW: 526-9494-00 - F455FA-05 - 500Hz \$259
- **75A-4 - 526-9091-00 - 455J60 - 6 KHz \$475 or 526-9154-00 - 455J5 - \$675
- Oak Switches 259-1075-00 (KWM-2/A) \$69.95, 259-0949-00 (75S-) \$49.95
- 10070-4 on/off "AC" end switch for rotary switch repair on KWM-2 & 32S- \$ 19
- Pots: 376-7404-00 (KWM-2/32S mic gain) - \$29; 376-2151-00 (75S-3 AF/RF) - \$32
- KWM-380 to HF-380 Conversion Kits. Includes A3 Lowpass Filter, Oscillator/Oven, "060" ROM & "HF-380" Emblem, plus instructions. \$500
- MM-280 Mobile Mike \$35; AC-2830 Headset \$ 45; AC-2828 Footswitch \$39
- KWM380 Speech Processor, factory sealed, AC-3002 \$350
- 380Filter New Prices: 140Hz-\$199; 360Hz-\$149; 1.7KHz-\$139; 6 KHz-\$99
- COLLINS EQUIPMENT ON HAND: 51J-5, 75A-4, 32S-1, 32S-3, 75S-1, 75S-2, 75S-3, 75S-3B, 75S-3C, KWM-2, KWM-2A, 30L-1, 399C-1, 302C-3, KWM-380.

TUBE SPECIALS:

3-500Z (EIMAC) \$145 (PENTA)	\$110
4-400A (EIMAC) \$189 (PENTA)	\$169
4CX1000A (PENTA)	\$499
572B (CETRON) \$ 99 (PENTA)	\$ 68
811A (PENTA) \$15 (HORIZ. USE)	\$ 22
6146B (PENTA) \$15 (MTH PAIR)	\$ 38
4CX250B (PENTA) ...	\$ 95
4CX300A (PENTA) ...	\$145
6JB6A, 6KV6A, 6KM6	\$15.50
6LQ6, 6KD6, 6JS6C	\$16.50
6LB6, 6MJ6, 12JB6	\$17.50

NEW PRODUCTS:

AEA PK-232MBX All Mode TNC	\$319
AEA PK-88 Packet Controller	\$119
AEA AT-300 300 watt Tuner	\$199
AEA AT-3000 3000 watt Tuner	\$369
AEA FS-430 Fast-Scan Transceiver	\$419
B&W PT-2500 2 x 3-500Z Amplifier	\$1725
B&W VS-1500 1500 watt Tuner	\$425
SGC Automatic SMARTUNER	\$499
JACKSON BALL DRIVES, 6:1 ratio	\$15
CHIMNEYS, 3-500Z or 4-400	\$45

1315 JONES STREET

OMAHA, NE 68102

402-346-4750

FAX: 402-346-2939

CATALOG 4 here soon. Free with order or SEND \$2 ala carte (\$5 DIX) EXPRESS

ORDERING INFORMATION

Enclose \$2.50 for UPS on first 3 lbs.
Add 30¢ per lb. up to 70 lb.
Add \$3.50 for COD (Cash On Delivery)
DX (non 48 states) orders sent via Airmail or UPS
We accept the following terms:
Checks: Please include Drivers License # & home add.
Bank Checks, COD, Wire, VISA, MC, AMERICAN EXPRESS

CIRCLE 11 ON READER SERVICE CARD

"GUARANTEED TO OUTPERFORM"
THEOR YOUR MONEY BACK!

HAM 10 TEN METER HAM ANTENNA



CUT-AWAY VIEW OF THE HAM 10

The "Ham 10" ten meter antenna is designed and manufactured by American Antenna, makers of the world famous K40 Antenna. With a power handling capacity of 1500 watts and a band width of 1.5 mhz between 2:1 SWR points the "HAM 10" is the perfect compliment to all single-band ten meter rigs. The stainless steel base of the "HAM 10" is supplied with an adjustable trunk lip mount. Also available is an optional adaptable heavy duty magnamount.

EXCLUSIVE FEATURES:

- HANDLES UP TO 1500 WATTS!
- METALPLAS CONSTRUCTION.
- 30° ROTATION OF BASE.
- STAINLESS STEEL WHIP AND BASE.
- MOUNTS ANYWHERE ON ANY VEHICLE!
- FULLY ASSEMBLED WITH 18' OF RG-58 COAX.
- COMPUTER DESIGNED ISOLATION CHAMBER.

For A Free Brochure, Call:

1-800-323-5608
IN IL. 1 800-942-8175

....(Or Write) AMERICAN ANTENNA 1500 EXECUTIVE DR. ELGIN, IL 60123

CIRCLE 92 ON READER SERVICE CARD

DX Helper II


Macintosh Software WTHR

MUF Map • MUF Plot
Gray Line • Great Circle
Prefix, Zone, Oblast
WWW Alert • CW Drill

\$49.95 Info ppd \$1

Antennas West
Box 50062-F, Provo, UT 84606

1-800-926-7373 See band openings on the map before they happen!



CIRCLE 90 ON READER SERVICE CARD

THIS MONTH'S GOODIE FROM THE CANDY STORE

RDC

ICOM

IC-726

UNDER \$1100.00




Similar Savings On Kenwood, Astron, Yaesu, Hy Gain, Alinco, Etc. All L.T.O.

Icom IC-471A \$709.90
Over 9008 Ham Items In Stock, All Prices Cash FOB Preston.
More Specials in HAM ADS Looking For Something Not Listed?
Call or Write

ROSS DISTRIBUTING COMPANY
78 S. State Street, Preston, Id. 83263 - Telephone (208) 852-0830
Hours Tue.-Fri. 9-6 - 9-2 Mondays. Closed Sat. & Sun.

CIRCLE 254 ON READER SERVICE CARD



Drive A Winner

The performance of your system depends upon the antenna it drives.

Drive A Winner - Hustler.



Yes, please send information on your line of amateur antennas to:

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____



One Newtronics Place
Mineral Wells, Texas 76067
(817) 325-1386

CIRCLE 269 ON READER SERVICE CARD

Eric Heineman, of Support Marketing Groups, is the ICOM service manager at headquarters in Bellevue, Washington. Tom Moore KF7GH, Technical Customer Service Supervisor, is the key person in service personnel. Rick Young KC7PC is the Bellevue service supervisor. Kimberly Cottongim supervises the service parts department.

It isn't necessary to have your dealer look at a defective radio before you send it to ICOM. Also, you don't have to notify ICOM before sending your equipment in, and you don't have to call ahead for a return authorization.

Inside the Service Department

Twelve technicians at ICOM headquarters in Washington State have been trained to repair microprocessor units, circuit boards, VFOs, and other equipment. The other service centers have three technicians each. All service centers are located near airports for quick turnaround time. No radio ever goes back to Japan to be fixed!

ICOM's service and marketing personnel exhibited a positive attitude toward customers and clients. At ICOM, regardless of how the problem occurred, the customer is king.

The ICOM service crew shares the exasperation of repeat service problems. One of the service supervisors said, "When a radio comes back for the second time with the same problem, it goes to the head of the line, and we may even begin replacing strategic components. . . Our technicians take a repeat failure personally—after all, it shows up on their month-end service evaluations, and they are hams, too. . ." In the beginning of 1990, ICOM was receiving approximately 550 repairs per week. The computer indicated that less than 0.8% came back for a repeat failure fix.

The bench technicians were quick to point out that some repeat failures might be attributed to problems on the airwaves, not within the unit. Case in point—a handheld that came back for the reception of out-of-band signals. When the customer service department phoned the customer, they discovered that the unit was tied into a rooftop high-gain antenna system, surrounded by twenty rooftop repeaters! It was no wonder that the handheld was picking up intermod or experiencing severe desensitization. Rather than an equipment failure, this was an operational error of using a piece of gear in an unsuitable environment. A handheld transceiver cannot reject out-of-band signals when tied into a high gain antenna and operated at a repeater location.

Listening in on the ICOM customer service lines, it was clear to me that ICOM personnel encourage hams to discover the cause of their problems in the field, if possible, so that they don't have to send their units in.

I asked ICOM technicians about the lithium battery scare we all heard about a few years ago. Will all ICOM lithium batteries go dead after a few more years of use? A bench technician responded, "The lithium batteries will probably outlast the equipment. We expect a

base station to go for 15 years before the battery needs replacing. On handhelds, 7 years is the minimum—but we expect those lithium batteries to carry on for twice that amount of time." Soon you will be seeing articles about how to change lithium batteries without dumping the memory on your sets, but for now, ICOM is not worried about their lithium batteries going bad.

ICOM maintains a boneyard of dead, unrepairable radios. "On some very old ICOM sets, we may use this stockpile of equipment for parts no longer made," says a technician who routinely works on older sets. An eager, young Japanese technician said, "Just the other day at a hamfest, I spent \$5 for an old ICOM set so I could scavenge the channel selector plate off the front of the radio for a repair I had in the shop." He didn't mind spending his own five bucks to take care of his client.

ICOM uses the latest in service equipment. They also have NiCd battery "checker exercisers," a "bake and shake" table, a "deep freeze" for troubleshooting radios that quit in the cold, and "life-test jigs" that continuously monitor the performance of a transceiver with a possible intermittent.

Reader Response

Bob WB6TKM "...sent in an old IC-720—dead as a doornail. Got it back 6 weeks later, looking like new, and a note of explanation on why the delay—they had to wait for a transplant to replace something on the inside. ICOM postcards kept me up-to-date—great service."

Leroy Smith's IC-740 encountered recurring problems and states, "I don't believe the American techs are on a par with Japanese techs." He further indicated that certain ICOM intermittent failures should be recognized by the company that has thousands of sets out there with possibly the same problem.

Mike KC1CS says, "Four-week turnaround on an ICOM 751A. They added all factory mods, and tuned up everything. They did a great job."

Larry WN8P says, "I found that the service manual schematics did not follow the actual equipment on the IC-551. Labels for boards and schematics were different. ICOM acknowledged the problem with certain waveform pictures, but I have yet to receive an up-to-date manual. In general I have found that schematic diagrams and parts lists of all manufacturers, such as ICOM, Kenwood, Heath, etc., do not follow IEEE standards. Heath's use of the block numbering system has been out since at least 1975."

Bill KA2OVR says, "We lost out as a manufacturing nation, but as a service nation, we are more negative than negative. Yaesu and ICOM are for the birds. Ten-Tec continues to be our shining star."

Happy to say, 38 more letters came in the mail, mostly positive regarding ICOM service. It's a real pro show. "Service is good business for ICOM," says Mark Allen, who now works entirely in marine communications. "No one can beat our service." 

INTRODUCING OUR NEW COMPUTER-CONTROLLED REP-200 REPEATER


If you always thought a computer-controlled repeater had to be expensive, LOOK AGAIN! You could easily spend this much just for a controller.

As always, Hamtronics strives to give superb performance at modest cost! In this case, a premium repeater with versatile computer control, autopatch, and many dtmf control features at less than many charge for a bare-bones repeater!

We don't skimp on rf modules, either! Check the features on R144 Receiver, for instance. GaAs FET front-end, helical resonators, sharp crystal filters, hysteresis squelch.

We completely re-thought the whole idea of what a repeater should be, to give the best features at the lowest cost.

ONLY \$1295!



- Available for the 10M, 6M, 2M, 220MHz, 440MHz, 902MHz ham bands. FCC type accepted models also available for vhf and uhf commercial bands.
- Rugged exciter and PA, designed for continuous duty.
- Power output 15-18W (25W option) on 2M or hi-band; 15W on 220MHz; 10W on uhf or 902MHz.
- Accessory add-on PA's available with power levels up to 100W.
- Five courtesy beep types, including a pleasant multi-tone sequence.
- AUTOPATCH: either open or closed access, toll-call restrict, auto-disconnect.
- Reverse Autopatch, two types: auto-answer or ring tone on the air.
- DTMF CONTROL: over 45 functions can be controlled by touch-tone. Separate 4-digit control code for each function, plus extra 4-digit owner password.
- Owner can inhibit autopatch or repeater, enable either open- or closed-access for repeater or autopatch, and enable toll calls, reverse patch, kerchunk filter, site alarm, aux rcvr, and other options, including two auxiliary external circuits.
- The cwid message, dtmf command codes, and owner-specified default parameters for cor and cwid timers and tones are burned into the eeprom at the factory.
- Cw speed and tone, courtesy beep and tail timers, and courtesy beep type can all be changed at any time by owner-password-protected dtmf commands.
- Many built-in diagnostic & testing functions using microprocessor.
- Color coded led's indicate status of all major functions.
- Welded partitions for exciter, pa, receiver, and controller. PEM nuts for covers.
- 3-1/2 inch aluminum rack panel, finished in eggshell white and black.
- Auxiliary receiver input for independent control or cross linking repeaters.

There are many other features, too numerous to mention. Request catalog for full details.

HIGH PERFORMANCE XMTRS & RCVRS FOR REPEATERS, AF & DIGITAL LINKS, TELEMTRY, ETC.



FM EXCITERS: kits \$99, w/t \$169. 2W continuous duty. TCXO & xtal oven options available. FCC type accepted for com'l uhf & hi bands.

- TA51 for 10M, 6M, 2M, 150-174, 220MHz.
- TA451 for uhf.
- TA901 for 902-928MHz, 0.5W out (w/t only, \$169).
- VHF & UHF AMPLIFIERS.

For fm, ssb, atv. Output from 10W to 100W. Several models, kits starting at \$79.

FM RECEIVERS: kits \$139, w/t \$189.

- R144/R220 FM RECEIVERS for 2M, 150-174, or 220MHz. GaAs FET front end, 0.15uV sensitivity! Both crystal & ceramic if filters plus helical resonator front end for exceptional selectivity: >100dB at ±12kHz (best available anywhere!) Flutter-proof hysteresis squelch; afc tracks drift.
- R451 UHF FM RCVR, similar to above
- R901 902-928MHz FM RCVR. Triple-conversion, GaAs FET front end.
- R76 ECONOMY FM RCVR for 10M, 6M, 2M, 220MHz, w/o helical res. or afc. Kits \$129.
- Weather satellite & AM aircraft rcvrs also available.




If you prefer a plain-vanilla or kit repeater, you couldn't find a better value than our original REP-100 REPEATER

Same fine rf modules as REP-200 but with COR-4 Controller. Can add autopatch, dtmf decoder, CTCSS, either now or later. Kit only \$675, w/t \$975.

ACCESSORIES

COR-3 REPEATER CONTROLLER kit. Features adjustable tail & time-out timers, solid-state relay, courtesy beep, and local speaker amplifier \$49

CWID kit. Diode programmed any time in the field, adjustable tone, speed, and timer, to go with COR-3 \$59




NEW COR-4 kit. Complete COR and CWID all on one board for easy construction. CMOS logic for low power consumption. Many new features. EPROM programmed; specify call .. \$99




NEW TD-3 SUBAUDIBLE TONE DECODER/ENCODER kit. Adjustable for any tone. Designed especially for repeaters, with remote control activate/deactivate provisions \$24

TD-2 TOUCH-TONE DECODER/CONTROLLER kit. Full 16 digits, with toll-call restrictor, programmable. Can turn 5 functions on/off. Great for selective calling, tool \$79



AP-3 AUTOPATCH kit. Use with above for repeater autopatch. Reverse patch & phone line remote control are std. \$79

AP-2 SIMPLEX AUTOPATCH Timing Board kit. Use with above for simplex operation using a transceiver \$39



MO-202 FSK DATA MODULATOR kit. Run up to 1200 baud digital signals through any fm transmitter with full handshakes. Radio link computers, telemetry gear, etc. \$39

DE-202 FSK DEMODULATOR kit. For receive end of link. \$39

9600 BAUD DIGITAL RF LINKS. Low-cost packet networking system, consisting of new MO-96 Modem and special versions of our 220 or 450 mhz FM Transmitters and Receivers. Interface directly with most TNC's. Fast, diode-switched PA's output 15 or 50W. Call for more info on the right system for your application!

GaAs FET PREAMPS

at a fraction of the cost of comparable units!

LNG-(*)

ONLY \$59

wired/tested



FEATURES:

- Very low noise: 0.7dB vhf, 0.8dB uhf
 - High gain: 13-20dB, depends on freq
 - Wide dynamic range - resist overload
 - Stable: low-feedback dual-gate FET
- *Specify tuning range: 26-30, 46-56, 137-150, 150-172, 210-230, 400-470, or 800-960 MHz.

LNW-(*)
MINIATURE
GaAs FET
PREAMP



ONLY \$24/kit, \$39 wired/tested

• GaAs FET Preamp similar to LNG, except designed for low cost & small size. Only 5/8"W x 1-5/8"L x 3/4"H. Easily mounts in many radios.

*Specify tuning range: 25-35, 35-55, 55-90, 90-120, 120-150, 150-200, 200-270, or 400-500 MHz.

LNS-(*)

IN-LINE PREAMP

ONLY \$79/kit, \$99 wired/tested



• GaAs FET Preamp with features similar to LNG series, except automatically switches out of line during transmit. Use with base or mobile transceivers up to 25W. Tower mounting brackets incl. *Specify tuning range: 120-175, 200-240, or 400-500 MHz.

HELICAL RESONATOR PREAMPS

Preamps with 3 or 4 section helical resonators reduce intermod & cross-band interference in critical applications. MODEL HRA-(*) \$49 vhf, \$94 uhf.

*Specify tuning range: 142-150, 150-162, 162-174, 213-233, 420-450, 450-470.



RECEIVING CONVERTERS

Low noise converters to receive vhf and uhf bands on a 10M receiver. Choice of kit with case & BNC jacks, kit with pcb only, or w/t unit in a case. Other models available for other in/out ranges & atv. Request catalog for complete listings.

VHF input ranges avail: 136-138, 144-146, 145-147, 146-148, 220-222, 222-224; kit less case \$39, kit w/case \$59, w/t in case \$89.

UHF input ranges avail: 432-434, 435-437; kit less case \$49, kit w/case \$69, w/t in case \$99.

902-928 MHz converts down to 422-448 or 430-450 range. Same price as uhf.

TRANSMITTING CONVERTERS

XV2 for vhf and XV4 for uhf. Models to convert 10M ssb, cw, fm, etc. to 6M, 2M, 220, 432, 435, and for atv. 1W output. Kit only \$79. PA's up to 46W available. Request catalog for complete listings.

OUR 27TH YEAR!

hamtronics, inc.

65 MOUL RD. - HILTON NY 14468-9535
Phone: 716-392-9430 -- FAX: 716-392-9420

Hamtronics is a registered trademark. Copyright 1989, Hamtronics, Inc. All rights reserved.

- For complete info, call or write for FREE 40-page catalog.

Send \$2 for overseas air mail. For casual interest, check reader service; allow 3-4 weeks.


- Order by mail, fax, or phone (answering machine off hrs).

- Min. \$3 S&H charge for first pound plus add'l weight & ins.

- Use VISA, Mastercard, check, or UPS C.O.D. (\$3 fee).

CIRCLE 57 ON READER SERVICE CARD

1990 Atlanta HamFestival July 7th & 8th



ARRL Southeast Division Convention

- Free Parking within 25 yards!
- Hotel and Restaurant same building
- Tailgate Sales
- Air Conditioned Flea Market and Exhibits
- Country Style BBQ
- Parking for RV's
- 20+ Forums • DX Verification • Testing
- Prizes! Prizes!! Prizes!!!
- ICOM, KENWOOD, YAESU, MFJ ...More!

24 hour information --- (404) 739-8716

Located at the New!!
Georgia International Trade Center

Atlanta HamFestival
Post Office Box 77171
Atlanta, Georgia 30357

CIRCLE 50 ON READER SERVICE CARD

NEED BATTERIES? CALL THE EXPERTS



E.H. Yost & Co.
7344 Tetiva Rd.
Sauk City, WI 53583
(608) 643-3194
FAX (608) 643-4439

Where Quality Comes First



For ICOM®
Clone Battery Pack
9.6V 1350mAh **\$69.00**
8 cell Empty AA Case **\$21.95**
Complete with 8 600mAh NICADS **\$37.95**

CIRCLE 114 ON READER SERVICE CARD

Sell your product in
73 Magazine
Call Dan Harper Today
800-225-5083

CIRCLE 61 ON READER SERVICE CARD

PERFORMANCE
AND VALUE
WITHOUT COMPROMISE

KRP-5000 REPEATER


2 METERS-220-440

Word is spreading fast-
"Nothing matches the KRP-5000
for total performance and value. Not GE, not even Motorola."

RF performance really counts in tough repeater environments, so the KRP-5000 receiver gives you 7 helical resonators, 12-poles of IF filtering, and a precise Schmitt trigger squelch with automatic threshold switching. The transmitter gives you clean TMOS FET power.

Enjoy high performance operation with: remote programmability, sequential tone paging, autopatch, reverse autopatch, 200-number autodial, remote squelch setting, status inputs, control outputs, and field-programmable Morse messages.

Call or write for the full performance story... and the super value price!



KRP-5000 Repeater shown with PA-100 Amplifier

Micro Control Specialties
23 Elm Park, Groveland, MA 01834
(508) 372-3442
FAX: (508) 373-7304

The first choice in
Transmitters - Receivers
Repeaters
Repeater Controllers
Power Amplifiers
Voice Mail Systems

CIRCLE 295 ON READER SERVICE CARD

Backward Inverted L Antenna

This low-band wire antenna is a good performer on both transmit and receive.

by Stan Gibilisco W1GV

In the March 1988 issue of *QST*, Doug DeMaw W1FB points out that closed loops have advantages for reception because they are less responsive to noise than open loops or dipoles. His design provides vertical polarization for low-angle radiation, another good feature for low-band DX operation. After experimenting with balloon-supported antennas and longwires at 1.8 and 3.5 MHz (see "Balloon Supported Antennas" in the September '88 issue of 73), I wanted to try something that would last and have better noise immunity than previous antennas.

DeMaw's design has the high-current part of the antenna vertically polarized near the station (although some of the high-current portion is horizontal), and this apparently is the reason for the low angle of radiation and response. A quite popular antenna for 160 and 80 meters is the inverted L, also having this characteristic (see Figure 1a) when the length is $\frac{1}{4}$ -wavelength. Ideally, the inverted L would be $\frac{1}{2}$ -wavelength with $\frac{1}{4}$ -wave going up and $\frac{1}{4}$ -wave going horizontally at a height of $\frac{1}{4}$ -wavelength above ground (Figure 1b), but this is not always possible because of space limitations. I have neither the resources nor the kind of neighbors who would enjoy looking at a 125-foot vertical structure.

The typical inverted L would probably have poor noise characteristics because of its broad bandwidth, vertical polarization, and the fact that it is not a closed loop. The "balloon verticals" provided good evidence of the kind of noise reception that can occur at 1.8 MHz with large, vertically polarized antennas, and I was ready to try some other design, at least for receiving. Alas—a $\frac{5}{8}$ -wave balloon vertical puts out a whopping state-side signal at 1.8 MHz!

Terrain Considerations

The house here is on a hill and there is plenty of room for antennas out back, although the terrain slopes downward starting at about 200 feet from the back door. There are plenty of trees about 50 feet high, both on the hill and on the flat below the downslope. Getting an antenna up high above the ground is difficult near the house, but easy some distance away. Any vertical portion of an antenna would have to be located far away




Figure 1. Inverted L antennas cut a) for quarter-wave; and at b), half-wave. The half-wave design has the current loop at a good elevation, and also has high feedpoint resistance, both desirable features for end-fed antennas.

from the house. How would I get a high-current loop near the far end of the antenna? One answer was to ground the far end, rather than leaving it free, as is the usual practice.

There is nothing that says the far end of an antenna must be a free end. When this is the case, a voltage maximum and current minimum are found there. Grounding the end of the antenna causes this situation to be reversed. The ground should be a low-loss ground for RF. This means there should be numerous radials, not just a ground rod. This presented no problem at my location; there was tall grass and shrubbery all around in the vacant lots adjacent to the house, so no one would be likely to trip on radial wires laid at the surface.

I chose a tree about 100 feet to the north of the house for securing the far end of the antenna. This tree was just slightly below the level of the house and about 50 feet high. A support just 35 feet tall would result in a horizontal span of wire from the house to the top of the tree. This scheme is shown in Figure 2. The antenna is about 45 feet from the rig to the top of the support, 100 feet from

the top of the support to the treetop, and 45 feet to the grounded far end, for a total of 190 feet. Since I have a wide-range antenna tuner, I was not especially concerned about the impedance at the feedpoint.

The antenna was easy to install, the support near the house being made from aluminum tubing and the rest of the antenna from A.W.G. No. 15 aluminum electric fence wire. The ground was made using a short iron stake (I've heard copper kills trees). This provided a mechanical anchor. The actual RF ground was made using the aluminum wire, which sells for \$13.49 per quarter mile. I installed 12 radials, each 125 feet long, representing $\frac{1}{4}$ -wavelength at 160 meters. I had to bend and cut some of the radials short because of the yard getting in the way (see Figure 3, top view of Inverted-L system). The radials were arranged at angles as nearly equal as possible.

A Little Theory

This antenna, about 195 feet long, is not resonant at any amateur frequency except perhaps 30 and 15 meters, and also somewhere in the 10 meter band. I was not concerned about resonance. However, since the far end of the antenna is at a current loop, it would be expected that if the antenna were operated at the frequency where it is $\frac{1}{2}$ -wavelength or any multiple thereof, the input impedance would be fairly low and purely resistive. For example, a 132-foot antenna would be resonant at 80 meters, and also at all of the harmonic bands.

Since the well-grounded (RF) far end is always a high-current point, there will always be good low-angle vertically polarized radiation and response, no matter what the frequency, as long as the vertical section is fairly long (say, 0.1-wavelength or more). This can be qualified if the frequency is so high that the vertical section measures more than about $\frac{5}{8}$ -wavelength; the radiation angle would be raised in this case. This might be of some concern at 28 MHz and perhaps at 21 MHz as well. I had the lower bands—160, 80 and 40 meters—in mind when I conceived this antenna.

Station Grounding

A good ground system at the station is an




Figure 2. The "backward inverted L" or "inverted U." Note that the far end is grounded, ensuring a current maximum along a vertically polarized part of the antenna. (Radials not shown.)

advantage, even though the feedpoint may not occur at a current loop. The situation is essentially the same for this antenna as it would be for any end-fed, multiband antenna. I don't have a permanent radial system at the station, since burying a kilometer of wire is a true chore, and kids, lawn mowers, etc. tear up radials laying on the surface. (In the winter, if there is enough snow, you can lay them under the snow pack.)

Fortunately, there is a cold-water pipe running through the wall right behind the transmitter, and there is a removable piece of wall plaster that exposes the pipe for direct connection. This is pure coincidence, as I did not even realize this existed when I chose the transmitter location. Did Murphy miss one? Likely not—there was some evidence of RF in the shack at some frequencies even with this copper pipe tied directly to the radio with heavy braid, a sign that plumbers may have installed lengths of non-conducting PVC pipe. You cannot take a good RF ground for granted. Ideally there should be several 1/4-wave (or longer) radials emanating from the station.

The horizontal span would provide high-angle radiation and response at all frequencies, making this antenna very similar to the inverted L, except that the main vertical portion would be at some distance from the shack rather than adjacent to the shack.

The antenna described here closely resembles DeMaw's loop, except that the low horizontal part is missing. The equivalent circuit is essentially the same, however, and I expected that the results would be similar to those described in DeMaw's article. I tuned the antenna using my transmatch and logged




Figure 3. View of WIGV "backward inverted L" from above. Note how radials were bent and/or cut to fit within the available space.

all the settings for future reference, and awaited the early morning VKs and ZLs, as winter still had not given way to the QRN of warmer months at 1.8 and 3.5 MHz.

Performance

I received good signal reports on 160 and 80 meters using 75 to 100 watts CW output. This antenna could not compete with past experimental balloon verticals and "kite slopers" for transmitting, but the received noise level was much lower than it had been using the 880-foot longwire, and was certainly well below that received on the gigantic sky hooks.

Radiation Patterns

The inverted backward L wasn't rigorously tested for directionality. I received good reports from all over the continental US and Canada—there didn't seem to be any real "weak spots." I expect more thorough tests, however, to reveal that the backward inverted L radiates similar to a loop, since the actual antenna and its image form a loop with a circumference of about 390 feet, yielding almost a full wavelength circumference at 1.8 MHz. (See Figure 4.) This "loop's" plane is vertical, so the radiation patterns are expected to be hori-




Figure 4. Diagram of actual antenna and image antenna, showing the equivalent vertical-plane loop that results from the combination.

zontal and normal to the plane of the loop.

I had no trouble hearing Europe in the evenings and Japan in the early mornings at 3.5 MHz, but have not yet heard those loud VKs and ZLs on 160. There doesn't seem to be much compliance with the idea that 1.825-1.830 MHz is DX only for transmitting.


Although I have heard that loops and their equivalents (such as this antenna) may be susceptible to intermodulation from broadcast stations in the standard AM band, I have had no trouble with this. I am lucky not to be near stations in the 900-1000 kHz range, where second harmonics might be heard.

Good TX/RX Compromise

Little, of course, can beat the transmit capabilities of the balloon vertical or kite sloper, but it certainly holds its own, and is much better on receive. An ideal fixed wire system would be the inverted backward L for transmit, and a system of beverage antennas for receive, if the beverages are properly installed and matched for impedance. (Beverages outperform the "L" on receive.) The "L" also has the advantage of being grounded all the time for DC, so that when the station end is disconnected, electrical charges are drawn away from the house. That's peace of mind when those big, black thunderstorms start rolling in from the Midwestern prairie.

If you've got the space, I recommend the backward inverted "L." It's one of the better single transmit/receive wire antennas going for the low bands! **73**

Stan Gibilisco WIGV can be reached at 871 S. Cleveland Ave., St. Paul, MN 55116.



OL' RAY KEEPS TELLING ME IT WAS ACID RAIN, BUT I THINK HE WAS JUST RUNNING TOO MUCH POWER!

VISIT THE 73 BOOTH AT THESE HAMVENTIONS:

SEA-PAC Ham Convention	June 1-3, 1990	Seaside Convention Ctr., Seaside OR
Ham-Com '90	June 8-10, 1990	Arlington Convention Ctr., Dallas TX
Atlanta Ham Festival	July 7-8, 1990	Georgia Int'l. Convention Ctr., Atlanta GA
ARRL 1990 Southwestern Division Convention	August 24-26, 1990	Town & Country Convention Ctr., San Diego CA
Louisville Hamvention	September 21-23, 1990	Louisville KY
New England ARRL Convention	October 13-14, 1990	Sheraton Boxborough Inn, Boxborough MA

LOGWRITE™

Are you tired of wasting your time and money on sub-par logging programs? Bring your station into the computer age with LOGWRITE, the quality menu driven, user friendly logging program written by Ed Troy (NG3V). LOGWRITE is the perfect accessory for the complete ham station. It simplifies your operation and gives you the competitive edge in contesting and DXing. LOGWRITE works with all IBM PCs and compatibles.

LOGWRITE's unique split screen feature allows for simultaneous logging and text processing. Logging features include:

- Instant call sign or prefix search
- Print, Edit, or View records
- Plenty of room for notes & addresses
- Automatic time/date stamping

Text processor features automatic word wrap, backspace correct, and scrolling. Throw away your pen and paper!

To order your copy of LOGWRITE, complete with instruction manual, send \$24.95 (Pa. residents add \$1.50 sales tax) to:

Aerospace Consulting
P.O. Box 536, Buckingham, PA 18912
(215) 345-7184
30 day money-back guarantee



(Please specify 3.5 or 5.25 inch floppy.)

CIRCLE 88 ON READER SERVICE CARD

SPY ON THE EARTH

See on your computer screen what 6 US, Russian, and Japanese environmental satellites see. Learn data acquisition and computer imaging. Make money selling acquired data. Makes terrific science project. We manufacture and sell all the equipment you need.

In business since 1956.

For complete details dial our electronic bulletin board anytime.

300-2400 modem, 8 bits, 1 stop,

no parity: (718) 740-3911.

Voice 8 AM-1PM: (718) 468-2720.

Vanguard Labs, Hollis, NY

CIRCLE 79 ON READER SERVICE CARD



PacComm

- Advanced Technology
- Enduring Value

HandiPacket PORTABLE PACKET CONTROLLER

New!



Current Software Today and Tomorrow

Only 1.3" X 2.6" X 4.5"

User Serviceable Parts

Large 0.5 AH Battery Built in

All Metal Case

Open Squelch DCD

NOW YOU CAN HAVE YOUR PACKET... AND TRAVEL TOO!

★ "Open Squelch" DCD circuitry for faster, more reliable performance ★ Compact size ★ Attaches to your belt, handie-talkie or handheld computer ★ Rugged construction with superb RF shielding (no birdies in your radio) ★ Standard battery pack provides over 12 hours of operation ★ Advanced Personal Mail Box & KISS mode included ★ 32 k-bytes of RAM ★ Complete with belt clip, cables, battery pack & charger, comprehensive manual ★ 30 day money-back / One year warranty parts & labor

NOW ONLY \$219⁹⁵

For complete info & specifications
Call (813) 874-2980 / To Order, Call
Toll Free: 1-800-223-3511
Major Credit Cards Accepted!

PacComm • 3652 West Cypress Street • Tampa, Florida 33607

Please send HandiPacket More Information FREE Catalog

Name _____ Call _____

Address _____ Ph# _____


State _____ Zip _____ Card# _____ Exp. Date _____

MONEY BACK GUARANTEE! Add \$4.00 shipping/handling per order. FL residents add 6% sales tax. Major Credit Card give number, expiration and signature. FAX: 813-872-8696

CIRCLE 152 ON READER SERVICE CARD



VIDEO I.D. BOARD



- Custom Graphics with your Call Sign
- 4 Screens (2 Hi-res/2 color bar)
- 12 VDC Operation
- Instant Video ID
- Video Relay for switching in Live Camera Video
- Built-in Automatic Sequencer-Timer (steps through all four screens)

VDG-1 with pre-programmed calls:

\$99

Call or write for catalog of available graphics

ELKTRONICS

12536 T.R. 77 • Findlay, OH 45840

(419) 422-8206



ELKTRONICS
12536 T.R. 77
Findlay, OH 45840
(419) 422-8206



CIRCLE 8 ON READER SERVICE CARD

NEMAL ELECTRONICS

- Complete Cable Assembly facilities MIL-STD-45208
- Commercial Accounts welcome- Quantity pricing * Same day shipping most orders
- Factory authorized distributor for Alpha, Amphenol, Belden, Kings, Times Fiber

Call NEMAL for computer cable, CATV cable, Flat cable, semi-rigid cable, telephone cable, crimping tools, D-sub connectors, heat shrink, cable ties, high voltage connectors.

HARDLINE 50 OHM

FXA12 1/2" Aluminum Black Jacket.....	89/ft
FLC12 1/2" Cablewave corr. copper blk jkt jkt	1.69/ft
FLC78 7/8" Cablewave corr. copper blk jkt d	4.25/ft
NM12CC N conn 1/2" corr copper m/1	25.00
NM78CC N conn 7/8" corr copper m/1	54.00

COAXIAL CABLES (per ft)

1180 BELDEN 9913 very low loss	55
1102 RG8/U 95% shield low loss foam 11ga.....	36
1110 RG8X 95% shield (mini 8)	17
1130 RG213/U 95% shield mil spec MCV jkt.....	39
1140 RG214/U dbl silver shld mil spec.....	1.85
1705 RG142B/U dbl silver shld, teflon ins	1.50
1310 RG217/U 50 ohm 5000 watt dbl shld	98
1450 RG174/U 50 ohm .100" od mil spec	14

ROTOR CABLE-8 CONDUCTOR

8C1822 2-18ga and 6-22ga	21/ft
8C1620 2-16ga and 6-20ga	39/ft

CONNECTORS-MADE IN USA

NET20 Type N plug for Belden 9913	\$3.95
NET23 Type N jack for Belden 9913.....	4.95
UGC273 BNC-PL259 Adapter-Amphenol	3.00
PL259AM Amphenol PL25989
PL259TS PL259 teflon ins/silver plated.....	1.59
PL258AM Amphenol female-female (barrel).....	1.65
UG175/UG176 reducer for RG58/59 (specify).....	.22
UG21DS N plug for RG8,213,214 Silver.....	3.35
UG83B N jack to PL259 adapter, teflon	6.50
UG146A SO239 to N plug adapter, teflon	6.50
UG255 SO239 to BNC plug adapter, Amphenol.....	3.29
SO239AM UHF chassis mt receptacle, Amphenol.....	.89
UG88C BNC Plug RG 58, 142	1.45

GROUND STRAP-GROUND WIRE

GS38 3/8" tinned copper braid	39/ft
GS12 1/2" tinned copper braid	50/ft
HW06 6ga insulated stranded wire	35/ft
AW14 14ga stranded Antenna wire CCS	14/ft

All prices plus shipping, \$3.00 min, Visa/Mastercard \$30 min, COD add \$3.00
Call or write for complete price list. Nemal's new 40 page CABLE AND CONNECTOR SELECTION GUIDE is available at no charge with orders of \$50 or more, or at a cost of \$4 with credit against next qualifying order.

NEMAL ELECTRONICS, INC. 12240 NE 14th Ave. N. Miami, FL 33161
(305) 893-3924 Telex 6975377 24hr FAX (305)895-8178

T-SHIRTS

"I ♥ CW"

written in morse code
\$8.⁹⁵ plus \$2.00 shipping

Specify color & size: white, blue, yellow
Send money order to:

**R. Daniel, P.O. Box 670
Williamsburg Station, NY 10467**

CIRCLE 52 ON READER SERVICE CARD

Digipeater Solar Power System



12-year Warranty
DOE/JPL Reliability Tested
modules provide failsafe power for repeaters, remote stations, digipeaters, & bulletin boards. Modular solar generation and energy storage systems grow as required.

Order Solar Power System Design Pack \$5.95 ppd USA.
Order Hotline: **800-926-7373** Box 50062 Provo UT 84605

CIRCLE 236 ON READER SERVICE CARD

Latest in Digital Hamming

Brian Lloyd WB6RQN
124 Churchill Avenue
Palo Alto CA 94301

10 Meter Packet

In an earlier column I suggested that 800 Hz shift AFSK into an SSB transceiver might be just the ticket for 10 meter packet radio. I also suggested that 10 meters would be a good band for 1,200 baud packet, since the radios are inexpensive and Novices could operate there, too. Therefore, I reasoned, 10 meter packet was an attractive alternative to 2 meter packet operation at 1,200 baud. Sure of this, I purchased a Uniden HR-2600 transceiver for 10 meter packet experimentation.

My biggest concern was that the HR-2600 be able to pass a 1,200 baud signal without excessive distortion. It turned out that my fears were unfounded. In fact, if you compare the frequency response curves (see the figure) for the HR-2600 with the response curves for the 2m radios I evaluated about a year and a half ago, the HR-2600 stands up very well indeed.

I used a simple technique to measure the frequency response of the HR-2600. I connected an audio signal generator to the MIC jack and measured the power output into a dummy load. Since an SSB transmitter is a linear device (at least it is supposed to be) the power output should be proportional to the signal level at the MIC input. The only variation from this should be a function of any AF or IF filtering inside the rig.

I took measurements for both upper sideband (USB) and lower sideband (LSB) so that I could determine which had a flatter passband. See the figure for a graph of the audio frequency vs. relative RF output. I drove the rig to a nominal 10 watts output with a 1 kHz tone. The dB measurements are relative to that reference level.

As you can see, the HR-2600 is quite flat from about 600 Hz to about 4,300 Hz. This provides a bandwidth of 3.7 kHz, more than adequate for 1,200 baud. The 1,200 baud signal (Bell 202 modem) spans from about 600 Hz to about 2,800 Hz. This will fit quite nicely in the passband of the HR-2600. Considering that you can find the HR-2600




Figure. HR-2600 frequency response curve.

advertised in 73 for \$219, this is quite a deal. You can't even buy a new 2m handie-talkie for that.

There is a drawback to the HR-2600: Its filter is quite broad, letting a lot of QRM in, if there is any about. This can raise havoc with the ability to receive packets if the QRM activates the AGC in the receiver.

Filters and TNCs

What about other transceivers? Well, you can use one of those expensive brands (hi), but their filters may cause you some problems. Most HF rigs nowadays have pretty respectable filters. These are usually somewhere between 2.1 kHz and 2.5 kHz wide with very steep skirts. The signal from the modem in a TNC running at 1,200 bauds with 1,000 Hz shift is about 2.2 kHz wide. This may not work with all filters in all radios.

If you have trouble copying packets, or others have trouble copying your packets, try running your modem in V.23 mode. Almost all TNCs can do this. With a Kantronics TNC it is a simple command (CCITT On). With others it is usually a simple adjustment. With a TNC-2 clone like the MFJ-1270 or 1274, simply recalibrate the transmit tones to 1,300 Hz and 2,100 Hz instead of 1,200 Hz and 2,200 Hz. If you have a TNC that uses the AMD7910 or the TMS3105 modem chips, you can make a very simple modification to make them operate in V.23 mode.

There is one fly in this ointment; most TNCs have carrier detect circuits that will not work very well (actually, most won't work at all) with an SSB radio. Why? Because they sense the noise and interpret it as signal. You could try the squelch with your radio (if it has one), but if your experience with squelches on SSB radios is anything like mine, you will give that up quickly. They just do not work well enough for packet radio.

If you plan to operate on 10 meters (or with any SSB radio on any band for that matter) it is a good idea to purchase and install the TAPR DCD modification kit (you don't need this modification with the MFJ-1278 since it already has it built-in). Which kit you get is a function of the type of modem in your TNC. If you have a TNC-2 or clone

with a 2211 demodulator, you need the kit for the TNC-2. If you have something with a 7910 or a 3105 you will need the DCD modification that detects the carrier by detecting valid data in the data stream. Contact TAPR for more information on these kits.

Once you have everything hooked up, set the output level from your TNC so that it gives you about 70% of maximum output from your rig. This should keep the PA operating within its ratings. This also helps keep you in the linear operating region of the radio.

Packet on LSB or USB

Many people will tell you that you must use LSB for operating packet. While true for RTTY, this is NOT true for packet. You may use either USB or LSB. The only difference is in the tuning.

With a USB signal, the audio tones generate a signal above the carrier frequency, while with LSB the modulating tones generate a signal below the carrier. If you consider the center of the modem signal to be 1,700 Hz (halfway between the 1,200/2,200 or 1,300/2,100 Hz tone pairs) then you can figure out where your signal is. If you want your signal to be on 28.190 MHz and your radio is set for USB, you would set the transmit frequency to 28.188.3 MHz, 1.7 kHz lower than the desired frequency for your signal. If you are using LSB, you would set your transmit frequency to 28.191.7 MHz. That is all there is to it.

If you want 1,200 baud packet activity on 10 meters, look around 28.190 MHz. There seems to be a good deal of activity around there. I also recommend using 10 meter packet for local operation. If you are going to do local operation, pick a frequency that is not generally used for DX. I would try around 28.180 MHz or a little lower.


Remember that Novices can be a big part of your local packet operation if you give them a way to get on the network. Add a BBS or a switch (NET/ROM or otherwise) so that the Novices can reach the other users on 2 meters and above.

Well, try it and let me know how it works. Perhaps I will get a chance to work you there. **73**

AMATEUR TELEVISION

SURVIVES 100,000 FT. FALL


KPA5 1 WATT ATV XMTR ON 434 MHZ WORKED PERFECTLY IN WB8ELK LIVE CAMERA BALLOON THROUGH 100,000 FT AND BACK TO CONTINUE RUNNING EVEN AFTER FREE FALL IMPACT IN THE MOJAVE DESERT! VIDEO SEEN FOR 300 MILES.



KPA5-E board \$169

Shouldn't your ATV transmitter be as reliable? Weather you want to put one in a balloon, R/C model, Robot, use as portable ATV xmtr, or get one in our ready to go TX70-1 for the shack, with P.C. Electronics you see the best! Companion receiving downconverter board TVC-2G \$49, or ready to go in a cabinet - TVC-4G \$89.

TX70-1
XMTR
\$259



TVC-4G
RECIV
CONV.
\$89

THE ATV TWINS

Hams, Call or Write for our latest catalog of ATV gear! Transmitters sold only to Tech or higher licensed amateurs varified in latest Callbook or copy of new license. 5/89

(818) 447-4565 m-f 8am-5:30pm pst.

Visa, MasterCard

P.C. ELECTRONICS

2522 Paxson Ln Arcadia CA 91006

Tom (W6ORG)
Maryann (WB6YSS)

1990 CALL DIRECTORY
(On Microfiche)

Call Directory \$10
Name Index 10
Geographic Index 10

All three — \$25

Shipping per order \$3

BUCKMASTER PUBLISHING

Mineral, Virginia 23117

703: 894-5777 800: 282-5628

CIRCLE 7 ON READER SERVICE CARD

Grab-N-Go™ Antenna Systems
from Antennas West

Grab-N-Go antenna systems contain all band kink-proof wx-sealed Dipole-V-Sloper antenna, 70' coax feedline, Quick Launch system, rot-proof dacron support braid, 40 page Tech Manual. Complete. Ready for Action. One person installs in minutes.

Be ready for Emergency or Fun.

Build your own from scratch: Order TechNote #121B, \$6.95 ppd USA Box 50062, Provo, UT 84605


Tech Info: 801-373-8425

160-10 102' long \$115.95
80-10 102' long \$99.95
40-10 51' long \$89.95
Add \$10 S & H.

Order Hotline: 800-926-7373

CIRCLE 302 ON READER SERVICE CARD

**UAI-10 AND UAI-20
UNIVERSAL REPEATER/LINK
AUDIO INTERFACE**



Detailed application manual

Low power operation, 19ma @ 12v

CTCSS decoder on the UAI-20 only

Assembled, tested, one year warranty

Link monitor-mix/monitor mute control

Adjustable repeater/link/DTMF audio outputs

Selectable DTMF mute on repeater and link audio

Repeater, link, auxiliary and control audio inputs

UAI-10
\$44.00

UAI-20
\$89.00

CREATIVE CONTROL PRODUCTS

3185 Bunting Avenue
Grand Junction, CO 81504
(303) 434-9405



CIRCLE 306 ON READER SERVICE CARD

**AMIGA commodore™
CHIPS—PARTS—UPGRADES™**

6526	\$12.25	All 901 ROMS	\$10.95
6567	\$15.95	8362 (DENISE)	\$39.95
6510	\$10.95	8364 (PAULA)	\$49.95
6581	\$10.95	8520-A1	\$17.95
PLA	\$12.95	1.3 KICKSTART ROM	\$27.95
6560	\$12.95	68020/33	\$139.50

NEW 1MB AMIGA FATTER AGNUS
w/chip puller and simple 10 min.
instl. instructions \$99.50

CG4 REPAIRABLE HVY/DUTY
POWER SUPPLY \$23.95

Commodore Diagnostician 6 (REF. AID #6) **\$6.95**

Saves you money on REPAIRS & DOWNTIME by promptly locating faulty IC chip(s) on all COMMODORE computers and 1541 drives. Different sections contain "cross referencing" of chips and "block layout." (A schematic is included but not needed.) Over 14,000 "DIAGNOSTICIANS" sold worldwide. See fantastic full page review in March 88 "Computer Shopper Magazine." Price is \$6.95 prepaid in the U.S.

(JUST OUT AMIGA-DIAGNOSTICIAN BOOKLET \$10.95)

Send for our FREE catalog.

The GRAPEVINE GROUP Inc.

35 CHARLOTTE DRIVE
WESLEY HILLS, N.Y. 10977

FAX 914-354-6696 914-354-4448 800-292-7445

Dealer Prices available. OUR 10TH YEAR

CIRCLE 390 ON READER SERVICE CARD

SOMETHING NEW FOR PACKET!

Announcing the first computer game for use over packet radio. Packet Chess allows you and an opponent to compete using a standard TNC and your IBM-PC compatible or Amiga personal computer. The game manages the computer screen and takes over the TNC once a connection is made using the Terminal Emulation Mode (included). Other features include options for setting up the board, adding or deleting pieces, and saving games for later play. The game comes with an instruction manual and floppy disk and sells for \$29.00. (Requires an IBM-PC compatible with 128K RAM. EGA color, 5.25" floppy, and COM1: port or an AMIGA 500, 1000, or 2000 computer with 256K memory.) To order send check or money order to:



The Great Circle Map Company PO Box 691401
San Antonio, TX 78269, USA

CIRCLE 346 ON READER SERVICE CARD



THE CHOICE OF PROFESSIONALS

Rugged Dependability Backed by a Two Year Warranty



Nye Viking Standard Key
Cat. No. 310-003



Nye Viking Heavy Duty Key
Cat. No. 320-001



Nye Viking Master Key
Cat. No. 330-001

YES, Straight Keys are still being hand built in America. They are as rugged as the Country they are Built in!!!



WM. M. NYE COMPANY
12031 Northup Way, Suite 101
Bellevue, WA 98005
(206) 454-4524

**"We build it,
so you can brag about it."**

Available at Leading Dealers.

CIRCLE 353 ON READER SERVICE CARD

WEAFAX FROM AOR

The WX-1000 is a new weather facsimile terminal from AOR.

It prints weather and oceanographic charts, press photos and satellite pictures taken by GOES and METEOR.

The WX-1000 requires HAM or SWL receiver with USB mode. It is also capable of producing APT by weather satellite when connected to a S-band receiver.

A built-in 24 pin thermal printer prints crisp image for both 2 or 16 gray scales.


Please call or write us. Or contact our stocking distributor.

Electronic Equipment Bank - Vienna, VA

(703) 938-3350 or (800) 368-3270

WX-1000 WEATHER FACSIMILE

\$845.00



22511 Aspan Street • El Toro, CA 92630-6321 • (714) 581-4900 • Toll Free 1-800-523-6366

CIRCLE 279 ON READER SERVICE CARD

HOMING IN

Joe Moell, PE, K0OV
PO Box 2508
Fullerton CA 92633

Jammer Busting

We hams are self-policing, right? You have read and heard about this since you began studying for your license. But if you've listened to recent emergency nets, you may have heard some things that made you think that our Self-Police were on strike. What gives? Have we lost control of our bands?

It's true that we hams have always tried to rectify technical and operating violations by ourselves. In a local ham's estate, I found an ARRL Official Observer (OO) notice over 60 years old! But the venerable OO program worked in the past only because hams were self-disciplined, and friendly persuasion was all it took to cure most problems. That's not as true today as it was a generation ago.

In 1982 a Congressional committee report praised amateur radio's "... tradition as the most self-regulated radio service in the United States." The report continued, "Less time has been devoted to monitoring and regulating the Amateur Service than to any other service because of its self-policing and discipline."

FCC Fades Away

Our reputation as "good guys" means that FCC enforcement people have been able to ignore us and concentrate on other spectrum users. This has gone on for so long, and the FCC's budget is now so tight, that when serious problems crop up, it's hard to get FCC help. The manpower is no longer available.

Keep in mind that most rule violations occur on weekends and at night, when our bands are most active. As often as not, the FCC's efforts to catch serious offenders must be done during off-hours, on their own time. On the other hand, hams usually have their best opportunities to patrol the bands and go transmitter hunting on their off-hours. So it's to everyone's benefit for volunteer hams to be allowed to gather evidence for proceedings against serious violators.

Congress and the FCC were confident of our ability to do this, so one of the provisions of the Communications Amendments Act of 1982 (better known as Public Law 97-259) authorized the FCC to form an Amateur Auxiliary (AA). The Congressional committee was excited that ham band policing could be done with "even less expenditure of government time and effort than in the past," to quote the report.

The combined OO/AA program (sometimes collectively called Voluntary Monitoring or VOLMON) has been very successful in some areas, but it needs much more participation. For

Radio Direction Finding

rapid response to jamming on the DX bands, the Auxiliary needs transmitter hunters in every part of the country. Wouldn't it be great if each ham club had at least one member skilled at mobile Radio Direction Finding (RDF) on both HF and VHF?

For the last two months, "Homing In" has featured equipment we can use to help ourselves and the FCC by performing mobile RDF to locate jammers, intruders, bootleggers, and man-made noise. RDF gear is easy to build and can be used for competitive foxhunts as well as for more serious purposes.

VOLMON Builds Cases

As I talk to ham clubs and individuals, I realize that there are many misconceptions about what it takes to keep the bands clean. One incorrect assumption is that hams are self-enforcing. It's not true. Only the FCC can legally do enforcement.

Volunteer monitors scan the bands, using postcard OO notices and friendly reminders on hams with equipment problems or who momentarily forget the rules. But they don't prosecute offenders or mete out punishment. Public Law 97-259 didn't make us self-enforcing, but it did allow us to begin to work directly with the FCC, gathering evidence that the FCC can use to enforce its mandate.

The goal is for VOLMON-to-FCC contact to be a rare occurrence. VOLMON seeks to solve minor rule violations and amateur-to-amateur dis-

putes entirely on its own, using reminders, persuasion, and negotiation as needed. FCC assistance should only be invoked in serious cases of Part 97 rule violations, and only after VOLMON has tried everything else to resolve the problem.

Sometimes FCC staffers want us to obtain all the evidence against a serious offender. In other situations, they want to do it themselves. It's up to the FCC to decide in each case.

Larry Guy, head of the Los Angeles Field Office, is typical of FCC field officials. He says, "I will not take a case until the Amateur Auxiliary has thoroughly worked it, documented it, and done everything possible within its charter to resolve the problem."

Documenting a hard-core jamming case doesn't mean simply accumulating a pile of copies of OO notices you have mailed out. It's not enough to make tape recordings from various base stations.

Only firsthand evidence is acceptable. The evidence must clearly point to the suspects. Just because you hear W6XYZ's callsign on a transmission doesn't mean W6XYZ made the transmission. There have been attempts to frame hams by playing tape recordings and using false callsigns.

Proper documentation means going mobile with RDF gear, tracking down the exact location of the suspect, charting the bearings, and correlating them with the contents of the transmission. You must be able to prove beyond reasonable doubt that the station you hunted down is the one causing the problem. All this data must be in a form that is easily understood by the FCC, the US Attorney, and perhaps a jury.

Larry Guy says, "This is the same type of thing we do when we take a

case to the US Attorney. They want to look at the map; they want to see where our vehicle was and where the bearings met. They want to know if there were any other antennas in the area that could have been the source. We must also show them that all Auxiliary remedies have been exhausted."

These procedures may seem strict and arduous, but they're the same procedures that FCC engineers must follow when they build their own cases. If you were going to small claims court to get a monetary judgment, you'd gather and prepare every possible bit of evidence and documentation to increase your chances of winning. It's the same way with a jammer case.

Jammers Beware

It sounds like K0OV is giving aid and comfort to troublemakers by telling what it takes to prosecute them, doesn't it? Well, the hard-core jammers know all this already. Besides, it's really not difficult to gather the evidence, if you are dedicated and determined. An experienced team of RDFers can do it very quickly.

Rest assured that when the Auxiliary does its job properly, the FCC will act, if needed. An example is the recent case in Carefree, Arizona, where the FCC levied a fine on a ham for willful and malicious QRM on 75 meters.

VOLMON provided important documentation. Stephen Tsuya, who heads the FCC's Douglas, Arizona, office says, "Not only is the program working, it is providing invaluable help."

About the same time, cooperation between the Auxiliary and FCC Field Operations led to a malicious interference citation in Pasco, Washington, for jamming on 2 meters.

Continued on page 52



Photo. Building a successful case against a jammer requires careful documentation and lots of patience, but the results are worth the effort. (Photo by WB6UZZ)

HAMSATS

Amateur Radio Via Satellite

Andy MacAllister WA5ZIB
14714 Knightsway Drive
Houston TX 77083

Modems for Hamsat Operation

Aside from DX-chasing on AMSAT-OSCAR-13, the most exciting satellite activity this year has been via the digital modes on the Microsats and Fuji-OSCAR-20. To operate via these electronic mailboxes in the sky, you'll need a 1200 baud PSK (phase shift keying) modem in your hamsat-ready earth station.

It is no longer necessary to build your own PSK modem. Since March, companies like PacComm have been ship-

ping units designed to interface with the necessary radios and packet TNCs (terminal node controller) for BBS activity from space. PacComm's modem, listed at \$219.95, connects to the modem disconnect header inside the TNC. One land in the TNC is cut to allow connection of the unit. In addition to its 1200 baud mode, the PacComm model will receive 400 baud telemetry from AMSAT-OSCAR-13. PacComm's phone number is (800) 223-3511, and the address is 3652 West Cypress Street, Tampa FL 33607.

If you enjoy kits, TAPR (the Tucson Amateur Packet Radio Corporation) offers their PSK modem kit for \$110. A picture of a completed TAPR unit was



Photo A. A G3RUH 1200 baud PSK modem hooked up to a packet TNC for Microsat or Fuji digital communications.

shown in last month's column. Soldering is tight. An iron with a small tip and a magnifying aid are helpful for constructing this unit. A box is not included, but you can find the recommended (now discontinued) Radio Shack enclosure at some stores.

The TAPR unit works very well and is currently the most popular PSK unit in the US. It will easily interface with most TNCs using "hardware HDLC." It was not designed to work with the Kantronics KPC-1, -2, -4, -2400, KAM, or the GLB PK-1, all of which use "software HDLC." The kit incorporates three circuit boards, and includes parts, mating connectors, switches, and labels. To align the unit, you need a voltmeter, oscilloscope, audio generator, and frequency counter. You can reach TAPR at (602) 323-1710, or you can write to: PO Box 12925, Tucson AZ 85732.

Radiokit markets the G3RUH PSK packet modem for \$111. The G3RUH design has been very popular with many international Fuji and Microsat enthusiasts. Although the "front end" design is modest, it is a very good performer. Restrictions on TNC compatibility are the same as those for the TAPR device. A typical uplink system is shown in Photo A. This modem, employed for Fuji-OSCAR-12 contacts, was built using a G3RUH board from AMSAT-UK. With the addition of antennas, a computer or terminal, and a 70cm SSB receiver, the Microsat and F-O-20 station would be complete. Contact Radiokit at (603) 437-2722. Their address is PO Box 973-C, Pelham NH 03076.

We expect DSP (digital signal processing) equipment from other companies later in the year, but prices for these units will be much higher than prices for single-purpose PSK modems. The DSP systems will be capable of operation via many data transmission formats in addition to PSK.

Interpreting Data

Once you have a station ready for PSK operation, what will you see on the screen when operating through the new digital satellites? Table 1. shows a sample of communications with the BBS on board F-O-20. As with a terrestrial packet BBS, several system commands are available for reading and writing messages, listing file headers, and showing the current users.

Unlike earth-based systems, the




Photo B. "ROBOT CALLER" CW generator for RS-10 operation.

messages on the BBS are from hams all over the world who have accessed the system directly using VHF and UHF radios. The idea is exciting, and the system is online now. F-O-20 makes between four and six passes a day over most locations worldwide.

Table 2. is a sample of "digipeated" activity via the Argentine LUSAT-OSCAR-19. Before the BBS software was uploaded to the satellite, simple digipeater-type operation was implemented to give users a chance to exercise their equipment in preparation for full store-and-forward activity. You can see telemetry and informative messages between the packets uplinked from users. A complete frequency chart for all the new Microsats and F-O-20 was shown in last month's "Hamsats."

Operation through PACSAT-OSCAR-16 is identical to LUSAT. For WEBER-OSCAR-18, expect to see incomprehensible (raw picture) data. The picture data is compressed and sent via the PSK packet system on the satellite. It's necessary to capture the raw picture data and store it so that you can use appropriate software to describe it later. The AMSAT Software Exchange provides WEBERWARE 1.0, developed at Weber State University in Ogden, Utah, to put the picture packets in the proper sequence, "un-squash" the data and display the color result on a PC or compatible with EGA

Table 1.

Sample of P-O-20 BBS activity.

```

*** CONNECTED to 8J1JBS
FO-20/JAS1b Mailbox ver. 2.01
commands [B/F/H/M/R/U/W]
Use H command for Help
JAS>M
NO. DATE UTC FROM TO SUBJECT
0138 02/25 21:53 DF5DP WA5ZIB Hi Andy !

0090 02/25 18:01 DL1CF WA5ZIB HELLO ANDY
0086 02/25 16:46 N5BF WA5ZIB Well, there you are!

0079 02/25 16:39 WB6LLO WA5ZIB HELLO ANDY!

JAS>F
NO. DATE UTC FROM TO SUBJECT
0168 02/26 03:01 LU1EXC LU1OGG lusat 1
0167 02/26 02:55 LU8DYF HK3JHV Hola Colombia
0166 02/26 02:53 LU6DYD ALL CQ de .....

0165 02/26 02:52 LU6DYD N4HY DIGI LUSAT-1 EXCELLENT !!

0162 02/26 02:03 JH2XIL ALL CQ on FO-20
0159 02/26 01:35 N8HSP WC8J hamfest
0158 02/26 01:31 K0RZ N1CHM feeds
0157 02/26 01:30 NBAM N8HSP Hello
0156 02/26 01:27 N1CHM K0RZ Clarification
0155 02/26 01:26 N8HSP NBAM hello

JAS>R86
NO. DATE UTC FROM TO SUBJECT
0086 02/25 16:46 N5BF WA5ZIB Well, there you are!

Andy, Glad you finally got QRV on FO-20. I never worked the
FO-12 mailbox myself so can't tell whether it is exactly the same
but I do know that all the features of FO-20 that I was familiar
with (JA, beacons, intermod, etc.) are identical. Keep in touch
and good luck with upgrades.

73, Courtney
p.s. Your message was time tagged 16:37. I'm putting this on at
16:50 according to my station clock, but don't know what the Fuji
clock is reading. Were you on here just ten minutes ago or some
time last night? CD
JAS>R138
NO. DATE UTC FROM TO SUBJECT
0138 02/25 21:53 DF5DP WA5ZIB Hi Andy !

Hallo Andy, nice to see your callsign here on Fuji.

Best regards es vy 73 from Germany
de Bert DF5DP
JAS>H
++ Available commands ++

B : List file headers addressed to ALL
F : List latest 15 file headers
F* : List latest 50 file headers
F<d> : List file headers posted on day <d>
H : Show this message
K<n> : Kill a file numbered <n>
M : List file headers addressed to current user
R<n> : Read a file numbered <n>
U : List current user(s)
W : Write a file
    
```

Table 2.

Digipeater activity via LUSAT-OSCAR-19.

WA5NOM>HK3JHV,LUSAT-1*:

Hello from Gil in Friendswood, TX.

I am away from the terminal now. Please leave your message.

LUSAT-1>TIME-1:

PHT: uptime is 073/12:54:49. Time is Mon Feb 26 03:47:28 1990

WA5NOM>HK3JHV,LUSAT-1*:

Hello

WA5NOM>HK3JHV,LUSAT-1*:

This is Gil in Friendswood, Texas

HK3JHV>WA5NOM,LUSAT-1*:

hello, my name Juan Eduardo>

WA5NOM>HK3JHV,LUSAT-1*:

Glad to work you, Juan. First contact on LUSAT.

HK3JHV>WA5NOM,LUSAT-1*:

greetings from Colombia. bye and 73

Digipeater code is loaded. If the LSTAT contains d:l the digipeater is on, o.w., it is off. There will times when it must be off. Use and enjoy! 73 de BM

LUSAT-1>LSTAT:

I P:0x1A77 o:262 l:6649 f:9535, d:l

*** CONNECTED to N8AM VIA LUSAT-1

LUSAT-1>TIME-1:

PHT: uptime is 073/12:59:29. Time is Mon Feb 26 03:52:08 1990

fb n8am de Andy in Houston

LUSAT-1>AMARG:

Digipeater is OFF. Will be uploading a bug fix.

73 de BM

LUSAT-1>TIME-1:

PHT: uptime is 073/13:01:39. Time is Mon Feb 26 03:54:18 1990

LUSAT-1>TLM:

21:96 22:7D 23:36 24:2C 25:30 26:00 27:00 28:00 29:00 2A:00 2B:00 2C:00 2D:31 2E:01 2F:9E 30:9E 31:9F 32:66 33:00 34:A4 35:A6 36:C4 37:9F 38:BC 39:A5 3A:A4 3B:FF 3C:03 25E918EA

LUSAT-1>TLM:

00:64 01:79 02:70 03:5F 04:6C 05:7F 06:70 07:84 08:6A 09:77 0A:A4 0B:A8 0C:EA 0D:D9 0E:01 0F:45 10:D6 11:84 12:00 13:01 14:B4 15:A3 16:00 17:7A 18:78 19:7B 1A:7C 1B:44 1C:73 1D:75 1E:2A 1F:5D 20:83 25E918EA

DOVE is within the 2 meter band. With one of the satellite's 2 meter transmitters continuously sending a carrier, the desense of the command receiver is quite significant. Bob N4HY asked Dave W5UN for help. Located just south of Houston, Dave has the world's largest privately-owned 2 meter array with over 32 dBi gain. With one kW of transmitter output, the effective radiated power of Dave's incredible system approaches two megawatts. [Ed. note: W5UN's moonbounce antenna system was wiped out by a tornado shortly after this attempt!]

They planned the uplink reset attempts during a time when the satellite was just going into darkness (eclipse). The transmitter output would be weakened as the system voltage dropped, but the command receiver would still be functioning.

It worked as predicted. Dave's system was able to over-power the satellite's transmitter and command it to re-set. When the now-silent DOVE came within range of Harold NK6K, one of the satellite design engineers, he immediately began sending battery-charging rate commands and transmitter-state commands to the satellite. Later, N4HY sent the command to turn on the Mode S 2.4 GHz transmitter. Bill K0RZ listened from his home in Colorado and relayed information as Bob continued to upload code to

DOVE from New Jersey.

The effort to completely redo the code in DOVE's computer precluded any immediate return to service on 2 meters. The satellite designers did not want any repeat of the computer latch-up problem. As N4HY said, "This has been a harrowing experience (for many) and once again, these robust little cubes take a lickin' and keep on tickin'!"

ROBOT Caller

Your response to the construction topic featured in the April "Hamsats" column has been exceptional. The three-chip ROBOT-CALLER circuit works well and has given many RS-satellite operators a chance to make ROBOT autotransponder contacts via RS-10 without using difficult keyers or RF-noisy computers. Photo B shows one version of the simple circuit.

The most common complaint about the project has been the difficulty many have had in finding an EPROM burner to program the CW message "RS10 DE 'your call' AR". If you would like to have an EPROM for your ROBOT CALLER, but you don't have access to a burner, I will make a custom-programmed EPROM using your callsign for \$9. I'm not set up for mass production, but I can provide this service on a limited basis. Contact me at the address above. 73

Homing In

Continued from page 50

Since I wrote last month's column, the HF Homer (see the April "Homing In") has proven its worth in tracking down the source of serious 20 meter QRM in Orange County, California. Auxiliary members followed the same documentation procedures.

These successes may seem like only a drop in the bucket, but don't lose your perspective. Sure, malicious interference is a federal offense, but only because amateur radio is under federal jurisdiction.

Most of the time, willful QRM doesn't constitute a danger to life and property. That's one reason that it's hard to get the FCC and the US Attorney to take jammers to court. The case has to be severe and continuing to get a high priority.

As everywhere else in life, different people perceive things differently. Hams tend to react as if all jamming were a form of electronic terrorism. But to the non-ham world, including many FCC staffers, our on-the-air spats aren't much different from a family feud. To them, a belch or a cuss word in the middle of a net is not comparable to grand larceny. It's more like spray-paint graffiti.

Now don't get me wrong—I'm not saying we should let non-life-threatening offenses go unchallenged. Let's DF them and stop them, either with friendly persuasion or the government's big stick. But we must not let the miscreants bring our nets to a screeching halt, with everybody spending time bemoaning the problem.

Mum's the Word

If you're part of the Auxiliary's RDF team, go about your work quietly. Don't get on the air and talk about it. That kind of fanfare just turns the hunt into a cat-and-mouse game.

If you're not on the RDF team, you shouldn't talk about the presence or absence of hunters, either. When a heckler attacks your net or QSO, don't acknowledge his presence in any way. Don't threaten him, berate him, answer him, or even mention him.

Any acknowledgment of the interloper gives him what he wants and encourages him to continue harassing you. This entices other jammers to join in, resulting in total bedlam. Many VOLMON members refuse to get involved if the victims do not ignore the jammers, and I don't blame them.

Always remember that the goal of all OO/AA activities is compliance, not revenge. VOLMON's actions are intended only to eliminate violations of Part 97 rules. Don't try to use the Auxiliary to "get even" with someone for personal injustices of the past.

Simple RDF gear does a very effective job in the VOLMON program, and I hope you're getting your setup together. If you want to join the Auxiliary or discuss the heckler on your net, please don't call me. Your ARRL section manager handles those tasks. But I welcome your letters with specific inquiries and ideas about all kinds of RDF equipment, particularly when they include an SASE. 73

or VGA graphics. For information on program availability, you can call AMSAT at (301) 589-6062 or write to: AMSAT Software Exchange, 850 Sligo Ave. #600, Silver Springs MD 20910.

The Dove Scare

In mid-March, work on BBS software for L-O-19 and P-O-16 came to a halt.

The computer on DOVE-OSCAR-17 had stopped, and one of the 2 meter transmitters was "key down" with no data coming from the satellite. AMSAT Director Bob McGwier N4HY and AMSAT Brazil (BRAMSAT) President Junior de Castro PY2BJO futilely sent reset commands to DOVE.

The uplink command frequency for

500,000 Radio Amateur Call Signs at Your Fingertips

Introducing Buckmaster's HamCall™ on CD-ROM

Over 500,000 call signs in the U.S. and possessions are available, searchable by call sign, name, address, city, state, Zip code or license class. Using CD-ROM optical disc technology and your micro-computer, you have instantaneous access to the Buckmaster HamCall data base.

\$499.95 per Package plus Shipping (Quantities Limited)

HamCall on CD-ROM is a package that includes the CD-ROM data disc, a Sony CDU-6100 external CD-ROM drive with interface card for IBM PC/AT™ type computers,* and MS-DOS™ CD-ROM extensions software.

Publishers Data Service Corporation's new Questar™ retrieval software package is also supplied. This retrieval system enables the user to search the CD-ROM data quickly and efficiently.

Order by calling 1-800: 282-5628

SONY.




BUCKMASTER

"Whitehall" Rte. 3, Box 56
Mineral, Virginia 23117
703: 894-5777

*Requires 640k RAM, hard disk drive and MS-DOS 3.1 or later version.

Questar is a trademark of Publishers Data Service Corporation. HamCall is a trademark of Buckmaster. IBM PC/AT is a trademark of IBM. MS-DOS is a trademark of Microsoft.

The Radiokit DVR-60 Digital Voice Recorder
State of the art surface mount technology provides unequalled price/performance benefits in a unit that measures only 2 1/2" x 3 1/2" inches.



PRICE
\$149.95

Numerous Amateur/Commercial/Educational Applications:

- Repeater ID and Messaging • Simplex Repeater • Voice Mailbox
- Contester/DXER Voice Messaging, Interface with Popular Contest Logging Programs.
- Missed or Busted Call Playback. Works on ANY Audio Signal.
- Instant Replay of Emergency or Traffic Messages. • Home Security
- Talking Sign • Public Address System—Emergency Announcements

Specifications:

- Up to 16 Variable Length Messages
- 60 Seconds Recording/Playback Available as Shipped, User Expandable to 4 Minutes.
- Message Buffers Completely Soft Sektored
- Random Access Playback
- Selectable Continuous Loop on Record
- Manual or Computer Controlable
- 32KBPS Sampling Rate for Natural Sounding Audio
- Selectable Input Gain Levels, 0, 20, or 46. 2V PP Max
- Message Select: Up to 4 Lines Binary Code
- Signal to Noise Ratio 55 dB • Power Requirements 9-15 VDC @ 50 ma Peak
- Distortion Less Than 2% THD • Completely Wired and Tested. NOT a Kit.

1 Meg x 1 Drams \$9.95 ea.
30 Seconds Per DRAM

The DVR-60 is provided with full documentation. Four holes are provided on the PC board for mounting convenience. All input/output lines and component designations are clearly silk screened on the board.

OEM and Dealer Inquiries Welcome
Custom Design and Production Facilities Available

RADIOKIT • P.O. Box 973-C • Pelham, NH 03076
(603) 635-2235

CIRCLE 48 ON READER SERVICE CARD

BATTERIES "R" US...

You've bought our replacement batteries before...
NOW YOU CAN BUY DIRECT FROM US, THE MANUFACTURER!



ICOM

CM2, BP2 7.2v @ 500 MAH
CM5, BP5 10.8v @ 500 MAH

SUPER

7S 13.2v @ 1200 MAH \$63.95
8S 9.6v @ 1200 MAH \$59.95

(base charge only—1" longer)

ICOM CHARGERS AVAILABLE SOON

FOR ICOM: CONVERTIBLE BATTERY



8 Cells—Alkaline
or NICAD Holder
Complete with (8)
Alkaline Batteries
\$26.00

BP-7
13.2v @ 500MAH \$61.95
13.2v @ 600MAH \$64.95

BP-8
8.4v @ 800MAH \$61.95
8.4v @ 1000MAH \$64.95



JUNE SPECIAL LESS 10%

on all KENWOOD
replacement battery packs
KNB-1 PB-1 KNB-4
PB-6 (KNB-5)
PB-7 (KNB-6) PB-8 (KNB-7)

Look for July's
Special of the Month



CUSTOM MADE BATTERY PACK & INSERTS

Made to your specifications.

KENWOOD INSERTS

PB-21—\$13.75, PB-25—\$20.00
PB-28—\$20.00

ICOM INSERTS

BP-5—\$23.00, BP-3—\$17.45,
BP-7, BP-8

Prices subject to change without notice.



MasterCard and Visa
cards accepted. NYS
residents add 8 1/4%
sales tax. Add \$3.50
for postage and
handling.



SOURCE FOR ALL YOUR COMMUNICATION
BATTERY REPLACEMENT NEEDS.

W & W ASSOCIATES

29-11 Parsons Boulevard, Flushing, N.Y. 11354

WORLD WIDE DISTRIBUTORSHIPS AVAILABLE. PLEASE INQUIRE.

MADE IN
THE U.S.A.

SEND FOR FREE
CATALOG AND
PRICE LIST

In U.S. & Canada Call Toll Free (800) 221-0732 • IN NYS (718) 961-2103 • Telex: 51060 16795 • FAX: (718) 461-1978

CIRCLE 191 ON READER SERVICE CARD

73 Review

by W. Max Adams W5PFG and Donald F. Brooks W5ORW

Pipo Communications P-7 DTMF pad.

*A quick and easy analog-to-digital tone converter.*Pipo Communications
PO Box 2020
Pollock Pines, CA 95726
(916) 644-5444
Price Class: \$60

Dual tone multiple frequency (DTMF) signalling came to amateur radio from the world's most used device, the telephone. DTMF, in this application, uses eight "odd" voice band frequencies arranged in a row-column matrix. Operator selections, when a push switch is pressed, produces a composite two-tone or dual signal. "Odd" is used to describe the DTMF frequencies since they are not harmonically related frequencies.

Push switches are arranged in four rows of three (or four) columns, and assigned numeric digits one through zero and symbols, such as the * (star) and # (pound). The fourth column provides an additional four DTMF signals, labeled A, B, C, and D, which are used for special signalling applications. Although individual tone frequencies may vary in different countries, the keypad matrix arrangement, is an international standard. Precise (+/- 1.5%) transmit and (+/- 2.0%) receive frequencies do not easily produce distortion product (sum or difference) frequencies—distortion products can cause "false" signalling.

Contemporary amateur radio VHF and UHF equipment often includes a DTMF keypad, installed as part of the main unit or as an accessory on hand-held microphones. Homebrewing hams often add a DTMF keypad and design new devices to improve their older equipment or their operating capability. DTMF integrated circuits provide inexpensive "central office quality" DTMF tone transmit and receive features. Pipo Communications, Inc., manufactures ready-to-go DTMF assemblies, easily adapted to any HF, VHF, UHF, or SHF radio, or even to special signalling devices and test equipment. Major specifications for various Pipo PK-series keyboards are shown in Table 1. Use your Reader Service card to obtain complete specifications.

Don Brooks W5ORW, a local solder-burning home-brew expert, wanted mobile DTMF signalling from his old pick-up truck. He always keeps one eye on the other driver(s) and uses the other eye as necessary. I forwarded a Pipo Communications Model P-7 keypad to Don, which was provided by *73 Amateur Radio Magazine*.

Don writes: "A hand mike with DTMF was of little concern when I purchased my '7625' several years



Photo A. Close-up view of W5ORW's Pipo P-7 keypad. Note PTT push switch on top edge and cable connection on bottom edge.

ago, since our local repeater did not have an auto-patch. Later, however, the Anderson County and Palestine ARC installed a local area machine equipped with auto-patch, which started my search for some mobile DTMF. I finally adapted a Dallas Sidewalk Sale (flea market) telephone handset tone pad for use with the 7625's four-pin audio input connector. I wired the fourth pin for transceiver PTT and used the existing mike input, ground, and +9 VDC to power mobile DTMF from my truck. It sat on the dashboard telephone and fell off every time I turned a corner.

"When I received the Pipo Model P-7, my first idea was to attach it to the back of the hand mike, but nothing is as simple and easy as it first appears on paper. This required microphone wiring changes, making it a non-standard device, and an adaptor to flatten out the uneven back of the microphone.

"Mulling over the DTMF problem, I came upon a junk-box telephone wall mounting outlet box with a nice small connector and miniature four-conductor cable. 'AHA!' I thought.

Here is the solution! I will mount the P-7 on the wall box and use the old red telephone cable already connected to the 7625.

"I mounted a red button SPST momentary push switch on the top of the wall box, leaving the connector on the bottom. This way I could press the PTT switch with my big right thumb and play the keypad with my remaining push switch pushers." (Don was not lucky enough to get a Pipo dash K model with a PTT holding relay and adjustable interdigit dialing delay feature).

"I tested the assembly before it was installed. I connected an O-scope to the Pipo output and observed each DTMF signal and found very clean composite two-tone waveforms. I also could not see any difference in output signal levels. I adjusted the output signal level to equal that of the microphone as I bellowed a loud *Ahhhhhhhhhh* in front of it." (Output level is adjustable through a small hole in the bottom edge of the Pipo unit).

"I used double-stick plastic tape to fasten the assembly to the dashboard and I connected the output/power cable. I brought up our 'finicky' auto-patch on the first try!

"This project provides a safe, easy to use (while driving) adaptation add-on to my older model radio. The positive detent of the push switches makes operation easy while watching the road, especially in traffic or at night."

Three of Pipo's many fine features merit special mention. First, Pipo's data sheets are among the best that I have seen in 48 years of amateur radio. They include a complete description of the features, power connections, level setting directions, output circuit details, mounting, physical dimensions (with a drilling template included with each unit), and service/repair information.


Second, Pipo's P series DTMF keyboards operate with 8.5 to 16 VDC, and use only 0.1µA standby (idle) current and 20 mA maximum operating current when a push switch is pressed. Third, the unit's low output circuit impedance allows it to interface with most low and high input impedance transmitters or other equipment, with sufficient power to permit losses due to load circuit impedance or resistance.

I know anyone interested in obtaining a DTMF keypad will be more than satisfied with the offerings from Pipo Communications. **73**

Table 1. Some of Pipo Communications P Series DTMF tone generator specifications.

Keys	Steel
Contacts	Sealed gold dome, waterproof
Volt Operating Range	8.5-16 VDC
Temperature	
Operating Range	-22°-+160° F.
Output	+2dB at 600Ω (3V PP) at IC pin 16
External Keying	IC pins 2 & 10 serve as source driver (3-9 VDC at 1-3 mA)
DTMF Frequencies	Standard with -0.73 to + 0.74% error range
Dimensions	P-7V: 1.50"(W), 2.16"(V)
Features	Automatic number identification, 10 number memory dial

HIGH POWER RF SWITCHED PREAMPS



Model 146
\$179
Model 146OS
\$179
Model 440
\$189

Model 146 160W 2 Meters 19db Gain .75db Nf
Model 146OS 160W 2 Meters 19db Gain .75db Nf
Model 440 70cm 100W 16db Gain .75db Nf

All preamps have helical filters to prevent out of band intermodulation in the receiver. Model 146 covers the entire 2 meter band. Model 146OS is of very narrow bandwidth and would be suitable for SSB, Packet, or Satellite. Model 440 is factory tunable from 430-440 MHz or 440-450 MHz per customer request. All models are powered with 13 to 20 VDC and are mounted at the antenna.

AMPIRE, INC.
10240 NATHAN LANE
MAPLE GROVE, MINN 55369 612-425-7709

CIRCLE 37 ON READER SERVICE CARD

CABLE TV CONVERTERS

Why Pay A High Monthly Fee?
Save \$100's A Year

- All Jerrold, Oak, Hamlin, Zenith, Scientific Atlanta, and more.
- 60 Day Money Back Guarantee
- Shipment within 24 hours
- Visa/MC and C.O.D.

WE WILL BEAT ANYONE'S PRICE
No Illinois Orders Accepted

Electronic Engineering
P.O. Box 337, Barrington, IL 60011
FREE CATALOG
1-800-542-9425
INFORMATION
1-708-540-1106

CIRCLE 386 ON READER SERVICE CARD

SPECIALISTS IN FAST TURN P.C. BOARDS

PROTO TYPE P.C. BOARDS
AS LOW AS \$25.00

- SINGLE & DOUBLE SIDED
- PLATE THROUGH HOLES
- TEFLON AVAILABLE
- P.C. DESIGN SERVICES

FOR MORE INFORMATION _____

Midland Technologies

34374 EAST FRONTAGE ROAD
BOZEMAN, MT 59715 (406) 586-1190

CIRCLE 252 ON READER SERVICE CARD

Traxit
CENTRO DE VENTAS Y
SERVICIO AUTORIZADO
Sales Authorized Center
Yaesu
LIDER MUNDIAL EN RADIOCOMUNICACION
World leader in Radio Communication Equipment
HF VHF UHF
DISTRIBUIDORES AUTORIZADOS DE:
Authorized Distributors
Yaesu Astron Hustler Signals Larsen Connect Systems Cushcraft
INDUSTRIAL, COMMERCIAL, PRIVADO, RADIOAFICION
Private Ham Radio
GARANITA DE FABRICA!
Manufacturers Warranty

In Texas:
TRAXIT, INC.
707 West Pecon Blvd.
McAllen, Texas 78501
Tels: (512) 682-6559 682-1658
Fax: (512) 682-1658

In Mexico:
TRAXIT COMUNICACIONES
Av. del Bosque 6144-A
Col. Bugambillas, Puebla, Pue, Mexico
Tels: (22) 445193/459180 459201
Fax: (22) 445691

CIRCLE 49 ON READER SERVICE CARD

TWO METER SPECIAL

Motorola Micors: 45 watt, 8 Freq, 132-150 MHz, Drawer Unit Only, \$70 each; with all accessories. 4 or 2 F Scan Accessory Group; \$125 each.

GE Exec II: 138-155 MHz, 40 watt, Drawer Unit Only, \$70 each; with 2 F Scan Accessories, \$125 each.

GE Exec II: 42-50 MHz, 50 watt, Drawer Unit Only, \$65 each, with accessory group; \$125 each.

GE Century II: 1, 2, or 6 Freq, 25 watt, 138-155/148-174; \$90 each.

Standard HX-300 portables: 138-144 MHz; \$99 each.

CALL OR WRITE FOR CURRENT FLYER.
ALL SALES "CASH" OR "CERTIFIED FUNDS" SHIPPED BY UPS.

C.W. WOLFE COMMUNICATIONS, INC.

113 Central Avenue
Billings, Montana 59102

★ FAX ★ FAX ★ FAX ★
(406) 252-9617

★ TELEPHONE ★ TELEPHONE ★
(406) 252-9220

CIRCLE 20 ON READER SERVICE CARD

First Call Communications, Inc.



Now is the time to translate your
winter's dream into summer's reality.
We welcome questions and will guide
you every step of the way.

- US Towers at truly competitive pricing.
- 40 to 89 feet; arrays up to 30 sq. ft.
- Complete packages available

Send For Catalog

Toll Free: 1-800-HAM-TOWER

(1-800-426-8693)

35 Charlotte Dr.
Spring Valley, NY 10977



CIRCLE 26 ON READER SERVICE CARD

SUPER PERFORMANCE BATTERIES

UPDATED SUPER ICOM


SUPER ICOM BP-7S, 13.2 volts, 1200ma triple the capacity of the Icom BP-7. 5w output.

SUPER ICOM BP-8S, 9.6 volts, 1200ma, 50% more capacity than the Icom BP-8.

Both are rapid base charge only, or slide in wall charger, 4 inches high. BP-7S or BP-8S. \$65.00

SUPER KENWOOD

SUPER KENWOOD PB-25S/PB-26S, 8.4 volts, 900ma, double the capacity of the PB-25/PB-26 for the 2500/2600/3500/3600. Charge with either the standard wall charger or drop in charger. 3 inches high. \$65.00.



Exact replacement FNB-2 Nicad pack for Yaesu FT-404R/207R/208R/708R \$22.50

SPEAKER/MICS

Icom HM-9 \$35.00
Yaesu MH12A2B \$31.00

SUPER YAESU

SUPER YAESU FNB-4SH, 12 volts, 1000ma, double the capacity of the Yaesu FNB-4, 5 watt output. Rapid charge only. \$71.00

SUPER YAESU FNB-3S, 9.6 volts, 1200ma, triple the capacity of the Yaesu FNB-3, 3.5 watt output. Rapid or wall charge. \$65.00

Both are perfect for the 03, 09 and 727 series radios and are 4 inches high.

Inserts for:
Kenwood PB-25, 25H, 26 \$25.00
Icom BP-3 \$18.95
Icom BP-5 (500ma) \$24.95
Icom BP-7 (500ma) \$29.50
Icom BP-8 \$29.50

Full line for Yaesu 411/811/470, FNB-10/11/12/14 available.
Add \$4.00 shipping & handling for first pack. CT residents add 8% tax.

Complete line of NICAD packs for Icom, Kenwood, Yaesu, Tempo, Santec, Azden, Cordless Telephones, Alkaline, Nicad & Gell-Cells. All NICAD packs include 1 year guarantee. Commercial Radio Packs available. For all your battery needs, write or call today for a complete catalog. Dealer inquiries invited.

MADE BY HAMS FOR HAMS



PERIPHEx Inc.

149 Palmer Road • Southbury, CT 06488


(800) 634-8132 In CT (203) 264-3985 FAX: (203) 262-6943



CIRCLE 68 ON READER SERVICE CARD

GOES 1691 MHz RECEPTION

S-BAND CONVERTER FOR YOUR 137 MHz RECEIVER



Send 75c (3 stamps) for detailed specs on all VHF & UHF products. Shipping FOB Concord, MA

PRICES SUBJECT TO CHANGE WITHOUT PRIOR NOTICE



SPECTRUM INTERNATIONAL INC.

(508) 263-2145

P.O. Box 1084S, Concord, MA 01742, USA



CIRCLE 183 ON READER SERVICE CARD

SERVICE MONITOR MEASUREMENTS MODEL FM 110

- Covers all business channels from 30MHz to 512MHz
- Monitor: 2uV, frequency error display, scope deviation display
- Generator: Calibrated output up to 10mV, Sinad display
- Built-in Tone Generator
- Full Duplex Capability

AMAZINGLY LOW
PRICE OF ONLY

\$2450.00

FOB - BATESBURG, SC




WE ACCEPT VISA, MASTERCARD & AMERICAN EXPRESS

AIE CORPORATION — MEASUREMENTS DIVISION
PO BOX 70, BATESBURG, SOUTH CAROLINA 29006 (803)532-9256



CIRCLE 388 ON READER SERVICE CARD

Add New Enjoyment to Your SW Receiver with the MICRODEC™ Decoder




MICRODEC™ converts MORSE, RTTY, & ASCII to ALPHANUMERIC CHARACTERS

- ***Lightweight, rugged construction makes the MICRODEC the perfect accessory for your portable receiver. (Measures 5.08" x 5.24" x 1.5")
- ***Operates with 9 VDC adapter or any mobile power source from 9-15 VDC. Up to 8 hours operation on optional rechargeable NiCad batteries.
- ***With the RS-232 output to the serial port of your computer and using standard communication software the MICRODEC will display the decoded information on your terminal.
- ***The built in oscillator and your keyer makes the MICRODEC the perfect learning tool for morse code. The quality of your sending will be seen directly on the green 8 segment LED display. (Red or yellow also available.)

Comes standard with the RS-232, Key Oscillator and 9 VDC adapter.

Rechargeable battery \$29.95 Red or Yellow display \$15.

Discover What You've Been Missing!



ORDER—(407) 773-8097—NOW

Money Orders, Certified, and Personal Checks Accepted



SOMERSET ELECTRONICS, INC.

1290 HWY A1A, Satellite Beach, Florida 32937

EVERY ISSUE of 73 on microfiche!

The entire run of 73 from October, 1960 through last year is available.

You can have access to the treasures of 73 without several hundred pounds of bulky back issues. Our 24x microfiche have 98 pages each and will fit in a card file on your desk.

We offer a battery operated hand held viewer for \$75, and a desk model for \$220. Libraries have these readers.

The collection of over 600 microfiche, is available as an entire set, (no partial sets) for \$250 plus \$5 for shipping (USA). Annual updates available for \$10.

Your full satisfaction is guaranteed or your money back. Visa/MC accepted.

BUCKMASTER PUBLISHING

"Whitehall"

Route 3, Route 56
Mineral, Virginia 23117

703-894-5777

800-282-5628

CIRCLE 365 ON READER SERVICE CARD

COMPUTERIZE YOUR SHACK

Control up to eight digital radios simultaneously from your MS-DOS microcomputer! DataCom, Inc. offers a series of software/hardware packages that interface with many current synthesized rigs. These include:

ICOM 735, IC-761, IC-781, IC-R7000, IC-R71A
Yaesu 747, 757GX, 757GXII, 767, 9600
Kenwood TS-440, TS-940, TS-140, TS-680, 711, 811, R5000

Datacom couldn't be simpler to install. The user doesn't need to know anything about MS-DOS—the installation program does it all! After installation, the user sets the parameters with menus.

These packages allow complete control of these rigs from the keyboard, and more! Datacom adds:

- *Scan functions added to radios that don't allow this from the front panel.
- *Frequency and associated info memory limited only by disk storage.
- *Tabular screen display of all of the channels stored in memory, along with a full description of each, including:
 - mode (LSB, USB, FM, etc.)
 - eight character alphanumeric description
 - signal bandwidth
- *continuously variable scan delay from 100 milliseconds up
- *a full-featured logging utility

DATACOM IV now shipping—Many new features
AVAILABLE FOR IBM PC, XT, AT, 80386 256K RAM

PROGRAM WITH INITIAL LIBRARIES 129.95

RS-232 TO TTL INTERFACE ONLY (NEEDED IF DON'T HAVE MANUFACTURERS INTERFACE)

EXTERNAL INTERFACE ALLOWS 4 RADIOS 129.95

INTERNAL PC INTERFACE W/1 SERIAL & 1 RADIO PORT 129.95

SPECTRUM ANALYZER MODULE (CALL FOR PRICE)

COMPLETE SYSTEMS INCL. RADIO, INTERFACE, COMPUTER, AVAILABLE (CALL FOR PRICE)

DATACOM, INT.

BOX 5205

HOLLYWOOD, FL 33083

(800) 780-9505 FAX (305) 987-4026

CIRCLE 147 ON READER SERVICE CARD

The SFA on 15 meters

Does the job without drawing the neighbors' attention.

by David Younker KA8OGD

While driving to work one day, I listened to several apartment-dwelling hams bemoaning the lack of space for, and/or regulations against, antennas at their residence.

I listened for a time, then broke in to describe an antenna that I had used in similar circumstances: a shortened, loaded vertical dipole. I'd used it on 6 meter FM, but a variation of the design could easily be built for 15 or 10 meters.

Cut and Match

While a loaded vertical dipole combined with low power is not likely to get you DXCC overnight, it gives an easy and inconspicuous way for the condo-dweller to get on the air. And the way propagation's been going these days, you will likely make many fine DX contacts on it.

This antenna is shrunk to one-third the size of a normal dipole, and is narrowband at around 100 kHz between the 2:1 SWR points. You can cut and adjust it to the frequency you normally operate on, and use an antenna matcher where you normally don't.

I started out with a full-size wire dipole for 15 meters, simply to have a reference point

for the mutilations to come. Eleven feet, three inches brought the SWR down to 1:5 to 1 at my desired frequency of 21.1 MHz. I removed half of the dipole and replaced it with a PVC pipe 18" long x 3" in diameter. Other forms you have at hand—e.g., wood, a Plexiglas tube, a quart beer bottle, the neck from the junior op's guitar—would work fine.

Building the Coils

If you use the PVC pipe, wrap approximately 22 turns of heavy #16-12 wire, spaced $\frac{1}{4}$ " between turns. Attach the coil to the half dipole and test. Once you get the SWR down to an acceptable level, remove the coil and start on the other element.

I used a 3' length of $1\frac{1}{4}$ " aluminum tubing, an 18" length of 1" PVC pipe, and another 18" of aluminum tubing. Space the two pieces of tubing 6 inches apart on the PVC pipe, drill, and install a bolt long enough to go through the tubing, plus enough to spare for the nut and one turn of wire.

Wind turns of the same size wire on the upper coil that you used on the bottom coil. Test and adjust as necessary. You can use small size wire, but the heavier wire will

allow a greater frequency excursion before the SWR rises too much.

Wrap the assembled coils with electrician's tape to keep the turns from slipping. Attach the coil and element to a 4" x 6" piece of Plexiglas, attach coax, and bolt the assembly to a block of wood about 2" x 2". Now just stick it out the window, mount it vertically with the short coil towards the ground and load it up!

Operating Hints


If the outside of the building is metallic, the SWR will rise. Make adjustments on the lower coil. However, a metallic exterior also acts as a reflector and gives the antenna some directionality.

Conclusion

Cost was approximately \$3, most of which went for the 18" PVC pipe for the lower coil. The Plexiglas came from the junk box, as did the wire for the coils. This is definitely a quick and cheap way to get out on 15m.

What does SFA stand for? Short, Fat Antenna! 

David Younker KA8OGD may be reached at 8763 Royalton Rd., Amanda OH 43102.



15m SFA construction plan.

ASK KABOOM

The Tech Answer Man

Michael Geier KB1UM
PO Box 64766
S. Burlington VT 05406

Dead or Alive

Last month we explored the two basic types of DC power supplies, linear and switching. This month, let's look at what it takes to fix them.

Typically, power supply malfunctions come in two flavors. Either the supply's output is dead, or it is there but the voltage is incorrect. Often, it will be too high, and may contain significant ripple.

First, let's look at the case of a dead linear supply. There are several possible causes. A part simply may have gone, or a short in the circuit being powered by the supply (the "load") may have attempted to draw too much current. More often, the latter is the case. The first thing to check is the fuse. If it has blown, it's a dead giveaway that something has shorted. If you've got a few spares, try changing the fuse and turning the rig on. Most likely, the fuse will just blow again.

Never put in an overrated fuse. It won't fix anything. All you'll do is cause more damage, and perhaps even a fire! With a good fuse installed, disconnect the load and see if the output voltage comes back. Naturally, do your disconnecting with the power off and the line cord pulled from the wall. Remember: AC wall current is fatal and must never be treated lightly.

If the supply appears to be working with no load, then there is very likely a problem somewhere else, and the supply may be fine. It is possible, however, that the original problem has caused some damage to the supply, in which case attempts to draw the normal current will result in loss of voltage or regulation, or high ripple. If that's the case, the likely culprit is the "series pass" regulating transistor or IC through which all the current passes. In fact, any time you find a shorted load, it makes sense to check the pass transistor, as it will often be shorted or open as well. Don't just assume that because there is voltage, the supply is working properly.

Now might also be a good time to try to find the short in the load (the radio) and fix it, so that you can use it to test the supply. (Some regulators won't work properly without at least a small load.) If a resistance check from the load's DC power input line to ground shows zero ohms, you can be sure something has gone. In that case, look especially for shorted power-handling components such as output transistors. Another possibility is a large electrolytic capacitor placed across the DC input. Unless you can see burn marks or blown printed circuit board traces, you'll have to disconnect each suspected part and test it separately. The

test is easy, though. Just look for a dead short, zero ohms.

Getting back to the supply, if it is still not working, check that fuse again. If it's gone, you have a short somewhere in the supply. If not, then something, most likely the series pass transistor, is open. To find a short, pull the plug, discharge the filter capacitors (short them with a 10-ohm resistor followed by a direct lead to ground) and do resistance checks of the rectifiers, filter caps, and any other component going

can kill the whole supply. In any event, if the thing blows fuses, you'll have to start by doing unpowered resistance checks (don't forget to pull that plug and discharge the caps). Take a good look at the chopping transistor, where the raw DC power is turned into pulses capable of being passed through the transformer. These transistors do most of the work in switching supplies, and are frequent causes of short-circuit failure. When you find the bad part, check the parts around it, because it may have drawn heavy current through them and damaged them. Emitter resistors are especially vulnerable to this.

As I mentioned, switching supplies often have protection circuits built in. The idea is to prevent supply destruc-

Almost always, these parts will be specially marked with warnings on the schematic. Don't play games here. Use of the wrong parts can result in supply or radio damage, or even fire. If you need one of these components, order it from the manufacturer.

The Mysterious Mr. Switch

Switching power supplies are something of a mysterious art. The ideas seem straightforward, but actually getting the things to work reliably can be quite difficult. You may see odd-looking parts and circuits which seem to make no sense. There is great variation from design to design. And sometimes, inexplicable repeat failures occur. I remember one of the first consumer products to use a switching supply. It was a small color TV that came out around 1970. Most of them were great. Occasionally, though, one would blow its supply. No matter how many times it was fixed, it would keep doing it. You could replace every part in the circuit, and it would die again a month later. The only cure was complete replacement of the supply. No one, not even the manufacturer, ever figured it out. Fortunately, the art has significantly advanced since those days. Today's designs are remarkably reliable, as proven by the hundreds of thousands, perhaps millions, of switchers humming along year after year in desktop computers.

**"True switching
power supplies present a
different set of problems.
First of all, they can be
dangerous to work on."**

to ground. For an open, plug the supply in and do voltage checks, starting with the output of the bridge rectifiers and continuing on toward the supply's output. When the voltage disappears, you've found your problem.

Now That's a Switch

Linear supplies with switching regulators are a bit harder, but not that much. Follow the same procedures to find a short, and pay extra attention to the switching transistor used to chop the power.

For an open, check that you have voltage at the input (collector or emitter) of the switching transistor, where the raw DC power enters. If the transistor shows no activity, check its base for pulses coming from the regulator. If they're there, the transistor is probably bad. If they're not, the regulator IC is the likely culprit.

True switching power supplies present a different set of problems. First of all, they can be dangerous to work on. Significant parts of their circuits are connected directly to the AC line, rather than being transformer-isolated, as with a linear supply. If you have a 1:1 AC isolation transformer or a variac, use it. If not, be extremely careful to avoid contact with the circuit. Keep one hand in your pocket, wear shoes, and consider wearing rubber gloves.

A switching supply is much like a switching regulator, except that there's a transformer in the middle of the circuit and the whole thing looks more complicated. There may be protection circuits, and sometimes a failed one

tion or too much voltage at the output (which could harm the load) in the event of a part failure or a strong power line spike. A common form of protection circuit is the "crowbar," which places a short across an intermediate point in the supply, causing the fuse to blow. That's one of the many reasons you should never try using an overrated fuse; you could defeat the protection system and make matters much worse.

Sometimes these protection devices fail, and it looks like the supply itself has a short. Look for SCRs, transistors and diodes which feed back from the output of the supply. Some will go to the regulator IC. Those are probably not the ones you want. Others will go back near the chopping transistor, and this is what you are looking for. Check anything that goes to ground.

If the supply is dead but not blowing fuses, something is open, just as with a linear supply. In this case, though, a bad regulator IC, shorted, open or otherwise, can keep the chopping transistor turned off (and effectively open). If the transistor is good but there are no pulses at its base, then it's a good bet that the regulator IC is bad. In normal operation, the duty cycle of the pulses changes to accomplish regulation, but they should always be there.

A few words about parts replacement: some of the parts in these supplies have special properties and must be replaced with factory parts, not generic substitutes. Often, this is true of the chopping transistor and the disc capacitors surrounding it.

Now, let's look at a letter:

Dear Kaboom,

Is it possible to hook a FAX machine up to an HF or FM VHF rig? Seems to me it would be a great way to send written information back and forth. How about using a phone patch to connect it?


**Signed,
Just the fax, please**

Dear Just,

Sounds like a great idea! The normal telephone bandwidth is about the same as we use (less than 3 kHz), so it seems reasonable. There are other considerations, though. Phone lines have far less phase distortion and noise than HF, and they are also full duplex, or two-way. Modern FAX machines signal each other synchronously. That is, one beeps and the other answers before they commence communications. With some diddling, though, I don't see why it couldn't be done, at least on VHF. You may have to use a slow baud rate, but most faxes offer several speeds. Have any of you readers out there tried this? Let me know, and I'll pass the info along. Who knows, it may even lead to an interesting column.

By the way, I haven't been getting a great many appropriate letters lately. If you've got any questions relating to solid state gear and/or general troubleshooting, send 'em in. See you next month. **73**

1500 + WATT TRANSMATCH KIT



BASIC KIT T MATCH \$169.95
BASIC KIT SPC \$189.95

INDIVIDUAL ITEMS—
 rotary inductor 28μh \$59.00
 6:1 ball drives (Jackson Bros.) \$15.00
 0-100 turns counter (B&W) \$65.75
 turns counter, economy (Groth) \$22.50
 205 pf 4500 v dual sect \$79.00
 25-245 pf 6000 v \$44.00

OPTIONS—
 enclosure (pictured in Sept. 86 CQ) \$78.00
 4:1 balun kit \$22.50

OTHER KITS

VISA/MasterCard

G3RUH, PSK Packet Modem \$111.00
 G3RUH, OSCAR 13 Telemetry Demod \$144.95
 QRP 20, 5w, 20 meter Transceiver (HR 1/89) \$124.95
 QRP 15, 5w, 15 meter Transceiver \$129.95
 W1FB 160/80 Pre Amp (QST 8/88) \$22.95
 K9CW Memory Contest Keyer \$109.00
 Yaesu FRG-9600, .1 to 60 MHz Converter \$84.95
 20m CW, 15w Transceiver (H.R. 6/87) \$159.95
 50W 75M SSB SCVR \$179.95
 3 Band QRP 12, 15, 17M (QST 10/89) \$99.00
 Micro 20 Hi-Performance RCVR \$59.45
 RX Noise Bridge \$39.00
 Many Other Kits Available

Factory Wired
 Complete Ameritron/Ten-Tec Line CALL
 B&W PT-2500A Amp \$1,695.00
 B&W VS 1500A Tuner \$415.00

We now stock Rohm towers, dials, terminals, chassis, ceramic standoffs, hardware, toroids, amp components, B&W coil stock, etc.

Shipping Extra
RADIOKIT • P.O. Box 973-C Catalog \$1.00
Pelham, NH 03076 • (603) 635-2235

CIRCLE 48 ON READER SERVICE CARD

PC SSTV V2.0 \$149.95

Turn your IBM PC or compatible into a complete slow scan TV system. You don't need another computer to send and receive images in up to 64 shades of gray. Works with most popular graphics cards and printers.

Includes:

Demodulator Modulator 75 Page Manual
 Software Tutorial Cassette

Requires:

Ham transceiver PC with 640K Parallel Port
 Graphics Card Tape Recorder Serial port
Slow Scan Formats: 8,12,17,24,36,48,72 sec.



Software Systems Consulting
150 Avenida Cabrillo, Suite C
San Clemente, CA 92672
(714) 498-5784

CIRCLE 244 ON READER SERVICE CARD



ICOM



VHF COMMUNICATIONS

9:00 am - 5:30 pm
 weekdays

Weekends and evenings
 by appointment.

280 Tiffany Avenue
 Jamestown, New York 14701

Western New York's finest... amateur radio dealer!
 PH. (716) 664-6345
 (800) 752-8813 for orders only

Budget QSL Cards

\$38/1000 plus \$2.00 shipping

Thought you couldn't afford really good QSLs? These cards will change your mind! High Quality **RAISED PRINTED QSL CARDS** can be in your hands for only **4c EACH!** Beautiful Glossy Ink on Ivory, Blue, Gray or Yellow 67lb. Vellum Bristol. We print in blue ink in the format shown. If you don't want the state outline, we can remove it, and enlarge the callsign to balance out the card. **NO EXTRA CHARGE** for ARRL, QCWA, AMSAT logos or additional wording if we have the room. Order with confidence; these cards are the best value in Ham Radio today! Your satisfaction is guaranteed! Questions about our other cards or to discuss a custom QSL are handled on our Rag-Chew line (318) 443-7261. MasterCard or VISA orders only call TOLL FREE **1-800-256-2104**



Network QSL Cards
 P.O. Box 13200, Alexandria, LA 71315
 FAX: (318) 445-9940

CIRCLE 44 ON READER SERVICE CARD

*****PRESENTING***** **CABLE TV DESCRAMBLERS**

*****STARRING*****
JERROLD, HAMLIN, OAK
 AND OTHER FAMOUS MANUFACTURERS

- FINEST WARRANTY PROGRAM AVAILABLE
- LOWEST RETAIL/WHOLESALE PRICES IN U.S.
- ORDERS SHIPPED FROM STOCK WITHIN 24 HOURS

FOR FREE CATALOG ONLY **1-800-345-8927**
 FOR ALL INFORMATION **1-818-716-5914**

PACIFIC CABLE CO. INC.
 7325 1/2 RESEDA BLVD., DEPT. 1840
 RESEDA, CA 91335

CIRCLE 178 ON READER SERVICE CARD

Say you saw it in 73!

NEW ONLINE CALL DIRECTORY

Our new **HAMCALL** service gives you 494,114+ Hams, via your computer. \$29.95 per year — unlimited use!

BUCKMASTER PUBLISHING

Mineral, Virginia 23117
 703: 894-5777 800: 282-5628

CIRCLE 170 ON READER SERVICE CARD

MAXCOM

AUTOMATIC ANTENNA MATCHER

The ultimate advanced technology —
 when you need it most.

P.O. Box 502
 Ft. Lauderdale, FL 33302 Call Sonny
(305) 523-6369

THE BOTTOM LINE: "MAXCOM"WORKS™

CIRCLE 101 ON READER SERVICE CARD

HI-PERFORMANCE DIPOLES

Antennas that work! Custom assembled to your center freq. ea. band - advise ht. of center and each end - hang as inverted "V" - horizontal, vert dipole, sloping dipole - commercial quality - stainless hardware - legal power - no trap, high-efficiency design. Personal check, MO or C.O.D. (\$3)

MPD-5*	80-40-20-15-10M max-performance dipole 87' long	\$109ppd
MPD-2	80-40M max-performance dipole, 85' long 562	95-\$66 ppd
HPD-3*	160-80-40M hi-performance dipole 112' long	\$79 ppd
SSD-6*	160-80-40-20-15-10M space saver dipole 77' long	\$125 ppd
SSD-5*	80-40-20-15-10M space saver dipole-specify L. 42' \$105 32' \$108 ppd	
SSD-4*	80-40-20-15M space saver dipole-specify L. 45' \$93 60' \$ 98 ppd	

*9-bands with wide-matching-range tuner.

W9INN ANTENNAS
 MT. PROSPECT, IL 60056
708-394-3414 BOX 393

CIRCLE 38 ON READER SERVICE CARD

Aries-2 Amateur Radio Integrated Entry System



- > FOR IBM & COMPATIBLES - \$89.95 (+ Shipping)
 - > Logging / Terminal / RC / Contest program (simultaneously)
 - > Fully supports KAM, PK-232 and interfaces with other TUs
 - > Reads and controls Icom, Kenwood, Ten-Tec, Yaesu Xcvrs*
 - > Automatically inserts Freq. / Mode / Date / Time into Log
 - > Allows mouse / keyboard control of Xcvr and KAM / PK-232
 - > Search Log by any field including Remarks
 - > Log entries per file limited only by storage (Hard disk recm.)
 - > Scrollable QSO buffer > Selectable disk capture
 - > Sort and Print logs by Date, Prefix, Country > QSL labels
 - > Run other programs or DOS from within Aries-2
 - > User definable colors for all foreground / background
 - > Dupe checking, logging, Radio Control during digital QSOs
 - > Scan Radio based on Log search. Change freq, mode, VFO, TU mode, etc, with mouse or keypress. (MFG's interface required)*
- Note: Aries-1 available for \$64.95 + Shipping

MasterCard Submit Call Sign with order VISA

ash-ton
 PO Box 1067 - Vestal, NY 13851 - (607-748-9028)

CIRCLE 338 ON READER SERVICE CARD

MAIL ORDER CATALOG

MNH

MUSIC NEW HAMPSHIRE
mail order music service

HARD TO FIND CDS

IF YOU ARE LOOKING FOR "ADVENTURES IN MUSIC," WE ARE YOUR INDEPENDENT LABEL MUSIC SOURCE. HERE'S A PEEK AT SOME GREAT NEW ADDITIONS TO OUR CATALOG!

POP/ROCK



Marjorie-Jean: Losing My Mind
In an age dominated by new wave, rock, and country music, rediscover with Marjorie-Jean the sheer pleasure of a pure singing voice backed by inspired orchestral arrangements.
AAD 35m '89 CRM10001 \$15

George Thorogood and the Destroyers: Move It On Over
Traditional rock 'n' roll. As George says, "If it isn't fun, it ain't worth doing."
CD Review readers 8.6/7
AAD 41m '88 RND3024 \$15



NRBQ: Kick Me Hard
Eight extra tracks make this the deluxe edition of "everyone's favorite band."
AAD 60+m '89 RND3030 \$15


Texas Midgets: Man with the X-Ray Eyes
Though this group is from a tiny two-stoplight town, don't expect a rock 'n' roll version of Garrison Keillor. Imagine this twist in pop music history: Mick Jagger splits from the Stones in 1965 and is replaced by Tom Waits! Fourteen great songs.
ADD 48m '90 MRV1809 \$12



Jose Feliciano: Steppin' Out
Jose Feliciano's extraordinary talents as a singer, guitarist and composer have all come to fruition on *Steppin' Out*. Includes impassioned guitar riffs on "Carnival," the upbeat "Every Day," more.
ADD 39m '90 OPT3231 \$15

JAZZ

Scott Joplin's Ragtime
Pianist Scott Kirby lives and breathes Joplin. You'll be unable to keep from dancing to his fast rags and you'll feel like sobbing during some of his slow pieces. (Also available on cassette, \$10)
DDD 60m '89 GPA01 \$18




David Benoit: This Side Up
This jazz piano classic includes "Linus and Lucy" as heard on the recent *Happy Birthday, Charlie Brown* collection.
CD Review readers 8/8.2
DDD 43m '86 ENP001 \$21

Billy Mays/Ray Drummond: One to One
Bill Mays, piano, and Ray Drummond, bass, offer unique and brilliant interpretations of jazz standards and originals.
DD 54m '90 DMP473 \$18



Rick Fay's Hot Five: Live at Lone Pine
Popular in the central Florida area, this Dixieland jazz band plays clarinet, saxophones, brass, banjo, guitar, and vocals. "Ray's Teeny Weeny Blues," "Oh Katharina," 12 others.
DDD 58m '90 ARB19101 \$18



Bill Shields: Shieldstone II
Fasten your seat belts and hold on! Shields, with the help of guests Freddie Hubbard and Gordon Brisker, has created an electrical fusion of sound, with the drive of rock and the flavor of jazz.
ADD 39m '90 SSR072 \$15

CLASSICAL

LiveOak and Company: The Lost Spindle
Soprano Nancy Knowles, baritone Frank Wallace, and bass Steve Yakutis present a romantic comedy in song, with Spanish theatrical music from the courts of Ferdinand and Isabella. Don't underestimate LiveOak's dramatic ability: it rises right out of the disc!
DDD 66m '89 TTC178 \$15

The Kroumata Percussion Ensemble
This Swedish group plays contemporary works: John Cage, *Second Construction*; Henry Cowell, *Pulse*; Torbjorn Lundquist, *Sisu*; and Yoshihisa Taira, *Hierophonie V*.
CD Review readers 9.1/9.6
DDD 40m '87 BIS232 \$18



The Great Symphonies
Eight complete symphonies on five discs featuring Schubert's No. 8 "Unfinished," Beethoven's No. 5, Mozart's Nos. 40 and 38 "Prague," Brahms' No. 2, and more.
DDD 306m '89 MOS6082 \$30


George Frideric Handel: The Complete Water Music Chamber Soloists of Washington, Edward Carroll
... a worthy and distinguished entry into the Handel catalog...
CD Review, CDR 8/10 Aug. '87
DDD 50m '86 NEW60012 \$12



Doc Severinsen: Trumpet Spectacular
Erich Kunzel, Cincinnati Pops Orchestra
Tonight Show's Doc Severinsen plays a "greatest hits" program of light classical pieces.
DDD 65m '90 TLC80223 \$18

John O'Connor: Nocturnes of John Field (1782-1837)
Pianist O'Connor's remarkable lyric sense is showcased in 15 romantic "night-pieces."
CD Review 10/10 Apr. '90
DDD 66m '90 TLC80199 \$18


NEW AGE



Nightingale: Connection
Europe's Nightingale presents the follow-up to 1989's hit *Lightdance*. Nightingale consists of Karunesh, Kamal, Anugama, and Sangit Om.
DDD/ADD 56m '90 HOC7027 \$15

Ottmar Liebert: Nouveau Flamenco
With his Spanish gypsy guitar music, Ottmar Liebert creates acoustic poetry with elegance and passion.
ADD 51m '90 HOC7026 \$15

Emerald Web: Traces of Time
Previously released original compositions for flutes, synthesizers, and Lyricon, plus their internationally acclaimed version of Pachelbel's *Canon*.
ADD 56m '87 WTG1006 \$15



Don Harriss: Abacus Moon
Don Harriss combines pop beats, flowing piano lines, counterpoint, Philip Glass-style chords, and whistling Tomita-style timbres and keeps you interested, amazed, and amused.
CD Review 8/9 May '90
DDD 45m '89 SON80026 \$18




Paul Adams: Various Waves
Influenced by ethnomusicology, technology, and his own renowned instrumental designs, Adams creates a melodic blend of acoustic and electric music, connecting elements of the ethereal, folk, and jazz.
ADD 60m '89 LFP001 \$15

COUNTRY/FOLK

Elizabeth Cotten: Freight Train and Other North Carolina Folk Songs and Tunes
Elizabeth's first release on Folkways, this collection of blues, gospel, and traditional songs and tunes reveals a highly developed guitarist and composer.
AAD 34m '89 RND40009 \$15

The Rice Brothers
This album of acoustic bluegrass music marks the first recorded appearance together of all four Rice Brothers: guitarists Tony and Wyatt, mandolinist Larry, and Ron, who rounds out the ensemble with his solid upright bass.
AAD 36m '89 RND0256 \$15



Dan Berggren: Mountain Air
Eighteen original and traditional ballads, blues, and banjo tunes. "A real winner. Just the kind of music I like to feature."
—Mike Flynn, radio producer of *The Folk Sampler*.
ADD 55m '89 SGI8901 \$12


Allan "Mac" McHale and the Old Time Radio Gang: Old-Country Radio Songs
A beautiful collection of old-time country ballads, gospel tunes, and happy songs.
CD Review 10/10 Mar. '89
DDD 45m '88 FKE2062 \$15



Sing Out America!
An all-digital live recording from an '88 concert. Featuring Northeast Winds, Robbie O'Connell, Shaw Brothers, and White Mountain Singers.
CD Review 10/10 July '89
DDD 44m '88 FKE2063 \$15

The Limelights: Harmony!
Digitally recorded live in concert, this popular folk disc presents founding members Lou Gottlieb and Alex Hassilev, along with tenor Red Grammer and instrumental whiz John David.
DDD 64m '87 FKE2056 \$15

WORLD



Huayucaltia: Horizontes
With Andean pan-pipes and flutes, and various guitars, percussion, and winds, six musicians create socially aware "Nueva Cancion," jazz, folk, and contemporary styles that are distinctively their own.
AAD 43m '89 ROR26009 \$15

Ali Jihad Racy: Ancient Egypt
Tribute inspired by Tutankhamun's tomb. Composed and performed by Ali Jihad Racy, ethnomusicologist and master musician, featuring authentic instruments.
ADD 39m '89 LYC7347 \$18



Northeast Winds: Easy and Free
This is their fullest, richest sounding disc yet. Taylor Whiteside joins the group, bringing his fiddle, accordion, guitar, and pennywhistle.
AAD 58m '90 KRM880 \$15

Bagad de Lann-Bihoue
This military Breton pipe band presents pieces from different Breton regions, Scotland, Bulgaria, and even some jazz.
DDD 48m '89 KEL09 \$15



Dik Darnell: Following the Circle
Lakota Sioux trained medicine priest Dik Darnell performs a healing, mystical-musical ritual. Sounds range from a synthesizer to a turtle shell rattle three centuries old, wooden flutes, a ceremonial drum, chanting and nature sounds.
AAD 61m '89 ETH70012 \$15

YOU CAN ORDER ANY OF THESE FINE DISCS BY CALLING 1-800-CD GUILT, 9 am-8 pm EST (Mon.-Fri.) OR FAX 603-525-4423. INCLUDE CREDIT CARD NUMBER.

OR

JUST DROP THE YELLOW POSTCARD IN THE MAIL AND RECEIVE OUR 32 PAGE CATALOG FREE (\$1.95 VALUE).

RTTY LOOP

Amateur Radio Teletype

Marc I. Leavey, M.D., WA3AJR
6 Jenny Lane
Baltimore MD 21208

Is This Really What The PC Was Invented For?

We hams and RTTYophiles deal in digital communication. Never before, I should think, in the history of communications, has there been so great a push to get anyone with a computer on-line, as there is now by a certain consumer-oriented service—namely, Prodigy.

Plastered all over the place, in popular magazines, on the radio, and on television, are the ads for the Prodigy service, always with the tag line, "Finally, what the PC was invented for." Well, I tried the service, and I came away with a bit of an opinion in answer to the above.

First, the Good

Prodigy represents an easy, painless way for the average computer user to get on-line. Little is needed in the way of communications expertise. The Prodigy program is easily installed on a hard disk drive, or you can run it from floppies. It is not copy protected, so making a working backup is simple. The entire program is menu driven, with choices simply and directly available at every step.

There really are enough features and services available on-line to tempt even the most resistant potential user. News services, sports lines, stock tickers, weather forecasts, and other up-to-the minute information services are available, as well as special interest group forums. I won't try to list them here, since the roster keeps growing. Suffice it to say that the probability is high that you will find some of interest.

There is also the availability of interfacing with local merchants and banks, depending on where you live. Here in Baltimore, on-line banking and shopping services are available, albeit for a fee, with several institutions. For the individual who has difficulty traveling, this could be a lifesaver.

Prodigy is cheap. Really! For less than ten dollars a month, you get unlimited access to the system. Assuming you do not use on-line banking or shopping services, which may generate additional charges, this is about the lowest cost commercial service you will find.

Hard to Grasp

Although I liked much about Prodigy, there are certain facets of its construction that really bother me. To begin with, logging onto the system requires a password composed of a seemingly random group of letters and numbers. A typical one might be something like ASL112B. Why? Further, there is no way for the system to store the pass-

word and enter it automatically. While other on-line services, such as CompuServe and Delphi, require a password, my terminal program will store it and serve it up at the requested time. Not Prodigy, where I must type it in by hand every time. I fail to see why, in my home, on my computer, in my den, I am forced to act as though I were on a public terminal.

While there are all kinds of useful facts and figures you can punch up on the screen, for the most part, there is no way to save any of it. There is neither a facility to save any data to disk, nor one to print it out. Even a crude *PrtSc* attempt will fail. If you access material to help your child on her term paper, you are forced to grab a pencil and pad to write down the information.

Prodigy is slow! Even running at 2400 baud, the packet protocol makes the wait for each screen utter agony. Although the attempt is made at creative lines, graphics, and shadowing, the tradeoff for the overhead makes me glad I'm not paying per minute.

Prodigy tries to be pretty, but it just misses the mark. The screens on my EGA display lacked any snap or vibrancy, with the widely spaced display lines characteristic of a CGA display. The colors seemed to be low-intensity tones. This may be okay for CGA, but for EGA or VGA, blech!

Although Prodigy is an on-line service, it differs from other such services in the absence of facilities for uploading or downloading files and programs. There just aren't any. So, if you are looking for the latest in shareware for your PC, look elsewhere.

While Prodigy is marketed nationwide, I am sure that many of you have heard by now that it's not available nationwide. Local service is available only to major cities. Even here in Baltimore, not a small city by most standards, there is no Baltimore number; one must dial into a suburban county to gain access. With certain areas of the metropolitan area unable to dial into such areas without a toll charge, this does change the price of the service somewhat.

The Answer

As I said, the biggest thing Prodigy has going for it is the ease of use. Many, if not all, of the utilities and features offered on Prodigy are also available on larger systems. What Prodigy adds, however, is a relatively foolproof way to access that information. Further, it does its job at a very affordable out-of-pocket cost.

Things begin to cloud, though, with the introduction of such products as the CompuServe Information Manager. This "front end" program hides CompuServe's complicated syntax behind a windowing, menu driven environment. Yes, CompuServe is more

expensive than Prodigy, but you get what you pay for.

Other terminal programs, such as Procomm, Crosstalk, or my favorite, QModem, allow easy access to services, and the printing out or downloading of information. Why users of Prodigy should be denied such basic functions is beyond me.

Each screen in the Prodigy service is complemented by an advertisement featuring a product or service the user may be interested in. These ads doubtless generate revenue, but they detract from the speed of the system since they often include complex

*"... an easy,
painless way
for the average
computer user to
get on-line."*

graphics. Why not allow free access, using the Prodigy software with the ads present, but offer the option of accessing the system with a conventional terminal program and charging for time? If such access were to become available, free of graphics overhead, packet switching, and other constraints imposed by the system, it might attract "power users" to the service.

Why can't a routine be added to allow data to be saved? Either a print-screen or save-data-to-disk option would be nice. It sure would make it possible to use the database for something more than just to satisfy curiosity.

Any critique or review would be incomplete, I suppose, if it did not include at least a few ideas or suggestions for improving what the reviewer feels is wrong. The preceding comments are offered in that vein. If you have used Prodigy, I would be interested in hearing your viewpoint. I understand from some of my writing buddies that Prodigy has been reticent to grant interviews or answer some of these questions. Maybe this piece will generate some such information.

Chips Ahoy!

Several items have crossed my desk in the way of thoughts, ideas, or requests for simple projects that would be appealing to the RTTYophile. I am open to suggestions from the congregation. Any thoughts or concepts for one-night, interesting projects would be appreciated. Either a project itself or a question—"How about a device to..."—is fine.

As always, comments or questions may be addressed to me via postal service (still a bargain at only two bits) at the above address, or via CompuServe (ppn 75036,2501) or Delphi (username MARCWA3AJR). And, by the way, if I haven't said it lately, thanks to all of you for making "RTTY Loop" one of '73's top features! **73**



(508) 474-8949 24 Hour FAX

PO Box 4215 BV Andover MA 01810

(508) 475-7831 9-5 EST M-F


THE BIG SIGNAL™

Amateur Antenna Kit

40/80 Meter Antenna Kit

For "Perfect Dipole" SWR

Quick Installation—Nothing Else to Buy



A complete kit includes:

- W2AU 1:1 Balun (all stainless steel Hardware)
- W2VS KW-40 Traps (pair)
- End-sulators™ (pair)
- #14-7 Copper Wire (125')
- Installation & Pruning Instructions

Get "perfect dipole" (low SWR) operation on both bands, plus "second resonance" operation on 10, 15 and 20 meters. Complete instructions results in a quick, accurate installation and pruning to low operating SWR.

Every component in the 40/80 meter kit is an old line, reliable UNADILLA product, time tested with hams for over 20 years.

Contact Your Local Ham Dealer Today!!!

To order direct call (508) 475-7831 or write
for our informational brochure on our other fine products
Baluns • Antenna Kits • Filters • Center Insulators • ENDsulators™ • Coaxial Relays
All products come with a 30 Day Warranty

-NOTICE-

We are the **NEW** manufacturers of the original
JAMES MILLEN™ Products
(508) 975-2711 9am-5pm EST M-F

NEW PRODUCTS

Compiled by Hope Currier



PRODUCTS OF THE MONTH CONNECT SYSTEMS INC.

The new Model CS-700 from Connect Systems, Inc. is a Simplex Base Station Interconnect that provides user-selectable VOX Enhanced Sampling (sampling rate reduced while land party is speaking) or VOX Controlled Sampling (no sampling while land party is speaking). The latter mode is similar to using a straight VOX patch. This is the first low cost interconnect to include features such as autodialing, re-dial, fully regenerated DTMF (or pulse) dialing, automatic busy/dialtone disconnect and user-programmable CW ID. The suggested retail price is \$360.

A second new product from Connect Systems, the Model 8200 Full-Duplex Interconnect and Repeater Controller, can be user-programmed into four selectable operating modes: Full-Duplex Patch, Semi-Duplex Patch, Semi-Duplex Privacy Mode, and Repeater Controller with Duplex Patch (perfect for club systems). A built-in keyboard and digital display give the user complete control of all features and operating modes. A partial list of new features includes: 90 phone number auto-dialer, last number re-dial, remote hook-flash, keyboard programmable CW ID, powerful toll protection, 1-6 digit access code, 1-6 digit secret toll override code, telephone remote base, remote-controlled relay, regenerated tone/pulse dialing and user-selectable courtesy beep. Options include a plug-in CTCSS board that converts all modes to CTCSS operation (32 selectable tones) and ANI software that allows the local or remote programming of up to 50 separate 1-6 digit autopatch access codes. The Model 8200 retails for \$550.

For more information on both of these products contact *Connect Systems Inc.*, 2064 Eastman Ave. #113, Ventura CA 93003. (805) 642-7184. Or circle Reader Service No. 201.

BAYLIN PUBLICATIONS

World Satellite TV and Scrambling Methods—The Technician's Handbook by Frank Baylin, Richard Maddox and John McCormac is a text for technicians, satellite professionals and curious do-it-yourselfers. The authors have explored all components of home satellite systems from the perspective of a technician who wants to understand their design, operation and repair. Circuit and block diagrams of most compo-

nents are presented and clearly explained throughout the handbook.

Nearly one third of this book is devoted to an in-depth study of broadcast formats including NTSC, PAL, SECAM and MAC, digital audio and techniques, as well as basic scrambling and encryption methods. The book also includes a discussion of current American and European current TV technologies and chapters on

File Edit Options Keyer

QSO# 91
254 Points
20 CW

Call NR8Q/B

Exch. Part 1

Exch. Part 2

1	CQTEST_	6	BK_
2	WA8SUR_	7	SRI DUPE_
3	K_	8	TU_
4	*_	9	DE WA8SUR_
5	1A MN_	0	TU WA8SUR TEST_

Contest so far: ██████████ 253 Points/Hour
Last Hour: ██████████ 250 Points/Hour
Last Half Hour: ██████████ 232 Points/Hour
Last 15 Min: ██████████ 240 Points/Hour

5:24 GMT
0:24 Local

QSY Log

SYSTEM ONE CONTROL, INC.

System One Control announces the release of **FDlog!** version 1.5, contest logging software for the Macintosh. The original program offers online logging and fast dupe checking functions plus statistical bar graphs and a CW memory keyer. Version 1.5 adds a full-featured digitized voice memory keyer capable of speaking the other station's call and serial number in the operator's own voice. Log and dupe sheets can be printed after the contest, and

their information may be put on diskettes for use by word processor, spreadsheet or database programs for the regular station log. You need a Macintosh 512KE or newer, and System 6.02 or newer.

The FDlog version 1.5 is priced at \$50 plus \$2.00 for shipping from *System One Control, Inc.*, 3900 85th Ave. N., Suite 200, Brooklyn Park MN 55443. (612) 424-2772. Or circle Reader Service No. 203.


OPTOELECTRONICS

The new Model 2210-A Personal Frequency Finder/Counter is a



test instrument that will fit in a toolbox or in the palm of your hand. It measures 4" x 3.5" x 1" (14 cubic inches) and weighs only 9 ounces. Despite its small size, the Model 2210-A specifies an operating range from 10 Hz to 2.4 GHz and is useful to 2.8 GHz. It detects and displays two overlapping frequency ranges: 10 Hz-12 MHz and 10 MHz-2.4 GHz, with resolution of 1 Hz and 100 Hz respectively. The accuracy is ± 1 PPM.

The Model 2210-A is priced at \$220. Contact *Optoelectronics*, 5821 N.E. 14th Ave., Fort Lauderdale FL 33334. (800) 327-5912; (305) 771-2050. Or circle Reader Service No. 204.



A & A ENGINEERING

The Signal Sentry from A & A Engineering is a microprocessor-controlled DTMF decoder with program and store capabilities. It can be user-programmed to store and remember the caller's ID number and eight distinct notification numbers. It is small enough to fit into most radios, including some HTs. The Signal Sentry needs 6 to 16 VDC and uses only 12 μ A when in the sleep mode and just 12mA when a call notification is in progress. This unit can also be used as a radio remote con-

troubleshooting and setting up a test bench.

This book is available for \$40 plus \$2 S & H from *Baylin Publications*, 1905 Mariposa, Boulder CO 80302. (303) 449-4551. Or circle Reader Service No. 206.

LINK COMM

NEW PRODUCT RLC-6

FEATURES:

- 3 HUB OR CHAIN LINKS
 - LINK CW/VOICE ID'ING #
 - S-COM 5K/6K CONNECTION
 - CONNECTS TO MOST ALL REPEATER CONTROLLERS
 - REQUIRES ONLY 3 LOGIC LINES FOR CONTROL
- MC ONLY \$149.95 VISA**

LED DISPLAY BOARD \$19.95
S-COM CABLE \$ 9.95

+CONTROLLER SPECIFIC

LINK COMM
306 SO 20TH
BOZEMAN MT 59715 (406) 587-4085

CIRCLE 47 ON READER SERVICE CARD

QSL'S! • QSL'S!

Gus needs HELP (very bad health). Please send your QSL or other printing needs to: W4BPD's XYL Peggy & Gus' Jr. The Printer w/25 yrs. experience. He is a professional printer. Our prices are "RIGHT," please try us for high quality work & at good prices & fast service. 50¢ envelope of samples or \$1.00 envelope of samples.

Thank you all, de—Peggy & Gus, Jr.

THE GUS BROWNING'S
P.O. BOX 70, CORDOVA SC 29030

CIRCLE 58 ON READER SERVICE CARD

Where's the Beam?

There's a 20 meter DX HalfSquare slung between this tree and the peak of the roof. Ten and 15 meter HalfSquares hang under the eaves of the house. The neighbors haven't noticed. But the DX hears me anyway. That's nice. My HalfSquares are heard, not seen. They work DX without a tower, without an amplifier, and without telling the neighbors. When you order add \$5 P&H.

10 M 15 M 20 M 40 M
\$39.95 \$44.95 \$49.95 \$69.95
Antennas West Order Hot Line
Box 50062, Provo, UT 84605 800-926-7373
Build your own from scratch with TechNote #122A \$5.95 ppd USA.

CIRCLE 5 ON READER SERVICE CARD

PC SWL \$99.00

A Complete Digital Reception System

PC SWL contains the hardware, software, instructions and frequency lists needed to allow you to receive a vast variety of digital broadcasts transmitted over shortwave radio with any IBM PC or Compatible computer. The product consists of:

- Demodulator
- Digital Signal Processing Software
- 80 Page Tutorial Reference Manual
- World Press Frequency List
- Tutorial Audio Cassette with Samples


PC SWL automatically decodes Morse code, Radio Teletype, FEC (forward Error Correcting Code), SELCAL (Selective calling transmissions), and NAVTEX.

ADVANCED FEATURES:

- Tuning Oscilloscope
- Digital Waveform Presentation
- Auto Calibration and Code Recognition
- Continuously Tunable Filter Frequencies
- Variable Shift
- Adjustable CW Filter Sensitivity
- Farnsworth Code Compatibility
- Unattended Capture and Printing

Software Systems Consulting
150 Avenida Cabrillo "C"
San Clemente, CA 92672
(714) 498-5784

CIRCLE 250 ON READER SERVICE CARD



IF YOU BUY, SELL
OR COLLECT OLD RADIOS, YOU NEED...

ANTIQUE RADIO CLASSIFIED

FREE SAMPLE COPY!

Antique Radio's Largest Monthly Magazine
Articles - Classifieds - Ads for Parts & Services.
Also: Early TV, Ham Equip., Books, Telegraph,
Art Deco, 40's & 50's Radios & more...
Free 20-word ad each month. Don't miss out!
6-Month: \$11. 1-Year: \$20 (\$30 by 1st Class)
A.R.C., P.O. Box 802-E5, Carlisle, MA 01741

CIRCLE 271 ON READER SERVICE CARD

THE NEXT GENERATION OF 10 METER TRANCEIVERS IS HERE!


Features—10 Memories—Cap/Mars Coverage
(Upon proof of authorization)

Selectable TX Power—PA Function—Programmable
Repeater Offset and an Honest to Goodness CW Keying Jack
M.S.R. Price \$449.00 AXM Introductory Price \$279.95 CASH

ASK FOR IT BY NAME—THE RCI-2950 BY



RANGER
Communications, Inc.



AXM Incorporated
Serving the radio amateur who needs more
than an amateur radio.

11791 Loara Street, Suite B
Garden Grove, California 92640
Tel: (714) 638-8807 FAX: (714) 638-9556



CIRCLE 243 ON READER SERVICE CARD

"Become Enlightened, Not Lightning'd!"



Flash! The RC-96 Repeater Controller two year warranty now includes lightning coverage.

The '96 is tough. A three-terminal gas discharge tube across the phone line and transient suppressors on each input and output signal stop lightning from taking your system down. The '96 is so well protected that its proven performance in the field allows us to offer two year warranty coverage which includes damage caused by lightning!

You'll hear thunderous applause when you install a '96 controller on your repeater. Remote programming will let you easily make changes to your repeater from anywhere without a trip to the hill. Change codes, autodial numbers, ID and tail messages and more, with reliable storage in E²PROM memory.

Your users will be thunderstruck by the outstanding patch and auto-dialer, with room for 200 phone numbers. The talking S-meter will let them check their signal strength into the repeater. Remote base support for up to six bands allows linking your repeater to others. Plus support for pocket pagers and a bulletin board.

Your technical crew will light up when they see the built-in keypad and indicators. And the ease of hookup with shielded DIN cables. With pots and DIP switches easily accessible at the rear of the unit.

Rugged, capable, easy to hook up. The RC-96 Repeater Controller - an enlightening experience for your repeater.

acc advanced
computer
controls, inc.

2356 Walsh Avenue, Santa Clara, CA 95051 (408) 727-3330

CIRCLE 1 ON READER SERVICE CARD


Continued from p. 62

troller. It provides serial output of all 16 DTMF tones for computer use.

The Signal Sentry is priced at \$90 for the assembled and tested unit (#173-ASY) and \$70 for the kit version (#173-KIT), plus

\$3.50 S & H per order. Each unit comes with an 18-page instruction manual. Contact *A & A Engineering, 2521 W. LaPalma, Unit K, Anaheim CA 92801. (714) 952-2114. Or circle Reader Service No. 202.*

CUSHCRAFT CORP.



The CS28M mount antenna is an ideal companion for a 10 meter mobile transceiver. It is a new adaptation of the Cushcraft/Signals mobile antennas recognized by professional users around the world for their rugged looks and dependability. The antenna comes with a

49" stainless steel whip and spring, a standard 3/4" (brass base) 90 pound pull, chrome-plated magnet, Mylar™ pad and 15 feet of quality RG58AU with PL259 connector.

The suggested retail price is \$60. Contact *Cushcraft Corporation, P.O. Box 4680, 48 Perimeter Road, Manchester NH 03108. (603) 627-7877. Or circle Reader Service No. 209.*

J.I.M. Professional Series



The J.I.M. M100 low-noise wide-band GaAsFET preamplifier covers the frequency range from 24 MHz to 2150 MHz. To ensure best possible performance, three switchable band-pass filters are included. With full built-in RF switching, this preamplifier is suitable for both receive and transmit applications. It has BNC connectors that let you connect simply to your favorite transceivers, scanning receivers, handhelds, etc., and to the existing antenna on top of the unit. The M100 will also be of interest to the technician because it can be used with oscilloscopes, spectrum analyzers and similar test equipment.

The suggested retail price is US\$114. Contact *NEVADA, 189 London Road, North End, Portsmouth, Hampshire P02 9AE, U.K.; FAX: (0705) 690626.*

AEA

The new AEA HF IsoLoop™ antenna's compact design makes it an ideal attic or balcony antenna. It is square and measures three feet per side. The small size makes it ideal for portable operation. Its balanced feed system prevents feedline radiation, reducing the potential for interference.


The IsoLoop tunes continuously from 14 to 30 MHz and is rated to 150 watts. Typical SWR is 1.5:1 or less over the entire frequency range, depending on the immediate environment. The antenna is tuned remotely and the control box is supplied with the antenna.

The suggested retail price for the IsoLoop is \$380. For more information contact *AEA, 2006-196th St. SW, P.O. Box 2160, Lynnwood WA 98036. (206) 775-7373. Or circle Reader Service No. 205.*



K-COM

K-COM has introduced a new line of filters designed to fight telephone interference from amateur radio transmitters and amplifiers. The inline devices provide deep RF attenuation within the 3-30 MHz range. Model RF-1 uses mod-



MFJ

The new MFJ-1112 Multiple DC Power Outlet saves you space and money by giving you six pairs of heavy-duty binding posts for connecting your accessories. It connects directly to your 12 VDC power supply. RF bypassing keeps RF out of the power supply

from the DC line outlet. The cabinet measures 13 1/2" x 2 3/4" x 2 1/2". You also get MFJ's one-year guarantee.


The price is \$25. Contact *MFJ, P.O. Box 494, Mississippi State MS 39762. (601) 323-5869, (800) 647-1800. Or circle Reader Service No. 208.*

ELECTRON PROCESSING, INC.

The Scanner Stick from Electron Processing, Inc. is a low cost, quality antenna designed to provide scanner owners with excellent reception in an antenna that won't come apart the first windy day. The Scanner Stick receives all popular scanner frequencies between 30 and 1000 MHz. It is encased in a continuous PVC tube. It is only 35" long and comes completely assembled with mounting clamps for masts up to 2" in diameter. A female UHF socket (mate to PL259) is provided for connection to your antenna feedline.

The Static Bleed, also from Electron Processing, Inc., is designed to shunt to ground the high voltages that can develop on wire antennas, causing arcing, poor reception, and/or equipment damage. It works on antenna systems from 0.1 MHz to 30 MHz. Simply connect the antenna cable and ground wire. No power source is necessary for operation.

The Scanner Stick and the Static Bleed are priced at \$30 each, with quantity discounts available. Contact *Electron Processing, Inc., P.O. Box 68, Cedar MI 49621. (616) 228-7020. Or circle Reader Service No. 207.*




ular connectors for fast and simple attachment to telephones and modular jacks. Model RF-2 allows the user option of filter installation at any point within telephone wiring, including protector housings, service entrance and inside jacks.

The RF-1 is priced at \$12, the

RF-2 at \$7. S & H is \$1. Contact *K-COM, P.O. Box 82, Randolph OH 44265.*

Or circle Reader Service No. 211.





BEST SIMPLEX PATCH AVAILABLE

FEATURES:

- Automatic Set-up
- User Programmable CW-ID
- Phone Line In Use Inhibit
- Call Waiting
- Hook-Flash
- Turn-A-Round Beeps
- Automatic Busy Disconnect
- Single or Multi Digit Codes
- Toll Restrict
- Toll Restrict Defeat Code
- Tone or Pulse Dialing
- Ring-Out (Reverse Patch)
- Half Duplex Mode

The VCS-2100, uses a combination of VOX control from telephone line audio, and sampling of receiver noise, to achieve the optimum control method for a simplex interconnect. No sampling interruptions occur during normal conversation. Turn-a-round beeps make operation very smooth and easy.


The VCS-2100 also features the ISI exclusive, Automatic Setup. This feature eliminates the trial and error method of sample window setup. Our Quick Start Set-up procedure gets the VCS-2100 up and running, without complicated programming.



Phone (407) 332-0533 • Toll Free 800-633-3750
1215 N. CR 427 • Suite 105 • Longwood, Florida 32750
FAX NO. (407) 332-4912

CIRCLE 100 ON READER SERVICE CARD

The HF5B "Butterfly"TM
A Compact 2 Element Beam
for 20-15-12-10 Meters
Operate As A Di-Pole on 17 Meters



- Unique design reduces size but not performance.
- No lossy traps; full element radiates on all bands.
- Turns with TV rotor
- 19 lbs.

HF ANTENNAS FROM BUTTERNUT

Butternut Verticals

Butternut's HF verticals use highest-Q tuning circuits (not lossy traps!) to outperform all multiband designs of comparable size!

Model HF6V

- 80, 40, 30, 20, 15 and 10 meters automatic bandswitching.
- Add-on kit for 17 and 12 meters available now.
- 26 ft. tall

Model HF2V

- Designed for the low-band DXer
- Automatic bandswitching on 80 and 40 meters
- Add-on units for 160 and 30 or 20 meters
- 32 feet tall - may be top loaded for additional bandwidth.

For more information see your dealer or write for a free brochure



BUTTERNUT ELECTRONICS CO.
405 East Market, Lockhart, TX 78644

New AOR Scanner

1000 Channels.
8-600MHz,
805-1300
MHz



AR1000

Total Price, Freight Prepaid
(Express Shipping Optional)

\$499

- Continuous coverage (except UHF TV 600-805)
- AM, FM and wide band FM tuning modes.
- 10 Scan Banks, 10 Search Banks.
- Selectable Priority Channel.
- Selectable Search Increments, 5-955KHz.
- Permanent memory backup.
- 25 Day Satisfaction Guarantee. Full refund if not Satisfied.
- No Frequencies cut out.
- All normal accessories included.
- Size: 6 7/8"H x 1 3/4"D x 2 1/2"W
Wt. 12 oz.



10701 E. 106th St. Indpls., IN 46256
Toll Free 800-445-7717



Visa and Mastercard
(COD slightly higher)



CIRCLE 355 ON READER SERVICE CARD

Memories

Dr. Hess takes a look backward for the seventh time.

by Dr. William C. Hess W6CK



[The subtitle of this article refers to the fact that Dr. Hess has authored six previous articles for 73, all with a nostalgic theme and a special emphasis on the fantastic and flamboyant early-day operation of radio station KGCX. The efforts of the owner of that station to deceive the United States Government regarding the operation of KGCX, which even included the staging of "masquerades" constitutes hilarious and interesting reading, apparently greatly enjoyed by our readers, judging by their responses in our "Letters to the Editor" section, and the fact that they wrote from all over the world and awarded a \$100 First Prize for the best article in the June, 1979 issue, to Dr. Hess.—Ed.]

In 1943, I was still employed by the Great Northern Railway as a station agent and telegrapher in North Dakota, earning the princely sum of sixty-six cents for every hour worked. "Worked" may be a poor choice of words, since only 30 minutes per day was all that was required to do the work at a small station.

I was already a college graduate and had plans to enter some profession in which my labor would be more handsomely rewarded, if I resumed my education and attended graduate school for an additional four years.

All railroads were suffering a terrific shortage of telegraphers and station agents. Most of the agents were drafted into the armed services. The situation became so acute that any man who, as a Boy Scout, had learned the International Morse code, was considered a candidate for employment as a telegrapher. Unfortunately, in that type of code, eleven letters of the alphabet were represented by a different combination of dots and dashes. The American Morse code was used by the railroads ever since the invention of telegraphy in 1844. Apparently, these men who had been slightly trained in the Boy Scout code, were

expected to decipher the eleven different letters of the American code by some mysterious process, such as clairvoyance.

One summer, a man visited his uncle, who was a railroad station agent. His uncle made no claim whatsoever to having been trained in any code known to man, and vigorously denied knowing anything about a station agent's duties. He was nevertheless hired as a station agent because he had been *exposed* to a railroad for three months, and like a pair of spectacles with both lenses missing, was still better than nothing at all.

When a very elderly man named Willheimer, who actually had once been a Western Union telegrapher, showed up at the Minot, North Dakota headquarters of the Great Northern, officials there looked heavenward and gave thanks to the Supreme Being. Mr. Willheimer was given a sketchy examination and dispatched on the first available train to Pillsbury, North Dakota. This station had lacked an agent to supervise it for the past month, since all the unassigned agents and telegraphers had gone to war.

Mr. Willheimer quickly proceeded to establish one of the most consistent records ever compiled by a railroad agent. Everything he did was absolutely, incredibly wrong. In addition, his record is also unique in another respect: He was the only Great Northern Railroad agent ever to establish a cafeteria in a depot. All depots of that railroad were built with a wooden molding about 3 inches wide which projected from the inside walls. If one desired to set a standard size can of vegetables, fruit, etc., on this molding, it was just the right width for that purpose. Mr. Willheimer so desired, and after he had resided in the depot for a couple of months, where he slept and prepared his own meals, the molding in its entire length of the office was completely loaded with partially opened cans of vegetables and fruit.

Clever Mr. Willheimer did not completely cut the top of each can out with his can opener, but instead left about an inch of metal intact on each can cover to serve as a "hinge." The can cover could be raised to the necessary level to seal the can again. The moldings were about four feet above the floor. So, when it was time for breakfast, lunch, or dinner, all the old gent had to do was to grab a teaspoon and walk down the cafeteria line. He would sample a couple of spoons of pork and beans, a portion of sliced beets a little further on, ad infinitum until he reached the dessert section at the end of the line. There he could enjoy some Queen Anne cherries or perhaps some crushed pineapple topped with a Maraschino cherry to complete his meal.

He never had any dishes to wash; all he had to do was take a small piece of the toilet tissue, provided by the railroad and "dry clean" the spoon he had used.

No housewife in history has ever simplified the process of easily preparing meals to the degree that Mr. Willheimer did. Nor has any housewife ever been able to offer the tremendous variety of foods at any one meal, such as was available at the Willheimer Cafeteria.

From afar, I can hear some reader say, "That idea wouldn't work. The food in the cans would spoil in a day or two."

No, it would **not**. Not in the cold climate of North Dakota, unless it was July and August and perhaps late June and early September. Mr. Willheimer's cafeteria operated during the cold months of October, November, December, and January 1944, when it suddenly ceased operations, for reasons which will be explained shortly. A Mr. Kneisel (of whom more mention will be made later) once performed an experiment in the depot at Palermo, North Dakota, where he was the station agent. That depot was one of many which stood on pilings (conveniently

made from telegrapher poles) about six feet or more high, so that the station platform would be on the same level as the railroad track. If the outdoor temperature on a winter day was thirty degrees below zero, the wind chill factor, caused by the ever-present northwest wind blowing under the depot floor, decreased it to about seventy degrees below zero.

Kneisel fired up the lignite coal stove in "his" depot until the stove pipe glowed cherry red. He then placed a tomato can full of water in the corner of the waiting room furthest from the stove. It wasn't long before a layer of ice appeared on the top of the can, and later the water froze into a solid block of ice.

Seated in the telegrapher's chair, with the chair in just the right spot, a person could look up through a hole in the ceiling of the depot and see the stars in the Dakota sky.

So, it is readily apparent that Willheimer's canned fruits and vegetables were along the cold walls of the Pillsbury depot. During the fall and winter, the food was in more danger of freezing than it was of spoiling. Elevated from the ice cold floor, the temperature of the food probably remained at around forty degrees, an ideal temperature for food storage.

Finally, Mr. Willheimer's misdeeds in the performance of his duties reached a level which the railroad could no longer tolerate. Yes, they were still desperately in need of station agents. But they weren't *that* desperate, so they gave Mr. Willheimer a considerably less than Honorable Discharge and told him, "Please, please don't ever apply for employment anywhere on the Great Northern again."

Thus, Mr. Willheimer's shaky voice vanished from the Dispatcher's telephone, and his equally shaky sending on the telegraph circuits, was heard no more.

By the very strangest of coincidences, almost at the same time that the Great Northern said farewell to Mr. Willheimer, a Traveling Auditor (of which there were about ten on the G.N. system) retired. The man appointed to take his place was named Wiltheimer.

A Traveling Auditor's position is above the status and salary of a station agent. It includes a lovely expense account to cover the costs of constant traveling, hotel rooms, meals, etc. The accounts of every station in the whole railroad system needed to be checked by the auditor.

The amazing similarity between the names Willheimer and Wiltheimer presented just too great an opportunity for me not to have some fun with this situation.

In addition to each station having a couple of telegraph circuits, the stations on the main lines had a telephone system known as the "message phone." These telephone lines were owned 100% by the railroad and had nothing whatsoever to do with the Bell System or General Telephone. On these telephone lines, one listened through a leather-covered spring steel headband with a single

headphone attached. To speak, one tromped on a foot switch that was conveniently located beneath the telegraph table. When this line was not being used for official business, it could (like a farmer's telephone line) be used by any number of station agents for "caboose track talk" (discussion of current events on the railroad).

One afternoon, a group of four agents, including myself, were "gossiping" on the line. During all of Mr. Kneisel long years on the railroad he had had great ambitions of becoming a Traveling Auditor. He was well-posted on all aspects of Station Accounting and was 110% honest. In short, the railroad could not have found a better man anywhere



This ridiculous picture is the result of Ed Krebsbach and Joe Jacobs having seen radio station towers mounted on top of fifteen story buildings in their travels to Seattle, Minneapolis, etc. and "wanting to be just like the big boys" straddled this old farm windmill tower on the peaked roof of the tiny Vida bank.

to promote to the position of Traveling Auditor. However, in gaining promotion on any railroad, it was largely a matter of *who* you knew, rather than *how much* you knew.

The subject of the telephone conversation took place shortly after Mr. Willheimer was disconnected from the Great Northern's payroll. Seeking to have some fun, I said to the other three men listening on the message phone, "What do you fellows think of the company appointing that guy who was at Pillsbury **Traveling Auditor?**"

Mr. Kneisel, agent at the station next to mine, shouted "What!" so loudly into the telephone mouthpiece I might have heard him without benefit of the telephone.

I said, "Sure, he is going to be the new Traveling Auditor." All three men expressed disbelief that this could possibly be true, whereupon I said "You don't hear him on the

phones or telegraph wires any more?" They had to admit this was true, and I then said "Of course not, he's gone to St. Paul to learn the auditor's code (a system of code words, such as 'tabasco,' which has a hidden meaning to the Chief Auditor in St. Paul), and to get a Jim Clinton suit, and an auditor's briefcase. Furthermore, he will be out here checking up on you guys soon."

The listening men still expressed doubt that Mr. Willheimer could have ever been promoted to such an exalted position while poor Mr. Kneisel's talents remained unrecognized. I said, "All right, you guys, listen to the telegraph wire and I'll prove it to you."

At that time, John Atkinson, a friend of mine, was employed in the railroad's Minot Relay Office, a railroad message center. He was privy to messages concerning almost everything that was occurring on the railroad, and thus was well-informed about promotions, etc. We used to send telegraph messages to each other at a high rate of speed, perhaps fifty words per minute.

When I told my three friends on the message phone to listen to the telegraph circuit, Atkinson happened to be on one of the circuits calling a station for which he had a message. I broke in on the circuit and asked, "John, what's the name of the new auditor that's just been appointed?" Atkinson ripped the name "Wiltheimer" back at fifty words per minute.

In American Morse code, the letter "T" is represented by a single dash, while the letter "L" is represented by a slightly longer dash. The three men listening on both the telephone and the telegraph were good to average telegraphers, but they failed to notice the very slight difference between the words "Willheimer and Wiltheimer," especially when sent at a high rate of speed they never used themselves.

I then returned to the telephone and said to the men, "Well, do you believe me now? You heard it direct from headquarters, didn't you?" They agreed it must be true.

I continued the conversation by saying, "Now, in the future when I tell you guys something, I don't want you to argue with me about it. If I tell you that a pony can pull a freight train, don't start arguing with me about it, just find the harness and hitch him up."

Mr. Kneisel tossed and turned in his sleep and slept very poorly for about three weeks until an Official Bulletin was issued by the railroad announcing that a Mr. Wiltheimer (not Willheimer) had been appointed Traveling Auditor. Of course, the first name and initial of the man were different from that of the ancient gent who had been at Pillsbury. Mr. Kneisel realized he had been the victim of a practical joke.

Adventures of Joe Jacobs

Joe Jacobs, a young man living on his father's ranch in eastern Montana, was keen of mind and hand. He was to become well known in the upper Midwest for his inven-

tions of the Jacobs Windcharger and the Frye service station gasoline pump. Admiral Byrd took Jacobs Windchargers with him on his expeditions to the South Pole. His brother, Marcellus, was also of an inventive nature, and eventually the brothers were granted a total of thirty US patents. They established a factory in Minneapolis with 200 employees. During the years of operation, it sold some twenty million dollars' worth of windchargers, an impressive accomplishment, all stemming from the tinkering of two young men with windchargers on a ranch in Montana.

In 1924, Joe built a 7½ watt transmitter and operated it on the ranch. It was on the standard broadcast band without benefit of a government license. No call letters were used; the station came on the air with the announcement that "This is the Voice of Cow Creek," and the brothers rang a cow bell frequently during the broadcasts. Their broadcast music was produced by holding the single-button mike in front of the family Victrola. During this year of illegal operation, Joe was not fined \$500 nor imprisoned for six months as the law provides and in fact, he never heard a word from the Federal government.

In October 1925, he sold the illegitimate station to E.E. Krebsbach, the village banker in the nearby hamlet of Vida (population, 25) for \$125. About the same time, a druggist in a nearby town sold Atwater Kent radios in his drug store. The druggist was displeased with the competition provided by the Jacobs brothers (they built radios on the ranch and sold them, thereby assuring themselves of listeners), and wrote to the Department of Commerce in Seattle informing them that an unlicensed radio station was operating in Vida, Montana.

At that time, the Department of Commerce supervised radio stations. The net result was the loss of Joe's two-letter call, 7 TF, but he was not otherwise punished. However, Krebsbach induced all his friends to write to the Radio Inspector in Seattle, describing how terribly bad Jacobs felt about the loss of his ham license, and in about two weeks, Joe's license was given back to him, though with the less desirable call letters 7AHN. Nothing whatsoever was done to Krebsbach, and he kept right on broadcasting for an additional year without benefit of station license nor a licensed First Class operator. In October 1926, he secured a license seven days after applying for it, with the call letters KGCX.

Krebsbach received a telegram in May 1928, from the Radio Inspector at Seattle. It read that he would arrive in Vida in three days to inspect KGCX radio station. This was cause for *panic time* in the Krebsbach home, since KGCX did not have a licensed First Class operator as required by law.

Understandably alarmed, Krebsbach summoned a young man named Johnson, who held the required license, to come to Vida and pretend that he was KGCX's resident engineer.

Johnson lived in Havre, Montana, 231 miles from Vida. His presence in Vida had to be explained logically somehow to the Inspector, since KGCX was only on the air one

hour per day, and had no commercials and no income.

Krebsbach and the village storekeeper "invented" a job for Johnson. He was wrapped in a grocer's apron and put to work busily selling groceries in a store. Shortly before noon, when it was time for KGCX's daily one-hour broadcast, Johnson trudged the short distance from the village store to the bank where KGCX was located. He was still dressed in his bogus grocer's apron to give the Inspector the impression that he worked full time in the village store except for the one hour each day he was required to be on duty at the radio station.

Joe Jacobs took his First Class operator's examination while the Inspector was in Vida, and passed it. Johnson had to go back to the store to sell groceries all afternoon in order to play his role when his one-hour stint at KGCX was finished.

That evening, when Krebsbach, the Inspector, and Johnson (who had to return to high school at Havre) arrived at the south shore of the wide Missouri River in the outskirts of Wolf Point, Montana, the Inspector and Johnson boarded the White City Ferry, since it was making its last trip of the day across the river.

The Inspector shook hands with Krebsbach and bade him goodbye. Unfortunately, Johnson did the same. It was rather strange for a resident engineer to bid his boss goodbye without any explanation. Obviously, in order to have played his role satisfactorily, Johnson should have merely said, "See you tomorrow" to Krebsbach. It would have made it appear that he was merely going to Wolf Point for an evening of recreation, and that he would, of course, be on duty at KGCX the next day.

The Old KGCX

What would you think if you were listening to a regular broadcast station which was playing a spirited tune, such as "The Saints Go Marching In," and suddenly the tempo slowed down so much that the music sounded like a funeral dirge? You would, of course, think that something had gone wrong with the station's turntable or tape machine. But what if the announcer stated that the temperature in the studio was only zero degrees, and asked the listeners to please stand by for a few minutes while he placed the phonograph motor on the stove to warm it up and thin the oil? Would you wonder what kind of a cockamania radio station you were listening to? Of course you would. But that is exactly the announcement you would often hear if you were listening to KGCX at Vida during the winters of 1925 through 1928.

Now let Mr. Krebsbach tell you in his own words about some of the trials and tribulations of operating his peanut-whistle radio station at Vida. "When the station went 'haywire,' Mr. Jacobs would come up from the ranch and put it in operation again. We were fortunate to have only about one breakdown every six months or so. While the operation was a novelty for a while, it soon became a strain on the nerves, my pocket book, and

everything else, including the good wife. Day after day, I would eat my meals on the run, always with my pocket watch on the dinner table, watching for the time of 12:15 to arrive. Very often, I would not have finished my meal and would run into the transmitter room, throw the switch and put on a phonograph record and go back to finish my lunch.

"Everything went fairly smoothly until the colder weather arrived. We had the transmitter set up in one of the unheated rooms at the back of the bank, and it may have as well been set up at the North Pole, for all the torture from the cold that I suffered from during the broadcasts. The most trouble was with the phonograph. At first, we operated it with the mechanism inside the phonograph cabinet, but when the temperature in the room got down to zero degrees, it was necessary to remove the mechanism and place it on a table. It could be handled easily and set on the stove just before broadcast time to 'thaw out' the heavy oil. Even so, when it was really cold outside, a 'time out' was said, and the thing was set on the stove again for a while."

KGCX moved from Vida to Wolf Point in 1929, and from Wolf Point to Sidney, Montana, in 1942 with its respected five-kilowatt operation. It has enjoyed prosperity since World War II, a condition to which it was not accustomed previously in its life.

The electrical power in the North Dakota town in which I was born was somewhat substandard, since it was 110 volts DC and only "on" from sunset to midnight, when it would "flicker" twice as a warning that it would cease entirely in two minutes after midnight.

If one acted extremely quickly, it was possible during earlier hours of the evening to turn off the switch on the drop-cord hanging in the center of one's bedroom and jump into bed before the illumination ceased, since the carbon filaments in the lamp bulbs used at that time still provided some light while they were cooling off, even though the "juice" had been turned off.

Monday and Tuesday mornings, the current was on so that housewives could do their washing and ironing.

The DC generator at the light plant could light the whole town satisfactorily, but it wasn't powerful enough to do that and at the same time operate the carbon arc light in the movie projector at the local theater. Since the same man owned both the light plant and the theater, the movies were shown on Saturday evenings. The owner would open a big knife switch, cutting off the electricity to the western half of the town, while the following Saturday the eastern side of town was cut off.

At that time (circa 1915), radio was not the main event of North Dakota or practically anywhere else. The main entertainment of the area was "card parties" with, of course, refreshments being served about midnight.

To those residents of the town who complained bitterly to the light plant owner about the lack of electricity the previous Saturday evening, he had a ready answer: "It's all your own fault—you were supposed to be at the movies!!!"

ASSOCIATED RADIO

8012 CONSER BOX 4327
OVERLAND PARK, KANSAS 66204

CALL 913-381-5900

FAX 913-648-3020

BUY—SELL—TRADE

All brands new and reconditioned.

EVERY DAY A HAMFEST

WE'LL BUY
YOUR
EXTRA RIG
STATIONS -
ESTATES ETC.



Send \$3.00 for our current catalog and wholesale sheet.

AMATEUR RADIO AND COMPUTER EQUIPMENT

Comm P I nc. 800-942-8873

ICOM KENWOOD YAESU
ASTRON r/concepts AEA
cushcraft HUSTLER

AND MUCH MORE.

Call for your Special Price

1057 East 2100 South
Salt Lake City, UT 84106
801-467-8873

CIRCLE 343 ON READER SERVICE CARD

ATV CONVERTERS • HF LINEAR AMPLIFIERS

DISCOVER THE WORLD OF
FAST SCAN
TELEVISION



AMATEUR TELEVISION CONVERTERS
ATV2 420-450 \$44.95 Kit
ATV3 420-450 (GaAs-FET) \$49.95 Kit
ATV4 902-928 (GaAs-FET) \$59.95 Kit

AUDIO SQUELCH CONTROL for ATV
SIL \$39.95 Kit

2 METER VHF AMPLIFIERS
35 Watt Model 335A \$79.95 Kit
75 Watt Model 875A \$119.95 Kit
Available in kit or wired/tested

HF AMPLIFIERS per MOTOROLA BULLETINS

Complete Parts List for HF Amplifiers Described
in the MOTOROLA Bulletins.

AN758 300W \$160.70	EB63 140W \$ 88.65
AN762 140W \$ 93.25	EB27A 300W \$139.20
AN779L 20W \$ 83.79	EB104 600W \$448.15
AN779H 20W \$ 93.19	AR305 300W \$383.52
AR313 300W \$403.00	

NEW!! 1K WATT 2-50 MHz Amplifier

POWER SPLITTERS and COMBINERS

600 Watt PEP 2-Port	\$ 69.95
1000 Watt PEP 2-Port	\$ 79.95
1200 Watt PEP 4-Port	\$ 89.95

100 WATT 420-450 MHz PUSH-PULL LINEAR AMPLIFIER - SSB-FM-ATV

KEB67-PK (KIT)	\$159.95
KEB67-PCB (PC Board)	\$ 18.00
KEB67-1 (Manual)	\$ 5.00

UNIVERSAL DIGITAL FREQUENCY READOUT

TK-1 (Wired/tested) \$149.95

REPEATER CONTROLLER
RC-1000 (Wired/tested) \$239.95

HEAT SINK MATERIAL

Model 99 Heat Sink (6.5x12x1.6)	\$ 22.00
CHS-6 Copper Spreader (6x6x1/4)	\$ 18.00

We also stock Hard-to-Find parts

CHIP CAPS—Kemet/ATC
METALCLAD MICA CAPS—Unelco/Semco
RF POWER TRANSISTORS
MINI-CIRCUIT MIXERS
SBL-1 (1-500MHz) \$ 6.50
SBL-1X (10-1000MHz) \$ 7.95
ARCO TRIMMER CAPACITORS
VK200-20/4B RF Choke \$ 1.20
56-590-65-3B Ferrite Bead \$.20
Broadband HF Transformers

Add \$ 3.50 for shipping and handling.

For detailed information and prices, call or write for our free catalog.

We ship
worldwide.



CCI Communication Concepts Inc.

508 Millstone Drive • Xenia, Ohio 45385 • (513) 426-8600
FAX 513-429-3811



WE SHIP
WORLDWIDE

CIRCLE 99 ON READER SERVICE CARD



MOTOROLA RADIUS

- For the discriminating amateur involved in commercial communications as well. Meet significantly tighter commercial specs!
- Up to 40% discount.
- 3 year warranty by Motorola, an added year provided by Procomm.
- Mobiles/handhelds and accessories to meet your amateur/commercial needs simultaneously.

PROCOMM

1948 Coventry Ct.
Thousand Oaks, CA 91362
Phone: 805-497-2397

Radius™

MOTOROLA and Radius are registered trademarks of Motorola Inc.

THE ISOTRON
COMPACT ANTENNAS FROM 160-10 METERS

NO TUNERS!
NO RADIALS!
NO RESISTORS!
NO COMPROMISE!

FOUR EXCELLENT REVIEWS JUST
DON'T HAPPEN BY CHANCE
CALL US FOR A FREE CATALOGUE.

*See review in Oct. 73, 1984 *Sept. 73, 1985 March 73, 1986
CO, Dec. 1988

BILAL COMPANY
137 Manchester Drive
Florissant, Colorado 80816
(719) 687-0650

CIRCLE 42 ON READER SERVICE CARD

HamCall / CD-ROM

500,000 HAMS plus
1,000's of Public Domain
Amateur Radio Programs and Data

CD-ROM Disc \$90.00
Questar Retrieval Software \$50.00
Shipping (per order) \$5.00
Sony CDU-6100 player \$549.00

BUCKMASTER Publishing
Rt. 3, Box 56 - Mineral, Virginia 23117
703-894-5777 - 800-282-5628

CIRCLE 56 ON READER SERVICE CARD

CB-10-10 METERS

We specialize in CB radio modification plans and hardware. Frequency and FM conversion kits, repair books, plans, high-performance accessories. Thousands of satisfied customers since 1976! Catalog \$2.

CBC INTERNATIONAL

LOU FRANKLIN/K6NH - Owner
P.O. BOX 31500X, PHOENIX, AZ 85046


SUPERCHARGED RECEPTION!

ANTENNAS, PREAMPS, SPEAKERS, AND MUCH MORE! FOR HAM, SWL, SCANNERS, CB!



VAK-TENNA

Ultimate for apartments! Great for 2 mtr, 220 or SCANNER. Mounts to window with suction cup! \$34.95



MULTIPLE RCVR ADAPTER

Connect up to 3 receivers to one antenna!
0.5-1300MHz. BNC-\$69.95, SO239UHF\$74.95
AC powered (12VDC add \$4)



TAPE SAVER TS-1

Eliminates dead time on your tapes! Connect between your receiver and recorder for "action only" recording. \$59.95

E.P. ELECTRON PROCESSING, INC.
P.O. BOX 68, CEDAR, MI 49621
(616) 228-7020

US \$4 Ship/Handling
Canada, AK, HI, PR \$7
NY & MI add Sales Tax

SATISFACTION GUARANTEED! SEND FOR DETAILS! MANY PRODUCTS!

CIRCLE 291 ON READER SERVICE CARD

COMTELCO INDUSTRIES

Take Your
H.T. Mobile!

19.95

MAGNET MOUNT DUAL BAND MOBILE ANTENNA

140-150 mhz / 435-450 mhz
150 WATT POWER RATING
Supplied with 12 ft. of RG 58 Coax
Choice of BNC or PL259 Connector.
*Also Available As a Body or Trunk Mount
Antenna Only \$12.95 ea
Trunk Mount \$12.00 ea
Thru Body Mount \$5.00 ea

1-800-634-4622
1-708-790-9894
(In Illinois)



Quality products Made in the U.S.A.
COMTELCO INDUSTRIES INC.
P.O. Box 681429, Schaumburg, IL 60168



CIRCLE 15 ON READER SERVICE CARD

ABOVE AND BEYOND

VHF and Above Operation

C.L. Houghton WB6IGP
San Diego Microwave Group
6345 Badger Lake
San Diego CA 92119

CW EPROM Keyer

I hope the information I provided in the last two issues on basic gain blocks got you in the building mood. You can build so many different things using MMIC amplifiers, it can make your head swim. Recently, Kerry N6IZW, a member of our group, has tried placing several amplifiers in series, building up about 80 dB of gain. The internal noise built up by this string of amplifiers can be used as a signal source for testing with a spectrum analyzer. When connected to a test circuit, the response curve is displayed on the analyzer as if you were using a sweeper.

News from my shack includes some great openings on 6 meters, and new test equipment. The latter was mostly constructed from bargain items in dire need of repair. The price can be very attractive, especially when the unit is fully restored to operating condition.

A good example is my HP-5360 frequency counter, picked up at a flea market. I just located the last item needed for complete operation of the counter: a 5375A keyboard, which Kerry N6IZW repaired. With the key-

of microwave transmitters or on a remote beacon.

First, some background. Normally, the microwave carrier is transmitted to a distant location in a first attempt to

tion. When a signal is modulated with something other than voice or CW, such as a solid or fluttering tone, it can be found at very low levels and enhances the microwave signal. Mechanically adjust your antenna until you're receiving the strongest signal, then request that the other station make small adjustments in his antenna alignment, hopefully to improve signal strength further. This usually takes about two or three orientations. When the antennas

the chip. Applying DC power activates your program. Change the EPROM with a differently programmed EPROM and you change your message.

Other types of ID systems are more complex and require you to key in your callsign each time you wish to use it. When power is turned off, you must reset the message. Also, these units are a little larger because of memory storage. I feel the EPROM is the way to go because it's inexpensive, small,




Figure 1. Circuit for the CW IDer.




Figure 2. Parts placement, component side.

board, the HP-5360 is capable of doing program calculations using all three ports on the counter. Input A is good to 10 MHz, B is good to 320 MHz, and the plug-in is good up to 18 GHz. This counter has proven to be quite valuable on numerous projects. It was used extensively to develop a phase-lock circuit to stabilize the Frequency West "Brick" type microwave oscillators to within 100 Hz at 10 GHz. We are in the process of writing up an article on the phase-lock circuit, and will have it out soon.

Programmable CW IDer

This month I'll describe a simple, one-evening construction project that can be used on your microwave wide-band FM transceiver. The unit is a CW IDer that can be custom programmed with your callsign. You can use this reliable unit with many different types

set up communications. The receiving end rotates his antenna back and forth, trying to locate the signal. In many cases the signal being detected is quite weak due to path loss and highly directive dish antennas that are not in proper alignment with each other.

The mechanical alignment is set up with maps and compass bearings to the distant station. You can check vertical alignment with the horizon by trying to copy local beacons, if available. Another method is to attach a small sight tube to your dish to confirm horizon alignment. These methods all combine to help remove pointing errors. Now you are down to the real nitty-gritty of finding the distant signal in the noise. After listening so long to noise, you begin to hear signals that are not there. I guess this could be called the post mental DX depression.

Finding Signals in the Noise

Since signals in the noise are difficult to locate, we use tones to aid loca-

have been properly aligned, you can switch to voice modulation or CW for identification and confirmation. This streamlines contest operation. Running the CW IDer lets others know who the signals belong to. When many stations operate near each other, it promotes a good neighbor policy.

So let's get on with the construction of the CW IDer. The meat and potatoes of the IDer is contained in a pre-programmed 2716 EPROM. This EPROM contains your callsign and a reset command to give a constantly repeating CW output spaced every 15 to 30 seconds. The advantage in using this EPROM is that you can turn the power off, and your program is still resident in

and easy to build. For those who don't build from scratch, I will make a kit of parts available with PC board and pre-programmed EPROM.

The EPROM is programmed in serial format. The data is clocked out in the same manner by the 4020 ripple counter chip, and the speed is set by the clock rate. The scheme used is three bits equal a "dah," while one bit is a "dit." Letters are spaced by 4 data bits, and word separation is equal to 7 bits. In Table 1 is an example of the programming for my callsign.

How the Circuit Works

The clock is made from two sections of a 4011 NAND gate. The speed is set

Continued on page 73





Figure 3. Foil diagram, 1:1 in size.

Simplex Autopatch



- * FCC REGISTERED
- * MICRO-COMPUTER CONTROLLED
- * REVERSE PATCH FUNCTION
- * EASY HOOKUP
- * USER PROGRAMMABLE FEATURES:
 - 1-4 DIGIT ACCESS CODE
 - TOLL INHIBIT ACCESS CODE
 - ACTIVITY TIMER
 - REMOTE RELAY
- * PROGRAMS VIA DTMF
- * ALL USER PROGRAMMABLE FEATURES DEFAULT FOR QUICK SET UP.

TO ORDER OR FOR MORE INFORMATION CONTACT:
D & Z ENGINEERING, 5341 MELROSE, LINCOLN, NE 68506
(402) 486-3153

KIT \$198 WIRED & TESTED \$225 ADD \$5 SHIPPING

CIRCLE 39 ON READER SERVICE CARD

HAM RADIO CLASSIFIEDS



Call TOLL-FREE 1-800-782-3131



In California call 707-839-1570

• NATIONWIDE BUY AND SELL NEWSLETTER •

Published every other Friday

Sellers: Ad rates 50¢ per word (10 word minimum). Ad must include phone number, counted as one word, or address. Display ads also welcome. Phone or write for details.

Buyers: Six (6) month subscription (USA) costs \$8.00.

Call HAM RADIO CLASSIFIEDS today and place your ad or order a subscription. We accept VISA and MASTERCARD. Phone: 8AM to 5PM, M-F, Pacific time.

HAM RADIO CLASSIFIEDS • 880 Vista Dr. • McKinleyville, CA 95521

★ QUALITY PARTS ★ DISCOUNT PRICES ★ FAST SHIPPING

ALL ELECTRONICS CORP.

THUMBWHEEL SWITCH

1 pole 10 position decimal encoded switches which interlock to make up desired number or digits. Terminates to 11 pc pins (1 common and 10 poles). Each section measures .31" wide X .20" high X .78" deep. End plates can be added to form a .94" high bezel.
CAT# SWTH-9 \$1.25 each
10 for \$10.00
END PLATES - CAT# SW-9EC \$1.00 per set

0 - 6 HOUR AUTO SHUT-OFF TIMER

M.H. Rhodes, Inc. Mark-Time# 90007 Wall-box timer fits standard 3" deep wall box. Rated 20 amps @ 125 Vac. Turn knob to desired time. Includes hardware, beige wall plate, and knob. UL and CSA listed.
CAT# TMC-6 \$5.75 each

INSTRUMENT ENCLOSURES

High quality molded ABS instrument enclosures. Integrated PC board standoffs and two sets of vertical mounting slots for front and rear sub panels. All enclosures are 6" wide X 6 1/4" deep. Choice of three heights. Includes non-skid rubber feet and hardware. Available in beige, ivory, black, and blue.
Panel Ht. CAT# 1-9 10-99
2 1/4" CAT# MB-A \$7.50 each 10 for \$65.00
2 5/8" CAT# MB-B \$7.75 each 10 for \$65.00
3" CAT# MB-C \$8.00 each 10 for \$70.00
Please specify color.

RECHARGEABLE BATTERY PACK (USED)

Four AA nickel cadmium batteries connected in series to make a 4.8 volt pack. Batteries are in a 2 X 2 configuration with a 2 pin connector attached. The four batteries can be separated into single AA size solder tab nickel cadmium batteries or resoldered into other configurations.
SPECIAL SALE PRICE NOW \$3.00 per pack • 10 packs for \$25.00
CAT# NCB-41AAU

TIL-99 PHOTO TRANSISTOR

TO-18 case with window. For wide-angle viewing applications. Spectrally and mechanically compatible with TL-31B.
CAT# TIL-99 \$1.00 each • 10 for \$9.00

NICKEL-CAD BATTERIES (RECHARGEABLE)

AAA SIZE \$1.50 each
1.2 volts 180 mAh
CAT# NCB-AAA
AA SIZE \$2.00 each
1.25 volts 500 mAh
CAT# NCB-AA
AA SIZE \$2.20 each
WITH SOLDER TABS
CAT# NCB-SAA
C SIZE \$4.25 each
1.2 volts 1200 mAh
CAT# NCB-C
D SIZE \$4.50 each
1.2 volts 1200 mAh
CAT# NCB-D

LED CHASER KIT

Build this variable speed led chaser. 10 leds flash sequentially at whatever speed you set them for. Easy to build kit includes pc board, parts and instructions. Ideal for special lighting effects, costumes, etc. Operates on 3 to 9 volts. PC board is 5" X 2.25". A great one hour project.
CAT# AEC \$6.50 each

LED'S

STANDARD JUMBO DIFFUSED T-1-34 size
RED CAT# LED-1 10 for \$1.50 • 100 for \$13.00
GREEN CAT# LED-2 10 for \$2.00 • 100 for \$17.00
YELLOW CAT# LED-3 10 for \$2.00 • 100 for \$17.00
FLASHING LED with built in flashing circuit operates on 5 volts.
RED CAT# LED-4 10 for \$2.50
GREEN CAT# LED-5 10 for \$2.50
CAT# LED-4G 10 for \$3.50

L.E.D. FLASHER KIT

Two L.E.D.'s flash in unison when a 9 volt battery is attached. This kit includes a p.c. board, all the parts and instructions to make a simple flasher circuit. A quick and easy project for anyone with basic soldering skills.
CAT# LEDKIT \$1.75 per kit

SWITCHES

ITT PUSH BUTTON ITT MDPL series, 3/4" X 1/2" grey rectangular key cap. S.P.S.T. N.O. Push to close. RATED: 0.1 amp switching, 0.25 amp carry current. P.C. mount.
CAT# PB-8 \$5.00 each • 10 for \$50.00

XENON TUBE

1" long flue tube with 3 1/2" red and black leads. Ideal for electronic flash or strobe projects.
CAT# FLT-3 2 for \$1.00

SPECIAL PURCHASE 210 MFD 330 V PHOTOFLASH CAPACITOR

Rubicon CE photoflash capacitor. 0.79" dia. X 1.1" high. These are new capacitors that have been prepped with 1.4" black and red wire leads soldered to the terminals.
CAT# PPC-210 \$2.50 each
10 for \$22.50 • 100 for \$200.00

BI-POLAR LED

Lights RED one direction, GREEN the other. Two leads.
CAT# LED-4 2 for \$1.70
LED HOLDER Two piece holder.
CAT# HLED 10 for \$5.00

LOOK WHAT \$1.00 WILL BUY

200 ASSORTED 1/4 WATT RESISTORS Best leads, carbon comp. and carbon film.
CAT# GRES \$1.00 per assortment
200 ASSORTED 1/2 WATT RESISTORS Best leads, carbon comp. and film.
CAT# GRABRE \$1.00 per assortment
50 ASSORTED DISC CAPACITORS Most are cut (p.c. leads). Some to 500 volts.
CAT# GRABDC \$1.00 per assortment
15 VALUES OF ELECTROLYTICS Contains both axial and radial styles from 1 mfd.
CAT# GRABCP \$1.00 per assortment

SPDT PUSHBUTTON

Marquardt# 1843 Rated 6 amps @ 125/250 Vac. Black plastic pushbutton. Switch body: 92" X 94" X .85".
CAT# PB-18 \$1.85 ea. • 10 for \$15.00

RELAYS

5-8 VDC SIP REED RELAY
Electrol "Blue Boy" BBS1A05A10
5-8 Vdc, 500 ohm coil. S.P.S.T., normally open reed relay.
0.5 amp contacts. SP configuration.
1" X .375" X .3".
CAT# RRLY-SIPS \$1.10 each • 10 for \$10.00

22/44 PIN CONNECTOR

.156" pin spacing, 0.200" between double rows, gold contacts, P.C. mounting. SPECIAL Same as AMP# 2-530655-6.
CAT# EBC-1G \$1.00 each • 10 for \$8.00

10 AMP SOLID STATE RELAY

ELECTROL# S2178 CONTROL: Rated 5.5 to 10 Vdc (will operate on 3-32 Vdc). LOAD: 10 amp @ 240 Vac 2 1/4" X 1 3/4" X 7/8".
CAT# SRRLY-10 \$6.50 ea. QUANTITY DISCOUNT 50 for \$300.00 • 100 for \$200.00

LOOK WHAT \$2.00 WILL BUY

15 AMP SNAP-ACTION SWITCH 5 pieces of a 15 amp 125,250 Vac normally open switch. Body is 1 3/4" X 5/8" X 5/8".
Button extends 3/16" above switch body.
CAT# GRABMS \$2.00 per package
TO-92 TRANSISTORS 20 assorted TO-92 plastic case transistors. Various styles of NPN and PNP. Some house marked, some standard marking.
CAT# GRTRN \$2.00 per assortment
SWITCHES 10 assorted slide, toggle, rotary, pushbutton and rocker switches. Our choice.
CAT# GRABSW \$2.00 per assortment

PUSHBUTTON SWITCH

GC/Thomson# 35-420 S.P.S.T., normally open momentary pushbutton switch. Red plastic actuator 0.57" diameter. Chrome bezel 0.68" diameter. Threaded bushing mounts in .50" diameter hole. Rated 3 amp @ 250Vac. Solder loop terminals.
CAT# PB-20 \$1.00 each

WALL TRANSFORMERS

ALL PLUG DIRECTLY INTO 120 VAC OUTLET
12 Vdc @ 500 ma. CAT# DCTX-125 \$4.50
6 Vdc @ 200 ma. CAT# DCTX-620 \$2.25
9 Vdc @ 1 amp. CAT# DCTX-961 \$5.00
24 Vdc @ 625 ma. CAT# ACTX-2482 \$3.25

ELECTRONIC GAME BOARD

The inner workings of an electronic Scrabble game. Operates on 8 Vdc. 8 digit alpha-numeric readout, 45 button keypad, 14 transistors, 2 I.C.'s, 1 photo element and other goodies. Top and bottom row of keypad buttons are function keys, middle 3 rows are alphabetic. No instructions available. 6" X 4.45".
CAT# ST-4 \$1.75 each 10 for \$15.00

OPTO SENSOR

U shaped package with mounting ears. 1/8" opening. 3/4" mounting ears.
CAT# OSU-6 \$5.00 each 10 for \$45.00 • 100 for \$40.00

A.C. LINE CORDS

Black 6ft, 192, SPT-2
NON POLARIZED PLUG CAT# LCAC 2 for \$1.00 100 for \$45.00
POLARIZED PLUG CAT# LCP-1 80c each 100 for \$60.00

SERVO MOTOR

3 Vdc servo with potentiometer. Ideal for robotics or remote control model experimentation. Rotates approx. 140 degrees. Pot connected to motor varies from either 500 to 3000 ohms. 1.53" X 0.96" X 1.65". 0.87" diameter rubber wheel attached to motor shaft can be used as a capstan or can be easily removed. Prepped with capacitors, chokes and wire leads.
CAT# SVO-2 2 for \$1.00

5 VDC LATCHING RELAY

Aromax# RSL20-5V Miniature SPDT, dual coil latching relay. 5 Vdc. 170 ohm coils. 1 amp. TTL compatible. UL and CSA recognized. 0.787" X 0.394" X 0.394".
CAT# LRLY-5DC \$2.50 each

TELEPHONE COUPLING TRANSFORMER

Multi Products International# A19N-HO-1D/1 Primary: 900 ohm Secondary: 600/600 ohm 0.77" X 0.81" X 0.87" high. 8 p.c. pins on 0.187" centers. Primary inductance: 300 mH min., at 10Hz, 1 volt.
CAT# TCTX-1 \$1.25 each • 10 for \$11.00

TO-92 TRANSISTORS


20 assorted TO-92 plastic case transistors. Various styles of NPN and PNP. Some house marked, some standard marking.
CAT# GRTRN \$2.00 per assortment
SWITCHES 10 assorted slide, toggle, rotary, pushbutton and rocker switches. Our choice.
CAT# GRABSW \$2.00 per assortment

1-800-KILL TVI

1-800-545-5884

THE NUMBER TO CALL FOR THE VERY BEST TVI...RFI...FILTERS. (THE ONES THAT WORK.)

SMILE... YOU'RE NOT ON TV



TP-12 KW-1 BX

- The famous BX cable-TV filter \$24.95
- The TP-12 effective phone filter 18.95
- The KW-1 AC line filter 42.95
- The SP-1A Stereo spkr filters 9.95

Includes shipping for orders over \$20.00

FOR TECHNICAL DISCUSSION OR ENGINEERING HELP CALL (512-656-3635) FROM 10AM TO 3PM

"EVERY ITEM SOLD WITH SATISFACTION OR MONEY-BACK GUARANTEE."

TCE LABS

SEND CHECK OR SAY COD 5818 SUN RIDGE SAN ANTONIO, TX 78247 NO CREDIT CARDS PLEASE

CIRCLE 87 ON READER SERVICE CARD

CALL OR WRITE FOR OUR FREE 60 PAGE CATALOG OVER 4000 PARTS!



OUTSIDE THE U.S.A. SEND \$2.00 POSTAGE FOR A CATALOG!!

ORDER TOLL FREE 1-800-826-5432

MAIL ORDERS TO: ALL ELECTRONICS P.O. BOX 567 VAN NUYS, CA 91408

INFO: (818)904-0524 FAX: (818)781-2653 MINIMUM ORDER \$10.00 QUANTITIES LIMITED CALIF. ADD SALES TAX USA: \$3.50 SHIPPING FOREIGN ORDERS INCLUDE SUFFICIENT SHIPPING. NO C.O.D.



CIRCLE 194 ON READER SERVICE CARD

Above and Beyond

Continued from page 70

by the 100k ohm resistor and the 0.1 μ F capacitor. Increasing the capacitor's value will decrease speed. This clock drives the 4020 ripple counter, causing the EPROM to dump its data serially. When the full string of data is dumped, such as *De WB6IGP*, an additional amount of following bits are stuffed with zeros. Generally I use about 40 bits, giving a silent period of about 10 seconds, and finish up with a code "80" input as data on the last bit to be used. This is the reset signal that starts the entire sequence over again. The other two NAND gates form an audio oscillator that is keyed on and off by the data from the EPROM. A "1" or "high" turns on the oscillator, and a "0" or "low" turns it off.

The beauty of this circuit is that the power can be turned off at any time and turned on later, restarting the CW cycle. You can identify your station quickly with a simple switching scheme.

Next month, to complete the package, I'll give the schematic for the warble tone oscillator. This unit is capable of producing the solid tone as well.

If you don't want to go through this mental balancing act of programming an EPROM and making a PC board, I will make a kit available with the board etched and ready to drill. This includes the 2716 EPROM programmed with your callsign in a format similar to that in Table 1. Variations include callsign/B for beacon service. You can program other messages, but the callsign and beacon formats are standard. The kit is \$12.50 US postage paid from WB6IGP.

Mailbox Comments

Alan Rutz WA9GKA has been providing amateurs with 10 GHz microwave devices from his company, SHF Microwave Parts. Alan writes that he is running out of surplus GUNN oscillator detector units, but he has made arrangements with a GUNN manufacturer for new and used devices and information on sources. Contact Alan at: 7102 W 500 S., La Porte IN 46350.

Alan described an ATV experiment he recently finished. He replaced the electrolytic capacitor (needed to bypass the GUNN against low frequency oscillations) with a low impedance transistor. This transistor driver stage was able to provide Alan with 7 MHz bandwidth, flat within 3 dB. He was quite surprised to be able to obtain such a wide modulating bandwidth, especially with some of the very inexpensive GUNN units.

Russell in Holly, New York, is trying to locate inexpensive 22.2 GHz oscillators to test cavities. Well, Russell, that's a tough one. I know of several manufactures of 24 GHz oscillators, but the price is much higher than most experimenters would want to pay, in-

cluding me. Any help out there on where to locate 22 to 24 GHz equipment? If so, drop me a line, or write: Russell Robertson, 4242 Holley Byron Rd., Holly NY 14470.

Bill N6OLD writes, "I'm experimenting with some of the California Microwave 'brick' oscillators, and have run into a few snags. I'm interested in obtaining a schematic for the phase-lock detector part of the brick. My phase detector works fine; there's enough signal that I can see the IF go thru zero beat with my scope as I vary the tune voltage. All I need now is to repair the place where the IF goes to complete the loop. Also, if you have a crystal supplier that you recommend for the brick crystals, that would help out."

Well, Bill, I am tearing apart several California Microwave bricks and developing the schematic as I go. These three different California Microwave brick oscillators all have very similar crystal oscillator boards and drive circuitry, but all the phase-lock boards are different. I suspect the schematic will be developed shortly. Part of the problem is that California Microwave used a custom house numbered chip

which I'll have to probe to determine just what is going on. It looks like a standard op amp can be used as a replacement, but this has not been tested yet. If any of you have information on this brick, I would be interested hearing from you.

Now a brief review of brick oscillators: Microwave brick oscillators are very desirable because they require little modification, and they're far cheaper than building a comparable microwave oscillator. The basic brick uses a three-stage 100 MHz crystal oscillator, coupled into a mixer circuit. The high power oscillator (about 1700 MHz) is phase-locked to the 100 MHz crystal. The mixer feeds a video amplifier IC which controls a varactor in the high power oscillator cavity. When phase-locked, the high power is a direct multiple of the 100 MHz (approximately) crystal oscillator frequency. This is multiplied in a varactor multiplier to the 10 GHz frequency range and filtered on its output. Crystals for the 100 MHz oscillator were obtained from International Crystal for about \$18 each. Specify part #585132 for the Frequency West type MS-54XOL "Bricks." (More details later.)

Let's hear from you regarding new projects you would like to see developed. Or you could share something you have constructed, or send pictures of microwave VHF/UHF activities. As always I welcome questions and will answer ASAP. For a prompt reply, please enclose an SASE. 73, WB6IGP. 

Table 1.

E-prom Programming Example "De WB6IGP"

D=1110101	SPACE=0000	E=01	WORDSPACE=0000000
W=0101110111	SPACE=0000	B=111010101	
SPACE=0000	6=11101010101	SPACE=0000I=0101	
SPACE=0000	G=111011101	SPACE=0000P=010111011101	
LONGSPACE=00 (40 OR SO "0" BITS),	and RESET BIT=80.		

Number 33 on your Feedback card

DEALER DIRECTORY

CALIFORNIA

San Diego

Hard to find parts, surplus electronics, standard line items. Hams, hobbyists, industrial professionals—from nuts & bolts to laser diodes...Electronically speaking, Gateway's got it! M-F 9-5:30 Sat. 9-5. **GATEWAY ELECTRONICS**, 9222 Chesapeake Drive, San Diego CA 92123; (619) 279-6802.

COLORADO

Denver

Hard to find parts, surplus electronics, standard line items. Hams, hobbyists, industrial professionals—from nuts & bolts to laser diodes...Electronically speaking, Gateway's got it! M-F 9-5:30 Sat. 9-5. **GATEWAY ELECTRONICS**, 5115 N. Federal Blvd. #32-B, Denver CO 80221; (303) 458-5444.

DELAWARE

New Castle

Factory authorized dealer! Yaesu, ICOM, Ten-Tec, KDK, Kenwood, AEA, Kantronics, Santec. Full line of accessories. No sales tax in Delaware. One mile off I-95. **DELAWARE AMATEUR SUPPLY**, 71 Meadow Road, New Castle DE 19720; (302) 328-7728.

IDAHO

Preston

Ross WB7BYZ has the largest stock of amateur gear in the Intermountain West and the best prices. Over 9,000 ham related gear in stock. Call us for "all" your ham needs today. **ROSS DISTRIBUTING Co.**, 78 S. State, Preston ID 83263; (208) 852-0830.

KANSAS

Wellington

We have it! **ASTRON, BUTTERNUT, ENCOMM, HEATHKIT, GORDON WEST, KANTRONICS, LASER COMPUTERS, MFJ, RADIO SHACK, TEN-TEC, VALOR ANTENNAS** & more. Small town service with discount prices. **DANDYS, 120 N. Washington, Wellington, KS. 67152, (316) 326-6314.** Circle Reader Service 263 for more information.

MISSOURI

St. Louis

Hard to find parts, surplus electronics, standard line items. Hams, hobbyists, industrial professionals—from nuts & bolts to laser diodes...Electronically speaking, Gateway's got it! M-F 9-5:30 Sat. 9-5. **GATEWAY ELECTRONICS**, 8123 Page Blvd., St. Louis MO 63130; (314) 427-6116.

NEW HAMPSHIRE

Derry

Serving the ham community with new and used equipment. We stock and service most major lines: **AEA, Astron, B&W, Bencher, Cushcraft, Hustler, ICOM, Kenwood, KLM, Larsen, MFJ, Mirage, Vibroplex**; books, rotors, cable and connectors. Business hours Mon.-Sat. 10-5, Thursday 10-7. Closed Sun./Holidays. **RIVENDELL ELECTRONICS**, 8 Londonderry Road, Derry NH 03038; (603)434-5371.

NEW YORK

Jamestown

Western New York's finest amateur radio dealer featuring **ICOM-Larsen-AEA-Hamtronics-Astron**. New and used gear. 8 am to 5:30, Sat. and Sun. by appointment. **VHF COMMUNICATIONS**, 280 Tiffany Ave., Jamestown NY 14701, (716) 664-6345. Circle Reader Service number 129 for more information.

Manhattan

Manhattan's largest and only ham and business Radio Store. Featuring **MOTOROLA, ICOM, KENWOOD, YAESU, AEA, SONY, BIRD, TEN-TEC**, etc. Full stock of radios and accessories. Repair lab on premises. Open 7 days M-F, 9-6:30 pm; Sat & Sun, 10-5 pm. We ship worldwide. **BARRY ELECTRONICS**, 512 Broadway, New York NY 10012; (212) 925-7000. FAX (212) 925-7001.

OHIO

Columbus

Central Ohio's full-line authorized dealer for **Kenwood, ICOM, Yaesu, Ten-Tec, Info-Tech**,

Japan Radio, AEA, Cushcraft, Hustler, and Butternut. New and used equipment on display and operational in our 4000 sq. ft. store. Large SWL department, too. **UNIVERSAL AMATEUR RADIO**, 1280 Aida Drive, Reynoldsburg (Columbus) OH 43068; (614) 866-4267.

PENNSYLVANIA

Trevose

Authorized factory sales and service. **KENWOOD, ICOM, YAESU**, featuring **AMERITRON, B&W, MFJ, HYGAIN, KLM, CUSHCRAFT, HUSTLER, KANTRONICS, AEA, VIBROPLEX, HEIL, CALLBOOK, ARRL Publications**, and much more. **HAMTRONICS, INC.**, 4033 Brownsville Road, Trevose PA 19047; (215) 357-1400. FAX (215) 355-8958. Sales Order 1-800-426-2820. Circle Reader Service 379 for more information.

TEXAS

Houston

Hard to find parts, surplus electronics, standard line items. Hams, hobbyists, industrial professionals—from nuts & bolts to laser diodes...Electronically speaking, Gateway's got it! M-F 9-5:30 Sat. 9-5. **GATEWAY ELECTRONICS**, 9890 Westpark Drive, Houston TX 77063; (713) 978-6575.

Southwest Houston

Full line of Equipment and Accessories, in-house service featuring **ICOM and YAESU**. New equipment on display and operational! (713) 879-7764; FAX (713) 879-9341. **MIS-SION COMMUNICATIONS**, 11903 Allief-Clodine, Suite 500, Houston TX 77082. Circle Reader Service 380 for more information.

DEALERS: Your company name and message can contain up to 50 words for as little as \$420 yearly (prepaid), or \$210 for six months (prepaid). No mention of mail-order business please. Directory text and payment must reach us 60 days in advance of publication. For example, advertising for the April '90 issue must be in our hands by February 1st. Mail to 73 Amateur Radio, Box 278, Forest Road, Hancock, NH 03449.

73 INTERNATIONAL

edited by C.C.C.

Arnie Johnson N1BAC
103 Old Homestead Hwy.
N. Swanzey NH 03431

Notes from FN42

I have sad news this month. Last March, Gerry Fox WA2VKS relayed to me that Ken Gott VK3AKU is now a Silent Key. Ken is well-known to 73 readers as Ambassador to Australia, and to the world as the WIA Awards Manager. He was very active on the 14.226 family net, and an all-around contester and DXer. We will sorely miss him. I received a chatty letter from Ken in February, and it is printed in this column as a tribute to him. The new WIA Awards Manager will be Ken VK5QW.—Arnie N1BAC.

ROUNDUP

Denmark From Ragnar Otterstad LA5HE/OZ8RO. The success story behind the recent release of 18 and 24 MHz to the amateur service started some 14 years ago.

Over 180 countries are now members of the International Telecommunications Union (ITU), based in Geneva, Switzerland. Every 15 or 20 years there is a major conference to look at the frequency allocations for the numerous users of the frequency spectrum. The ITU undertakes, as an agency of the United Nations, to coordinate such work.

There are 36 services in addition to the Amateur Radio Service. Some of the more well-known are: Fixed, Mobile, Broadcast, and Radio Location. Many of the radio services could use more spectrum, and as the aspirations of people all over the world change, so do their requirements for frequencies.

Many important factors influence the political and commercial pressures on the radio spectrum. For example, when there are satellite communication problems, many governments and organizations turn their eyes to the HF spectrum. With such enormous global pressures at work, it is perhaps quite surprising that the amateur service has any bands at all! The fact that we do is because of the high reputation of radio amateurs for international goodwill and public service—especially for their technical achievements and during times of need.

At the last World Administrative Radio Conference (WARC) in 1978, the amateur service gained in principle three new HF bands and many new microwave allocations. This success, for it was a great success, was due to the efforts of linking together all of the national societies. The 1979 success in winning new allocations was also due to the IARU Observer Team that spent three months in Geneva! It countered every move which was considered negative, and put forward every positive aspect of amateur radio for its benefit.

Now some excellent work by fellow amateurs volunteers, started 14 years ago, has finally reached fruition in the shape of the release of the 18 and 24 MHz bands. The moral of this story is a simple one and it concerns good long-term planning, faith in the future, and patience!

As one of the national societies of the world, it is imperative that your IARU society is strongly supported by the local ham population. Think how much more the society could do if all amateurs were members. We all know someone who is not a member, for one reason or the other—often because of a conflict of opinion with the local society several years ago, the ham has never renewed membership. But all hams continue to benefit from the society's work. Remember, the higher the membership, the stronger the representation, and the stronger the representation, the more substantial the argument.

A freeloader is someone who freely accepts all the benefits that a national society obtains or provides for the amateur service—new bands and modes, QSL bureau, liaison with licensing authorities, international representation, etc.—without paying for these services.

After all, if the resources needed to obtain new bands or preserve existing frequency allocations were paid for by larger numbers of people, each person would have to pay less! The next ITU conference to deal with frequency allocations is scheduled for 1992. Think about it!

[I have never been one to say that anyone has to belong to any organization, but I truly believe that organizations doing good things for me should be supported by me. Hams in the United States have found that commercial interests are a strong power when they want some frequency spectrum. In 1992 we are talking not just about the USA, but the world. As Rag states, "Think about it," and I would like to add, "And do something about it!"—Arnie]

Japan From the Tokyo International Amateur Radio Association (TIARA): There is a club for foreign hams in Japan! If you will be in the Tokyo area, you are cordially invited to visit and/or join TIARA.

TIARA was formed in 1972 by two Englishmen and two Americans with the purpose of assisting foreign hams who want to operate in Japan. Currently, we have about 80 members, both foreign and Japanese. TIARA supports all efforts toward reciprocal licensing, including the need for fair and equitable licensing fees.

Foreign radio amateurs or persons interested in ham radio are invited to attend TIARA meetings and join in club activities. We meet at 1930 JST on the last Friday of every month (except Au-

gust and December) at St. Alban's Church opposite Tokyo Tower. Meetings are conducted in English and are usually followed by a social get-together. This is an excellent opportunity to get acquainted with local hams regardless of how long you will be in Japan. Hope to see you there. (TIARA, PO Box 119, Akasaka, Minato-ku, Tokyo 107, Japan. TIARA Net, Wednesday, 1200Z, 21.325. When in Japan, just phone the JARL at 947-8221 for information on TIARA activities and meetings.)

TIARA Award: Last December 1989, when the Japan Amateur Radio League (JARL) celebrated its 30th anniversary, TIARA received an award for its support of amateur radio in Japan. Presenting the award was Shozo Hara JA1AN, President of JARL. Accepting the award for TIARA was President Frank Striegl 7J1AAL/KA2TNZ.

Poland From Henryk Zwolski SP9JPA. Where is Poland? If you ever got a QSL card from an SP (or sometimes SN, SO, SQ, SR, 3Z) station, your answer would be easy: Poland is in Europe. However, if you have a chance to talk to Polish people, they will tell you that they are still striving to be in Europe.

Drastic political changes in Eastern Europe initiated so peacefully by Poland have also influenced the amateur radio service here. Portable and mobile licenses were issued to all willing SP stations for the first time last year. The first two contest stations were heard in the 1989 CQ WW, one from Krakow (SN9C) and the other from the Poznan area (SN3A).

Licensed amateurs are no longer obliged to belong to the Polish Radioamateur Union (PZK). Independent local associations have been founded. The first one registered was the Krakow Radioamateurs Club, which continues its 60-year tradition under the same name. The club members hope to reform the national organization so that it can become a federation of partners rather than a centralized structure.

Every change requires great efforts on the part of the Polish hams. Economic chaos, the initiation of free-market economy, and the implementation of human rights require assistance for the new democracy. Will it find its way to the young entrepreneurs in Krakow who have to survive and finally develop their club activities?

We have proposed several projects emphasizing the training and involvement of youngsters, which were successfully carried out in Jordan after Wayne Greene's encouragement there some twenty years ago.

The Krakow Club members are experienced in contest operations, special event stations (SN10JP, SN70KRA, SQ0DXC), certificates (the Cracovia and the Child's Friend award), DXing (Cracovia DX Club) promotion (articles in local press, English phrase book for amateurs, and video programs on ham radio), technical questions (repeater to be completed soon), and national coordination (SP YL Club).

The ancient city of Krakow has many friends abroad. Krakow has nearly 20 sister cities on all the continents. What an excellent opportunity for cooperation!

Further reforms, which are expected later this year, should also revive contacts with Polish immigrants and start progress toward the Council of Europe, the international organization for the promotion of culture. We hope that the word Europe will soon lose its reference to the western part of the continent.

USSR Info relayed by Dick Genaille W4UW: Early last year a new radio club was formed in the USSR. The name of the organization is "Advanced Communications DX Association (ACDXA)." It was formed to promote the usual good things that radio clubs try to do, such as foster international friendship and good will, sponsor contests and expeditions, etc. The founders are Valery RA9YD and Yuri UA9YE. Both are officers of the Association.



Photo A. Shozo Hara JA1AN (left), President of JARL, presenting award to TIARA, accepted by Frank Striegl (right), 7J1AAL/KA2TNZ.

Applications and information about awards offered should be sent to the awards manager: ACDXA, PO Box 1, Barnaul 656057, USSR.

[Dick passed on the list of awards that ACDXA proposes to sponsor. There are too many to list in this column, but they will be listed on the 73 BBS in the 73 INTL Special Interest Group (SIG) as "ACDXA Awards."—Arnie]

Lithuania. News flash! The first ham convention organized by the World Lithuanian Amateur Radio Net, scheduled for early June, has been postponed. Standby for further news in the July issue of 73 Magazine.



AUSTRALIA

Ken Gott VK3AJU
38A Lansdowne Road
St. Kilda, Victoria 3183
Australia
"Silent Key"

Here we are in February, meaning that summer vacation is over for Australians, even if there's still plenty of summer left.

This was the first time in some years that I missed a visit to uninhabited Erith Island, where a group of us go camping. It's a major exercise, since we have to take all our needs with us—everything, that is, except lobster, abalone, and fish, all of which abound in the surrounding waters. And water—we don't take any of that, since we've established storage tanks in past years.

However, DV, I'll be back there next December for a few weeks, despite the fact that its topography and other factors make it a lousy place for DX.

Some pix I took a few years ago on a visit to Northwest Cape provided the cover for the February issue of *Amateur Radio Monthly*. [What a cover and view!] Although this joint US-Australian facility is best known for its VLF facilities (and hence ability to communicate with underwater submarines) it also has good all-round HF facilities. I understand that there is a similar VLF station at Cutler, Maine (USA), and that the two between them provide global coverage.

Incidentally, VK amateurs can get special permission to operate on LF. I only know of two who have ever availed themselves of the privilege. They were restricted to CW incidentally, and while on Erith, I cooperated in some of their experiments about five years ago (listening on 300 Hz or thereabouts, and replying on 3.5 MHz). However with effective radiation of only 1% of the LF station's power, it has always seemed like a mug's game to me.

WIA membership fees are on a calendar year basis (i.e., everyone pays in January), so it won't be until April that we will know the effect of a fairly steep increase in the fee. The same applies to the new membership option—a re-

duced fee, but without getting the monthly AR. I'm predicting that smaller circulation = less advertising revenue = smaller magazine. But we'll need to wait until April before the situation becomes clear. Meanwhile, there's a federal council meeting on Feb 10-11, with delegates coming to Melbourne from all states. Maybe that'll provide some news for 73 Magazine. Naturally, I'll be at the meeting with pencil poised.

Heck. Pretty soon after, I'll have to start getting ready for the annual field day contest. Having won the solo 24-hour section in 1988 and 1989, I'm out to make it three in a row. The doctors have OKed me, with a couple of caveats, but this year the idea will be to win not by working harder, but by working more cleverly. . . CHEERS—Ken.



Photo B. Byong-joo Cho HL5AP, Republic of Korea Ambassador, and his new ham shack.



REPUBLIC OF KOREA

Byong-joo Cho HL5AP
PO Box 4, Haeundae
Pusan, 612-600
Korea (South)

I am well after being sick for the last few months of 1989. I built a new 5-story building (which I call the "CQ Building") in February 1989 and my new shack has been completed, including an antenna tower on top of the building with a triband yagi and many dipoles.

I have been QRV on 10 and 18 MHz since October, and will be on 24 MHz soon with RTTY. I also have packet radio using an IBM-XT and MFJ-1278.

I am the oldest call holder in Korea, and a charter/life member of the Korea Amateur Radio League (KARL), as well as on the organization staff for KARL.

Even though it may be a little late by the time this gets printed, I send my best wishes for the New Year to all

hams at 73 and worldwide from the "Land of the Morning Calm."

[The letter was written January 1, 1990, and arrived at 73 sometime after February 15, 1990. Is that speed, or what?—Arnie]



SOUTH AFRICA

Peter Strauss ZS6ET
PO Box 35461
Northcliff 2115
South Africa

On February 2, the Pretoria Branch of the South Africa Radio League

during CQ Hou Koers and Jamboree on the Air, soon to be promulgated.

The Chairman of the South African Broadcasting Corporation Board, Prof. Christo Viljoen, addressed delegates to the Amateur Radio and Industry conference held at the Johannesburg Amateur Radio Centre on March 15 as part of Amateur Radio Week.

The conference was organized by the South African Amateur Radio Development Trust to introduce the Novice Licence concept to Industry and to enlist their support for the development of amateur radio. Professor Viljoen discussed the important role amateur radio can play in the development of South Africa's Electronics Industry through the encouragement of young people to follow a career in that field.

[It certainly appears that the SARL is attempting to halt the decline of amateur radio license holders as reported in the February column. How about the rest of us???—Arnie.]

Radio RSA, the Voice of South Africa, broadcasted live from the SARL National Convention held on March 17. Shortwave radio personality Kathy Fitch was at the Radio RSA stand and hosted the live transmissions.

Radio amateurs licenced in their own country and planning to take up residence in South Africa for an extended period may now apply for a ZS or ZR licence, without the need to write the local examination or a CW test. This facility was in the past only available to amateurs from countries which had entered into a reciprocal agreement with South Africa. Under the new ruling, amateurs from many West and East European countries, Canada, and many countries in the Americas and the Far East including Australia and New Zealand will now be able to apply.

Applications must be addressed to the Senior Director of Telecommunications, Department of Posts and Telecommunications, Private Bag X74, Pretoria 0001. A certified copy of the original licence and, where applicable, a copy of the current receipt must be included in the application. 73

(SARL) celebrated its 60th anniversary with a dinner. The Patron of the SARL, Mr. Johan de Villiers, and the SARL President, Reno Faber ZS6OF, were guests of honour.

In proposing a toast to the pioneers in telecommunications, Mr. de Villiers said that he was amazed at the technological developments that have taken place in amateur radio and the contributions that radio amateurs have made to the development of telecommunications.

In his address, Mr. Faber reminded the members of the branch of predictions he had made six months earlier, and how they had come true. Membership has increased 13.9% with new applications daily. Liaison with the Post Master General, and the services offered to SARL members, have never been better.

He expressed the appreciation to Mr. de Villiers for his encouragement and understanding, and to the officials for their cooperation in the creation of a new Novice licence, and the special concessions for groups like the Voortrekkers, Scouts and Girl Guides, to enable them to exchange messages



Photo C. Reno Faber ZS6OF, South Africa Radio League President.

BARTER 'N' BUY

Turn your old ham and computer gear into cash now. Sure, you can wait for a hamfest to try and dump it, but you know you'll get a far more realistic price if you have it out where 100,000 active ham potential buyers can see it than the few hundred local hams who come by a flea market table. Check your attic, garage, cellar and closet shelves and get cash for your ham and computer gear before it's too old to sell. You know you're not going to use it again, so why leave it for your widow to throw out? That stuff isn't getting any younger!

The 73 Flea Market, Barter 'n' Buy, costs you peanuts (almost)—comes to 35¢ a word for individual (noncommercial) ads and \$1.00 a word for commercial ads. Don't plan on telling a long story. Use abbreviations, cram it in. But be honest. There are plenty of hams who love to fix things, so if it doesn't work, say so.

Make your list, count the words, including your call, address and phone number. Include a check or your credit card number and expiration. If you're placing a commercial ad, include an additional phone number, separate from your ad.

This is a monthly magazine, not a daily newspaper, so figure a couple months before the action starts; then be prepared. If you get too many calls, you priced it low. If you don't get many calls, too high.

So get busy. Blow the dust off, check everything out, make sure it still works right and maybe you can help make a ham newcomer or retired old timer happy with that rig you're not using now. Or you might get busy on your computer and put together a list of small gear/parts to send to those interested?

Send your ads and payment to the Barter 'n' Buy, Donna DiRusso, Forest Road, Hancock NH 03449 and get set for the phone calls.

QSLs TO ORDER. Variety of styles, colors, card stock. W4BPD QSLs, PO Drawer DX, Cordova SC 29039. BNB260

THE DX'ERS MAGAZINE Up-to-date, informative, interesting. Compiled and edited by Gus Browning W4BPD, DXCC Honor Roll Certificate 2-4. Send for free sample and subscription information today. PO Drawer DX, Cordova SC 29039. BNB261

AZDEN SERVICE by former factory technician. Fast turnaround. PCS-300 NiCads \$36.95. Southern Technologies Amateur Radio, Inc., 10715 SW 190 St. #9, Miami FL 33157. (305) 238-3327. BNB262

REPEATERS & DUPLEXERS?? 3-Motorola C73 RCB-3105, 140-150.8 MHz Micor base stations. 110 watts, dual rcvrs, tone remote controllable. Excellent condition. \$1,295 each. Sinclair O-202, 140-148 MHz antenna duplexers in steel cabinets. \$275 each. Call (316) 522-5822. Gary Hainke, 836 W. 52nd St. South, Wichita KS 67217. BNB263

CODE-RTTY SEND-RECEIVE DISK for VIC-20, C-64. Send \$5. Codeware, Box 3091, Nashua NH 03061. BNB264

PROJECTION TELEVISION. Heath Screenstar. 6" screen with optional stand and stereo adaptor. \$975. (708) 394-9994. BNB265

DOSDX DX PREDICTION PROGRAM \$39.95. IBM/compatibles, CGA/EGA/VGA graphics, times, gray-line, MUF, DXCC lists. Amateur-Satellite Software, PO Box 37, Redmond WA 98073. BNB266

QSL CARDS- Look good with top quality printing. Choose standard designs or fully customized cards. Better cards mean more returns to you. Free brochure, samples. Stamps appreciated. Chester QSLs, Dept A, 310 Commercial, Emporia KS 66801. BNB434

SUPERFAST MORSE CODE SUPEREASY. Subliminal cassette. \$10. LEARN MORSE CODE IN 1 HOUR. Amazing new supereasy technique. \$10. Both \$17. Moneyback guarantee. Free catalog: SASE. Bahr, Dept 73-9, 1196 Citrus, Palmbay FL 32905. BNB531

SB-220/221 OWNERS: 17 detailed mods which include 160-6 meter operation, QSK, +enhanced p.s. 50% rebate for new mods submitted! 9 pages of 3-500Z tech info. \$11

postpaid.—Info. SASE, BOB KOZLAREK WA2SQQ, 69 Memorial Place, Elmwood Park NJ 07407. BNB581

ROSS' \$\$\$\$ USED June (ONLY) SPECIALS: KENWOOD TM-721A/TSU4 \$599.90, KPS-7A \$54.90, R5000/YK-88A1 \$749.90, SM-220/BS8 \$429.90, ICOM IC-PS-15 \$122.90, AT-500 \$389.90, IC-2KL \$1634.90, IC-730 \$539.90, PS-30 \$214.90, PS-20 \$159.90, COLLINS 32S-3, 75S-3B, 516F-2, 312B-4, SM-2 (ALL ROUND) \$1,619.50, DRAKE UV3 144,220,440 \$579.90, HS-75 \$20. **LOOKING FOR SOMETHING NOT LISTED?? SEND S.A.S.E. FOR USED LIST. MENTION AD. PRICES CASH, FOB PRESTON. HOURS TUESDAY-FRIDAY 9:00 TO 6:00, 9:00-2:00 P.M. MONDAYS. CLOSED SATURDAY & SUNDAY. ROSS DISTRIBUTING COMPANY, 78 SOUTH STATE, PRESTON ID 83263. (208) 852-0830. BNB654**

WRITTEN EXAMS SUPEREASY. Memory aids from psychologist/engineer cut study-time 50%. Novice, Tech, Gen: \$7 each. Advanced, Extra: \$12 each. Moneyback guarantee. Bahr, Dept 73-9, 1196 Citrus, Palmbay FL 32905. BNB691

ROSS' \$\$\$\$ NEW June (ONLY) SPECIALS: KENWOOD TS-440SWAT \$1219.90, TM-701-A \$489.90, TS-140S \$789.90, TM-231A \$394.90, TM-411A \$339.99, TS-811A \$1034.90, SM-230 \$844.90, TH-315A \$309.90, TS-940SWAT \$2099.90, ICOM IC-04AT \$319.90, IC-290H \$449.90, IC-2SA \$289.90, IC-275A \$1099.90, IC-471A \$709.90, IC-471H \$979.90, IC-575A \$1099.90, IC-μ2AT \$259.90, YAESU FT-757GXII \$889.90, FT-736R \$1639.90, TEN-TEC 961 \$224.90, 420 \$1059.90, 561 \$1199.90, 425 \$2599.90, 252MOE \$131.90, 585 \$1878.50, MFJ 986 \$239.90, 962C \$189.90, 949D \$134.90, 104 \$15.90, ALINCO ALM-203T \$229.90, DR-110T \$279.90, DJ-500T \$364.90, EP-2030 \$119.99, DR-570T \$529.90. **ALL L.T.O. (LIMITED TIME OFFER) LOOKING FOR SOMETHING NOT LISTED?? CALL OR WRITE. Over 9004 ham-related items in stock for immediate shipment. Mention ad. Prices cash, F.O.B. PRESTON. HOURS TUESDAY-FRIDAY 9:00 TO 6:00, 9:00-2:00 P.M. MONDAYS. CLOSED SATURDAY & SUNDAY. ROSS DISTRIBUTING COMPANY, 78 SOUTH STATE, PRESTON ID 83263. (208) 852-0830. BNB709**

HF PACKET IMPROVEMENT, Digicom > 64

revision "A" circuit now available. Board plugs directly into cassette port or remote mount via cable, both connectors included. Power derived from computer. Uses 7910 chip—no alignment required. Switch allows HF or VHF operation. Order Kit #154 for \$49.95 or Assembly #154 for \$79.95, both include FREE DISK. Add \$3.50 s/h, CA add 6.25% tax. A & A Engineering, 2521 W. La-Palma #K, Anaheim CA 92801. (714) 952-2114. MC or VISA accepted. BNB732

HAM TRADER YELLOW SHEETS. In our 28th year. Buy, Swap, Sell ham radio gear. Published twice a month. Ads quickly circulate, no long wait for results. Send business size SASE for sample copy. \$15 for one year (24 issues). P.O.B. 2057, Glen Ellyn IL (601) 382-057 or P.O.B. 15142, Seattle WA 98115. BNB741

\$\$\$\$ SUPER SAVINGS \$\$\$\$ Electronic parts, components, supplies, and computer accessories. Send \$1.00 for a one-year subscription to our catalogs and their supplements. Get on our mailing list. (214) 343-1770. BCD ELECTRO, Dept. 73, PO Box 450207, Garland TX 75045. **WE ALSO BUY SURPLUS.** BNB749

HAM RADIO REPAIR all makes, models. Experienced, reliable service. Robert Hall Electronics, Box 280363, San Francisco CA 94128-0363. (408) 729-8200. BNB751

WANTED: Ham Equipment and other property. The Radio Club of Junior High School 22 NYC, Inc., is a nonprofit organization, granted 501(C)(3) status by the IRS, incorporated with the goal of using the theme of ham radio to further and enhance the education of young people nationwide. Your property donation or financial support would be greatly appreciated and acknowledged with a receipt for your tax deductible contribution. Meet WB2JKJ and the "22 Crew" at the Knoxville TN Hamfest on June 2. Joe Fairclough will be the featured speaker telling the incredible story of the first 10 years of Education thru Communication at the core of the Big Apple. Write us at: PO Box 1052, New York NY 10002. Round the clock Hotline: VOICE (516) 674-4072, FAX (516) 674-9600. BNB762

HAMLOG COMPUTER PROGRAM Full features. 18 modules. Auto-logs, 7-band WAS/DXCC. Apple, IBM, CP/M, KAYPRO, TANDY, CR8 \$24.95. 73-KA1AWH, PB 2015, Peabody MA 01960. BNB775

LAMBDA AMATEUR RADIO CLUB International amateur radio club for gay and lesbian hams. On-air skeds, monthly newsletter, and annual gathering at Dayton. PO Box 24810, Philadelphia PA 19130. BNB812

MICROSATS/FO-20 DOSSAT SATELLITE Tracking Program, \$39.95. IBM-PCs/compatibles, graphics and tabular output, realtime and prediction modes, rotor controller support, geosynchronous (Phase IV) tracking. Amateur-Satellite Software, PO Box 37, Redmond WA 98073. (206) 868-1040. BNB835

MACINTOSH SOFTWARE: Logging, contest, Morse and theory training. ZCo Corporation, PO Box 3720, Nashua NH 03061. (603) 888-7200. FAX (603) 888-8452. BNB874

LOW COST HAM RADIO EQUIPMENT. Send SASE for list. JIM Brady/73, 3037 Audrey Dr., Gastonia NC 28054. BNB890

SURPLUS CATALOG. 72 pages. \$2. Surplus, PO Box 276, Alburg VT 05440. BNB891

WANTED: BUY & SELL All types of Electron Tubes. Call toll free 1 (800) 421-9397 or 1 (612) 429-9397. C & N Electronics, Harold Bramstedt, 6104 Egg Lake Road, Hugo MN 55038. BNB900

ELECTRON TUBES: All types & sizes. Transmitting, Receiving, Microwave... Large inventory = same day shipping. Ask about our 3-500Z special. Daily Electronics, PO Box 5029, Compton CA 90224. (800) 346-6667. BNB913

COMMODORE 64 HAM PROGRAMS—8 disk sides over 200 Ham programs \$16.95. 25¢ stamp gets unusual software catalog of Utilities, Games, Adult and British Disks. Home-Spun Software, Box 1064-BB, Estero FL 33928. BNB917

DIGITIZER FOR IBM COMPATIBLE PCs 640 by 480 resolution from VCR video camera \$85 demonstration disk \$3. Codeware, Box 3091, Nashua NH 03061. BNB925

BATTERY PACK REBUILDING: Don't pitch it—Mail it—for FAST—PROFESSIONAL REBUILDING! Satisfaction guaranteed! ICOM: BP2/BP3 \$19.95, BP5 \$25.95, BP7/BP8/BP70 \$32.95. KENWOOD: PB21 \$15.95, PB21H \$21.95, PB25/25H/26 \$24.95. YAESU FNB9 \$19.95, FNB10 \$23.95, FNB4/4A \$36.95, Ten-Tec \$24.95, "U-DO-IT INSERTS" ICOM: BP3 \$16.95, BP5 \$22.95, BP7/8 \$27.50, KENWOOD: PB21 \$12.95, PB24/25/26 \$19.95, TEMPO: S1-S15/series \$22.95, YAESU: FNB4/4A \$32.95, FNB10 \$18.95, AZDEN: 300 \$19.95, "NEW PACKS" ICOM: BP5 \$43.95, BP8 (BASE CHG ONLY) \$39.95, YAESU: FNB2 \$19.95, FNB11/FNB14 \$44.95, SANTEC: 142/1200 \$22.95. **TELEPHONE/PAGER/COMPUTER/COMMERCIAL PACKS—FREE CATALOG.** Add \$3 Shipping/order. PA+6%, VISA-M/C add \$2. CUNARD, R.D. 6 Box 104, Bedford PA 15522. (814) 623-7000. BNB931

LONG WAVE 1750 METER products and kits by Curry Communications. Please send SASE to 852 North Lima St., Burbank CA 91505. BNB932

VOX ACTUATED TRANSMITTER 49 MHz, crystal controlled 6-15 VDC, 1 mA. Standby Circuit Board Kit Only SUPER QUALITY \$39.95 ppd. Catalog \$3.00, refundable. Advanced Electronic Tech, Ste. 173, 5800-A, N. Sharon, Amity Rd., Charlotte NC 28215. (704) 545-2681. BNB933

LET THE GOVERNMENT FINANCE your ham radio-related small business. Grants/loans to \$500,000. Free recorded message: (707) 449-8600. (LO9). BNB935

MOTOROLA FM REPEATER with tone remote control 136-174 MHz, 117 VAC 50/60 Hz. Model B93MPB 1100 B W. Serial #GA171L. Trans Type CC3041. 375 Watt Output. (301) 432-5586 after 6 pm EST or write KA3SDJ 89, 90 Callbook. BNB937

VIDEOCIPHER II MANUALS. Volume 1—Hardware, Volume 2—Software, either—\$34.95. Volume 3—Projects/Software, Volume 5—Documentation or Volume 6—Experimentation, \$44.95 each. Volume 4—Repair, \$99.95. Cable Hacker's Bible—\$34.95. Clone Hacker's Bible—\$34.95. Catalog—\$3.00. CODs (602) 782-2316. TELECODE, PO BOX 6426-PE, Yuma AZ 85366-6426. BNB938

GOV'NT TECHNICAL MANUALS (Schematics & Complete Maintenance) Receivers: R-388, APR-4, 51S-1 Collins, UP-600JX, Zenith Transoceanic, \$19 ea. R-390A, R-392, \$25 ea. RTTY Converters: CV-89, CV-60, \$25 ea. I ship. D. Testa, PO Box 9064-AR73, Newark NJ 07104. BNB939

SATELLITE MONTHLY AUDIO CODES 1 (900) HOT-SHOT intended for testing only. \$3.50 per call. BNB940

TECH TIPS

Pearls of Tech Wisdom

TS-430S Mods from KA0SUN via KB8CI PBBS

The AGC mod on the TS-430 Kenwood to run AMTOR requires three component changes. On the IF board, find and replace capacitor C-60, a 10 mF, with a 4.7 mF. Clip one of the connections on diode D-50. Replace capacitor C-164, a 0.22 mF, with a 0.1 mF ceramic. Both D-50 and C-60 are on the upper left corner of the IF board, and are also marked on the PC board. However, C-164 is not clearly marked. It is a 0.22 mF can electrolytic near the center of the IF board. It is just below and to the right of C-149, and directly right of IC-5. Looking at the back of the board, one lead of C-164 is connected to the junction of a 47kΩ resistor, R-129, and a glass diode, D-77. These two components, soldered to the back of the board, are also not marked.

A nice touch, when speed is not important, is to put a short piece of coax to a miniature toggle switch in-line with diode D-50. This disables the mod to restore the smooth changeover from transmit to receive the 430 has normally. In CW, with D-50 clipped, the receiver kicks back to life with a sharp crack and gets annoying when the gain is really high, chasing after a weak DX station, for instance. So the switch removes diode HD-50 for AMTOR and returns it to the circuit for anything else. Beware! Everything is very tiny, very crowded, and very expensive.

from NCARC COMMUNICATOR

IC-2AT Mod from KA8CNI via KB8CI PBBS

I routinely use a half-wave antenna on my IC-2AT handheld. When collapsed, the antenna has the same gain (loss) as a rubber duck, while giving me greater range when fully extended. There is a certain amount of movement of the center pin of the BNC connector with the half-wave antenna on the handheld. This movement causes fatigue fracturing of the wire connecting the printed circuit board to the BNC connector. After numerous failures, I used the braid of RG-174 coax to make the connection.

First remove the BNC from the radio and break off the unused

ground lug. The pin of the BNC should be placed into the end of the braid. Wrap a thin piece of wire around the braid 3-4 times, secure it, then solder it. Reinstall the BNC and dress the braid to the solder pad on the printed circuit board and solder. Do not heat the braid too long while soldering, as solder will be drawn up, making it stiff and subject to fatigue fracturing.

from NCARC COMMUNICATOR

All About Henry for the C-64

I read with interest the article by W.K. McKellips WB4DCV, "All About Henry," in the November 1988 issue of 73. Knowing from experience how difficult it is to measure the value of coils, I immediately built the oscillator that he described, and with skepticism, anxiously awaited the results.

The program had been written for an Apple 2+ and it would not run on my Commodore 64, so I had to make a few changes. After this, I found to my surprise that it was possible to measure the small ones as well as the big ones without much trouble.

Since C1 (0.001) is important for accuracy, get it as close to 1000 pF as you can. If C1 is slightly under, you can add silver mica condensers in parallel to put it on the nose.

If the program doesn't work the first time, check to make sure you typed it in correctly. It's difficult to get all the periods, semicolons, etc., right the first time.

When you make a change in a line, be sure to press RETURN to put the change in memory. After pressing RETURN, press RUN/STOP and RESTORE at the same time, then hold the CTRL key down and press 2. You'll get a white cursor, which is more visible than the blue cursor. Type LIST to view the entire program on the screen.

If you'd like to check the program before you've built the oscillator, you can run the program by using the following procedure using the following figures. When entering 679 kHz as F1, the program will show an LS = 54.94μH. When F2 is set to 615 kHz, LX = 12.02 μH/0.01 mH. When F2 is

READY.

```

5 PRINT "g";REM-HOLD SHIFT AND PRESS CLR/HOME-THIS CLEARS THE SCREEN
10 REM-ALL ABOUT HENRY
15 REM-COMplete PROGRAM FOR LS AND UNKNOWN VALUE.(LX)-FOR COMMODORE 64
30 C=1000;REM-(C=.001)
40 PRINT "FREQUENCIES SHOULD BE IN KHZ."
50 INPUT "ENTER FREQ #1";F1:PRINT
60 IF F1=0 THEN END
70 F1=F1/1000;REM-CONVERT TO MHZ FOR FORMULA
80 LS=25330 / (1000*(F1^2))
90 LS=INT (LS*100)/100
100 PRINT: PRINT "INDUCTANCE STANDARD (LS)"LS "UHY"
110 REM 2ND PART FROM JULY '88 RADIO ELECTRONICS
120 LS=LS/1000000:F1=F1*1000
130 INPUT "ENTER FREQ #2";F2:PRINT
140 IF F2>F1 OR F2=0 THEN GOTO 10:END
142 PRINT
144 PRINT " UNKNOWN VALUE (LX)"
146 PRINT
150 LX=((F1/F2)^2-1)*LS
160 PRINT INT (LX*100000000)/100;"UHY"
170 PRINT INT (LX*100000)/100;"MHY"
180 IF LX <.01 THEN 200
190 PRINT INT (LX*1000)/1000;"HYS"
200 PRINT
210 GOTO 130
    
```

READY.

Figure 1. Program for LS and LX.

409 kHz, LX = 96.47 μH/0.09 mH. When F2 is set to 20 kHz, LX = 63,269.04μH/63.26 mH/0.063 H.

In the original program, line 80 has a small inverted "v." This is the up arrow to square F1. Other printers might show it in other ways. Also, CLR/HOME (in reverse field), used to clear the screen in line 5, could be shown as a heart by a Commodore MPS 801, and as a small "s" by a Blue Chip printer.

You must have the article, "All About Henry," to use this information. If you don't have this issue, you can request a copy directly from 73 Magazine for a small fee.

You can also measure capacitors with a unit you can buy assembled or in kit form, as described in the July 1988 issue of Radio Electronics. Good luck.

Lindsey M. Riddle W5JG
New Orleans LA 708

QUORUM

Weather Facsimile Products



\$399.00
Scan Converter & Software



\$399.00
GOES Down Converter



\$375.00
GOES/APT Receiver

Fully Integrated Fully Affordable

Finally, an affordable, easy to use, totally integrated, professional quality Weather Facsimile System for the serious amateur or experimenter. Here's a feature summary:

Our model SDC-1691 down converter boasts a typical 1 dB noise figure, 32 dB gain and oven stabilized, temperature compensated local oscillator for unsurpassed performance and reliable operation.

Our model SL-137 receiver works in tandem with our Wefax PC Adapter for total program control of frequency, gain, preamp power and input port. It boasts 0.3 uV sensitivity and 45 KHz bandwidth for optimum reception of GOES and polar orbiters.

Our Wefax PC Adapter features an on board micro-computer to de-couple image acquisition from PC timing. Automatic gain control guarantees perfect image contrast.

Version 2.0 of the PC software provides user configurable setups to HOT key switch between image sources and frequencies along with automatic image sync in ALL modes and timer controlled image acquisition. Image editing and real time palette manipulation round out the key features.

For more information, demo requests or orders, call the number below; or, call our Bulletin Board at (817) 464-7284 and download a demo now.

Quorum Communications, Incorporated
PO Box 277 Grapevine, TX 76051 (817) 488-4861

Michael Bryce WB8VGE
2225 Mayflower NW
Massillon OH 44646

Conversions for Field Day

The end of June brings Field Day, a great time to operate QRP. You can show the rest of hamdom just what several watts can do! This month we'll look at some simple modifications for Field Day use.

The ICOM IC-735

First, a modification to convert the popular ICOM IC-735 to QRP operation. These modifications will let you operate the IC-735 at QRP power levels down to one watt or less. **DON'T ATTEMPT THIS IF YOU ARE NOT SURE OF WHAT YOU ARE DOING!** Leave it for someone who feels secure working inside a modern transceiver.

Low Power Operation

Start by removing the bottom cover. With the radio turned upside down, find the slide switch at the rear left center. This is the switch that selects either 50 or 100 watts as the maximum output available from the transmitter. Push the switch to the rear of the radio. This is the 50 watt position.

Next, find the pot labeled R-267 at the right rear of the radio. Turn the pot to full clockwise position. This is the minimum output setting. You should now have about four watts output with the front panel control set at minimum, and about 50 watts out at maximum. R-268, located just to the right of R-267, sets the maximum power output when the front panel control is advanced to the maximum position.

Find the pot labeled R-361 at the front left of the radio. If you want a lower power output, adjust this pot for

the lower power setting desired. This adjustment is quite touchy at settings below two watts out but, if you are careful, you can get outputs down to approximately one watt. You can maintain this power level through a reasonable amount of vibration, such as while operating portable or mobile. Be aware that this adjustment will probably change the power output obtainable when the front panel control is advanced to the maximum position. For example, with R-361 adjusted to 1.9 watts, the maximum that you can get is 30 watts.

Replace the bottom cover. You should now have power control for the IC-735 while operating QRP.

The newer IC-725 can be adjusted down to QRP levels via the front-mounted drive control. You won't need to get inside this radio to modify it for QRP use.

The Ten-Tec Argosy

If you're really a glutton for punishment, how about running milliwatts for Field Day? If you have a Ten-Tec Argosy, milliwatting is easy to do.

Remove the top cover of the Argosy. Look for the RF mixer board located in the right center of the transceiver. (In my Argosy II, the mixer board is numbered 80784-d.) On the right side of the mixer board you'll see two pots. The one we're looking for

is labeled R4. Locate the power adjust switch on the rear apron of the Argosy and move it to the QRP position. Adjust R4 to control the low power output of the radio. This can be set to less than five watts output. The ALC will hold this level. That's all there is to it.

Before you replace the cover, you might want to do another simple modification to the Argosy II. If you're like me, you'll have noticed the bleed over from the meter light onto the LED display. This is most noticeable when you turn the display off to save on battery power.

The fix is simple. Cut a small piece of fishpaper to fit between the meter and the LED display board. Fishpaper is thin, stiff, nonconducting cardboard. It is also flame-resistant. You can use just about anything in place of fishpaper as long as it meets these requirements. Fashion the fishpaper to an "L" shape and it will fit nicely between the meter and the display board. Now when you turn off the LEDs you won't see the circuit board illuminated by the meter lamp.

The Century 21

If you're running a Century 21 for Field Day, this modification may be of interest to you. Using the Century 21 at QRP power levels is difficult. You can adjust the Century 21 much easier if you change out the drive control. The original control pot is a 10k LINEAR taper. Replace this control with a 10k AUDIO taper pot. You can get these at your local Radio Shack store. This makes low power settings easier. Results will vary from radio to radio. The Radio Shack pot is not an exact mechanical replacement.

You'll have to tighten the hex nut

against the inner panel with the spacer loose on the pot shaft. Lacking a hex nut on the front panel isn't a problem. Just put the knob on the shaft and have a ball.

The Heath HW-9

Most of the HW-9s I've seen drift positive about three or four kHz over several hours. One of my earlier columns had some mods for curing drift in the HW-9. Some of you wrote to me saying that the mods didn't work; others said that they worked like magic. Well, here's one mod for HW-9 VFO drift.

Since diode junction capacitance varies with ambient temperature levels, two 1N914s are connected back-to-back and soldered across variable capacitor C1 (points E and GND). This procedure will shift dial calibration which can be reset by adjusting the VFO coil, L118. You might want to try different pairs of diodes to find the characteristics to best suit your needs.

Solar Power

To get a few more extra points, many QRP stations are operating with solar power. Using just the solar panel for power, without a battery for energy storage, can be a real challenge. I've always used a battery along with a solar panel for Field Day. The battery serves as the voltage regulator and it will operate the radio at night.


If this is your first time operating with solar power, remember: **NEVER CONNECT A SOLAR PANEL DIRECTLY TO A RADIO WITHOUT EITHER A VOLTAGE REGULATOR OR A BATTERY TO SERVE AS A REGULATOR.** The open circuit voltage of most photovoltaic panels approaches 20 volts. This will fry your new radio instantly.

Figure 1 shows a simple circuit for a small voltage regulator. This will hold the voltage down to a safe level for direct use by the radio. When the sun shines, the radio will operate. With the voltage regulator listed you can run about an amp of current to the load. The LM317 will go to 2 amps if heat-sunk to a larger piece of metal. I used a small heatsink and have no trouble at one amp. Don't allow the regulator to sit in the sun—you don't want to add to the heat build-up. And, of course, you must have the solar panel at the required power to run the load directly without a battery. You'll need at least a five watt panel under full sun to operate the Argonaut.

Notice the use of large capacitors at Cx. These are computer-grade units from hamfest flea markets. The capacitors will smooth out the rough spots when the sun hides behind a cloud or two for a short time. A 90,000 µF cap works quite well at both locations. The more the merrier! Allow the panel to charge up the capacitors before you connect the load. Watch the operating voltage of the capacitors at Cx. You'll need at least 30 VDC working for the panel side of the regulator, less on the load side.

Build the circuit on a piece of perf-board. You can get all the parts from the local Radio Shack store. Test the regulator by substituting a power supply for the solar panel. Adjust the supply for 20 volts. Adjust the trimmer on the regulator for 12.6 volts. That's all there is to it! Tidy things up so you won't short out the regulator and you're off.

This year at Field Day, when you turn it on, turn it down. Please send me photos of your setup. **73**



A simple circuit for a small voltage regulator.

Amateur Software for the Commodore User

ART-1

ART-1: A complete interface system for send and receive on CW, RTTY (Baudot & ASCII) and AMTOR, for use with the Commodore 64/128 computer. Operating program on disk included.

\$199.00

AIR-1: A complete interface system for send and receive on CW, RTTY (Baudot & ASCII) and AMTOR, for use with Commodore VIC-20. Operating program in ROM.

AIR-1

\$99.95

SWL

SWL: A receive only cartridge for CW, RTTY (Baudot & ASCII) for use with Commodore 64/128. Operating program in ROM.

\$69.95

AIRDISK: An AIR-1 type operating program for use with your interface hardware. Both VIC-20 and C64/128 programs on one disk.

AIRDISK

\$39.95

AIR-ROM: Cartridge version of AIRDISK for C64/128 only.

\$59.95

MORSE COACH

MORSE COACH: A complete teaching and testing program for learning the Morse code in a cartridge.

For C64 or C128.

\$49.95

VEC SPECIAL

\$39.95

G AND G ELECTRONICS
OF MARYLAND

8524 DAKOTA DRIVE, GAITHERSBURG, MD 20877

(301) 258-7373



SPECIAL EVENTS

Number 38 on your Feedback card

Ham Doings Around the World

JUNE 1-2

ALBANY GA The ARRL Georgia State Convention and Southeast Packet Conference, sponsored by the Albany ARC, will be held at the Heritage House Motel & Convention Center 5 PM-9 PM Friday, 8 AM-4 PM Saturday. All rooms \$39. Reservations: 800-476-5193. Admission \$3. Tables \$8 for both days. Free parking. Talk-in: 146.82, 444.5. Contact Albany ARC, PO Box 1205, Albany GA 31702. 912-883-7910 (M-F, 9-5).

JUNE 2

PITTSBURG KS The Pittsburg Repeater Organization, Inc. will hold its Annual Hamfest in Lincoln Center from 8 AM-3 PM. VE exams. Admission \$5 includes chicken dinner. Talk-in: 146.34/94. Contact Kenneth L. Johnston, 2402 Wall, Joplin MO 64804. 417-623-1895.

ATHENS GA The Athens Radio Club will hold its Annual Hamfest from 8 AM-4 PM at Sandy Creek Park. VE exams at 9 AM. Walk-ins welcome (bring license copy). Adult admission \$2, children 50c (includes park entrance fee). Some tables available for flea market space. Talk-in: 146.745/145 and 147.225/825. Contact Joe Londeree KC4EJY, 404-353-8196.

KITCHENER ONTARIO CANADA The Central Ontario Amateur Radio Fleamarket, jointly sponsored by Guelph ARC and Kitchener-Waterloo ARC, will be held at Bingeman Park 8 AM-2 PM. Opens 6 AM for vendors only. Admission \$5. Vendor tables \$8 per 8' space. Children 12 and under free. Talk-in: KSR 146.37/97; ZMG 144.61/145.21; simplex 52/52. For advance tickets and table confirmations contact Fleamarket Chairman, Ray Jennings VE3CZE, 61 Ottawa Cres., Guelph Ont. N1E 2A8. 519-822-8342. Make checks payable to: Central Ontario Amateur Radio Fleamarket.

KNOXVILLE TN The 24th Annual Knoxville Hamfest and Computer Fair, sponsored by the RAC of Knoxville, will be held from 8 AM-5 PM at the Convention Center at the World's Fair Park. Admission is \$5. Dealer and fleamarket tables \$11, includes 2 chairs. Crafts and home products also featured. VE exams. Garage parking and trailer compound available. Talk-in: W4BBB 147.30+, 145.37-, and 224.500. For table reservations contact Frank Ambrister N4OQJ, PO Box 9605, Knoxville TN 37940. 615-933-2539. For license exam reservations contact Ray Adams N4BAQ, 4325 Felty Drive, Knoxville TN 37918. 615-687-5410.

JUNE 2-3

WENATCHEE WA A Hamfest will be held at Rocky Reach Dam by the Apple City ARC. Registration fee for amateurs is \$5, others \$1, children under 12 free. The banquet at 6:30 PM Saturday (at the Masonic Temple) is \$7 per person. Free camp and trailer space with power will be at the west side of the dam after 2 PM Friday, under Wagonmaster control. VE exams 2 PM Saturday at the Powerhouse. Talk-in: 2 meter FM 146.30/90, 147.38/98; 146.49 simplex. Mail registration to Bob Lathrop, Treasurer, 919 N. Woodward Drive, Wenatchee WA 98801. Make checks payable to Apple City Radio Club.

JUNE 3

NEWINGTON CT The Newington ARL will hold its 7th Annual Amateur Radio and Computer Flea Market from 9 AM-2 PM at the Newington High School. Indoor tables. Tailgating. Admission \$3 at the door. Contact NARL Flea Market, PO Box 165, Pleasant Valley CT 06063 (SASE, please). 203-523-0453. For VE Exam info: Tom Namnoum KM1O, 203-666-1615.

QUEENS NY The Hall of Science ARC Hamfest will be held at the New York Hall of Science parking lot—Flushing Meadow Park. Doors open at 9 AM. Set up after 7:30 AM. VE exams at 10 AM. Donation, buyers \$3, sellers \$5 per space. Talk-in: 144.300 simplex, 223.600 repeater and 445.225 repeater. For information call at night, Steve Greenbaum WB2KDG, 718-898-5599 or Phil Kubert N2HYE 212-777-8648.

PRINCETON IL The Starved Rock Radio Club Hamfest will be held at the Bureau County Fairgrounds beginning at 6 AM. Advance tickets are \$3.50 before May 20th and

\$4 at the gate. Free camping and outdoor flea market area. 8' tables indoors are \$10. Talk-in: 146.355/955 or 147.72/12. Contact Pete Jacobsen AA9R, 19 Briarcliff Drive, Spring Valley IL 61362-1001. 815-664-5580.

BUTLER PA The 36th Annual "Breeze Shooters" Hamfest will be held at the Butler County Farm Show Grounds from 8 AM-4 PM. Admission is \$1 at the gate. Indoor tables \$10. Free tailgating. Designated handicap parking. Talk-in: 147.96/36. Check in on 146.52. Contact H. Rey Whanger, RD 2 Box 8, Cheswick PA 15024. 412-828-9383.

CHELSEA MI The Chelsea ARC, Inc. will hold their 13th Annual Chelsea Swap 'N' Shop from 6 AM-2 PM at the Chelsea Fairgrounds. Donation: \$2.50 in advance, \$3 at the gate. YLs, XYLs and kids under 12 free. Table \$8 per 8' space. Trunk Sale: \$2 per space. Special handicap parking. Send SASE to Robert Schantz, 416 Wilkinson Street, Chelsea MI 48118. 313-475-1795.

MANASSAS VA The Ole Virginia Hams ARC, Inc. will sponsor the Manassas Hamfest and Computer Show at the William County Fairgrounds. Open to public 8 AM, tailgaters 7 AM. General admission is \$5, tailgating \$5 additional per space. All activities wheelchair accessible. Talk-in on the Manassas repeater, 146.37/97 and 223.06/224.66. Unlimited tailgating space. For further information: Dealers contact Joe K4FPT, 703-368-8599. For general information contact Rosemary K14VO, 703-361-5255.

LANCASTER NY The Lancaster ARC will hold their 2nd Annual Hamfest at the Depew Grove from 8 AM-4 PM. Advance tickets \$3. Indoor space \$4 per 8' table. Reserve early. Contact Al Lincoln KB2FIN, 2779 Stony Point, Grand Island NY 14072.

JUNE 9

GRAND RAPIDS MI The Independent Repeater Assoc. is sponsoring its Annual Hamfest at the 44th St. Armory from 8 AM-4 PM. Walk-in VEC exams 9 AM. Tables for dealers, sellers \$4 each. Reservations with SASE only. Contact Bruce N8IRW, 616-453-8029 or write IRA, c/o Bruce Rittenhouse, 562 92nd St. S.E., Byron Center MI 49315.

MIDLAND MI The Central Michigan ARA will sponsor their 16th Annual Hamfest at the Midland Community Center from 8 AM-1 PM. Admission is \$3. Tables \$8. Talk-in: 147.000 + 0.600 MHz. Contact CMARA Hamfest, PO Box 67, Midland MI 48640. 517-631-9228 evenings and weekends. Please SASE.

WINSTON-SALEM NC The Forsyth ARC presents its 3rd Annual Hamfest, Computer & Electronics Fair at the Benton Convention in downtown Winston-Salem. Fleamarket set-up 6 AM-9 AM. Doors open at 9 AM-3 PM. Advance tickets \$4, \$5 at the door. Tables \$10/8'. Talk-in: 146.64/04. Send SASE to contact Jim Rodgers N1DRI, W-S Hamfest, PO Box 11361, Winston-Salem NC 27116. 919-760-2493, 9 AM-10 PM.

JUNE 9-10

CHEYENNE WY The SHY-WY ARC will host the Wyoming Hamfest at the Holiday Inn. VE exams. Talk-in on 146.175/775 or 146.22/82. Contact Fred Dumire N7JPR, PO Box 6262, Cheyenne WY 82003.

GRANITE CITY IL The Egyptian RC will conduct the Annual Egyptianfest at their club-grounds on Chouteau Place Rd. from 6 AM-3 PM. VE exams. Saturday nite camping is available. Advance tickets \$1 each/6 for \$5 or \$2 each/3 for \$5 at the Egyptianfest. Talk-in: 146.16/76, 146.19/79 and 442.400 on the ERC-W9AIU repeaters. Contact Carl Waller WB9YDK, PO Box 562, Granite City IL 62040. 618-345-6469.

JUNE 10

WINFIELD PA The Milton and Central Susquehanna Amateur Computer and Ham Radio Clubs will host the 17th Annual Central PA Ham and Computer Fest at the Winfield Fireman's Fairgrounds from 08:00-17:00 EST. VE exams by advanced registration. Donations \$4 at gate, XYLs, YLs and children free. Tailgating \$1 for 6' table. Talk-in: 146.97, 147.18 and 146.52. Call or write Jerry Williamson WA3SXQ, 10 Old Farm Lane, Milton PA 17847. 717-742-3027; or Bob Stahl KQ3KR, 452 Fourth St., Northumberland PA 17857. 717-473-7050.

Listings are free of charge as space permits. Please send us your Special Event two months in advance of the issue you want it to appear in. For example, if you want it to appear in the August issue, we should receive it by May 31. Provide a clear, concise summary of the essential details about your Special Event.

LAWSON MO Children between the ages of 8 and 14 who are accompanied by an adult relative may participate in a 43-hour field event starting at 5 PM at the Watkins Mill State Park. No fees except state park entrance fee. The Marlborough Elementary School Communications Club has organized activities in which child-parent/grandparent teams may participate. Accompanying adults who are hams may bring their own radio equipment. Limited camping spaces with electricity. Participants are responsible for their own tents, gear and food. Elementary and middle school radio clubs are invited to participate as units when accompanied by club sponsors or teachers. Contact Chuck Bryan, Marlborough Communication Club, 1300 E. 75th St., Kansas City MO 64131. 816-926-2134. Packet address: KB0CUS @ WB0AEX.

AKRON OH The Goodyear ARC's 23rd Annual Hamfest and Family Picnic will be held at Wingfoot Lake Park (near Akron) from 8 AM-4 PM. Admission to outside flea market is \$3 per vehicle. Inside dealer area available at \$6 per table (advance reservations suggested). No overnight parking, no pets, no swimming please. For tickets and info contact William F. Dunn WB1FM, 4730 Nottingham Lane, Stow OH 44224. 216-673-8502.

WILLOW SPRINGS IL The Six Meter Club of Chicago, Inc., is pleased to announce its 33rd Annual Hamfest. This event is to be held at Santa Fe Park beginning at 6 AM. Advance registration \$3, \$4 at the gate. Pavillion space is limited. A donation of \$20 per table space is requested. Overnight camping not permitted by Santa Fe Park management. Talk-in K9ONA 146.52 or K9ONA/R 37-97. Get advance reservations from Mike Corbett K9ENZ, 606 South Fenton Ave., Romeoville IL 60441.

JUNE 11

BOULDER CO The Boulder VE Team will be testing at 7 PM at the American Legion. Pre-registration is preferred but walk-ins are welcome. Please bring driver's license, one other ID, check or MO payable to ARRL-VEC for \$4.95. If you currently have a license, bring it and a copy. If you claim credit for any test elements, bring originals of certificates of completion of an exam and a copy of the FCC 610 you submitted. Also bring soft pencils and a calculator. For info and to pre-register call Barbara McClune N0BWS, 303-530-1872.

JUNE 15

VERONA NY The Madison-Oneida ARC is holding VE exams at the Madison-Oneida BOCES starting at 7 PM. Talk-in on 145.37. Contact Leonard Popyack WF2V, 315-853-8974, or on 146.79, 145.37, WF2V @ WA2TVE, or POPYACK @ TOPS20.RADC.AF.MIL.

JUNE 17

CROWN POINT IN The Lake County ARC will sponsor its Annual Fathers' Day Hamfest in the Industrial Building of the Lake County Fairgrounds from 8 AM-2 PM. Free parking. Set-up at 6 AM. Free parking. General admission \$3.50. Tables \$5. VE exams with Novices free and walk-ins welcome. Talk-in on the LCARC repeater 147.00 or 146.52 simplex. Contact Ken Brown KE9TC, 918 Chippewa, Crown Point IN 46307, or call 219-663-5035.

FREDERICK MD The Frederick ARC will hold its Annual Hamfest at the Frederick County Fairgrounds from 8 AM-4 PM. Admission \$4, tailgaters \$5 for each 10' space. Wives & children free with one paid admission. Indoor tables \$10. Write to Ernie Hansen K3VVV, PO Box 589, Mt. Airy MD 21771.

SANTA MARIA CA The Satellite ARC will hold its Annual Santa Maria Radio Swapfest and Barbecue at the Union Oil Company Newlove Picnic Grounds from 9 AM-4 PM. Tables are available at 7 AM for \$3.50. Top Sirloin Barbecue at 1 PM, \$7.50 for adults and \$3.50 for children. VE exams, free parking. Talk-in: 146.94. Contact Esther Miller, PO Box 5117, Vandenberg AFB CA 93437 or call 805-937-8878.

MONROE MI The Monroe County Radio Communications Assoc. will sponsor its 1990

Hamfest at the Monroe County Fairgrounds. \$3 advance, \$4 at the gate. Handicap parking inside the grounds. Exhibits are wheelchair accessible. Talk-in 146.12/72 and 223.18/224.78. Contact Fred Lux WD8ITZ, PO Box 982, Monroe MI 48161. 313-243-1053.

STEVENS POINT WI The Central Wisconsin RA, Ltd. is holding its Annual Swapfest at the University Center on the University of Wisconsin-Stevens Point campus. Free parking. Handicap accessible. Tables and electricity available for commercial vendors. Groups and clubs dedicated to amateur radio are invited to request space for meetings. Facilities assigned on a first-come, first-served basis. Please contact Art Wysocki N9BCA, CWRA Swapfest Chairman, 3356 April Lane, Stevens Point WI 54481. 715-344-2984.

JUNE 23-24

LEMPSTER NH The Connecticut Valley FM Assoc. will hold a Flea Market at the Dodge Hollow Campground from 9 AM-4 PM. Camping space available. Field Day operations. Talk-in: 146.160/760 and 146.490. For info contact Conrad Ekstrom WB1GXM, PO Box 1076, Claremont NH 03743-1076. 603-543-1389.

SPECIAL EVENT STATIONS

JUNE 1-3

ST. LOUIS MO The Amateur Radio Operators of the St. Louis Area Council, Boy Scouts of America will operate Station K2BSA/0 from Friday 2200Z-1700Z Sunday, to commemorate Rendezvous 90, a Scout Jamboree where over 25,000 scouts will be in attendance. Frequencies: Phone 3.940, 7.290, 14.290, 21.360, 28.350; CW 3.590, 7.125, 14.070, 21.140, 28.190. For QSL send your QSL and SASE to Richard A. Grady, 5976 Keith Place, St. Louis MO 63109.

JUNE 2

PROVIDENCE RI The Rhode Island A.R.E.S./Red Cross Network will operate Station K1JFI from the Narragansett Bay Chapter A.R.C. State Communications Center from 1200Z-2400Z. This will be part of the First Annual RI Emergency Communications test. Frequencies: General Class 40 & 15 meter phone bands; Novice 10 meter phone band. For certificate send QSL & QSO number with an SASE (or IRC's) to The Roger Williams VHF Society K1JFI, PO Box 40001, Providence RI 02940-0001.

JUNE 2-3

MADISON OH The Wireless Institute of Northern Ohio (W.I.N.O.), an organization sponsored by the Lake County ARA, will operate Station KO8O Saturday from 2300Z-0300Z on 7235 and 14235 kHz, and Sunday from 1500Z-1900Z on 14235 and 21310 kHz. The station will be located at a winery. A special 8 1/2 by 11 QSL certificate will be available from KO8O—WINO Weekend, 10418 Briar Hill, Kirtland OH 44094 for a legal sized SASE.

JUNE 3

NORTH OLMSTED OH West Park Radiops will operate Station W8VM beginning Saturday 0000Z-1500Z Sunday. Frequencies: 80-10m, lower portion of General phone and Novice phone on 10m; all Novice CW on 80-40-15m. Send QSL and SASE to W8VM, c/o Glenn Williams, 513 Kenilworth Rd., Bay Village OH 44140.

JUNE 15-17

TEXAS 1990 Smirk Party Contest #15 from Saturday 0001-2400 Sunday, Texas time. To be eligible for contest awards pay your 1989 dues. Failure to provide your name, call, and smirk # on your log will disqualify. For details contact Lisa Lowell KA0NNO, PO Box 307, Hatfield AR 71945.

JUNE 16-17

ISLETON CA The Isleton ARS will operate Station N6OGJ from Saturday 0000Z-2400Z Sunday to celebrate the Annual Cawdad Festival. Operation will be SSB, CW, PKT and RTTY in all lower portions of the General and Novice bands. For a certificate send a QSL and SASE to the Isleton ARS, PO Box 801, Isleton CA 95641. Contact Debra Taylor N6MQQ, 415-732-8319, or Richard Teitzel N6OGJ, 916-777-6448.

Never Say Die

Continued from page 4

rulemaking proposal was announced. This makes it impossible for a NIAC group to talk with the commissioners until this rulemaking is terminated . . . and that's going to be maybe a year from now . . . at best. It could drag out for five years, like "Incentive Licensing" did.

That's a pity because amateur radio is far more important to our country than I suspect the commissioners understand. I think it would be extremely helpful if half a dozen representative ham industry members could talk with the commissioners and explain what has happened in the past, what's happening now, and what all this means to the future of America. It wouldn't take very long . . . we could do it in one day . . . and we do have one heck of a story to tell.

We used to have an effective amateur radio National Industry Advisory Committee (NIAC), but the commissioners got so angry when their last no-code rulemaking proposal was trashed by the ARRL that the NIAC was killed in retribution. I made sure the FCC was again open to such an organization before I proposed it. I got an enthusiastic response from the Commission, but then was stiffed by the ham industry. That surprised and disappointed me, since the health of our hobby directly affects everyone's sales. It seemed to me to be a tad shortsighted. I got the feeling that I was one of the few in the business who really

cared whether ham radio lived or died.

You see, I believe that the health of amateur radio has a direct bearing on America's technological future. As our country heads into the 2000s, where technology will be the determining factor separating the countries which are strong from those which are weak, I'm afraid we're going to be crippled without amateur radio providing the needed engineers, technicians and scientists.

My recent proposal that entrepreneurial hams consider desktop publishing brought in a huge stack of mail. Much of it said in effect, well you warned us when repeaters came along that there were business opportunities . . . and now look at cellular radio! Then you told us to get into computers . . . and you were right! Next you said to look out for compact discs . . . and that turned into the fastest growing consumer electronics industry in history. My record of calling the future isn't bad.

But apparently it wasn't nearly good enough to convince the ham industry. 95% of 'em thought I was full of baloney. There goes that gloom and doom Wayne Green again.

I predicted that Novice Enhancement wouldn't change anything. Hoo, was I right. I said the Archie comics were a huge waste of money. I said the ARRL videos promoting amateur radio were a waste of money. I really hate being right.

This spring would have been the ideal time for a NIAC group to meet the

newly reformed Commission. The new commissioners are just getting settled into trying to cope with the demands for more frequencies and technology decisions which have far reaching implications.

They're trying to cope with the HDTV issue. The Information Age has brought with it the need to communicate all this information, and that means sorting out the roles for cable, fiber optics, microwaves, satellites and so on. Cellular radio has opened the door; now we're going to be faced with the spectrum needs for a pocket personal portable telephone system.

The job of a commissioner has never been great. Now, with communications demands multiplying a thousandfold, it's a killer. The public doesn't see any reason why they shouldn't all have direct satellite high definition TV on a hundred channels. They want a telephone, probably with fax, in their pocket, car and boat. They want an emergency location system for hikers. UPS and other fast delivery services want instant communications between their trucks and their computers, preferably with graphics capability. And all this has, somehow, to be crammed into the radio spectrum.

Did I mention community TV stations? The pressure is on for more AM and FM radio channels . . . probably to broadcast more Top-40 porno-rock garbage for teenie boppers.

The Long Range

A few years ago the FCC set up a Long Range Planning Committee (LRPC). Yes, I was a member. The purpose of the committee was to lay down some long range plans for coping with future emergency communications situations.

The committee discussed plans for coping with small local emergencies right on up to a full-scale nuclear attack. The committee was made up of top people in the government and communications industries. It was an impressive group.

The committee came to the conclusion that of all the communications services, only amateur radio would be able to cope with any serious emergencies. They found that the telephone service was the first to go. This was disturbing because so much of the present emergency contingent services have been designed to use the telephone. Most civil defense groups have gotten rid of their amateur radio helpers and are using the phone. Most emergency radio station coordination is by phone. What to do?

Then, as the committee looked into the ability of amateur radio to provide the communications which would be needed in any serious emergency, it was painfully obvious that a handful of old hams using Morse code (or even voice) would be completely useless. Only high speed digital systems could even hope to cope with the projected traffic volumes.

The slowness of packet radio acceptance and the refusal of most old-timers to even consider this high speed

system meant that either something be done to attract youngsters to the service or it would be almost useless. This came down to the major stumbling block to getting newcomers licensed: the code.

This was why the FCC tried to get a no-code class license through. Then, when the ARRL got their member clubs to kill the proposal, the FCC Commissioners and staff were frustrated and angry. They disbanded the LRPC and amateur radio NIAC. Relations between the FCC and amateur radio, though seldom friendly, had never been worse.

With Bush's appointees replacing most of the old Reagan Commission, we finally had an opportunity to mend fences. We do have a lot of residual poison to overcome from the FCC staffers. These are the career FCC people who do the work and make the recommendations to the commissioners. These are the legal, technical and political people who, alas, have long memories for insults and slights from ARRL presidents and legal representatives.

The FCC "ex parte" rules make it illegal for anyone to sit down with the the commissioners and discuss anything to do with amateur radio. Obviously, any ham matters discussed would necessarily touch in some way on the current no-code rulemaking situation. The ex parte rule was set up to limit the influence of lobbyists on the FCC Commissioners and staff. Once something has been released for rulemaking it can no longer be discussed . . . unless the discussion is reduced to writing, and filed.

In this respect, the ARRL no-code petition, which triggered the rulemaking, could hardly have been submitted at a worse time.

With new commissioners coming on line, there was no practical way for them to deal with the ARRL petition except to just let their staffs go ahead and do it. Ultra bad timing for us.

Our 100,000 Techs

The recent FCC no-code rulemaking proposal threw an embarrassing light on the number of semi-hams we've allowed to stagnate: our Tech Class. The Tech ticket was supposed to be a half-way station toward General, not a backwater end in itself.

Thus a large licensee percentage is stuck up on our VHF bands, talking across town. Perhaps it's time to get 'em down onto our HF bands where they can enjoy DX pileups, jammed nets, DX lists, QRM, lengthy phone patches, band-jamming contests, plus an endless supply of brainless QSOs.

Dozens of ham clubs claim to have set up Novice classes, but if the graduating class pictures they've sent me so far are an indication, little has really happened yet. But now it's time to put this same boundless enthusiasm to work motivating Techs to get their General tickets. Hark, what is that sound I hear? Is it the groans from thousands of readers, oh lordy, Wayne wants us to DO something again!

Engineering Consulting's computer controlled Ham Shack See system variables, control & reprogram all via packet! Ultra Comshack 64 Repeater Controller HF & VHF Remote Base*Autopatch*CW Practice*Rotor Control *Voice Meters*Paging*Logging*Polite ID's*Packet Voice B.B.S.

Model CS64S \$359.95
Includes: Interface, disk, cables, Manual
Ultra Options

FT 757; 767; 960; 736; 747
TS 440; 940; 140
IC 735; 761
VHF RMT
FT 727R; 767; 736
TS 711; 811; 680

CS64S HM1 PK8 + CART
COMMODORE 64
Repeater/Dual Banders
CSB
PRINTER
PATCH

Controller Features

- *Change variables remotely from touchtones or Packet
- *Unlimited voice vocabulary!
- *Alarm Clock, auto execute
- *Individual 4 digit user codes
- *Disk & Printer logging of users, tel #'s, lapsed time
- *18 Rotating Polite ID's
- *16 External relay controls
- *2, 5, & CTCSS Tone Paging
- *CW Practice with voice
- *Security mode, T.tone mute
- *Voice announces each user call sign when logging on

Autopatch & Reverse

- *1000 (18 digit) tel #'s stored
- *Quick dial & quick answer
- *Directed, general page
- *Selected restricted patch
- *Telephone control input

Dual Combined Remotes

- *18 Macro/Scan memories
- *Scan up/down; 100Hz steps
- *Monitor & lock modes
- *Operate splits, combine HF & VHF radios as Dual VFO's
- *Automatic mode selection
- *Talking S Meter; Voltmeter
- *Voice Beacon rotating msg

Model 727 \$49.95

Computer Control
YAESU FT-727R

Mini Cat
C64 OR IBM

Allows H.T. to scan 100 Channels & programs
H.T. for field use! Digital "S" Meter; comment fields; auto resume & delay; Scan Lock-outs; Loads FT727 in 15 sec. Hardware, cables, & disk included for C64 or IBM

Model 727 \$49.95

Touchtone Decoder
4 digit sequence; & QUAD expansion 4 relay option

2"x3" TSDQ

8/20 V & audio in; Field Program 50,000 Codes; Mom. & Latching; DPDT Relay; Wrong digit reset; LED for digit valid & latch; inc. 24 Pin connector
QUAD option adds: four 2 Amp. relays; 5 digit master on/off control for each relay.

TSDQ \$89.95 QUAD \$99.95

Decode-A-Pad
Touchtone to RS232 300 Baud Interface

Use with all computers
Decodes 16 touchtones
Includes Basic program

DAP \$99.95

12 Volt C64 SWITCHER
Crystal 60Hz
9VAC 5V, 2A.
C64 & 1541

DCPS \$129.95

AUDIO BLASTER IC02; 04; 2AT; FT-727; 411; 209; 470; 73/23; U16; TH25

Module installs inside all H.T.'s!
1 watt audio amp! When it needs to be loud! Installs in 15 Min. Used by police, fire!

Model AB1S \$24.95

New Digital Voice Recorder

*Records 32 or 64 Sec. studio quality audio
*Use for auto CQ, ID tail, Mailbox, Local or logic control; Up to 16 selectable messages!

Includes: 1 Watt audio amp; 1 Meg RAM; Mic & Spkr Jacks, vol. control; Req. 9 to 12V; Interfaces to Ultra Com Shack 64 Ver 8.0; Provides Digital Voice CO, ID tail, Mailbox, bulletins

DVM \$179.95

ENGINEERING CONSULTING
583 CANDLEWOOD ST.
BREA, CA. 92621
TELEPHONE: 714-671-2009
FAX: 714-255-9984

We accept: C.O.D.'s
MasterCard, VISA, Disc
AMERICAN EXPRESS
*add \$4.00 S/H U.S.A.
*Ca. residents add 6%

The only difference between a Tech and a General ticket is the code. 13 per. So isn't it almost time to get some 13-per code practice going in your club? If you use the system I outlined a few months ago you should have 'em over the hump in a few days. No, practicing for a few minutes once a month isn't going to do diddley (or dottilly). You need to get 'em off dead center and practicing every night for maybe a crummy week.

Get 'em to get a practice tape and agree to stick at it every night for maybe 20 minutes. Please don't sabotage them with that miserable old ARRL code learning system which has already driven away hundreds of thousands... perhaps millions of potential hams in exhausted frustration.

You might cheer them on with stories of the wonders of working DX on the low bands. Tell 'em about the thrills of HF packet. It will be counterproductive to go into much detail about how pathetically little DX you can actually work in the 20m General band. Once they get there and find out, you can explain how simple the Advanced Class test really is.

So let's clean up our act. Let's give all those 2m repeater addicts a taste of real hamming. Tell 'em how eagerly the old timers on 3999 are waiting for them to check in. Ten is wide open to the whole world these days... calling them. All you have to do is overcome about twenty years of encrusted inertia.


Constitution Prohibits Morse Code

Yes, I know, virtually all our courts except the Supreme Court are infamous for ignoring our constitutional rights, so bringing up a constitutional argument against the code is a complete waste of time. But the Constitution is quite clear in this matter.

The First Amendment says, "Congress shall make no law respecting an establishment of religion..." Well, Congress, through its sneaky agent, the FCC, has done just that and the religion they've established by law is the Morse Code. Morse Code is a belief system, with no more factual proof of its validity than any of the hundreds of other religions around the world.

As I have always said, I respect those hams who are true Morse believers... who believe that the Code is good for the soul and will keep out the heathen. I respect the high priests and the skills they have developed. I respect the enjoyment their religion brings them... the ecstasy. I'm just upset that this religion is a matter of United States law and a child of Congress, despite the First Amendment, which specifically prohibits such a congressional construction.

If I were mischief-oriented I would also point out that even the FCC regulations are clear in prohibiting our communicating in other than plain language. The Code is anything but plain language. Can we use plain Urdu language legally? It takes a lot of time and work to learn to communicate via the Morse Code, so it's any-



QSL OF THE MONTH

To enter your QSL, mail it in an envelope to 73, WGE Center, Forest Road, Hancock, NH 03449. Attn: QSL of the Month. Winners receive a one-year subscription (or extension) to 73. Entries not in envelopes cannot be accepted.

thing but plain language here in America. There are more people in America who speak Chinese than know the Code. More who know Polish, Czech, Yiddish, and many other languages. Morse is an extreme minority language, yet it is mandated by Congress that we learn this rare dialect in order to be permitted to communicate with each other... even if we're not going to use it!

When are we going to march angrily on Washington and fight for our beloved constitutional rights? Or are you going to sit there and wimp out, wringing your hands in embarrassment, hoping someone else will do what needs to be done? Where's your spunk?

What To Do? What To Do?

If you believe that amateur radio will best be served by stopping all further Novice or Technician licenses from being issued and changing instead to a Communicator License with a Tech level exam and no code test... and with privileges only above 220 MHz, then write to the FCC, Washington DC 20554, commenting positively on RM9055.

If you believe, as thousands of hams do, that the code is so odious that only a federal law forcing people to use it will keep it alive, back up your convictions with a letter to the FCC. If you believe that preserving the code is far more important than preserving amateur radio, let the FCC know.

If on the other hand, heaven forbid, you aren't in complete agreement with the ARRL on this rulemaking, you'd better darned well write. On the other hand, isn't it better not to get involved and let someone else worry about all this?

No, I don't believe that anyone at the League was "bought off" on this one as a way to put a finishing blow on the hobby and thus free up hundreds of billions of dollars of microwave frequencies for commercial use. Yes, I know that there were some strong rumors that this has happened in the past. I read the Doyle (an incredibly indiscreet ARRL director) letters, too. But this "sale" of our ham fre-

quencies was never actually proved.

You have until August 6th to speak (well, write) up.

There's one other thing you can do that would help. Since the ARRL is the only national organization we've got (they killed off the upstarts), all your money is riding on them. If you want the League to get busy selling amateur radio and would like to help stop them from sabotaging our hobby with nonsense like this Communicator Class license and their recent data communications petition, which I haven't even started to comment on as yet, you

are going to have to become involved.

As long as you continue to blindly elect unqualified directors, you're going to get what you deserve. Elections come up every other year, so you could flush out the chaps who are killing our hobby in two years.

All most hams know about the League is what they read in *QST*... and not one in a hundred has even bothered to read the highly sanitized board meeting minutes. The League has its own Iran-Contra type scandals, you just don't know about them. Most hams don't want to know.

I've lifted one corner of the rock in the past, but the faithful start screaming that Wayne is bashing the League. Golly, isn't that what we heard when the Watergate scandal broke? Many Republicans didn't want to know. Anyone who complained was accused of administration bashing.

I'll tell you this... the editors of the ham magazines know, but seem terrified to say anything. Bill Orr, Stu Cowan and Pete Hoover know. They're the ones who recently demanded that ARRL President Price not be re-elected. But unless you know a director personally and he levels with you, you don't know. And, sadly, the odds are enormous that you don't want to be bothered.

I've had a great time with amateur radio during the last 50 years and I'll really hate seeing it go down the toilet. I try to get you to share in the good times I've had... and to help cure the bad aspects. **73**

HIGH PERFORMANCE PRESELECTOR-PREAMP

The solution to most interference, intermod, and desense problems in repeater systems.




Typical rejection:

±600Khz @ 145 Mhz: 28db	±20 Mhz @ 800 Mhz: 65db
±1.6 Mhz @ 220 Mhz: 40db (44db GaAs)	±20 Mhz @ 950 Mhz: 70db
±5 Mhz @ 450 Mhz: 50db (60db GaAs)	

- 40 to 1000 Mhz tuned to your frequency
- 5 large helical resonators
- Very high rejection
- Low noise—high overload resistance
- 8 db gain—ultimate rejection >80 db
- GaAs fet option (above 200 Mhz)
- Cast aluminum enclosure
- N, BNC, and SO239 connector options

AUTOMATIC IDENTIFIERS

- Up to 8 EPROM programmed messages
- Adjustable audio, speed & interval timer
- "ID over voice inhibit"
- Low power option
- Modular design
- Message selection via binary input—TTL levels
- Size: 2.7 x 2.6 x 0.7"



NEW
Model
ID-2B

The ID-2B provides required station identification without troublesome diode programming. The "ID over voice inhibit" circuitry allows for courteous operation by not allowing an ID until the next squelch closing.

ID-2B Wired/Tested \$99.95

ID-2B-LP Low Power \$109.95

GLB ELECTRONICS, INC.

151 Commerce Pkwy., Buffalo, NY 14224
716-675-6740 9 to 4

Ham Television

Bill Brown WB8ELK
%73 Magazine
Forest Road
Hancock NH 03449

TV Cameras

Finding an inexpensive video camera can be a real challenge these days. It seems that all that you can find at the local video store is a wide array of camcorders. Separate cameras have become a thing of the past. However, there are several sources to consider.

Look around at your local hamfest for any type of security cameras or the older stand-alone types. These can occasionally be obtained for a real bargain price, although you may find some




Photo A. Uniden "House Detective."

burn spots in the image from the older security cameras.

Fortunately, there are still a few commercial sources of stand-alone video cameras. One inexpensive choice is the Uniden security camera. This is a low resolution B/W camera requiring outdoor lighting. However, it is a CCD camera with an electronic auto-iris, and a good candidate for R/C aircraft, tower-mounted cameras and site security due to its small size and current drain. The Uniden camera is available from P.C. Electronics as well as DAK Corp under the name of "House Detective."

The Fordham catalog has a couple of pages of suitable cameras for ATV use. Although more expensive than the Uniden, these provide an excellent quality image at a fairly reasonable cost. One particularly good choice is the Sony HVM-322-BNC, a very lightweight, 6-ounce B/W camera

which includes a motor-driven auto-iris. This camera has been used quite successfully in many balloon flights up to over 100,000 feet, and it has survived high speed impacts, -60 degree temperatures and occasional pointing at the sun. It's an excellent choice for R/C modelers and it can take a lot of high-G punishment. It comes with a built-in wide-angle lens and works quite well in light levels as low as 5 lux. Also carried in the Fordham catalog is the Sony model CCD-G1S color CCD camera which looks like a real winner, but be prepared to pay for the color!

CCTV Corporation is another good source for closed circuit cameras. The GBC model CCD-500 is a compact

B/W camera with a C-mount lens (optional). The C-mount allows you to use a variety of lenses, including one with an auto-iris. The CCD-500 is perfect for astronomers due to its rated 0.02 lux sensitivity and excellent resolution. For this camera, the light from one match is enough to illuminate a room. Hooking a CCD-500 up to a 10-inch telescope allows you to distinguish stars down to about 9.5 magnitude.

The GBC model CCD-100 is one of CCTV's latest offerings. This ultra-compact B/W camera is a little smaller than a pack of cigarettes. They even offer fake cigarette packs in which you can conceal your camera, as well as a number of other "covert enclosures." The CCD-100 comes with a built-in 4mm lens which provides an ultra-wide 78-degree field of view. It weighs 3.5 ounces, and is usable down to 2 lux illumination. One of the unique features of this camera is its electronic

shutter. The camera automatically adjusts to a wide range of lighting conditions by varying the electronic shutter from 1/60 to 1/15000 of a second. Due to its small size and low current drain, this ought to be another excellent candidate for R/C airplanes and mobile operations. It can serve as one of the building blocks for an extremely portable ATV station. Combine this with one of the small LCD TV sets and an ATV transmitter, and you have the makings of a "Handie-Lookie"!

Both of these cameras are available at dealer cost to 73 readers if you mention this column to Gary Perlin at CCTV. The CCD-500 is available for \$469.50 and the CCD-100 for \$325.

Compact color cameras are usually fairly pricey. One of the better deals is the Sanyo VDC-3900. This camera weighs 14 ounces, and is in the \$600 price range.

The CANON CI-10 and CI-20 are self-contained miniature marvels. These high resolution color cameras are often used for network racing and sporting events. They have been attached to skiers, race car drivers and skydivers! The CI-10 measures just 2-1/2"W x 1-7/16"D x 4"H. The CI-20 is a compact 2-3/16"W x 2-5/16"D x 3-9/16"H. Both have a C-mount to allow for different lens configurations.



Photo C. GBC CCD-100.

Expect to pay for this miniaturization, as the CI-10 is priced at \$1000 and the CI-20 at \$1995.

Two other cameras in the CI-20 line may be of interest. The CI-20M is a high resolution B/W camera, and the CI-20R with its attached infrared light source will allow you to literally "see in the dark."

Philips Components has some inter-




Photo D. Canon Ci-20.

TV Camera Sources

CCTV Corp. (GBC)
315 Hudson St.
New York, NY 10013
Ph: 1-800-221-2240

CANON U.S.A., Inc.
One Canon Place
Lake Success NY 11042
Ph: 1-516-488-6700

DAK Industries, INC.
8200 Remmet Ave.
Canoga Park CA 91304
Ph: 1-800-325-0800

EEV, Inc.
4 Westchester Plaza
Elmsford NY 10523
Ph: 1-800-342-5338

FORDHAM RADIO
260 Motor Parkway
Hauppauge NY 11788-5134
Ph: 1-800-645-9518
1-800-832-1446 NY

P.C. Electronics
2522 Paxson Ln.
Arcadia CA 91007-8537
Ph: 1-818-447-4565

Philips Components
P.O. Box 278
100 Providence Pike
Slatersville RI 02876
Ph: 1-401-762-3800

SANYO-FISHER Service
Industrial Video
1200 W. Artesia Blvd.
Compton CA 90220
Ph: 1-213-605-6527

SONY Security Systems
15 Essex Road
Paramus NJ 07652
Ph: 1-201-368-5018




Photo B. The Sony HVM-322-BNC (left) and CCD-G1S (right).



Photo E. Rose Parade (photo courtesy of ATVQ).

know so I can pass along the information via this column!

Parades

A parade or special event is a golden opportunity to demonstrate the public service aspects of ATV. Parades, walkathons, bicycle tours, etc. all require some form of coordination and emergency services. If enough portable or mobile ATV stations can be put together in your area, you can offer your services to help out with any special event.

The annual Pasadena Rose Parade is one prime example of the effectiveness of ATV in public service. During the 1989 Rose Parade, the ATN group



Photo F. INDY 500 Parade.

esting color camera modules available. Their model #56570 (PAL version) and #56571 (NTSC) are extremely small, with C-mount adaptors. These are high resolution and low-light level units (0.2 lux). The B/W versions are models #56470 and #56471. You'll have to provide your own case, but this allows you to build the camera into your own customized configuration. The single quantity price of the color module is \$875, but this comes down to \$700 if you order 10 or more.

EEV, Inc., has a modular camera with some interesting options, particularly for astronomy or night surveillance work. Although the camera plus options are expensive for average ATVer's, their catalog is fun to browse through.

If you have any additional information on a good source of inexpensive B/W or color cameras, please let me

(Amateur Television Network) mounted a massive effort. There were 13 camera positions scattered along the parade route, 2 motorcycle mobile stations, and even a helicopter mobile. These were all linked on 434 MHz to a portable repeater on a tall building which relayed each remote camera to the parade command center via the 1200 MHz band. In addition there was a 10 GHz link to the emergency services command center. Those of you with TVRO satellite dish systems were in for a special treat that year, as they even uplinked all ATV activities on a geostationary satellite so that hams in North America could join in the fun.

This May 27 the Indianapolis ATV group plans to cover the annual INDY 500 Parade. Seven camera positions will be perched atop several skyscrapers overlooking the parade route. By means of a 2-meter coordination



Photo G. Ernie WB6BAP with his portable ATV repeater (Rose Parade).

net, each camera position can be told to transmit and zoom in on any problem that may occur. The camera site sends the signal on 439.25 MHz (LSB) to a portable ATV repeater on top of the Landmark Center building in downtown Indianapolis, which relays the picture to the parade command center via 910.25 MHz. In addition, there will be a microwave link to the Channel 8 transmitter site which can relay all of the activities to the K9LPW ATV repeater.


Activities

I'd love to see activity reports from across the country and the world. Please send me photos and a description of ATV operations in your area for possible use in the ATV column. Also please send any interesting circuit and antenna designs we can share with our fellow ATVer's.

Remember to look for the weekly Tuesday night ATV net on 3.871 MHz at 8 pm EDT. **73**

AMATEUR TELEVISION

SMILE! YOU'RE ON TV



Only
\$329

Designed and built in the USA
Value + Quality
from over 25 years
in ATV...W6ORG

With our all in one box TC70-1 70cm ATV Transceiver you can easily transmit and receive live action color and sound video just like broadcast TV. Use any home TV camera or VCR by plugging the composite video and audio into the front VHS 10 pin or rear phono jacks. Add 70cm antenna, coax, 13.8 Vdc and TV set and you are on the air...it's that easy!

TC70-1 has >1 watt p.e.p. with one xtal on 439.25, 434.0 or 426.25 MHz, runs on 12-14 Vdc @ .5A, and hot GaAsfet downconverter tunes whole 420-450 MHz band down to ch3. Shielded cabinet only 7x7x2.5". Transmitters sold only to licensed amateurs, for legal purposes, verified in the latest Callbook or with copy of license sent with order.

Call or write now for our complete ATV catalog including downconverters, transceivers, linear amps, and antennas for the 70, 33, & 23cm bands.

(818) 447-4565 m-f 8am-5:30pm pst.

Visa, MC, COD

P.C. ELECTRONICS

2522 Paxson Ln Arcadia CA 91006

Tom (W6ORG)

Maryann (WB6YSS)

G5RV All-Band QuickKits™

created by Antennas West Box 50062 Provo, UT 84605

- Fast & Easy to Build
- Fail-Safe visual instructions
- No measuring or cutting
- Everything included
- Finish antennas in minutes
- Quality Components
- Presoldered Silver Finings
- Kinkproof QuietFlex wire
- Fully insulated, wax sealed, no-corrode, low noise design
- Tune All Bands Incl WARC
- Build your own from scratch. Order TechNote #124-C \$5.95 ppd USA
- Call 801-373-8425 for Tech advice.

• Double Size G5RV 204 ft 160-10 Dipole	\$59.95
• Full Size G5RV 102 ft 80-10 Dipole	\$35.95
• Half Size G5RV 51 ft 40-10 Dipole	\$25.95
• Quarter Size G5RV 26 ft 20-10 Dipole	\$19.95
• Marconi Adapter kit converts any dipole to Marconi	\$ 7.95
• 200' Dacron 250# line	\$11.95

Order Hot-Line: Add \$5 P&H
1-800-926-7373

CIRCLE 107 ON READER SERVICE CARD

Contact
Advertisers
Easily
●
Use your
Reader Service
Card



Be A Ham?

The invisible fraternity.

by James L. Paul N6SIW

As an adolescent, I first became interested in amateur radio after working at a television station in central California. The station engineers were hams and always seemed to be able to communicate with each other, while the regular commercial radio system failed for the rest of us. My knowledge of repeaters was limited to the proper button to press when using the radio in my station vehicle. Even then, I didn't realize the station engineers were hams, and I knew nothing about amateur radio.

After returning to school, I realized that I had taken at least an introductory class in nearly every subject offered at four different colleges, but I had never been exposed to ham radio. Even two years of telecommunication courses in broadcast radio and television hadn't included any mention of ham radio. After leaving the job with the television station and moving to another city, I decided to learn something about ham radio.

Where to Go?

First, I went to a large bookstore. I was shocked to find a total absence of books about ham radio! Next, I visited Radio Shack. Another total absence of ham information. (Radio Shack has since improved somewhat.) On to the public library! By this time, I was beginning to feel as if some sort of conspiracy was going on. I was on the verge of obsession, and called every bookstore in the phone book. I finally found one that carried a couple of ham magazines. After 95 miles round trip, I finally had two ham magazines! Feeling victorious, I opened the pages to read about—you guessed it!—the dwindling ham population!

This stunned me somewhat. Hams worried that not enough people were taking up the hobby? Hams were trying to attract interest and young people? Wow. This was so contrary to my experience that I found it hard to believe at first. I had cultivated the impression that amateur radio was an elite club for members only, and that newcomers were not solicited.

I read through the magazines to find information on how to become a ham. Amazingly, I found nothing. Not one clue for joining this hobby that claimed to be screaming for new people. All the stuff in the magazines was aimed at people who were already in the ham fraternity. I decided to find and talk to a member of the fraternity.

Looking for an Elmer

Soon I was parked outside a house that had a big antenna tower in the yard. Next, I was knocking on the door. This led to attending a meeting of the local ham club. People at the

club meetings were polite, but I still felt very much like an outsider. I did get information on licenses, though. I downloaded a Morse code program for my computer, and started practicing.

About this time, I moved again. After settling in, I tried to find out about local ham activities. Nothing in the phone book. Nothing in the local stores. Nothing in the local paper. Sigh. I called the local paper, and asked them to research anything they could find. They had to go back more than 20 years, but they found an article mentioning amateur radio. I called the person named in the article, a past president of the local ham club, and he was able to put me in contact with a current member. Eventually, I was licensed at a ham-fest sponsored by that club.

Not on the Menu

So what's my point? It's that I had to actively hunt for amateur radio. Ham radio certainly didn't come looking for me. I think the attitude of hams toward their hobby is significantly different from the viewpoint of non-hams. Many people see ham radio as a "good old boy" fraternity, if they see it at all. Hams speak in tongues and use code, and talk only to each other. Most people have no idea what ham radio really is.

In this age of audio-video bombardment, choices for hobby and sport interests are endless. People choose their interests from the menu that's placed before them, and amateur radio rarely appears on that menu. With all the tempting choices on the menu, why bother to pursue choices that don't appear? To people looking in, amateur radio seems to want to keep people out. Otherwise it would be on the menu, right?

If ham radio were open to all, it would be in the phone book. If club meetings were open to all, they would be in the newspaper. In today's society, if it's not in the phone book, on TV, or in the paper, it doesn't exist. If it's not easy to find, it doesn't want to be found. If it's hard to find out about ham radio when a person *is* trying, it must be hopeless when a person *isn't* trying. Unless people are actively seeking to become hams, they will never think of amateur radio as a hobby.

When was the last time you saw a billboard with a flashy ad and standing invitation from the local club? How many ham clubs are in the local Yellow Pages? And how many schools include amateur radio as part of the curriculum? Even the time and place of most exam sessions are known only to hams. The average American kid never hears about ham radio in school. Without ham radio in their peer group, it doesn't exist as an activity to a kid.

Yes, I know there are exceptions to all this. There always are, usually due to exceptional people.

What the Hobby Needs

Amateur radio has an image problem. I don't know whose fault it is, but it's there. This hobby needs to be marketed. It needs to be packaged and sold. Among the "products on the shelf" competing for a person's time and interest, amateur radio is rarely on the shelf. When it is on the shelf, it's a dusty, unrecognized product with no brand name. We need to slap on a bright new label, and compete in the market for the time and interest of potential ham operators.

How about a short column in the local paper to inform the community of ham activities? Or a small ad in the yellow pages under "clubs"? Such an ad would make ham radio seem more normal, and increase credibility in many people's eyes.

One of the most common ways for a person to take an interest in a hobby is by learning it from someone they know. I had ham friends, however, that I knew for years, and they never told me they were hams until I became a ham myself. This attitude has probably contributed to the problem more than anything else. It suggests that amateur radio is an elite, private club.

Without demand, ham products and magazines will not grace the shelves of many stores much longer. Without products on the shelves, demand is harder to create.

I had to seek amateur radio, even before I knew exactly what it was. I had to go out of my way and overcome several obstacles. Why should people bother, when there are plenty of other things to do?

In short, hams can't wait for people to come to them. Hams must take amateur radio to the people, and make them aware that amateur radio is a superb way for young people to become interested in, and develop expertise in, electronics and radio communications. Though no longer at the vanguard, amateur radio still contributes to technological development. Fewer hams may homebrew their own stations, but they're always coming up with ways to improve existing systems. They are especially good at doing it *cheaply*.

Fellow fraternity members, we must pummel them about the head and shoulders with our hobby. How else will they know we're here? 

At 25 years of age, James L. Paul N6SIW has been writing computer software commercially for nine years—since he was sixteen. He learned a lot from his parents; both of his parents teach computer science, and his father also teaches physics and chemistry. You may contact him at 4920 N. Backer #221, Fresno CA 93726 or on CompuServe 72767.3436 or GENie "J.PAUL."

Hams Around the World

Bob Winn W5KNE
%QRZ DX
PO Box 832205
Richardson TX 75083

Where is That Soviet Station?

Possibly one of the most often-asked questions by both neophyte DXers and old-timers is, "How do I determine the DXCC country of a Soviet station?" A typical response would be something like, "Look at the callsign prefix." The structure of the Soviet callsign system appears to be complex and undecipherable, so the above question is not unreasonable, but the typical response is only partially correct.

In most cases, especially for a typical callsign with a prefix beginning with **R** or **U** (UA1AAA, RB5XX, UC2AWA, etc.), it is fairly easy to determine a station's DXCC country if you know the rules. Special event callsigns made of unusual letter combinations (U0Y, UX4L, RX0C, etc.) or beginning with letters other than **R** or **U** (EN3D, ER3W, EO0AAK, etc.) are often difficult to decipher. We'll discuss the latter soon. This month, we'll look at the Soviet callsign system, including what constitutes a typical callsign and a few rules about callsigns in general.

The current method of callsign assignment is very systematic, and after learning just a few simple rules you will be able to determine the DXCC country of more than 90% of Soviet stations that you might encounter. Most callsigns issued during the past 20 years have a built-in logic that often identifies the station's location. This includes callsigns issued for club stations, special event stations (1X1, 2X1, special prefixes, etc.), and all typical callsigns beginning with the letters **R** and **U**.

A Few Simple Rules

The Soviet callsign system is based on oblasts or regions. Generally, each region is identified by one or more unique prefix/suffix combinations. Once you are sure that the station is Soviet, you can usually determine its location easily. The Soviet Union is authorized to use callsigns taken from the following ITU-assigned callsign blocks: **EKA-EKZ**, **EMA-EOZ**, **ERA-ESZ**, **EUA-EWZ**, **EXA-EZZ**, **LYA-LYZ**, **RAA-RZZ**, **UAA-UZZ**, and **4JA-4KZ**.

A typical amateur radio callsign consists of a two-letter and single-digit prefix followed by a two- or three-letter suffix, such as **RA0UI**, **UM8NA**, **UM9MNY**, **UZ4FWD**, etc. Callsigns beginning with **RZ** and **UZ** (with a three-letter suffix) are reserved for club stations in the Russian Republic. Outside of the Russian Republic, a club station is identified by the second letter of the suffix. If the second letter is **W**, **X**, **Y** or **Z**, then the callsign is assigned to a club station, for ex-

ample, **UA9AZD**, **UA2FWA**, etc.

To determine the DXCC country of a typical callsign, refer to the table. Take **UM9MY**, for example. Ignore the first letter of the prefix (**U**). Locate the second letter, **M** in the table, then check the digit column (in this example the digit is meaningless) and read across to the right to determine the DXCC country. Now determine the DXCC country of **UZ4FWD**. If you got European Russia, you used the table correctly.

The Soviet callsign structure is complex, but with a few easily-learned keys, you can unravel the secret of the majority of Soviet callsigns. Most countries have based their amateur radio callsign prefixes on geographical or political divisions such as province, state, region, etc., and they use a digit in the callsign prefix to identify where the station is located within the country. In the Soviet Union this is true only in certain areas. The Soviet system has added an additional bit of information that identifies the station's oblast. Before I give you the secret keys, you must first learn some basic facts about the Soviet Union. Not too much, but just enough to help you understand the Soviet callsign system.

The Soviet Union in Particular

The Union of Soviet Socialist Republics (U.S.S.R.), also known as the Soviet Union, is divided into 15 Soviet Socialist Republics (S.S.R.) which are supposedly based on the fifteen most populous and advanced nationality groups in the country. However, not all major nationality groups are represented as union republics because of the way the Soviet constitution is worded, but that's another story. The structure is quite complicated with the country being further divided into various political administrative units such as the S.S.R., autonomous S.S.R. (A.S.S.R.), kray, oblast, autonomous oblast, and others. The oblast and the kray are at the same general level as the A.S.S.R. The other administrative units are of little use to us in the DX game.

The oblast is a unit created purely for administrative convenience, but it holds some significance for amateur radio operators because the Soviets offer an award for confirmed contacts with oblasts. But more importantly, the location (oblast) of most Soviet stations can be determined from the first letter of the callsign suffix.

Most Soviet callsigns assigned during the past 20 years have been issued systematically with the oblast as the key element. This key element—the oblast—is coded into the suffix of all typical callsigns and most special event callsigns. This month we'll concentrate on typical callsigns—those that begin with the letters **U** and **R** and

that have the familiar 2x2 or 2x3 format, such as **UA1AAA**, **UB5QR**, **RV6IAA**, etc. We'll tackle special event callsigns next month.

The first letter of the callsign's suffix identifies the station's oblast (geographical area or republic). This means, for example, that all stations operating from the Asiatic Russian Republic that have the letter **Y** following the digit in their callsigns (**UA0YB**, **RV0YA**, **UZ0YWA**, etc.) are ALL located in oblast 159, the Tuva Oblast. The notation "**UA0Y**" can then be used to identify this oblast, and a Soviet station operating portable might sign **/UA0Y**, **/RA0Y** or even **U0Y**, which is a legitimate callsign.

This rule provides a method of identifying the oblast, but not the oblast's name or number. This information is obtained from an oblast list or by looking up a similar callsign in the Soviet Union section of the *Radio Amateur Callbook*. If you are serious about unraveling Soviet callsigns, I suggest that you purchase the 15-page *DXNS USSR Oblast Guide* from Geoff Watts, 62 Belmore Road, Norwich NR7 OPU, England. The cost (air-mailed to purchasers outside of England) is \$4 or 8 IRCs.

Next month we'll discuss Soviet special event and contest callsigns, and if room permits, unique callsigns/prefixes of other countries. **73**

R and U Prefixes

for determining the DXCC country

First Letter	Second Letter	Digit	DXCC Country
R, U	A, V, W, Z	1, 3-6	European Russia
R, U	A, V, W, Z	0, 9	Asiatic Russia
R, U	A, V, W, Z	2	Kaliningrad
R, U	B, T, Y	Any	Ukraine
R, U	C	Any	Byelorussia
R, U	D	Any	Azerbaijan
R, U	F	Any	Georgia
R, U	G	Any	Armenia
R, U	H	Any	Turkmenistan
R, U	I	Any	Uzbekistan
R, U	J	Any	Tadzhikistan
R, U	L	Any	Kazakhstan
R, U	M	Any	Kirghizia
R, U	N	1	European Russia
R, U	O	Any	Moldavia
R, U	P	Any	Lithuania (now LY)
R, U	Q	Any	Latvia (now YL)
R, U	R	Any	Estonia (now ES)

From
Micro
Computer
Concepts

RC-1000 REPEATER CONTROLLER

RC-100 Repeater Control

- Repeater Control • Autopatch
- Complete RX-TX-Phone Line Interface
- Intelligent CW ID • Auxiliary Output • Easy to Interface • Remote Base/Tape • Reverse Patch • Tailbeeps • 12 V AC/DC Operation
- DTMF Decoder with Muting • Telemetry Response Tones • Programmable COS Polarities • Detailed Application Manual with schematics • 90-Day Warranty

Wired & Tested w/manual **\$239.95**

Distributed by

Communication Concepts

508 Millstone Dr. / Xenia, OH 45385

513-426-8600



- Intelligent CW ID
- Remote Base/Tape w/Freq. Programming
- Tailbeeps • DTMF Decoder with Muting
- Auxiliary Output
- Programmable COS
- Detailed Application Manual with schematics
- Telemetry Response Tones
- 90-Day Warranty

\$129.95

CIRCLE 348 ON READER SERVICE CARD

Short Multiband Dipole-V-Slopers

from AntennasWest Box 50062, Provo, UT 84605

- | | | |
|-----------------|------------|------------------|
| Ready to Use | Tough | Full Legal Power |
| Fastest Install | Flexible | No Lossy Traps |
| Coax Feed | Kink-Proof | Low Noise |
| 3000 V Insul | | Never Corrode |

QRV- \$49.95 80-10 51 ft. long **QRV- \$59.95** 160-10 102 ft. long

Fully Assembled, with Tech Manual & Marconi Adapter
Add \$5 Post & Handling Order Hot-Line:
For Tech Infopack send \$1 **800-926-7373**

CIRCLE 303 ON READER SERVICE CARD

Subscription Problem?
call toll free

1-800-274-6754

Uncle Wayne's Bookshelf



01P22 • The Packet Radio Handbook

by Jonathan L. Mayo KR3T
 "...an excellent piece of work. Well worth reading for both the experienced and the new packeteer... the definitive guide to amateur packet operation."
 —Gwyn Reedy WIBEL
Only \$14.50



01B65 • The Beginner's Handbook of Amateur Radio—2nd Edition

by Clay Laster
 Combines theory and practice in an easy-to-understand format, and provides information for choosing and installing radio receivers and transmitters, antennas, transmission lines, and test equipment. 400 pages, 291 illustrations. **\$18.00**

03C09 • Shortwave Clandestine Confidential

by Gerry L. Dexter
 Fascinating reading—new book covers all clandestine broadcasting, country by country—tells frequencies, other unpublished information—spy—insurgents—freedom fighters—rebel—anarchist radio—secret radio—covers all. Current publication. 84 pages. **\$8.50**

05A95 • Easy-up Antennas for Radio Listeners and Hams

by Edward M. Noll
 Like to learn how to construct low-cost, easy-to-erect antennas? *Easy-up Antennas* will help you. **\$16.50**

01D40 • DX Power: Effective Techniques for Radio Amateurs

by Eugene B. Tilton K5RSG
 256 pages, 10 illustrations. **\$9.50**

Lanze Code Programs—(Available on 5 1/4" disk.)
 Inexpensive complete study guide code programs for both the C64/128 Commodores and the IBM compatibles. Programs include updated FCC questions, multiple choice answers, formulas, schematic symbols, diagrams, and simulated (VE) sample test.

	IBM Part #	Commodore Part #	Price
Novice	IBM01	COM01	\$14.95
Tech	IBM02	COM02	\$14.95
General	IBM03	COM03	\$14.95
Advance	IBM04	COM04	\$19.95
Extra (New Pool)	IBM05	COM05	\$19.95

IBM97 • Amateur Radio Part 97 Rules (includes updated revised Commission's Rules September 30, 1989) 5 1/4" disk IBM compatible only. **\$9.95**

10M012 • Map Library by Radio Amateur Callbook Inc.
 Includes: 1 Prefix Map of the World 4-color 40" x 28"
 1 Map of North America 4-color 30" x 35"
 1 Great Circle Chart of the World 4-color 30" x 35"
 1 World Atlas 4-color 20 pages **\$12.00**

ARRL BOOKS

AR2200 • Antenna Impedance Matching

by Wilfred N. Caron
 Advanced amateurs, antenna design engineers, technicians. Most comprehensive book written on using Smith Charts in solving impedance matching problems. **\$15.00**

AR2472 • Tune in the World with Ham Radio Kit (8th ed)

Revised text covers the question pools on Novice exams given on November 1, 1989 and later. Code-teaching and code-practice cassettes included in the kit. **\$19.00**

AR2464 • Tune in the World Book only.

\$14.00

AR2197 • Data Book

Valuable aid to the RF design engineer, technician, radio amateur, and experimenter. Commonly used tables, charts, and those hard-to-remember formulas. **\$12.00**

ARA341 • Interference Handbook

Written from an RFI sleuth's perspective. His experience in solving interference problems. **\$12.00**

AR2871 • W1FB's Help for New Hams

by Doug DeMaw W1FB
 Guides the newcomer through the maze of new operating and technical procedures. Put together a station and get on the air. **\$10.00**

AR1250 • Log Book—Spiral

\$3.50

AR1670 • ARRL 1990 Handbook (67th ed.)

Over 1200 pages and over 2100 tables, figures, and charts. New antenna projects include three high-performance Yagis for 144, 220, and 432 MHz designed by Steve Powlishe, K1FO. **\$23.00**

AR0402 • Solid State Design

Chock full of good, basic information—circuit designs and applications; descriptions of receivers, transmitters, power supplies, and test equipment. **\$12.00**

AR2065 • ARRL Antenna Book

Represents the best and most highly regarded information on antenna fundamentals, transmission lines, design, and construction of wire antennas. **\$18.00**

AR1086 • ARRL Operating Manual

Packed with information on how to make the best use of your station, including: interfacing home computers, OSCAR, VHF-UHF, contesting. **\$15.00**

AR0356 • Morse Code: The Essential Language

by L. Peter Carron Jr. W3DKV
 Tells of the evolution from straight key to computers. Gives practical advice on learning the code and its modern-day uses. **\$5.00**

16S42 • Shortwave Propagation Handbook

by George Jacobs W3ASK and Ted Cohen N4XX
 New revised edition. Contains up-to-the-minute information and charts, and guides you through producing your own propagation data. 154 pages, paperback. **\$9.95**

01P044 • 44 Power Supplies for Your Electronic Project

by Robert J. Traister and Jonathan L. Mayo
 Written at the basic level, perfect for the beginner. The reader is given enough electronic theory to understand the concepts explained throughout the book. **\$15.95**

10W020 • N6RJ Original 2nd Op

by Jim Rafferty N6RJ
 A new edition in an easy-to-use "wheel" format. Simply dial the prefix and instantly have available Beam headings, Continent identifications, Zone identification, Postal rates, and more. **\$8.95**

16PB6 • Packet User's Notebook

by Buck Rogers K4ABT
 Over 90 diagrams show tried and true connections for popular TNCs, transceivers, and computers. A genuine nuts-and-bolts how-to-do manual. Brand new! **\$9.95**

09P33 • The Pirate Radio Directory 1990 Edition

by George Zeller
 Contains data on some 100 pirate stations which were active during 1989. Sections on how to tune in pirate broadcasts and how to get QSLs from pirate stations. **\$7.95**

AR226 • Operating An Amateur Radio Station

Designed to answer the basic questions the beginner may have about equipment, antennas, and procedures. **\$1.00**

AR2286 • First Steps in Radio

by Doug DeMaw W1FB
 Series of QST articles. Basic explanations of circuit components; See components assembled into practical circuits and how the circuits make up your radio gear. **\$5.00**

AR0471 • Transmission Line Transformers

by Dr. Jerry Sevick
 Covers types of windings, core materials, fraction-al-ratio windings, efficiencies, multiwinding and serial transformers, baluns, limitations at high impedance levels and test equipment. **\$10.00**

AR0194 • Antenna Compendium Vol. 1

Materials on verticals, quads, loops, Yagis, reduced size antennas, baluns, Smith Charts, Antenna polarization, and other interesting subjects. **\$10.00**

AR2545 • Antenna Compendium Vol. 2

42 papers covering verticals, yagis, quads, multiband and broadband systems, antenna selection, and much more. **\$12.00**

AR0488 • W1FB's Antenna Notebook

by Doug DeMaw W1FB
 Get the best performance out of unobtrusive wire antennas and verticals. Build tuner and SWR bridges. **\$8.00**

AR0348 • QRP Notebook

by Doug DeMaw W1FB
 Presents construction projects for the QRP operator, from a simple 1 watt crystal-controlled transmitter to more complex transceiver designs. **\$6.00**

09D22 • The World Ham Net Directory

by Mike Witkowski
 New—second edition now over 600 net listings. This book introduces the special interest ham radio networks and shows you when and where you can tune them in. **\$9.50**

01D29 • The Illustrated Dictionary of Electronics (4th Ed. 1988)

by Rufus P. Turner and Stan Gibilisco
 Over 450 detailed drawings and diagrams. Over 27,000 terms are addressed in 650 pages. Provides clear, brief, and easy-to-understand definitions. An excellent dictionary for the hobbyist or professional. **\$24.95**

15A002 • Scanner and Shortwave Answer Book

by Bob Grove
 Whether you have difficulty calculating world time zones or are trying to figure out kilohertz, megahertz, and meter band, this book will provide the answers. **\$13.95**

10F090 • 1990 International Callbook

Lists 500,000 licensed radio amateurs in the countries outside North America. Covers South America, Europe, Africa, Asia, and the Pacific area (exclusive of Hawaii and the U.S. possessions). **\$30.00**

07A66 • Aeronautical Communications Handbook

by Robert E. Evans
 An exhaustive and scholarly treatment of shortwave aeronautical listening. This book is well organized and up to date. 266 pp. **\$19.95**

ARRL License Manual

Beginning with *Tune in the World with Ham Radio* for the Novice and progressing through the critically acclaimed *ARRL License Manual* series for the Technician through Extra Class; accurate text explanations of the material covered along with FCC question pools and answer keys. **\$10.00**

AR2375 • Technician Class

AR2383 • General Class

AR0166 • Advanced Class

AR2391 • Extra Class

AR0410 • Yagi Antenna Design

Material from a series of articles published by *Ham Radio*, polished and expanded by Dr. Lawson. **\$15.00**

AR2073 • Novice Antenna Notebook

Novices: Learn how antennas operate, what governs their effectiveness for short- and long-distance communication, and more. **\$8.00**

AR0437 • ARRL Repeater Directory 1990-1991

Almost 18,000 listings (including updated listings for MS, GA, SC, NC, TN, KY, WV, and VA) with over 2200 digipeaters. Band plans, CTCSS (PL™) Tone Chart, compilation of frequency coordinators, ARRL Special Service Clubs, and beacon listings from 14 MHz to 24 GHz. **\$6.00**

AR2083 • Complete DX'er 2nd Ed.

by Bob Locker W9KNI
 Learn how to hunt DX and obtain hard-to-get QSL cards. **\$12.00**

AR1500 • Radio Frequency Interference

Contains information to help solve RFI problems. Good technical advice from ARRL staff on interference from transmitters and electrical devices. **\$5.00**

02C30 • The Commodore Ham's Companion

by Jim Grubbs K9EI
 160 pages of useful information on selecting a Commodore computer for the ham shack, where to find specialized programs, the Commodore-packet connection, and more! **\$9.50**

03S11 • Shortwave Receivers Past and Present

Edited by Fred J. Osterman
 Concise guide to 200+ shortwave receivers manufactured in the last 20 years. Gives key information on each model including coverage, display, circuit type, performance, new value, used value, etc. Photos on most models. The Blue Book of shortwave radio value. 1987. 104 pages, 8 1/2 x 11. **\$6.95**

01A87 • The Shortwave Listener's Antenna Handbook

by Robert J. Traister
 If readers are looking for ways to beef up their shortwave reception capacity and increase listening enjoyment, this handbook can show how to accomplish it easily and inexpensively. **\$12.00**

07R25 • The RTTY Listener

by Fred Osterman
 This specialized book compiles issues 1 through 20 of the RTTY Listener Newsletter. It contains up to date, hard-to-find information on advance RTTY and FAX monitoring techniques and frequencies. 156 pp. **\$19.95**

AR0477 • Low Band DXing

How to meet the challenges of the different forms of 160, 80, and 40 meter propagation with effective antennas, equipment, and operating strategies. **\$10.00**

AR2030 • Your Gateway to Packet Radio 2nd Edition

Filled with information for all amateurs. Tells everything you need to know about this popular new mode: how to get started, equipment you need, and more. **\$12.00**

AR2456 • FCC Rule Book (8th ed)

This New Edition is almost 50% fatter. The tutorial chapters in the front of the book are a major upgrade over the previous editions. A must for every active radio amateur. **\$9.00**

AR2171 • Hints and Kinks

Find the answer to that tricky problem. Ideas for setting up your gear for comfortable and efficient operation. **\$8.00**

AR2103 • Satellite Anthology

The latest information on OSCARs 9 through 13 as well as the RS satellites. Information on the use of digital modes, tracking, antennas, RUDAK, microcomputer, and more! **\$5.00**

AR0046 • Satellite Experimenters Handbook

Under one cover is what the Amateur Radio Operator needs to know in order to communicate through OSCAR satellites. **\$10.00**

AR2898 • Space Almanac

by Anthony R. Curtis K3KXK
 Extraordinary book. Captures the breathtaking recent news from space. Includes about 40 pages on Amateur Radio satellites. Find almost anything you might want to know about man's trip to the stars. 960 pages. **\$20.00**



01C80 • Master Handbook of 1001 Circuits—Solid-State Edition

by Kendall Webster Sessions
 With this outstanding reference in hand, electronics hobbyists and professionals will never have to search for schematics again. Completely updated, the book is thoroughly indexed and all 1001 circuits are clearly illustrated. 420 pages. **\$19.50 soft cover**

05H24 • Radio Handbook, 23rd Edition

William I. Orr W6SAI
 This book is filled with 840 pages of everything you wanted to know about radio communication. You will get an in-depth study of AC/DC fundamentals, SSB, antennas, amplifiers, power supplies, and more. **\$29.50 hard cover only**

03R01 • World Press Services Frequencies (RTTY)

by Thomas Harrington W8OMV
 A comprehensive manual covering Radioteletype news monitoring—contains all information—antenna, receivers, terminal units, plus three extensive frequency lists. Covers 65 World Press Services broadcasting in English. "The Original Press Book." 84 pages. **\$8.50**

10D090 • 1990 North American Callbook

Lists over 500,000 licensed radio amateurs in all countries of North America. Gives calls, names, and address information. **\$28.00**

05C63 • Commodore 64 Troubleshooting & Repair Guide

by Robert C. Brenner
 This book will guide you step by step through the complexities of making simple repairs to your Commodore 64. **\$19.50**

05C16 • C64/128 Programs for Amateur Radio & Electronics

by Joseph Carr
 The electronics hobbyist, programmer, engineer, and technician will enjoy the task-oriented programs for amateur radio and electronics in this book. **\$14.50**

11T88 • Tune in on Telephone Calls

by Tom Kneitel K2AES
 This book is formatted as a frequency list, with detailed descriptions of each service and its location in the RF spectrum. It provides all the basic information for the casual listener to get started with radio-telephone monitoring, and many details for the ardent enthusiast. **\$12.95**

15E00 • Solid-State Projects You Can Build
by Rudolf F. Graf/
George J. Whalen
Have you searched for challenging innovative projects, imaginatively designed and skillfully debugged to stimulate your own creative thinking? If so, this book was written for you!
\$10.50

3R02 • RTTY Today
by Dave Ingram K4TWJ
The new and only up-to-date RTTY book in existence. Covers all facets of RTTY—RTTY and Home Computers—most comprehensive RTTY guide ever published. Fully illustrated. A must for RTTY fans.
12 pages. **\$8.50**

2C30 • The Commodore Ham's Companion
by Jim Grubbs K9EI
60 pages of useful information on selecting a Commodore computer for the ham shack, where to find specialized programs, the Commodore-packet connection, and more!
\$9.50

3M221 • US Military Communications (Part 1)
Deals with US Military communication channels on shortwave. Covers frequencies, background and point to point frequencies for the Philippines, Japan and Korea, Indian and Pacific Oceans, and more.
62 pages. **\$12.95**

3M222 • US Military Communications (Part 2)
Covers US Coastguard, NASA, AP, FAA, Dept. of Energy, Federal Emergency Management Agency, Disaster Communications, FCC, Dept. of Justice. From 4 KC to 9073 KC. 79 pages.
\$12.95

3M223 • US Military Communications (Part 3)
This part completes the vast overall frequency list of US Military services, from 8993 KC to 27,944 C. 78 pages.
\$12.95

10A343 • All About Cubical Quad Antennas
by William Orr W6SAI/
Stuart Cowan W2LX
The "Classic" on Quad design, theory, construction, operation. New feed and matching systems. New data.
\$9.50

10A344 • The Radio Amateur Antenna Handbook
by William Orr W6SAI/
Stuart Cowan W2LX
Yagi beam theory, construction, operation. Wire beams. SWR curves. Matching systems. A "must" for serious DXers. **\$11.50**

10A346 • Simple, Low-cost Wire Antennas for Radio Amateurs
by William Orr W6SAI/
Stuart Cowan W2LX
All New! Low-cost, multi-band antennas; inexpensive beams. "Invisible" antennas for hams in "tough" locations! New data.
\$11.50

10A342 • All About Vertical Antennas
by William Orr W6SAI/
Stuart Cowan W2LX
Effective, low-cost verticals 10-160 m. DX, multiband; compact verticals for small spaces; grounding; test equipment; lightning.
\$10.50

10A347 • All About VHF Amateur Radio
by William Orr W6SAI
DX propagation, VHF Yagi and Quad beams, repeaters and how they work, OSCAR satellites and how to use them.
\$11.95

16A24 • Vertical Antenna Handbook, 2nd edition
by Paul H. Lee N6PL
A classic. Reprinted with updates, including an addendum on antenna design for 160 meters. Also, feeding and matching, short verticals, ground effects, and more.
139 pages, paperback. **\$9.95**

09V11 • The Basic Guide to VHF/UHF Ham Radio
by Edward M. Noll
This book provides a first rate introduction to life on the 2.6 and 1.25 meter bands as well as 23, 33, and 70 CM.
\$6.50

04M54 • GGTE Morse Tutor
Floppy disk for IBM PC, XT, AT, and compatibles. Learn the International Morse code or improve your capabilities. One diskette will take you from beginner through extra class in easy self-paced lessons. Standard or Farnsworth mode. Code speeds from 1 to over 100 words per minute.
\$19.50

05E94 • Crash Course in Electronics Technology
by Louis E. Frenzel Jr.
With a proven format of programmed instruction, this book teaches you the basics of electricity and electronics in a step-by-step, easy-to-understand fashion. **\$21.50**

01B033 • Talk To The World: Getting Started in Amateur Radio
by James P. Dux K3JD and Morton Keyser N3MK
Provides information and practical tips on obtaining a novice license. Authors take the mystery out of technical and procedural aspects of ham radio.
\$11.50

09S42 • The Scanner Listener's Handbook
by Edward Soomre N2BFF
Get the most out of your scanner radio. Covers getting started, scanners and receivers, antennas, coaxial cable, accessories, computer controlled monitoring, more.
\$14.95

03S208 • Radioteletype Press Broadcasts
by Michael Schaay
This Press Book covers schedules of many Press Services by time, frequency, and country broadcasting in English, French, German, Spanish, and Portuguese. Detailed Press Agency Portraits. 120 pp.
\$12.95

03K205 • Guide to Radioteletype (RTTY) Stations
by J. Kligenfuss
This updated famous book covers all Radioteletype Stations from 3 MHz-30 MHz. Press, Military, Commercial, Meteo, PTT's, Embassies, and more. 105 pp.
\$12.95

05P67 • Mastering Packet Radio: The Hands-on Guide
by Dave Ingram K4TWJ
Packet radio is the hottest, most rapidly expanding area of amateur communications. Written for the amateur enthusiast, mastering Packet Radio will put you on the cutting edge of this digital communications revolution.
\$12.50


TRANSMITTER HUNTING
RADIO DIRECTION FINDING SIMPLIFIED


01T01 • Transmitter Hunting: Radio Direction Finding Simplified
by Joseph D. Moell K8OV and Thomas N. Curlee WB6UZZ
336 pages, 248 illusts. **\$17.50**

15S003 • Communications Satellites (3rd Edition)
by Larry Van Horn
Includes chapters on channelization band plans, transponder identification, international satellites, and more.
\$7.00

15D90 • 1990 Shortwave Directory 6th Edition
by Bob Grove
An excellent reference for North American shortwave listeners, this DXer's bible is crammed with up-to-date, accurate frequency and user information from 10KHz to 30KHz.
\$16.95

03S04 • The Hidden Signals on Satellite TV
by Thomas P. Harrington and Bob Cooper Jr.
New book shows and tells how to tune in the many thousands of Telephone, Data, Telex, Teletype, Facsimile Signals on most of the TV Satellites, covers equipment, hookups, where to tune. Only book covering these secret signals on the satellites, plus all subcarriers. 234 pages.
\$19.50

PASSPORT TO WORLD BAND RADIO


06S57 • 1990 Passport to World Band Radio
by International Broadcasting Services, Ltd.
You can have the world at your fingertips. You'll get the latest station and time grids, the 1990 Buyer's Guide and more. 384 pages.
\$14.50

THE WORLD \$4.00



How can the World's Best DX Map cost only \$4.00? Obviously, a serious blunder which you should take advantage of before we discover it. This is the only world map in black and white so you can color in the countries as you work them! Further, it has almost all of the official IARU 400 countries on it, which no other map at any price has.

For Better QSOing

These are books that our editors feel are excellent additions to everyone's reading experience. Although they are not necessarily ham radio books, they are thought provoking and timely.

18G01 • "Surely You're Joking, Mr. Feynman!"
by Richard P. Feynman
Richard Feynman, who won the Nobel Prize in physics, was one of the world's greatest theoretical physicists and thrived on outrageous adventure. He traded ideas with Einstein and Bohr, discussed gambling odds with Nick the Greek, and accompanied a ballet on the bongo drums. This is Feynman's astonishing life story—a combustible mixture of high intelligence, unlimited curiosity, eternal skepticism, and raging chutzpah.
\$8.95

19M02 • Chaos, Making a New Science
by James Gleick
Chaos records the birth of a new science. This new science offers a way of seeing order and pattern where formerly only the random, the erratic, the unpredictable—in short, the chaotic—had been observed. After reading *Chaos*, you will never look at the world in quite the same way again.
\$9.95

20M090 • Computing Across America
by Steven K. Roberts N4NRVE
Steve Roberts has written articles for *73 Magazine* about the technical aspects of his US tour on his recumbent bicycle. This book covers his adventures, people he met, and places he saw. If your lifestyle seems a little confining, check this book out.
\$9.95

CODE TAPES

One answer to the no-code brow-ha-ha is to make the code so simple to learn that it's a non-problem. Here's the world's easiest code course—tens of thousands of hams have gotten their licenses this amazing new shortcut way. It's failure-proof. Most people are able to whip through the Novice test after spending less than three hours each on *Genesis* and *The Stickler*. People who have given up on other code courses find this one does the job in a jiffy. Going after your General? It's about time. Use the *Back Breaker* and you'll be there before you know it. A week should do it. Warning: 20wpm code almost invariably appears to cause irreparable, irreversible, permanent brain damage. Uncle Wayne accepts no responsibility whatever for anything that happens to those who are foolish enough to use the *Courageous 20wpm* tape.

73T05 "Genesis" \$5.95
6+ wpm—This is the beginning tape, taking you through the 5 letters, 10 numbers, and necessary punctuation, complete with practice every step of the way. The ease of learning gives confidence even to the faint of heart.

73T13 "Back Breaker" \$5.95
13+ wpm—Code groups again, a brisk 13+ wpm so you'll be ally at ease when you sit down in front of a steely-eyed volunteer examiner who starts sending you plain language code at only 13 per. You'll need this extra margin to overcome the peer panic universal in most test situations. You've come this far, so don't get code-shy now!

73T06 "The Stickler" \$5.95
6+ wpm—This is the practice tape for those who survived the 5 wpm tape, and it's also the tape for the Novice and Technician licenses. It is comprised of one solid hour of code. Characters are sent at 13 wpm and spaced at 5 wpm. Code groups are entirely random characters sent in groups of five—definitely not memorizable!

73T20 "Courageous" \$5.95
20+ wpm—Congratulations! Okay, the challenge of code is what's gotten you this far, so don't quit now. Go for the extra class license. We send the code faster than 20 per. It's like wearing lead weights on your feet when you run: You'll wonder why the examiner is sending so slowly!

Uncle Wayne's Bookshelf Order Form

You may order by mail, telephone, fax, or our Bulletin Board. All payments are to be in US funds. Allow 3 weeks for delivery.

Item #	Title	Qty.	Price	Total

U.S. orders add \$2.50, Canadian orders add \$3.50 — Shipping

Name _____

Street _____

City _____ State _____ Zip _____

TOTAL \$ _____ AE MC VISA Check/Money Order


Card # _____ Expiration Date _____

Mail: 73 Magazine, Attn. Uncle Wayne, Forest Road, Hancock, NH 03449

TOTAL _____

Telephone: (603) 525-4201
FAX: (603) 525-4423

... de K6MH



New Talent at 73

I'm delighted to call your attention to two new people on the 73 editorial staff: Bill Brown WB8ELK, and Mike Nugent WB8GLQ.

Besides being congenial, Bill is a technical whiz. He likes to launch amateur TVs via balloon, kite or rocket and has done so in various places around the world. Our ATV editor for several months, Bill has now joined us here in New Hampshire full time. Besides being deeply into fast-scan TV, Bill has our Amiga working on various SSTV modes, and just got a hi-res weather fax receiver going. Beautiful! Bill's fascination with amateur radio dates back to the earliest days of 73. He stays right on the leading edge of the hobby, and has gained a lot of respect from those that have worked with him or heard him talk.

Mike Nugent, "Nuge," has been on the scene for a few months. He is the editor of a fine little magazine, *Portable 100*, for RS laptop buffs. Nuge spends half days here with us, delving into packet, and editing. Nuge is a much-sought-after computer wizard, programmer, and problem solver.

You'll be seeing the impact of these new talents in the magazine right away. We're proud to have them aboard. I think you will be, too.

I've been holding forth in this spot for six months. Let's take a look at some feedback:

06 April 1990

73 Magazine; "K6MH"
Editorial Offices, WGE Center
Hancock, N.H. 03449

Dear K6MH & Editor of 73,

Your editorial suggestions (p.88 March '90) may be well taken in some cases but the bottom line is that "Ham Radio" is a hobby and therefore means different things to different people. As a hobby, each person is entitled to do his own thing even if it means talking about the new equipment that he just purchased for an arm and a leg. I have since listened across many bands and indeed find all types of subjects being discussed. Most with genuine concern, interest and even humor!

Ham radio has many constraints too. Especially in talking with other countries where the legal rules say "... that the subject matter is of such inconsequential interest that commercial facilities would not be used...." Further, ham radio is not college or even kindergarten for that matter (?14313 excepted?) and many people have already used their grey matter to stimulate their business interests and just want to "shift gears" for a few minutes or hours of relaxed rag-chewing about any subjects or fluff they want without feeling guilty about it!

I listen on the HF bands more than I talk and I have heard a great many

interesting, QSOs. Many more were routine, some were most educational, even brilliant, along with the deteriorating, argumentative, destructive, inane and ignorant—vulgarity that advertises the inferior mental level behind the voice-box of its owner. However in our case this is a hobby being exercised in a free country, by free individuals of wide, if not extreme, diversity but with a common interest in THIS hobby, its equipments, modes, antennae, problems, joys and the so-called cocktail conversations about and between fellow hams. Such discussions shouldn't seem unnatural or undesirable. In fact some people are indeed turned off by discussing politics (Town Meetings), special interest groups, etc. Often the mere mention of Congress, IRS, Supreme Court Decisions, the recent 14313 Mhz self-righteousness, etc., can run a number of people to the boob-tube or the heart specialist instead of our wonderful hobby!

Most of us that could pass the FCC test (up to now) must have enough spunk, success, pride or ambition to decide what "WE" want to talk about and many switch from signal reports to the more interesting but enjoyable topics of "THEIR CHOICE" even if others would not feel inclined to join the QSO. Look at the "ARRL NET DIRECTORY" and see some open, special interest nets for Novices, religions, weather-nets, QCWA, traffic, Round Tables, ARES, R-Vers, Computer Interfacing, Practice, Breakfast Club YL, training, Breezeshooters, AMSAT, "Grandfathers" and the ham groups of former military people and even our Possum Hunters Net! Some would also prefer their own private QSO anyway.

Some may need a prod but for most of us it's "enjoy" or QSY. But PLEASE let's always—"Live & Let Live." OK?

73,

Frank E. Brooks II, W4UMC

Right on with Live and Let Live! I'm wholeheartedly in favor of anything that is alive, exciting, and fun in ham radio. Speaking of which, did you see Bill Brown's suggestion in last month's ATV column for enticing computer addicts into amateur radio, by sharing games and programming directly via ATV?

I'm not crazy about having books recommended to me. But here are two I am so impressed by I feel duty-bound to pass the word along: *Diet for a New America*, by John Robbins (Stillpoint Pub.). An in-depth tour of our food sources, and one of the best books on this planet's ecosystem I have seen. The second is *The Continuum Concept*, by Jean Liedloff, subtitled: *Allowing Human Nature to Work Successfully* (Addison-Wesley Pub.). John Holt, who has a lot of my respect, said, "If the world could be saved by a book, this just might be the book." Sounds pretty strong. I agree. 73

PROPAGATION

Jim Gray W1XU

Jim Gray W1XU
PO Box 1079
Payson AZ 85541

In general, HF DX during June is in the proverbial doldrums, although with the sunspot numbers nearly at peak, and solar flux high, you may expect June to be a decent, if not spectacular month. However, for you VHFers, June ought to be extremely good, with the MUFs so high.

On a daily basis, the first seven or eight days of the month ought to provide good HF conditions with the bands open well after dark on almost all of the HF bands. June 22 is the longest day of the year in the Northern Hemisphere and dark doesn't usually come until after 9 p.m. local time... so you can have a good day of DXing even after working hours! Conditions for the week between the 13th and 20th may be very poor for HF band contacts, with possible solar flares and high magnetic field indexes. Conditions should improve to fair and remain anywhere between fair-to-good and fair-to-poor for the rest of the month.

As always, be sure to keep a daily check on WWV at 18 minutes past the hour to watch for trends in propagation conditions. Remember that a high solar flux and a low A index for the Earth's magnetic field are the good signs to look for. Short skip and sporadic E propagation are likely to abound, and almost daily coast-to-coast propagation will be the rule on bands as high as 10 meters, and maybe even 6 meters on the good days. With Cycle 22 now exhibiting its peak, DX will be better than ever, even in an "off" month like June. For indications of band conditions

on any given day, also listen for the DX beacons on the upper HF bands. They will be operating from 10 meters through 20 meters, and if you hear them coming in strong you can bet the band will be excellent. Even if you don't hear signals call "CQ"—you could be pleasantly surprised! 73

EASTERN UNITED STATES TO:

	GMT:	00	02	04	06	08	10	12	14	16	18	20	22
ALASKA	—	20	20	—	—	20	20	—	—	—	—	—	20
ARGENTINA	15	20	20	—	—	—	—	—	—	10	10	15	—
AUSTRALIA	15	20	20	20	—	—	40	20	—	—	—	—	10
CANAL ZONE	15	20	20	20	20	—	20	10	10	10	10	10	15
ENGLAND	40	40	40	—	—	—	15	10	10	10	10	10	20
HAWAII	15	15	20	20	40	—	20	—	10	10	10	10	15
INDIA	20	—	—	—	—	—	15	15	—	—	—	—	—
JAPAN	—	20	20	—	—	—	20	20	—	—	—	—	20
MEXICO	15	20	20	20	20	—	20	10	10	10	10	10	15
PHILIPPINES	—	—	20	—	—	—	20	15	10	—	—	—	15
PUERTO RICO	15	20	20	20	20	—	20	10	10	10	10	10	15
SOUTH AFRICA	20	—	20	20	—	—	—	—	—	10	10	15	15
U.S.S.R.	—	—	20	20	20	—	—	—	—	15	15	—	20
WEST COAST	20	20	20	40	40	40	10	10	10	10	10	10	15

CENTRAL UNITED STATES TO:

ALASKA	10	20	20	20	—	—	20	—	—	—	—	15	10
ARGENTINA	15	15	20	20	—	—	—	—	—	10	—	10	10
AUSTRALIA	10	15	20	20	20	20	20	20	—	—	15	10	10
CANAL ZONE	15	20	20	20	20	—	—	—	—	10	10	10	10
ENGLAND	—	—	—	—	—	—	—	—	—	15	10	15	20
HAWAII	10	15	20	20	20	20	—	—	—	—	10	10	10
INDIA	15	20	—	—	—	—	20	15	—	—	—	—	—
JAPAN	10	20	20	20	—	—	20	—	—	—	15	10	10
MEXICO	15	20	20	20	20	—	—	—	—	10	10	10	10
PHILIPPINES	10	—	20	—	—	—	20	15	15	—	—	10	10
PUERTO RICO	15	20	20	20	20	—	—	—	—	10	10	10	10
SOUTH AFRICA	—	—	20	—	—	—	—	—	—	10	10	15	20
U.S.S.R.	—	—	20	—	—	—	—	—	—	15	15	20	20

WESTERN UNITED STATES TO:

ALASKA	10	10	15	—	20	20	20	20	20	—	—	—	10
ARGENTINA	10	15	20	20	—	—	—	—	—	—	—	10	10
AUSTRALIA	10	10	15	20	20	20	20	20	20	—	—	10	10
CANAL ZONE	15	15	20	20	20	—	—	—	—	10	10	10	10
ENGLAND	—	—	—	—	—	—	—	—	—	15	15	20	20
HAWAII	10	15	15	20	20	20	40	40	—	—	15	15	—
INDIA	15	15	20	—	—	—	—	20	15	—	—	—	—
JAPAN	10	10	15	—	20	20	20	20	20	—	—	10	10
MEXICO	15	15	20	20	20	20	—	—	—	10	10	10	10
PHILIPPINES	15	—	—	20	20	20	20	20	20	20	20	20	15
PUERTO RICO	15	15	20	20	20	20	—	—	—	10	10	10	10
SOUTH AFRICA	20	20	20	20	—	—	—	—	—	10	10	15	20
U.S.S.R.	—	—	—	20	20	—	—	—	—	20	15	15	20
EAST COAST	20	20	20	40	40	40	10	10	10	10	10	10	15

Note: (1) Possible on some days. Use 10 for 10 & 12 meter bands; use 15 for 15 & 17 meter bands; use 40 for 30 & 40 meter bands. Where 2 bands are shown, try both. This data is for the highest possible frequency to be used of a given path. (MUF)

JUNE 1990

SUN	MON	TUE	WED	THU	FRI	SAT
					1	2
					G	F
3	4	5	6	7	8	9
G	G	G	G	G	G	G
10	11	12	13	14	15	16
G	G-F	F-P	P	P	P	P
17	18	19	20	21	22	23
P	P	P	P-F	F	F-G	G-F
24	25	26	27	28	29	30
F	F	F	F-G	F	F-P	P

YAESU

Power ... and More!

FT-212RH

Frequency Synthesized VHF/UHF FM Transceiver

The compact, versatile FT-212RH is a 45 watt, 2 meter mobile that boasts a lot more than just high power. Inside its sturdy compact frame hides an impressive array of performance features plus high reliability...like 18 general purpose memories; one-touch call channel memory; two scanning range memories; CTCSS on any of the 37 standard tone frequencies may be programmed into any memory channel. Choice of standard, or optional, high performance tone encoding microphones. The FT-212RH and its 35 watt UHF counterpart, the FT-712RH are packed with state-of-the-art refinements... power and more!



- **Frequency Range:** 140-174 MHz on receive (144-148 MHz TX—Modifiable for MARS and CAP). Specifications guaranteed on amateur bands only.
- **Power Output:** 45 watts output with selectable 5 watt low power.
- **CTCSS:** Access any of the 37 standard CTCSS tone frequencies, plus 97.4 Hz can be displayed, selected and programmed into any memory for transmission.
- **19 Memories:** Each memory stores either programmable repeater shift or independent TX and RX frequencies.

- **Automatic Repeater Shift (ARS):** Enables selection of repeater transmitter offset automatically when tuned to a standard repeater subband.

- **Programmable Scanning:** Scans band, band segment or memories. Scan auto-resume with carrier drop or after 5-second pause.

- **Tuning Steps:** Operator selectable steps in 5, 10, 12.5, 20 and 25 KHz increments.

- **CAT System Control:** Provides for external control of VFO frequency, mode and memory functions from operator's personal computer.

- **Amber Backlit LCD Display:** Automatically controls the brightness of the display backlighting and pilot lamps.

- **Tone Encoding Microphone:** Choice of standard, or optional high performance DTMF tone encoding microphones.

- **Digital Voice System (DVS-1):** Optional system which allows local and remote digital voice recording and playback.



FT-4700RH

Dual Band VHF/UHF Trunk Mountable FM Transceiver

- **Frequency Range:** 140-174 MHz on 2m (modifiable for MARS and CAP); 430-450 MHz on 70cm.
- **Power Output:** 50 watts on 2m; 40 watts on 70cm. Selectable 5 watts low power on both bands.
- **Full Duplex Cross Band Operation:**
- **Dual Receive:**
- **CTCSS Encode/Decode:**
- **Remote Control Kit Included:**
- **Amber Backlit LCD Display** and controls with dimmer switch.
- **20 Memories:**
- **Dual Antenna Ports:**
- **Programmable Scanning:**
- **MH-15C8 Mic** standard; **MH-15D8 Mic** optional.

For information on these and Yaesu's full line of products, call our literature desk toll-free at 1 (800) 999-2070.

YAESU
Performance without compromise.

KENWOOD

The HT with More!

- Priority alert function.
 - Large, easy-to-read multi-function LCD display with night light.
 - Audible beeper to confirm keypad operation.
- DTMF monitor also included.

- BT-5: AA cell manganese/alkaline battery case
- BC-7: rapid charger
- BC-8: compact battery charger
- SMC-30: speaker microphone
- SMC-32: mini speaker microphone
- SC-12, 13, 27: soft cases
- RA-3, 5: telescoping antennas
- RA-8B: StubbyDuk antenna
- TSU-4: CTCSS decode unit
- VB-2530: 2m, 25 W amplifier (1-4 W input)
- LH-4, 5: leather cases
- MB-4: mobile bracket
- BH-5: swivel mount
- PG-2V: extra DC cable
- PG-3E: cigarette lighter cord with filter

TH-225A

The all new TH-225A brings you all the convenience of a mobile rig, with the portability of an HT.

- Five watt output battery pack (PB-12) supplied
- Odd split on all ten memory channels
- Six watts with 13.8 VDC input
- Wide receiver frequency range. Receivers from 141-163 MHz. Includes the weather channels! Transmit from 144-148 MHz. Modifiable to cover 141-151 MHz (MARS or CAP permit required).
- CTCSS encoder built-in. TSU-4 CTCSS decoder optional.
- 10 memory channels.
- Nine types of scanning! Including new "seek scan" and priority alert. Also memory channel lock-out.
- Intelligent 2-way battery saver circuit extends battery life.
- Easy memory recall. Simply press the channel number!
- DC input terminal for direct mobile or base operation.
- New Twist-Lok Positive-Connect™ locking battery case.
- Monitor switch to defeat squelch. Used to check the frequency when CTCSS encode/decode is used.

- Supplied accessories: Belt hook, rubber flex antenna, wall charger, DC cable, and dust caps.

Optional Accessories:

- PB-1: 12 V, 800 mAh NiCd pack for 5 W
- PB-2: 8.4 V, 500 mAh NiCd pack (2.5 W)
- PB-3: 7.2 V, 800 mAh NiCd pack (1.5 W)
- PB-4: 7.2 V, 1600 mAh NiCd pack (1.5 W)
- PB-12: 12 V, 500 mAh NiCd pack

TH-315A/TH-415A

- TH-315A covers 220-225 MHz, TH-415A covers 440-449.995 MHz.
 - 5, 2.5, or 1.5 W output, depending on the power source.
- Supplied battery pack (PB-2) provides 2.5 W output.

Complete service manuals are available for all Kenwood transceivers and most accessories. Specifications, features, and prices are subject to change without notice or obligation.

KENWOOD U.S.A. CORPORATION
COMMUNICATIONS & TEST EQUIPMENT GROUP
P.O. BOX 22745, 2201 E. Dominguez Street
Long Beach, CA 90801-5745
KENWOOD ELECTRONICS CANADA INC.
P.O. BOX 1075, 959 Gana Court
Mississauga, Ontario, Canada L4T 4C2

KENWOOD

...pacesetter in Amateur Radio